



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

2 45 0417 8010

M

LANE

MEDICAL



LIBRARY

LEVI COOPER LANE FUND

—PRESENTED TO—

The New York Academy of Medicine.





By

The Society of the New York Hospital,

March, 1898.

Flor







203

S U P P L E M E N T

TO THE

THIRTY-FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

Presented to both Houses of Parliament by Command of Her Majesty.



LONDON:
PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE,

1875,

YASUJI IMAI

CONTENTS

	PAGES
INTRODUCTION	iii-iv
1. POSSIBILITIES AND DIFFICULTIES OF EXTENDING HUMAN LIFE	v-viii
2. PROBABLE DECREASE OF MORTALITY	viii-ix
3. INCREASE OF POPULATION IN GEOMETRICAL PROGRESSION AND ITS EFFECTS ON HEALTH AND MORTALITY	ix
4. INCREASE AND DECREASE OF POPULATION	ix-xii
5. RELATION BETWEEN DEATH-RATES AND BIRTH-RATES	xii-xiv
6. INSTANCES OF EFFECTS OF INDUSTRIAL ENTERPRISE ON DEATH AND BIRTH RATES	xiv-xv
7. THE PRINCIPLE OF POPULATION	xv-xviii
8. PROGRESS OF MANKIND IN HEALTH	xix-xx
9. CONSTITUENT ELEMENTS OF THE POPULATION	xx
10. THE MORTALITY OF MALES AND FEMALES AT THE SEVERAL PERIODS OF LIFE	xxi-xxii
11. EFFECTS OF DENSITY OF POPULATION ON HEALTH	xxiii-xxv
12. MORTALITY OF PERSONS OF DIFFERENT AGES AS A SANITARY TEST	xxv
13. DISTRICTS GROUPED IN THE ORDER OF DENSITY	xxv
14. OF WHAT CAUSES PEOPLE DIE OFF AT DIFFERENT AGES	xxv-xxvii
15. MARCH OF AN ENGLISH GENERATION THROUGH LIFE	xxviii-xxxiii
16. FUTURE DANGERS AT SEVERAL STAGES OF LIFE	xxxiii-xxxiv
17. THE RELATIVE NUMBER OF DEATHS FROM DIFFERENT CAUSES	xxxiv
18. THE RATES OF MORTALITY AT DIFFERENT AGES BY DIFFERENT CAUSES	xxxiv-xxxv
19. THE LAW OF MORTALITY AND OF ATTACKS OF DISEASE	xxxv-xxxvi
20. AGES AT DEATH BY PARTICULAR DISEASES	xxxvi-xxxvii
21. EFFECT OF THE EXTINCTION OF ANY SINGLE DISEASE ON THE DURATION OF LIFE	xxxviii-xli
22. ECONOMIC EFFECT OF DEATHS BY DIFFERENT DISEASES	xli-xliii
23. HYGIENIC TOPOGRAPHY	xliii
(a.) London	xliii-xlvi
(b.) South Eastern Division	xlvi
(c.) South Midland Division	xlvi
(d.) Eastern Division	xlvi-xlvii
(e.) South Western Division	xlvii
(f.) West Midland Division	xlvii-xlix
(g.) North Midland Division	xlix
(h.) North Western Division	xlix-l
(j.) York Division	l-li
(k.) Northern Division	li
(l.) Welsh Division	li-lii

CONTENTS.

	PAGES
24. HEALTH OF MEN ENGAGED IN VARIOUS OCCUPATIONS . . .	lii-lviii
CONCLUSIONS AND PRACTICAL APPLICATIONS :	
<i>Natural Lifetime</i> , physical causes of its termination . . .	lviii
<i>Hygienic Factors</i> :	
Air, Water, Drinks (Temperance), Non-alcoholic Drinks, Food, Heat and Cold, Exercise	lviii
Excreta, Cleanliness (Baths), Sewers	lxiii
Zymotic Diseases, Vaccination	lxv
Enthetic Diseases ("Contagious Diseases")	lxvii
Childbirth, Local Diseases	lxx
Cities (Sites, Ground Rents, Municipal Organization) . .	lxxi
Cremation, Inhumation (Burial in Churchyards, Ceme- teries)	lxxii
Health Insurance, Medicine (Medical Profession, Here- ditary Disease, Improvements of Race)	lxxvii
TABLES :— •	
PRELIMINARY	lxxxiii-clxxxv
Density of POPULATION and Annual Mortality of Persons at All Ages in the Three Decenniads 1841-50, 1851-60, and 1861-70 , in the REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND; Inmates and Deaths in certain PUBLIC INSTITUTIONS	clxxxvii-cxxii
Average Annual Rate of Mortality of Males and Females from All Causes at Different Ages , in the 10 Years 1861-70 , in the REGISTRATION DIVISIONS and DISTRICTS of ENGLAND	cxxiii-cxxli
Mean Population, 1861-71, and Deaths from Different Causes of Males and Females at Different Ages in the 10 Years 1861-70 in ENGLAND and WALES and in the REGISTRATION DIVISIONS and DISTRICTS	1-445
Deaths of Males at Different Ages from 5 Years and upwards of Different Occupations in ENGLAND and in each of the 11 REGISTRATION DIVISIONS , registered in the Year 1871 . .	447-504
Deaths of Males at Different Ages from 5 Years and upwards of Different Occupations in EIGHTY TOWN DISTRICTS , registered in the Year 1871	505-514
INDEX OF DISTRICTS	515-518
INDEX OF CERTAIN TOWNS	519
ALPHABETICAL INDEX	521-539

LETTER

TO

The REGISTRAR-GENERAL on the MORTALITY in the REGISTRATION DISTRICTS of ENGLAND during the YEARS 1861-70; by WILLIAM FARR, Esq., M.D., F.R.S., D.C.L.

*General Register Office, Somerset House,
5th February 1875.*

SIR,

How the people of England live is one of the most important questions that can be considered; and how—of what causes, and at what ages—they die is scarcely of less account; for it is the complement of the primary question teaching men how to live a longer, healthier, and happier life. Armed with this golden bough, we may enter the gloomy kingdom of the dead, whither have gone in twenty years nine thousand thousand English children, fathers, mothers, sisters, brothers, daughters, sons:

*Matres atque viri, defunctaque corpora vita
Magnanimum heroum, pueri innuptæque puellæ
Impositique rogis juvenes ante ora parentum :**

each having left memories not easily forgotten; and many having biographies full of complicated incidents. Here, fortunately for this inquiry, they appear divested of all colour, form, character, passion, and the infinite individualities of life: by abstraction they are reduced to mere units undergoing changes as purely physical as the setting stars of astronomy or the decomposing atoms of chemistry; and as in those sciences so in this, the analysis of the elementary facts observed in their various relations to time and place will shed new light on the more complicated phenomena of national life.

The vital units to be specially dealt with are persons living and persons dying in the ten years 1861-70, only distinguishing them into units representing males and females of different ages and occupations, losing life year after year by various causes, in about 627 districts extending from the borders of Scotland to the English Channel and from the Irish Sea to the German Ocean. The deaths in the several classes have to be compared with the population enumerated at three decennial censuses, in corresponding groups.

The long series of Tables offers a retrospect extending over the ten years, and is in continuation of a series embracing the previous ten years, with which it is compared.

The primary object is to determine what the death-toll† is at the several ages, and what the causes of the loss of life are, under different circumstances. The importance of this determination will become ap-

* Mothers and men, and bodies there with all the life outworn
Of great-souled heroes; many a boy and never-wedded maid,
And youths before their fathers' eyes upon the death-bale laid:

Morris.

† This compound of Saxon words appears to be preferable to "death-rate" or "death-tax;" it is equivalent to "rate of mortality."

parent by enumerating some of the relations the mortality bears to other orders of facts. There is a relation betwixt death and sickness; and to every death from every cause there is an average number of attacks of sickness, and a specific number of persons incapacitated for work. Death is the extinction of pain. There is a relation betwixt death, health, and energy of body and mind. There is a relation betwixt death, birth, and marriage. There is a relation betwixt death and national primacy: numbers turn the tide in the struggle of populations, and the most mortal die out. There is a relation betwixt the forms of death and moral excellence or infamy; men destroy themselves directly or their fellows under the most varied mental conditions; they may die by indulgence in excesses, by idleness, or by improvidence. Death is met especially in primeval races not only in conflicts with each other, but in conflicts with other races of animals—directly with great carnivorous quadrupeds or creeping poisonous serpents, and indirectly with four-footed animals, winged birds, and multitudinous insects, blighting or consuming food. Death is also wrought by low but organised parasites in the body. It is still more frequently the result of elementary molecules (zymads) which, though of no recognised form, evidently thrive, propagate, die in the bodies of men, disintegrating or devitalizing their tissues.

There is finally a relation betwixt death and the mean lifetime of man; if a life passing through a given time is represented by a line, death is the point of termination as birth is the point of origin. And a generation of men born together is represented by an indefinite number of such lines of life. The natural lifetime of man is a century; that age under ordinary conditions is, as the Etruscans remarked, attained by at least *one* in every considerable generation, and they made it their *sæculum*; as in that time are passed through all the phases of childhood, youth, manhood, maturity, and monumental age.* The mean lifetime in the healthiest districts of England—and in the healthiest ranks—is 49 years; and we have no evidence that under the most favourable conditions it exceeds 50 years. Actually individual life varies in duration from a second to a century. And the relation to be shown here is between the dying by different causes and the living at every stage of the march of a generation through time. The mean lifetime of a generation may be the same, and yet the several lifetimes of the individuals of which it is composed may vary infinitely; under the actual laws of mortality, great numbers die in infancy, few in adolescence, more in manhood, and, after infancy, the greatest number by the English Table at the age of *seventy-three*, the numbers born having fallen in the proportion of ten born alive to two then surviving. It is evident that an entire revolution in the life of the human race would follow if every person born lived the average lifetime of fifty years, or if half the deaths happened in infancy and the other half at the end of 100 years or at any very advanced age. What we observe actually is that in certain conditions the mean lifetime sinks to half its standard length; and that this is the result of the high mortality in the first five years, of the reduced mortality in adolescence, and of the increasing mortality in manhood up to the ultimate term of life; few old people surviving and few dying therefore after four score years, especially in such unfavourable conditions as exist in Liverpool.†

Under the existing state of things, of the constituent lives of every generation a certain number dies at every age of causes to be investigated under two heads:—direct and organical, including diseases and injuries; and remote and indirect, namely, the causes of those diseases and injuries. Before entering upon the investigation two preliminary questions have to be discussed.

* See Census Report of 1851, Vol. I., p. xv.

† See Registrar-General's Fifth Report, pp. 35-6.

1. Possibilities and Difficulties of extending Human Life.

The laws of life are of the highest possible interest, even if the knowledge of those laws gave men no more power over the course of human existence than the meteorologist wields over the storms of the atmosphere, or the astronomer over the revolutions of the heavens. But all human laws proceed on the belief that the lives of individuals and of communities can, within certain limits, be regulated for good or for evil; and as latterly this has been questioned, it becomes necessary to discuss the problem—can lifetime be prolonged by a knowledge of the causes that cut it short, or by any means within a nation's power?

To live long is a natural aspiration and in the early years of the marvellous science of chemistry the alchemists sought with as much ardour as they sought the philosopher's stone for an *elixir vite* to confer on man perpetual prime; they promised him, by its discovery, immortality upon earth. The possibility of this seems to have been an ancient belief, for in one of the oldest legends man had been told that he should not die—that he should live for ever. And it had in it some grounds, or it could never have led the first Bacon, Descartes, Franklin, and Condorcet to intimate that human life might be prolonged indefinitely.*

* The views of Roger Bacon are expressed in the *Epistola de Secretis operibus Artis et Naturæ, et de Nullitate Magiæ*; and it is only fair to that great man to give his views as they are published by the Master of the Rolls among the previously unpublished works.

Title of the chapter: "Cap. VII. De retardatione accidentium senectutis, et de prolongatione vite humane."

"Et possibilitas prolongationis vite probatur per hoc, quod homo est naturaliter immortalis, et potens non mori, atque etiam post peccatum potuit vivere circiter mille annos; et deinceps paulatim abbreviata est vite longitudo. Ergo oportet quod hujusmodi abbreviatio sit accidentalis; quare poterit in toto vel in parte reparari. Sed si nos volumus causam accidentalem hujus corruptionis investigare, inveniemus quod non est a cælo, neque ab alio, quam a defectu regiminis sanitatis. Nam in hoc quod patres corrupti sunt, generant filios corruptæ complexionis et compositionis; et filii ex eadem causa se corruptunt; et sic devenit corruptio a patribus in filios, donec invalescat continua abbreviatio vite, sicut est die ista. Non tamen propter hoc sequitur quod abbreviabitur semper in minus, quia terminus in specie humana positus est, ut in pluribus vivant homines lxxx annis, 'sed amplius est eorum labor et dolor.' Remedium vero esset contra corruptionem propriam cujuslibet, si quilibet exerceat regimen completum sanitatis a juventute; quod consistit in his quæ sunt cibus, potus, somnus, vigilia, motus, quies, evacuatio, constrictio, aër, passio animi. Nam si quis hoc regimen conservaret, a natiuitate, viveret quantum natura assumpta a parentibus permetteret, et duceretur ad ultimum terminum istius naturæ lapsæ ab originali justitia; quem tamen præterire non posset; quia hoc regimen non habet remedium contra corruptionem antiquam parentum. Sed impossibile est, quod homo sic regatur in omni mediocritate istorum, sicut exigit regimen sanitatis; et ideo oportet, quod abbreviatio vite contingat ex hac causa, non solum ex corruptione parentum. Ars vero medicinæ determinat hoc regimen sufficienter. Sed nec dives, nec pauper, nec sapiens, nec insapiens, nec ipsi medici quantumcunque periti, possunt hoc regimen in se, nec in aliis perficere, ut patet cuilibet. Sed natura non deficit in necessariis, nec ars completa; immo valet insurgere et irrumpere contra accidentales passiones, ut in parte vel in toto deleantur. Et a principio, quum incepit ætas hominum declinare, facile fuisset remedium; sed nunc, a sex millibus annorum et amplius, difficile est remedium apponi. Sapientes tamen moti considerationibus antedictis, nisi sciunt vias excogitare, non solum contra defectum proprii regiminis cujuslibet, sed contra corruptionem parentum; non quia reducat homo ad vitam Adæ, vel Arthepii propter corruptionem tam invalescentem; sed ut in centenarium annorum, vel plures, vita prolongetur ultra communem ætatem hominum nunc viventium; quatenus passiones senectutis retardentur, et cum prohiberi non possint, mitigentur; usquequo ultra æstimationem humanam vita prolongetur utiliter; semper tamen citra ultimum terminum naturæ. Nam ultimus est terminus, qui in primis hominibus positus est post peccatum; et alius terminus est cuilibet ex propria et parentum corruptione. Ultra istos ambos non contingit transire, sed bene terminum propriæ corruptionis; nec tamen usque ad terminum primum, credo quod aliquis, quantumcunque sapiens his temporibus, posset attingere; licet possibilitas sit, et aptitudo naturæ humanæ ad illum terminum secundum quod fuit in primis hominibus.

"Nec mirum quum aptitudo ista se extendit ad immortalitatem, sicut fuit ante peccatum, et erit post resurrectionem. Sed si tu dicas quod nec Aristoteles, nec Plato, nec

The forces, as well as the constituents of the body, are in truth indestructible ; but they are fugitive, and are perpetually passing out of the men of existing generations into other forms: the flame of consciousness shines in one life only for a while. But the alchemists were right when they saw virtues in minerals and trees to prolong as well as to shorten life; to check disease and to set the body free; for if mercury, arsenic, antimony, iron, potash, soda, magnesia, phosphorus, chlorine, iodine, sulphur, in their various salts and acids; if strychnia, quinine, opium, chloroform, æther, ipecacuanha, camphor, and alcohol; will kill, they will also cure in the hands of the skilful. Surgery too has its great triumphs. Therapeutics is not a delusion, the Healer is a reality. But no drug can do more than prolong life for a time; the man raised from the grave dies in the end. Life can be lengthened by regimen—by dietetics, which Celsus says engaged in his day the most eminent professors of medicine in Rome, because it is the most potent and philosophical,* dealing in regimen of mind and body, and medicinally controlling aliment, air, sleep, and exercise. The influence of the external world of air, water, soil, and climate on health and length of life was placed beyond doubt by the great treatise of Hippocrates. And Moses had before inculcated the exclusion of the sick by zymotic diseases from the Congregation. In these latter days science has gone further, and shown under what conditions the lifetime is long or short; and the science of life, yet only in its infancy, will make further progress, and solve many problems hitherto held to be insoluble, when hygiene is cultivated in all the medical schools. The genius of agriculture, of engineering, of industry, and of commerce is growing every year, and handling new power in new machines, is supplying new means of existence, and banishing fatal impurities.

Descent is easy, and onward motion over a level road is not difficult; but every step upwards to a higher state encounters obstacles; and so it is in the improvements of the human race. Of this a few examples are instructive:—small-pox is a fatal disease, and after it had been learnt that a milder type could be induced artificially, fatal to few of the inoculated, the practice was introduced in London, and was publicly performed in the years 1746–63 on 3434 persons at the small-pox hospital; only 60 of whom it is said died of the disease.† The mortality varied in different places, but it was nowhere considerable. What appeared so well fitted to justify Lady Mary Wortley Montague's exultation when she learnt in Turkey that "ingrafting" rendered small-pox harmless? "I am patriot enough," she wrote in 1718, "to take pains to bring this useful invention into fashion "in England." But it was found after it was brought that the deaths from small-pox in London, compared with the deaths from all other causes, and also the absolute mortality, increased considerably when inoculation

Ypocras, nec Galienus, ad hujus vitæ prolongationem venerunt; respondeo tibi, quod nec ad multas veritates mediocres, quæ postea scitæ sunt per alios studiosos; et ideo hæc maxima potuerunt ignorare, quanquam ad hæc laboraverunt. Sed nimis se in aliis occupaverunt, et citius perducti sunt ad senectutem, consumentes vitam in pejoribus et vulgatis, quamvis vias ad hæc secreta perceperunt. Scimus enim quod Aristoteles dicit in Prædicamentis, quod quadratura circuli scibilis est, et sic fatetur se et omnes ignorasse usque ad tempus suum. Sed nos scimus his diebus quod scitur hæc veritas, et ideo longe magis potuit Aristoteles ulteriora naturæ secreta ignorare. Multa etiam modo ignorant sapientes quæ vulgus studentium sciet in temporibus futuris. Unde hæc objectio vana est per omnem modum.—*Fr. R. Bacon opera quædam hactenus inedita.* Vol. I., p. 540–2.

* "In tres partes medicina deducta est: et una esset, quæ victu; altera, quæ medicamentis; tertia, quæ manu mederetur. Ejus autem, quæ victu morbos curat, longe clarissimi auctores etiam, etiam altius quædam agitare conati, rerum quoque naturæ sibi cognitionem vindicarunt; tanquam sine ea, trunca et debilis medicina esset." (Celsus, *De Medicina*, Lib. I.)

† Duvillard cites Dr. Jurin, who prepared a table showing that out of 447 inoculated with effect 9 died; Dr. Monro inoculated 5554 persons, of whom 72 died; Dr. Gregory set down the mortality at 3 in 1000. By natural small-pox the mortality per 1000 attacked ranges from 150 to 300. See pages 112–114.

became common. Large numbers of children and adults remained unprotected, and inoculation kept the *variolads* alive in an artificial nursery. Inoculation is now made illegal. Again, hospitals were opened to receive people attacked by this dreadful disease, and to afford them the advantages of watchful attendance and skilful advice. This was carried out in London; but the mortality of the patients in the hospital was double the mortality by the disease outside.* Here was another apparent failure. But vaccination was a great advance on inoculation; the danger of the operation was quite inconsiderable, and cowpox, unlike small-pox, never scattered abroad the seeds of disease. In 1771-80 small-pox in London was the cause of 100 in every 1000 deaths, in 1831-5 of 27, in 1861-70 of 11, and in the absolute mortality by this disease there was a large reduction.† In the last two decennials, 1851-70, the mortality per 100,000 by small-pox remained stationary in London at 28. In all England the mortality per 100,000 by small-pox declined from 22 to 16, or to the extent of 6; but population growing denser the mortality by scarlet fever rose from 88 to 97, thus increasing 9, or one and a half times as much as the mortality by small-pox decreased. The mortality by measles, diphtheria, and whooping-cough also increased. Vaccination diminished the chances of taking small-pox, and though it did not afford absolute security, it reduced the danger of its attacks. But, density of population increasing, other zymotic principles appeared to find in its absence freer scope for their destructive operations. In quenching the flames at one point the good work is begun but it is not ended.‡ Can zymotic diseases of all kinds never be quenched?

Out of pity for poor children Foundling hospitals were erected, but the babies nearly all perished, and a greater number than ever were abandoned. Had these hospitals succeeded the race of child-abandoning men must have been multiplied.

Another example is offered by the drainage of towns. In London the fatal refuse which had been retained in the houses was conveyed by water into the drains and into the Thames; and this was an advance on the previous state of things; but the sewers were charged with impurities; they put houses by their effluvia in communication with each other, and poured zymotic elements into the waters which were distributed by companies to the houses of both the wealthy and the indigent. And even at the present hour the sewage is pumped into the Thames, which it pollutes and obstructs, instead of being distributed over the land to which it belongs. The same difficulty in disposing of sewage is encountered in all English towns.

In the early ages the English population was scattered in slight dwellings over woods, meads, and undrained marshland, where they suffered from agues, rheumatisms, and famine fevers; as the people multiplied they assembled in cities and partook of a few of the advantages of civilization; but the increase of density brought new dangers, and, as the proximity of houses exposed towns to conflagrations, it laid their inhabitants open to devastating maladies, and to destructive pestilences. The people flocked in numbers to London in the reigns of Henry VIII., of Elizabeth, and of James, and the sweating sickness and fevers and the oriental plague decimated the population. The Restoration brought country families to the metropolis, and the plague made its ever-memorable swoop. The manufactures, the mines, and the great works that create subsistence for thousands collect workmen in towns as ill-provided with sanitary appliances as ill-organised camps; and thus Lancashire, Yorkshire, Durham,

* The mortality in the Small-pox Hospital was at the rate of 25 per cent. in 1746-63, for 1634 of 6456 patients died. For later returns see Letter to the Registrar General in Appendix to 34th Report.

† See Article on Vital Statistics, in M'Culloch's Account of the British Empire, Vol. II., pp. 610-13.

‡ See Appendices to Registrar-General's Reports.

The forces, as well as the constituents of the body, are in truth indestructible ; but they are fugitive, and are perpetually passing out of the men of existing generations into other forms : the flame of consciousness shines in one life only for a while. But the alchemists were right when they saw virtues in minerals and trees to prolong as well as to shorten life ; to check disease and to set the body free ; for if mercury, arsenic, antimony, iron, potash, soda, magnesia, phosphorus, chlorine, iodine, sulphur, in their various salts and acids ; if strychnia, quinine, opium, chloroform, æther, ipecacuanha, camphor, and alcohol ; will kill, they will also cure in the hands of the skilful. Surgery too has its great triumphs. Therapeutics is not a delusion, the Healer is a reality. But no drug can do more than prolong life for a time ; the man raised from the grave dies in the end. Life can be lengthened by regimen—by dietetics, which Celsus says engaged in his day the most eminent professors of medicine in Rome, because it is the most potent and philosophical,* dealing in regimen of mind and body, and medicinally controlling aliment, air, sleep, and exercise. The influence of the external world of air, water, soil, and climate on health and length of life was placed beyond doubt by the great treatise of Hippocrates. And Moses had before inculcated the exclusion of the sick by zymotic diseases from the Congregation. In these latter days science has gone further, and shown under what conditions the lifetime is long or short ; and the science of life, yet only in its infancy, will make further progress, and solve many problems hitherto held to be insoluble, when hygiene is cultivated in all the medical schools. The genius of agriculture, of engineering, of industry, and of commerce is growing every year, and handling new power in new machines, is supplying new means of existence, and banishing fatal impurities.

Descent is easy, and onward motion over a level road is not difficult ; but every step upwards to a higher state encounters obstacles ; and so it is in the improvements of the human race. Of this a few examples are instructive :—small-pox is a fatal disease, and after it had been learnt that a milder type could be induced artificially, fatal to few of the inoculated, the practice was introduced in London, and was publicly performed in the years 1746–63 on 3434 persons at the small-pox hospital ; only 60 of whom it is said died of the disease.† The mortality varied in different places, but it was nowhere considerable. What appeared so well fitted to justify Lady Mary Wortley Montague's exultation when she learnt in Turkey that "ingrafting" rendered small-pox harmless ? "I am patriot enough," she wrote in 1718, "to take pains to bring this useful invention into fashion "in England." But it was found after it was brought that the deaths from small-pox in London, compared with the deaths from all other causes, and also the absolute mortality, increased considerably when inoculation

Ypocras, nec Galienus, ad hujus vitæ prolongationem venerunt ; respondeo tibi, quod nec ad multas veritates medicorum, quæ postea scitæ sunt per alios studiosos ; et ideo hæc maxima potuerunt ignorare, quanquam ad hæc laboraverunt. Sed nimis se in aliis occupaverunt, et citius perducti sunt ad senectutem, consumentes vitam in pejoribus et vulgatis, quamvis vias ad hæc secreta perceperunt. Scimus enim quod Aristoteles dicit in Prædicamentis, quod quadratura circuli scibilis est, et sic fatetur se et omnes ignorasse usque ad tempus suum. Sed nos scimus his diebus quod scitur hæc veritas, et ideo longe magis potuit Aristoteles ulteriora naturæ secreta ignorare. Multa etiam modo ignorant sapientes quæ vulgus studentium sciet in temporibus futuris. Unde hæc objectio vana est per omnem modum.—*Fr. R. Bacon opera quædam hactenus inedita*. Vol. I., p. 540–2.

* "In tres partes medicina deducta est : et una esset, quæ victu ; altera, quæ medicamentis ; tertia, quæ manu maderetur. Ejus autem, quæ victu morbos curat, longe clarissimi auctores etiam, etiam altius quædam agitare conati, rerum quoque naturæ sibi cognitionem vindicarunt ; tanquam sine ea, trunca et debilis medicina esset." (Celsus, *De Medicina*, Lib. I.)

† DuVillard cites Dr. Jurin, who prepared a table showing that out of 447 inoculated with effect 9 died ; Dr. Monro inoculated 5554 persons, of whom 72 died ; Dr. Gregory set down the mortality at 3 in 1000. By natural small-pox the mortality per 1000 attacked ranges from 150 to 300. See pages 112–114.

became common. Large numbers of children and adults remained unprotected, and inoculation kept the *variolads* alive in an artificial nursery. Inoculation is now made illegal. Again, hospitals were opened to receive people attacked by this dreadful disease, and to afford them the advantages of watchful attendance and skilful advice. This was carried out in London; but the mortality of the patients in the hospital was double the mortality by the disease outside.* Here was another apparent failure. But vaccination was a great advance on inoculation; the danger of the operation was quite inconsiderable, and cowpox, unlike small-pox, never scattered abroad the seeds of disease. In 1771-80 small-pox in London was the cause of 100 in every 1000 deaths, in 1831-5 of 27, in 1861-70 of 11, and in the absolute mortality by this disease there was a large reduction.† In the last two decennials, 1851-70, the mortality per 100,000 by small-pox remained stationary in London at 28. In all England the mortality per 100,000 by small-pox declined from 22 to 16, or to the extent of 6; but population growing denser the mortality by scarlet fever rose from 88 to 97, thus increasing 9, or one and a half times as much as the mortality by small-pox decreased. The mortality by measles, diphtheria, and whooping-cough also increased. Vaccination diminished the chances of taking small-pox, and though it did not afford absolute security, it reduced the danger of its attacks. But, density of population increasing, other zymotic principles appeared to find in its absence freer scope for their destructive operations. In quenching the flames at one point the good work is begun but it is not ended.‡ Can zymotic diseases of all kinds never be quenched?

Out of pity for poor children Foundling hospitals were erected, but the babies nearly all perished, and a greater number than ever were abandoned. Had these hospitals succeeded the race of child-abandoning men must have been multiplied.

Another example is offered by the drainage of towns. In London the fatal refuse which had been retained in the houses was conveyed by water into the drains and into the Thames; and this was an advance on the previous state of things; but the sewers were charged with impurities; they put houses by their effluvia in communication with each other, and poured zymotic elements into the waters which were distributed by companies to the houses of both the wealthy and the indigent. And even at the present hour the sewage is pumped into the Thames, which it pollutes and obstructs, instead of being distributed over the land to which it belongs. The same difficulty in disposing of sewage is encountered in all English towns.

In the early ages the English population was scattered in slight dwellings over woods, meads, and undrained marshland, where they suffered from agues, rheumatisms, and famine fevers; as the people multiplied they assembled in cities and partook of a few of the advantages of civilization; but the increase of density brought new dangers, and, as the proximity of houses exposed towns to conflagrations, it laid their inhabitants open to devastating maladies, and to destructive pestilences. The people flocked in numbers to London in the reigns of Henry VIII., of Elizabeth, and of James, and the sweating sickness and fevers and the oriental plague decimated the population. The Restoration brought country families to the metropolis, and the plague made its ever-memorable swoop. The manufactures, the mines, and the great works that create subsistence for thousands collect workmen in towns as ill-provided with sanitary appliances as ill-organised camps; and thus Lancashire, Yorkshire, Durham,

* The mortality in the Small-pox Hospital was at the rate of 25 per cent. in 1746-63, for 1634 of 6456 patients died. For later returns see Letter to the Registrar General in Appendix to 34th Report.

† See Article on Vital Statistics, in M'Culloch's Account of the British Empire, Vol. II., pp. 610-13.

‡ See Appendices to Registrar-General's Reports.

South Wales, are still in a high degree insalubrious. Until the Legislature, led by Lord Shaftesbury, intervened, the lives of young children and mothers were barbarously sacrificed in the factories and mines. Here is seen again the success with which evil poisons the healing springs of industry.

The low wages of large numbers of artisans in towns deprived them of the means of healthy life; latterly wages have risen, and they had the command of those means to a larger extent, but unfortunately the consumption of spirits, and other stimulants absorbed their wages to the no small detriment of health. To sweep out the dusty and close workshops they are apt to be made draughty, so difficult is it to improve the health of artisans.

In the last twenty years the towns of England have increased from five hundred and eighty to nine hundred and thirty-eight; their population from nine to fourteen millions; and the health of the whole population of the country has remained stationary.

Breeders reject weakly animals from their stock, and thus achieve success. By the care now taken of the humblest member of the human race the weakly, it is said, survive; they marry and propagate, and thus, as some contend, the proportion of inferior organizations is raised. The imbecile, the drunkard, the lunatic, the criminal, the idle, and all tainted natures were once allowed to perish in fields, asylums, or gaols, if they were not directly put to death, but these classes and their offspring now figure in large numbers in the population.

2. *Probable Decrease of Mortality.*

Such are samples of the many obstacles to the sanitary progress of a nation, and it is evident that at present they can only be overcome in part; but there is no ground for despair. There has been progress. The mean lifetime of sovereigns and peers is prolonged; it was in past ages much shorter than the lifetime of the unhealthy labourers in the cities of to-day.* The mortality of the city of London was at the rate of 80 per 1000 in the latter half of the seventeenth century, 50 in the eighteenth, against 24 in the present day. The mortality in the liberties of the city of London within and without the walls was in the four plague years 1593, 1625, 1636, 1665, at the rate of 24, 31, 13, and 43 per cent. In the city alone 90,472 persons died of plague in the four epidemics, and 55,604 of other diseases. The enumerated population of the city was 130,178 in 1631.† In the cholera epidemic year of 1849 the mortality from all causes in the metropolis was only 3 per cent. And in the last two epidemics there was a further decline. Thus it is as certain that the high mortality can be reduced by hygienic appliances down to a certain limit as it is that human life can be sacrificed.

The analysis of the causes of the mortality renders it still further certain that the actual mortality of the country can be reduced. Many of the destroyers are visible, and can be controlled by individuals, by companies, and by corporate bodies, such as explosions in coal mines, drowning in crazy ships, railway collisions, poisonings, impurities of water, pernicious dirt, floating dusts, zymotic contagions, crowdings in lodgings, mismanagements of children, neglects of the sick, and abandonments of the helpless or of the aged poor.

Furthermore, including the London district of Hampstead, there are fifty-four large tracts of England and Wales which actually experience a mortality at the rate of only seventeen per 1000—less by *five* than the average mortality per 1000 of the whole country, less by *ten* than in nine

* See McCulloch's account of the British Empire. Vol. II, pp. 552-3.

† *Ibid*, p. 602 and pp. 612-13.

districts, and less by *twenty-two* than the mortality reigning for ten years in Liverpool. Now the healthy districts have a sulubrious soil, and supply the inhabitants with waters generally free from organic impurities. The people are by no means wealthy; the great mass of them are labourers and workpeople on low wages, whose families get few luxuries, and very rarely taste animal food. Their cottages are clean, but are sometimes crowded, and impurities abound; the sanitary short-comings are palpable.

It will not, therefore, be pitching the standard of health too high to assert that any excess of mortality in English districts over *17 annual deaths* to every 1000 living is an excess not due to the mortality incident to human nature, but to foreign causes to be repelled, and by hygienic expedients conquered.

It is right to state that the real is greater than the apparent mortality of these districts; they are increasing, and contain an undue proportion of population at the younger healthiest ages, so that a correction for this makes the mortality *20* instead of *17*. That is the rate of their stationary mortality if the population were stationary, if births equalled deaths, and there were no migration.*

The mean annual deaths at the rate of 22·4 in the ten years 1861-70 were 479,450 in England; and had the rate of mortality been 17 the annual deaths would not have exceeded 363,617; so the overplus due to the operation of causes existing, but less destructive in the healthier districts was 115,833. The hope of saving any number of these 115,833 lives annually by hygienic measures is enough to fire the ambition of every good man who believes in human progress.

3. *Increase of Population in GEOMETRICAL PROGRESSION and its effects on Health and Mortality.*

But here an objection has been started:—the natural increase of population, instead of proceeding at the actual rate of about 1·3, would, it is said, be in the end 1·8 per cent. annually; it would go on indefinitely, and would double the population every 39 years; at the natural rate actually prevailing, upon this hypothesis the population will double itself in 55 years. This question has, therefore, to be discussed.

4. *Increase and Decrease of Population.*

Mr. Malthus calculated that the unrestrained principle of population would fill not only the earth with men, but people all the planets of all the suns that shine in the visible universe.† And latterly the President of the Health Officers of London, finding that the proportion of children that die under five years of age is more than 40 per cent. of the total deaths in England and Wales, remarks:‡—"If this were not so, the increase of population would be prodigious; for it is the means whereby the annual excess of births over deaths is kept down to the reasonable proportion of 12·8 per 1000 of the population. If it reached to 18 per

* The mean lifetime was 49, and the annual rate of mortality per 1000 was 20·4.

† Malthus had the following passage in one edition of his *Political Economy*: "If any person will take the trouble to make the calculation, he will see that, if the necessaries of life could be obtained without limit, and the number of people could be doubled every 25 years, the population which might have been produced from a single pair since the Christian era would have been sufficient, not only to fill the earth quite full of people, so that four should stand upon every square yard, but to fill all the planets of our solar system in the same way, and not only them, but all the planets revolving round the stars which are visible to the naked eye, supposing each of them to be a sun, and to have as many planets belonging to it as our sun has." [Quotation from Malthus' "*Principles of Political Economy*," p. 227, in Godwin on "Population," p. 484. I do not find the passage in the second edition of the "*Principles*"].

‡ On the Estimation of Sanitary Condition. By H. Letheby, M.B., pp. 20-21.

" 1000 * * the population would be doubled in rather less than 40 years. Consider for a moment the consequences of this. * * In 40 years the population of England and Wales would be over 45,000,000 * * in 120 years * * it would be near 182,000,000. * * This sort of thing could never last; for in about 240 years the population of England and Wales, unless it was exported in huge masses, would reach to rather more than 1550 millions, and it would be as thickly placed over the whole country as it is in London at the present moment." At the rate here called "reasonable," the population by the hypothesis would double itself every $54\frac{1}{2}$ years, so that the time in which the dreaded catastrophe would overwhelm this nation could only be deferred 87 years by the continued Herodian sacrifice. On a par with this is Dr. Price's illustration of the power of compound interest: "One penny put out at our Saviour's birth to five per cent. compound interest would in the year 1791, have increased to a greater sum than would be contained in three hundred millions of earths, all solid gold."†

There is evidently something singularly seductive in these applications of the abstract doctrine of series in geometrical progression to actual facts: even Justice Blackstone is led by geometrical progression to make the following statement:—

"The doctrine of lineal consanguinity is sufficiently plain and obvious; but it is *at the first view astonishing to consider the number of lineal ancestors which every man has*, within no very great number of degrees; and so many different bloods is a man said to contain in his veins, as he hath lineal ancestors. Of these he hath two in the first ascending degree, his own parents; he hath four in the second, the parents of his father and the parents of his mother; he hath eight in the third, the parents of his two grandfathers and two grandmothers; and by the same rule of progression, he hath an hundred and twenty-eight in the seventh; a thousand and twenty-four in the tenth; and at the twentieth degree, or the distance of twenty generations, every man hath above a *million of ancestors*, as common arithmetic will demonstrate." This is further explained in the note. "This will seem surprising to those who are unacquainted with the increasing power of progressive numbers; but is palpably evident from the following table of a geometrical progression, in which the first term is 2, and the denominator also 2; or, to speak more intelligibly, it is evident, for that each of us has two ancestors in the first degree; the number of whom is doubled at every remove, because each of our ancestors has also two immediate ancestors of his own.

Lineal Degrees.	Number of Ancestors.	Lineal Degrees.	Number of Ancestors.
1	2	11	2,048
2	4	12	4,096
3	8	13	8,192
4	16	14	16,384
5	32	15	32,768
6	64	16	65,536
7	128	17	131,072
8	256	18	262,144
9	512	19	524,288
10	1,024	20	1,048,576

"A shorter method of finding the number of ancestors at any even degree is by squaring the number of ancestors at half that number of degrees.† Thus 16 (the number of ancestors at four degrees) is the square of 4, the number of ancestors at two; 256 is the square of 16; 65536 of 256; and the number of ancestors at 40 degrees would be the square of 1,048,576, or upwards of a million millions." [Chitty's Blackstone's Commentaries, 21st Edition, Vol. 2., pp. 203-204.]

Mr. Malthus argues that population, if unrestrained, will double itself every twenty-five years‡; but let it be assumed that the doubling period is lower, or equal to $33\frac{1}{2}$ years—that is the mean interval between two generations—according to the common reckoning, then, beginning at one

† Price's Observations on Reversionary Payments, vol. 1. p. 314.

‡ Let a = first term, n the number of terms, and r the rate; then evidently $ar^{\frac{n}{2}} r^{\frac{n}{2}} = ar^n$.

§ Which implies an annual rate of increase of 2.81 per cent.

end of the series, a pair in 40 such periods (1333 years) will yield more than a million millions of descendants; and beginning at the other end and proceeding backwards, according to Mr. Justice Blackstone each descendant has more than a million millions of ancestors! Geometrical progression, like Ariosto's Ippogrif, is evidently a difficult horse to ride, and sometimes lands people in strange conclusions:

Poggia l'angel, nè può Ruggier frenarlo :
 Di sotto rimaner vede ogni cima
 Ed abbassarsi in guisa, che non scorge
 Dove è piano il terren nè dove sorge.*

Orlando Furioso, Canto IV., 349.

The fallacy that deceives Blackstone in the latter case is the want of continuity in the law of the series; a man has, it is true, four ancestors in the second degree, because the marriage of brother and sister is prohibited and there is a fusion of four bloods; but as the marriage of first, second, and every order of cousins is permitted under this law, no more than four ancestors are indispensable to the fortieth man in descent; without the prohibition the whole of the human race might evidently be traced up to two ancestors—and two bloods. The mind is led on through the first step, as Blackstone was, to the inference that because a man has a father and a mother, and 2 grandfathers and 2 grandmothers—he must have 8 great grandfathers and great grandmothers, and so on; which is not necessary, and if pursued far enough becomes improbable, absurd, impossible.

The hypothesis of increase of population in geometrical progression had been advanced before,† but Malthus in his practical applications of it brought it home to the public mind, and led to further researches, and to exciting controversies. Godwin—a man of genius—whose work on Political Justice had suggested the controversial essay of Malthus in 1798, answered it in his *Enquiry concerning Population*, and Sadler collected a great many facts in his work.‡ The facts at the disposal of the respective writers were numerous, but they were incomplete, and in England the statistical facts we now possess respecting the conjugal condition of the men and women living at the several ages were then entirely absent, as the information in the early censuses was meagre. All that is further wanted now in the English Birth Schedule to clear up this vital question conclusively is the entry of the ages of the mother and father at the birth of their children, and the order of the births.§ Instead of discussing the principle of population and the hypothesis of increase in geometrical progression—which its authors have reduced to absurdity—I propose to state enough of what is known to prove that a reduction in the rate of mortality can be attended by none but the most salutary effects to the nation.

Population is sustained when the births equal the deaths in the same time; when the deaths exceed the births population declines, and when the births exceed the deaths population increases. Migration is here left out of account. The balance is affected by the changes in each of two variables; thus, if the population of England was stationary the deaths would be at the rate of 2·447 per cent., the births 2·447 also; the difference is zero: but the population increases, as we have seen, so the

* Thus translated, but not happily, by W. Stewart Rose:

“ The griffin soars, nor can Rogero stay
 The flying courser; while, beneath his ken,
 Each peak and promontory sinks in guise,
 That he discerns not flat from mountain-rise.”

† Voltaire, after giving it as his opinion that the population of Europe had tripled since the time of Charlemagne, adds with his incisive common sense: “J’ai dit triplé, et c’est beaucoup; car on ne propage en progression géométrique. Tous les calculs qu’on a faits sur cette prétendue multiplication sont des chimères absurdes.” *Dict. Philosophique*, Art. *Population*.

‡ Godwin on Population, 1820. Sadler on Law of Population, 2 Vols., 1830.

§ Done in the Registers of our Australian Colonies.

deaths are at the rate of 2·242, and the births not only equal but surpass the deaths in every 100 of population by 1·264, which is therefore the natural increase. The mean lifetime in England is 41 years. Should it become as long as it is in the healthiest districts it will be 49 years; and instead of 1 death and 1 birth to 41 living there will be 1 death and 1 birth to 49 living, the latter implying an annual rate of 2·041. An increase of the years men live involves a decrease of the annual mortality, but not necessarily any increase of population; for the birth-rate may fall to an equivalent extent.

The death-rate of a population is under control, but not to the same extent as the birth-rate, which depends on voluntary marriage and fertility, which have hitherto been marvellously regulated so as to meet generally the demand for men. Thus, England has an increasing industry and a vast colonial empire to people, so the births are numerous. In France the death-rate in the ten years was 2·36, differing a little (0·12 in excess) from that of England; but the birth-rate was only 2·63 in France* instead of 3·51 as it was in England. France had no colonial demand for population, and so the population was not depressed by a high death-rate but by a low birth-rate. The increase of population was only 0·27 per cent. per annum.

Many species of animals have, as the geological records of the world show, perished; and man could never have survived the perils of his early historic, to say nothing of his prehistoric, life had his race not been endowed with a reserve of reproductive force sufficient to repair the recurrent wastes of famines, wars, and plagues. At the present hour in England half of the women of the child-bearing ages are unmarried; and though the annual births maintain an actual excess over the deaths, they are kept down to half their possible number. A flow of prosperity in the country is immediately followed and marked by the launch of a whole fleet of marriages. The ruin of an industry or the depression of a trade implies a stagnation of marriages.† There are thousands of couples always on the look-out, ready to embark as the prospects brighten.

It has been observed that after the ravages of plagues the births increase,‡ so the aching voids are filled up as regards mere numbers. Under ordinary conditions an increased death-rate is attended by an increased birth-rate, so as either to maintain the population stationary or increasing, according to the exigencies of the case. This is only possible within certain limits, for an excessive death-rate is attended with such waste that it cannot be overtaken by the births; the population declines, or is only sustained by immigration. We have the means of establishing this law by English observations.

5. *Relation between Death-rates and Birth-rates.*

Arranging the districts of England in the order of their mortality, it is found that the annual mortality in the various groups ranges from the rate of 15 to 39 per 1000; the birth-rate from 29 to 40 per 1000; and it is seen that, in the next Table, as the death-rate increases, the birth-rate increases, so that in all the districts with a mortality under 25 per 1000 the natural increase of population is very constant. The mortality increases with the density of the population; and thus every additional death is met by an additional birth.

* See Registrar General's 35th Report, p. cxxi.

† See Registrar General's 35th Report, p. ix.

‡ The London bills of mortality showed 64,544 christenings in the ten years, 1651-60, before the Great Plague; and in the ten years 1661-70, including the year of the Great Plague, 106,755 births. Collection of yearly Bills of Mortality, Obs. of Corbyn Morris, p. 80. See also Süssmilch's observations quoted by Malthus on Population, Vol. 2, p. 178, 5th edition.

ENGLAND AND WALES. — Density of Population; Annual Death-rate; Annual Birth-rate; Annual Excess of Births over Deaths; and the Annual Increase of Population per 1000 Persons living in SEVEN GROUPS of DISTRICTS arranged in the ORDER of MORTALITY.

Number of Districts.	Range of Mortality : Rates per 1000 Persons.	Persons to a Square Mile.	1861-70.			
			To 1000 PERSONS LIVING.			
			Average Annual Deaths.	Average Annual Births.	Average Annual Excess of Births over Deaths.	Average Annual Increase of Population in middle of period.
ENGLAND } & WALES } 619	15-39	367	22·4	35·1	12·6	12·4
54	15-17	171	16·7*	30·1*	13·4	15·8
349	18-20	195	19·2	32·2	13·0	8·8
148	21-23	447	22·0	35·6	13·6	16·2
56	24-26	2,185	25·1	38·1	13·0	15·3
16	27-30	6,671	27·8	39·1	11·3	8·9
1	33	12,178	32·5	37·3	4·8	3·2
1	39	66,834	38·6	37·6	-1·0	-12·3

The Table may be read thus :—In 349 districts where the rates of mortality range from 18 to 20 per 1000 there were 195 persons to each square mile of area; the average annual death-rate in these districts was 19·2, the birth-rate 32·2; the average annual excess of births over deaths was 13·0, and the actual average annual increase of enumerated population was 8·8 per 1000 persons living.

* These rates are obtained by dividing the aggregate deaths and births in the districts having an average annual mortality among persons ranging from 15 to 17 by the aggregate population of those districts ($\frac{D}{P}$). Each group is treated in the same manner.

In the first stage of the scale, that is in the 54 healthy districts, the death-rate is 16·7, the birth-rate 30·1; in the second stage the death-rate is 19·2, the birth-rate 32·2; in the third stage the death-rate is 22·0, the birth-rate 35·6; in the fourth stage the death-rate is 25·1, the birth-rate is 38·1. The natural increase of population in each of these four stages ranges from 13·0 to 13·6, or is severally 13·4, 13·0, 13·6, 13·0. When the mortality reaches the *fifth stage* the death-rate is 27·8, the birth-rate 39·1; and after that point, while the death-rate increases to 32·5 in Manchester and 38·6 in Liverpool, the birth-rate recedes at last exhausted to 37·3 and 37·6; children enough are no longer forthcoming, and there is a decrease of indigenous population, which if it should go on might end in a decrease of population in geometrical progression.

Should the deaths in the districts where the mortality is 22·0 per 1000 be reduced by sanitary measures to the same level as in the districts where the mortality is 19·2, the births might be reduced in the same or a greater degree, namely from 35·6 to 32·2; and should the death-rate be brought down to 16·7, the birth-rate might be reduced, as in the healthiest districts, to 30·1; the deaths falling 5·3, the births actually fell 5·5 per 1000, as shown in the table. The fall of the birth-rate is observed in the existing circumstances of this country; it maintains an uniform increase in districts under different laws of mortality, but it is not a necessary consequence of a reduced death-rate, and if, in the opinion of the parties concerned, their prospects are good, they marry and procreate children at the same rate as before; in that case the population increases faster; whereas in a depressed condition the births fall off until the population becomes stationary, or declines.

Thus there is no inevitable connection between the gradual reduction of the mortality of the whole kingdom to the rate of 17 per 1000 and the more rapid increase of population; because the birth-rate may of itself fall to the level of that now prevailing in the healthiest districts and leave the increase of population as it was. Statesmen are not then, by alarming cries of increase of population in a faster geometrical progression, to be deterred from the noblest work in which they can engage; for it is certain that population as it improves in England will not increase faster than the requirements of industry in all its forms at home or the new openings of colonial enterprise abroad.

6. *Instances of the effects of Industrial Enterprise on Death and Birth Rates.*

Such is the general law governing the facts hitherto observed in England over a long series of years. It will be interesting now to give a few illustrative cases of the changes in the marriage, birth, and death rates (1.) where a new industrial enterprise has been suddenly developed, and (2.) where a branch of industry is declining. As instances of the former, take the districts of Ulverston, Guisbrough, and Stockton; of the latter St. Austell and Redruth in Cornwall, where the works and the population decline.

Ulverston contains Barrow-on-Furness. It owes the increase to a cause thus referred to in the Quarterly Return of the Registrar-General:—*

"The mortality often augments with the increased prosperity of a district; and this is curiously illustrated by Ulverston, a romantic district extending from Morecambe Bay to Lake Windermere. Ulverston, in the ten years, 1841–50, was one of the healthiest districts of England; the mortality did not exceed 18 in 1000. A change took place, and in the ten years 1851–60 the mortality rose to 20 in 1000. The deaths in the June quarter of 1864 were considerably above the average of previous years, caused, says the registrar of Dalton, 'in part by the increase of the population, and in part by 'the prevalence of scarlatina and measles.' He adds: 'but there is no distress; work 'is plentiful, wages good, and provisions cheap. Labourers are earning 3s. 6d. a day; 'artisans 4s. 3d. and upwards.'

"The population of many of the townships and parishes of the Ulverston district, at the feet of its fells, and round the shores of its meres, is stationary, and in some instances has declined; it is an old iron district, which had seen its works decay when coal came into use for smelting, but of late a pure hæmatite ore has been discovered in the carboniferous limestone of Dalton-in-Furness, for which there is a great demand. The population of the parish rose from 4683 to 9152 in the interval of the two last censuses, and, with the parishes in its vicinity, gave the increase which raised the population of Ulverston district from 30,556 in 1851 to 35,738 in 1861.

"The mortality of the district of Ulverston, exclusive of Dalton, in the two last quarters, was at the rate of 26 and 23 in 1000; while that of Dalton was at the rate of 42 and 31; and it is in this sub-district that the spectacle is presented of 'work plentiful, wages good, provisions cheap,' and 'the prevalence of destructive epidemics.' This coincidence is reproduced over and over again. And it must not be supposed on that account that work, good wages, and cheap provisions are in themselves bad things; for they are as salutary as they are attractive to the masses of mankind. But our industrial armies are cut down by the camp diseases which are generated by the inadequate house accommodation, and by the want of sanitary arrangements, which are never carried out in the neighbourhood of new works. Impure water, impure air, their own exhalations, kill men, women, and children on the spot, and breed the leaven which devastates the towns and valleys in the vicinity. For the sins of a parish are often visited on its neighbours in thousands round. Thus South Wales has been rendered prosperous by the mines, and unhealthy by the negligence of the people. The mining population appears to be even less careful of life than the manufacturing population."

The increase of population went on; for the excess of births exceeded the excess of deaths.

This timely warning was not lost on the energetic authorities of Barrow-on-Furness; and though the mortality in the three decennials

* Quarterly Return No. 62, for second quarter of 1864.

that ended in 1870 increased and was 18, 20, 21, it has gone no further; sanitary measures have been undertaken and are still proceeding. The marriage-rate and the birth-rate, evoked to a higher pitch by the prosperity of the place, rose more rapidly than the death-rate. In cases of this kind of rapid concentration of population the high birth-rate is not the cause of the high death-rate; the first is caused by the prosperity, the second by the defective sanitary provisions. All the rates had been low in the first healthiest decenniad, quite in conformity with the general law.

Guisbrough and Stockton, including Middlesborough, exhibit a similar series of phenomena; the population became thicker and the mortality increased; the marriages and births also increased.

With a declining copper and tin industry in St. Austell and in Redruth, Cornwall, the mortality slightly declined; but to nothing like the same extent as the marriage and the birth-rates.

Increasing Populations, OWING TO RAPID DEVELOPMENT OF INDUSTRY.

REGISTRATION DISTRICTS.	YEARS.	PERSONS LIVING at the Censuses of 1861 and 1871.	AVERAGE ANNUAL NUMBER OF			RATES PER 1000 LIVING.		
			Deaths.	Persons married.	Births.	Deaths.	Persons married.	Births.
ULVERSTON (incl. Barrow-in-Furness) - -	1860-1-2	35,738	751	465	1313	21.0	13.6	36.7
	1870-1-2	55,083	1150	958	2259	20.9	17.4	41.0
GUISBOROUGH (incl. part of Middlesborough) - -	1860-1-2	22,128	440	204	913	20.3	13.3	41.2
	1870-1-2	39,016	966	687	1764	24.8	17.6	45.2
STOCKTON (includes part of Middlesborough) - -	1860-1-2	57,099	1331	1056	2488	23.3	18.5	43.6
	1870-1-2	99,705	2565	1994	4501	25.7	20.0	45.1

Decreasing Populations, OWING TO DECLINE OF MINING ENTERPRISE.

ST. AUSTELL - {	1860-1-2	33,797	673	573	1230	19.9	17.0	36.4
	1870-1-2	31,194	605	437	1007	19.4	14.0	32.3
REDRUTH (includes Camborne) - {	1860-1-2	57,173	1301	1041	2059	22.8	18.2	36.0
	1870-1-2	53,503	1196	880	1734	22.3	16.4	32.4

The general law deduced from the preceding Table and these illustrative exceptional instances of sudden increase and decrease of population enable us to understand how much of the "principle of population" so forcibly proclaimed by Malthus is true, and how much of it is erroneous.

7. The Principle of Population.

It is true that all plants and animals have the power of multiplication; and man in conformity with that law has the power of doubling his numbers every twenty-five years under favourable conditions, and within definite limits of space and time, the limit being soon attained without the exercise of skill and industry in supplying his wants; but his struggles for the means of living, as a race, were greater at first when his numbers were fewer than they are now in England. The numbers of mankind never actually increase as the numbers in the geometrical series 1, 2, 4, 8, 16, 32, 64, 128, 256, 512 . . . indefinitely; and subsistence never increases as the numbers in the arithmetical series 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 . . . indefinitely. But the population of a country may increase in geometrical progression for a certain number of years, and so may its subsistence, understanding by that all that supplies men's wants. Mr. Malthus found when he wrote that the population of the United States had been said

for a century and a half to double itself every 25 years; and now it is known by the Census that the population, after the year 1790, increased very regularly at the rate of 3 per cent. annually for the seventy years ending with 1860; at that rate population doubles itself in $23\frac{1}{3}$ years. The increase, however, was not "by procreation only," but partly by excess of births and partly by immigration of blacks from Africa, of whites from Europe. Population increased in geometrical progression at a certain rate, but subsistence also increased in geometrical progression at a faster rate; so that the pressure of population on subsistence grew less and not greater. In the last ten years productive labour slackened and the flow of population ebbed; during the civil war English emigrants returned to England; there was loss of life in the field, and although for lack of a national system of registration it cannot be set forth in figures, the marriage and birth-rates must have declined, for the population increased, not 3 per cent., but 2 per cent. annually between the two Censuses of 1860-70. Yet the produce increased, the wheat from 173 to 288 million bushels; the value of all live stock from 218 to 305 millions of pounds sterling.

The increase of produce from 1850 to 1860 may be inferred from two orders of facts. The number of farms rose from 14 to 20 hundred thousand, while the area of improved land from 113 grew to 163 million acres; and the value of live stock rose from 109 to 218 millions of pounds. Population only increased in those ten years from 23 to 31 millions.*

And in the earlier years, though not recorded, the produce increased undoubtedly as nearly in geometrical progression as the population counted at each census; and if the early censuses prove that population increases, the recent censuses prove that subsistence increases in geometrical progression. Had Malthus had before him the returns of produce as well as population in America, he could scarcely have fallen into the error of laying it down, that while population increases in a geometrical, subsistence increases in an arithmetical progression.

There is a limit to the increase of both people and produce; but the tendency now is as men endowed with skill, weapons, tools, and marvellous machines are diffused over the world, to create subsistence faster than population.

In the first edition of his work† Malthus lays it down that (1) "population cannot increase without the means of subsistence," that (2) "population does invariably increase where there are the means of subsistence;" and (3) "that the superior power of population cannot be checked without producing misery or vice."‡ Shrinking from the explicit expression evidently implied by his argument that "the superior power of population cannot be checked without producing misery or vice," he left out of account the fact that at the prolific age a large proportion of the women of every civilized population is unmarried and virtuous; this being only partially recognized in the subsequent editions under the phrase "moral restraint." Instead of simply stating that the population is kept down by any causes that diminish the births and increase the deaths, he uses in the last edition the vague phrase, "the checks which repress the superior power of population, and keep its effects on a level with the means of subsistence, are all resolvable into moral restraint, vice, and misery."§

The theory is as misleading in practice as it is defective in statement, and, as expressed, erroneous in fact. It assumes that the restraint of

* See Journal of Statistical Society, Vol. xxxviii, pp. 74-6, and United States Census.

† There is a copy of the first edition (1798) in the library of the Statistical Society. It was published in 1798, the year after he was made a fellow of Jesus College, Cambridge, and when he was 32 years of age.

‡ p. 37.

§ 6th edition, Vol. I., p. 24.

population is the corner-stone of policy. Had this principle been accepted by the people, the population of the kingdom instead of amounting to thirty-two millions would have remained, as it was at the beginning of the century, sixteen millions. England, in the presence of the great continental states, would have been now a second-rate power; her dependencies must have been lost; her colonies have remained unpeopled; her industry crippled for want of hands; her commerce limited for want of ships. The legal insurance of the people by the land against death by starvation, the efforts to stem the tide of epidemics, the science of healing, hygienic improvement of every kind, must have languished under the cold shadow of this doctrine; and in its name the endeavour to save the lives of children by sanitary measures is even now denounced, as either futile or mischievous. And logically it leads to the policy of depopulation; for if increase causes misery, decrease, by parity of reasoning, causes happiness; this principle of population being the fewer the happier. It is a policy that diminishes the numbers of the wise and the good, but has no effect on the masses. Families under this policy die out. Classes, distinguished for any virtue, that accept the restraint under vows, provide for its extinction. The hermits and saints, that forewent "wedded love," and children, at the same time that they provided for their own eternal bliss provided for the extinction of sanctity on earth; while our universities offered by fellowships, forfeited on marriage, one of which Malthus had just acquired at Jesus College, a premium on protracted celibacy, they discouraged the multiplication of their ablest men.* The economists, the misers, the philosophers, in the same way eliminate prudence, acquisitiveness, and science from the ranks of their race.† They are like flowers all bloom. Low pay makes the officers of the army and navy perforce Malthusians, and discourages the propagation of prowess. Few aristocracies are self-sustaining; and if there is a natural tendency in wealth to accumulate by intermarriage, that may lead to its dispersion.

The state of nations in the present day, and the history of past ages, prove that the maintenance of equilibrium between subsistence and population is a complicated question. It has been left hitherto to the sense of both sexes. Malthus had the merit of contending that it admitted of scientific investigation; that its problems should be sought in the statistics of nations in every stage of civilization; that it entered into the national policy, inasmuch as it was a matter that concerned, in the highest degree, not only particular individuals, but the whole community, the State. Reduce the constituent roll of a nation too low, and it cannot struggle with success against other forms of life in nature; it cannot hold its own in the face of other powers; it can undertake no great concerted operations; solitary minds in remote dwellings are not quickened by

* In 1797. See Memoir in Principles of Political Economy, 2nd edition, p. xxxv.

† The following is characteristic. D'Alembert had learnt that Lagrange, the Newton of France, had just married a relation; and thus wrote to Berlin: 1

"J'apprends, lui écrit-il le 21 Septembre 1767, j'apprends que vous avez fait ce qu'entre nous philosophes nous appelons le *saut périlleux* . . . Un grand mathématicien doit, avant toutes choses, savoir calculer son bonheur. Je ne doute donc pas qu'après avoir fait ce calcul, vous n'ayez trouvé pour solution le *mariage*."

Lagrange répond de cette étrange manière: "Je ne sais si j'ai bien ou mal calculé, ou, plutôt, je crois n'avoir pas calculé du tout; car j'aurais peut-être fait comme *Leibnitz* qui, à force de réfléchir, ne put jamais se déterminer. Je vous avouerai que je n'ai jamais eu du goût pour le mariage . . . mais les circonstances m'ont décidé . . . à engager une de mes parentes . . . à venir prendre soin de moi et de tout ce qui me regarde. Si je ne vous en ai pas fait part, c'est qu'il m'a paru que la chose était si indifférente d'elle-même, qu'elle ne valait pas la peine de vous en entretenir."

1 (Œuvres de Condorcet, publiées par A. Condorcet O'Connor, et M. F. Arago; vol. I., p. xevi. The beauty, grace, and wit of Madam Condorcet extorted forgiveness even from the mother of the Duc de la Rochefoucauld, a most implacable foe of the marriage of the learned; on his marriage she went so far as to say to the Secretary of the Academy, *We forgive you: Nous vous pardonnons.*

collision with other minds ; the quantity of life is lessened on the earth,* and the chances diminished of the rise of men of genius, to whom the world owes progress in the sciences, discoveries in the useful arts, and triumphs in fine art and literature.

Ill effects of too many people willing to work can for centuries only be felt when they are blindly crowded in particular spots, when their labour is not organized, when their acquisitions are insecure, when their dwellings are dens, and when the supply of subsistence is not rendered continuous, and within due limits equal, by storage, by commerce, by skilful distribution, and by wise laws : then zymotic disease is spread, periodic famines are fatal, and the wretched people are on inadequate diet starved.

The evils of indiscriminate intermarriage of imperfect natures accumulate. Errors on either side of excess or defect are punished as inexorably by the law of population as they are by the law of gravitation. If tribes of men will not breed domestic animals, or cultivate the soil, nothing can sustain them by the side of civilized races. If men and women will not work they may not eat. If classes of men drink alcohol to excess ; if they consume impure water ; if they herd in rookeries ; and if they lead idle, criminal, vagabond lives ; they perish. Nature is implacable ; the degradation of the human race is made difficult ; it is stopped by death. The best races in the end have the best chance of living from generation to generation. And against the severity of the life struggle have to be set the excitements of the battle, the energy it calls forth, and the perpetual selection of finer varieties of the race for survival. England through its centuries of history owes some of its greatness to this principle ; it has been led by it step after step up to heights of glory.

The struggle is a consequence, science teaches, of the evolution of the living matter of the earth into higher forms ; and that evolution is not yet at an end.

Mr. Darwin applies the doctrine of Malthus "to the whole vegetable and animal kingdom" ; and recognizing "the struggle for existence amongst all organic beings throughout the world which inevitably follows from the high geometrical ratio of their increase," he makes it the basis of a vast generalisation.† After discussing the question he thus concludes, "all that we can do is to keep steadily in mind that each organic being is striving to increase in a geometrical ratio ; that each at some period of its life, during some season of the year, during each generation or at intervals, has to struggle for life and to suffer great destruction. When we reflect on this struggle we may console ourselves with the full belief that the war of nature is not incessant, that no fear is felt, that death is generally prompt, and that the vigorous, the healthy, and the happy survive and multiply."

This struggle reigns over the whole animal kingdom ; nor is man, as is too well known, an exception ; but Mr. Darwin modifies the principle which ascribes the great check of population to "misery." Reason too gives man certain prerogatives ; for as we have seen it controls fertility, thus adjusting in time and place the results to the infinite varieties of the openings in life, and further, in his humanity man has a protection against the casualties and misfortunes which overwhelm inferior species. The human family, the clan, the town, the tribe, the nation all acknowledge even now the claims of children, of the sick, of the wounded, and of the infirm, to help in time of trouble. Few men refuse to bind up the wounds of their fellow men.

* Sir W. Petty, by a calculation which he describes in one of his *Essays on Political Arithmetic*, but which it would be difficult to verify, asserts, in opposition to "some sceptics," that "two mountains of Ireland were as weighty as all the bodies that had ever been from the beginning of the world to the year 1680." Be this as it may, the weight of the human race alive at one time does not exceed 60 million tons ; for only a small fraction of the surface of the earth exists in the highest form of life.

† *Origin of Species*, 3rd edition, Introduction, p. 4, p. 67, and p. 82.

8. *Progress of Mankind in Health.*

Turgot, Price, Priestly, Godwin, had written on the perfectibility of man, but Condorcet put this doctrine forward with new force in the remarkable work he wrote while he was under the ban of proscription in the last bloody days of the French Revolution.* Any Secretary of the French Academy of Sciences is not only distinguished by eminence in one branch of learning, but by a general acquaintance with the whole circle of the sciences; in writing on human perfectibility, Condorcet, therefore, did not write in ignorance. He knew the greatness of the conception; and had sounded all its depths. His argument is an induction drawn from the progress of nations through nine historical epochs in science, art, literature, and civilisation; and from the gradual rise to heights higher and higher, as well as from the intrinsic energy of their animating principle, he predicts in the last chapter not only an indefinite development of the sciences, of the arts, and of institutions, but of man himself in all his faculties. He foresees new discoveries in all the sciences, and in the arts, reacting on each other; improvements in the theory and practice of life; completing the faculties by placing more powerful instruments at their disposal; and by their own development. All classes by education, by free trade, by cheap law, by simpler manners, will be raised to a higher level; the classes dependent on labour, and men having a little capital, by insurance, and by co-operation, will enjoy advantages now only possessed by great capitalists. Progress will be accelerated by new methods in the sciences; by new notations; by the application of calculation to all branches of human affairs; and by simplifications of processes in the arts. Teaching both the sciences and the arts will be facilitated; men and women will alike cultivate the fields of nature. At present not a fiftieth part of the people endowed with talents obtain the education required for their development.

What Condorcet in 1794 sketched of the progress of the arts and sciences has already been fulfilled. The sketch was a prophecy. But he is equally confident that as plants and animals have been developed, so man, already richly endowed, is susceptible of organic perfectibility. The English and French are as much in advance of the Saxons and Franks as the cattle and horses of to-day are ahead of theirs. The senses will grow finer, the forces more vigorous, the intellectual faculties inconceivably superior to what is seen in the present average of the race; man may be indeed a "little lower than the angels." Who can doubt, he asks, that the progress of *conservative medicine*,† the use of healthy aliment and lodging, a regimen which will develope energy by exercise without wasting it by excesses; the removal of the most potent causes of degradation, abject poverty and superfluous wealth; will prolong the lifetime of men, insure more constant health, and more robust constitutions. It is clear that conservative medicine, rendered more efficacious by reason and social institutions, must in the long run banish transmissible and contagious diseases, as well as maladies due to climate, diet, occupation; nay, the hope of relief may be extended to all other diseases whose remote causes may probably be recognised. Now, is it absurd to assume that this perfectibility of man will go on indefinitely through endless ages? So argued Condorcet. Malthus, to confute his doctrine, advanced the principle of population under which mankind multiplies, he contends, so fast in geometrical, while subsistence increases

* *Esquisse d'un Tableau Historique des Progrès de l'Esprit Humain.* Ouvrage Posthume de Condorcet; 3rd edition, 1797. Condorcet, born 17th September 1743, died on 8th April 1794. In early life he co-operated with Turgot; and was for many years the Perpetual Secretary of the French Academy of Sciences. He wrote in favour of free trade and against the slave trade when prohibition and slavery were recognised institutions.

† *Médecine conservatrice* is the expression of Corvisart; it will bear transplantation into English. He uses also the term *médecine préservatrice*. Either is better than "preventive medicine."

collision with other minds; the quantity of life is lessened on the earth,* and the chances diminished of the rise of men of genius, to whom the world owes progress in the sciences, discoveries in the useful arts, and triumphs in fine art and literature.

Ill effects of too many people willing to work can for centuries only be felt when they are blindly crowded in particular spots, when their labour is not organized, when their acquisitions are insecure, when their dwellings are dens, and when the supply of subsistence is not rendered continuous, and within due limits equal, by storage, by commerce, by skilful distribution, and by wise laws: then zymotic disease is spread, periodic famines are fatal, and the wretched people are on inadequate diet starved.

The evils of indiscriminate intermarriage of imperfect natures accumulate. Errors on either side of excess or defect are punished as inexorably by the law of population as they are by the law of gravitation. If tribes of men will not breed domestic animals, or cultivate the soil, nothing can sustain them by the side of civilized races. If men and women will not work they may not eat. If classes of men drink alcohol to excess; if they consume impure water; if they herd in rookeries; and if they lead idle, criminal, vagabond lives; they perish. Nature is implacable; the degradation of the human race is made difficult; it is stopped by death. The best races in the end have the best chance of living from generation to generation. And against the severity of the life struggle have to be set the excitements of the battle, the energy it calls forth, and the perpetual selection of finer varieties of the race for survival. England through its centuries of history owes some of its greatness to this principle; it has been led by it step after step up to heights of glory.

The struggle is a consequence, science teaches, of the evolution of the living matter of the earth into higher forms; and that evolution is not yet at an end.

Mr. Darwin applies the doctrine of Malthus "to the whole vegetable and animal kingdom"; and recognizing "the struggle for existence amongst all organic beings throughout the world which inevitably follows from the high geometrical ratio of their increase," he makes it the basis of a vast generalisation.† After discussing the question he thus concludes, "all that we can do is to keep steadily in mind that each organic being is striving to increase in a geometrical ratio; that each at some period of its life, during some season of the year, during each generation or at intervals, has to struggle for life and to suffer great destruction. When we reflect on this struggle we may console ourselves with the full belief that the war of nature is not incessant, that no fear is felt, that death is generally prompt, and that the vigorous, the healthy, and the happy survive and multiply."

This struggle reigns over the whole animal kingdom; nor is man, as is too well known, an exception; but Mr. Darwin modifies the principle which ascribes the great check of population to "misery." Reason too gives man certain prerogatives; for as we have seen it controls fertility, thus adjusting in time and place the results to the infinite varieties of the openings in life, and further, in his humanity man has a protection against the casualties and misfortunes which overwhelm inferior species. The human family, the clan, the town, the tribe, the nation all acknowledge even now the claims of children, of the sick, of the wounded, and of the infirm, to help in time of trouble. Few men refuse to bind up the wounds of their fellow men.

* Sir W. Petty, by a calculation which he describes in one of his *Essays on Political Arithmetic*, but which it would be difficult to verify, asserts, in opposition to "some sceptics," that "two mountains of Ireland were as weighty as all the bodies that had ever been from the beginning of the world to the year 1680." Be this as it may, the weight of the human race alive at one time does not exceed 60 million tons; for only a small fraction of the surface of the earth exists in the highest form of life.

† *Origin of Species*, 3rd edition, Introduction, p. 4, p. 67, and p. 82.

8. *Progress of Mankind in Health.*

Turgot, Price, Priestly, Godwin, had written on the perfectibility of man, but Condorcet put this doctrine forward with new force in the remarkable work he wrote while he was under the ban of proscription in the last bloody days of the French Revolution.* Any Secretary of the French Academy of Sciences is not only distinguished by eminence in one branch of learning, but by a general acquaintance with the whole circle of the sciences; in writing on human perfectibility, Condorcet, therefore, did not write in ignorance. He knew the greatness of the conception; and had sounded all its depths. His argument is an induction drawn from the progress of nations through nine historical epochs in science, art, literature, and civilisation; and from the gradual rise to heights higher and higher, as well as from the intrinsic energy of their animating principle, he predicts in the last chapter not only an indefinite development of the sciences, of the arts, and of institutions, but of man himself in all his faculties. He foresees new discoveries in all the sciences, and in the arts, reacting on each other; improvements in the theory and practice of life; completing the faculties by placing more powerful instruments at their disposal; and by their own development. All classes by education, by free trade, by cheap law, by simpler manners, will be raised to a higher level; the classes dependent on labour, and men having a little capital, by insurance, and by co-operation, will enjoy advantages now only possessed by great capitalists. Progress will be accelerated by new methods in the sciences; by new notations; by the application of calculation to all branches of human affairs; and by simplifications of processes in the arts. Teaching both the sciences and the arts will be facilitated; men and women will alike cultivate the fields of nature. At present not a fiftieth part of the people endowed with talents obtain the education required for their development.

What Condorcet in 1794 sketched of the progress of the arts and sciences has already been fulfilled. The sketch was a prophecy. But he is equally confident that as plants and animals have been developed, so man, already richly endowed, is susceptible of organic perfectibility. The English and French are as much in advance of the Saxons and Franks as the cattle and horses of to-day are ahead of theirs. The senses will grow finer, the forces more vigorous, the intellectual faculties inconceivably superior to what is seen in the present average of the race; man may be indeed a "little lower than the angels." Who can doubt, he asks, that the progress of *conservative medicine*,† the use of healthy aliment and lodging, a regimen which will develope energy by exercise without wasting it by excesses; the removal of the most potent causes of degradation, abject poverty and superfluous wealth; will prolong the lifetime of men, insure more constant health, and more robust constitutions. It is clear that conservative medicine, rendered more efficacious by reason and social institutions, must in the long run banish transmissible and contagious diseases, as well as maladies due to climate, diet, occupation; nay, the hope of relief may be extended to all other diseases whose remote causes may probably be recognised. Now, is it absurd to assume that this perfectibility of man will go on indefinitely through endless ages? So argued Condorcet. Malthus, to confute his doctrine, advanced the principle of population under which mankind multiplies, he contends, so fast in geometrical, while subsistence increases

* *Esquisse d'un Tableau Historique des Progrès de l'Esprit Humain.* Ouvrage Posthume de Condorcet; 3rd edition, 1797. Condorcet, born 17th September 1743, died on 8th April 1794. In early life he co-operated with Turgot; and was for many years the Perpetual Secretary of the French Academy of Sciences. He wrote in favour of free trade and against the slave trade when prohibition and slavery were recognised institutions.

† *Médecine conservatrice* is the expression of Corvisart; it will bear transplantation into English. He uses also the term *médecine préservatrice*. Either is better than "preventive medicine."

in arithmetical progression, that the numbers are necessarily kept down by "misery." This principle of population—the "wedded love" that Milton hailed—is the inexhaustible source of human wretchedness! The irony is terrible.

Condorcet, one of the eminent band of mathematicians then existing in France, would have smiled at the hypothesis that men increased in geometrical and subsistence in arithmetical progression, when it happens that the plants and animals on which men feed can all increase or decrease in geometrical progression at faster rates than man. The law is the same. He anticipated the objection from an indefinite increase, and suggested how it may be overcome.*

Mr. Darwin, accepting the law of the increase of animals in geometrical progression, instead of viewing it as a reason for an eternal stand-still of misery, traces to the consequent struggle for existence, and the survival of the fittest, the progressive development of creation from its lowest to its highest forms. He contends that living matter in the past was perfectible; and this is an argument for the indefinite perfectibility of men through future ages.

The great source of the misery of mankind is not their numbers, but their imperfections, and the want of control over the conditions in which they live. Without embarrassing ourselves with the difficulties the vast theories of life present, there is a definite task before us—to determine, from observation, the sources of health, and the direct causes of death in the two sexes at different ages and under different conditions. The exact determination of evils is the first step towards their remedies.

9. *Constituent Elements of the Population.*

The deaths in the ten years amounted to 55 hourly on an average, or to nine deaths every ten minutes; † but it is not so much with these deaths in themselves that the inquiry is concerned as with the numbers living at every moment of the decenniad. Upon the state of the twenty-one millions living the mortality depends; out of them the minutely death flows. Now the population increased; and this increase, which is a continuation of the process that has been going on for a century at variable rates, has produced large alterations in the proportions of the 21,389,245 living at different ages. This must be so. There were 7,636,233 births in the ten years 1861–70, of which the children under the age of ten enumerated at the beginning of 1871 were the survivors. But at the same census 507,522 persons of the age of 70–80 existed; and they were the survivors of the children born in the ten years 1791–1800, which, it is pretty certain, did not exceed 2,988,439 in number. Had the children born then been as many as in 1861–70, the living at 70–80 would have been raised in that proportion to 1,296,850. And so of other ages. The nature of the altered proportions will be seen in the Tables 68–71 at a glance. Now similar but not the same alterations in the proportions have taken place in every district of the kingdom. How can this difficulty in instituting just comparisons be obviated? ‡

As the mortality—and the fatal diseases—vary with age it is evident that the population and the deaths must be divided into a certain number of corresponding groups in order to determine the mortality and the fatal diseases of each group; we can then proceed to compare the rates of mortality and of disease in the several districts of the country. This has been done. In the Tables the mortality of males and females is shown in seventeen groups of ages.

* Condorcet, *Esquisse*, pp. 362–4.

† The hourly births were 86; or 14 every ten minutes.

‡ See an instructive paper on "The Value of Death-rates; by Mr. Noel A. Humphreys."—*Journal of Statistical Society*, vol. xxxvii.

10. *The MORTALITY of MALES and FEMALES at the SEVERAL PERIODS OF LIFE.*

The vitality is measured either by the years of life out of which *one* death occurs, or by the death out of a *unit* of lifetime. Thus in England, according to the life table, 1 in 41 living dies annually. The death out of a unit of lifetime is $\cdot 02447$. As this implies that $2\cdot 447$ die in a year out of 100 living, the mortality is said to be $2\cdot 447$ per cent. annually; or, to speak in round numbers, 24 in 1000. Make the numbers living constantly sustained 1000, then if 24 die in a year the mean interval between each death is 15 days; and if a death occur out of the 1000 every 24 days the rate of mortality will be retarded, as it is in inverse proportion to the interval between each death. The faster people die in a city the greater is its mortality. Thus any two of three variables being fixed the vitality is measured by the variation of the third.

For the *rate of mortality*—expressed briefly by *the mortality*—involves three elements—time, numbers living, numbers dying; the time being fixed at a year, and the living through that time at 1—which may be called a year of life—the rate of mortality is a fraction, easily convertible into a whole number by multiplying this fraction into 1000, or any greater number. Here the rate at different ages is expressed as the mortality of the living at those ages. Thus, taking the boys of England (1861–70) under five years of age in one group, it is found that the mortality was at the rate of $7\cdot 316$ per cent. per annum; then boys of the age of 5 and under 10 die at the lower rate of $\cdot 815^*$; and boys of 10–15 as they enter puberty die at the still lower rate of $\cdot 446$. In the next five years of age the mortality of youth rises; and at 20–25 the mortality is $\cdot 845$, nearly the same as that of boys 15 years younger; through manhood the mortality rises slowly up to $3\cdot 300$ at the age 55–65; and as age advances still more until at 85 and upwards it is at the rate of $31\cdot 357$. The mortality of females goes through a similar cycle; descending to a minimum at the first great change of formative energy in puberty, and then ascending with age until subsiding life is converted into the other forces of nature. The law implies first an increasing and then a continually decreasing power of sustaining vitality.

But the law varies with the conditions of existence; and though these conditions vary infinitely—some being favourable and others unfavourable to life—there are large masses of the population, whole regions and cities, where the results of all the agencies in operation differ widely.

Take for example the group of 51 districts called Healthy for the sake of distinction, and here it is found that the annual mortality per cent. of boys under five years of age was $4\cdot 246$, of girls $3\cdot 501$. Turn to the district of Liverpool†: the mortality of boys was $14\cdot 475$, of girls $13\cdot 429$. Here it is evident that some pregnant exceptional causes of death are in operation in this second city of England. What are these causes? Do they admit of removal? If they do admit of removal, is this destruction of life to be allowed to go on indefinitely? It is found that of 10,000 children born alive in Liverpool 5396 live five years; a number that in the healthy districts could be provided by 6544 annual births. This procreation of children to perish so soon—the sufferings of the little victims—the sorrows and expenses of their parents—are as deplorable as they are wasteful. In Liverpool the death of children is so frequent and dreadful that a special

* By a mere change of the place of the decimal point to the right this may of course be read as $8\cdot 15$ per 1000.

† The *Borough* of Liverpool extends over a part of West Derby. The *District* is co-extensive with the *parish*.

system of insurance has been devised to provide them with coffins and burial ceremonies. The mother when she looks at her baby is asked to think of its death, and to provide by insurance not for its clothes but for its shroud and other ceremonies. There are cases where a wretched parent has insured the life of her baby, and realised money by the transaction ; but there is no statistical evidence to show that this is a systematic trade ; rather the reverse ; all that is certain is that the children are bred in such unfavourable and unnatural conditions that they perish in excessive numbers. The extent to which the several causes contribute to their destruction requires further investigation ; but enough is known to justify the belief that such causes may be to a considerable extent removed.

Then the sacrifice of the lives of men at the most productive ages, from 35 to 55, is almost equally great ; the deaths out of the same numbers living are as *three* in the Liverpool district to every *one* in the natural state of the working population of extensive districts of the kingdom.

The thousands of families of the Liverpool district are of various grades, and live in very different sanitary conditions ; some may be as healthy as groups of families anywhere else, and others may suffer to the extremest extent ; but the general result is seen in the Table, which may for the moment represent the unhealthy classes, as the other Table represents the healthy classes, of the nation. Every great city has in it a bit of Liverpool. Between the extremes of mortality, high and low, lies a series of intermediate rates, and the aggregate of the whole mass is expressed in the rates for all England.

Table 50 exhibits the rates of mortality of males and females respectively, at 12 groups of ages, in London contrasted with the rates at the same groups of ages in 51 Healthy districts, in all England, in the district of Manchester, and in the district of Liverpool. Arranged in the order of mortality at all ages, as in the Table, it will be noted that London ranks next to all England, Manchester following, and Liverpool standing last with the high rate of 4·097 deaths per cent. of males and 3·636 of females.

If we take 15 great town districts in different parts of the kingdom—including Manchester—and compare the rates of mortality at different ages with the mortality at the same ages of the 17 great town districts, including, besides the 15 districts preceding, Liverpool and London, the rates will be found to differ but little, and that is through London being included in the 17 towns which contain on the average of the ten years 1861-71 no less than 4,981,258 inhabitants, or nearly a fourth of the population of England and Wales. The rates very fairly represent the death-tax which the great city populations of England now pay.

The causes that make the rates of mortality vary may be considered under two heads—

- (1.) Causes inherent in the population itself, such, for example, as *sex* and *age*.
- (2.) Causes outside the population, such as air, water, food, clothing, dwellings, or such groups of causes as are involved in residence, and relation of the several parts to each other in time and space.

Mere inspection of the Tables 49, 50, 51, establishes under the first head two things ; (a) that the mortality of males everywhere exceeds the mortality of females at nearly all ages ; (b) that the mortality is at a minimum at the age 10-15 ; and increases in two directions, as we approach birth, and as we recede to lengthening age.

Under the second head it is established by the facts that the mortality in all the great towns is high at nearly all ages ; and also that the rates of mortality of the populations in mass under all the local conditions vary generally in the same direction as the mortality at their several periods of life. In fact the causes of insalubrity affect people of all ages ; but it will be shown hereafter that their effects differ in degree at different ages.

11. *Effects of Density of Population on Health.*

The term town implies municipal government and industrial organization. But it will be convenient to discard for the moment every other consideration except the density of the population. This is shown by dividing the population by the square miles of area on which they are living. This has been done; and there is found to be a general relation between the mortality and the density of the population. Thus, in the healthy districts, during 1861-70 there were 166 persons to a square mile; in all England 367; in Liverpool 65,823. And this implies that the mean proximity of person to person in the three groups was 147, 99, and 7 yards; the proximity being as the square root of the density.*

The density of population as usually calculated assumes that the numbers are distributed evenly over the area; but this is scarcely ever the case; for the English towns and districts include open spaces unbuilt on, which conduce to the free aeration of the place, but in very different degrees. In some districts the greater part of the population is crowded on a portion, while the rest is thinly scattered over the remainder of their area. Thus the density of the population of London is expressed by 25,671 persons to a square mile; but the density of the Central districts is 107,729; of Westminster 153,976. In one sub-district of Westminster, Berwick Street, the density is 278,587, while in Hampstead it is 7315. The proximity in London is 11·8 yards; and of the densest sub-district of London (Berwick Street) 3·6 yards. The Manchester district besides the dense parts contains much open country. Upon the other hand, Liverpool, Birmingham, and Bristol districts comprise the densest parts of the towns of those names; the towns being more extensive. The local divisions of the kingdom have grown up; they are multiplied unnecessarily; they are so conflicting and the names are so confusing that it is difficult to use them without creating misapprehension. We may hope to see a remedy some day applied to this state of things. In the meantime the readers of the Registrar General's Reports will bear in mind, that *districts* conterminous with unions are referred to unless the contrary is stated.

In the years 1861-70 the population of an average district was 34,555; the annual births 1212; the deaths 775; the excess of births 437.

To investigate more exactly the relation between density of population and the mortality, which we know increases in some proportion to density, the districts have been grouped in the order of the mortality at all ages. The groups are eighteen; commencing with a mortality at 15, and ascending to 39.

The area, population, births, deaths, and mortality of each group have been determined; and are shown in the Tables. The irregularities that are encountered in dealing with single districts are in part effaced; and the general result is that in all the large groups the density and the mortality follow the same order.

In the Appendix to the Fifth Report I endeavoured to show that within certain limits there was a definite relation between density of population and mortality. And it was found that the mortality of districts did not increase as their density, but as the 6th root of their density. Thus the female mortality of St. James, Westminster, district was ·02145; its density was 145,059 persons to a square mile; the density of St. George Hanover-square being 39,018. What was the mortality? By calculation from the density it should have been ·0172, and it was ·0171.† The

* p = proximity in yards = $\frac{\sqrt{2}}{\sqrt[6]{3}} \times \frac{1760}{\sqrt{D}}$ if D = population to a square mile.

† See Registrar General's Fifth Report, Appendix, pp. 420-424. The constitution of the above two districts has since been changed.

same relation existed between the mortality and the density of population in other districts of London.

A larger basis is now supplied by the facts of ten years recorded in all the districts of England and Wales. They have been arranged in the Tables; and with this result, that in every group the mortality increases with the density, but happily not in the direct proportion of the density. London has been excluded in the following calculations. Thus in the 345 districts with a mortality of 19·2 the density was 186 persons to a square mile; in the 9 districts with a density of 4499 what was the mortality? In the first place it was not expressed by the proportion $186 : 4499 :: 19\cdot2 : x$ but by this proportion nearly

$$(186)^{0\cdot12} : (4499)^{0\cdot12} :: 19\cdot2 : x = 28\cdot1$$

Table 48 shows in a comparative view the actual and the calculated mortality.

The districts being grouped in the order of the mortality the density of population is always found to increase with the mortality, but more rapidly. The greater the proximity of man to man the greater is the mortality. To show how far the effect of the causes of mortality varies in dense and open districts at different ages in the two sexes the following Tables have been framed. The 593 districts are arranged in seven groups; under which the mortality of males and females is given at 12 ages. Only the London districts have been excluded, and that on account of the difficulty of distributing the deaths at different ages in hospitals, over the districts to which they properly belong.

The mortality per 1000 *under* the age of *five years* is in the seven groups—

	No. of group	I.	II.	III.	IV.	V.	VI.	VII.
For females	- - -	34	44	58	76	89	106	134
„ males	- - -	41	51	68	88	101	118	145
Excessive mortality of males	-	7	7	10	12	12	12	11
Mean of males and females	-	38	48	63	82	95	112	140

It will be noticed that the groups are numbered in the order of their density, No. I. being the least dense and No. VII. the most dense.

After examining the mortality at the various ages in the seven groups of different densities, this general law may be deduced from the facts. As the mortality of males and females increases at all ages with the density of population, so it increases at every group of ages, but in very different proportions; most in early childhood (0-5); least at the two quinquennial ages 15-20 and 20-25, when immigrants enter towns; another maximum being attained at the ages 45-65, immediately after reproduction ceases. At the ages of 65 and upwards the effect of density in increasing the mortality diminishes. The effect is not considerable at any age after 35 in the 345 districts (group II), having a density of 186 persons to a square mile; there the chief effect is produced in childhood.

In the 137 districts, having a density of 379, the effect of density after the age of 15 remains nearly uniform, and increases the mortality by about one-fifth part.

In the 47 districts, having a density of 1718, the mortality is doubled in childhood; and is raised by about a half at the ages 45-65.

London, though with a density of 25,671 persons to a square mile, follows for childhood the same law as the 47 districts; the mortality is doubled; then at the ages 45-65 it is still higher than in the 47 districts, for the mortality being increased by nearly three-fourths approaches the mortality of the 9 districts. But London presents this exceptional fact; the mortality at the ages 15-20 and 20-25 is below the mortality in the healthiest districts. The cause of this will be discussed hereafter.

The Table 52 shows, in a comparative view, how differently the various causes of mortality operate at different ages in the eight groups of districts. This is mainly due to the varying powers of resistance.

The exposure of children, of men and women in the prime of life, and of old people to causes of death, varies in different circumstances; but it is evident, after every allowance has been made, that the power of resisting the noxious influences at work in the thickest peopled districts is greatest at puberty, least in childhood and in manhood.

The Table 53 shows this more clearly; for it shows at each age out of what numbers living there are 100 deaths in the healthy districts; and then in other columns how many die in the seven other groups of districts out of the same numbers living. Thus to 10,050 persons living of the age of 35-45 only 100 die annually in the healthy districts; and 104, 121, 132, 162, 214, and 272 in six other groups of districts. In London the deaths out of the same numbers are 151.

The Table 54 shows that the female children with a lower absolute mortality than males under five years of age suffer relatively in every group more than males in the denser districts. At 5-10 the mortality of males is but slightly in excess and at all other ages the males are the greatest sufferers from the unsanitary conditions. Their occupations come into play.

12. Mortality of Persons of different Ages as a Sanitary Test.

In judging of the effect of destructive agents in particular districts it is well to take into account the mortality at the several ages in the two sexes. The occupations of men have a certain influence on their mortality. This is the case for instance with miners, with publicans, and with men in some dusty occupations. The influence is not felt in the case of young children, and the occupations of women vary less than those of men; but young children are differently fed or nursed in different parts of the country, and women in service who work and are well fed interfere with the female mortality, so that it is the safer course not to depend on any one age or sex, but to take the mortality at all the several ages of both sexes into account. Then the displacements of deaths by removal of the sick to hospitals or workhouses can also be taken into account by the local inquirers.

13. Districts grouped in the Order of Density.

In a previous paragraph the districts were grouped according to the order of their mortality; it may be interesting now to group them in the order of the density of population. This being done it is found, as has been shown, that on instituting a comparison between the two arrangements, the groups of districts of highest mortality are the densest, but that the least dense districts have not always the lowest rates of mortality. Nor should this be expected. For the maximum of advantages in country districts being once attained further isolation is a disadvantage. The insalubrity of marshes and forests can only be subdued by numbers; and the country parts thinly peopled must have been much less salubrious in ancient than in modern times. The notes following Table 55 will throw light on the peculiarities of some of the least populous districts.

14. Of what Causes people die off at different Ages.

The English Life Table shows how many of a million children born are males, and how many are females; how many of each sex will probably survive year by year until after the age of 100 years the last life is extinguished; how many die in each year of age; and the mean after-lifetime at every age.

The English Life Table is constructed on the numbers enumerated at 12 periods of life in the two censuses of 1841 and 1851; and the deaths registered at the corresponding ages in the 17 years 1838-54*; since those dates two more censuses having been taken, and the deaths registered and abstracted at the several ages down to 1872, I thought that it might be desirable to construct a new Life Table on the basis of the more extended experience. But the mortality at the several ages having been calculated for each of the 34 years 1838-71, the mean of the rates was found to agree so closely with the mean rates on which the Life Table was based that a new construction became unnecessary. The law of mortality had fluctuated from year to year, but had as yet remained constant; so that the persistence of the force of death as it affects different ages is beyond doubt.

Annual Mortality PER CENT. of Males and Females in England and Wales.

AGES.	MALES.		FEMALES.		AGES.
	1838-54. (17 Years.)	1838-71. (34 Years.)	1838-54. (17 Years.)	1838-71. (34 Years.)	
ALL AGES	2·33	2·33	2·17	2·15	ALL AGES.
0—	7·25	7·26	6·23	6·27	0—
5—	·92	·87	·91	·85	5—
10—	·62	·49	·54	·50	10—
15—	·82	·78	·85	·80	15—
25—	1·00	·99	1·06	1·01	25—
35—	1·28	1·30	1·27	1·23	35—
45—	1·85	1·85	1·59	1·56	45—
55—	3·18	3·20	2·82	2·80	55—
65—	6·69	6·71	6·00	5·89	65—
75—	14·76	14·71	13·44	13·43	75—
85—	30·14	30·55	27·92	27·95	85—
95 & upwards	44·03	44·11	43·22	43·04	95 & upwards.

Note.—The Table may be read thus:—Of males of the age 25 and under 35 the rate of mortality *per cent.* was 1·00 in 17 years 1838-54; and ·99 in 34 years 1838-71, and so for other ages. The rates of mortality for 1838-54 are taken from the English Life Table, p. xx; the rates for 1838-71 are the arithmetical means of the several rates for each of the 34 years, as shown in Tables 21-4, pp. lxxx-iii. of the Registrar General's 34th Annual Report.

The Life Table thus gives out of 1,000,000 liveborn children the deaths at each year of age. To determine all the diseases of which they die at each year of age involves an amount of labour beyond our command, if the whole of the distinguishable diseases recorded are taken into account. To reduce the arithmetical labour within an available compass, I have selected certain diseases of which the diagnosis is most certain. The other diseases are thrown into *groups*: the first *group* of all the class of zymotic diseases of the first order not separately dealt with; the second *group* of all except the distinguished maladies. And the several local diseases are grouped according to the affected organs. Suicide and other violent deaths are given in two lines.

The construction of the Tables 7-15 may be thus described. A separate set of Tables was formed for males and females, and the numbers dying at each period of life were taken from the Life Table. The deaths are numerous at first, and the numbers in each of the first five years of age are distinguished; then the numbers dying in the quinquennials 5 to 10, 10 to 15, 15 to 20, 20 to 25; and finally the numbers dying in the decennials 25 to 35, 35 to 45, and so on to the end of life.

* See Life Table, pp. xviii-xix; Longman, 1864.

From the returns of deaths in 1861-70 by different causes in the same divisions of age, the proportions of males per 1,000,000 dying of each of the 25 diseases or groups of diseases at each division of life were determined. For the deaths according to age and sex in the preceding 10 years 1851-60 the same process was repeated; and from the mean of the results of the two decennials the final Table was derived, which served to distribute the deaths of the males of the Life Table proportionally.*

Thus to take an example, in the years 1861-70 the deaths of males at ages 25-35 were 147,734; the deaths of males by small-pox 2037, by fever 10,513; so the proportion to 1,000,000 deaths at those ages was for small-pox 13,788, for fever 71,162. The corresponding proportions in 1851-60 were for small-pox 12,473, for fever 70,266; the mean for the twenty years was for small-pox 13,130, for fever 70,714. Now, by the Life Table the total deaths of males at ages 25-35 are 30,592; so the numbers due to small-pox are 402, to fever 2163; which accordingly find their places in the Table. The other groups of causes were treated in the same way. From the separate Tables of males and females the Tables of persons of both sexes were framed by addition.

Knowing the deaths from each disease at each age period, the sum of all deaths from the same disease at and after each age are obtained by successive additions. Thus Table 12 was constructed from Table 7.

The Table to be complete should give the deaths from each cause in each year of age; but that series is long, and as it can be obtained by interpolation, I reserve it for a subsequent process.

It will be observed by the Table 12 that out of 1,000,000 children 114,417 will die of phthisis. Assume for a moment that at any age the survivors of the 114,417 may be picked out at that age and thrown into a class apart, then a table of the consumptive could be constructed showing their chances of dying at each age, as well as the premium to pay for an insurance on their lives.

Practically it is not possible to select out of a number of persons taken indiscriminately the numbers that will die of consumption; but it is considered possible by taking ancestral descent, temperament, and premonitory symptoms—such as hæmoptysis—into account, to select a class apart, having what is technically called a consumptive tendency, and whose mortality would approximate to that of the persons actually dying of consumption.

And a Life Table of the class dying of consumption can be formed by summing up the deaths by consumption in the Life Table, as in the subjoined example, which might be completed by interpolation.

Numbers to die of Consumption at and after each AGE out of 1,000,000 Children born.

AGE x.	TO DIE.	AGE x.	TO DIE.
0	114,417	35	54,290
5	109,948	45	31,886
10	107,809	55	15,418
15	104,283	65	4,973
20	95,209	75	679
25	81,424	85	52

* See Table 6.

15. *March of an ENGLISH GENERATION through LIFE.*

It is possible, by means of Tables so constructed, to follow any large number of people through the whole of their ages, and to point out the casualties under which they will probably succumb.

Age 0-5. The first thing to observe is, that the fatality children encounter is primarily due to the changes in themselves. Thus 1,000,000 children just born are alive, but some of them have been born prematurely; they are feeble; they are unfinished; the molecules and fibres of brain, muscle, bone are loosely strung together; the heart and the blood, on which life depends, have undergone a complete revolution; the lungs are only just called into play. The baby is helpless; for his food and all his wants he depends on others. It is not surprising then that a certain number of infants should die; but in England the actual deaths in the first year of age are 149,493, including premature births, deaths by debility and atrophy; diseases of the nervous system 30,637, and of the respiratory organs 21,995. To convulsions, diarrhoea, pneumonia, bronchitis, chiefly their deaths are ascribed; little is positively known; and this implies little more than that the brain and spinal marrow, nerves, muscles, lungs, and bowels fail to execute their functions with the exact rhythm of life. The first two are said by pathologists to be often rather symptoms of diseases unknown than diseases in themselves. The total dying by miasmatic diseases is 31,266; but it is quite possible that several of the children dying of convulsions die in the early stages of some unrevealed zymotic disease, whose symptoms have not had time for development. Convulsion is a frequent precursor in children of measles, whooping-cough, scarlet fever, fever; indeed Dr. C. B. Radcliffe well remarks "in the fevers of infancy and early childhood, especially in the "exanthematous forms of these disorders, convulsion not unfrequently "takes the place occupied by rigor in the fevers of youth and riper years."* Many of the cases of pneumonia may also in like manner be whooping-coughs and other latent zymotic diseases. In the second year of life pneumonia, bronchitis, and convulsions are still the prevalent, and most fatal diseases; many also die then of measles, whooping-cough, scarlatina, and diarrhoea. Scarlet fever asserts its supremacy in the second, third, fourth, and fifth years of age. Whooping-cough is at its maximum in the first year, measles in the second, scarlatina in the third and fourth years. Thus these diseases take up their attacks on life in succession and follow it onwards.

The deaths from all causes under the age of five years are 263,182. The number ascribed to infanticide is very few; but the deaths by suffocation (overlaying, &c.) are more numerous; and so are the deaths directly referred to the "want of breast-milk." The total deaths by burns, injuries, drowning, and all other kinds of violence are 5175.

By a physiological law 511,745 boys are born in England to 488,255 girls; and by another law 141,387 boys and 121,795 girls die in the first five years of life; so that at the end of five years the original disparity in the numbers of the two sexes is so much reduced that at the age of five years the boys only slightly exceed the girls in number. The greater mortality of boys is due to difference of organisation, for the external conditions are substantially the same in which boys and girls are placed.

Great as is the influence of organisation itself, the difference of external circumstances and sanitary condition exercise a very real influence on life, disease, and death in childhood.

Thus, even in the Healthy districts of the country, out of 1,000,000 born, 175,410 children die in the first five years of life; but in Liverpool

* A system of Medicine by Reynolds, vol. 2, p. 593. Article on Diseases of Spinal Cord.

District, which serves to represent the most unfavourable sanitary conditions, out of the same number born, 460,370, nearly half the number born, die in the five years following their birth. This is 284,960 in excess of the deaths in the Healthy Districts.

Out of 1,000,000 Children Born alive (1) in the Healthy Districts, (2) in All England, and (3) in the District of Liverpool, the Numbers dying under Five Years of Age by NINETEEN GROUPS of Causes.

	HEALTHY DISTRICTS.	ENGLAND.	LIVERPOOL DISTRICT.
DEATHS FROM ALL CAUSES - -	175,410	268,182	460,370
TOTAL ZYMOtic DISEASES - -	49,761	87,069	171,009
Small-pox - - - - -	602	3,331	5,175
Measles - - - - -	5,257	11,507	25,514
Scarlatina - - - - -	11,373	17,989	26,818
Diphtheria - - - - -	4,184	2,425	3,395
Whooping-cough - - - - -	9,650	14,424	32,551
Typhus (with Enteric and Common Fever) - - - - -	2,807	5,401	9,297
Diarrhoea and Dysentery - - -	9,354	20,344	51,911
Cholera - - - - -	399	1,129	4,255
Other Zymotic Diseases - - -	6,135	10,579	12,093
Cancer - - - - -	110	71	62
Scrofula and Tubercles - - -	5,335	8,115	11,694
Phthisis - - - - -	2,656	4,469	5,116
Hydrocephalus - - - - -	6,604	9,396	14,973
Diseases of the Brain - - -	22,692	40,065	49,840
Diseases of the Heart, and Dropsy -	1,304	1,507	2,088
Diseases of the Lungs - - -	27,384	41,476	79,898
Diseases of the Stomach and Liver -	4,431	4,778	4,874
Violent Deaths - - - - -	4,232	5,175	17,107
OTHER CAUSES - - - - -	50,401	61,131	103,765

The above Table shows how many children die from the several groups of causes (1) in the healthy districts, (2) in all England, and (3) in the Liverpool District. There is a greater increase in Liverpool from small-pox and measles than from scarlet fever; and diphtheria was more fatal in the healthy districts than in all England. Diarrhoea and cholera were greatly aggravated in the other districts of England; so were whooping-cough, and typhus, under which were registered typhus, typhoid, infantile remittent, and relapsing fever. The diseases of the lungs are more fatal to children in Liverpool than diseases of the brain.

The children of Norway fare better than the children of sunny Italy; to which it may well be still an *officina gentium*. Out of 100 children born alive the deaths in the first five years of life are in Norway 17, Denmark 20, Sweden 20, England 26, Belgium 27, France 29, Prussia 32, Holland 33, Austria 36, Spain 36, Russia 38, Italy 39. Russia is almost as fatal to her children as Italy.

In a paper* read before the Statistical Society the methods of determining the rates of mortality were described, and I collected information as to the treatment and management of children in Scotland, Norway,

* Mortality of Children in the Principal States of Europe, in the Journal of Statistical Society, vol. xxix., pp. 1-35.

Sweden, France, and Austria. The subject was taken up in England by the Obstetrical Society, who published an able report, based on returns, on the birth and treatment of English children.* I have not yet received papers from Russia or Italy.

The mortality of infants evidently depends, to some extent, on the midwifery of a country; on the way the children are fed by the mothers; on the water; and on the cleanliness observed, as well as the other sanitary conditions.

Age 5-10. Our young travellers now enter on their *sixth year* of life. They have left great numbers on the way. And nearly every one of the 736,818 survivors has been attacked by one disease or another; some by several diseases in succession. There is one fact in their favour: the majority of the zymotic diseases rarely recur. Each renders the body insusceptible of injury from diseases of its own kind, though not from other diseases. Medicine † is still without any accurate determination of the numbers attacked to every death, but it is evident from the deaths that some hundreds of thousands of the survivors have had whooping-cough, measles, scarlet fever. Taking advantage of the non-recurrent law, Jenner, by his immortal discovery, substituted small-pox modified and mild for natural small-pox; and it is probable that the greater part of all the children at the age of five are vaccinated, or have had small-pox.

So the total deaths in the five years following are 34,309; 8743 of them from scarlatina, the principal plague of this age, 1364 from diphtheria, 4036 from fever: more than half of the deaths in this young age, are from miasmatic disease, in all 19,256. The brain and lung diseases levy also a certain tribute.

Age 10-15. But 702,509 survive and enter on this age, which culminates in puberty; and 684,563 pass through it into the next at the age of 15; for the deaths are fewer than at any other age. They amount to 17,946, of which 1901 are by scarlatina, 2842 by fever, 3526 by phthisis, these last two diseases already standing as the most deadly; in this period the change in girls is greater than the change in boys, and rather more of them die.

Age 15-20. Now the mortality increases especially among women, of whom 5263 die of consumption (phthisis), and 244 of childbirth, for at this age a few young girls marry with some risk to their lives. The tight ligatures that are so often and so unwisely placed round the waist interfere with respiration; and may, with their in-door life, favour the development of phthisis. The deaths of males by consumption are 3811, by fever 1368: the deaths from both diseases being fewer than the deaths of females from the same causes. The violent deaths of 1387 males, against 193 females, go a long way towards redressing the inequality.

Melancholy suicide appears now among the causes of death; indeed 14 such deaths appear before the age of 15, but the numbers in this age amount to 94, of whom 46 are males, 48 are females. Insanity looms on the horizon, and there is an excess of fatal brain affections over affections either of the heart or lungs.

Age 20-25. At this age large numbers marry. The deaths are 28,705, of which nearly half, or no less than 13,785, are by phthisis. Fever is associated with it, as the great prevailing zymotic disease; the reign of the other zymoses of the young is almost over. The brain, heart, and lung begin again to suffer, and of their diseases more die. 1100 women die in childbirth.

* Republished in the Appendix to the Registrar General's 34th Report, pp. 225-9.

† It is to be regretted that many of the writers in a recent system of medicine have failed to follow the advice of M. Louis; they have not counted, and the student gains no light from the numerical method.

If it is the age of love it is also the age of war, of dangerous work, and of crime : the violent deaths, exclusive of suicides, are 1677, without reckoning any death in foreign war.

Age 25-35. Of the million, 634,045 attain the age of 25, and 571,993 live to the age of 35. The period extends over double the time hitherto handled. It is the athletic, the poetic age : it is the prime of life : two thirds of the women are married ; and now at its close is the mean of the period (33-34) when husbands become fathers, wives become mothers, the new generation is put forth. The deaths are separations ; they leave widows and fatherless children behind. Of the 62,052 that die, 30,592 are men, 31,460 women ; 2992 of the men, and only 309 of the women die by violence, suicide excepted ; but 2901 women die in childbirth.

Consumption is the most fatal disease of the age ; it is the cause of 27,134 deaths ; women suffering more than men. Fever is fatal to fewer lives than it was earlier ; but it is by far the most fatal of the zymotic diseases, and slays its 4197.

The local diseases of lungs, heart, and brain grow intenser in this period.

We may now look back to the fate of a generation exposed to unfavourable conditions ; such, for instance, as prevailed in the Liverpool District. There, of a million born, less than half, only 434,497, live to the age of 25 ; then 74,153 die in the ten years, leaving 360,344 alive at the age of 35. No less than 10,657 die of fever, 333 of suicide, 4850 of other violent deaths. The local diseases are exceedingly fatal ; 1938 mothers die in childbirth.

In happier sanitary conditions 727,552 live to the age of 25, and 667,940 survive the age of 35. Only 3116 die of fever, 396 of suicide, and 2819 of other violent deaths.

Age 35-45. The losses are of 69,078 lives ; 35,142 men, 33,936 women. The athletic age is now over ; but the combined faculties of muscular and nervous energy are at their height. Women have borne more than half of their children, now they bear the rest. It is the age of fathers and mothers ; criminality declines. Many of the structures now give way. Phthisis still predominates ; fever snatches still its many victims ; and the brain, heart, lungs, and bowels become more and more the seats of destructive disease. 564 persons commit suicide ; 3280 die violent deaths, 2907 of them men, and 373 women ; 2516 mothers die in childbirth.

While the deaths by fever are 3777 out of 571,993 attaining this age in England ; 14,322 people die of it in the Liverpool District out of 360,344. The lung diseases in the two sets of conditions are fatal to 7452 and 13,967 lives.

In the healthy districts the deaths by fever are 2702, by diseases of the lungs 5261.

Age 45-55. This age is the middle arch of life : *nel mezzo del cammin di nostra vita*,* for the million are reduced to half a million lives, a few months after the age of 45. They have produced the succeeding generation. The age of fertility is now nearly over in women ; but a few lingerers bear children, and in the act 160 die. The deaths by all causes are 81,800 ; by fever 3749 ; diarrhoea, dysentery, and cholera 1944 ; by phthisis 16,468 ; by lung diseases 13,203, heart diseases and dropsy 10,041, brain diseases 9313, bowel and liver diseases 7917. The centres of life are sources of death. At this age, in their wretchedness, and in their weakness, 599 men, 204 women, in all 803, appeal rashly to the "arbitrator of despair, just death." 2876 men, 478 women, in all 3354 persons, die violent deaths.

Cancer, a formidable and dread disease that began to be fatal before, now destroys 4583 lives, 1140 men, 3443 women.

* Dante : Divina Comedia, Inferno, Canto 1.

In unfavourable sanitary conditions out of a million lives in Liverpool, only 275,193 attain the age of 45, and 90,969 die in the following ten years; 12,504 of fever, 13,274 of phthisis, 24,417 of pulmonary diseases, 420 of suicide, and 4314 of other violent deaths.

In the Healthy districts of the country 606,019 attain the age of 45, and 71,938 die in the ten years following; 2306 by fever, 13,745 by phthisis, 10,012 by brain diseases, 10,451 by heart diseases and dropsy, 8234 by pulmonary diseases, 1022 by suicide, and 3030 by other violent deaths.

Age 55 and upwards. To the age of 55, near the middle of the possible lifetime of humanity in its present state, 421,115 attain; and from this point of time it is possible to look ahead, and discover the particular rocks, foes, collisions, tempests to be encountered, to be dreaded, or to be weathered by the fleet on its way to the utmost butt of existence, "the very seamark of its journey's end."

One thing to remark is, that the rate, the degree of danger, which has hitherto increased slowly, now increases at so much faster a pace, that although the number of lives grows less, the number of deaths increases in every one of the next 20 years, and is afterwards sustained for 10 years longer, until at last in the distance the living all sink into the elements from which they came.

Few will die of the non-recurrent zymotic diseases; some 29,803 in all will die of fever, diarrhœa, cholera, rheumatism, and other zymotic diseases; cancer will carry off almost as many as phthisis; the greatest mortality, however, will be experienced from diseases of the lungs; then will follow in their wake of destruction brain affections, apoplexies, paralysies; heart and artery diseases, often the remote cause of the other maladies, bowel and liver diseases, kidney diseases; many will still die violent deaths as they are less able to resist injuries than younger lives. Gout and intemperance will reap their later harvest; so will mortification, atrophy, debility, and the infirmities of old age: then comes the end.

Of 100 women living of the age of 55 and upwards, it is worthy of note that 11 are spinsters, 43 widows, and 46 wives; of 100 men 9 are bachelors, 24 widowers, 67 husbands. We now pass to the particular decennials of life.

Age 55-65. The number of males and females surviving becomes equal at the age of 53, but at and after 55 the women exceed the men in number, as their mortality-rate is lower ever after the age of 39. While 421,115 of both sexes enter this stage of life, 309,029 live on to the next; 112,086 die; only 9795 of fever, diarrhœa, dysentery, cholera, rheumatism, and other zymotic diseases. Cancer kills 5998 persons, 4035 of these women; consumption 10,445: the diseases most to be dreaded, and guarded against, especially by men, are affections of the lungs, and heart, of which 23,659 and 17,081 persons die: diseases of the brain are fatal to 15,678, of the stomach, intestines, and liver are fatal to 11,400. The vigour of life is somewhat subsiding; family cares perhaps accumulate, ambition is disappointed, and the mind sometimes gives way organically: the tendency to suicide is greatest at this age, and the greatest number of lives, 826, come to that melancholy close in this period. But 3155 are killed by violent deaths of various kinds; 2560 men, 595 women.

Age 65-75. 309,029 enter this age, and 161,124 leave it alive: 67 years is near the mean date at which their children give birth to their grand-children; the third generation. The 147,905 dying in this period succumb to the same classes of disease as were fatal in the previous decenniad; and still more succumb to lesions of the brain and heart, and lungs: the kidneys give way, but are never so fatal as affections of the higher organs. 11,256 of the deaths are from fever, diarrhœa, cholera, rheumatism, and other diseases of the miasmatic order; 9789 from five constitutional diseases; 92,391 from diseases of brain, heart, lungs, and other local

organs ; 3064 from violence, and there remain 31,405 referable in great part to a new head in the developmental class, *old age*.

The year of age 72 is that in which the greatest number of *men* die ; and which may have led the psalmist to say, the days of the years of our life are three score years and ten ; but these are " days passed away in thy wrath," in violation of the divine laws, and therefore are not necessarily the limit of healthy existence where the laws of life are observed.

Age 75-85. The numbers that enter this decenniad are 161,124, and the numbers that leave it alive are 38,565. More than half the numbers living have been married and are widowed. The 122,559 that die of recognised diseases at this age die chiefly of lung, brain, heart, and other local diseases ; against such dangers they have to guard themselves. The number of such deaths is 51,838 ; then some 7229 persons die of miasmatic diseases ; 131 of suicide, 1691 of violence. The cold weather is their great foe. But there remain 58,905 dying chiefly of atrophy, debility, and *old age*.

Age 85—to the end. The 38,565 aged pilgrims are no longer what they were ; their strength is fading away, and they succumb to slight injuries, to cold, heat, want, or attacks which in their early years would have been shaken off : only 2153 live to the age of 95 ; and 223 to 100 ; finally by this Table at the age of 108 one solitary life dies.

Of what causes do they all die ? Diseases grow again as obscure as they were in infancy ; zymotic diseases, constitutional diseases scarcely appear ; the diseases of the lungs and brain are the most conspicuous among the local diseases ; 509 die of violent deaths, including suicides. These causes account for the end of 10,659, leaving 27,906 that die chiefly of *old age*—of what has been called natural death.

Majendie pointed out to me at Saltpetrière, the hospital for old people in Paris, that the deaths apparently from no cause, were often the result of pneumonia, or consolidation of the lungs, which in the absence of the ordinary symptoms could be detected before death by dulness of the chest on percussion. Hippocrates had noted that the symptoms of diseases grew obscure in advanced age. And this must be so. The symptoms of disease—including pain itself—require strength for their manifestation ; without it reaction is scarcely appreciable ; and many diseases in the old as well as in the young are so insidious as to escape detection. But upon the other hand many deaths due to debility are ascribed to specific diseases. And beyond doubt thousands do die of old age ; thousands of the generation, like the patriarchs of old, fall asleep. As the body with all its parts is undergoing continual renewal, it grows, gets consciousness, develops strength for years, and then all its powers insensibly decline, until the daily alternations from wakefulness to sleep of which life is made up cease ; and it is all sleep ; the life exhales in the arms of friends, or alone in the night like a light goes out. This last end is the natural death to which, as Bacon says, it is the office of the physician, of the state physician we say, to conduct the nation. " For it is no small felicity which Augustus " *Cæsar* was wont to wish to himself, that same *Euthanasia* ; and which " was specially noted in the death of Antoninus Pius, whose death was " after the fashion and semblance of a kindly and pleasant sleep." *

Such and so various are the settings of Forty million, eight hundred and fifty-eight thousand, one hundred and eighty-four years of English life.†

16. *Future DANGERS at several STAGES of LIFE.*

A series of Tables shows of what causes people die *after* twelve stages of life. And they answer such questions as follow :

* Bacon's Advancement of Learning. Book ii. x. 7.

† *Solus occidere et redire possint.* Philosophy does not accept the poet's sequel, as our substance, as well as its animating force, is as imperishable as the Sun's.

Of what cause is a child just born most likely to die? Of some local disease in the present state of England, for of 1,000,000 born 424,480 will die of specific diseases of parts of the body; the breath organs standing first in the list of fatality. The miasmatic diseases will carry off about 175,619; fever, diarrhoea, scarlatina standing foremost among the destroyers. After them come whooping-cough and measles. Small-pox will be fatal to 6521.

At the age of 15 the zymotic diseases, having already destroyed 112,910 children, have only 62,709 victims left. Of 684,563 living to the age, phthisis will carry off 104,283 lives, and nearly half of them in the next 20 years: it is the single disease most to be apprehended. In these years also 4245 will probably die of childbirth.

At the age 35 lives are most frequently insured: the 571,993 here remaining will die chiefly of lung, brain, heart, bowel, urinary, and other local diseases: of consumption; of cancer; of fever, diarrhoea, cholera; and of violent deaths. Of women 2676 remain to die of childbirth.

The numbers to die after every successive 10 years are given, and the deaths for intermediate years can easily be interpolated. Thus the probability at any age of dying before, at, or after any future age can be conveniently determined from the Table by a few mathematical formulas, with which it is not necessary to embarrass the general reader, as to him it is believed the Tables as they stand will be perfectly intelligible. (See Tables 7-15.)

It is very instructive to compare the facts of the Table for all England with those for the Healthy districts and for Liverpool (Tables 16-30).

For example, by the Table of Healthy districts of 1,000,000 children born, 667,940 live to the age of 35, and 12,233 of them afterwards die of fever: by the Liverpool Table out of the same number born only 360,344 live to the age of 35; of these 39,932 afterwards die of fever (typhus, typhoid, and typhina), and as many as 14,322 die before attaining the age of 45.

17. *The relative number of Deaths from different Causes.*

The degree in which the causes of death operate at different ages is shown by the series of Tables 4-6: showing to 1,000,000 deaths at each age, the proportional numbers by different causes. There are three sets of Tables, two for the males and the females in each of the two decennials 1851-60 and 1861-70; and one for the 20 years 1851-70. The changes in the two periods can here be studied. It will be noticed that in the third, fourth, and fifth years of childhood, scarlatina is the most dangerous of all diseases; it causes more than a fourth part of all the deaths in the fifth year: next to it stands disease of lungs.

Turning to the age 20-25, nearly half the deaths are by consumption; and the same disease maintains its ascendancy with little diminution up to the age 35.

18. *The Rates of Mortality at different Ages by different Causes.*

The rates of mortality have generally in this volume, in continuation of the previous one, been expressed in per-centages with three decimals; and it has been found that the rate per 1000, that is the deaths to 1000 living, through a year is convenient, where the mortality has to be expressed from all causes without decimals. But neither the rate per 100 nor the rate per 1000 is suitable to the expression of the rate of mortality by causes differing so much in intensity as those to be dealt with; hence to secure clearness and avoid decimals altogether, the important Tables (2-3) show the deaths to a million living at each age-period by the different causes.

In the procession of a generation through life the deaths were given in different periods out of diminishing numbers living; the deaths from all

causes being taken as a basis, it was easy to show in the previous set of Tables the proportional number from the several causes. It remains to show in a Table the rates of mortality by different causes, in the different sections of the population divided by sex and age, in the two decennial periods.

It will be noticed that the mortality of the first three quinquennials of age declines rapidly; for males from 73,162 at the age 0-5, to 4460 at the age 10-15; and then it increases to 6161 at age 15-20, to 19,165 at age 45-55, and so on to the end. Being in juxtaposition the rates of mortality from the diverse causes in both sexes can be readily compared.

Thus at the age 25-35 the rate of mortality from phthisis was in the two decennials among males 4034 and 4092; among females 4575 and 4378, this sex being the greatest sufferer from consumption at the period of life when in the same decennials the rates from metria and childbirth were 886 and 921.

19. *The Law of Mortality and of Attacks of Disease.*

The rate of mortality, as it has been said already, declines as age advances from birth to puberty, and then increases according to certain determinable laws. The mortality decreases to the age of puberty; and then increases somewhat slowly to between 50 and 60. From the age 55 to the end the mortality increases at such a rate that it is doubled for females every 8·24 years in the healthy districts, and every 8·95 years in England and Wales. At the ages 20-50 the mortality of females increases one sixth part for every 10 years of age in the healthy districts, and so would not be doubled at that rate in less than 47 years. In England the mortality of females (20-50) increases nearly one fourth part every 10 years of age; the mortality of males (20-40) increases somewhat faster, and from 40 to 50 the increase is intermediate between that of the previous age and the future, which may be called the final age increase rate.

It may now be shown that there is a certain relation between the number of deaths by any disease and the number of attacks by that disease. Some diseases are fatal to nearly every one they attack, and so they can occur but once in a lifetime: such are hydrophobia, glanders, cancer, tetanus, tabes mesenterica, phthisis, hydrocephalus, softening of brain, some heart diseases, aneurism of aorta, angina pectoris, ascites, ileus, perforation of intestine, ischuria, Bright's disease, Addison's disease, diabetes, ovarian dropsy (without operation), cyanosis, fractures of base of skull, wounds of vital parts; extensive burns; poisoning by high doses of prussic acid, strychnia, and other poisons, solid, liquid, and gaseous; submersion under water for a few minutes; suffocation. Every death here represents one case of disease or injury. As medicine affords alleviation but cannot cure, their prevention is the great end to be aimed at.

Apoplexy and paralysis are fatal generally after two or three attacks.

Then there are two other great *classes* of diseases; (a) one is fatal to a certain number of the attacked, and (b) the other causes inconvenience, but is not fatal.

Of the first class, certain diseases, as a general rule, attack a patient only once, and that in early life; such are small-pox, measles, scarlet fever, whooping-cough, enteric fever. The deaths imply a number of attacks varying with age: thus it has been shown that the mortality was such in the London Small-pox Hospital, that there was 1 death to 2·44 cases in children under 5 years of age; 1 in 2·93 at the ages 20-30; and in the two next decennials 1 in 2·15 and 1 in 1·71.* According to a report of

* M'Culloch's Account of the British Empire, vol. 2. Article, Vital Statistics, p. 594.
31846. c

the Committee of the Metropolitan Asylum District, 1872, the mortality from small-pox after the age of five was half as high, but increased in the three decennials of age 20-50; it increased at the same rate, the deaths being 1 in 5·98, 1 in 4·22, and 1 in 3·40 among the vaccinated and unvaccinated taken indiscriminately; the mortality of the unvaccinated being much higher than the mortality of the vaccinated. So the mortality from cases of fever has been shown to increase with age.

When the cases to one death at the respective ages have been determined, the attacks from each disease can be calculated from the deaths by that disease in the expanded Life Table (pp. xciv-v).

The mortality of the cases of cholera in London, 1854, was such, that to one death there were only 2 cases; but the death-rate ranged with age from 1 in 1·36 to 1 in 2·86.* Then the contemporaneous epidemic of diarrhoea was not by a thirtieth part so fatal; there was, taking all ages, one death in 61 cases: in children under 5 one death in 17 cases; in adults of 35-45 only one death in 199 cases; the mortality in old age increasing rapidly. By applying the proper factors the attacks of cholera or diarrhoea are calculated from the deaths.

There is a peculiar class of the sometimes fatal diseases that are recurrent; such are intermittent fever, remittent fever, neuralgia, rheumatism, gout, epilepsy, asthma; one attack far from precluding, facilitates another apparently, so that one death may represent several attacks by the same disease of the same person.

Among the diseases to which the deaths give little or no clue, because they are rarely or ever fatal, may be reckoned chicken-pox, cow-pox, febricula, mumps, gonorrhoea, primary syphilis, epistaxis, varicose veins, nævus, toothache, tonsillitis, dyspepsia, worms, hæmorrhoids, gastrodynia, hydrocele, orchitis, paramenia, flat feet, obesity, corns, skin diseases of various kinds, slight wounds and injuries.

A vast amount of incapacity in the army arises from these causes; and the necessity of recording the cases of diseases, both fatal and not fatal, is evident. But it is to be borne in mind that a death is a much more evident thing than attacks of disease varying indefinitely in intensity. The death returns are the basis of all sanitary statistics.

20. *Ages at Death by particular Diseases.*

All the deaths referred to premature birth, and the greater part of the deaths from convulsions, teething, atrophy, and debility occur in the first year of life. Upon the other hand many diseases, such as cancer, apoplexy, paralysis, and many organic diseases are fatal chiefly to people of advanced ages. Others, such as phthisis, fever, and childbirth are most fatal in the middle period of life. The proportional number of the deaths from these several diseases is altered in an increasing population such as that of England; where the proportion of deaths from diseases affecting the young as those above named, for example, is overstated. The true proportions are shown in the Life Table. Thus the proportions in 1000 deaths in the 20 years 1851-70 were by whooping-cough 23·145, by measles 19·134, by scarlatina and diphtheria 48·247; whereas by the Life Table the same diseases for the same period are more correctly given as 15·161; 12·865; 34·966.

The mean ages at death by these diseases were 1·8, 2·7, 5·8 years; and the excess over the numbers of the Life Table is due to the excess

* Report of General Board of Health, Committee of Medical Council on Cholera Epidemic of 1854.

of children of these ages in the increasing population of England. Here are some instances :—

Mean Age at Death of Persons dying from certain Causes, 1848-72 ; also the Deaths from those Causes to 1,000,000 Deaths from All Causes, 1851-70.

CAUSE OF DEATH.	MEAN AGE at DEATH, 1848-72.	DEATHS to 1,000,000 DEATHS from ALL CAUSES at ALL AGES, deduced from	
		Life Table.	Registered Deaths.
Whooping-cough	1'8	15,161	23,146
Measles	2'7	12,865	19,134
Scarlatina and Diphtheria .	5'8	34,966	48,347
Small-pox	11'9	6,521	8,535
Typhus	26'0	38,107	40,170
Childbirth and Metris . .	31'7	6,921	7,364

Mean Age at Death of Persons dying from certain Causes, 1848-72 ; and Annual Deaths, to 1,000,000 Living, from those Causes, by ENGLISH LIFE TABLE, compared with the Mortality, as deduced from a comparison of the Population with the Deaths registered, from the same Causes in Vicenniad 1851-70.

CAUSE OF DEATH.	MEAN AGE at DEATH, 1848-72.	ANNUAL RATE of MORTALITY to 1,000,000 LIVING of ALL AGES, deduced from	
		Life Table.	Registered Deaths.
Whooping-cough	1'8	371	521
Measles	2'7	315	437
Scarlatina and Diphtheria .	5'8	856	1046
Small-pox	11'9	160	204
Typhus	26'0	963	918
Childbirth and Metris . .	31'7	169	168

The deaths by causes such as childbirth occurring in the middle of life, are not deranged ; but the proportion of people dying of the diseases of old age is understated.

The births in the United Kingdom now exceed a million a year ; and our Life Table shows that a constant number of a million births will, without any increase of births, maintain a population of 40,858,184, if there be no emigration. The actual population of the United Kingdom in 1871 was 31,545,741. The defect is in the adult and advanced ages.

The Annual Report of the Registrar General shows the deaths from each disease to 1,000,000 living of all ages ; and as there is an excess of children in the actual population, the mortality deduced from the deaths and the population of all ages by small-pox, scarlatina, measles, whooping-cough, and all the fatal diseases of the young are overstated ; the mortality by fever and childbirth are undisturbed as they occur at ages near the mean age of the living population. The constitution of the population has to be taken into account in comparing the deaths by small-pox in England with the deaths from the same disease in Sweden, France, or countries where the population is nearly stationary.

21. EFFECT OF THE EXTINCTION OF ANY SINGLE DISEASE ON THE DURATION OF LIFE.

Whoever has lost a friend, a brother, a son by any disease will feel that its extinction would be a boon to mankind no figures can express. Something, however, can be calculated, and that is the effect of the suppression of any disease on the duration of life. Some diseases are fatal to infants, some to youths, some to men in the flower of life, some to fruit-laden patriarchs; and while the three kinds of loss differ in degree, and differ in their economic effects, they differ also in their effects on the mean lifetime.

The mean lifetime, it will be borne in mind, is found from a Life Table, which shows how many of a given number born live through each year of age, and what is the sum of the number of years they live; the sum of these years divided by the lives is their mean lifetime. Thus by the English Life Table 1000 persons live in the aggregate 40,858 years; and their mean lifetime is $40\cdot858$, nearly 41 years. Of their number 503 live to the age of 45; and after that age they live 11,771 years, so their mean *after lifetime* at 45 is $23\cdot4$ years. This is often called the *expectation of life*. The given age *plus* the mean after lifetime is the mean age at which they die.

And it is evident that in judging of the effects of the suppression of a single disease, three cases have to be considered: (1) The whole of the lives will die of the other diseases in no greater proportion than before; (2) those other diseases, such as scarlet fever and measles, will grow so much more fatal, as to make up by the loss on this head for the gain on the other, say small-pox; (3) the gain by the supercession of one disease will exceed the loss by the increment of others; or the reverse; so as to result in a partial gain, or a partial loss.

It will be convenient to consider first the cases to be, by hypothesis, of the first class; where, as for instance, when men are saved from a violent death they live as long as other people, and the rest of the community remain as they were. Then if the diseases suppressed are such as are fatal in the first year of life, for example, such as the debility and atrophy from premature birth or other causes, convulsions, bronchitis, pleurisy, pneumonia, and diarrhoea fatal soon after birth; then instead of 149,493 dying in the first year, 101,147* of that number will live through the year unless they are carried off by other diseases. Assume for a moment that this will result in an addition to the years lived by the million born, of the years lived by 100,000 average lives saved, then the mean lifetime will become instead of $40\cdot9$ years, that number of years augmented by a tenth more or $45\cdot0$ years.

Now take any other disease in the end fatal to one tenth of the living at the age of 55, and assume that by some expedient, medical art can prevent any death from it after that age, and what will be the effect on the after lifetime? It will evidently only add the years that a number of persons of that age and upwards live when they are subject to no attacks of the suppressed malady. No effect is produced in early life, and no addition is made in this case to the years lived in manhood up to the age of 55, so the expectation at birth is extended, but not greatly; whereas the full effect is felt by the men of the age of 55 and upwards. They have an enemy the less to encounter through the whole of their career to come.

There is a certain number of diseases that medical art hopes, for various reasons, to prevent. Such are small-pox, measles, scarlet fever, diphtheria, whooping-cough: some of these, if not of recent origin, were not recognized by the ancients.

* See Tables 10 and 33-34.

Small-pox is apparently referred to by Gregory of Tours (565-8); and it is believed to have entered Europe through Arabia. The great Rhazes, who died in the year 923, was physician to a hospital in Bagdad; and he first described measles and scarlet fever under distinct names, as Sprengel shows, although the fact that he did so had been overlooked. Avicenna places scarlet fever as a distinct disease between small-pox and measles. Whooping-cough first appeared in France in 1414; and Mezerai says it cost the life of every person it attacked. Something very like syphilis had been known before; but true syphilis broke out in the summer of 1493 almost simultaneously in every part of Europe.* Leprosy at the same time declined. Diphtheria is apparently of recent birth. No doubt the origin of these diseases, and of others of the kind, is involved in as much obscurity as the origin of species; for they are also propagated in men by low species of organic life. What is certain is that they do not exist in every community; and that when they are introduced among a virgin population they attack great numbers, as in the instance of the small-pox among the Red Indians, the measles in the Fiji Islands quite recently. The exclusion of the zymotic elements, if it be complete, therefore saves free people from invasion.

But these diseases, as a general rule, attack the same person only once in his life; and the great discovery that small-pox, for some reason or other, when induced by art, assumes a milder form, led to the practice of inoculation in the East, from which it reached England. But this inoculated small-pox was sometimes fatal; and it spread the disease by infection, not in the modified, but in the pristine fatal form. To Jenner and to England belongs the immortal honour of guarding mankind against small-pox by cow-pox, which is neither fatal nor infectious.

No sooner had inoculation been introduced, than Daniel Bernoulli (1760), with very imperfect data, undertook the solution of the problem † now in hand: D'Alembert immediately attacked the hypotheses and the arguments of Bernoulli in favour of inoculation: the controversy showed the mathematical difficulties of the problem to be much greater than was suspected. The whole question was discussed by Duvallard in a work still classical in vital statistics, in which he endeavours to supply the defective data by the resources of the higher analysis. He came to the conclusion that vaccination would add 3·5 years to the existing mean lifetime.‡

As the mortality from all causes collectively, and from different causes, at the several ages, is known in England, I propose to show here how far the mortality is reduced by deducting from the general mortality the mortality from phthisis, from cancer, and from all miasmatic diseases. And then three Tables will show the number of survivors out of a million births, in the absence of the deaths from these three classes of causes. Precisely the same method is applicable to any other class of diseases.

Diseases such as scarlet fever, that are exceedingly infectious, and that attack the same life only once, will have attacked nearly every one attaining the age of 35, and will leave afterwards very few susceptible. Thus very

* Sprengel's *Histoire de la Médecine*, Ed. Littré, vols. 2, 3. See pages in Index. Rhazes on Small-pox and Measles, translated from the original Arabic by W. A. Greenhill, M.D., 1858. This work of Dr. Greenhill well sustains the reputation of English medical learning. Singularly enough Rhazes himself says that the "excellent Galen" refers to "small-pox" four several times in his work; but Dr. Greenhill makes it probable that Rhazes was misled by an erroneous translation of the Greek term, pp. 141-2.

† *Analyse et Tableaux de l'Influence de la Petite Vérole*, par E. E. Duvallard. Paris, 1806.

‡ Duvallard's Table, derived from what he calls the Law of Mortality (in France) in the natural state, makes the mean lifetime 28·763; whereas it would be 32·256 if no one died of small-pox. See page 143, where he states that the cessation of small-pox would raise the population from 28,763,193 to 32,255,775.

few die at later ages of scarlet fever or measles, and scarcely any of whooping-cough. These diseases have no sensible effect on the expectation of life after young people are of age.

The labour of constructing and graduating Life Tables being considerable, I have, to illustrate this question, employed the short method I introduced in the Appendix to the Registrar-General's Fifth Annual Report. It is sufficiently exact for the purpose in hand.

The male mortality is used as given in the Table 59, for the years 1861-70. The subjoined extract shows the rates of mortality inclusive, and exclusive of the mortality by zymotic diseases, by phthisis, and by cancer.

The result is that if none of the males died of any *zymotic disease*—Order I.—the duration of life would be raised, should they remain subject to the existing rates of mortality from all other diseases.

Of the 510,622 boys born, no less than 411,350 will live to the age of 5; 403,871 to the age of 10; 343,674 to the age of 35; the mean after lifetime at birth would be raised from 39·68 to 46·77.

Applying the same method to the effect of the suppression of *phthisis*, which produces its maximum effect later, the mean after lifetime at birth is raised to 42·96, at 35 to 30·77.

The suppression of *cancer* would raise the mean after lifetime at birth to 39·88; at the age 35 to 29·01; at the age 55 to 16·25.

The same method will show the effect of the suppression of any other disease.

Small-pox is the only disease which can practically be superseded to a great extent by a disease itself not mortal. But the opponents of vaccination contend, that so far from leaving other diseases as they were, it increases their rates of mortality. Of course, as more live more are attacked by other diseases; but this proves nothing, so long as the lives saved from small-pox only die from other diseases in the same proportion as the rest left before small-pox reigned. There can be no doubt that cow-pox is a variety of small-pox, and is induced by transmitting small-pox lymph through the cow. Small-pox, if not fatal, does not exempt any one from measles or scarlet fever. To contend that small-pox in its severe form, if it do not kill the patient, renders him less, while the milder form renders him more, susceptible of other diseases, derives no support from analogy.

Efforts should be made to reduce all the contagious recurrent diseases to a minimum, by placing the whole population in as favourable a sanitary condition as possible, so that these diseases may be taken, as they are then, in the mildest form. The effect of favourable sanitary conditions is seen in the healthy districts, from which neither measles nor scarlet fever are excluded. They are both less fatal.

THE Life Table Deaths to 1,000,000 Children born alive are—

	In HEALTHY DISTRICTS.	In ENGLAND.	In LIVERPOOL.
By Small-pox - - -	2,359	6,521	8,141
„ Measles - - - -	6,912	12,865	26,973
„ Scarlatina - - -	21,403	30,021	38,302
„ Whooping-cough - -	10,234	15,161	34,021
„ Typhus (including Enteric and Common Fever) - }	28,146	38,107	76,563

If every child is attacked by scarlatina at some time of life, then there are 1,000,000 cases, and by the English Life Table 30,021 deaths: so the mortality of the cases is 3 per cent. The mortality of cases is at the rate of 2 per cent. in the healthy districts; 4 per cent. in Liverpool. This is the minimum mortality of cases, for thousands die young of other diseases before they can be attacked by scarlatina. By measles, whooping-cough, and fevers (typhus, typhoid, and typhina) the variation of mortality is still greater in healthy and unhealthy conditions.

Dr. Watt showed that while the sanitary conditions of Glasgow were deplorably defective, the exclusion of small-pox had not the effect of reducing the general mortality; as in those years the fatality of other diseases increased.* And further observations tend to show that healthy sanitary condition as to food, drink, and cleanliness of person, house, and city, stands first in importance; after it, but subordinately, come quarantine, vaccination, and other preventives, as means of subduing mortality; for the mere exclusion of one out of many diseases appears to be taken advantage of by those other diseases, just as the extirpation of one weed makes way for other kinds of weeds in a foul garden.

The effect on the lifetime of extinguishing each separate disease in England may be determined by the same method, from the two great Tables (33-34), one giving the deaths of males, the other of females, from every cause of death distinguished in the tabular returns for 25 years (1848-1872).

The effect of the subtraction of the early fatal zymotic diseases, and of phthisis, fatal in middle life, is to leave greater numbers alive at the advanced ages,—greater numbers therefore to die of the diseases attendant on advancing age. As fatal consumption is developed later in life than scarlatina,† so cancer sets in after consumption: thus we find that of a million born in the healthy districts, 21,403 die of scarlet fever, 108,481 of consumption, and 27,495 of cancer; whereas out of the same number in Liverpool, 38,302 die of scarlet fever, 96,676 of phthisis, and 9992 of cancer. In Liverpool, and in the unhealthy districts, the children do not live to encounter the diseases of old age. As men die everywhere, the great difference consists in this—that in one set of circumstances a small part, in another a large part, of the secular cycle of life is accomplished.

22. ECONOMIC EFFECT OF DEATHS BY DIFFERENT DISEASES.

Life has a pecuniary value. In its production and education a certain amount of capital is sunk for a longer or shorter time; and that capital, with its interest, as a general rule, reappears in the wages of the labourer, the pay of the officer, and the income of the professional man. At first it is all expenditure, and a certain necessary expenditure goes on to the end to keep life in being, even when its economic results are negative.

The value of any class of lives is determined by valuing first at birth, or at any age, the cost of future maintenance; and then the value of the future earnings. Thus proceeding, I found the value of a Norfolk agricultural labourer to be 246*l.* at the age of 25: the child is by this method worth only 5*l.* at birth, 56*l.* at the age of 5; 117*l.* at the age of 10; the youth 192*l.* at the age of 15; the young man 234*l.* at the age of 20; the man

* See Registrar-General's 30th Annual Report, Appendix, p. 213, and Treatise on Chin-cough, by Robert Watt, M.D. (1813), pp. 375-9.

† Phthisis and scarlatina are synonyms of consumption and scarlet fever. Scarlatina was used in the Office Tables until the year 1869, when scarlet fever was substituted for it.

246*l.* at the age of 25, and 241*l.* at the age of 30, when the value goes on declining to 138*l.* at the age of 55, and only 1*l.* at the age of 70; the cost of maintenance afterwards exceeding the earnings, the value becomes negative; at 80 the value of the cost of maintenance exceeds the value of the earnings by 41*l.**. These values may be compared with the former cost of slaves in Rome, in the United States, and in the West Indies.

The amount of capital sunk in the education of professional men is not only greater, but it is probably at greater risk, and it has to remain longer under investment before it is returned. The maximum value of such a man is attained later in life, probably 40; and in the highest orders of the church, law, and politics, where experience and great weight of character are requisite, the life still increases in value at higher ages.

This valuation of life differs from that of the mother, to whom her helpless child is inestimably precious, and from that of the son, ready, in his filial piety, to sacrifice his life for his father; but it agrees well with the popular appreciation of value expressed by grief at the national losses of conspicuous characters. This is always greatest in the case of deaths at the ages when life is most precious. The Princess Charlotte and the Prince Consort are instances in our Royal family: Sir Philip Sidney, Wolfe, and Nelson among warriors who died young: Keats, Shelley, and Byron among poets: Pitt and Fox, Canning and Peel, among statesmen before their prime of life had past. The deaths of Alexander, Cæsar, and Napoleon shocked the more because they were struck down in their meridian. The poets true to nature make their heroes men in their prime: Achilles, Hector, and Æneas are only surrounded by Priam and Astyanax, by Anchises and Ascanius. Hamlet, Romeo and Juliet, Othello, Macbeth, and Antigone, in the full bloom of their power, excite the highest tragic interest; because their death is the destruction of the greatest accumulated life; and the sensation of their fall is like that when the lofty oak is struck by lightning. In the great Christian tragedy itself the mother is on Calvary, but the Son is the godlike sacrifice on the Cross.

The causes that destroy the greatest number of lives in their prime—are fever, consumption, violence; plagues, cholera, and war, where they prevail. Small-pox, too, where there is no vaccination, is fatal to large numbers of grown-up people. Many Englishmen are drowned at sea; and this will be considered hereafter, for it is only one example of the deaths of men resulting from their pursuits, not only in the army and navy, but in civil life.

The greatest occupation of women, as on that the continuance of the human race depends, is at the prime of life,—childbirth, childbreeding; up to that time all their force accumulates; and its loss then is a great calamity, not only to themselves, but to families. According to the Table (9.) of a million children born, 488,255 of them girls, 6921 will die of childbirth. They die at the average age of 32. If this generation exactly reproduces its own numbers, it gives birth to a million children, neither more nor less; but it does more than this, for the births in that case would be 144 to 1 death from childbirth, whereas the facts show that the mortality in childbirth is in the proportion of 1 mother to 211† children born alive. Consequently the 6921 deaths of mothers imply that this generation represented in the Table gave birth to 1,458,190 children to

* See paper on Income Tax, by W. Farr, in *Journal of Statistical Society*, 1853. The return of wages was procured and carefully compiled by Sir John Kay Shuttleworth. It was from the best class of labourers in Norfolk.—*Journal*, vol. xvi. p. 43. Wages have since risen, and so has the cost of subsistence.

† The exact proportions are 144·488, and 210·691; the latter being deduced from 13,971,746 births, and 66,314 deaths of mothers by childbirth and metria in 20 years, 1851–70.

constitute the generation to follow. The increase of numbers thus deduced is 4·58 per cent. in 32 years, or 1·18 per cent. annually.

If English women only bore children enough to keep the population stationary, the tabular deaths by childbirth would be 4746 instead of 6921; so 2175 devoted mothers die of what some might call overwork; but it is work by which new nations are founded. And happily it is work the dangers of which can be incalculably diminished by medical art.

Enough has been established to prove the supreme importance of making renewed efforts to save the most precious of precious lives from fever, consumption, cholera, violence in all its forms, and childbirth.

23. *Hygienic Topography.*

The variation in the mortality, and in its causes, due to differences in the body itself at different stages of development have been discussed; the extreme limits of variation under different sanitary conditions have been pointed out; and the relation between health and the density of population under ordinary existing sanitary conditions has been determined.

There remain other conditions, the influence of which on the health of a community is unquestionable: such are (1) the physical well-being of the people as to dwellings, food, drink in excess or defect, (2) firing, (3) cleanliness and clothing, (4) sewage and drainage, (5) rivers, geological formation, and elevation of soil. The facts in this volume will assist inquirers in investigating such influences. I propose to notice here briefly the districts under the eleven Divisions, which present any remarkable deviations from the average standard of health and vitality, either in the way of defect or excess.

DIVISION I. : LONDON.—London consisted formerly of 37 districts; the districts are now 28. This city, the greatest, the most populous, the wealthiest in the world, is situated on both sides of the Thames; an embanked river, up which the sea sends its tidal waters in ebb and flow twice daily to Teddington lock. The banks once covered with mud, are clothed with magnificent granite terraces, which match the fine many-arched bridges. The Southwark side, still unembanked, is low, for on an average the houses in the last ten years were on ground only 6 feet above Trinity high-water mark, but it ranged in the sub-districts from three feet below Trinity high-water mark in St. George Camberwell, to 128 above that mark in Norwood, 167 in Eltham, and 188 in Sydenham. Ascending from the central city, and from the Thames on the north side, the streets climb the undulating hills to Hampstead and Highgate; at the west end, from the low Westminster, Chelsea, Fulham, and Hammersmith, the land rises to Paddington, Hanover-square, St. James Westminster, and Marylebone. The east end descends from Shoreditch, Bethnal Green, and Whitechapel to the low parts of St. George-in-the-East, Stepney, Poplar, and Bow which is bounded by the tributary Lee. The mean elevation above Trinity high-water mark; of the South districts is 6 feet, of the East districts 26 feet, of the West districts 28 feet, of the Central districts 49 feet, of the North districts 135 feet. The mean elevation of London is 39 feet. The area is 122 square miles; in 1851, 1861, 1871 the population to a square mile was respectively 19,363, 22,984, and 26,674. The annual rateable value of property in 1871 was nearly 20,000,000*l.*, on an average 48*l.* an inhabited house, 6*l.* 3*s.* a head. Like the population it has been continually increasing since 1851, and probably at a faster rate. The water supply is taken from the Thames, the Lea, and wells; the average supply for domestic purposes by eight companies to each house of 7·8 inhabitants is nearly six metric tons a week.

The most important sanitary work of London is the new system of sewerage which was adopted after repeated inquiries by the ablest engineers, and has been carried out under the rule of the Metropolitan Board of

Works by Sir Joseph Bazalgette,* who in 1865 reported the whole of the main drainage as completed with the exception of the low level sewer on the north side of the Thames. That was only partially completed at the end of 1870.

This eminent engineer says, that London, with all its defects, "even prior to the introduction of the improved system, was probably the best drained city of the present age" (p. 4). Up to the year 1815, it was penal to discharge sewage or other offensive matters into the sewers; cesspools were regarded as the proper receptacles for house drainage, and sewers as the legitimate channels for carrying off the surface waters only. Afterwards it became permissive, and in the year 1847 the first Act was obtained making it "compulsory to drain houses into sewers." London derived a large portion of its water from the Thames, into which the sewage was poured. And the great fatality of the subsequent epidemics of cholera in 1848-9 and 1853-4, stimulated the action of the new Metropolitan Board, created in 1856. "Acting on the indications afforded by the Registrar-General's return, the Commissioners of Sewers endeavoured to afford an outlet into a good sewer for every infected locality;" but they speedily found a limit put to their operations by the "carelessness and cupidity of preceding generations," p. 8.

The system thus organized had the effect of carrying the sewage of the metropolitan area low enough down the river to prevent its return beyond London Bridge; so the river will eventually become pure. It is only in times of flood that the waters of the sewers are discharged into the upper river. What is wanted to complete this magnificent work, is the distribution of a large portion of the sewage over well drained land far below London, or on the waste by the sea as was once projected.

The metropolitan police, wisely organized by Sir Robert Peel's Act in 1829, contributes essentially to maintain the safety of life in London.

In the absence of an adequate administrative governing body, as London was supplied by companies with water as the demand arose, so it was supplied also with gas; and still pays an enormous tax on these two commodities, with which it would have been supplied at cost price had it enjoyed the full advantages of an enlightened municipal government.

Some disturbances of the rates of mortality arise in London from migration. There is a continual influx and efflux of population. People born in the country come to London; London children emigrate; some men who have acquired wealth retreat as years come on. Multitudes of natives live and die in London. Patients labouring under mortal diseases are sent from the country to the London hospitals, where they die; and this affects the mortality of males especially, at the ages 15-35 to some extent, but this is counteracted by the excessive immigration at those ages of lives good above the average, and by the return home probably of a certain number of unmarried women labouring under consumption, a disease of one or two years' duration.

Twice as many males as females die in hospitals; one cause of the excess being the great number of violent deaths among males.

The mortality at all ages was at the rate of 25 per 1000 in 1841-50, and 24 in the two subsequent decades. The mortality of children under five years of age is higher than it is in the other divisions except the North-western, including Lancashire and Cheshire; but it is much lower than the mortality experienced by children in many other large towns.

The mortality of women in London at the ages 45 and upwards exceeds the mortality of the women in the other divisions except the North-western; and consequently exceeds the mortality of the women of England generally.

* Metropolitan System of Drainage and the Interception of the Sewage from the Thames. By J. W. Bazalgette, M. Inst. C.E. Minutes of proceedings of the Institution of Civil Engineers, vol. xxiv. sess. 1864-5.

But what is especially remarkable in London is the high mortality of men of all the ages after 25. The mortality at the ages 35 to 45 is 1·346 per cent. in all England; in the Eastern counties it is 1·035; in the North Midland counties ·993; but in London it is 1·714. At 45-55 the mortality in all England is 1·916, in London 2·568. It is only in the North-western counties that the mortality of the men of London is approached. The mortality of women in London is increased to nothing like the same extent.

The excessive mortality of London men is due to phthisis and pulmonary disease, as will be seen in the Table 76. Thus at the age 45-55, the mortality per 1000 living, by phthisis is 3·860 in all England, 6·380 in London; by lung diseases 3·500 in all England, 4·843 in London; by phthisis and lung diseases together 7·360 in all England, 11·223 in London.

These numbers are not sensibly deranged by the deaths of strangers in the London hospitals.*

This subject requires full investigation. What is it that is so fatal to the working men of the Metropolis? Is it the smoke they breathe? It is well established that dusty particles in the air interfere with respiration. They shut up and irritate the small bronchial tubes. Women breathe the smoky air as well as men, and yet they do not suffer to the same extent. Is it the dust of the workshops and streets, or the crowding? That has no doubt its influence. But will it account for the whole of the excessive mortality? Not only the roughs, but the intelligent artisans of London do not wash the whole of the body daily, and their skin has its millions of pores blocked up or poisoned by sweat and dirt for a week together. The effete perspiration is noxious: is it not one cause of the premature loss of lives so precious to their families and to their country?

The mortality of men at the same ages in Sheffield has been so great that their disease has acquired the name of "grinder's rot." And it deserves notice that in Sheffield and other manufacturing smoky towns, the excessive mortality of men exceeds that of London at the same ages.

Men are more intemperate than women; but I am not aware that the intemperance of the men of London is greater than the intemperance of men in other places where the mortality is not so high. And pulmonary disease is not that form in which death approaches the intemperate. Women are cleaner than men for various reasons; and the skin of the wife is less exposed to contract impurities than the husband perspiring at hard work amidst impurities.

The violent deaths of men at the working ages is high in London, but not higher than it is in all England.

The mortality of the various districts of London differs; it ranges from 16 in Hampstead, 19 in St. George Hanover-square, 19 in Lewisham, and 19 in Wandsworth, to 27 in Westminster and Bethnal Green; to 28 in Holborn and Stepney, 29 in St. Giles, and 30 in Whitechapel and St. George-in-the-East. All the latter districts contain "rookeries." These numbers are corrected for the disturbing deaths in hospitals. No correction for this derangement has yet been made of the mortality at the several ages in the various districts.

Lewisham affords a striking instance of the effect of increase of density: the mortality was at the rate of 17 per 1000 in 1841-50; it rose to 18 in the next decade; and to 19 in the last; the density increased during the three terms, and in the last was tripled. Thus it is that unless the sanitary improvements of a district keep pace with the increase of its population the mortality inevitably increases.

* The part of the mortality of males occurring in the London Hospitals during the years 1851-60, was at the four ages ·245; ·303; ·365; ·384; and while it is known that a certain number of the patients were brought in from the country, the proportions of deaths of strangers could not have exceeded a fifth part; or ·049; ·061; ·073; ·077. The proportions in the next decade underwent little, if any, change. The greater part of the lunatics of London are in Colney Hatch and Hanwell asylums outside its limits

DIVISION II. SOUTH-EASTERN DIVISION: *Surrey and Kent (extra-metropolitan Districts), Sussex, Hampshire, Berkshire.*—This division lies south of the Thames, surrounds the Medway, and stretches down to the sea. It has an outer broken ring of marsh land and clay by the embanked Thames, the Medway, in parts of Sheppey, Thanet, Romney, and Southampton: a wider broken ring of chalk rising into downs; and within the chalk green sand surrounding the Central Weald of Kent and Sussex, where the Andredes forest once spread its gloom, and once supplied the iron workers, the manufacturers, with fuel. It is the healthiest division in the country; but the districts vary in salubrity. The mortality is as low as 16 and 17 in a thousand on the high open chalk downs, the green sand, and the gravel; as high as 23 in thinly-peopled marshy Hoo, 23 in Southampton, and 24 in Canterbury. The mean density is 1.99 acres to a person; less than that of all England; the mortality in the first ten years was 20, in the last 19;* or three degrees below England.

III. SOUTH MIDLAND DIVISION: *Middlesex (extra-metropolitan), Hertford, Buckingham, Oxford, Northampton, Huntingdon, Bedford, Cambridge.*—The London clay extends some distance from the Thames, this is followed by the oblique chalk chain of Chiltern hills, and green sand enclosing galt; oolite upper, middle, and lower, notably its Oxford clay and ironstone; then round the west is the fen region, including the Isle of Ely. The chief waters flow into the Thames, and by the Ouse and Nen into the Wash. The Bedford Level and other levels have drained and reclaimed the fen land. The small counties are agricultural. But the straw plait and the lace, both domestic manufactures, of which Bedfordshire is the centre, employ a large number of hands. Northamptonshire is a great seat of shoe manufacture, and iron ore has been recently worked in the county. Marriages of both boys and girls under age are very common. The mean mortality of the division was in the first decade (1841–50) 21, in the last 20, annual deaths to 1000 living. Uxbridge and Barnet contain the two great Middlesex lunatic asylums; excluding Colney Hatch, the mortality of Barnet was 17; Staines was 18, Hendon including Harrow 18, Ware 18, Royston 18, Hatfield 18, Eton 18, Henley 18. In nearly all the other districts the mortality is 20 and upwards; in Aylesbury 21, Bedford 20, Oxford 22, Cambridge 22, Northampton 24. In Ely the mortality was 23 in the first, 20 in the last decade: in North Witchford, Whittlesey, and Wisbech the mortalities fell from 27, 25, and 25 to 20, 21, and 20 in 20 years. The density of this division was much less than that of England. There were 2.69 acres to a person in the first, 2.53 in the second, and 2.34 in the last decade; the mortality was 21 in the first, 20 in the second and third decades; or 2 below England.

IV. EASTERN DIVISION: *Essex, Suffolk, and Norfolk.*—Chalk, London clay, and crag are the prevailing features of the geology of these three agricultural and maritime counties, lying north-east of London, to which they send many inhabitants. The flat land with an eastern aspect is swept by the east winds. Agriculture occupies nearly the whole of the inhabitants, except the fishermen on the coast. The education of the men is lower than that of the women. The proportion of children born out of wedlock is low in Essex, high in Norfolk. There are few towns. Norwich, which still retains some of its beautiful manufactures, is the only city of any magnitude. The population, with its Scandinavian infusion, is less dense than any other English division, except the northern. There were 2.08 acres to a person in the first, 2.72 in the third decade.

The mean mortality in the counties was 20 in the first, and 20 in the last decade; 2 degrees below that of England. It was 21 in the second decade. In the last, Billericay in Essex showed the low mortality of 17, Epping,

* Per 1000 per annum is understood, unless the contrary is expressed.

Ongar, Orsett, Lexden 18: Thingoe, Plomesgate, and Mutford (including Lowestoft) in Suffolk 18; and Loddon in Norfolk 18. The mortality was as high as 20 in West Ham in Essex, but actually a suburb of East London; 22 in Colchester, 22 in Ipswich, 22 in King's Lynn, 23 in Bury St. Edmunds, 24 in Yarmouth, 24 in Norwich.

V. SOUTH-WESTERN DIVISION: *Wilts, Dorset, Devon, Cornwall, Somerset*.—This Division, like a fine long promontory, stretches out from Salisbury Plain between the Bristol and the English Channels to the Scilly Isles, where it encounters the Atlantic waters, which suffuse and fertilize its surface with rains.

The sea, chalk, new red sandstone, old red sandstone, the Devonian formation and granite, interspersed with mineral veins, give a distinct character to its industries. The population is chiefly agricultural in Dorset,—the densest purely agricultural county in England,—and in Wiltshire, where sheep wander over the plains. The vast pastoral leafy Devon round Exmoor and Dartmoor ends in the mining region which culminates in Cornwall, where tin and copper are worked. Somerset is marshy along the coast and round the Parret and up to Ilchester, Glastonbury, and Wells: then limestone, coal measures, and new red sandstone are commingled north of the Mendip Hills as Bristol is approached. The Avon is navigable for large vessels up to Bristol. Cheddar cheese is produced near Axbridge. Exeter, Plymouth, and Bath are the only cities of magnitude in the Division. The population, partly Celtic in the West, is less dense than in any English Division except the Eastern and Northern. It has varied little in the thirty years: for in the first decade there were 2·81 acres, in the last 2·68 to a person. The annual rate of mortality through each of the three periods was 20; 2 degrees below the English standard.

In Wilts the mortality in the 10 years, 1861–70, was 18 in Highworth, Malmesbury, Calne, Warminster, Amesbury, Wilton, and Tisbury. In Melksham and in Alderbury the mortality was 22. Salisbury presents a remarkable example of the good effect of sanitary measures: its mortality was at the rate of 28 in the first, 24 in the second, and 20 in the third decade. In Dorset the mortality is low; 17 in Wareham, and in Weymouth (including Melcombe Regis); 18 in Sturminster, Blandford, and Wimborne; in Poole and in Bridport, districts including small towns, the mortality was 21. In Devonshire the mortality is 17 in Okehampton, 18 in South Molton, in Barnstaple (including Ilfracombe and Lynton) and in Holsworthy. The mortality of Newton Abbot (including Dawlish, Torquay, and East and West Teignmouth) was 18 in the second, 20 in the third decade, the proportion of town population having greatly increased without corresponding sanitary arrangements. So in Totnes (including Dartmouth, Brixham, and Paignton), the mortality rose from 19 to 20. In Plymouth, the great naval station, the mortality in the three decades was 25, 24, and 23; in East Stonehouse (including part of Devonport and the Royal Naval Hospital) 29, 27, 27. The mortality of females as shown in the Age Table, p. ccxxvii, is low in East Stonehouse, hence it is probable that the excess of mortality is due to the importation of sick sailors. The mortality of Exeter appears to remain stationary at the high figure of 25. In Cornwall the mortality is at the rate of 18 in Camelford, Launceston, and Bodmin; it reaches the higher figure of 21 to 23 in St. Germans, Truro, Falmouth, Redruth, and Penzance, including a large mining population. In Somersetshire the mortality was 17 in the district of Dulverton, 18 in Williton and Wellington, and 19 in Axbridge (including Weston-super-Mare), and in nine other districts. The mortality of Bath was at the rate of 24 in the first decade, but has been reduced to 22 in the last 20 years.

VI. WEST MIDLAND DIVISION: *Gloucester, Hereford, Salop, Stafford, Worcester, Warwick*.—This Division is on the Severn and the counties

watered by the Wye and the Stratford Avon. It lies between Wales and the Eastern counties in the broad middle of the widest part of the island. The Thames and the Trent have in it their sources. The Bristol, Forest of Dean, Staffordshire, and Shropshire coalfields give it, in conjunction with the ironstone, a central manufacturing population, of which Birmingham and the Black country are the centres, surrounded by the agricultural population of the fields and rich pastures of the other counties. The Black mountain divides Herefordshire from Wales; the Cotswold Hills in the south, Malvern and the primeval hills of Shropshire rise from the midst of the old red sandstone of Herefordshire, and the new, far and wide-spread red sandstone of several of the counties. Herefordshire is a purely agricultural county; famous for its stock; apples and hops abound. The great town districts are Bristol and Birmingham, with the several county towns. Few minors marry in Salop or Hereford, while in Stafford their proportions are excessive. In Gloucester education is in advance of the country generally; in the other counties it is much below the standard. Staffordshire is the most benighted county. More than 40 per cent. of the women married—the mothers of the children to be—sign the marriage register with marks. There is a considerable excess of children born out of wedlock in Salop and Hereford; where few minors marry. In the first decade the density of the division was 1'91 acres, in the third 1'50 to a person. The mortality was at the rate of 22 in the three decades; the density having continually increased. The mortality was higher in Staffordshire and Warwickshire; lower in Gloucestershire, Herefordshire, Shropshire, and Worcestershire than the average of all England. The mortality was at the rate of 17 in Thornbury and Wheatenhurst; 18 in Cirencester, Northleach, and Winchcomb; 19 to 21 in the other districts of Gloucestershire. In the Bristol district the mortality is still excessively high; it was 29 in the first and remained 29 in the last decade. In Cheltenham the mortality has declined from 20 to 19, at which it has stood for twenty years.

In Ledbury the mortality was 17, in Weobly 18, in the four other districts of Herefordshire it ranged from 19 in Bromyard to 21 in Hereford.

The mortality was 17 in Atcham district surrounding Shrewsbury, 18 in the thinly-peopled Clun, Church Stretton, Cleobury Mortimer, Bridgnorth, Market Drayton, and Newport. It was 22 in Madeley, and 22 in Wellington, both mining districts, and 25 in Shrewsbury. This county town is not so healthy as it might be made on its beautiful site by sanitary arrangements, but this high mortality has to be corrected for the excess of deaths in the county infirmary. The mortality in the other Salop districts ranges from 19 to 21.

In Staffordshire the mortality (1861-70) is nowhere so low as 17; in Penkridge it is 18. In the pottery districts of Newcastle-under-Lyme, Wolstanton, and Stoke-upon-Trent it is 22, 25, and 26. The mortality of these districts has decreased; it was 26, 26, and 27 in the first decade. The mortality of Wolverhampton was 24, Walsall 24, West Bromwich 22, and 25 in Dudley. Wolverhampton is an example of improving health, declining mortality; it was 27, 28, and 24 in the three decades. Walsall and Dudley exhibit no improvement in the 30 years.

In King's Norton district,—the west end of Birmingham,—the mortality was as low as 17; so was it in Pershore, Martley, and Upton-on-Severn; in Tenbury and Evesham the mortality was at the rate of 18; in Stourbridge, including Halesowen, it was 24, 23, and 22; in Worcester district 24, 23, and 25 in the three decades. The mortality of the other districts of Worcestershire ranged from 19 to 21.

The Birmingham district heads Warwickshire with a high mortality; it was 26 in the first decade, and 27 in the last two decades. The Queen of the metal industry of England is thus evilly beset with destructive forces, which we may hope she will by her own skill and energy vanquish. The

place is not naturally unhealthy. But the people want pure water, air purged of impurities, and a well drained soil. The districts of Nuneaton and of Foleshill experience a mortality of 23. Coventry exhibits a reduced mortality; the rate has fallen from 27 to 25, and finally to 21. It illustrates the effect of enlightened sanitary administration. Solihull which did lose 18 per 1000 in the first two decades lost only 16 in the last.

The mines interfere with the water-supply and drainage of some parts, and the houses and towns of rising industries are often run up on speculation with no arrangements for cleanliness; so the people suffer as armies did formerly in dirty camps.

VII. NORTH MIDLAND DIVISION: *Leicester, Rutland, Lincoln, Nottingham, Derby*.—From the Peakland and over the watershed of the west this Division descends through the alluvial land interspersed with a network of drains to the shores between the Wash and the Humber. The division sends streams to the Avon, the Mersey, and the Ouse, but its great artery is the fair and fast-flowing Trent, with the Welland and the Witham wandering about Lincoln down to the Wash. Red sandstone, coal measures, lias, oolite, and chalk diversify the land, which is rich in agricultural produce, especially over the drained Fenland. The Leicester breed of sheep is well known, and so are the horses of Lincoln. Derby, Nottingham, and Leicester are large populous old manufacturing towns; they are seats of hosiery, machine lace, and silk manufactures. The country varies in density, but generally it is one of the less populous areas, and except in Nottingham, Radford, and Basford, which form one agglomeration, and Derby, Belper, Leicester, and Chesterfield, there are few dense districts in the division, which is largely impregnated with the Danish stock of people, and was the centre of the popular hero Robin Hood's exploits. Billesdon is one of the most thinly-peopled districts, and its mortality was low, but in the latter decade it was found that the Registrar had neglected his duty, and he was dismissed. The rate of mortality was about 16; in the well-known Melton Mowbray, in Market Bosworth, Market Harborough, and Lutterworth the mortality was 19; in Loughborough it was 23; in Leicester, where the population is very dense, it was 26. In the other districts of Leicestershire the mortality ranged from 20 to 22. In Skeaford, Horncastle, and Spilsby in Lincolnshire the mortality was at the rate of 18; in Lincoln and in Glanford Brigg 20, in Gainsborough 21, in all the other districts 19. In agricultural Rutland the mortality was 18 in Uppingham, 20 in Oakham. Southwell and East Retford in Nottingham had a rate of mortality equal to 19; in Mansfield the mortality rose in the three decades from 20 to 21 and to 22. The mortality declined in the Nottingham district from 26 and 27 to 24. In Derby and Shardlow the mortality declined from 24 and 20 to 23 and 19. In Chesterfield, including the Claycross and Staveley collieries, the mortality rose from 21 to 22. In both Bakewell (including Matlock) and Chapel-en-le-Frith (Buxton), the mortality rose from 20 in the second to 21 in the third decade.

VIII. NORTH-WESTERN DIVISION: *Chester, Lancaster*.—The Division stretches from the pennine range that divides it from Yorkshire to the coast round the Dee that descends from the mountains of Wales, the Mersey, the Ribble, the Wye, the Arne, and Morecambe Bay. Millstone grit, red sandstone, coal measures, clays, and peat-mosses are covered with people and pasture land. It is traversed by canals and many railways; and saw the first railway opened. The great port of Liverpool puts this population with the stored-up force of ages in direct communication with America and the rest of the World. It has wealth, and now it asks for health. The thickly-peopled towns make it, after London, the densest of all the divisions. It is more than three times as dense as the rest of England. The women married are below the average standard of educa-

tion ; and there is some excess of early marriages. In the three decades there were '88, '74, and '63 acres to a person ; and the mortality was at the rate of 27, 26, and 26. So we are cheered but not satisfied with a slight improvement ; enough to stimulate every energetic and enlightened authority to renewed exertions. In Cheshire the mortality is at the rate of 19 in Altrincham, 20 in Nantwich, and 23 in Birkenhead ; and in no district, except Wirral (18), lower. In the districts of Runcorn, Northwich, with its vast saltworks, and Congleton, the mortality is 23, 22, and 22 ; in Stockport and Macclesfield, where the cotton and silk manufactories employ thousands of hands, the mortality is 25 and 23 ; in Macclesfield the decline from 26 to 25 and 23 implies improvement in the three decades. In Lancashire the majority of the districts have a mortality exceeding the mortality of England. In Garstang the mortality is 18, in Clitheroe 20, and in Lancaster 20. Liverpool and West Derby, Manchester, and Salford, are at the head of a mournful cohort of unhealthy districts which call aloud for Healers.

Lancashire has to contend with difficulties in its mines, its manufactures in-doors, the dust, dirt, and smoke of the air, the impure waters, and the middens, and the crowded populations of its towns. The men suffer severely at the working age ; and though the women do not die at the same rate, the mortality of women and of children exceeds that of any other division in the kingdom.

IX. YORKSHIRE.—This great county is a Registration Division, and its statistical convenience as regards area and population, entitles it to serve as a model. It slopes from the chain of hills that divides it from Lancashire down to the East coast, and the vast vales watered by the Ouse and its tributaries are its fertile centres ; alluvial soils, fertile meadows, chalk wolds, moors, oolite, red sandstone, limestone, and great coal and iron formations, rivers and seas, furnish a field for the older and varied industries of this county. The education of the women in the West Riding is backward ; more than a third of the married sign the register with marks. The men of the West Riding are at the average ; the men and women of the North and East Ridings are above the average standards. In the West Riding there is a great excess of early marriages. The inhabitants are as sagacious as they are industrious ; but hitherto absorbed in their wonderful productions they have neglected their health. The mortality of the West Riding is increasing. It was at the rate of 23 in the first decade, 24 in the second decade, and 25 in the third decade. This deplorable sanitary declension of Yorkshire is one cause why the mortality of England shows no more signs of sanitary improvement. The density, it should be added, of the prospering manufacturing districts of Yorkshire has gone on increasing ; in the first decade there were 2'17 acres, in the last 1'68 to a person in the county. The mortality of men at the working ages is higher than it is in many divisions ; but it does not exceed the mortality of England. The mortality of women at the ages 20–45 is higher than it is in many divisions, but it is little higher than it is in all England.

In Sedbergh the mortality was at the rate of 16, in Settle 18, in Hemsworth 19, but in the other districts of the West Riding the mortality ranged from 20 in Ripon, to 25 in Bradford, 29 in Sheffield, 30 in Leeds. The mortality is stationary in Leeds, or rather it descended from 30 in the first, to 28 in the second decade, and rose again to 30 in the third decade. In Sheffield the density and the mortality of its population have gone on steadily increasing ; the rate of mortality in the three decades was 27, 28, and 29.

In the York District the mortality is at the rate of 23 ; in Hull District 26, Sculcoates, including part of the borough, 23. Hull drank sewage water in the first decade ; and the mortality from cholera, then epidemic, was appalling. The mortality was 31 ; it descended to 25 in the second decade ; and in the last rose again to 26. In the North Riding, Richmond,

Leyburn, and Easingwold, the mortality was at the rate of 18. In Scarborough District, including the town, the mortality rose from 21 to 22, in Whitby from 20 in the second to 23 in the third decade. Guisborough, containing part of Middlesborough, was one of the healthiest districts in the kingdom; its mortality was at the rate of 16; the rate is now 22, no adequate provision having been made for the people attracted by the works carried on with so much activity and intelligence.

X. NORTHERN DIVISION.—*Durham, Northumberland, Cumberland, and Westmorland.** This Division stretches to the Irish Sea from the German Ocean, into which the Tees, the Tyne, and the Tweed, flowing from the dividing mountains, pour their waters. Red sandstone, slaty rocks, coal-field, ironstone, minerals, iron and chemical works, and shipbuilding are now attracting thousands of workmen to the north. The population has recently increased faster there than in any other division. The lofty mountains, the fair lakes fed by abundant rainfalls, distinguish the west as much as the coal and iron industry and their ports distinguish the counties on the eastern coast. The population is dense on the east side, scattered on the north; so that the low average density gives an imperfect representation of the actual effective density. In education the three northern counties excel the average of the country. There is here as in Scotland also an excess of illegitimate births. Durham, like the other mining counties, is distinguished by the inferior education and the early marriages of the women; nearly all the children are born in wedlock. The mortality is at the rate of 23; in the first decade it was 22. In the four counties there is this gradation in the rate of mortality: Durham 23, Northumberland 23, Cumberland 22, Westmorland 18. Descending to districts: Teesdale (including Barnard Castle) is the only one in Durham with a mortality so low as 19; in Stockton (including part of Middlesborough) the mortality is at the rate of 23; Auckland, Houghton-le-Spring, Chester-le-Street, Sunderland, and South Shields 24; Gateshead 25. We enter Northumberland, over the Tyne, with a rising mortality of 28 in flourishing Newcastle, 24 in Tynemouth. The mortality is at the low rate of 17 in Haltwhistle, Glendale 15, Rothbury 16. Bellingham is losing its pre-eminence, and Belford is threatened. In Cumberland, Bootle, Brampton, Longtown, and Penrith are the first in the order of salubrity; but their mortality is higher than it was in previous decades. Carlisle is denser and less healthy than it was ten years ago. The mortality is still low in Westmorland; it is 16 in the East Ward, 18 in the West Ward, and 19 in Kendal.

WELSH DIVISION.—*Monmouthshire, six counties of South Wales, six counties of North Wales.* The population is chiefly of the ancient British stock, and still Cambrian in manners and at heart, has now interfused in the mining districts large numbers of men and women from the bordering sixth division, and from the fifth division from which it is divided by the Bristol Channel. Besides the rapid streams that flow down from its mountains to the western coast and to the south, its waters are collected in the Dee, the Severn, and the Wye. The old red sandstone extends from Monmouthshire to Brecknock; coal formations fill the greater part of Glamorgan, and are found again in Flint and Denbigh. The Silurian and the Cambrian systems predominate in the other counties. Ironworks, copper-smelting, and tin-plating are carried on largely in South Wales. The flannel manufacture has given Welsh flannel a name; the cattle, sheep, and ponies are a conspicuous part of the stock of the small farmers whose industry covers the several counties. The population is condensed in the mining and manufacturing counties; over the hills the cottages are thinly scattered. The want of practice in speaking English is an obstacle to the

* See a description of the Physical Features of this and the other Divisions in the preliminary Report of the Census, 1871.

education of the people ; hence two-fifths of the women and more than a fourth of the men sign the marriage register with marks. The marriage of minors is common in Monmouthshire, uncommon in North Wales, and the illegitimate births, as happens elsewhere, are in inverse proportion.

There are on an average 3·79 acres to a person, and the mortality of the principality is at the rate of 21 in 1000. It was 20 in the first decade, and rose to 21 in the second decade.

In Chepstow the mortality is at the rate of 19, in Monmouth 20, in Abergavenny 21, in Newport 21. The mortality in Newport has rapidly declined in the three decades from 24 to 22 and 21. The mortality is 24 in Bedwelty.

In Bridgend the mortality is at the rate of 20, Gower 20, Cardiff 21, Pontypridd 23. In Merthyr Tydfil the rate was 28 and 29 in the first two decades ; it is now 25. The improvement is due to sanitary measures which have only to be completed to reduce the loss of life to a still lower figure. The mortality is at the rate of 16 in Tregaron, 17 in Lampeter, 18 in Newcastle-in-Emlyn in Cardiganshire, 18 in Rhayader. In the other districts of South Wales it ranges from 19 to 23 in Crickhowell.

In North Wales the mortality is at the rate of 18 in Bala in Merioneth, and Pwllheli ; in the other districts of North Wales the mortality ranges from 19 in Llanrwst and 20 in Conway (including Llandudno) to 24 in Wrexham (including Ruabon). It is to be regretted that Anglesea is getting more fatal to its inhabitants than it was ; the mortality in the three decades was 17, 19, and 21. Sanitary arrangements appear to have been in abeyance in Anglesea, although it has in it Holyhead.

24. HEALTH of MEN engaged in various Occupations.

Small principalities and republics have alike contributed their quota to art, science, and literature ; and among them Modena under the house of Este deserves mention. There, on the northern slope of the Appenines, Fallopius first saw the light ; and Bernard Ramazzini, born in 1633 at Carpi, has made Modena for ever memorable by his *De Morbis Artificum Diatriba*. In the University he was the Professor of the theory of medicine from the year 1678, the date of its foundation by the Duke Francis II., and in Modena during his practice to the end of the century, when he was called away to take a chair in Padua, he collected the observations on the diseases of men engaged in the arts and professions. And that city may be well held in the same regard as the cities that the "starry Galileo" made so famous by his observations, for though the observations were made in workshops and not in celestial space, their immediate result was the relief of the incidental sufferings of the men to whom the world owes much of its progress and many of its enjoyments.

Ramazzini created a new art, the art of preserving the health of the men who are engaged in the arts of life. In his work he refers the abundant and varied crop of diseases from which artisans suffer to two distinct heads : the noxious materials in which they work, and to the violent disorderly movements of the body, as well as its incongruous attitudes, acting on the structure of the vital machine.

He commences with the miner and passes in review all the workers in metals ; describes the diseases arising from working in mines, from quicksilver, antimony, lead, copper, tin, arsenic, iron ; all those maladies that afflict the *vir metallicus*, to use the characteristic designation of Hippocrates. He then takes the workers in materials of vegetable origin, and devotes a special chapter to the agriculturist. His chapters on wet nurses and midwives are highly curious. He surveys nearly the whole field of human activity in an Italian city.

In his chapter on soldiers (*militēs*) he treats of the diseases of armies in the field, not, as he says, from personal experience, but from report. But

he had in some Brunswick physicians excellent informants who had been engaged in the last Hungarian war, and he sets the causes of camp fevers, dysenteries, and other maladies in the clearest light. Sir John Pringle in his classical work developed and established the true doctrines of military hygiene, so that our subsequent losses due to its disregard were quite inexcusable.

The chapters on the health of the learned and the scientific professions are elaborated with great care. And leaving the homes of workmen Ramazzini wrote a special treatise on the health of vestal virgins, a name by which he designates nuns, who, he says, excelled the vestal virgins of old, whose vows were for thirty years. A second treatise *De Principum valetudine tuenda* is full of instruction, and deserves to be read, not only by all princes, but by all persons of wealth and rank. He pleads with them the cause of their own as eloquently as if he were pleading for his own life.

Ramazzini was in possession of all the ancient learning, and he everywhere refers with reverence to Hippocrates as the *Divine* Preceptor. He is equally well versed in the most recent discoveries of that age. No one has expounded more clearly the immense importance in all medical reasoning of Harvey's immortal discovery of the circulation of the blood.

What is most defective is due to the imperfection of the chemistry of his day, and to the absence of exact observations on the mortality of men in the different professions.

Thackrah wrote an excellent work on the effects of various occupations on health. It is the result of conscientious study; and if not marked by the learning and eloquence of Ramazzini is characterised by sound professional sense. French and German writers have contributed much information on this subject; but nearly all of the previous writers employed methods which could render no precise results, except in cases where the influences they dealt with were very powerful. The effects of compensating circumstances in a trade could not be weighed; and they were more impressed by the sickness than the mortality of the workmen in any particular business.

The mean age at death of people in different businesses often furnishes very erroneous indications, as it is affected as much by the ages at which people enter and leave, and by the increase or decrease of employment, as by the salubrity or insalubrity of any particular profession. The only way in which the mortality, and the duration of life, of miners, tailors, farmers, labourers, or any other class of men can be accurately determined is to determine the ratio of deaths at each age to the living during a certain time—in fact to apply the same method to each class as is applied to determine the mortality and the mean life-time of all classes in a town, in a district, or in the whole kingdom.

The materials for such an inquiry extending over all the recognised trades of the men of England were in part supplied ten years ago in the Supplement to the Registrar-General's 25th Annual Report; and it has now been deemed right to publish as a sequel the deaths in 1871 in the same classes at ten different ages in England and Wales, in each of its divisions and in eighty town districts.

This series will serve as a good basis to the inquiry into a subject next to none in importance in an industrial country. The inquiry must embrace at least the various questions of which an outline is given in the Census Report of 1861 (pp. 29–30). It well deserves the attention of the Health Officers. Every help may be expected from the intelligent artisans of the country, who have, in the Reports of the Odd Fellows Society, shown their appreciation of it by giving the rates of sickness and mortality in different trades. The late Mr. Neison and his son have ably discussed the materials derived from the various friendly societies, and with their observations those here published may be usefully compared. They throw light on each other.

As an illustration of the uses to be made of the facts relating to occupations two sets of tables have been calculated, the one of sixteen groups

constituted so as to embrace well-defined occupations or groups of allied and easily confounded occupations. The results are sufficiently remarkable.

The high mortality of those two important classes the publicans and butchers is unfortunately still maintained. It may be well if the many persons of intelligence and influence amongst them would inquire into its causes.

In the Appendix to the Report of the Commission on Mines over which Lord Kinnaird presided I have given life tables for miners, and tables showing the deaths of miners from different causes, which may assist those who are engaged in investigating other occupations, as the same methods are applicable to all.

In Tables 25-26 the results deducible from the returns for the learned and other professions are given ; which are instructive, but have to be read with care, as the numbers are not large and are for one year.

By adding these results of 1871 to those for the two years 1860 and 1861,* a large basis of facts is obtained ; and sufficient to enable us to determine the relative mortality of men of various ages in all the leading, numerous, and well-defined professions. The clerical work in the reduction of these census and registration tables is very great, and nothing analogous to it has yet been undertaken in any other country. The results fully justify the expenditure in the collection and analysis of the facts, which are now submitted to the hygienic student. They will repay his careful study of the mortality in its relations to the circumstances of every occupation.

The degree of confidence to be attached to the rates depends to some extent on the numbers of deaths which on that account are here given in the same Table.†

I can only call attention here to some of the more remarkable results.

The *publicans* and *butchers* it will be recollected according to the previous returns experienced high rates of mortality. As they still maintain a high position it has been thought expedient to commence the analysis by dividing them into groups ; the first group following their occupation in London, the second group the corresponding occupation in the rest of the country.

In the annexed Table the mortality of butchers and publicans is shown in comparison with the mortality of males of all classes.

Annual Mortality per Cent. among Butchers and Publicans in the Years 1860, 1861, and 1871 at different Periods of AGE in London and in England exclusive of LONDON ; also among Males of All Classes at the same periods of LIFE during the Ten Years 1861-70.

AGES.	LONDON.			ENGLAND exclusive of LONDON.		
	All Males, 1861-70.	Butchers, 1860, 61, 71.	Publicans, 1860, 61, 71.	All Males, 1861-70.	Butchers, 1860, 61, 71.	Publicans, 1860, 61, 71.
15-25 - -	·703	·492	·686	·727	·383	1·003
25-35 - -	1·036	1·050	1·642	·972	·996	1·407
35-45 - -	1·714	2·060	2·324	1·281	1·669	1·981
45-55 - -	2·368	2·764	3·766	1·812	2·157	2·797
55-65 - -	4·385	4·582	5·487	3·154	3·624	4·228
65-75 - -	8·283	9·062	10·333	6·469	8·121	7·068
75 and upwards	18·451	24·424	32·692	16·283	19·731	21·034

The mortality of butchers' boys and potboys is lower in London than the mortality at the same ages (15-25) of all classes.

* See the facts as to deaths published in supplement to Registrar General's 25th Report. For the numbers living see pages xl-lvi. Vol. II. of Census Report 1861, and pages xxxv-xliii. Vol. III. of Census Report 1871.

† See pages clxxii-iv.

The mortality of London butchers exceeds that of country butchers, and would no doubt be still lower if their cattle were slaughtered at public abattoirs and not in private slaughter-houses.

Young publicans (15-25) die at a faster rate in the country than in town; at all ages after 25 the mortality of London butchers is excessive; it is beyond not only the mortality of all other classes in London, but beyond the mortality of the butchers of the rest of the country.

Fishmongers experience full as high a mortality as butchers.

The numerous, useful, and as a body respectable men who supply the community with drinks, food, and entertainment in inns, are shown to suffer more from fatal diseases than the members of almost any other known class. They might themselves institute a strict inquiry into its causes. But there can be little doubt that the deaths will be found to be due to delirium tremens and the many diseases induced or aggravated by excessive drinking. It seems to be well established that drinking small doses of alcoholic liquors, not only spirits the most fatal of all the poisons, but wine and beer at frequent intervals without food, is invariably prejudicial. When this is carried on from morning till late hours in the night few stomachs—few brains can stand it. The habit of indulgence is a slow suicide. The many deaths of publicans appear to prove this. Other trades indulge in the publicans' practice to some extent, and to that extent share the same fate. The dangerous trades are made doubly dangerous by excesses.

The clergy of the Established Church, protestant ministers, Catholic priests, and barristers all experience low rates of mortality from ages 25 to 45. The clergy lead a comfortable, temperate, domestic, moral life, in healthy parsonages, and their lives are good in the insurance sense. The young curate compared with the young doctor has less cares.

The mortality of Catholic priests after the age of 55 is high; perhaps the effects of celibacy are then felt.

Solicitors experience the full average mortality after the age of 35; the legal work is hard.

Physicians and surgeons from youth up to the age of 45 experience a mortality much above the average; after that age they do not approach the priesthood in health, but differ little from the average. Many young practitioners have hard struggles to encounter. They are in contact with the sick; are exposed to zymotic disease, and their rest is disturbed. In states of depression deadly poisons are at hand. There is an excess of practitioners in cities. Country practitioners have to visit their patients in all weathers, at all hours. The causes from which the medical men suffer demand careful study.

Chemists and druggists are younger than medical men, because pharmacy is a separate business, and is of more recent growth. Their mortality like that of medical men, is high and above the average, especially in the younger ages. Manufacturers of chemicals, dyes, and colors also experience a mortality above the average.

Commercial clerks experience an exceptionally high rate of mortality. The rooms in which they work are generally close and ill-ventilated. They often stoop at their desks. They require Sir John Lubbock's holidays.

The railway service taken collectively experience a high rate of mortality, somewhat higher than medical men at advanced ages.

Coachmen (not domestic servants) and cabmen experience nearly the same high mortality as the railway service from the age of 20 to 35; after 35 the mortality is in still greater excess; the causes are probably drink, exposure to the weather, and violent deaths. The mortality of horse-keepers and grooms is, without hard exercise, nearly as high at the ages of 25 and upwards as the mortality of coachmen.

Veterinary surgeons and farriers of the age of 25 and upwards experience a very high rate of mortality; higher than physicians and surgeons.

Gamekeepers offer an example of the healthiness of out-door life; their mortality is very low. The exercise of genuine sport is no doubt as salutary to the amateur sportsman as it is to the professional descendant of the hunters of old.

Publishers and booksellers fare well in health and life; they are generally masters in better circumstances than their confederates, bookbinders and printers, including masters and men, who often work in badly ventilated rooms, and die at a rate of mortality exceeding the average.

Tool, file, and sawmakers have among them the grinders who suffer so much from sharp particles of stone and steel inhaled into the lungs; their mortality is still high, and at the ages 45 to 65 excessive. The mortality of needle manufacturers at 35-45 is excessively high.

Coachmakers of all branches working in wood, iron, binding, and paint, up to the age of 45, experience a low rate of mortality; afterwards the mortality exceeds the average. They live in towns.

Wheelwrights working chiefly in wood, and scattered all over the kingdom are healthy; their mortality is low at all ages.

To carpenters, joiners, sawyers, and workers in wood generally the same observation may be extended; their mortality is low; their occupation is healthy.

The mortality of the blacksmiths, also scattered over the country, and working in heat and iron, is higher than that of the wheelwright and carpenter.

The carver and gilder suffers less than he did. But both he and the plumber and glazier require further protection against the metallic poisons. The mortality is high among them from age 35; but at the age of 45-55 it approaches 50 per cent. higher; at 55-65 it is near the ordinary mortality of men.

The wool, silk, cotton manufacturing population no longer experience an exceptionally high mortality. Lord Shaftesbury and his enlightened colleagues must be gratified, if not entirely satisfied, with the success that has crowned their life-long labours. And it is creditable to the millowners to find the men and boys in their employ suffering less than many other people in towns.

The people working in wool are the healthiest; at all the young ages their mortality is the lowest; at 45 and upwards the cotton workers suffer much more than the workers in wool and silk.

The mercers and drapers are not so healthy a class as could be desired; their mortality is above the average, especially is this the case from 25 to 45. Perhaps much of their in-door work is better suited to women than to young men.

The hairdressers, barbers, and wig-makers, the English Figaros, living chiefly in cities, experience, according to these returns, high rates of mortality at all ages; and so do hatters.

Shoemakers at all ages, except 20-25 and at advanced ages, experience a rate of mortality below the average.

Tailors on the contrary die at rates much above the average. For their health and for shoemakers, both classes counting more than 300,000 men, much remains to be done.

Bakers experience a mortality very little above the average, and that is chiefly at advancing ages.

Grocers at all ages after 35 experience a low rate of mortality.

The tobaccoists, snuff, and tobacco manufacturers suffer very much at all the younger ages; indicating clearly enough how prejudicial smoking is to young men.

They present a strong contrast at the corresponding ages to tanners and curriers who are healthy up to 45, and then show signs of suffering.

The earthenware manufacture is one of the unhealthiest trades in the country. At the age of joining it is low; but the mortality after the age of 35 approaches double the average; it is excessively high; it exceeds the

mortality of publicans. What can be done to save the men dying so fast in the potteries and engaged in one of our most useful manufactures?

Among the glass manufacturers the mortality is higher at 25-35 than among the earthenware manufacturers; but much lower afterwards.

The men engaged in copper manufactures from 20 and upwards experience a mortality somewhat above the average; at 55-75 their death-rate is heavy—much heavier than it is among the workers in brass and in iron.

The men in the iron manufactures do not die at the average rates under 45; after that age the average is exceeded.

Working in wood on the whole is comparatively cool compared with working in iron; the loss by perspiration is excessive among such men as puddlers, and they require a great deal of drink, which should contain little or no alcohol.

Taken in the aggregate the metal worker—the metallic man in all England does not experience the average rate of mortality under 45, after that age the table turns against him and his losses grow heavier and heavier every year.

Miners in the aggregate experience a heavier rate of mortality, largely from violent death, than metal workers; and the mortality of both classes greatly exceeds that of the agricultural labourer.

Independently of the influence of the material and of the work itself on health, the place in which men work exercises so great an influence that it has to be taken into account in judging of the salubrity of their occupations.

Man is naturally an open air animal; he is made to work, and the sky is his native covering. So after taking everything into account, the hunter, the sportsman, and the husbandman in a cultivated land are at present the healthiest of all workmen. All would no doubt be the better if the higher parts of the brain had their due share of activity; and this though not often the case now, we may hope will come.

The farmers and agricultural labourers are at present among the healthiest classes of the population classified according to occupation. The young farmer for some reason or other suffers a higher mortality than the labourer; but at 35 and upwards the British farmer enjoys comforts which are beyond the reach of the labourer. It is probable that in no country the agricultural population is healthier than in England. Ramazzini thus writes of the agriculturist in Italy:

O fortunatos nimium, sua si bona noruit agricolas.

So it might perhaps have been, he says, with that pristine race of mortals who cultivated the paternal acres with their own oxen, but it is not so in this age with our husbandmen, who struggle on another man's land (*alieno fundo*) with perpetual toils and extreme poverty. Then he enumerates their diseases,* pleurisies, peripneumonias, ardent fevers, fluxes, and other maladies to which they are particularly liable "at least," he adds, "in Italy," and especially in the region of the Po. Carelessness is one cause of their ill-health; for before the cowhouses, pigsties, and dwellings, which may indeed be called Augean stables, they heap up ordure to dung the fields, and keep it there "for a nosegay all summer†;" whence it cannot but be that fetid exhalations arise continually and pollute the air. In no men does the blood undergo greater changes in a short time from exposure to the weather and work. Galen denounces the air of gardens for a similar reason *ob stercoracionem et arborum parvos hælitus*. Ramazzini notes that the country people do not bear bleeding even in pleurisies. The reapers in the *Ager Romanus* every year fill the hospitals

* *De morbis artificum*, cap. xxxviii.

† Such is Dr. James's translation of "*per totam æstatem pro delitiis*." He is not often so happy, when not literal.

and it is uncertain whether the scythe of death or the lancet of the surgeon is the more fatal.

The English farmer is in a very different plight ; his blood is not poor and he is not ill fed. The weather it is true troubles his mind, but against its severities he is well sheltered. His capital not being sunk in the purchase of land he has more to expend on stock, implements, labour, and fertilizing materials. His profits are greater. No doubt the dirt which feeds zymotic disease germs, cattle and human alike, still pollutes the farmyards, and the farm ponds ; but foot-and-mouth disease, peripneumonias, and cattle-plague will in the end teach the intelligent farmer that in his management of all live stock cleanliness is next to godliness.

The mortality of the English farmer is not now high ; but it may by care be reduced to a lower figure. To what is the high mortality of the young farmer of 15-25 due ? Farmers' sons appear to be healthy. The labourer experiences a higher rate of mortality than the farmer at all ages after 35.

CONCLUSIONS.

(1.) Much of the misery of mankind admitting of removal is due to untimely death and its shadow sickness, another name for suffering, and depressed, disordered vitality.

(2.) By the laws of life no man can be certain that he shall continue in existence a single year, much less any definite number of years ; but with an average constitution he may justly expect his days to be long in the land if he keep the divine commandments brought down and proclaimed by science. The complete cycle of physiological life is *a hundred years* ; and the *mean lifetime*—the expectation of life at birth—under favourable conditions is at present *fifty years*. So in such a population stationary the mean annual rate of mortality is 20 per 1000 ; and in an increasing population, with an excess of young lives, may be 17 or 16 or less per 1000. Such rates have been attained, and rates lower still are not unattainable.

(3.) Life and death involve many variables, but they are subject to laws as explicit as the combination and the separation of atoms—the continuance and discontinuance of motion ; the one or the other never involving extinction, but conversion of matter and force. Death is a necessary sequence of certain causes.

(4.) Loss of blood, asphyxia, starvation, concussion, crushing, fracture, poisons, lightning, fire, frost kill men instantly or slowly. And the dangers from all these causes can be obviated to a large extent by skilful precautions, sometimes simple, sometimes elaborate, on the part of individuals and communities, their co-operation being often indispensable ; by the cultivation of peace, charity, temperance ; by mothers nursing children, and by better care so that they may be neither overlaid nor burnt ; by industry in acquiring the means of living ; by insurance against starvation ; by the regulation of rail, water, road traffic ; by the ventilation of mines, shops, churches, theatres, and houses ; by restricting the use of poisons, by lightning conductors, by fire-proof dresses and dwellings ; by water at high pressure in every street.

(5.) AIR is well called vital : breath and life are confounded. Always impure in marshes and cities, air is salubrious when it is fresh and moving. Air charged with inorganic impurities, sometimes with gas such as hydrochloric acid, sometimes with solid particles as grit and steel and smoke, irritates the air-tubes and inflames the small cells of the lungs. The gaseous impurities can be condensed, the dusty particles lessened by mechanical contrivances, the steel particles arrested by magnetic shields, the black smoke burnt.

(6.) Flour and vegetable dusts inhaled with air are hurtful but less noxious than mineral dusts: millers suffer much less than steel grinders, and their diseases come on chiefly after the age of fifty-five, when their bronchi are loaded with phlegm. The dusts in flour mills, cotton mills, shops are not easily, but should be, removed by mechanism; they are always noxious, as is evident in itself and is demonstrated by their effects on the work people.

(7.) Some *organic matters undergoing putridity in exhalations* or entering the system by inoculation poison the blood. Hence a probable cause of the high mortality of butchers, poulterers, and fishmongers. Surgeons and veterinary surgeons suffer from dissection wounds. Undertakers in full work are not healthy men. Dead animal matter appears to communicate its cadaveric changes to the living. Animal food taken in excess has its dangers to be avoided, for unquickened by digestion it is as unsafe in as out of the body.

Diseased meat is now sent to market in considerable quantities; the evil can only be obviated by public slaughter-houses, which would take away the impurities from the butcher's dwelling, and be the means of saving thousands of animals from the agonies they now suffer at the hands of the unskilful. The kind-hearted people who are so sensitive to the pain of experiments performed by physiologists on a few animals, to the infinite advantage of mankind, would do well to direct their efforts to the suppression of the cruelties of slaughtermen.

(8.) WATER is the first necessary of life; and is probably at its best when quite pure and aerated; but it has not been proved that taken in its ordinary state of hardness or slight mineral impregnation it is pernicious. Soft water is the most suitable for ablution of person, clothes, house; so it is for cooking. When the sewage of infected towns is poured into rivers the waters carry the ova of parasites, and the germs—the zymads—of some zymotic diseases—notably of cholera, and enteric fever. The storage and filtration of such river waters get rid of certain impurities; but better water is obtained from undefiled mountain streams and from deep wells. The hard chalk waters require softening by Clark's process as it is practised at Canterbury and other places, by such ingenious engineering contrivances as have been devised by Mr. Homersham. This process no doubt carries to the bottom, with the chalk, organic matters. The want of pure water is often felt in various parts of the country, and the storage of the flood waters as well as the drainage of marshes is a matter of national concern to which private possession should be no obstacle. The waters of marshes, of shallow wells, and of stagnant ponds, often polluted, if used at all, should be boiled beforehand.

DRINKS—*Cider, Ale, Beer, Porter, Wine, Spirits.* The fumes of fermented liquors, if concentrated, intoxicate men; and Ramazzini, nearly two centuries ago, noticed that in Modena, fruitful in vines, the people engaged for months together in the distilleries became lethargic, wrinkled, meagre, melancholy, giddy,—*veternosi, vieti, macilenti, tristes, vertiginosi.* The classes in England who deal in spirituous liquors die off, as we have seen, at accelerated rates. And the connoisseur famous for his cellar it is to be feared sometimes succumbs to the slow seduction of favourite vintages. But intoxication is now, except in dipsomaniacs, rare among the middle and higher classes. Still some workmen in certain trades and in some parts drink to excess and are the victims of intemperance. 20,121 deaths were directly ascribed in 25 years to delirium tremens and intemperance, and this is only a small portion of the deaths due to alcoholism. It is not the criminal classes,—not the wretched alone,—but even some skilful artisans that get drunk every week or oftener on spirits and drinks sometimes pure and sometimes drugged. This crime is committed in public houses, which under the circumstances are directly regu-

lated by law; but the law does not satisfy a zealous school of social reformers, who, for the protection of drunkards, propose to suppress public houses and beershops altogether. This cannot be done, and is not desirable. It must be left to the people themselves to determine whether they will take their ease in inns and clubs with companions, or drink and eat at home with their families and friends. With the progress of sanitary education the best hopes may be entertained of the future; then the artisan will be as sober as the gentleman has become in this age. The drinks of civilised men contain stimulants; and those here referred to contain alcohol. Except distilled spirits these liquors are the products of fermentation arrested at certain stages. They are parts of the fruits of the earth in solution, enter the blood readily, and with other food are a substantial part of diet. Fresh light ale is an excellent English beverage; it suits workmen in this climate as well as the various pure light old wines agree with men whose brains expend more force than their muscles. By the moderate use of such juices as Ramazzini says *mensa et convivia hilarantur*—wine in glasses not often filled makes “glad the heart of man.” All beverages have to be regulated according to climate, weather, and temperament; in the cold of winter and in high latitudes wines are salutary; in the tropics and in summer their very charms in excess are Circean dangers. They fasten like vultures on the liver. The great pending experiment of total abstinence by thousands of all classes seems to show already that men can live in health without alcoholic liquors; but whether their lives are better or worse, or will become better or worse, as age creeps on, than the lives of their fellow mortals the insurance offices will find out. Abstainers deserve to be watched attentively by the physiological student.

The dipsomaniac is a lunatic *sui generis*, and has to be treated with humanity and rational restraint.

As drunkenness is a crime, and the father of crimes, it deserves stamping, in the interests of human life, with the infamy of crime; so its penalties should be made to attach to the drunkard and to the abetting house that supplied him with intoxicating drink. This is in the interest of respectable houses. The majority of the publicans and the greater part certainly of the wine merchants are temperate, and as the mortality of the whole trade is high the mortality of the intemperate among them must be excessive. Death by delirium tremens is a low kind of suicide, and nobody is more interested in the suppression of mad drunkenness than the respectable members of the trade. The remedy is very much in their own hands. Any loss of revenue by a maximum duty on raw spirits, often foul with fusel oil, will be a gain to the health of the nation. Future generations will share in the gain.

NON-ALCOHOLIC DRINKS AND VAPOURS: *Tea, Coffee, Cocoa, Tobacco, Opium.* No deaths are ascribed in the registers to excesses in any of these articles, and there is reason to believe that the three beverages afford salutary subsidiary diets. In excess tea shakes and saps the nervous system. Drunk by women, largely without food, it is certainly prejudicial. Opium taken habitually, solid or in smoke or in solution, is in the end fatal. The Chinese are now the chief opium smokers, and it is to be regretted that Englishmen have aught to do with the supply of the drug. Tobacco smoked sparingly is beneficial to some, in excess injurious to all. It is poisonous to some of the people who work in it, and boys and young people smoke nought but evil through the pipe.

FOOD: *Flesh, Milk, Bread, Fruits, and other Animal and Vegetable Products.*—The people of England are probably as well fed as any people in Europe; and when it is considered that, to use a Chinese term, there were more than twenty million mouths to be satisfied several times every day during the ten years with great varieties of food, won with much

labour in the fields here, or imported thousands of miles from abroad, this must appear no easy task. Among them were helpless infants by thousands, sick men, infirm women, imbeciles, vagrants, men out of work, aged patriarchs past work, as well as the robust, industrious, intelligent millions; and it is evident that as the food has to be provided by every family every day it cannot under all circumstances be supplied in the quantities or the proportions required. The lamp of life goes out without oil, and men perish by famine, or, as Ugolino did, by sheer hunger. The absence of the due amount of vegetable and animal matter induces also several diseases which are returned as the proximate causes of death. Infants require their mothers' milk, thousands die for want of it. This may be supplied in many cases, in others substitutes may be found. Fruits, salads, and potatoes contain the several vegetable acids which are an indispensable part of diet; in its absence after the potato failure in 1847 the population in many places became scorbutic. The potato, fruit, and winter vegetables now save the population from the scorbutic degeneration which formerly led to the excessive fatality of zymotic diseases. Deaths from scurvy sometimes still occur at sea in the merchant service. But the deaths from scurvy and purpura together on land do not exceed 360 annually. This acid diet demands attention. Its absence lends fatality to certain diseases. The deaths now ascribed in all England directly to privation are at the rate of three every fortnight, seventy-seven annually, the gentler sex dying of starvation in smaller numbers than men. Without the institution of poor relief—imperfect it may be, but still admirable and English—the deaths from starvation would amidst all the chances of life, badness of seasons, the fluctuations of trade, amount to thousands a year.

On wheat, rye, oats, rice, or potatoes, with vegetables, salt, and a few adjuncts, whole tribes of men live and flourish; but they cannot do a full amount of work without animal food, which should therefore be provided whenever it can be obtained in moderate quantities. By some at feasts and at the tables of the affluent too much is eaten; hence, though their numbers are fewer, the deaths of the wealthy and their servants ascribed to gout greatly exceed the deaths of the poor by starvation. The deaths by gout are nearly six weekly,—two hundred and ninety-nine annually.* All these deaths are not due to actual excesses in food, but to untoward combinations; some are due to wine or ale, and others to hereditary taint. But stomach, liver, kidney diseases are all swollen by—are all latently the result of—excesses of the table. Obesity in excess is a disease. The remedy is in temperance.

Food consists of carbon and nitrogen, the first abounding in vegetables, the second formed in plants but accumulated in animals, in combination with oxygen, hydrogen, sulphur, phosphorus, potassium, sodium, iron, and other bodies. Starch, sugar, and butter are types of the carbonaceous—vermicelli, lean mutton, white of egg, of nitrogenous food. These elements are consumed in the body in proportions varying with the work. Thus Dr. Playfair† estimated the amount of carbon consumed daily by a man in perfect quietude at seven ounces, active and in full health 12 ounces, in hard work at 14 ounces; the nitrogenous food varies still more among the various classes. Chemists agree that there is a very direct relation between the muscular work, the heat, and the carbon consumed. About the relation between work done and the nitrogenous food transformed into urea chemists are not agreed. But experience has shown that at hard work horses and men require oats or meat, that is nitrogenous food, in large quantities. This nitrogen, which with carbon in gun cotton, gun-powder, and nitro-glycerine develops such explosive forces, is also the

* The deaths ascribed to gout were 7,467 in the 25 years 1848–72.

† The Food of Man in relation to Useful Work, by Lyon Playfair, C.B., LL.D., F.R.S.

factor in the production of vital force ; but food burns to produce force and heat in variable proportions according to the demands of the organisms in various climates.

HEAT AND COLD.—In the tempered climate of England a few men in summer die of sunstroke, and a few stray wanderers in winter nights are frozen to death ; but the numbers of such deaths are inconsiderable. Upon the other hand large numbers of both sexes and of all ages die of diseases induced by extreme heat or extreme cold, the heat diseases specially affecting the digestive, the cold diseases the respiratory, organs ; the deaths by diarrhoea and bronchitis, prevalent types here, bearing a constant relation to the higher and lower temperatures of summer and winter. Cold exhausts the sufferers from chronic disease. Clothing and firing are the natural protection against cold, which is most intense and most fatal in the night when the fires go out. Much may be done by economy of fuel now sent into the atmosphere in smoke. In India alcohol cannot be endured, and the soldier's head, instead of being cropped, requires the protection at least of his hair. The back of the neck, over which the hair should hang, is immediately over that key of life the *medulla oblongata* and the top of the spinal marrow. This in winter requires the protection of the hair against cold as much as the throat. The original reasons for cropping the soldier's or sailor's hair short should no longer exist.

Children suffer much from radiant sun heat against which they should be protected : the fatality of cold follows this law—when the temperature falls below the freezing point of water the mortality at all ages rises above the average, and if the degrees be expressed by 1 in 1000 at the age 20, it becomes 2 at the age 29, 4 at 38, 8 at 47, 16 at 56, so doubling every 9 years. This must be taken into account by men and women as they advance in years ; warmer clothing, fires, exercise, and more food are wanted in winter than in summer weather, in old than in young blood.

By **EXERCISE** is generally understood muscular effort of some kind ; it may be labour, it may be speaking, it may be sport, it may be of a few, it may be of all, the voluntary muscles ; it is always action, and in the scientific sense always work. The muscles contract under the influence of currents from the nerves ; so that exercise implies action of the nervous centres ; but the brain, spinal marrow, and nerves have besides special conscious functions of their own. Exercise of the muscles is one thing, exercise of the brain another, as different as motion and thought. Both kinds of exercise affect health and life. Death is rarely if ever ascribed in the registers to the strain of muscular effort, while it is at times ascribed to mental shocks and disorders ; but the athletic state, the result of training, was held by the ancients best acquainted with athletes to be dangerous. It implies an unusual tension of brain, heart, lungs, and digestive organs as well as muscles, and a main point to which much is sacrificed is the reduction of the bulk of the abdominal organs so as to give the breathing, by which oxygen enters, the freest possible play. On ascending hills the breathing grows quick, as every one finds, to take in more air ; the heart beats faster to circulate that air and the blood through the nerves and muscles. The food of working men as well as animals bears, in the long run, a strict relation to the quantity of work of every kind they perform ; and this work by the ingenuity of mechanical science can be measured, and expressed in weights lifted through space, the scientific unit being a kilogram lifted a metre high ; thus Dr. Playfair estimates the average work of a man at 105,605 * metre-kilograms, which is nearly equivalent

* Food and Useful Work, p. 12.

to the work expended in lifting 106 metric tons one metre high ; 340 tons one foot high. Such a full day's work is equivalent to a daily walk of 20 miles. The soldier in war carrying 60 lbs. 14 miles a day does nearly the same amount of work. The London policeman walks 16 to 20 miles in 8½ hours. Twenty miles a day with rest on Sundays is a full day's work for a postman ; with more he breaks down. Many men overwork themselves ; and many children are overworked with the worst effects on their future life ; some women too are overworked in pregnancy and underfed. Domestic servants are healthy because they work and are well fed ; they have to subside to lower diet when they marry and have children. Some women of the higher classes do not take exercise enough, even in England, where women have more out-door exercise even up to hunting than women on the continent. Girls at school through want of out-door play are less healthy than boys.

The brain—the organ of the intellect and the feelings—requires exercise as well as the body ; and its adequate exercise preserves the play of health. It may be overworked, and it requires a special diet, with adequate supplies of the albuminates, and fats, and phosphates.

Chemical force from reaction between the organism and food and oxygen yields by transformation heat as well as cerebral and motive force. There is thus a strict relation between exercise, heat, and the products of chemical action—between the evolution of carbonic acid, urea, and animal heat.

To avoid waste of food and of digestive force and to maintain health the quantities of the various kinds of food, consisting of nitrogen and carbon, of flesh, fat, sugar, starch, and salts, have to be adjusted to the different kinds of work. This can only be definitively learnt by experience. Hippocrates justly insists on immediate attention to the first symptoms of excess or of defect in food or in work, both excesses incompatible with health.

Food and work are undoubtedly important factors in determining the lifetime of different professions, of various artificers, and of laborers. The Tables here appended will assist the student. In judging of the amount of work, its kind, its continuance, its intermittances have to be taken into account. Thus Rankine reckons that a man can do three times as much work by pulling horizontally as he can by hammering. Haughton, measuring by urea, finds that high mental and mechanical work demands a better quality of food than routine labor.*

It will be instructive to study the food, drink, and work, and health of the clergyman and barrister ; of the watchmaker, tailor, weaver, shoemaker, hairdresser ; sawyer, carpenter, blacksmith ; of the laborer who works out of doors ; and of the cabman who drives about in the open air in all weathers.

Diseases are produced by the excessive exercise of particular muscles ; thus the fingers of the nailer and of the scribe become paralysed ; the clerk's chest is pinched by low desk work ; some literary men overwork their brains into dementia ; the stooping laborer sinks into crooked vacuity. Nearly all these evils admit of alleviation, or under rational treatment of prevention. Sitting, standing, stooping have all to be varied. Ramazzini reminds his *statarii artifices* that the fatigue of standing is due to the continued tension of the same muscles, whereas nature delights in alternating intermittent action ; they might experience some relief, he tells them, by various expedients, such even as by standing by turns on one leg, as they see birds stand, in conformity with the principles of his mathematical friend Borelli.

EXCRETA.—Meat and drink are converted by the body and brain at work into carbonic acid and organic exhalations which escape by the skin and

* Playfair, Food and Work, pp. 4-5.

lungs ; into urea, and into fæces ; these are all poisons to man, and by an eternal ordination of nature have to re-enter life after purification in the atmosphere and the soil.

In a dense population they do not go away of themselves ; as the acquisition of food costs money so does the removal of its refuse. The sweat left on the healthy brow breeds disease ; the body must therefore be washed, or its distillations infect the blood. The leprosy of the middle ages was aggravated, if not caused, by the dirt of the mediæval world. Breath charged with carbonic acid, vapor, and exhalations caused the madness and deaths in the Black Hole of Calcutta ; and breath pollutes the air in crowded rooms, churches, theatres, cities. Nature herself in the sense of smell expresses her abhorrence of cesspools, privies, and foul sewers. All these excretions in disease become doubly infectious ; they contain zymotic matter.

The removal of refuse then demands as much care as the acquisition of food ; and however costly it may prove, this removal is a necessary part of the economy of every family—every community.

The *breath* is swept clean away by ventilation, if due space and adequate mechanism are employed.

Soap it has been well said is a civiliser. Ramazzini, who was a real lover of workmen, begs them to make themselves clean. "The public baths of ancient Rome," he says, "were of the utmost use to artisans engaged in dirty work ;" who could at the same time wash away sordid impurities and refresh the wearied body. "Admirable as the public baths were, they are now obsolete ; so I recommend ablution of their bodies at home, that they may appear in public with a clean skin and clean clothes, at least on Sundays and festival days. It is wonderful to see how much the animal spirits are cheered by cleanliness and purity.*"

This precept is enforced by the grievously high mortality of workmen in cities, which cannot be accounted for without referring to sordid skins as one of its main causes. They have often hitherto been without sufficient water even in London ; but that want will soon be supplied, and it will be possible for them to wash at home and be clean from the leprosy of dirt. Colliers in the north wash themselves all over daily on returning from work.† Baths and washhouses should exist in every district. The shower or sponge bath, requiring less water than the ordinary bath, may be used every day. Great employers in factories might by some cleverly contrived mechanism enable great numbers of their heated workmen to wash away the sweat and dirt of the day in shower baths with *warm* water as the most cleansing, and easily administered to great numbers at once.

Sewers now carry away the chief fluid and solid excretions and refuse of houses in towns. The fittings of closets, the detachment of sinks, the ventilation and the outfall of sewers offer the great sanitary problems of the day. The mixed system of sewage irrigation on suitable land under skilful management, with the discharge only of superfluous water into such rivers as the Thames below London, is actually the most practical course. Definite prohibition of the sewage pollution of the Thames and other rivers by towns above the intakes of the water supply is indispensable ; the sewage must all pass through the disinfecting land or artificial filters before its flow into the water-supplying streams.

* The reason Ramazzini alleges for the disuse of the public baths of Rome, so useful in preventing and curing disease, is curious. "Sed quoniam Christiana Religio animorum potius, quam corporum sanitati intenta, passa est paulatim obsolescere balnearum usum ; tam salutari præsidio in omnibus penè morbis, nostrorum temporum destituta est Ars Medica." Such considerations happily do not hinder the English clergy from attaching due regard to their own health, and to the health of their flocks.

† Mr. W. Lisle, Superintendent Registrar of the Durham district, confirms this statement.

ZYMOTIC DISEASES.—In small-pox certain matters are produced which, inserted on a point under the skin, multiply themselves, and infect the whole body, which reproduces a crop of the same kind. The infecting matter of small-pox floats in the air, and enters the body with the breath; it multiplies itself, whatever may be the channel of entry, in the same way; and the new matter will produce the same changes in any number of other men. Each infection induces diseases of its kind. All men are not susceptible; the specific germs (zymads) will not live in their bodies; this is notably the case with those who have already undergone infection. In cholera and in enteric fever (typhus) the germs from the intestines, in England, enter the system through the intestinal tract. In hydrophobia and syphilis, the germs only enter the blood by inoculation. Zymotic diseases prevail endemically, epidemically, pandemically; but follow certain laws of increase and decrease in their evolutions. Other diseases, like ague and famine fever, and some dietic diseases are grouped for convenience in the same class.

Leavens it has been long observed are capable of reproducing themselves in a suitable medium; and from this analogy the zymotic class of diseases is named.

The seeds of these diseases enter the body by inoculation, by contact, by ingestion, and by inhalation. Many of the diseases are contagious and infectious.

The inoculation diseases, such as hydrophobia and dissection wounds, are arrested by removing or destroying their germs before they enter the blood and tissues around the wound. The skin infections by contact can often be removed by ablution, even if there be epidermic abrasions.

When the cholera matter has entered the intestinal tract by water, or other means, it induces diarrhœa, which can generally be arrested by sulphuric acid drinks and other remedies. In cholera epidemics the people are so unaccustomed to this peculiar affection that they neglect it; and experience proves that house to house visitation by competent persons is indispensably necessary to secure the treatment of the disease in its first stage, when medical treatment is most efficacious. Perhaps enteric fever and dysentery might also be arrested before the infection fastens on the mucous membrane; but the experiment has not been tried. In both diseases there is a prodrome of a few days; and when there is enteric or dysenteric diarrhœa it may in time be identified, and treated by the skilful physician. There are also other signs premonitory. Whenever the patient has taken impure water prophylactic treatment should undoubtedly be tried.

The air, which Professor Tyndal shows in his elegant experiments carries dust, carries in it also the zymotic particles (zymads) of small-pox, scarlet fever, diphtheria, measles, whooping-cough, typhus, and plague in the atmosphere that surrounds the sick: in other cases it carries the widely diffused elements that induce influenza, marsh fevers, neuralgia, and rheumatism. These zymads are attacked in many ways: (1) by the free admission of fresh air (ozone) into the chambers of the sick; (2) by the various disinfectants—such as camphor, carbolic acid, permanganate of potash (ozone), chlorine, sulphurous acid; (3) by the isolation of the sick during the infectious period in separate rooms or separate dwellings; (4) by the chemical destruction of the excreta; (5) Pasteur showed by many experiments that organic germs which set up fermentations are arrested by their aspiration through cotton wool, and by analogy some persons might be disposed to try the effect of breathing through cotton wool when they enter sick chambers.

VACCINATION.—Every child should be vaccinated at the proper moment with pure lymph.

Some of the zymotic diseases occur as a general rule only once in a life. I say as a general rule, because every known disease, when not fatal, does

occur occasionally more than once in the same person ; thus of 10,000 persons that have had small-pox, or scarlet fever, or measles, one or more may under given circumstances experience a second attack.* The mild as well as the severe forms possess the protective power ; and advantage was taken of this principle in inoculation. Vaccination the world owes to Jenner. This is the position of an ordinary child after vaccination ; he is as a general rule protected against an attack of small-pox, while in the possible event of his defence failing, his life is still guarded against the worst types of the foul malady. The danger a child incurs from vaccination is quite inconsiderable, when the operation is skilfully and opportunely performed by a surgeon. What is the position of an unprotected child ? He is every year of childhood liable to attack and death by small-pox ; should he fortunately escape through youth, he will probably be assailed in manhood when a family depends on his life. Should he desire to insure his life, the insurance office meets him by asking if he has been vaccinated. If he recover from small-pox the face is disfigured, the eyes sometimes blinded, the ears deafened, or some constitutional disease is awakened ; and any diminution of these risks of mutilation by small-pox is worth purchasing by vaccination.

It is urged that common vaccination does not yield absolute security against death by small-pox ; this is true ; and it is equally true that it reduces the risk to a low figure. It is also true that in several instances the diminution of the mortality by small-pox has been accompanied by a contemporaneous increase of the mortality by other zymotic diseases. If children are allowed to be killed by small-pox they will not die of other causes. But vaccination does not induce any other zymotic disease ; and had small-pox been allowed to rage to this day it must have increased the general mortality. Take by way of illustration several families of children living in the most favorable conditions, and if you introduce scarlet fever it is probable that one or more of them will die. If left unvaccinated, small-pox will be still more fatal under similar circumstances.

If on the other hand many families are ill fed and scorbutic ; if they are dirty, in single rooms ; crowded in a rookery of London, or a wynd in Glasgow ; exposed to all the zymotic influences ; their protection by quarantine, vaccination, or any other measure, against any one malady, might have little or no effect on the mortality. Should these evil influences grow stronger as the population grows denser, the advantages of vaccination will be counterbalanced.

Vaccination is now enforced by legal penalties, and is administered by public officers.

And singularly enough a small band of well-meaning men, to the great distraction of the untaught, are agitating for the abolition of the compulsory law, and for the abolition of vaccination² itself, not because, as was once contended, it is sinful to thwart nature's laws, but because vaccination is fatal, is ineffectual, and is the means of propagating odious diseases. A lady of distinction loses her child by erysipelas after vaccination, and the cruel loss leaves indelible impressions on her mind.

A clever barrister, in addition to the usual arguments, tells us the army standard is obliged to be lowered ; millions have been expended on sanitary works, but the mortality among children in St. Pancras workhouse last year reached 215 per 1000 ; " the good has been more than swamped by " the medical curse : " " a clergyman in Suffolk says he knows three ladies

* De la Condamine estimated the recurrent cases of small-pox at 1 in 10,000. Louis XV. of France is said to have died of recurrent small-pox in 1774 at the age of 64, after having undergone that disease casually when he was 14 years of age. After careful inquiry into all the recorded facts, Dr. Gregory was convinced that the king never had had small-pox in early life ; the primary attack was varicella. He contends that similar mistakes occur in other cases. See his excellent lectures on Eruptive Fevers, pp. 73-5.

"syphilised, but does not give their names." Mr. G. S. Gibbs, a zealous anti-vaccinationist writes:—"I was vaccinated in 1829, and caught small-pox in 1850, much to my astonishment; but what was the result? I was ill for many weeks, and for many days recovery was despaired of—the horrible disease [*small-pox!*] had its full course—so that for myself I have no feeling of gratitude to Jenner." To these sad experiences many more may be added; but there are innumerable examples of happy issues, and millions of all nations have reason to call Jenner blessed. We are bound to take all the facts into account where the nation's health is concerned. And the legislature, while sympathising, as everybody must, with cases of accidental hardship, consults in its acts the public good. The Registrar-General never advocated compulsion; as he believed English parents would in the end, with the progress of education and reason, voluntarily place their offspring under the ægis which the discoveries of medical science have provided against small-pox.

The legislature in its acts, be it remembered, did not compel any parent to be vaccinated himself; it only compels him to afford his helpless child, at the public expense, the best protection available against a dangerous disease. The Roman father had by Roman law the child's life at his disposal; but such power was never claimed by English fathers, and never conferred by English laws. The child belongs to the nation; and the parents are bound to provide for its safety.

The Registrar of births is instructed by the Registrar-General to give the father, mother, or custodian of the child notice to have the child vaccinated by the public vaccinator or some other medical practitioner. The penalty is twenty shillings for neglecting to take the child before he is three months old, unless he is in an unfit state, to be vaccinated, or after vaccination to be inspected.*

ENTHETIC DISEASES. *Syphilis* is so injurious to the human race, that to communicate it is to commit a criminal offence; for the disease infects the blood of one and at times of two generations. Against its spread, the chief reliance must be on the enlightened conscience of individuals, but communities can also by throwing open wards of hospitals to willing patients, withdraw many victims from the field; and to shut up ascertained sources of infection in medical retreats is just, humane, and necessary. If this be done, as medical history saw the rise of the worst forms of this evil, it may hope to record their decline.

The discovery of the western world established a connexion between two populations that had been living apart for an indefinite time, and it might have been inferred *a priori* that in conformity with a hygienic law their specific diseases would be interchanged. This happened on one side without doubt, and on the other probably. Europe gave America its variety of small-pox, which proved destructive alike to the populations of Hispaniola (Hayti), Mexico, and North America. In 1492 Columbus discovered the West Indies, visited St. Salvador, Hayti, and Cuba, full of a gentle, fair, poor, naked population. In April 1493 the great navigator returned to Barcelona, and in June 1494 syphilis was raging in that city.†

* See forms of certificate supplied by Registrar-General. On the general question see the able and exhaustive report of J. Simon, F.R.S., in *Papers on Vaccination*, 1857, and the articles on Small-pox and Vaccination by Mr. Marson and Dr. Seaton in *System of Medicine* by Reynolds. See also Curschman's article on Small-pox in Ziemssen's *Cyclopædia of the Practice of Medicine*. The Vaccination laws are criticised in a letter to Lord Lyttelton by T. Baker of the Inner Temple. Mr. G. S. Gibbs, in his letter to the Registrar-General on this question: Does vaccination mitigate small-pox? responds in the negative.

† *Cyclo. of Medicine*. Edited by Ziemssen. Article Syphilis, by Bäumer, Vol. III. pp. 5-19.

The disease prevailed in its most virulent form all over Europe in 1496; and it justly created universal alarm, as it attacked at the source of life all classes of people, sparing neither crowned heads nor cardinals. The army of Charles VIII. carried the disease back with it after the conquest of Naples; and in France it was named the Neapolitan disease; while other countries out of compliment to that gallant nation christened it *Morbus Gallicus*. Fracastorius called it syphilis in his classical poem.* That the epidemic broke out after 1493 admits of no doubt; but the two forms of enthetic disease had long existed, and were contagious in Europe; they both became very prevalent among the profligate after the Crusades. The old disease probably bore the same relation to epidemic syphilis as summer bears to Asiatic cholera. Sprengel† exaggerates the effects of the Crusades on the morality of the male population, as he certainly exaggerates one of its causes, when he says that "*alors on comptait presque généralement sept femmes contre un seul homme.*" His authorities are good for asserting that convents were multiplied; and that the manners of the inmates under the control of the church were by no means unexceptionable. He signalizes the religious order of Fontevraud, the *Filles Dieu*, the secular order of *Femmes ambulantes*, who resorted to cities where fairs, diets, and councils were held, and waited upon the clergy under the name of *belles femmes*. The church or the magistrates had the surveillance also of the numerous houses of ill-fame, which down to the days of Luther were, Sprengel asserts, as numerous as the inns of his day. In Southwark the houses under their lord, anciently eighteen in number, were reduced to twelve in the reign of Henry VII. In Provence women chose their own mistress (abbadesso); in Southwark they had a master who held under the bishop of Winchester. The regulations offer the first recorded traces of an attempt in England to suppress the dread disease, even then, before the Spanish importation, called perilous. W. Beckett, a surgeon, in his paper published in the transactions of the Royal Society,‡ says: "I find that, as early as the year 1162 divers constitutions relating to the lordship of Winchester, being also confirmed by the King, were to be kept for ever, according to the old custom that had been time out of mind." No stewardholder to keep, it was enjoined, any diseased woman. The Title of a Book written on vellum about the year 1430, and preserved in the Court of the Bishop of Winchester, "whose palace was situated on the Bankside near the stews," runs thus:—"The Ordinances, Rules, and Customs as well for the salvation of Man's Life, as for to eschew many Mischiefs and Inconveniences that daily be like there for to fall out * * *." Under the article *De his qui custodiunt mulieres habentes nefandam infirmitatem*, the stewardholders had to pay the lord a fine for each offence of 100 shillings. This was the English Institution. The French system existed in Avignon in 1347; in that city *il etait d'usage de faire visiter les filles tous les samedis par un chirurgien.*†

It is difficult now to understand how the church could be mixed up with such an institution; but in the East as religion made the slaughter of

* Fracastorius, 1483-1553, was named by Paul III. physician to the Council of Trent. He predicted that the plague would speedily attack that city, and to the great satisfaction of the Pontiff, induced the Council to go to Bologna in April 1547. He was one of the first in the school of Latin poets that flourished in the age of Leo X. He describes the reigning disease, and commemorates in a typical case the death of a young man that lived on the Oglio near Lago di Isco. Lib. i. 382-412.

† Histoire de la Médecine, translated by Jourdan, vol. ii. pp. 376-378.

‡ Vols. xxx. and xxxi. Transactions of Royal Society. Beckett, by an error which he shared with Sydenham and John Hunter, assumed that the two forms of enthetic disease were identical. He renders it exceedingly probable that many cases of so called leprosy were syphilitic.

animals sacrifice, it made the services of Venus worship;* and the heads of the Roman Catholic Church, as well versed then in all the turns of human passions as physicians are now—despairing of their extinction, took into its own hands in some places their regulation†. It is important even now to note the essential principles of the church regulation: (1) no single woman had to pay more than 14*d.* a week, or to be kept against her will if *she would leave her sin*. That was her protection: (2) The holder was “not to keep open his doors upon holy days,” nor “to keep any woman that hath the perilous infirmity,” as it was called. That was the protection of the public.

After the Reformation the church ceased to exercise any but moral control over the sinful. The bishops following in the steps of Cranmer married.

Medical statistics showed how largely the efficiency of the army and navy, in peace even, is interfered with by the two forms of enthetic disease. And Parliament established special hospitals and police regulations in garrison and seaport towns under the Contagious Diseases Acts. The Acts of 1866–9 were no sooner in full operation than they were opposed, and in 1870 a Royal Commission was appointed to inquire into their administration and operation. The evidence fills a folio volume, and is full of interest. The evidence before the Lords Committee (1868) is of great value. Dr. Graham Balfour gave in returns to the Commission, showing that the mean strength of the army in the United Kingdom during the ten years 1860–9 was 78,276; that 23,707 men were admitted into hospital annually for enthetic disease; while the constant loss of service was 1531 men, equivalent to two and a half regiments. Of 1000 strong 303 were admitted annually for enthetic disease: 20 were constantly in hospital, the sick in hospital from all causes being 48. The returns of deaths by syphilis [in the army are imperfect, as the slow secondary forms will be carried out by invaliding.

It is probable for various reasons that the civil population may not suffer to the same extent as the young unmarried services; but the registered dead from syphilis during 26 years‡ were 31,860; of whom 22,269 were infants under one year of age; 24,253 were under five years of age, only 95 were 5–15. Men and women of all ages after 15 die in increasing numbers. The average annual number down to 1873 of deaths of children under 15 was 936; of adults 289. The registered deaths increased during the whole period; in the year 1873 the deaths by syphilis were 1843; 1499 at ages under 15, 344 at adult ages. Of the adults 166 were men, 178 women. To the men's deaths, 235 deaths in that year by stricture, generally consequent on gonorrhoea, must be added.

The knowledge of secondary syphilitic diseases is more extended than it was; and more cases are distinguished; still in the present day many diseases with syphilitic taint are returned by medical men under local diseases. Sir William Jenner is of opinion that syphilis stands very high among the most fatal diseases that we have in this country; with this Sir James Paget agrees substantially; “it would be very difficult,” he says, “to overstate the damage that syphilis does to the population.”§

The Royal Commission go explicitly against “periodical examination;” which cannot be sustained over these islands; while they would commit offenders to certified hospitals, and retain them until they had recovered,

* See Herodotus, I., 199.

† Goethe's ballad *Der Gott und die Bajadere* is based on the Hindoo Faith. The Church perhaps felt like the God.

Der Göttliche lächelt; et siehet mit Freuden.
Durch tiefes Verderben ein menschliches Herz.

‡ 1848–73.

§ Evidence before Lords Committee, 1868, Q. 1085 and 2642.

or at least for three months. Under this *modified* form the measure should be extended to London, and to all the great towns; where adequate hospital accommodation is provided by the local authorities. If this be done the plague may not be staid; but it will be reduced within narrow limits. And morality, it may be hoped, will be inculcated by higher agencies than enthetic diseases.

*Æneadum Genetrix, hominum divumque voluptas,
Alma Venus **

herself, who sometimes fled to Paphos, could scarcely take offence if her wounded votaries were withdrawn from conflict; nor could Mavors hardly for his sons ask the State to organize a universal armed surveillance over the women of England.

CHILDBIRTH.—This is a physiological function for which nature has provided; but nature is sometimes at fault, and here obstetric art steps in with all its modern resources to aid nature. The problems are of the highest, and their solution sometimes involves the sacrifice of the child for the salvation of the mother's life. Such cases are rare. The midwife is an old English institution; but hygienic as well as obstetric art has advanced so far that to do her duty, she has to go through a regular course of instruction, to which any ordinary woman is equal; and for this facilities must be offered all over the country. Miss Nightingale's Notes on Lying-in Institutions should be consulted; her sketch of a school for midwives and midwifery nurses is quite practical.

In some parishes the delivery of a woman is a domestic event, and only a neighbour or relative is called in: deaths and injuries are at times the result of mismanagement. But many even among the poor population of villages are attended by medical men; from 30 to 90 per cent. are attended by midwives, often ignorant, often incompetent, and unable to deal with any difficulty.† In Wales, Lancashire, Yorkshire, and the Northern Counties, the mortality in childbirth exceeds the average.

The introduction of the midwife or skilful accoucheur by a sort of antinomy, is attended with dangers to be particularly guarded against; a fever attacks puerperal women, and that fever of a most contagious kind. It spreads from bed to bed in lying-in hospitals. It is conveyed by the nurse, the midwife, the accoucheur in private houses, to other women, and kills them. It adheres to the clothes, and retains its fatal activity for many days. Of this fever 1138 mothers died annually in the 25 years 1848–72. Recently in South London a practitioner, up to the time quite successful, attended 7 women; 5 died between June 10th and 19th. He took every precaution, as he assured me, and went away to a watering place, where he lived for a month in one of the best hotels. After his return, the fifth woman he attended died. Washing in disinfectants, and change of dress are properly practised. But there appears to be no absolute safety except in abstention for a time from midwifery practice; nor can accoucheurs safely attend patients suffering from erysipelas, or scarlet fever, which communicate puerperal diseases as fatal as the fever.‡

In Wales (1873) to 10,000 births, 21 mothers died of puerperal fever, chiefly from infection; 35 died of the other casualties of childbirth, some of them from bad midwifery; in London the corresponding deaths are 28 and 24, the fever being more, the casualties less prevalent.

LOCAL DISEASES.—The body is a confederation of organs; some of which may be out of order for an indefinite time without causing death. The brain,

* Lucretius.

† Report of Committee of the Obstetrical Society of London, 1870. See Trans., vol. xi.; and Registrar General's 34th Report, pp. 225–229.

‡ Report of a remarkable discussion at the Medico-Chirurgical Society, opened by Mr. Spencer Wells, in Medical Journals, 1875.

senses, heart, lungs, stomach, liver, kidneys, limbs, joints, and skin have all their respective infirmities, which demand special hygienic treatment ; their several dangers emerge at different ages, which are designated in the tables.

Some local diseases are more prevalent than others in particular places, and the present series will enable hygienic inquirers to prosecute the studies opened by Mr. Haviland, and illustrated by an interesting series of coloured maps, showing the relative prevalence of heart disease in every District of England and Wales.

CITIES.—The sites of cities have an important influence on their salubrity. Experience has shown that the best foundations are above the seas and rivers at flood level. They should not be in the midst of marshes. Cities want pure water daily, and ready means of getting rid of fluid and solid refuse. Still they must, nearly all of them, be situated conveniently for commercial or manufacturing purposes, otherwise they could not command the necessities and conveniences of life ; and in such cases should the sites be unfavourable their disadvantages may be lessened if not obviated by art. The metropolis, naturally the home of the intellect, the wealth, and the aristocracy of the Empire, has its temples, palaces, and grand public buildings ; and it has besides, out of regard to its own safety and greatness, houses suitable to the families of workmen. It has hospitals for the sick poor ; homes for the infirm ; refuges for the casually unfortunate ; places of reclusion for the insane. But it requires no harbours for criminals ; no rookeries for the wilfully idle, drunken, and degraded. It does not want them ; they infest its pure population with vermin, and zymotic diseases ; it only accepts as fellow citizens the men who consent to abide by its hygienic laws. The other cities of the Empire have all their distinct functions ; and they are all equally bound to provide for their own salubrity.

If they cannot all be such model cities as Dr. Richardson eloquently sketches in his *Hygiea*, they can in many ways approach its essential outlines.

The value of land increases so rapidly in the midst of flourishing cities that families are, by the rise of ground rents, driven out of old haunts. Railways, coaches, and omnibuses enable many of the middle classes to live in the open suburbs, although rents there are high and food is dear ; but workmen are put to many straits, and their families are crowded in old dilapidated houses. The evil is great, and it seriously affects the public health, as the Royal College of Physicians has pointed out. The recent Act will enable the municipalities of large cities to deal with this evil.* It gives them power to take possession of unhealthy property, and to provide for the erection on it of healthy dwellings. The Shaftesbury Estate, the Peabody Trust, and some of the excellent building corporations will contribute by their energy, intelligence, and enterprise to the success of the national undertaking to provide industrious workmen with decent dwellings at first cost.

If young municipalities at home or in the colonies acquire, as the City and Companies of London did, possession of part of the municipal land, they can, as ground landlords, regulate the kind of buildings most suitable to the wants of the population, and at the same time from the rise of ground rents relieve the rates. Should they, in addition, from the first undertake the supply of gas and of water at the rates now charged in London, no other rates would be needed of any kind for sewers, streets, police, elementary education, or science and art schools. The rising rents and the two rates would provide ample funds for public purposes.

West and north of the City land is increasing every year in value. Much of the ground of the metropolis is in large estates belonging to landlords on

* Artizans Dwellings, 38 & 39 Vict. c. 36.

whose enlightened patriotism the country can with confidence count. They have the power of doing more in the way of providing healthy dwellings for artisans and men of small means than many municipalities.

In laying out new streets, as well as in opening up old blocks of houses, the importance of depressing density of population within definite limits must be kept constantly in view. The mechanical difficulties of supplying pure air grow insuperable in crowded courts, cellars, and houses. Ornamental parks, planted squares, open playgrounds, and wide streets to catch the sunlight, or to carry the breezes into every quarter, will conduce to the health as well as the beauty of the town. The grand architectural effects of the narrow lofty streets of the Continent are not to be desired; they will be dearly purchased by an unhealthy population.

THE DEAD.—*Embalming, cremation, inhumation; vaults, churchyards, cemeteries, urns.*—Embalming seeks to meet the fond wishes of men who have lost any beloved object; but the attempts to preserve the body perennially after life has fled have hitherto proved failures. Nature forbids it. The mummy of an Egyptian king is a sorry spectacle. Morini's petrified bodies are not pleasant to look at. Cremation has recently been proposed in Italy by Brunetti of Padua, and in England by Sir Henry Thompson, who describes its advantages.* In the case of deaths by plague, small-pox, typhus, scarlet fever, and other zymoses, cremation, no doubt, destroys for ever the germs of disease, and restores the organic elements to the atmosphere. Flame is the last visible state; the ashes are collected in the funeral urn. Burning the body was once common among the Aryan nations. Germans, Tacitus says, burnt their dead,† as the Hindoos do; and the Greek and Roman funerals by fire figure in the poems of Homer and Virgil, who describe them in grand epic pictures. Sylla was burnt, so was Julius Cæsar. Modern science offers methods quite unknown to the ancients for converting the elements of the body, not quite into carbonic acid, water, ammonia (Sir Henry Thompson's, CO_2 ; HO ; NH_3), and white ashes, but into simple elements or inorganic compounds. Sir Henry saw two bodies reduced in a reverberating furnace to pure ashes; one of 47 lbs. weight in twenty-five, another of 140 lbs. weight in fifty minutes. There was no trace of odour. The Siemens' furnace produced a still more rapid reduction. A body of 227 lbs. weight placed in a smooth, almost polished cylinder, heated to upwards of 1100° centigrade, was reduced to invisible gases and 5 lbs. of ashes in fifty-five minutes. Sir Henry had his plan before him, and shows incidentally that cremation, instead of adding to, might diminish by something like a million sterling the annual loss by earth-burial in London alone. It is not necessary to verify his calculations. There is certainly economy in time and land; but the Romans showed how costly cremation might be made. Nero, it was said, spent as much incense on the funeral of Poppæa as Arabia produced in a year.‡ The ultimate result in the cemetery and the crematory is the same: the body is converted into what may be assumed to be the same elements; in the one case by slow decay and filtration through air, earth, and water in 5, 10, or 100 years; in the other in 60 minutes through flame. Religious rites are provided for in the outlines Sir Henry Thompson sketches. But the outlines have to be filled up by the skilful to satisfy the mind. What the plan presumes is, that the body is taken to the Hall of Cremation; that after religious services, either at the house or the church, or the chapel, or the Hall itself, the light car bears it gently away from sight by silent mechanism, in costumes suitable to the child, the woman, the man, and to the taste

* Contemporary Review, 1874, for January, February, March.

† Tacitus, Germania, 27. Sir Thomas Brown's Hydrotaphia—Urn Burial—in his works.

‡ Phiny, 12; 41.

of the time and the country. In the Italian manner—the best—the maiden's body in white robes, and strewed with fresh flowers, passes off under a veil, or through a cloud of incense amidst music—not into the grave—not to the vault, “to whose foul mouth no healthsome air breathes in,” but through the flames—direct into the Heavens. Two adjuncts to the Hall of Cremation would be of striking advantage. Where it was desired, the body, on its way from the last view of friends, might be passed into a chamber to skilful experts, who could ascertain whether life might by any means be resuscitated; and then, at the wish of the friends, the parts might be inspected without danger to the medical attendant, and with every microscopical and chemical appliance handy. The body could here also, at the instance of a magistrate, be examined by a practised medical jurist. With a preliminary visit to the body, and an official certificate from the appointed medical health officer where no certificate had been given by a medical attendant, secret poisoning would become much more difficult and rarer than it is now with the power of disinterring the dead.

Mr. Holland, Medical Inspector of Burials, who has had great official experience in graveyards, combats Sir Henry Thompson's doctrines in an able article,* and elicits a keen reply. Mr. Holland reminds his readers that cemeteries exist; and contends that the “real danger from a *well-situated and well-managed* cemetery, large in proportion to the number “of its burials, is not greater than from a well-managed railway.” Burial of the dead has more powerful advocates than Mr. Holland;—Centuries of European usage, Custom, and Fashion. In Greece and Rome, slaves and the mass of the people were buried, the bulk of them in pits. Cremation was reserved for the great even among the Germans.† In India, cremation is not the prevailing practice.‡

The English churchyard in the country seems a natural resting-place for the population of all ranks; and in past ages, when interments were rare and graves were not reopened, could have had no sensibly bad effect on health. Green hillocks covered the remains of the labourer and the artisan, marble monuments the rich; the young, the beautiful, the old lay buried in one common earth. That pilgrims should wend to the tombs of Shakespeare in Stratford-on-Avon, Bacon in St. Albans, Byron in Hucknall, Burns in Dumfries, Wordsworth in Grasmere, is as natural as that they should visit the monuments of kings in Westminster Abbey, and of warriors in St. Paul's. Gray threw a halo of poetry over the English churchyard. But on visiting churchyards now in populous villages their charm is found to be fast vanishing; the graves are thick, are often reopened; the stones are ugly and sinking. Nothing can look more sad and desolate in the rain than these dank plots. In such churchyards no Dissenter could desire to rest.

Mr. Walker, Mr. Chadwick, and a Royal Commission, recently drew terrible pictures of the vaults and churchyards of London. The consecrated earth had lost its sanctity in putrid odours. Burial was forbidden in churchyards as a rule; and some of them are now sweet flower-gardens. Cemeteries surround London. Yet even there they are no longer safe, and are every year assuming alarming proportions; they not only pollute the waters, but exhale noxious vapours from the graves.

* Contemporary Review, February 1874.

† Germania, 27. Funerum nulla ambitio; id solum observatur, ut corpora *clarorum virorum* certis lignis crementur. Struem rogi nec vestibus nec odoribus cumulant: sua cuique arma, quorundam igni et equis adjicitur. Sepulcrum cespes erigit.

‡ In the city of Bombay, 11,591 bodies were buried, 4,143 burnt, and 980 were exposed to the birds in the year 1871.—Report on Sanitary Improvements in India, 1873, page 200.

Mr. Seymour Haden, in three able letters to the *Times*,* has enumerated the defects of the present system of inhumation, and has suggested many manifest improvements, some of which, when the question is understood, will probably be adopted. The body is now kept in the house until putrefaction begins, accelerated by the influence of restless ferments and insects in the air; it is then "screwed up" in a coffin, where its corruption goes on for an indefinite time; and the coffin is buried sometimes in wet clay and sometimes over other coffins in graves opened at intervals under the faces of mourners, standing bare-headed both in the chill colds of winter and in the heats of summer. Thus, if the fatal disease is infectious, the source of infection is retained where it can do harm; in the Irish wake this is especially seen; the mourning coaches are mayhap infected indirectly; the gathering round the grave or vault is perilous in one way to the young, in another to the old; and the products of disease, or the decaying substances of the tissues of the body, find their way, in the end, into the wells, the sewers, the air of populous cities. Passing through loose earth the organic molecules are generally oxidised, but not always. It is not certain that the germs of disease are easily destructible by the re-agents of the earth; but in the ordinary course of things the whole of the body is gradually transmuted. Some of the corporal elements remain as mould, some are dissolved in water, and the rest, by a roundabout way, lose themselves in the atmosphere.

Mr. Haden describes what he saw in 1868 in the burial ground of St. Andrew, Holborn, before its contents had been removed to Ilford to make way for the new viaduct. The bodies buried in the plague-pit, without coffins, had disappeared; those in broken coffins were reduced to "a little ordinary earth, corresponding chiefly to the extraneous matters which had accompanied the interment, and occasionally, not always, a few bones. Nothing more. The body itself had disappeared."† It is not necessary to pursue his description of the ghastly contents, either of intact coffins, lead or wood, in the earth, or in graves lined with brick. The fact to note is, that in contact with the earth the body disappears, Mr. Haden says, in five or at most six years, the time varying necessarily in clay, chalk, and sand. Not to imprison the human elements in "cold obstruction," he suggests the use of a coffin (which he reminds us is from the Greek *κόφινος*, properly translated a twig-basket, or pannier) "of some light permeable material, such as wicker or lattice-work, open at the top, and filled in with any fragrant herbaceous matters that happened to be most readily obtainable. A layer of ferns or mosses for a bed, a bundle of sweet herbs for a pillow, and as much as it would still contain after the body had been gently laid in it of any aromatic or flowering plant for a coverlet—such a covering, in short, as, while it protected the body from the immediate pressure of the earth as effectually as the stoutest oak, would yet not prevent its resolution." He simplifies the preparations for the funeral so as to occupy, soothe, not harass the family; and conveys the body to the cemetery by railway or river forty hours after death to rest ten years in undisturbed dissolution. The mode of burial is worked out in some detail. The number of bodies to be buried annually in Greater London is 90,000, and the number is increasing; so that looking at the state of the existing cemeteries and their exhalations, new cemeteries will be required. Mr. Haden in the lowlands of Essex and Kent sees good sites; "the broad and silent river" to be "our Appian way." If the

* Published separately, by Macmillan, 1875.

† *Earth to Earth*; a plea for a change of system in our burial of the dead; by F. S. Haden, F.R.C.S. See also the works and papers of Mr. Walker, Dr. Waller Lewis, Mr. Chadwick, and a good summary of the researches of Orfila and other French writers in the *Dictionary of Hygiene* by Tardieu.

English people believed that the soul could not enter paradise until the body was interred they would wish, with Patroclus, for quick burial :

"Hasten my funeral rites, that I may pass

"Through Hades' gates."*

As that is not their belief they have fallen into the habit of retaining the body for various reasons; and this habit is an obstacle at the outset to the new system. It may in time be overcome, as it is already on the continent, in these islands; when friends see that by laying the lifeless corpse in a fresh grave a few hours after death, they often save it from putrefaction; porous earth, *eremacausis*—dry decay—usually converting it slowly into its elements. Against the dread of being buried alive—if buried early—the most timid will be fortified by the assurance of physicians and surgeons so eminent as Burrows, Fergusson, Gull, Jenner, Paget, and Watson, "that the signs of death are as certain after a few hours' suspension of "the vital functions as they can be after many days." It would, they add, be a matter of regret if "groundless fears * * * should hinder, for a "moment, the adoption of an improvement in our social system, the importance of which cannot be overrated."†

Mr. Haden believes that a thousand acres of land will afford decorous burial to a hundred thousand bodies of all ages every year for ever on the plan he has sketched, the bodies being all dissolved in less time than ten years‡ after interment in single graves on which the earth covered with fragrant herbs and flowering shrubs presses lightly. This involves necessarily the absence of tombstones over the body for any longer term than ten years, and it is not, therefore, in accordance with existing usage. The grave will not be the monument; which may be lodged in the cemetery or elsewhere; in the church, or in the sacred precincts of any parish, county, or metropolitan *Santa Croce*. This question of no small delicacy is discussed in its various bearings by Goethe, in one of his philosophical romances,§ where a leading character places the grave-stones along the church, levels the hillocks, and sows the ground with fragrant clovers.

It is worthy of remark that when gravestones originated there was no national registration: and that in the present day, while portraits of great artistic merit can be commanded by the rich, and photography preserves the features of the poor as they lived, the name, age, place, and date of the death of every Englishman are recorded in registers, to be preserved in perpetuity.

Dr. Parkes, the author of the best work on Hygiene in any language, points out all the difficulties of burial in populous cities, and dwells on the dangers of overcharged churchyards and urban cemeteries. He admits the advantages of cremation, but suggests that maritime nations might find it at some time preferable to bury man in the ocean; to let the—

hammock-shroud

Drop in his wide and wandering grave.

This form of burial is already in use. The sea is the too frequent grave of our gallant seamen, of sailors in the merchant service, and of hapless emigrants.

Sir Henry Thompson and Mr. Haden contend that their several systems have great advantages on the side of economy as well as safety. Funerals now cost in the United Kingdom seven or eight millions a year, and while

* Derby. "gloomy" is omitted before "gates" as it is not in the original :

Θαπτε με ὅττι τάχιστα, πόδας Ἀΐδαο πέρησω.

Iliad, xxiii., 71.

† Earth to Earth, pp. 43-4.

‡ Some of the ancients professed to know a stone that consumed the body (" *exceptis dentibus* ") in forty days,—hence the name, *sarcophagus* (flesh-eater).—Pliny, *Nat. Hist.*, 36; 27. Orfila, an eminent chemist, conducted a series of researches on the decay of bodies in different kinds of earth. He sets down two or three years as an average term.

§ Elective Affinities.—Die Wahlverwandschaften. Part 2., cap. 1.

much may possibly be saved on either plan in ceremonial and in coffins, it is not likely that the expenditure on monumental art will be reduced in the present age by affluent families. It is, however, to be regretted that persons of narrow means are induced by custom to incur great expense even at a moment when the chief source of income is dried up. Goethe profoundly remarks, that portraits of the dead are their best memorials: and that *they* at times regard us almost reproachfully, as they remind us how much we failed to do for the absent and lost when present and living. Nations as well as families too often dishonour the living and glorify the dead: so anything that detaches from the grave and lifts them above it is laudable. The good men do is their eternal monument: and its survival their highest reward. Service to the living is true devotion to the dead. Diminution of the cost of funerals by new methods can but be a national gain.

To another kind of economy importance is attached by the advocates of cremation. The body, say they, is required; it cannot be spared for an indefinite time. Nature "destines the material elements of my body," an eloquent writer exclaims, "to enter the vegetable world on purpose to supply another animal organism which takes my place. She wants me, and I *must* go. * * * Shall her riches be hid in earth to corrupt, and bear no present fruit; or be utilised without loss of time, value, and interest, for the benefit of starving survivors?"

Now Nature is not quite in such need. The average weight of the body is set down by Sir Henry Thompson at 72 lbs., and taking the population of the world at 1200 millions, and the annual deaths at 40 millions, the yearly amount to be given up by cremation to the earth is 45,893 tons; to the air 1,239,821 tons; to the earth and air 1,285,714 tons.* But this last sum is but a very small fraction of the atmosphere, whose weight, reckoned at 15 lbs. on the square inch, is on a square mile at the sea level 26,882,743 tons: and the superficies of the earth being 196,862,256 square miles, it follows that the weight of the atmosphere is 5,292,197,434 millions of tons: of which 2,116,879 millions of tons consist of carbonic acid. The law of the diffusion of gases is such that every gas is diffused as if no other gas existed; the other gases only retarding the diffusion; so that carbonic acid given off pure from a funeral pyre at any point of the earth flies away in every direction; and equilibrium is so strictly preserved that at nearly every point the proportion carbonic acid bears to the oxygen and nitrogen in the atmosphere is the same, although living as well as dead animals and fires are discharging, and vegetables are absorbing it continually. The carbonic acid, ammonia, and aqueous vapor once thrown by cremation into the atmospheric ocean 50 miles deep, covering the 196,862,256 square miles of the earth's surface† has little chance of ever constituting again any integral part of any Englishman living in these islands. Nor would the mass of oxygen, nitrogen, hydrogen, or carbonic acid supplying the animal kingdom be sensibly reduced if the animals and men in the world were all, as in Egypt, embalmed for a thousand years. The economy of gases is of little weight. The scantier phosphates of bone and brain are retained by both the rival methods; but more organic matter is left in the ground by perfect inhumation than can ever be returned to it after perfect cremation. Inhumation saves up soil.

In comparing the two methods, their cost in ceremonial and monuments may be set down as equal; it may be either great or small; but the indispensable outlay in inhumation and cremation will differ to an extent that experience alone can determine. On the side of the Public Health cremation has the best of it: it destroys the germs of zymotic

* Sir Henry Thompson makes the mean weight of the ashes 2.57 lbs., of the whole body, 72 lbs. Mr. W. Eassie, C.E., in his "Cremation of the Dead," p. 114, says the quantity of the ashes left from a body of average weight is accurately given by Sir Henry Thompson. The ashes of a lady, aged 26, weighed 3.75 lbs.

† Barlow, as deduced from Laplace.

diseases, of offence, and of corruption at once. It is especially suitable to the dead by epidemical diseases. The present abuses of a barbarous burial system must cease. But there is no reason why a well-devised inhumation and perfected cremation should not go on side by side; the one or the other being adopted so as to meet the exigency of each case, creed, place, and climate. Habits change slowly, and if trials are made experience will decide. Neither of the systems when once in use will excite in common minds more repugnance, than nature, desiring her creatures to love life, has thrown over the contemplation of dissolution. Some will prefer a house of rest in the earth; others a home in the sky. It is easily conceivable that a woman of refined mind might choose cremation to escape what she dreads of worms, mould, *eremacausis*, putrefaction, or any kind of profanation.

The question of interment is as the population increases becoming every day more urgent; it is not a mere question of sectarian grievance: it is a prime question of public health. Churchyards infect cities. Burial must be shorn of its dangers. It is vain to attempt to throw all the blame of existing abuses on undertakers. Their occupation is not attractive; it is unhealthy. They do very fairly what they are required to do by families who are swayed by fashion. Nor is it in England a matter of great reproach against the proprietors of cemeteries that they are "trading companies;" that is, companies which advance capital, and offer to perform certain services on certain terms. What would the state of London be without its fourteen cemeteries,* some of which are now full?

The day will probably soon come when the several municipalities and sanitary authorities may, after due inquiry, and on equitable terms, relieve the cemeteries and yards of their office; and lay down such wise regulations as may secure the decorous, safe inhumation, or cremation of the seven hundred thousand bodies that fall victims to death annually in the United Kingdom.

HEALTH INSURANCE.—Sickness is not easily defined. It varies very much in degree; but for practical purposes the line is drawn by Friendly Societies, police, army, navy, and by patients in civil life with sufficient accuracy. Such sickness as confines a member to bed, called *bedfast* sickness, or at home from work, a policeman from duty, a soldier or sailor to hospital, figures as sickness in the respective returns. Enthetic disease is not recognised by the Friendly Societies or the police; but it swells the sickness of the army and navy returns. In civil life men work and take physic when their ailments are slight, whereas in the public service they are sent to hospital. Women oftener return themselves sick than men. The sickness of very young and very old people has not been accurately determined.

But it has been found by experience that in England to *one annual death* in a body of men *two* are on an average constantly suffering from sickness of some severity. There are *two years* of severe sickness on an average to *one death*. In the police and in some Friendly Societies the constantly sick to one annual death are 2·8; in the army (1873) at home 4·2; enthetic disease will account for the difference.

As there are now 700,000 annual deaths in the United Kingdom it may be inferred that there are 1,400,000 constant sufferers from severe sickness; and 2,000,000 sufferers from such sickness as requires medical relief, or throws the members of Friendly Societies on their funds. That would give 100 patients each to 14,000 hospitals and 6,000 dispensaries. The sickness is of every shade from the darkest mortal ailments to the lighter pains and muscular weaknesses, and is so related to the mortality that the deaths and sickness within certain limits rise and fall together; thus, if the constantly

* There are also twenty-one grounds under Burial Boards; twelve with eight of the cemeteries are within, nine with six cemeteries are outside Registration London; and in London itself a few churchyards are still in use.

sick in the population could be reduced from 1,400,000 to 1,050,000, the deaths could be reduced from 700,000 to 525,000; or the annual mortality would be reduced to the desired rate of 17 in 1000. The diminution of human suffering keeps pace with the diminution of the death-rate; so do the ineffectives of the working population and the claims on the funds of Friendly Societies.

Sickness occurs irregularly through a man's life in attacks as they are called; still under such a law that there is an *average amount* of sick-time to every death; men are also subject to an average number of attacks during their lifetime under the same sanitary conditions; the liability of adults to attacks of one kind or other being the same at different ages, but the fatality and the duration of the illnesses from those attacks rising with the advance of age according to the same laws.*

It is evident that these Societies are most useful adjuncts in sustaining health; when the head of the family is disabled they supply him with medical attendance and a sum sufficient to meet his most urgent wants. And as there is a law of average sickness while every man's life or health is uncertain, they are indeed *Friendly Societies*, and with good management and proper Tables will confer all the benefits they promise. The ordinary premiums are often inadequate to provide sick-pay—that is really annuities—after the age of 65†; and the societies do not profess to support the members through chronic diseases of more than 12 or 18 months duration. Here the aid of the fortunate steps in to help the artisan and labourer in misfortune. Under the English Poor Law the sick man in need is provided with medical relief and sustenance; every man's life is insured against death by starvation, provided that, if able, he is willing to work. The Societies may properly be strengthened by honorary members.

Unhappily no community can, in our present state, undertake to supply all its members with all they want; and if we express in money the price of drink, food, heat, physic, clothing, lodging, cleansing including sewerage required for the enjoyment of the longest mean lifetime (L) we shall have this equation, putting I for income:

$$\frac{I}{d + f + h + p + c + l + s} = xL$$

where x is a fraction approaching *unity* as the full cost of the commodities of life approaches the income. Galen justly remarks that there is one hygiene for those who can command all the necessities of life, another for those whose means are limited. To decide on the comfort to be sacrificed with least loss by the poor is an important life problem for the hygienic student.

The deaths in England in the year 1871 were 514,879; implying 1,029,758 persons constantly sick from diseases of some severity; that is equal to a number sufficient to fill 10,298 hospitals, each containing 100 beds always occupied. And it may be assumed that the numbers are sustained by an annual influx of 12,357,096 patients, ill a month on an average, of whom 11,842,217 recover, 514,879 die.

46,556 persons died in the year in public institutions—in hospitals 13,706, lunatic asylums 4097, workhouses 28,753; and 468,323 died in their own homes or elsewhere. Whether the patient in hospital or home shall recover or die often depends upon the medical attendant.

Under the new and judicious Friendly Societies Act the sickness and mortality returns will no doubt be so organised as to throw much light on the health of different professions as well as on the finance of sickness insurance.‡

* Statistics of British Empire, Vol. II., Article "Vital Statistics," pp. 570-96.

† See Appendix to Registrar General's 12th Report.

‡ Friendly Societies Act, 38th & 39th Vict. ch. 60., A.D. 1875.

MEDICINE.—Descartes in his great discourse on the method of scientific discovery refers to medicine in a passage from which this is an extract.

* * * “ mais principalement aussi pour la conservation de la santé, laquelle est sans doute le premier bien et le fondement de tous les autres biens de cette vie ; car même l'esprit dépend si fort du tempérament et de la disposition des organes du corps, que, s'il est possible de trouver quelque moyen qui rende communément les hommes plus sages et plus habiles qu'ils n'ont été jusques ici, je crois que c'est dans la MEDECINE qu'on doit le chercher. * * * Je m'assure qu'il n'y a personne, même de ceux qui en font profession, qui n'avoue que tout ce qu'on y sait n'est presque rien à comparaison de ce qui reste à y savoir.”*

Medicine had great attractions for Bacon, Descartes, Locke, and the great thinkers of the seventeenth century. Its object is to save mankind from the chief evils of life, and to develop the highest faculties of human nature. Nothing stands between it and the truth. It is free to avail itself of the light of every new science ; it is not fettered by authority or precedents ; it deals with positive facts and laws deducible from facts. Descartes was therefore justified in expecting more good from medicine than from jurisprudence or even theology. And although it is true that medicine has made incalculable progress since Linacre translated Galen's *Hygienic Treatise*, Harvey discovered the circulation of the blood, Sydenham taught the analysis of disease, and Hunter extended the sphere of physiology over the whole kingdom of nature, it is as true now as when Descartes wrote that what is known in medicine is little in comparison with what remains to be known : and it may be added that what it has done is little in comparison with what it can yet do. In his view medicine comprehends a knowledge of the forces and actions of the bodies that environ us, to be employed as artisans employ their materials, to make men the masters of nature ; so that as this knowledge and a knowledge of their causes are acquired medicine might exempt us from an infinity of diseases both of body and mind.

The important influence of medicine on the health of the community is evident from the fact that medical practitioners are consulted in all stages of millions of cases of sickness occurring annually ; and that their art is specially devoted to the cure of disease. The public for the greater part consult them and pay them fees in illness, as they consult and pay lawyers in legal difficulties. The clergy are paid on a different plan. So are the physicians and surgeons of the army and navy ; who have thus not only attended the sick, but have been consulted on the maintenance of health ; and have hence had opportunities of studying professionally hygienic medicine. The salutary effects of such an organisation are seen in the works of Pringle, Jackson, Monro, Blane, Lind, and Parkes. The army and navy medical statistical reports, due to it, are of the first order of importance.

In the years 1829-1830 civil hygiene was at the lowest ebb in England. In the University of Paris, then one of the first medical schools in Europe, the course of hygiene by Andral was attended by more than a thousand students ; the lectures in all branches of medicine being open and free to the students of the University, but not compulsory. Villermé, a conscientious and original inquirer, Guerry, and others, founded the *Annales d'Hygiène*. In England hygiene was not taught at a single school. But students to get diplomas were bound to attend other courses and to “walk the hospitals.” Hygienic students received no recognition ; and if they had, would never have obtained any remuneration for their services, as the public from time immemorial had been in the habit of only paying fees when they were suffering from disease or menaced by death. Apothecaries were paid for their drugs. No town had a medical

Health officer. The City of London, generally so well provided with a staff of officers, had to be reminded of its deficiency in 1847 by the Registrar-General* before it appointed Mr. Simon.

The first eruption of Asiatic cholera in the years 1831-2 awoke the country to its hygienic deficiencies; 30,924 deaths by that disease in the principal towns were reported to the Board of Health, and were tabulated by Sir David Barry.† Inquiries by Royal Commissions and by Boards of Health were instituted; a staff of medical officers was appointed under the new Poor Law; the Registration Act passed in 1836, and since July 1st, 1837 the causes of death have been published annually, quarterly, or weekly by the Registrar General. The medical colleges and the medical profession gave invaluable aid in supplying medical certificates. Successive Boards of Health were called into existence. And under the recent Sanitary Acts a staff of medical Health officers is created in 1558 jurisdictions, either urban or rural; a certain number of them more or less under the control of the Local Government Board. The medical officer of the Board, Mr. Simon, and his colleagues have published a series of Reports which will bear comparison with those of any other country.

The Reports of the existing medical officers are of great practical value; and will become more valuable every day. What is wanted is a staff officer in every county or great city, with clerks to enable him to analyse and publish the results of weekly returns of sickness to be procured from every district; distinguishing as the army returns do,‡ the new cases, the recoveries, the deaths, reported weekly, and the remaining in the several hospitals, dispensaries, and workhouses: these compiled on a uniform plan when consolidated in the Metropolis would be of national concern. It has been suggested that the returns of sickness should, to save time, be sent to London and there analysed on a uniform system, as the causes of death are. That with the present postal arrangements is quite practicable.

The thing to aim at ultimately is a Return of the cases of sickness in the civil population as complete as is now procured from the army in England. It will be an invaluable contribution to therapeutics as well as to hygiene; for it will enable the therapist to determine the *duration* and the *fatality* of all forms of disease under the several existing systems of treatment in the various sanitary and social conditions of the people. Illusions will be dispelled; quackery as completely as astrology suppressed; a science of therapeutics created; suffering diminished; life shielded from many dangers. The national returns of cases, and of causes of death will be an arsenal which the genius of English Healers cannot fail to turn to account.

Therapeutics relies on the diagnosis of disease surgical or medical. And the returns of the causes of death show that diagnosis, though still imperfect, has within 35 years made remarkable progress not only among the foremost physicians and surgeons of the day, but among the body of medical practitioners all over the kingdom who give certificates. Typhus, enteric and relapsing fevers, as well as the diseases of internal organs are discriminated, and not masked under symptoms. There is still room for improvement; and hope of rapid progress; for discoveries in the art of healing disease, rapidly reach the extremities of the land through the medical journals, lectures and well written treatises.

If the county and municipal authorities pay such salaries as will command the services of the ablest men in the profession, the expenditure will be amply repaid by the results. For when there is a demand, hygiene will be taught as efficiently as surgery in the schools; and state medicine will be a branch of medical examination in the universities and colleges.

* See 10th Report, pp. ix-xvii.

† Report on Mortality of Cholera to Registrar General, 1848-9.

‡ See Report on Army Medical Statistics by Lord Herbert, Sir Alexander Tulloch, and Dr. Farr. Parliamentary Paper, No. 366, 1861.

With the divisions now existing, it is natural to expect that state medicine—public hygiene—will be advantageously cultivated by men who devote their whole time to its practice.

But there is a private hygiene, a hygiene peculiar to every profession, and to every individual; a hygiene applicable to families, to children, to old men, to women, to men suffering from heart and other organic diseases; to patients attacked by zymotic or acute local diseases. And this hygiene falls entirely within the province of private practice. It is not the least useful part of medical art, and deserves distinct recognition.

It receives recognition in the case of princes. The "King's physician" is an old English institution; he discharged his duties for a salary, wine, and other emoluments.* The series of court physicians contains the names of some eminent men who successfully cultivated hygiene; among them Sir James Clark in recent times deserves especial mention. Ramazzini discusses the duties of the court physician in his elegant treatise—*De Principum valetudine tuenda*. He notes the importance of the health of princes; lays down the qualification and the duties of the physician; insists on his studying the effects of the meteorological elements; spares no admonition; tells the prince that good living and good health seldom go together; and shows how food and drinks, varying with the seasons, tested by experience, should be adapted to every idiosyncrasy. Successive chapters follow under such heads as: What princes should avoid; exercise, hunting, riding, indispensable to princes; moderation in pleasure enjoined; sleep and wakefulness regulated; the secretions watched; nothing is more pernicious to princes than anxiety, and violent passions in which medicine cannot avail much; literary work not recommended to princes; regimen of health in old age; obesity in a prince not only insalubrious but indecorous; gout, stone, and cæcal colic to be specially guarded against: the regimen of the prince in camp and in campaigns is the subject of the fourteenth and concluding chapter.

This brief summary is sufficient to show how extensive and useful the duties of a judicious and accomplished court physician might be; and how absurd it would have been to make his pay depend upon the prince's illness. But the same regimen that suits a prince suits a nobleman, suits a knight, suits a merchant, a lawyer, a literary man, who would derive much more benefit from a physician specially engaged as adviser of the family for an annual stipend than from a medical attendant merely resorted to in illness. Service would be greater, pay higher—easier. Consulting practice would remain as it is.

It is already the custom of the proprietors of mines and of other great works to engage medical men to attend their workpeople by the year. This practice is laudable and deserves extension. The Friendly Societies contract for medical attendance, the only fault being that the terms are too low to insure the utmost efficiency. In all such cases the medical attendant should be requested to advise his constituents against any bad habits prejudicial to health.

The people in this country probably get a better supply of medical attendance than the people of any other country. But it is still imperfect. Some die in illnesses without medical aid. And in parts of the country even medical certificates of the cause of death are not given in all cases because the deceased has been seen in his last sickness by no qualified medical practitioner. The Poor Law provides medical relief for paupers. But the classes above them trust to quacks; or do not call in aid for fear of medical bills at a time when the head of the family may be earning nothing; this difficulty would be best met by clubs, or by their paying their medical attendant a certain sum quarterly. In the army there is *one* surgeon to

* History of the Medical Profession and its influence on Public Health in England. *Medical Annual*, 1839.

every 202 men ; in the general population *one* medical practitioner only to every 1276 men, women, and children living.*

Soldiers require more surgeons than civilians ; but the latter have evidently an insufficient medical staff. The addition of Health officers to its numbers is therefore on every ground desirable.

Hygiene as at present taught requires extension, which it can only obtain when its professors are entirely devoted to its practice and study. The new biology will open fresh fields of research and shed on them brighter lights.

The health of an existing generation may no doubt be raised to a high standard by a hygienic regimen, complete as Roger Bacon insists, from infancy.† But a higher hygiene goes further back guided by physiology : it seeks to influence the child unborn in its aquatic life by placing the mother in favourable conditions ; and not resting there, it extends its view to the life of both parents, and to the foundation itself of families—Marriage. Hygiene has something to say to that besides proscribing close consanguinity. Civilisation is to man what domestication is to the inferior animals ; and history and analogy justify us in believing that the highest race admits of development by some of the means that have been found efficacious in the lowest, and by others that scientific biology can invent. The hygienic problem is how to free the English people from hereditary disease ; hereditary consumption, cancer, syphilis, gout ; hereditary insanity, hereditary vagrancy, hereditary criminality : and to develop in the mass the athletic, intellectual, æsthetic, moral, and religious qualities which have already distinguished some of the breed. There is a Divine Image in the future to which the nation must aspire. The first step towards it is to improve the health of the present generation ; and improvement if as persistently pursued, as it is in the cultivation of inferior species,‡ will be felt by their children, and their children's children. A slight development for the better, in each generation implies progress in a geometrical progression ; which yields results in an indefinite time, that if suddenly manifested would appear miraculous.

The vast tabular work that follows, condensed from ten times the number of tables, of five times the size, has been carefully compiled by the Statistical Department. I have to thank Mr. F. J. Williams for his ever ready assistance. I beg to bring under your special notice the valuable work Mr. Lewis did in preparing the Tables, pp. clxxxvii–ccxii, for the press before he was made an inspector. Mr. Mundy has very carefully revised the figures in this letter, and calculated many of the Tables. Mr. G. Rendle, M.R.C.S., by his medical knowledge, and by his great accuracy, has rendered me valuable aid.

I have the honour to be,

Sir,

Your very obedient servant,

WILLIAM FARR.

To

The Registrar General.

* The Army List of 1875 contains—exclusive of medical officers on half pay—the names of 1 director general, 11 surgeons general, 33 deputy surgeons general, 447 surgeons major, and 442 surgeons (including 3 apothecaries), in all 934 medical officers ; the strength of the army officers and men at home and abroad was 188,379 in 1873.

At the Census of 1871 the physicians and surgeons enumerated were 14,684, assistants and medical students over 20 years of age 3116, making in the aggregate 17,800 ; the population enumerated was 22,712,266. The proportion of medical men to population has declined since 1851, when it was 9·7 per 10,000 living, to 8·3 in 1861, and to 7·8 in 1871. In the Army the proportion of medical men is 49 to 10,000.

† See note on page v.

‡ For a philosophical review of all that has been done by the domestication of Animals and Plants, see Mr. Darwin's work on that subject—perhaps his greatest.

PRELIMINARY TABLES.

TABLE 1.—Mean Population, 1861-71, and Deaths

CAUSES OF DEATH.	ALL AGES.	AGES OF PERSONS.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Mean Population, 1861-71 - - -	21,389,245	640,306	568,516	575,071	556,306	545,830	2,886,029	2,525,396	2,264,700
TOTAL DEATHS -	4,794,500	1,155,182	405,586	195,972	125,678	88,882	1,971,300	200,820	101,280
1. Small-pox - -	34786	8229	3598	2923	2373	1758	18881	3655	1261
2. Measles - -	94099	17526	35490	18608	9626	5286	86536	6115	651
3. Scarlatina - -	207867	12973	29404	33971	31639	25475	133462	55095	11350
4. Diphtheria - -	39454	3720	5166	4615	4629	4020	22150	9925	3082
5. Whooping-cough -	112800	46454	34520	15709	7909	4084	108676	3842	184
6. Typhus - -	189285	5252	7619	8449	7716	6986	36022	23323	16063
7. Diarrhœa and Dysentery - -	207256	122026	33071	6647	2304	1244	165292	2195	706
8. Cholera - -	22945	3764	1593	883	619	573	7432	1848	834
9. Other Zymotic Dis.	110310	15340	14689	12077	9550	6424	58080	9145	3304
10. Cancer - -	82820	37	49	84	120	87	377	190	176
11. Scrofula and Tabes -	98529	34201	19081	7054	3100	1995	65431	6169	4431
12. Phthisis - -	529425	10271	8416	4407	2633	2219	27946	11461	18655
13. Hydrocephalus -	74152	27147	19905	8537	4872	3416	63877	7346	2017
14. Diseases of Brain -	595747	222843	38309	16333	9425	6086	292996	14353	7395
15. Diseases of Heart, and Dropsy -	288447	4699	2201	1496	1231	1164	10791	5591	6095
16. Diseases of Lungs -	719601	175335	86570	32083	15741	9030	318759	13925	4740
17. Diseases of Stomach and Liver } -	209744	24565	4324	2366	1578	1383	34216	4987	3906
18. Diseases of Kidneys	63754	556	634	579	571	465	2805	1685	1234
19. Diseases of Generative Organs -	12506	51	38	21	14	7	131	12	42
20. Diseases of Joints -	17658	488	440	353	334	317	1932	1966	1961
21. Diseases of Skin -	12832	3990	760	326	162	137	5375	277	298
22. Childbirth & Metria	35254	—	—	—	—	—	—	—	3
23. Suicide - -	14009	—	—	—	—	—	—	1	84
24. Other Violent Deaths	149831	15929	6959	6127	4998	3996	38009	11557	10061
25. Other Causes -	876389	399786	52750	12324	4534	2730	472124	6157	2740

NOTE.—This Table is formed from the facts relating to Males and Females separately, in the 10 years 1861-70, see pages 2-3 for the 25 years 1848-72 in Tables 33-34, where also

Causes of Death in Ten Years.

lxxxv

ENGLAND and WALES during the 10 Years 1861-70.

AGES OF PERSONS.									CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1,000,327	1,917,126	3,148,257	2,464,912	1,867,566	1,255,549	711,564	256,062	35,649	Mean Population, 1861-71.
131,474	157,054	308,063	313,589	323,135	380,172	444,390	357,988	105,231	TOTAL DEATHS.
1759	2602	3197	1803	920	452	185	56	8	1. Small-pox.
226	164	208	121	45	18	7	3	1	2. Measles.
3143	1787	1913	691	258	110	41	17	1	3. Scarlatina.
1218	733	833	523	404	325	187	66	8	4. Diphtheria.
43	13	13	13	5	6	5	—	—	5. Whooping-cough.
17471	14758	21128	18431	15726	13241	9243	3486	393	6. Typhus.
593	1044	2690	2871	3524	6121	10166	9540	2414	7. Diarrhoea and Dysentery.
551	790	2189	2469	2425	2157	1566	603	81	8. Cholera.
3013	2370	4480	4883	5382	6823	7518	4493	819	9. Other Zymotic Dis.
378	576	3609	11040	19691	22296	16918	6655	914	10. Cancer.
3734	2821	3656	2406	2003	1634	987	247	20	11. Scrofula and Tabes.
34543	75291	133574	99270	62357	33351	11404	1469	104	12. Phthisis.
432	162	147	78	42	28	19	4	—	13. Hydrocephalus.
7832	8114	19612	27807	37790	54323	71662	46595	7268	14. Diseases of Brain.
6717	7063	20367	29861	40727	58696	66441	32485	3613	15. Diseases of Heart, and Dropsy.
6391	8611	22976	34875	54060	84080	100128	60192	10864	16. Diseases of Lungs.
4805	5809	15125	22425	30666	37879	34263	13993	1670	17. Diseases of Stomach and Liver.
1675	2273	6142	7921	8991	11025	12309	6762	932	18. Diseases of Kidneys.
185	483	1688	2616	3034	2320	1494	452	49	19. Diseases of Generative Organs.
1916	1329	1894	1667	1705	1628	1259	455	46	20. Diseases of Joints.
273	346	676	736	973	1288	1518	901	169	21. Diseases of Skin.
1669	6396	15248	11361	577	—	—	—	—	22. Childbirth and Metrin.
594	851	1953	2610	3167	2827	1490	393	39	23. Suicide.
1643	9537	16459	15348	13615	11170	7896	5043	1433	24. Other Violent Deaths.
2639	3111	8286	11763	15048	28374	87684	164078	74385	25. Other Causes.

The number of Deaths of Males and Females respectively from the several Diseases classed under the above 25 heads are given in the Years of Life for that period are shown.

TABLE 2.—Average Annual Number of Deaths of Males by different Causes at certain Ages.

CAUSES OF DEATH.	MALES.—PROPORTIONAL NUMBER													
	ALL AGES.		0-5		5-10		10-15		15-20		20-25		25-35	
	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.
All Causes	23,048	23,609	72,433	73,162	8,510	8,148	4,881	4,460	6,689	6,161	8,829	8,453	9,574	9,897
1. Small-pox	242	182	1047	661	271	150	70	56	105	91	174	181	119	137
2. Measles	426	450	2847	3067	282	230	32	26	11	9	8	7	5	4
3. Scarlatina	909	1011	4311	4745	1065	2218	461	468	146	149	67	80	39	47
4. Diphtheria	106	177	431	757	228	338	85	107	39	58	21	35	11	21
5. Whooping-cough	460	487	3246	3394	133	123	6	5	1	1	1	1	1	1
6. Typhus	907	896	1401	1230	937	881	687	622	858	787	850	823	673	704
7. Diarrhœa and Dysentery		1032		6100		84		33		33		49		72
8. Cholera	1135	113	5625	277	233	76	111	41	113	28	180	41	241	67
9. Other Zymotic Diseases	924	500	3512	2124	463	378	179	142	204	157	207	132	324	161
10. Cancer	185	244	21	13	10	8	8	8	16	20	27	27	63	61
11. Scrofula and Tubercles	451	481	2068	2429	312	278	250	218	228	191	212	168	100	128
12. Phthisis	2579	2467	1329	900	525	451	763	605	2307	2188	4035	3884	4034	4092
13. Hydrocephalus	404	412	2915	2578	326	321	103	93	81	20	12	8	7	5
14. Dis. of Brain	2208	2072	12160	11390	607	507	361	335	307	371	440	442	638	704
15. Dis. of Heart, and Dropsy	1180	1311	426	390	240	233	211	252	322	312	347	345	514	605
16. Dis. of Lungs	3322	3694	11296	12012	585	533	221	199	335	315	545	523	772	860
17. Dis. of Stomach and Liver	1007	993	1470	1374	238	203	219	192	268	238	326	280	464	449
18. Dis. of Kidneys	317	490	68	117	47	85	47	65	77	100	105	137	174	238
19. Dis. of Generative Organs	4	6	5	5	1	1	1	1	3	1	2	2	2	3
20. Dis. of Joints	78	95	56	72	71	95	93	102	91	102	80	69	61	70
21. Dis. of Skin	62	64	164	199	12	13	10	15	13	17	14	19	14	19
22. Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23. Suicide	1101	99	-	-	-	-	709	4	865	28	949	59	999	93
24. Other Violent Deaths		1076	1451	1476	643	600		733		830		957		991
25. Other Causes	4191	4253	16379	17753	291	215	162	118	174	115	267	165	259	302

TABLE 3.—Average Annual Number of Deaths of Females by different Causes at certain Ages.

CAUSES OF DEATH.	FEMALES.—PROPORTIONAL NUMBERS													
	ALL AGES.		0-5		5-10		10-15		15-20		20-25		25-35	
	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.
All Causes	21,323	21,282	62,744	63,430	8,418	7,756	5,056	4,484	7,385	6,622	8,530	7,968	9,925	9,685
1. Small-pox	202	145	1021	648	243	140	76	56	81	80	91	96	68	70
2. Measles	398	422	2740	2929	288	254	44	32	15	13	10	10	8	9
3. Scarlatina	845	934	4071	4503	1998	2145	528	534	164	157	79	105	48	73
4. Diphtheria	112	191	450	778	280	448	121	166	44	61	19	41	15	28
5. Whooping-cough	545	566	4003	4130	215	182	14	11	2	3	1	1	1	1
6. Typhus	909	875	1434	1266	1077	906	878	798	1026	911	781	722	627	641
7. Diarrhœa and Dysentery		909		6358		224		90		29		49		97
8. Cholera	1027	101	4899	237	224	71	101	33	109	26	171	41	271	72
9. Other Zymotic Diseases	745	473	3165	1901	453	346	179	150	170	136	172	116	204	124
10. Cancer	434	528	23	13	9	7	9	8	18	17	30	35	141	163
11. Scrofula and Tubercles	366	396	1773	2106	233	211	214	173	189	171	132	129	120	106
12. Phthisis	2774	2483	1291	947	630	476	1292	1045	3515	3110	4289	3966	4575	4578
13. Hydrocephalus	334	285	2162	1847	331	256	98	85	30	22	8	8	6	4
14. Dis. of Brain	2495	2513	9479	8910	558	540	336	318	408	391	434	406	532	529
15. Dis. of Heart, and Dropsy	1311	1385	336	349	215	200	272	287	332	341	390	320	603	631
16. Dis. of Lungs	5733	5052	9499	10074	607	550	240	220	342	306	413	383	783	815
17. Dis. of Stomach and Liver	1001	964	1121	997	245	190	191	152	307	229	408	324	570	500
18. Dis. of Kidneys	116	182	38	78	24	48	50	44	43	63	69	109	100	117
19. Dis. of Generative Organs	104	109	7	4	3	3	2	3	13	17	46	46	94	99
20. Dis. of Joints	58	70	53	62	53	61	62	71	61	75	39	32	44	51
21. Dis. of Skin	47	56	137	174	9	9	8	11	8	9	8	18	12	24
22. Childbirth and Metria	320	321	-	-	-	-	1	3	144	161	612	633	886	921
23. Suicide	383	34	-	-	-	1		3	156	50	125	51	127	35
24. Other Violent Deaths		344	1138	1157	427	315	164	131		117		87		104
25. Other Causes	4063	3919	13885	14959	289	242	171	124	106	142	206	180	278	228

300,000 Males living of those Ages, in England in the Two Decennials 1851-60 and 1861-70.

100,000 AT EACH AGE.

1800,000 AT EACH AGE.												CAUSES OF DEATH.	
25-45		45-55		55-65		65-75		75-85		85 and upwards.			
1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.		
17,464	17,956	19,163	30,555	32,995	65,552	66,689	146,671	146,578	310,083	313,570	-	All Causes.	
0	30	53	68	34	48	27	38	19	29	50	36	1. Small-pox.	
1	4	2	2	1	1	1	1	1	1	-	7	2. Measles.	
2	23	20	16	15	8	10	5	8	8	-	7	3. Scarlatina.	
3	20	9	22	11	30	14	33	20	32	30	29	4. Diphtheria.	
4	1	3	4	4	1	1	1	-	-	-	-	5. Whooping-cough.	
5	765	779	904	1043	1159	1503	1469	1741	1509	1471	1374	6. Typhus.	
6	105	492	193	493	2230	1431	4927	3856	7690	7047	7047	7. Diarrhoea and Dysentery.	
7	99	144	190	190	240	240	236	236	4603	2676	174	8. Cholera.	
8	228	714	341	1061	613	1941	1176	3320	1933	4603	2676	9. Other Zymotic Diseases.	
9	305	422	530	581	1208	1504	1877	1734	2291	1869	2327	10. Cancer.	
10	87	128	107	143	140	185	157	122	93	91	73	11. Scrofula and Tuberc.	
11	4163	3800	3333	3297	2380	2024	977	698	549	342	-	12. Phthisis.	
12	8	7	2	8	2	8	3	12	2	-	-	13. Hydrocephalus.	
13	1242	1890	2244	4007	4655	9631	10918	17038	19612	19785	22238	14. Dis. of Brain.	
14	1233	1896	2187	4130	4581	8714	9229	12409	12992	10617	11494	15. Dis. of Heart, and Dropsy.	
15	1723	2082	3500	6616	7537	13416	15185	21058	25194	25608	34223	16. Dis. of Lungs.	
16	911	1664	1760	3032	3058	4827	4935	5246	5337	4375	4691	17. Dis. of Stomach and Liver.	
17	408	671	658	937	1279	2153	2897	4265	5040	4298	5709	18. Dis. of Kidneys.	
18	8	7	10	11	16	19	31	27	38	38	58	19. Dis. of Generative Organs.	
19	76	79	99	113	150	165	202	142	210	91	133	20. Dis. of Joints.	
20	29	43	57	85	111	202	236	497	372	511	589	21. Dis. of Skin.	
21	-	-	-	-	-	-	-	-	-	-	-	22. Childbirth and Metris.	
22	103	1399	1292	1613	1512	1810	1639	2218	2067	3270	3665	23. Suicide.	
23	1144	889	949	2080	2471	14012	12533	70671	61751	225109	216479	24. Other Violent Deaths.	
24	579	-	-	-	-	-	-	-	-	-	-	25. Other Causes.	

300,000 Females living of those Ages, in England in the Two Decennials 1851-60 and 1861-70.

100,000 AT EACH AGE.

1870-80 AT EACH AGE.												CAUSES OF DEATH.	
25-45		45-55		55-65		65-75		75-85		85 and upwards.		- All Causes.	
1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.		
12,934	15,198	15,555	27,007	27,773	58,656	58,797	134,338	134,427	289,558	283,642			
0	30	23	32	14	25	10	15	9	16	20	14	1. Small-pox.	
1	6	3	3	2	1	1	1	2	1	-	-	2. Measles.	
2	23	19	12	14	10	11	6	9	6	-	-	3. Scarlatina.	
3	22	10	22	9	22	11	21	12	20	15	16	4. Diphtheria.	
4	3	4	1	4	3	3	1	2	-	-	-	5. Whooping-cough.	
5	707	647	783	828	959	1279	1172	1435	1244	1273	932	6. Typhus.	
6	127	473	184	483	2157	1410	4675	3638	7304	6399	6399	7. Diarrhoea and Dysentery.	
7	101	116	153	153	203	203	219	219	260	260	260	8. Cholera.	
8	141	241	230	683	479	1549	938	2663	1614	3685	2030	9. Other Zymotic Diseases.	
9	673	1276	1328	1853	2300	2351	2310	2333	2844	2250	2713	10. Cancer.	
10	94	108	108	136	121	146	123	114	99	69	46	11. Scrofula and Tuberc.	
11	3800	3129	2650	2283	2065	1635	1250	754	475	474	280	12. Phthisis.	
12	3	5	2	5	2	7	2	8	1	-	-	13. Hydrocephalus.	
13	939	1041	1816	3818	4015	8905	9514	13093	17073	16439	19216	14. Dis. of Brain.	
14	1191	2464	3175	4558	4762	8916	9431	11531	12444	9347	9347	15. Dis. of Heart, and Dropsy.	
15	1120	2482	2327	5027	5675	11016	13111	17618	22166	21796	28121	16. Dis. of Lungs.	
16	908	1008	1580	2267	2079	4092	4712	4938	5539	5714	4681	17. Dis. of Stomach and Liver.	
17	217	212	316	317	508	485	723	470	755	765	671	18. Dis. of Kidneys.	
18	197	279	205	310	341	515	364	236	287	158	187	19. Dis. of Generative Organs.	
19	60	62	84	92	111	121	155	101	152	81	114	20. Dis. of Joints.	
20	31	31	47	75	94	191	193	319	330	404	402	21. Dis. of Skin.	
21	804	71	60	-	-	-	-	-	-	-	-	22. Childbirth and Metris.	
22	51	274	83	342	80	718	63	1854	79	404	50	23. Suicide.	
23	119	300	313	513	513	636	1892	63643	217977	208749	208749	24. Other Violent Deaths.	
24	308	777	671	2748	2905	14140	12189	70139	63543	217977	208749	25. Other Causes.	

TABLE 4.—England, 1851-60.—Number of Deaths from different Causes

CAUSES OF DEATH.	AGES OF MALES.							
	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox - - - - -	9774	16094	24021	28779	31091	14440	31800	14354
2. Measles - - - - -	13670	80408	88374	74200	59497	39307	30732	6539
3. Scarlatina - - - - -	11252	68667	156153	223376	247683	59611	233318	94426
4. Diphtheria - - - - -	1931	7042	12280	19186	24455	5948	26746	17411
5. Whooping-cough - - - -	33174	71544	63815	51639	38547	44613	15646	1316
6. Typhus - - - - -	5761	22247	45029	63282	77093	19337	110104	140647
7. Diarrhoea and Dysentery -	87046	75087	56702	22154	16776	72873	13955	10294
8. Cholera - - - - -	3173	5310	7789	9893	11233	4790	13468	12431
9. Other Zymotic Diseases -	39563	44369	72063	88244	83008	48499	54570	36534
10. Cancer - - - - -	154	256	642	813	870	292	1131	1690
11. Scrofula and Tubercles -	23373	42164	36406	27436	24579	28524	36684	51283
12. Phthisis - - - - -	12584	27414	27950	24857	28556	18345	61718	156399
13. Hydrocephalus - - - -	27704	67506	56885	47258	48861	40237	46516	21582
14. Diseases of Brain - - -	223389	80683	80184	71797	68603	168010	71570	74039
15. Diseases of Heart, and Dropsy -	4151	6130	8900	11289	14464	5875	28174	49460
16. Diseases of Lungs - - -	146561	207823	157688	124302	100355	155947	68753	45209
17. Diseases of Stomach and Liver -	23490	13491	15968	16377	20528	20291	30256	44865
18. Diseases of Kidneys - - -	377	883	1776	2880	3703	907	5407	9718
19. Diseases of Generative Organs -	79	74	46	18	—	68	63	142
20. Diseases of Joints - - -	316	826	1569	2138	3256	774	8293	19092
21. Diseases of Skin - - - -	2821	1696	1294	724	1193	2258	1459	2004
22. Childbirth and Metritis -	—	—	—	—	—	—	—	—
23. Suicide - - - - -	—	—	—	—	—	—	—	972
24. Other Violent Deaths - - -	10888	10023	40140	51516	63176	20034	75546	156500
25. Other Causes - - - - -	318769	132274	64228	37842	32383	228921	34401	33123
AGES OF FEMALES.								
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox - - - - -	11201	17119	24502	30004	31200	16277	28921	14993
2. Measles - - - - -	14446	81365	90823	77266	60559	43810	34256	8746
3. Scarlatina - - - - -	11297	68308	150643	214063	240199	64888	237324	104993
4. Diphtheria - - - - -	1799	6615	12991	21789	28912	6358	33279	24532
5. Whooping-cough - - - -	45089	96140	92419	75962	58638	68905	25539	2707
6. Typhus - - - - -	6015	23009	47511	68316	87756	22859	127997	173667
7. Diarrhoea and Dysentery -	90411	79825	36880	19938	16408	73482	13934	10233
8. Cholera - - - - -	3209	4734	6303	8585	9770	4597	12646	9777
9. Other Zymotic Diseases -	45119	42016	69849	80598	81318	50449	53870	35320
10. Cancer - - - - -	209	282	787	899	820	368	1095	1765
11. Scrofula and Tubercles -	23366	40422	32692	23710	22772	28264	30060	42262
12. Phthisis - - - - -	13975	27707	29256	26513	32969	20419	73601	255833
13. Hydrocephalus - - - -	24132	51141	45348	42943	42511	34450	39290	19455
14. Diseases of Brain - - -	208702	86286	77090	68981	65134	151070	66247	70502
15. Diseases of Heart, and Dropsy -	4481	5519	7334	8709	11635	5681	25528	53843
16. Diseases of Lungs - - -	137218	202307	162465	129641	101976	151398	72055	47537
17. Diseases of Stomach and Liver -	19810	13482	15883	17311	19688	17988	29146	38335
18. Diseases of Kidneys - - -	273	665	940	1604	1866	607	2345	6029
19. Diseases of Generative Organs -	59	198	185	106	25	104	32	397
20. Diseases of Joints - - -	448	827	1272	1939	2784	845	6237	12296
21. Diseases of Skin - - - -	3225	1851	1620	1287	920	2503	1127	1507
22. Childbirth and Metritis -	—	—	—	—	—	—	—	20
23. Suicide - - - - -	—	—	—	—	—	—	—	875
24. Other Violent Deaths - - -	12109	15160	28123	38607	46116	18142	50692	31791
25. Other Causes - - - - -	324028	130042	65025	39529	34605	221257	34269	33673

Causes of Death in Ten Years.

* SIXTEEN AGES to 1,000,000 Deaths at the same AGES from All Causes.

AGES OF MALES.									CAUSES OF DEATH.
5—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
15732	19674	12473	5505	2924	1090	408	128	98	1. Small-pox.
12533	862	493	276	120	31	16	7	—	2. Measles.
21767	7566	4073	2417	1111	433	150	54	—	3. Scarlatina.
2346	2381	1147	923	497	365	220	135	98	4. Diphtheria.
168	82	77	7	14	12	21	—	—	5. Whooping-cough.
12333	96265	70266	51900	43373	33801	23923	11864	4744	6. Typhus.
1799	10466	11449	11561	15177	20963	28582	30716	23694	7. Diarrhoea and Dysentery.
9128	2947	13721	14016	12225	9445	5556	2879	1106	8. Cholera.
2967	23451	33794	41525	39707	35145	29715	22632	14845	9. Other Zymotic Diseases.
2317	3065	6537	13978	23507	30172	23016	11823	5997	10. Cancer.
2044	24011	16731	9206	7009	4026	2334	834	295	11. Scrofula and Tubercles.
2042	450228	421391	320869	215310	108018	36569	6059	1770	12. Phthisis.
400	1332	739	567	387	260	123	81	—	13. Hydrocephalus.
2029	40788	60655	94544	110803	132784	150484	116501	63806	14. Diseases of Brain.
4139	32533	53720	80312	107220	133537	133378	84603	34238	15. Diseases of Heart, and of Generative Organs.
919	61677	80599	122123	172207	214414	205346	145777	82584	16. Diseases of Lungs.
1001	59400	48500	71272	92680	98277	74040	35703	14108	17. Diseases of Stomach and Intestines.
1156	11917	15186	25369	26221	30370	37546	29075	13862	18. Diseases of Kidneys.
4	246	169	313	408	317	284	182	123	19. Diseases of Generative Organs.
1332	2667	6321	4938	4415	3666	2522	969	295	20. Diseases of Joints.
101	1601	1478	1805	2333	2768	3007	2778	1647	21. Diseases of Skin.
—	—	—	—	—	—	—	—	—	22. Childbirth and Metritis.
406	4199	8885	11823	13441	11030	4981	1715	516	23. Suicide.
12007	10044	95483	80476	62789	41257	22726	13613	10028	24. Other Violent Deaths.
2015	25738	27113	36209	40310	90839	214463	483207	726146	25. Other Causes.

AGES OF FEMALES.

1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
1064	10688	6349	3071	1529	524	174	64	68	1. Small-pox.
1067	1172	789	312	158	65	10	17	—	2. Measles.
1061	9249	4820	2570	1220	537	185	64	—	3. Scarlatina.
2009	2178	1503	980	666	334	190	87	51	4. Diphtheria.
221	51	67	36	24	13	5	12	—	5. Whooping-cough.
12064	91507	63152	49128	42600	32865	21814	10685	4395	6. Typhus.
7036	19141	13921	15175	17726	24171	30768	31869	24257	7. Diarrhoea and Dysentery.
7139	9560	13354	15466	13392	10115	6012	2931	1277	8. Cholera.
12065	20115	20568	22923	25040	26290	26411	19820	12726	9. Other Zymotic Diseases.
1062	3465	14164	46737	84107	68597	40085	17519	7802	10. Cancer.
12066	13529	12114	8761	7132	5035	2496	850	233	11. Scrofula and Tubercles.
47081	502758	461025	343750	205261	88251	27867	5614	1635	12. Phthisis.
409	281	640	370	317	203	118	68	—	13. Hydrocephalus.
12067	50894	53614	71775	110637	141359	151818	111852	56844	14. Diseases of Brain.
6726	45760	60719	92019	135328	168784	152003	83835	32290	15. Diseases of Heart, and of Generative Organs.
6014	45597	50570	86326	135894	186130	187799	131371	75275	16. Diseases of Lungs.
6271	47581	57380	77170	106780	109862	79092	36904	12827	17. Diseases of Stomach and Intestines.
1063	5000	10662	12460	13970	11738	8262	3408	1261	18. Diseases of Kidneys.
2225	5491	9940	17158	10105	11470	5377	1902	546	19. Diseases of Generative Organs.
6250	4549	4416	4647	4059	3424	2055	752	290	20. Diseases of Joints.
1107	953	1254	1796	2021	2769	3255	2376	1397	21. Diseases of Skin.
12067	71799	86902	74440	4639	—	—	—	—	22. Childbirth and Metritis.
6100	3618	3553	4066	5507	3186	1481	376	187	23. Suicide.
17062	11045	9285	10434	12503	10932	10763	13425	13849	24. Other Violent Deaths.
20619	24218	20071	36437	51033	94327	241060	522119	752796	25. Other Causes.

England and Wales.—Males and Females :

TABLE 3.—England, 1861-70.—Number of Deaths from different Causes at

CAUSES OF DEATH.		AGES OF MALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
TOTAL DEATHS		1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox		6708	8335	14633	18690	19909	9031	18390	12642
2. Measles		14822	87870	94011	74327	57064	41925	23232	5839
3. Scarletina		10993	73407	174867	257220	289622	64861	272230	105006
4. Diphtheria		3501	12614	22282	35210	40244	10350	41478	23966
5. Whooping-cough		34835	73139	60671	50535	36634	46389	15045	1199
6. Typhus		4484	18110	41098	60183	72077	16816	108096	139470
7. Diarrhoea and Dysentery		103218	79621	33866	18626	14685	83379	10318	7412
8. Cholera		3220	3997	4976	5215	6179	3792	9288	9083
9. Other Zymotic Diseases		13058	37693	63184	78043	74816	20023	46428	31889
10. Cancer		28	105	440	941	964	176	902	1789
11. Scrofula and Tubes		29312	47734	37292	25337	23272	33203	34136	48797
12. Phthisis		8548	20647	22404	20189	23586	13527	52925	136695
13. Hydrocephalus		25215	56015	48918	42721	41970	35240	40029	20761
14. Diseases of Brain		199142	97076	84894	75523	71430	155977	73299	75192
15. Diseases of Heart, and Dropsy		3948	5386	8240	10349	14340	5448	28641	56484
16. Diseases of Lungs		156212	215813	163110	122598	98312	164188	67834	44648
17. Diseases of Stomach and Liver		23023	10967	13267	12550	15313	18776	25208	43096
18. Diseases of Kidneys		524	1685	3570	5581	6614	1593	10455	14549
19. Diseases of Generative Organs		59	57	82	112	112	66	58	157
20. Diseases of Joints		415	1130	1978	2934	3610	985	11593	22863
21. Diseases of Skin		3405	1867	1499	1196	1569	2716	1537	3421
22. Childbirth and Metria		—	—	—	—	—	—	—	—
23. Suicide		—	—	—	—	—	—	—	924
24. Other Violent Deaths		12990	18771	36609	47585	55804	20178	73669	168843
25. Other Causes		342485	123159	61491	34285	30005	242857	30119	26364

AGES OF FEMALES.									
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	
1. Small-pox		7646	9441	15198	18073	19648	10211	18091	12396
2. Measles		15811	87114	95895	78848	61293	46182	82777	7100
3. Scarletina		11529	71531	171823	246296	283588	70992	276575	119179
4. Diphtheria		3119	12868	24619	33447	50250	12262	57753	36030
5. Whooping-cough		46913	97826	93669	75275	55351	65248	23420	2440
6. Typhus		4625	19602	44531	62602	84261	19960	124578	177896
7. Diarrhoea and Dysentery		106671	83875	33970	18041	13302	84304	11572	6335
8. Cholera		3306	3854	4034	4637	6414	3744	9113	7378
9. Other Zymotic Diseases		13557	34647	60066	73941	69717	29066	41604	35300
10. Cancer		37	137	409	960	994	209	898	1686
11. Scrofula and Tubes		29977	46315	34695	23948	21613	33170	27134	38655
12. Phthisis		9323	20966	22572	21709	26356	14929	61422	233108
13. Hydrocephalus		21344	41709	38199	34827	34870	29120	32901	19090
14. Diseases of Brain		185069	91669	81790	74463	65404	140474	69553	70904
15. Diseases of Heart, and Dropsy		4219	5470	7027	9243	11834	5504	27001	63903
16. Diseases of Lungs		146210	210929	164316	127888	104903	158819	70922	48909
17. Diseases of Stomach and Liver		19048	10442	10877	12562	15309	18716	24440	35994
18. Diseases of Kidneys		423	1434	2329	3510	3839	1226	6223	9796
19. Diseases of Generative Organs		26	132	133	111	45	67	61	674
20. Diseases of Joints		432	1087	1624	2332	3523	974	7898	15827
21. Diseases of Skin		3515	1881	1828	1382	1513	2739	1214	2459
22. Childbirth and Metria		—	—	—	—	—	—	—	50
23. Suicide		—	—	—	—	—	—	10	734
24. Other Violent Deaths		14794	15445	25012	31984	34034	18243	40655	29215
25. Other Causes		350901	132076	64284	37860	31369	235843	31226	27747

The Table may be read thus :—Of 1,000,000 deaths of males aged 25 and under 35, on an average of the Ten Years 1861-70, 13,78

Causes of Death in Ten Years.

TOTAL AGES to 1,000,000 Deaths at the same AGES from All Causes.

AGES OF MALES.									CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
14828	21336	13783	7296	3555	1449	573	199	116	1. Small-pox.
1328	849	399	301	104	45	9	6	23	2. Measles.
3425	9414	4799	1697	806	231	77	54	23	3. Scarlatina.
3093	4113	2464	1497	1137	916	487	223	93	4. Diphtheria.
173	53	27	56	23	20	14	—	—	5. Whooping-cough.
12779	97335	71162	56887	47140	35113	22032	10292	4383	6. Typhus.
3398	5849	7233	7821	10082	14933	21755	20170	23473	7. Diarrhoea and Dysentery.
4329	4944	6742	7364	7526	5764	3603	1745	557	8. Cholera.
2534	15853	16394	17708	17775	18585	17638	13181	8535	9. Other Zymotic Diseases.
3779	3214	6140	15260	28120	36607	28142	15631	7421	10. Cancer.
1397	19872	12908	7220	5569	4250	2352	638	232	11. Scrofula and Tabes.
35344	450467	413520	309348	201416	99937	30344	4701	1090	12. Phthisis.
3219	1005	521	257	110	70	50	12	—	13. Hydrocephalus.
6824	52343	71087	99639	117110	141377	164170	133800	70066	14. Diseases of Brain.
14829	40788	67168	91592	114092	138932	138389	89634	36527	15. Diseases of Heart, and Dropsy.
5191	61822	98859	127867	182625	229941	227606	171887	109140	16. Diseases of Lungs.
2929	53137	45392	67641	89160	92674	74003	36547	14939	17. Diseases of Stomach and Liver.
1416	16161	24003	30119	34333	38760	43441	34386	18205	18. Diseases of Kidneys.
173	274	339	582	531	473	464	259	185	19. Diseases of Generative Organs.
1406	19471	7101	5654	5159	4352	3080	1433	487	20. Diseases of Joints.
594	2193	1909	2142	2984	3375	3544	2540	1878	21. Diseases of Skin.
—	—	—	—	—	—	—	—	—	22. Childbirth and Metria.
460	6972	9348	12120	13066	11377	5345	1745	649	23. Suicide.
1470	113551	100146	84986	67431	48836	24875	14102	11689	24. Other Violent Deaths.
1579	18532	30494	42938	40535	74883	187907	441755	690369	25. Other Causes.

AGES OF FEMALES.									CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
15049	11591	7235	4143	2023	904	283	120	48	1. Small-pox.
1396	1231	989	474	180	50	22	10	—	2. Measles.
2990	13348	7510	2729	787	353	107	42	—	3. Scarlatina.
9148	5196	2925	1845	1381	788	356	151	64	4. Diphtheria.
67	112	56	26	7	11	9	—	—	5. Whooping-cough.
12732	90762	66208	59658	50433	34618	19393	9257	3284	6. Typhus.
3464	7407	10067	10540	11858	17380	23974	27004	23264	7. Diarrhoea and Dysentery.
2999	3295	7441	8402	7490	5575	3446	1632	918	8. Cholera.
3924	14653	12336	13354	15301	17248	16213	12003	7261	9. Other Zymotic Diseases.
2397	4191	10853	55903	93971	82809	47783	21153	9563	10. Cancer.
2593	16144	10900	8142	6926	4331	2093	735	161	11. Scrofula and Tabes.
69996	69398	432089	324045	183215	74340	21080	3534	918	12. Phthisis.
3365	1056	437	240	153	77	36	10	—	13. Hydrocephalus.
1402	81017	56821	77294	116761	144550	153410	127004	67740	14. Diseases of Brain.
2122	48954	65141	98992	139640	171453	160396	92370	32812	15. Diseases of Heart, and Dropsy.
4912	49171	63270	93930	146678	211540	222986	164894	99144	16. Diseases of Lungs.
2465	49653	52504	75327	101540	107270	80134	41230	16502	17. Diseases of Stomach and Liver.
549	12863	16192	20215	20299	18301	12290	5468	2367	18. Diseases of Kidneys.
2534	5742	10216	16393	10631	12274	6199	2152	660	19. Diseases of Generative Organs.
1117	6550	5270	4905	5412	3987	2040	1131	403	20. Diseases of Joints.
1099	2212	2457	2560	3043	3102	3201	2497	1417	21. Diseases of Skin.
2844	79190	95104	73923	3850	—	—	—	—	22. Childbirth and Metria.
4296	3940	3568	4973	5332	3115	1403	537	177	23. Suicide.
1797	10974	10379	11541	12885	11342	10811	14074	14357	24. Other Violent Deaths.
2143	20071	23593	31879	43140	74362	206481	472091	718331	25. Other Causes.

AGES OF FEMALES.

1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
1399	11981	7235	4143	2028	904	263	120	48	1. Small-pox.
1996	1231	929	474	180	50	22	10	—	2. Measles.
2090	13348	7510	2729	787	353	107	42	—	3. Scarlatina.
9148	5196	2925	1845	1381	788	356	151	64	4. Diphtheria.
67	112	56	26	7	11	9	—	—	5. Whooping-cough.
17372	90762	66208	59658	50433	34518	19503	9257	3284	6. Typhus.
1464	7407	10067	10540	11858	17380	23974	27064	23264	7. Diarrhoea and Dysentery.
1999	5398	7441	8402	7480	5575	3440	1632	918	8. Cholera.
5924	14653	12836	13354	15301	17248	16213	12005	7261	9. Other Zymotic Diseases.
297	4191	10853	55903	93971	82809	47783	21153	9563	10. Cancer.
2985	16144	10900	8142	6926	4351	2093	735	161	11. Scrofula and Tabes.
40986	408596	452089	324045	183215	74340	21080	3534	918	12. Phthisis.
3365	1056	437	240	153	77	36	10	—	13. Hydrocephalus.
1402	61017	56821	77294	116761	144350	158410	127004	67740	14. Diseases of Brain.
2121	40954	63141	98992	139640	171453	160396	92570	32812	15. Diseases of Heart, and Dropsy.
4412	48171	63270	93930	146578	211540	222986	164894	99144	16. Diseases of Lungs.
2403	40653	52504	75527	101540	107270	80134	41289	16502	17. Diseases of Stomach and Liver.
129	12963	16192	20215	20299	19301	12290	5468	2367	18. Diseases of Kidneys.
239	5742	10216	16383	19031	12274	6194	2132	660	19. Diseases of Generative Organs.
1127	6550	5270	4065	5412	3987	2040	1131	403	20. Diseases of Joints.
169	2212	2457	2560	3043	3402	3291	2497	1417	21. Diseases of Skin.
2494	79190	95104	73825	3950	—	—	—	—	22. Childbirth and Metria.
4306	5040	3568	4373	5332	3115	1403	537	177	23. Suicide.
1707	10974	10379	11541	12885	11342	10811	14074	14357	24. Other Violent Deaths.
2143	20071	23593	31879	43140	74362	206161	472991	718331	25. Other Causes.

from small-pox, 71,162 from typhus, 413,520 from phthisis, 86,559 from diseases of the lungs, and so on for the other diseases.

TABLE 6.—ENGLAND, 1851-70.—Mean Number of Deaths from different
This TABLE is deduced from Tables 4. and 5. by taking the means of

CAUSES OF DEATH.	AGES OF MALES.							
	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox - - - -	8241	12214	19327	23734	25500	11740	25095	13468
2. Measles - - - -	14246	84139	91193	74234	58581	40616	29482	6189
3. Scarletina - - - -	11123	71037	165510	240298	268633	62136	262774	99716
4. Diphtheria - - - -	2616	9828	17281	27196	32349	8149	34112	20688
5. Whooping-cough - - -	34029	72342	65243	51087	37591	45601	15345	1257
6. Typhus - - - -	5123	20179	43364	61733	75035	18070	109100	140059
7. Diarrhœa and Dysentery	95132	77354	35284	20390	16730	78126	12136	8818
8. Cholera - - - -	3196	4663	6382	7554	8856	4291	11378	10757
9. Other Zymotic Diseases	26311	41032	67624	83144	78912	38759	50999	34237
10. Cancer - - - -	91	180	545	877	917	254	1061	1734
11. Scrofula and Tabes	26342	44040	36894	26411	23023	30863	33410	50040
12. Phthisis - - - -	10566	23981	25177	22523	26071	15936	37322	146047
13. Hydrocephalus - - -	26460	61760	52902	44090	45416	37739	43273	21172
14. Diseases of Brain - -	211265	93380	82539	73660	70062	161844	72335	74571
15. Diseases of Heart, and Dropsy	4050	5758	8670	10819	14406	5661	23408	52972
16. Diseases of Lungs - -	151386	211818	160899	123450	90334	160068	68296	44620
17. Diseases of Stomach and Liver	23259	12179	14617	14463	17920	19633	27732	43981
18. Diseases of Kidneys - -	451	1284	2677	4230	5158	1250	7976	12133
19. Diseases of Generative Organs	69	65	64	63	56	67	60	149
20. Diseases of Joints - -	363	978	1773	2536	3453	879	9940	20978
21. Diseases of Skin - - -	3113	1776	1896	960	1381	2467	1466	2712
22. Childbirth and Metria	—	—	—	—	—	—	—	—
23. Suicide - - - -	—	—	—	—	—	—	—	948
24. Other Violent Deaths -	11939	18897	38579	49551	53490	20106	74608	162671
25. Other Causes - - - -	330627	180217	62860	36063	31224	235759	32260	26744
AGES OF FEMALES.								
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox - - - -	9428	13280	19850	24558	25424	13244	23461	13693
2. Measles - - - -	15029	84240	93350	78057	60926	44966	33517	7223
3. Scarletina - - - -	11413	69920	161233	230630	261894	67940	256950	111787
4. Diphtheria - - - -	2458	9741	18905	30118	39881	9660	46519	30741
5. Whooping-cough - - -	45991	96483	93044	75619	57585	64527	24479	2618
6. Typhus - - - -	5320	21255	40021	65959	86009	21410	126288	175777
7. Diarrhœa and Dysentery	99541	81700	35425	18989	14855	78938	12733	8379
8. Cholera - - - -	3257	4294	5198	6611	8092	4170	10879	8577
9. Other Zymotic Diseases	26338	38332	64953	77270	75517	40208	49257	34340
10. Cancer - - - -	123	209	593	934	907	288	996	1725
11. Scrofula and Tabes	26922	43369	33603	23329	22192	30722	23607	40439
12. Phthisis - - - -	11640	24337	26914	24111	29673	17674	67512	241318
13. Hydrocephalus - - -	22758	46425	41774	38885	38901	31785	36121	19258
14. Diseases of Brain - -	190886	88968	79435	71723	65314	146772	67901	70703
15. Diseases of Heart, and Dropsy	4350	5404	7180	8976	11734	5592	26264	58873
16. Diseases of Lungs - -	141714	206618	163391	128765	103440	155109	71489	48253
17. Diseases of Stomach and Liver	19429	11962	13580	14836	17848	16792	26793	36175
18. Diseases of Kidneys - -	350	1049	1639	2557	2832	916	4535	7913
19. Diseases of Generative Organs	42	165	159	108	35	85	46	535
20. Diseases of Joints - -	440	932	1448	2160	3153	909	7067	14062
21. Diseases of Skin - - -	3870	1866	1724	1334	1216	2620	1170	1983
22. Childbirth and Metria	—	—	—	—	—	—	—	39
23. Suicide - - - -	—	—	—	—	—	—	5	654
24. Other Violent Deaths -	13452	15302	27017	35296	40075	18193	45664	30503
25. Other Causes - - - -	337765	134059	64655	38595	32987	228550	32747	30710

Causes of Death in Twenty Years.

Causes at SIXTEEN AGES to 1,000,000 Deaths at the same AGES from ALL Causes.
the several numbers for the Two Decennials 1851-60 and 1861-70.

AGES OF MALES.									CAUSES OF DEATH.
15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
12225	26630	13130	6400	3339	1269	400	163	107	1. Small-pox.
1579	865	446	288	112	38	12	6	11	2. Measles.
22945	8490	4436	2057	959	357	113	54	11	3. Scarlatina.
7619	2947	1806	1211	818	640	353	179	95	4. Diphtheria.
189	67	53	31	18	16	17	—	—	5. Whooping-cough.
123454	9099	70714	55424	43257	34457	22978	11078	4563	6. Typhus.
6595	8157	9306	9991	12630	17948	25169	28448	23084	7. Diarrhoea and Dysentery.
6528	7305	10231	10690	9676	7604	4579	2312	831	8. Cholera.
13966	12653	25094	29616	28771	26865	23677	17907	11690	9. Other Zymotic Diseases.
5795	3133	6338	14619	25818	33369	25579	13727	6700	10. Cancer.
26311	21942	14820	8212	6299	4488	2593	736	263	11. Scrofula and Tabes.
30778	45948	417456	315109	207363	103978	33457	5710	1430	12. Phthisis.
3947	1193	630	412	248	163	86	46	—	13. Hydrocephalus.
39412	51005	68871	97092	113957	137081	157327	125151	67386	14. Diseases of Brain.
48679	40021	60444	85952	109906	136335	135884	86619	35383	15. Diseases of Heart, and D.
38679	61760	83729	124998	177416	222178	216521	157832	95862	16. Diseases of Lungs.
26296	35919	49950	69457	90920	95476	74022	36158	14534	17. Diseases of Stomach and
12670	14040	21065	26744	30277	34565	40494	31731	16034	18. Diseases of Kidneys.
112	260	254	447	469	410	374	220	154	19. Diseases of Generative O.
12601	9764	6711	5296	4787	4109	2776	1201	391	20. Diseases of Joints.
2262	1697	1693	1973	2683	3071	3320	2659	1763	21. Diseases of Skin.
—	—	—	—	—	—	—	—	—	22. Childbirth and Metria.
4258	6735	9116	11976	13554	11203	5163	1730	582	23. Suicide.
12922	107908	97815	82731	65110	45547	25801	13857	10859	24. Other Violent Deaths.
2257	21635	28804	39574	49523	80861	201215	462481	706258	25. Other Causes.

AGES OF FEMALES.

15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	CAUSES OF DEATH.
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	
11696	11335	7042	3608	1778	714	218	92	58	1. Small-pox.
1861	1201	859	593	169	57	16	13	—	2. Measles.
22771	11249	6165	2649	1003	445	146	53	—	3. Scarlatina.
7239	3686	2214	1412	1023	561	273	119	57	4. Diphtheria.
294	81	61	31	15	12	7	6	—	5. Whooping-cough.
12929	91135	64670	53593	46517	33802	20703	9971	3839	6. Typhus.
6467	8774	11904	12857	14792	20775	27371	29467	23761	7. Diarrhoea and Dysentery.
5369	7534	10399	11934	10436	7845	4729	2281	1097	8. Cholera.
21739	17334	16702	18139	20201	21269	21312	15913	9904	9. Other Zymotic Diseases.
2929	3783	15509	52320	91489	78703	43987	19336	8683	10. Cancer.
5269	15837	11512	8453	7029	4693	2294	792	199	11. Scrofula and Tabes.
62549	500563	456557	333998	194238	81296	24474	4674	1276	12. Phthisis.
3728	1018	558	305	235	140	77	34	—	13. Hydrocephalus.
57115	50956	55218	74535	113699	142953	155114	119428	62207	14. Diseases of Brain.
6221	47357	62960	95506	137839	170119	150200	89203	32546	15. Diseases of Heart, and I.
46245	46264	60970	90128	142636	168840	205393	148133	87210	16. Diseases of Lungs.
27199	44117	54947	76349	103660	108566	80063	39097	14665	17. Diseases of Stomach and
7713	10476	13587	16338	17135	15010	10276	4463	1814	18. Diseases of Kidneys.
2231	5571	10032	16776	19968	11872	5787	2017	603	19. Diseases of Generative O.
9753	5549	4643	4606	4750	3705	2347	941	346	20. Diseases of Joints.
1298	1583	1255	2173	2532	3085	3273	2436	1407	21. Diseases of Skin.
2197	73645	92203	74153	4254	—	—	—	—	22. Childbirth and Metria.
964	3779	3560	4819	5420	3125	1442	456	182	23. Suicide.
12335	11009	9607	10987	12906	11167	10787	13750	14403	24. Other Violent Deaths.
2261	22145	26627	34158	47067	84345	223761	497405	735564	25. Other Causes.

TABLE 7.—Table of Mortality, derived from the **ENGLISH LIFE TABLE**, showing of what The TABLE shows also, according to the English Life Table, the Annual Births being 1,000,000; the Population of 40,858,184, enjoying

AGES	ALL AGES.	0— (See Table 10.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	1,000,000	263,182	34,309	17,946	21,813	28,705
TOTAL ZYMOTIC DISEASES—Order 1.*	175,619	87,099	19,256	6,555	4,717	4,554
ZYMOTIC DISEASES—Order 1.*						
1. Small-pox	6,521	3,331	833	214	201	456
2. Measles	12,865	11,507	1,060	127	39	29
3. Scarletina	30,021	17,959	8,743	1,901	403	233
4. Diphtheria	4,945	2,425	1,364	464	165	100
5. Whooping-cough	15,161	14,424	682	35	6	2
6. Typhus	38,107	5,401	4,036	2,842	2,907	2,006
7. Diarrhoea and Dysentery	31,366	20,344	427	154	141	244
8. Cholera	6,155	1,129	382	173	134	215
9. Other Zymotic Diseases—Order 1.*	27,478	10,579	1,709	615	541	529
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	21,311	71	35	31	58	100
11. Scrofula and Tubercles	14,106	8,115	1,100	811	633	541
12. Phthisis	114,417	4,469	2,139	3,526	9,074	13,785
13. Hydrocephalus	11,252	9,206	1,363	362	84	33
LOCAL DISEASES.						
14. Diseases of the Brain	121,869	40,065	2,406	1,303	1,275	1,464
15. Diseases of the Heart, and Dropsy .	76,660	1,507	938	1,005	1,080	1,255
16. Diseases of the Lungs	149,585	41,476	2,397	837	1,056	1,577
17. Diseases of the Stomach and Liver .	52,497	4,778	936	717	844	1,137
18. Diseases of the Kidneys	14,910	301	215	179	234	351
19. Diseases of the Generative Organs .	3,062	20	2	6	26	85
20. Diseases of the Joints	3,395	243	292	312	270	219
21. Diseases of the Skin	2,512	663	46	42	39	50
22. CHILDBIRTH AND METRIA	6,921	—	—	—	244	1,100
VIOLENT DEATHS.						
23. Suicide	3,479	—	—	14	94	150
24. Other Violent Deaths	30,052	5,175	2,069	1,703	1,580	1,677
25. OTHER CAUSES	194,363	59,904	1,115	543	506	628

The Table may be read vertically thus:—Under 5 years of age 263,182 may be expected to die; 3,331 of Small-pox, namely, 833 of Small-pox, 1,080 of Measles, 8,743 of Scarletina, &c. The Table, read horizontally, shows at what Typhus; namely, 5,401 under 5 years of age, 4,036 at ages 5—10, 2,342 aged 10—15, 2,007 aged 15—20, 2,096 aged 20—25,

NOTE.—The term "Other Causes" includes the diseases under Class I., Orders 2, 3, and 4, namely, Syphilis, Stricture Worms; Class II., part of Order 1, namely, Gout, Cancerum Oris, and Mortification; Class IV., Order 1, parts of Old Age, Atrophy and Debility; Sudden Deaths and Deaths from Causes not specified are also included.

The numbering of the above heads of diseases will be found useful for comparison with Tables 33—34, where the

* Exclusive of Metria or Puerperal Fever, which in this Table and

Diseases and at what Ages 1,000,000 LIVEBORN CHILDREN may be expected to die.

Annual Deaths 1,000,000; the Deaths at the respective Ages and of the respective Causes out of a Mean Life-time of 40·858 years.

25—	35—	45—	55—	65—	75—	85 and upwards.	AGES.
62,052	66,078	81,800	112,080	147,905	122,559	38,565	DEATHS FROM ALL CAUSES.
7,913	7,616	8,101	9,795	11,256	7,229	1,523	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
621	347	210	113	53	16	3	1. Small-pox.
41	23	11	5	2	1	—	2. Measles.
350	162	80	45	19	6	—	3. Scarlatina.
125	91	74	68	47	19	3	4. Diphtheria.
4	2	2	2	2	—	—	5. Whooping-cough.
4,197	3,777	3,740	3,823	3,233	1,287	160	6. Typhus.
664	776	1,115	2,163	3,893	3,551	905	7. Diarrhoea and Dysentery.
640	781	829	865	688	281	38	8. Cholera.
1,283	1,657	2,031	2,713	3,329	2,068	414	9. Other Zymotic Diseases—Order 1.
							FIVE CONSTITUTIONAL DISEASES.
662	2,290	4,583	5,998	5,123	2,040	301	10. Cancer.
815	576	542	511	361	93	8	11. Scrofula and Tabes.
27,134	22,404	16,468	10,445	4,294	627	52	12. Phthisis.
36	24	20	18	12	5	—	13. Hydrocephalus.
							LOCAL DISEASES.
1,444	5,941	9,313	15,678	23,108	14,974	2,468	14. Diseases of the Brain.
3,829	6,261	10,041	17,061	21,579	10,781	1,303	15. Diseases of the Heart, & Dropsy.
4,679	7,452	13,203	23,659	31,213	18,726	3,510	16. Diseases of the Lungs.
3,185	5,032	7,917	11,400	11,389	4,619	563	17. Diseases of the Stomach & Liver.
1,673	1,426	1,962	2,833	3,785	2,154	310	18. Diseases of the Kidneys.
824	585	750	657	450	141	16	19. Diseases of the Genarat. Organs.
357	349	390	438	379	131	15	20. Diseases of the Joints.
116	143	214	344	488	312	61	21. Diseases of the Skin.
2,901	2,516	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
301	564	803	826	492	131	14	23. Suicide.
3,301	3,280	3,354	3,155	2,572	1,691	495	24. Other Violent Deaths.
1,891	2,550	3,959	9,249	31,405	58,905	27,906	25. OTHER CAUSES.

11,597 of Measles, 17,959 of Scarlatina, and so on. At 5 and under 10 years of age, 34,309 may be expected to die; and respectively the several sets of causes prove fatal to life: thus, 38,107 persons may be expected to die of 4,197 aged 25—35, and so on.

of Urethra, Hydrophobia, Glanders, Privation, Want of Breast-milk, Purpura and Scurvy, Alcoholism, Thrush, and Orders 2, 3, and 4, namely, Premature Birth, Cyanosis, Spina Bifida, other Malformations, Teething, Paramenia,

deaths in the 25 years 1846-72 are shown for Males and Females separately for the individual diseases. In subsequent Tables is returned in conjunction with Childbirth.

TABLE 8.—Table of Mortality, derived from the **ENGLISH LIFE TABLE**, showing of what The TABLE shows also, according to the English Life Table, the Annual Births being 511,745; the Male Population

AGES	ALL AGES.	0— (See Table 11.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	511,745	141,387	17,327	8,741	10,632	14,166
TOTAL ZYMOTIC DISEASES—Order 1.	89,192	44,294	9,354	2,930	2,318	2,339
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	3,592	1,691	435	118	163	291
2. Measles	6,509	5,883	511	54	17	12
3. Scarlatina	15,187	9,258	4,390	872	245	120
4. Diphtheria	2,315	1,204	591	181	81	46
5. Whooping-cough	6,777	6,491	298	11	2	1
6. Typhus	19,115	2,673	1,891	1,224	1,308	1,371
7. Diarrhoea and Dysentery . . .	17,554	10,889	210	77	70	116
8. Cholera	3,150	618	197	94	73	105
9. Other Zymotic Diseases—Order 1. .	15,023	5,589	873	299	299	277
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	6,794	35	18	15	30	45
11. Scrofula and Tabes	7,602	4,370	614	438	347	311
12. Phthisis	56,856	2,284	998	1,377	3,811	6,507
13. Hydrocephalus	6,443	5,396	750	185	42	17
LOCAL DISEASES.						
14. Diseases of the Brain	64,762	22,580	1,253	652	639	723
15. Diseases of the Heart, and Dropsy .	36,490	816	492	463	528	567
16. Diseases of the Lungs	80,578	22,587	1,183	393	541	875
17. Diseases of the Stomach and Liver .	25,955	2,743	461	384	490	466
18. Diseases of the Kidneys	10,906	183	133	106	148	199
19. Diseases of the Generative Organs .	130	10	1	1	1	4
20. Diseases of the Joints	1,912	129	172	183	161	138
21. Diseases of the Skin	1,306	348	26	24	25	27
22. CHILDBIRTH AND METRUA . . .	—	—	—	—	—	—
VIOLENT DEATHS.						
23. Suicide	2,606	—	—	8	46	95
24. Other Violent Deaths	22,659	2,921	1,293	1,422	1,387	1,517
25. OTHER CAUSES	97,554	32,699	559	260	238	306

Diseases and at what Ages 511,745 Boys BORN ALIVE may be expected to die.

Annual Deaths 511,745 ; the Deaths at the respective Ages and of the respective Causes out of a of 20,426,138.

25—	35—	45—	55—	65—	75—	85 and upwards.	AGES.
30,302	36,148	44,169	58,785	74,977	58,900	16,877	DEATHS FROM ALL CAUSES.
4,140	4,054	4,401	5,244	5,802	3,542	682	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
403	225	143	75	37	10	2	1. Small-pox.
14	10	5	2	1	—	—	2. Measles.
136	72	42	21	8	3	—	3. Scarlatina.
55	43	26	28	27	11	2	4. Diphtheria.
2	1	1	1	1	—	—	5. Whooping-cough.
2,163	1,948	1,909	2,026	1,723	632	77	6. Typhus.
287	340	553	1,055	1,837	1,675	390	7. Diarrhoea and Dysentery.
313	276	456	447	343	136	14	8. Cholera.
768	1,041	1,271	1,579	1,775	1,055	197	9. Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DISEASES.
194	514	1,140	1,963	1,918	809	113	10. Cancer.
453	289	276	261	194	43	4	11. Scrofula and Tabes.
12,771	11,673	9,159	6,112	2,509	336	24	12. Phthisis.
19	14	11	10	6	3	—	13. Hydrocephalus.
							LOCAL DISEASES.
2,107	2,412	5,034	8,058	11,796	7,371	1,137	14. Diseases of the Brain.
1,449	2,020	4,354	8,014	10,188	5,102	597	15. Diseases of the Heart, & Dropsy.
2,561	4,393	7,886	13,061	16,234	9,296	1,618	16. Diseases of the Lungs.
1,496	2,441	4,916	5,613	5,550	2,130	245	17. Diseases of the Stomach & Liver.
645	940	1,337	2,032	3,036	1,869	271	18. Diseases of the Kidneys.
8	16	21	24	28	13	3	19. Diseases of the Generat. Organs.
286	186	211	241	208	71	7	20. Diseases of the Joints.
52	69	119	180	249	157	30	21. Diseases of the Skin.
—	—	—	—	—	—	—	22. CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
279	421	509	659	387	102	10	23. Suicide.
2,992	2,907	2,876	2,500	1,785	816	183	24. Other Violent Deaths.
631	1,201	2,187	4,763	15,067	27,240	11,953	25. OTHER CAUSES.

TABLE 9.—Table of Mortality, derived from the ENGLISH LIFE TABLE, showing of what The TABLE shows also, according to the English Life Table, the Annual Births being 488,255 ; the Female Population

AGES	ALL AGES.	0— (See Table 11.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	488,255	121,796	16,982	9,205	11,131	14,530
TOTAL ZYMOTIC DISEASES—Order 1.	86,427	42,805	9,902	3,625	2,399	2,215
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	2,929	1,640	398	128	128	165
2. Measles	6,356	5,624	569	73	22	17
3. Scarlatina	14,864	8,701	4,363	1,029	248	163
4. Diphtheria	2,630	1,821	773	283	84	54
5. Whooping-cough	8,334	7,933	416	24	4	1
6. Typhus	18,992	2,728	2,145	1,618	1,539	1,525
7. Diarrhoea and Dysentery	16,812	9,455	217	77	71	123
8. Cholera	3,005	513	185	79	61	110
9. Other Zymotic Diseases—Order 1. .	12,455	4,990	836	316	242	252
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	14,517	36	17	16	28	55
11. Scrofula and Tabes	6,504	3,745	486	373	286	230
12. Phthisis	57,561	2,185	1,146	2,249	5,363	7,278
13. Hydrocephalus	4,809	3,910	613	177	42	15
LOCAL DISEASES.						
14. Diseases of the Brain	57,097	17,485	1,153	651	636	741
15. Diseases of the Heart, and Dropsy .	40,170	691	446	542	552	688
16. Diseases of the Lungs	69,007	18,839	1,214	444	515	702
17. Diseases of the Stomach and Liver .	26,542	2,035	455	333	424	641
18. Diseases of the Kidneys	4,004	116	77	73	86	152
19. Diseases of the Generative Organs .	2,932	10	1	5	25	81
20. Diseases of the Joints	1,483	114	120	129	109	81
21. Diseases of the Skin	1,206	315	20	18	14	23
22. CHILDBIRTH AND METRIA . . .	6,921	—	—	—	244	1,100
VIOLENT DEATHS.						
23. Suicide	873	—	—	6	48	55
24. Other Violent Deaths	7,393	2,254	776	231	193	180
25. OTHER CAUSES	100,809	27,205	556	283	267	323

Men and at what Ages 488,255 Girls BORN ALIVE may be expected to die.

Annual Deaths 488,255 ; the Deaths at the respective Ages and of the respective Causes out of a of 20,432,046.

25 —	35 —	45 —	55 —	65 —	75 —	85 and upwards.	AGES.
31,460	33,936	37,631	53,301	72,928	63,659	21,688	DEATHS FROM ALL CAUSES.
3,778	3,500	3,610	4,551	5,454	3,687	841	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
222	122	67	38	16	6	1	1. Small-pox.
27	13	6	3	1	1	—	2. Measles.
194	90	38	24	11	3	—	3. Scarlatina.
70	48	38	30	20	8	1	4. Diphtheria.
2	1	1	1	1	—	—	5. Whooping-cough.
2,824	1,829	1,750	1,796	1,510	635	83	6. Typhus.
377	436	557	1,107	1,998	1,876	515	7. Diarrhoea and Dysentery.
367	405	303	418	345	145	24	8. Cholera.
225	616	700	1,134	1,554	1,013	317	9. Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DISEASES.
406	1,776	3,443	4,035	3,204	1,231	188	10. Cancer.
362	287	264	250	167	50	4	11. Scrofula and Tuberc.
14,363	11,331	7,309	4,533	1,785	291	28	12. Phthisis.
17	10	9	8	6	2	—	13. Hydrocephalus.
							LOCAL DISEASES.
1,737	2,539	4,279	7,620	11,312	7,603	1,351	14. Diseases of the Brain.
1,980	3,241	5,187	9,067	11,391	5,679	706	15. Diseases of the Heart, & Dropsy.
1,918	3,059	5,367	10,596	14,979	9,430	1,892	16. Diseases of the Lungs.
1,729	2,591	3,901	5,787	5,839	2,469	318	17. Diseases of the Stomach & Liver.
437	555	645	800	740	285	39	18. Diseases of the Kidneys.
316	506	729	633	423	128	13	19. Diseases of the Generat. Organs.
122	163	179	197	171	60	8	20. Diseases of the Joints.
58	74	95	164	239	165	31	21. Diseases of the Skin.
2,901	2,516	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
112	143	304	167	105	29	4	23. Suicide.
309	373	478	595	787	875	312	24. Other Violent Deaths.
913	1,159	1,773	4,496	16,318	31,665	15,963	25. OTHER CAUSES.

English Life Table.—Children :

TABLE 10.—Table showing out of 1,000,000 LIVEBORN CHILDREN what Numbers die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Table 7. It shows the deaths at *each year* of age under 5.)

CHILDREN OF BOTH SEXES.						
AGES	Total under 5 Years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES . .	263,182	140,403	53,690	23,233	18,456	13,315
TOTAL ZYMOTIC DISEASES—Order 1.	87,099	31,286	21,777	14,811	11,060	8,195
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	3,331	1,310	683	553	446	339
2. Measles	11,507	2,181	4,520	2,005	1,405	796
3. Scarletina	17,959	1,682	3,784	4,614	4,246	3,533
4. Diphtheria	2,425	381	526	511	529	478
5. Whooping-cough	14,424	5,874	4,515	2,233	1,170	633
6. Typhus	5,401	779	1,111	1,261	1,179	1,071
7. Diarrhoea and Dysentery	20,344	14,511	4,206	909	364	204
8. Cholera	1,129	481	240	164	131	113
9. Other Zymotic Diseases—Order 1. .	10,579	4,067	2,132	1,372	1,480	1,028
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	71	16	10	16	17	12
11. Scrofula and Tabes	3,115	3,976	2,372	997	463	307
12. Phthisis	4,469	1,650	1,297	721	430	371
13. Hydrocephalus	9,296	3,710	2,915	1,333	773	560
LOCAL DISEASES.						
14. Diseases of the Brain	40,065	30,637	4,897	2,287	1,242	903
15. Diseases of the Heart, and Dropsy .	1,507	625	302	233	183	174
16. Diseases of the Lungs	41,476	21,996	11,234	4,571	2,327	1,349
17. Diseases of the Stomach and Liver .	4,778	3,225	648	306	271	238
18. Diseases of the Kidneys	301	61	62	61	63	54
19. Diseases of the Generative Organs .	20	9	6	3	2	—
20. Diseases of the Joints	243	60	51	45	43	44
21. Diseases of the Skin	663	483	98	44	21	17
22. CHILDBIRTH AND METRIA . .	—	—	—	—	—	—
VIOLENT DEATHS.						
23. Suicide	—	—	—	—	—	—
24. Other Violent Deaths	5,175	1,884	990	925	782	664
25. OTHER CAUSES	59,904	40,896	7,091	1,800	689	428

Deaths by several Causes.

C1

TABLE 11.—Table showing out of 511,745 MALE CHILDREN, and of 488,255 FEMALE CHILDREN, BORN ALIVE, the Numbers of Male and Female Children respectively who die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Tables 8 and 9.)

SEX - -	MALES.						FEMALES.					
AGES - - -	Total under 5 years.	0—	1—	2—	3—	4—5	Total under 5 years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES - - }	141,387	83,719	27,521	14,215	9,213	6,719	121,795	65,774	26,159	14,023	9,243	6,596
TOTAL ZYMOTIC DISEASES—Order 1. - }	44,294	16,745	10,810	7,367	5,432	4,040	42,806	14,521	10,907	7,544	5,618	4,155
ZYMOTIC DISEASES—Order 1.												
1. Small-pox - - -	1,691	690	336	275	219	171	1,640	620	347	278	227	168
2. Measles - - -	5,863	1,193	2,316	1,296	684	304	5,624	968	2,204	1,309	721	402
3. Scarlatina - - -	9,268	931	1,965	2,353	2,214	1,805	8,701	751	1,829	2,261	2,132	1,728
4. Diphtheria - - -	1,204	219	271	246	251	217	1,221	162	255	265	278	261
5. Whooping-cough -	6,491	2,849	1,991	927	471	253	7,933	3,025	2,224	1,305	699	380
6. Typhus - - -	2,673	429	555	616	599	504	2,728	350	556	645	610	567
7. Dysentery & Cholera -	10,889	7,964	2,129	502	188	108	9,455	6,547	2,137	497	176	98
8. Cholera - - -	616	267	128	91	70	60	513	214	112	73	61	53
9. Other Zymotic Dis.—Order 1. - - - }	5,589	2,208	1,129	961	766	530	4,990	1,864	1,003	911	714	498
FIVE CONSTITUTIONAL DISEASES.												
10. Cancer - - -	35	8	5	8	8	6	36	8	5	8	9	6
11. Scrofula and Tabes -	4,370	2,395	1,237	524	243	161	3,745	1,771	1,135	473	220	146
12. Phthisis - - -	2,284	884	660	358	207	175	2,185	766	637	363	223	196
13. Hydrocephalus - -	5,386	2,215	1,790	752	414	305	3,910	1,465	1,215	586	359	255
LOCAL DISEASES.												
14. Diseases of the Brain -	22,580	17,687	2,570	1,173	679	471	17,485	12,950	2,327	1,114	663	431
15. Dis. of the Heart, and Dropsy - - - }	816	339	158	122	100	97	691	286	144	101	83	77
16. Diseases of the Lungs -	22,587	12,674	5,829	2,280	1,137	667	18,889	9,321	5,405	2,291	1,190	682
17. Dis. of Stomach & Liver	2,743	1,947	335	208	133	120	2,035	1,278	313	188	138	118
18. Diseases of the Kidneys	185	38	35	38	39	35	116	23	27	23	24	19
19. Dis. of Generat. Organs	10	6	2	1	1	—	10	3	4	2	1	—
20. Diseases of the Joints	129	31	27	25	23	23	114	29	24	20	20	21
21. Diseases of the Skin -	348	261	40	20	9	9	315	222	40	24	12	8
22. CHILDREN. & MENTALS	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.												
23. Suicide - - -	—	—	—	—	—	—	—	—	—	—	—	—
24. Other Violent Deaths -	2,921	999	520	546	456	400	2,254	865	490	379	326	264
25. OTHER CAUSES - -	33,699	27,680	3,584	893	332	210	27,205	22,216	3,507	907	357	218

TABLE 12.—Table of Mortality, derived from the ENGLISH LIFE TABLE, showing, out
AT AND AFTERThe Table shows also, according to the English Life Table, the Annual Births being 1,000,000;
12 Ages of 25 Classes of Causes,

AGE <i>x</i>	0	5	10	15	20	25
DEATHS FROM ALL CAUSES at } Age <i>x</i> and upwards . . }	1,000,000	736,818	702,509	684,563	662,750	634,045
TOTAL ZYMOTIC DISEASES—Order 1.	175,619	88,520	69,264	62,709	57,992	53,438
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	6,521	3,190	2,357	2,113	1,822	1,366
2. Measles	12,865	1,358	278	151	112	83
3. Scarlatina	30,021	12,062	3,319	1,418	925	642
4. Diphtheria	4,945	2,520	1,156	602	527	427
5. Whooping-cough	15,161	737	55	20	14	12
6. Typhus	38,107	32,706	28,670	25,828	22,921	20,225
7. Diarrhoea and Dysentery	34,366	14,022	13,595	13,441	13,300	13,056
8. Cholera	6,155	5,026	4,644	4,471	4,337	4,122
9. Other Zymotic Diseases—Order 1. .	27,473	16,899	15,190	14,575	14,034	13,505
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	21,311	21,240	21,205	21,174	21,116	21,016
11. Scrofula and Tabes	14,106	5,991	4,891	4,090	3,447	2,906
12. Phthisis	114,417	109,948	107,809	104,283	98,209	81,424
13. Hydrocephalus	11,252	1,956	593	231	147	115
LOCAL DISEASES.						
14. Diseases of the Brain	121,859	81,794	79,368	78,085	76,810	75,346
15. Diseases of the Heart, and Dropsy .	76,660	75,153	74,215	73,210	72,130	70,875
16. Diseases of the Lungs	149,585	108,109	105,712	104,875	103,819	102,242
17. Diseases of the Stomach and Liver .	52,497	47,719	46,783	46,066	45,222	44,085
18. Diseases of the Kidneys	14,910	14,609	14,394	14,215	13,961	13,630
19. Diseases of the Generative Organs .	3,063	3,042	3,040	3,034	3,006	2,923
20. Diseases of the Joints	3,395	3,152	2,860	2,548	2,278	2,059
21. Diseases of the Skin	2,512	1,849	1,803	1,761	1,722	1,672
22. CHILDBIRTH AND METRUA	6,921	6,921	6,921	6,921	6,877	5,577
VIOLENT DEATHS.						
23. Suicide	3,479	3,479	3,479	3,465	3,371	3,221
24. Other Violent Deaths	30,062	24,877	22,806	21,105	19,325	17,848
25. OTHER CAUSES	198,363	138,459	137,344	136,801	136,296	135,668

The Table may be read vertically thus:—Of 1,000,000 Persons dying annually at all ages, 6,521 die of Small-pox, fever, 32,706 die at the age of 5 and above that age, 28,670

of 1,000,000 BORN ALIVE, the NUMBER OF PERSONS DYING of the various Diseases TWELVE AGES.

the Annual Deaths 1,000,000; the Numbers of Persons dying annually at and after each of out of a Population of 40,858,184.

35	45	55	65	75	85	AGE x.
37,303	502,915	421,115	300,029	161,124	38,565	{ DEATHS FROM ALL CAUSES at Age x and upwards.
4,339	37,904	29,993	20,008	8,752	1,523	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
743	365	185	72	19	3	1. Small-pox.
43	19	8	3	1	—	2. Measles.
313	150	70	25	6	—	3. Scarlatina.
303	211	137	69	22	3	4. Diphtheria.
8	6	4	2	—	—	5. Whooping-cough.
14,823	12,351	8,502	4,690	1,447	100	6. Typhus.
11,302	11,616	10,501	8,339	4,466	905	7. Diarrhoea and Dysentery.
1,463	2,701	1,972	1,007	319	38	8. Cholera.
12,313	10,553	8,524	5,811	2,463	414	9. Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
20,234	18,044	13,461	7,463	2,341	301	10. Cancer.
1,001	1,515	973	462	101	8	11. Scrofula and Tabes.
34,230	31,866	15,418	4,973	679	52	12. Phthisis.
79	55	35	17	5	—	13. Hydrocephalus.
						LOCAL DISEASES.
71,302	65,561	56,246	40,570	17,462	2,468	14. Diseases of the Brain.
67,046	60,785	50,744	33,663	12,084	1,303	15. Diseases of the Heart, and Dropsy.
97,706	90,311	77,108	53,440	22,236	3,510	16. Diseases of the Lungs.
48,980	35,898	27,971	16,571	5,182	563	17. Diseases of the Stomach and Liver.
12,508	11,063	9,061	6,240	2,464	310	18. Diseases of the Kidneys.
2,399	2,014	1,264	607	157	16	19. Diseases of the Generative Organs.
1,704	1,353	963	523	146	15	20. Diseases of the Joints.
1,502	1,419	1,205	861	373	61	21. Diseases of the Skin.
2,676	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
1,900	2,206	1,463	637	145	14	23. Suicide.
14,547	11,367	7,913	4,758	2,186	405	24. Other Violent Deaths.
123,974	131,424	127,465	118,216	86,811	27,906	25. OTHER CAUSES.

1,000 of Measles, 20,021 of Scarlatina, &c. The Table, read horizontally, shows that of 38,107 Persons who die of at age 10 and upwards, 25,828 at age 15 and upwards, and so on.

TABLE 13.—Table of Mortality, derived from the ENGLISH LIFE TABLE, showing,
AT AND AFTER

The TABLE shows also, according to the English Life Table, the Annual Births being 511,745;
12 Ages, of 25 Classes of Causes, out

AGE x	0	5	10	15	20	25
DEATHS FROM ALL CAUSES at } Age x and upwards . . }	511,745	370,368	303,031	344,990	333,008	310,442
TOTAL ZYMOTIC DISEASES—Order 1.	80,192	44,898	35,544	32,614	30,306	27,957
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	3,592	1,901	1,406	1,348	1,185	894
2. Measles	6,509	628	115	61	44	32
3. Scarlatina	15,157	5,899	1,519	647	402	282
4. Diphtheria	2,315	1,111	520	339	258	212
5. Whooping-cough	6,777	286	20	9	7	6
6. Typhus	19,115	16,442	14,551	13,327	11,959	10,588
7. Diarrhoea and Dysentery	17,564	6,665	6,465	6,378	6,308	6,192
8. Cholera	3,150	2,534	2,337	2,243	2,170	2,065
9. Other Zymotic Diseases—Order 1.	15,023	9,484	8,561	8,202	7,963	7,696
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	6,794	6,789	6,741	6,726	6,696	6,651
11. Scrofula and Tubercles	7,602	3,232	2,618	2,180	1,833	1,522
12. Phthisis	56,856	54,672	53,579	53,302	49,491	41,964
13. Hydrocephalus	6,443	1,057	307	122	80	63
LOCAL DISEASES.						
14. Diseases of the Brain	64,762	42,182	40,929	40,277	39,638	38,915
15. Diseases of the Heart, and Dropsy	36,400	35,074	35,182	34,719	34,191	33,624
16. Diseases of the Lungs	80,578	57,991	56,806	56,415	55,874	54,999
17. Diseases of the Stomach and Liver	25,955	23,212	22,731	22,347	21,927	21,431
18. Diseases of the Kidneys	10,906	10,721	10,583	10,477	10,329	10,130
19. Diseases of the Generative Organs	130	120	119	118	117	113
20. Diseases of the Joints	1,912	1,783	1,611	1,428	1,267	1,129
21. Diseases of the Skin	1,306	958	932	908	883	856
22. CHILDBIRTH AND METRIS	—	—	—	—	—	—
VIOLENT DEATHS.						
23. Suicide	2,606	2,606	2,606	2,598	2,562	2,457
24. Other Violent Deaths	22,659	19,738	18,445	17,023	15,636	14,119
25. OTHER CAUSES	97,554	64,855	64,296	64,036	63,798	63,492

Deaths by several Causes.

CV

out of 511,745 Males BORN ALIVE, the NUMBERS DYING of the various Diseases
TWELVE AGES.

the Annual Deaths 511,745; the Numbers of Males dying annually at and after each of
of a Male Population of 20,426,188.

35	45	55	65	75	85	- - - - AGE x.
222,222	222,702	222,532	150,754	75,777	16,877	{DEATHS FROM ALL CAUSES at Age x and upwards.
22,517	12,761	15,379	10,026	4,234	682	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
492	267	124	49	12	2	1. Small-pox.
18	8	3	1	—	—	2. Measles.
146	74	32	11	3	—	3. Scarletina.
157	114	78	40	13	2	4. Diphtheria.
4	3	2	1	—	—	5. Whooping-cough.
3,425	6,477	4,478	2,453	729	77	6. Typhus.
5,965	5,565	5,007	3,952	2,065	390	7. Diarrhoea and Dysentery.
1,782	1,376	940	493	150	14	8. Cholera.
4,915	5,877	4,606	3,027	1,252	197	9. Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
6,477	5,943	4,903	2,949	922	113	10. Cancer.
1,009	790	592	241	47	4	11. Scrofula and Tabes.
29,212	18,149	8,961	2,999	360	24	12. Phthisis.
44	30	19	9	3	—	13. Hydrocephalus.
						LOCAL DISEASES.
24,225	23,396	22,362	20,304	8,508	1,137	14. Diseases of the Brain.
21,775	22,755	22,901	15,887	5,999	597	15. Diseases of the Heart, and Dropsy.
22,422	42,045	40,200	27,148	10,914	1,618	16. Diseases of the Lungs.
19,225	17,554	12,526	7,925	2,375	245	17. Diseases of the Stomach and Liver.
2,425	2,545	7,208	5,176	2,140	271	18. Diseases of the Kidneys.
125	89	68	44	16	3	19. Diseases of the Generative Organs.
924	738	527	226	78	7	20. Diseases of the Joints.
294	735	616	436	187	30	21. Diseases of the Skin.
—	—	—	—	—	—	22. CHILDBIRTH AND METRIS.
						VIOLENT DEATHS.
2,178	1,797	1,158	499	112	10	23. Suicide.
11,127	8,220	5,344	2,784	999	183	24. Other Violent Deaths.
22,511	61,220	22,023	54,220	22,123	11,225	25. OTHER CAUSES.

TABLE 14.—Table of Mortality, derived from the ENGLISH LIFE TABLE, showing
AT AND AFTER

The TABLE shows also, according to the English Life Table, the annual Births being 488,255 ;
12 Ages, of 25 Classes of Causes, out

AGE <i>x</i> . . .	0	5	10	15	20	25
TOTAL DEATHS at Age <i>x</i> and upwards	488,255	366,460	349,478	340,273	329,142	314,608
TOTAL ZYMOTIC DISEASES—Order 1.	86,427	43,682	33,720	30,096	27,606	25,451
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	2,929	1,289	891	765	637	472
2. Measles	6,356	732	163	90	68	51
3. Scarletina	14,864	6,163	1,800	771	523	360
4. Diphtheria	2,630	1,409	636	353	269	216
5. Whooping-cough	8,384	451	35	11	7	6
6. Typhus	18,992	16,264	14,119	12,501	10,962	9,637
7. Diarrhoea and Dysentery	16,812	7,357	7,140	7,063	6,992	6,964
8. Cholera	3,005	2,492	2,307	2,228	2,167	2,067
9. Other Zymotic Diseases—Order 1.	12,455	7,465	6,629	6,813	6,071	5,819
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	14,517	14,461	14,464	14,448	14,420	14,365
11. Scrofula and Tabes	6,504	2,759	2,273	1,900	1,614	1,384
12. Phthisis	57,561	55,376	54,230	51,981	46,718	39,440
13. Hydrocephalus	4,800	899	286	109	67	52
LOCAL DISEASES.						
14. Diseases of the Brain	57,097	39,612	38,459	37,806	37,172	36,431
15. Diseases of the Heart, and Dropsy	40,170	39,479	39,033	38,401	37,939	37,251
16. Diseases of the Lungs	69,007	50,118	48,904	48,460	47,945	47,243
17. Diseases of the Stomach and Liver	26,542	24,507	24,052	23,719	23,296	22,654
18. Diseases of the Kidneys	4,004	3,888	3,811	3,738	3,652	3,500
19. Diseases of the Generative Organs	2,932	2,922	2,921	2,916	2,891	2,810
20. Diseases of the Joints	1,483	1,369	1,249	1,120	1,011	930
21. Diseases of the Skin	1,206	891	871	853	839	816
22. CHILD BIRTH AND METRIA	6,921	6,921	6,921	6,921	6,877	5,877
VIOLENT DEATHS.						
23. Suicide	873	873	873	867	819	764
24. Other Violent Deaths	7,363	5,139	4,363	4,082	3,889	3,729
25. OTHER CAUSES	100,809	73,604	73,048	72,765	72,408	72,176

out of 488,255 Girls BORN ALIVE, the NUMBERS DYING of the various Diseases
TWELVE AGES.

the annual Deaths 488,255; the numbers of Females dying annually at and after each of
of a Female Population of 20,432,046.

35	45	55	65	75	85	- - - AGE x.
263,143	242,207	211,376	158,275	85,247	21,688	{ TOTAL DEATHS at Age x and upwards.
21,703	18,143	14,553	9,982	4,528	841	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
250	128	61	23	7	1	1. Small-pox.
34	11	5	2	1	—	2. Measles.
108	76	38	14	3	—	3. Scarlatina.
145	97	50	20	9	1	4. Diphtheria.
4	3	2	1	—	—	5. Whooping-cough.
7,003	5,774	4,034	2,338	718	83	6. Typhus.
6,487	6,061	5,404	4,367	2,391	515	7. Diarrhoea and Dysentery.
1,730	1,325	932	514	169	24	8. Cholera.
5,294	4,678	3,918	2,784	1,230	217	9. Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
13,577	12,101	8,658	4,623	1,419	188	10. Cancer.
1,223	735	471	221	54	4	11. Scrofula and Tabes.
25,977	13,746	6,457	2,104	319	23	12. Phthisis.
35	25	16	8	2	—	13. Hydrocephalus.
						LOCAL DISEASES.
34,804	32,165	27,896	20,266	8,954	1,351	14. Diseases of the Brain.
36,371	32,030	26,843	17,776	6,385	706	15. Diseases of the Heart, and Dropsy.
46,325	42,206	36,800	26,301	11,322	1,592	16. Diseases of the Lungs.
20,925	18,334	14,433	8,646	2,907	318	17. Diseases of the Stomach and Liver.
2,073	2,518	1,873	1,073	324	39	18. Diseases of the Kidneys.
2,494	1,925	1,196	563	141	13	19. Diseases of the Generative Organs.
775	615	436	239	68	8	20. Diseases of the Joints.
735	664	539	425	186	31	21. Diseases of the Skin.
2,676	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
652	509	305	138	33	4	23. Suicide.
1,620	3,047	2,569	1,974	1,187	312	24. Other Violent Deaths.
71,263	70,204	68,432	63,936	47,618	15,953	25. OTHER CAUSES.

TABLE 15.—Table showing out of 1,000,000 CHILDREN BORN ALIVE of BOTH SEXES, of 511,745 Males and Females respectively, dying at and after

SEX	CHILDREN OF BOTH SEXES.						
AGE <i>x</i>	0	1	2	3	4	0	1
DEATHS FROM ALL CAUSES at Age <i>x</i> } and upwards	1,000,000	850,507	796,827	768,589	750,133	511,745	498,086
TOTAL ZYMOTIC DISEASES—Order 1. .	175,519	144,353	122,576	107,765	96,715	89,192	73,447
ZYMOTIC DISEASES—Order 1.							
1. Small-pox	6,521	5,211	4,528	3,975	3,529	3,592	2,902
2. Measles	12,865	10,684	6,164	3,559	2,154	6,509	5,316
3. Scarletina	30,021	22,339	24,555	19,941	15,596	15,157	14,226
4. Diphtheria	4,945	4,564	4,038	3,527	2,996	2,315	2,096
5. Whooping-cough	15,161	9,287	4,772	2,540	1,370	6,777	3,928
6. Typhus	38,107	37,328	36,217	34,956	33,777	19,115	18,686
7. Diarrhoea and Dysentery	34,366	19,855	15,589	14,590	14,226	17,554	9,590
8. Cholera	6,155	5,674	5,434	5,270	5,139	3,150	2,883
9. Other Zymotic Diseases—Order 1. .	27,478	23,411	21,279	19,407	17,927	15,023	12,820
FIVE CONSTITUTIONAL DISEASES.							
10. Cancer	21,511	21,295	21,285	21,269	21,252	6,794	6,786
11. Scrofula and Tabes	14,106	10,130	7,758	6,761	6,296	7,602	5,207
12. Phthisis	114,417	112,767	111,470	110,749	110,319	56,856	55,972
13. Hydrocephalus	11,252	7,543	4,627	3,269	2,516	6,443	4,228
LOCAL DISEASES.							
14. Diseases of the Brain	121,859	91,222	86,325	84,038	82,696	64,762	47,075
15. Diseases of the Heart, and Dropsy .	76,660	76,035	75,733	75,510	75,327	36,490	36,151
16. Diseases of the Lungs	149,585	127,590	116,356	111,785	109,468	80,378	67,904
17. Diseases of the Stomach and Liver .	52,497	49,272	48,624	48,228	47,957	25,955	24,008
18. Diseases of the Kidneys	14,910	14,849	14,787	14,726	14,663	10,906	10,868
19. Diseases of the Generative Organs .	3,062	3,063	3,047	3,044	3,042	130	124
20. Diseases of the Joints	3,395	3,335	3,284	3,239	3,196	1,912	1,881
21. Diseases of the Skin	2,512	2,029	1,931	1,837	1,866	1,306	1,045
22. CHILDBIRTH AND METRIA	6,921	6,921	6,921	6,921	6,921	—	—
VIOLENT DEATHS.							
23. Suicide	3,479	3,479	3,479	3,479	3,479	2,006	2,006
24. Other Violent Deaths	30,052	28,168	27,246	26,323	25,541	22,659	21,660
25. OTHER CAUSES	196,363	146,467	141,376	139,576	138,887	97,554	68,874

Deaths by several Causes.

cix

MALE CHILDREN, of 488,255 **FEMALE CHILDREN** SO BORN, the **Numbers of both Sexes**, and of the exact ages 0, 1, 2, 3, and 4 years, of different **Diseases**.

MALES.			FEMALES.					- - - - SEX.
2	3	4	0	1	2	3	4	- - - - AGE x.
488,505	386,290	377,077	488,255	422,481	396,322	382,299	373,056	{ DEATHS FROM ALL CAUSES at Age x and upwards.
61,637	54,370	46,968	86,427	71,906	60,939	53,395	47,777	TOTAL ZYMOTIC DISEASES—Order 1.
								ZYMOTIC DISEASES—Order 1.
2,566	2,991	2,072	2,929	2,309	1,962	1,684	1,457	1. Small-pox.
3,690	1,704	1,020	6,356	5,368	3,162	1,855	1,134	2. Measles.
12,271	9,918	7,704	14,964	14,113	12,284	10,023	7,891	3. Scarlatina.
1,825	1,579	1,328	2,630	2,468	2,213	1,948	1,670	4. Diphtheria.
1,937	1,010	589	8,984	5,359	2,835	1,530	831	5. Whooping-cough.
18,121	17,515	16,946	18,992	18,642	18,066	17,441	16,831	6. Typhus.
7,461	6,959	6,771	16,812	10,265	8,128	7,031	7,455	7. Diarrhoea and Dysentery.
2,755	2,664	2,594	3,005	2,791	2,679	2,906	2,545	8. Cholera.
11,691	10,730	9,964	12,455	10,591	9,588	8,677	7,963	9. Other Zymotic Diseases—Order 1.
								FIVE CONSTITUTIONAL DISEASES.
6,781	6,773	6,765	14,517	14,509	14,504	14,496	14,487	10. Cancer.
4,169	3,636	3,393	6,504	4,733	3,598	3,125	2,905	11. Scrofula and Tuberc.
55,212	54,954	54,747	57,561	56,795	56,158	55,795	55,572	12. Phthisis.
2,583	1,776	1,362	4,809	3,314	2,099	1,513	1,154	13. Hydrocephalus.
								LOCAL DISEASES.
44,565	43,333	42,653	57,007	44,147	41,820	40,706	40,043	14. Diseases of the Brain.
33,963	35,571	35,771	40,170	39,884	39,740	39,639	39,556	15. Diseases of the Heart, and Dropsy.
62,975	59,795	58,638	69,007	59,686	54,281	51,990	50,800	16. Diseases of the Lungs.
22,673	23,465	23,582	26,548	25,284	24,951	24,768	24,625	17. Diseases of the Stomach and Liver.
16,833	10,795	10,756	4,004	3,961	3,954	3,931	3,907	18. Diseases of the Kidneys.
122	121	120	2,982	2,929	2,925	2,923	2,923	19. Diseases of the Generative Organs.
1,384	1,829	1,806	1,483	1,454	1,430	1,410	1,390	20. Diseases of the Joints.
996	976	967	1,206	964	935	911	899	21. Diseases of the Skin.
—	—	—	6,921	6,921	6,921	6,921	6,921	22. CHILDBIRTH AND METRUA.
								VIOLENT DEATHS.
2,806	2,606	2,606	873	873	873	873	873	23. Suicide.
21,140	20,594	20,188	7,396	6,508	6,108	5,729	5,403	24. Other Violent Deaths.
66,390	65,397	65,065	100,809	78,593	75,086	74,179	73,822	25. OTHER CAUSES.

FORMULAS for determining the probability of dying at or after any Age x of any particular Disease specified in Tables 7-15.

[The symbols must be taken here for that which they are defined to mean; and they must not be confounded with the same symbols having a totally different meaning in other investigations, and most particularly in the Life Table.]

Let l_x = the numbers to die at and after age x .

s_x = the numbers to die of small-pox according to Tables 7 to 11 in any 1, 5, or 10 years after age x .

S_x = all the numbers to die of small-pox at and after age x . (See Tables 12-15.)

m_x = the numbers to die of measles according to the same Tables in any 1, 5, or 10 years after age x .

M_x = all the numbers to die of measles at and after age x .

And in like manner symbols might be used for each of the 25 diseases or groups of diseases.

Some of the uses of the Tables may be thus exemplified by figures taken from the Tables:—

(1.) What is the probability that a liveborn child (A) will die of small-pox in the first five years of life?

$$\text{It is } \frac{s_0}{l_0} = \frac{3331}{1000000} = .003331 = \frac{1}{300} \text{ nearly. (See Table 7 or 10.)}$$

(2.) What is the probability that A will die at any age of small-pox?

$$\frac{S_0}{l_0} = \frac{6521}{1000000} = .006521 = \frac{1}{153} \text{ nearly. (See Table 12.)}$$

(3.) What is the probability that a person aged 20 will die of small-pox?

$$\frac{S_{20}}{l_{20}} = \frac{1822}{662750} = .00275 = \frac{1}{364} \text{ nearly. (See Table 12.)}$$

(4.) What is the probability that a person aged 25 will die of phthisis (P)?

$$\frac{P_{25}}{l_{25}} = \frac{81424}{634045} = .12842 = \frac{1}{8} \text{ nearly. (See Table 12.)}$$

It is, therefore, nearly 1 chance to 7 that the person will die of that disease, and 7 to 1 that he will die of some other cause.

(5.) What is the probability that a woman aged 20 will die of childbirth (c) before she is 25? (See Table 9.)

$$\frac{c_{20}}{l_{20}} = \frac{1100}{329142} = .00334 = \frac{1}{299} \text{ nearly.}$$

(6.) What is the probability that she will eventually die of childbirth after age 20? (See Table 14.)

$$\frac{C_{20}}{l_{20}} = \frac{6677}{329142} = .02029 = \frac{1}{49} \text{ nearly.}$$

The chances are 48 to 1 that she will not die of childbirth.

(7.) What is the probability that a man aged 20 will die a violent death other than by suicide (= v) before he is 25? (See Table 8.)

$$\frac{v_{20}}{l_{20}} = \frac{1517}{333608} = \cdot 00455 = \frac{1}{220} \text{ nearly.}$$

(8.) What is the probability that he will eventually die a violent death other than by suicide after age 20? (See Table 13.)

$$\frac{V_{20}}{l_{20}} = \frac{15636}{333608} = \cdot 04687 = \frac{1}{21} \text{ nearly.}$$

(9.) Of what specified disease is a man aged 65 most likely to die?

Disease of lungs. (See Table 13.)

Of the 24 classes specified, the diseases of the lungs (L) are the most fatal; of them 27,148 will die out of 150,754 men living at age 65.

$$\frac{L_{65}}{l_{65}} = \frac{27148}{150754} = \cdot 18008 = \frac{1}{6} \text{ nearly.}$$

The probability of dying of brain disease is

$$\frac{20304}{150754} = \cdot 13468 = \frac{1}{7} \text{ nearly.}$$

The probability of dying of heart disease or dropsy is

$$\frac{15887}{150754} = \cdot 10538 = \frac{1}{9} \text{ nearly.}$$

The probability of dying of old age, debility, and other unclassified diseases is

$$\frac{54280}{150754} = \cdot 36006 = \frac{1}{3} \text{ nearly.}$$

The probabilities that a liveborn child will die of any of the 25 diseases or classes of diseases are as follows:—

Small-pox	-	-	-	·006521	Diseases of Brain	-	-	·121859
Measles	-	-	-	·012865	Diseases of Heart & Dropsy	-	-	·076660
Scarlatina	-	-	-	·030021	Diseases of Lungs	-	-	·149585
Diphtheria	-	-	-	·004945	Dis. of Lungs and Phthisis	-	-	·264002
Whooping-cough	-	-	-	·015161	Diseases of Stom. & Liver	-	-	·052497
Typhus	-	-	-	·038107	Diseases of Kidneys	-	-	·014910
Diarrhoea and Dysentery	-	-	-	·034366	Diseases of Gener. Organs	-	-	·003062
Cholera	-	-	-	·006155	Diseases of Joints	-	-	·003395
Other Zymotic Diseases.—	} ·027478				Diseases of Skin	-	-	·002512
Order I.					Childbirth and Metria	-	-	·006921
Cancer	-	-	-	·021311	Suicide	-	-	·003479
Scrofula and Tabes	-	-	-	·014106	Other Violent Deaths	-	-	·030052
Phthisis	-	-	-	·114417	Other Causes	-	-	·198363
Hydrocephalus	-	-	-	·011252				

These probabilities are deduced by simple inspection of Table 12.

The same table shows by inspection what the probability is that a child will die of these causes *after* any specified age; thus, the probability that a liveborn child will die of small-pox after he has attained the age of 20

$$\text{is } \frac{1822}{1000000} = \cdot 001822 = \frac{1}{549} \text{ nearly, whereas the chance that a young person now 20 will die of small-pox is, as shown above, } \frac{1822}{662750} = \cdot 00275 = \frac{1}{364} \text{ nearly.}$$

TABLE 16.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE, showing of

AGES . . .	ALL AGES.	0— (See Table 19.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	1,000,000	175,410	29,341	16,677	22,571	23,440
TOTAL ZYMOTIC DISEASES—Order 1.	124,889	40,761	16,351	6,439	4,809	3,952
ZYMOTIC DISEASES—Order 1.						
Small-pox	2,359	602	90	76	121	239
Measles	6,912	5,257	1,065	267	143	30
Scarlatina	21,403	11,373	6,359	1,699	638	398
Diphtheria	10,292	4,184	3,223	1,339	434	208
Whooping-cough	10,234	9,650	534	32	12	6
Typhus	23,146	2,807	2,665	2,299	2,653	2,373
Diarrhœa and Dysentery . . .	21,217	9,354	470	59	154	153
Cholera	2,244	399	182	60	51	96
Other Zymotic Diseases—Order 1. .	22,082	6,135	1,758	608	603	447
FIVE CONSTITUTIONAL DISEASES.						
Cancer	27,495	110	74	27	69	61
Scrofula and Tubercles	12,655	5,335	977	844	847	642
Phthisis	106,481	3,656	1,573	2,940	8,872	14,499
Hydrocephalus	8,591	6,604	1,353	420	102	36
LOCAL DISEASES.						
Diseases of the Brain	125,473	22,662	1,901	1,333	1,836	1,732
Diseases of the Heart, and Dropsy .	105,410	1,304	791	927	1,041	1,107
Diseases of the Lungs	129,618	27,884	2,258	840	1,212	1,372
Diseases of the Stomach and Liver .	57,079	4,431	901	589	991	973
Diseases of the Kidneys	21,121	310	260	190	247	379
Diseases of the Generative Organs .	3,241	9	6	6	40	49
Diseases of the Joints	3,356	311	169	225	224	191
Diseases of the Skin	2,959	723	62	96	58	42
CHILDBIRTH AND METRIS . . .	7,065	—	—	—	209	1,053
VIOLENT DEATHS.						
Suicide	4,487	—	—	32	114	233
Other Violent Deaths	26,694	4,232	1,619	1,270	1,376	1,462
OTHER CAUSES	231,386	40,048	1,046	499	535	606

NOTE.—The numbers dying at the various Ages from All Causes are derived from the preceding Healthy Districts the observed deaths from those diseases in 51 of the Healthiest

what Diseases and at what Ages 1,000,000 LIVEBORN CHILDREN may be expected to die.

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
50,513	61,221	71,932	109,483	177,391	177,252	69,966	DEATHS FROM ALL CAUSES.
5,331	5,161	5,035	7,429	10,309	7,505	2,307	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
346	243	250	264	55	46	27	Small-pox.
42	45	8	30	11	—	14	Measles.
456	251	117	68	44	—	—	Scarlatina.
302	223	141	136	55	23	14	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
3,116	2,703	2,306	3,025	2,791	1,268	141	Typhus.
519	471	524	1,104	3,263	3,643	1,503	Diarrhoea and Dysentery.
142	306	233	293	353	173	54	Cholera.
906	1,015	1,456	2,509	3,737	2,352	554	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
679	2,218	5,024	7,266	7,808	3,552	607	Cancer.
1,065	736	766	722	551	173	27	Scrofula and Tabes.
27,220	20,625	13,745	10,121	4,754	740	27	Phthisis.
23	23	16	10	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
4,160	6,453	10,012	16,701	29,031	24,697	4,925	Diseases of the Brain.
3,513	6,513	10,451	21,018	34,548	21,172	2,725	Diseases of the Heart, & Dropsy.
3,533	5,261	8,234	16,680	30,534	26,389	6,121	Diseases of the Lungs.
2,947	4,003	7,253	12,240	14,553	7,150	1,148	Diseases of the Stomach & Liver.
1,133	1,743	2,319	4,001	5,981	3,730	826	Diseases of the Kidneys.
237	576	778	665	647	174	54	Diseases of the Generat. Organs.
491	353	441	410	431	173	27	Diseases of the Joints.
29	147	191	410	562	484	85	Diseases of the Skin.
2,362	2,692	259	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
396	522	1,022	1,171	763	207	27	Suicide.
2,819	2,503	3,030	2,761	2,796	2,088	649	Other Violent Deaths.
1,327	1,303	3,362	7,877	34,123	80,009	50,401	OTHER CAUSES.

Life Table; the numbers dying from each of the 25 classes of causes, at different periods of life, are deduced from Districts of England and Wales during the 10 Years 1861-70.

TABLE 17.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE,
expected

AGES - - -	ALL AGES.	0— (See Table 20.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES - -	511,240	95,040	14,522	7,470	10,341	13,909
TOTAL ZYMOTIC DISEASES—Order 1.	63,607	25,875	7,737	2,620	2,258	1,944
ZYMOTIC DISEASES—Order 1.						
Small-pox - - - - -	1,514	324	67	30	70	166
Measles - - - - -	3,514	2,774	484	111	64	18
Scarlatina - - - - -	10,779	5,817	3,217	836	367	197
Diphtheria - - - - -	4,478	2,065	1,352	412	169	68
Whooping-cough - - - -	4,828	4,584	212	20	6	6
Typhus - - - - -	14,125	1,411	1,163	885	1,140	1,144
Diarrhoea and Dysentery - -	11,337	5,312	234	30	81	68
Cholera - - - - -	1,135	242	67	25	23	25
Other Zymotic Diseases—Order 1. -	11,897	3,346	941	272	338	252
FIVE CONSTITUTIONAL DISEASES.						
Cancer - - - - -	9,350	57	45	15	29	49
Scrofula and Tabes - - - -	6,613	2,902	551	427	390	526
Phthisis - - - - -	52,282	1,224	618	975	3,392	6,631
Hydrocephalus - - - - -	4,746	3,837	662	171	29	18
LOCAL DISEASES.						
Diseases of the Brain - - -	66,030	12,004	963	568	796	886
Diseases of the Heart, and Dropsy -	50,475	656	461	452	471	535
Diseases of the Lungs - - -	70,960	15,212	1,130	342	710	849
Diseases of the Stomach and Liver -	28,963	2,000	429	282	460	425
Diseases of the Kidneys - - -	15,382	175	156	80	140	203
Diseases of the Generative Organs -	144	5	—	—	6	—
Diseases of the Joints - - -	1,787	168	83	121	134	142
Diseases of the Skin - - - -	1,560	421	33	50	35	18
CHILD BIRTH AND METRIA - -	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide - - - - -	3,555	—	—	15	58	172
Other Violent Deaths - - -	20,339	2,362	1,124	1,096	1,246	1,316
OTHER CAUSES - - - - -	115,426	26,942	540	250	198	296

Deaths by several Causes.

CXV

showing of what Diseases and at what Ages 511,249 Boys BORN ALIVE may be to die.

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
23,471	30,679	37,919	57,962	92,629	88,991	32,796	DEATHS FROM ALL CAUSES.
2,832	2,570	2,844	4,116	5,481	4,154	1,126	TOTAL ZYMOTIC DIS.—Order 1.
342	169	166	176	44	46	14	ZYMOTIC DISEASES—Order 1.
14	15	—	20	—	—	14	Small-pox.
164	81	50	29	22	—	—	Measles.
149	95	41	68	33	12	14	Scarlatina.
—	—	—	—	—	—	—	Diphtheria.
1,528	1,278	1,252	1,794	1,628	771	101	Whooping-cough.
165	228	340	527	1,650	2,002	680	Typhus.
93	117	116	156	188	69	14	Diarrhoea and Dysentery.
477	587	879	1,346	1,916	1,254	289	Cholera.
							Other Zymotic Dis.—Order 1.
178	448	1,194	2,292	3,178	1,576	289	FIVE CONSTITUTIONAL DIS.
534	404	323	351	299	92	14	Cancer.
13,272	9,840	7,155	5,968	2,735	472	—	Scrofula and Tabes.
14	7	8	—	—	—	—	Phthisis.
							Hydrocephalus.
2,178	3,563	5,513	8,698	15,206	12,770	2,285	LOCAL DISEASES.
1,997	3,253	5,107	9,558	16,247	10,163	1,345	Diseases of the Brain.
2,121	3,114	5,215	9,605	16,468	13,173	2,950	Diseases of the Heart, & Dropsy.
1,399	2,144	3,405	6,406	7,520	3,325	578	Diseases of the Lungs.
676	1,013	1,583	2,672	4,820	3,175	680	Diseases of the Stomach & Liver.
21	15	17	10	44	12	14	Diseases of the Kidneys.
171	198	182	205	277	92	14	Diseases of the Generat. Organs.
43	51	99	224	321	207	58	Diseases of the Joints.
							Diseases of the Skin.
—	—	—	—	—	—	—	CHILDBIRTH AND METRIA.
396	485	796	917	631	161	14	VIOLENT DEATHS.
2,569	2,296	2,578	2,321	2,171	955	304	Suicide.
							Other Violent Deaths.
769	1,256	1,840	4,349	17,222	38,634	23,125	OTHER CAUSES.

TABLE 18.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE, expected

AGES . . .	ALL AGES.	0— (See Table 20.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	488,751	80,370	14,819	9,207	12,230	14,640
TOTAL ZYMOTIC DISEASES—Order 1.	61,282	23,886	8,614	3,819	2,551	2,008
ZYMOTIC DISEASES—Order 1.						
Small-pox	845	278	23	46	51	73
Measles	3,398	2,483	581	156	79	12
Scarlatina	10,624	5,556	3,142	864	271	201
Diphtheria	5,814	2,119	1,876	927	265	140
Whooping-cough	5,406	5,066	323	12	6	—
Typhus	14,021	1,396	1,502	1,414	1,512	1,229
Diarrhoea and Dysentery . . .	9,880	4,042	236	29	73	85
Cholera	1,109	167	115	35	28	73
Other Zymotic Diseases—Order 1 .	10,185	2,789	817	336	265	196
FIVE CONSTITUTIONAL DISEASES.						
Cancer	18,145	53	29	12	40	12
Scrofula and Tabes	6,042	2,433	426	417	457	316
Phthisis	56,199	1,432	965	1,935	5,460	7,868
Hydrocephalus	3,845	2,767	691	249	73	18
LOCAL DISEASES.						
Diseases of the Brain	59,443	10,088	938	765	1,060	846
Diseases of the Heart, and Dropsy .	54,935	646	340	475	570	572
Diseases of the Lungs	58,658	12,872	1,128	498	502	523
Diseases of the Stomach and Liver .	28,068	1,831	472	307	531	548
Diseases of the Kidneys	5,739	135	104	110	107	176
Diseases of the Generative Organs .	3,097	4	6	6	34	49
Diseases of the Joints	1,569	143	86	104	90	49
Diseases of the Skin	1,399	302	29	46	23	24
CHILDBIRTH AND METRIA . . .	7,065	—	—	—	209	1,053
VIOLENT DEATHS.						
Suicide	933	—	—	17	56	61
Other Violent Deaths	6,355	1,870	495	174	130	146
OTHER CAUSES	115,960	22,106	506	243	327	371

Deaths by several Causes.

cxvii

Living of what Diseases and at what Ages 488,751 Girls BORN ALIVE may be
in this.

15—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
2,541	31,242	34,019	51,500	84,762	88,201	37,160	DEATHS FROM ALL CAUSES.
1,940	2,301	2,191	3,313	4,828	3,351	1,181	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
164	74	84	88	11	—	13	Small-pox.
28	20	8	10	11	—	—	Measles.
302	170	67	39	22	—	—	Scarlatina.
158	133	100	68	22	11	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
1,553	1,424	1,054	1,231	1,163	497	40	Typhus.
234	243	184	577	1,613	1,641	823	Diarrhoea and Dysentery.
40	89	117	137	165	104	40	Cholera.
431	428	377	1,163	1,821	1,008	265	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
501	1,770	3,830	4,974	4,630	1,976	318	Cancer.
561	332	443	371	253	81	13	Scrofula and Tabes.
14,648	16,786	6,590	4,153	2,019	277	27	Phthisis.
14	15	8	10	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
1,903	2,370	4,499	8,013	13,825	11,927	2,640	Diseases of the Brain.
1,906	3,290	5,344	11,160	18,301	10,979	1,380	Diseases of the Heart, & Dropsy.
1,641	2,147	3,019	7,075	14,066	12,216	3,171	Diseases of the Lungs.
1,698	1,859	3,788	5,834	7,033	3,825	570	Diseases of the Stomach & Liver.
459	730	736	1,529	1,152	555	140	Diseases of the Kidneys.
214	561	761	655	603	162	40	Diseases of the Generat. Organs.
209	155	259	205	154	81	13	Diseases of the Joints.
56	96	92	186	241	277	27	Diseases of the Skin.
2,382	2,602	259	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
90	87	226	254	133	46	13	Suicide.
209	205	452	440	623	1,133	345	Other Violent Deaths.
708	1,047	1,523	3,326	16,901	41,375	27,276	OTHER CAUSES.

TABLE 19.—Table showing out of 1,000,000 LIVEBORN CHILDREN what Numbers die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Table 16. It shows the deaths at each year of age under 5.)

CHILDREN OF BOTH SEXES.						
AGES - - - -	Total under 5 Years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES - -	175,410	102,950	30,060	18,850	13,050	10,510
TOTAL ZYMOTIC DISEASES—Order 1.	40,761	16,321	10,924	8,885	7,239	6,392
ZYMOTIC DISEASES—Order 1.						
Small-pox - - - - -	602	348	30	57	61	97
Measles - - - - -	5,257	988	1,973	1,208	591	497
Scarlatina - - - - -	11,373	930	2,160	2,838	2,926	2,519
Diphtheria - - - - -	4,184	426	734	890	949	1,185
Whooping-cough - - - -	9,650	4,644	2,703	1,369	562	372
Typhus - - - - -	2,807	375	528	620	697	587
Diarrhoea and Dysentery - -	9,354	6,793	1,513	603	311	134
Cholera - - - - -	399	206	75	51	40	27
Other Zymotic Diseases—Order 1. -	6,135	1,611	1,199	1,249	1,102	974
FIVE CONSTITUTIONAL DISEASES.						
Cancer - - - - -	110	8	4	28	31	39
Scrofula and Tubercles - - -	5,335	2,782	1,286	733	305	229
Phthisis - - - - -	2,656	856	778	450	325	247
Hydrocephalus - - - - -	6,604	2,501	1,887	988	797	461
LOCAL DISEASES.						
Diseases of the Brain - - -	22,692	16,142	3,251	1,681	949	699
Diseases of the Heart, and Dropsy -	1,304	621	214	163	109	137
Diseases of the Lungs - - -	27,881	16,238	6,244	3,010	1,406	936
Diseases of the Stomach and Liver -	4,431	3,037	469	362	315	248
Diseases of the Kidneys - - -	310	69	61	73	51	56
Diseases of the Generative Organs -	9	—	4	—	5	—
Diseases of the Joints - - -	311	69	70	74	36	62
Diseases of the Skin - - - -	723	534	75	57	41	16
CHILDBIRTH AND METRIA - -	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide - - - - -	—	—	—	—	—	—
Other Violent Deaths - - -	4,232	1,341	813	835	718	525
OTHER CAUSES - - - - -	49,048	42,381	3,970	1,511	693	493

TABLE 20.—Table showing out of 511,249 MALE CHILDREN, and of 488,751 FEMALE CHILDREN, BORN ALIVE, the Numbers of Male and Female Children respectively who die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Tables 17. and 18.)

SEX	MALES.						FEMALES.					
AGES	Total under 5 years.	0—	1—	2—	3—	4—5	Total under 5 years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES	95,040	57,670	15,910	9,530	6,610	5,320	80,370	45,280	14,140	9,320	6,440	5,190
TOTAL ZYMOTIC DISEASES—Order 1.	25,875	8,841	5,795	4,508	3,557	3,174	23,886	7,480	5,129	4,377	3,682	3,218
ZYMOTIC DISEASES—Order 1.												
Small-pox	324	216	22	29	31	26	278	132	17	28	30	71
Measles	2,774	535	1,085	640	277	237	2,483	453	888	568	314	260
Scarlatina	5,817	416	1,156	1,485	1,459	1,301	5,556	514	1,004	1,353	1,467	1,218
Erysipelas	2,065	272	388	383	506	516	2,119	154	346	507	443	669
Whooping-cough	4,584	2,244	1,292	640	219	189	5,066	2,400	1,411	729	343	183
Dysentery	1,411	204	260	297	329	321	1,396	171	268	323	368	266
Cholera and Dysentery	5,312	3,928	820	291	157	116	4,042	2,865	693	312	154	18
Cholera	242	127	49	40	5	21	157	79	26	11	35	6
Other Zymotic Diseases.—Order 1.	3,346	899	723	708	574	447	2,789	712	476	546	528	527
FIVE CONSTITUTIONAL DISEASES.												
Cancer	57	4	—	6	26	21	53	4	4	22	5	18
Strufula and Tabes	2,902	1,587	693	371	146	105	2,433	1,195	598	362	159	124
Phtisis	1,224	403	393	177	146	105	1,432	453	385	273	179	142
Erysipelas	3,837	1,481	1,138	537	439	242	2,767	1,020	749	451	328	219
LOCAL DISEASES.												
Lesions of the Brain	12,604	9,312	1,566	851	496	379	10,088	6,830	1,685	830	453	290
Do. of the Heart, & Dropsy	656	327	93	74	78	84	648	294	121	89	91	53
Diseases of the Lungs	15,212	9,269	3,329	1,452	694	463	12,072	7,019	2,915	1,558	712	468
Do. of Stomach & Liver	2,600	1,811	287	251	151	100	1,831	1,226	182	111	164	148
Diseases of the Kidneys	175	38	44	51	16	26	135	31	17	22	35	30
Do. of Generative Organs	5	—	—	—	5	—	4	—	4	—	—	—
Diseases of the Joints	168	38	31	46	21	32	145	31	39	28	15	30
Diseases of the Skin	421	361	49	29	26	16	302	233	26	28	15	—
CHILD-BIRTH & METRUA	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths.												
By Fire	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	2,362	730	432	451	449	300	1,870	611	381	384	269	225
OTHER CAUSES	26,942	23,528	2,060	726	360	268	22,106	18,853	1,910	783	333	225

TABLE 21.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE
TWELVEThe Table shows also, according to the Healthy Districts Life Table, the Annual Birth
and after each of 12 Ages of 25 Classes c

AGE <i>x</i> . . .	0	5	10	15	20	25
DEATHS FROM ALL CAUSES at } Age <i>x</i> and upwards . . }	1,000,000	824,590	795,240	778,572	756,001	727,552
TOTAL ZYMOTIC DISEASES—Order 1.	124,899	75,128	53,777	52,338	47,529	43,577
ZYMOTIC DISEASES—Order 1.						
Small-pox	2,359	1,757	1,697	1,591	1,470	1,231
Measles	6,912	1,655	590	323	180	150
Scarlatina	21,403	10,030	3,671	1,972	1,334	936
Diphtheria	10,292	6,108	2,890	1,541	1,107	899
Whooping-cough	10,234	584	50	18	6	—
Typhus	28,146	25,339	22,674	20,375	17,722	15,340
Diarrhœa and Dysentery	21,217	11,863	11,393	11,334	11,180	11,027
Cholera	2,244	1,845	1,663	1,603	1,552	1,454
Other Zymotic Diseases—Order 1. .	22,062	15,947	14,189	13,581	12,978	12,531
FIVE CONSTITUTIONAL DISEASES.						
Cancer	27,465	27,385	27,311	27,284	27,215	27,154
Scrofula and Tabes	12,635	7,320	6,343	5,469	4,653	4,010
Phthisis	106,461	106,825	104,252	101,312	92,440	77,941
Hydrocephalus	8,591	1,987	634	214	112	76
LOCAL DISEASES.						
Diseases of the Brain	125,473	102,781	100,890	99,547	97,711	96,979
Diseases of the Heart, and Dropsy .	103,410	104,106	103,315	102,388	101,347	100,240
Diseases of the Lungs	129,618	101,734	99,476	98,636	97,424	96,052
Diseases of the Stomach and Liver .	57,079	52,648	51,747	51,158	50,167	49,194
Diseases of the Kidneys	21,121	20,811	20,551	20,361	20,114	19,735
Diseases of the Generative Organs .	3,241	3,232	3,226	3,220	3,180	3,131
Diseases of the Joints	3,356	3,045	2,876	2,651	2,487	2,236
Diseases of the Skin	2,959	2,236	2,174	2,078	2,030	1,978
CHILDBIRTH AND METRUA	7,065	7,065	7,065	7,065	6,856	5,893
VIOLENT DEATHS.						
Suicide	4,487	4,487	4,487	4,455	4,341	4,106
Other Violent Deaths	26,694	22,462	20,843	19,573	18,196	16,736
OTHER CAUSES	231,386	182,338	181,293	180,793	180,268	179,602

showing out of 1,000,000 BORN ALIVE, the NUMBER of PERSONS DYING at and after AGES.

being 1,000,000; the Annual Deaths 1,000,000; the Numbers of Persons dying annually at Causes, out of a Population of 48,996,650.

35	45	55	65	75	85	- - - AGE <i>x</i>
667,946	606,619	534,081	424,399	247,208	69,956	{ DEATHS FROM ALL CAUSES at Age <i>x</i> and upwards.
37,746	32,585	27,550	20,121	9,812	2,307	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
886	642	392	128	73	27	Small-pox.
108	63	55	25	14	14	Measles.
480	229	112	44	—	—	Scarlatina.
297	369	228	92	37	14	Diphtheria.
—	—	—	—	—	—	Whooping-cough.
12,233	9,531	7,225	4,200	1,409	141	Typhus.
10,508	10,037	9,513	8,409	5,146	1,503	Diarrhoea and Dysentery.
1,512	1,106	873	580	227	54	Cholera.
11,623	10,608	9,152	6,643	2,906	554	Other Zymotic Diseases—Order 1.
						FIVE ZYMOTIC DISEASES.
58,475	24,257	19,233	11,967	4,159	607	Cancer.
2,975	2,339	1,473	751	200	27	Scrofula and Tabes.
50,621	29,396	15,651	5,530	776	27	Phthisis.
48	26	10	—	—	—	Hydrocephalus.
						LOCAL DISEASES.
91,819	85,396	75,354	58,653	29,622	4,925	Diseases of the Brain.
94,627	89,914	79,463	58,445	23,897	2,725	Diseases of the Heart, and Dropsy.
92,219	86,958	78,724	62,044	31,510	6,121	Diseases of the Lungs.
46,347	42,344	35,091	22,851	8,298	1,148	Diseases of the Stomach and Liver.
18,690	16,857	14,538	10,537	4,556	826	Diseases of the Kidneys.
2,894	2,318	1,540	875	228	54	Diseases of the Generative Organs.
1,853	1,482	1,041	631	200	27	Diseases of the Joints.
1,879	1,732	1,541	1,131	569	85	Diseases of the Skin.
2,951	259	—	—	—	—	CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
3,712	3,190	2,168	997	234	27	Suicide.
13,917	11,324	8,294	5,533	2,737	649	Other Violent Deaths.
178,975	175,772	172,410	164,533	130,410	50,401	OTHER CAUSES.

TABLE 22.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE,
The TABLE shows also, according to the Healthy Districts Life Table, the Annual Births being
of 12 Ages, of 25 Classes of Causes, out

AGE <i>x</i> - - -	0	5	10	15	20	25
DEATHS FROM ALL CAUSES at } Age <i>x</i> and upwards }	511,240	416,200	401,687	394,217	383,876	370,067
TOTAL ZYMOTIC DISEASES—Order 1.	63,607	37,732	29,995	27,375	25,117	23,173
ZYMOTIC DISEASES—Order 1.						
Small-pox - - - - -	1,514	1,190	1,123	1,093	1,023	857
Measles - - - - -	3,514	740	256	145	81	63
Scarlatina - - - - -	10,779	4,962	1,745	910	548	346
Diphtheria - - - - -	4,478	2,413	1,061	640	480	412
Whooping-cough - - - -	4,823	244	32	12	6	—
Typhus - - - - -	14,125	12,714	11,551	10,666	9,526	8,382
Diarrhoea and Dysentery - -	11,337	6,025	5,791	5,761	5,680	5,612
Cholera - - - - -	1,135	893	826	801	778	753
Other Zymotic Diseases—Order 1. -	11,897	8,551	7,610	7,338	7,000	6,746
FIVE CONSTITUTIONAL DISEASES.						
Cancer - - - - -	9,350	9,293	9,246	9,233	9,204	9,155
Scrofula and Tubercles - - -	6,613	3,711	3,160	2,733	2,343	2,017
Phthisis - - - - -	52,282	51,058	50,440	49,465	48,073	39,442
Hydrocephalus - - - - -	4,746	909	247	76	47	29
LOCAL DISEASES.						
Diseases of the Brain - - -	66,030	53,426	52,463	51,896	51,109	50,223
Diseases of the Heart, and Dropsy -	50,475	40,819	40,368	40,916	40,445	47,910
Diseases of the Lungs - - -	70,900	55,748	54,618	54,276	53,566	52,717
Diseases of the Stomach and Liver -	28,993	26,593	25,964	25,682	25,222	24,797
Diseases of the Kidneys - - -	15,382	15,207	15,061	14,971	14,831	14,628
Diseases of the Generative Organs -	144	139	139	139	133	133
Diseases of the Joints - - -	1,787	1,619	1,536	1,415	1,281	1,139
Diseases of the Skin - - - -	1,560	1,139	1,106	1,066	1,021	1,003
CHILDBIRTH AND METRIA - -	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide - - - - -	3,555	3,555	3,555	3,540	3,482	3,310
Other Violent Deaths - - -	20,339	17,077	16,853	15,757	14,512	13,196
OTHER CAUSES - - - - -	115,426	88,484	87,944	87,688	87,400	87,195

showing, out of 511,249 Boys BORN ALIVE, the NUMBERS DYING at and after TWELVE AGES. 511,249; the Annual Deaths 511,249; the Numbers of Males dying annually at and after each of a Male Population of 24,827,450.

35	45	55	65	75	85	- - - AGE <i>x</i> .
340,996	310,317	272,398	214,416	121,787	32,796	{ DEATHS FROM ALL CAUSES at Age <i>x</i> and upwards.
20,291	17,721	14,877	10,761	5,280	1,126	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
615	446	280	104	60	14	Small-pox.
49	34	34	14	14	14	Measles.
183	101	51	22	—	—	Scarlatina.
263	168	127	59	26	14	Diphtheria.
—	—	—	—	—	—	Whooping-cough.
6,634	5,546	4,294	2,500	872	101	Typhus.
5,427	5,199	4,859	4,332	2,682	680	Diarrhoea and Dysentery.
600	543	427	271	83	14	Cholera.
6,371	5,684	4,806	3,459	1,543	289	Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
8,977	8,529	7,335	5,043	1,865	289	Cancer.
1,483	1,079	756	406	106	14	Scrofula and Tabes.
26,170	16,330	9,176	3,207	472	—	Phthisis.
13	8	—	—	—	—	Hydrocephalus.
						LOCAL DISEASES.
48,045	44,463	38,940	30,261	15,055	2,285	Diseases of the Brain.
44,083	42,750	37,643	27,785	11,538	1,345	Diseases of the Heart, and Dropsy.
50,525	47,411	42,196	32,591	16,123	2,950	Diseases of the Lungs.
23,483	21,294	17,829	11,423	3,903	578	Diseases of the Stomach and Liver.
12,952	12,939	11,356	8,684	3,855	680	Diseases of the Kidneys.
112	97	80	70	26	14	Diseases of the Generative Organs.
968	770	588	383	106	14	Diseases of the Joints.
960	909	810	586	265	58	Diseases of the Skin.
—	—	—	—	—	—	CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
3,004	2,519	1,723	806	175	14	Suicide.
10,627	8,320	5,751	3,430	1,259	304	Other Violent Deaths.
86,486	83,170	83,830	78,981	61,759	23,125	OTHER CAUSES.

TABLE 23.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE, showing,
The TABLE shows also, according to the Healthy Districts Life Table, the annual Births being
each of 12 Ages, of 25 Classes of Causes,

AGE <i>x</i>	0	5	10	15	20	25
TOTAL DEATHS at Age <i>x</i> and upwards }	468,751	408,861	398,563	384,355	373,135	357,488
TOTAL ZYMOTIC DISEASES—Order 1.	61,282	37,396	28,752	24,963	22,412	20,404
ZYMOTIC DISEASES—Order 1.						
Small-pox	845	567	544	498	447	374
Measles	3,398	915	334	178	99	87
Scarlatina	10,624	5,068	1,926	1,062	791	590
Diphtheria	5,814	3,695	1,819	892	627	467
Whooping-cough	5,406	340	18	6	—	—
Typhus	14,021	12,625	11,123	9,709	8,196	6,967
Diarrhoea and Dysentery	9,890	5,838	5,002	5,273	5,500	5,415
Cholera	1,109	962	837	802	774	701
Other Zymotic Diseases—Order 1. .	10,185	7,396	6,579	6,243	5,978	5,783
FIVE CONSTITUTIONAL DISEASES.						
Cancer	18,145	18,092	18,063	18,051	18,011	17,999
Scrofula and Tabes	6,042	3,609	3,183	2,766	2,309	1,993
Phthisis	56,199	54,767	53,512	51,847	46,367	38,499
Hydrocephalus	3,845	1,078	387	138	65	47
LOCAL DISEASES.						
Diseases of the Brain	59,443	49,355	48,417	47,652	46,602	45,756
Diseases of the Heart, and Dropsy .	54,935	54,327	53,947	53,472	53,902	53,330
Diseases of the Lungs	53,658	45,966	44,358	44,360	43,853	43,335
Diseases of the Stomach and Liver .	23,086	26,255	25,783	25,476	24,945	24,397
Diseases of the Kidneys	5,739	5,604	5,300	5,290	5,283	5,197
Diseases of the Generative Organs .	3,097	3,093	3,087	3,061	3,047	2,998
Diseases of the Joints	1,569	1,426	1,340	1,236	1,146	1,097
Diseases of the Skin	1,899	1,097	1,068	1,022	999	975
CHILDBIRTH AND METRIA	7,065	7,065	7,065	7,065	6,856	5,803
VIOLENT DEATHS.						
Suicide	932	932	932	915	859	798
Other Violent Deaths	6,355	4,485	3,990	3,816	3,696	3,540
OTHER CAUSES	118,960	96,854	96,546	96,105	92,778	93,407

out of 488,751 Males BORN ALIVE, the NUMBERS DYING at and after TWELVE AGES.
488,751 ; the annual Deaths 488,751 ; the Numbers of Females dying annually at and after
out of a Female Population of 24,169,200.

35	45	55	65	75	85	- - - AGE x.
226,944	206,702	261,693	210,183	125,421	87,160	{ TOTAL DEATHS at Age x and upwards.
17,455	14,864	12,673	9,360	4,532	1,181	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
270	196	112	24	13	13	Small-pox.
59	29	21	11	—	—	Measles.
206	128	61	22	—	—	Scarlatina.
234	201	101	83	11	—	Diphtheria.
—	—	—	—	—	—	Whooping-cough.
5,400	3,985	2,951	1,700	587	40	Typhus.
5,081	4,838	4,654	4,077	2,464	823	Diarrhoea and Dysentery.
652	563	446	309	144	40	Cholera.
5,353	4,924	4,347	3,184	1,363	265	Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
17,408	15,728	11,808	6,924	2,294	318	Cancer.
1,408	1,160	717	346	94	13	Scrofula and Tabes.
28,851	13,006	6,476	2,323	304	27	Phthisis.
33	18	10	—	—	—	Hydrocephalus.
						LOCAL DISEASES.
43,774	40,204	36,405	28,392	14,567	2,640	Diseases of the Brain.
50,424	47,164	41,820	30,660	12,359	1,380	Diseases of the Heart, and Dropsy.
41,604	39,547	36,528	29,453	15,397	3,171	Diseases of the Lungs.
23,900	21,050	17,262	11,428	4,396	570	Diseases of the Stomach and Liver.
4,448	3,918	3,182	1,853	701	146	Diseases of the Kidneys.
2,733	2,231	1,460	806	202	40	Diseases of the Generative Organs.
807	712	453	248	94	13	Diseases of the Joints.
919	823	751	545	304	27	Diseases of the Skin.
1,851	269	—	—	—	—	CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
708	671	445	191	59	13	Suicide.
3,200	2,905	2,543	2,103	1,478	345	Other Violent Deaths.
91,640	90,802	89,090	85,552	68,651	27,276	OTHER CAUSES.

TABLE 24.—Outline LIFE TABLE of the HEALTHY DISTRICTS of ENGLAND AND WALES.

AGE <i>x</i>	<i>l_x</i>			<i>d_x</i>		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	511,249	488,751	175,410	95,040	80,370
5	824,590	416,209	408,381	29,341	14,522	14,819
10	795,249	401,687	393,562	16,677	7,470	9,207
15	778,572	394,217	384,355	22,571	10,341	12,230
20	756,001	383,876	372,125	28,449	13,809	14,640
25	727,552	370,067	357,485	59,612	29,071	30,541
35	667,940	340,996	326,944	61,921	30,679	31,242
45	606,019	310,317	295,702	71,938	37,919	34,019
55	534,081	272,398	261,683	109,482	57,982	51,500
65	424,599	214,416	210,183	177,391	92,629	84,762
75	247,208	121,787	125,421	177,252	88,991	88,261
85	69,956	32,796	37,160	65,496	30,856	34,640
95	4,460	1,940	2,520	4,440	1,930	2,510
105	20	10	10	20	10	10

Note.—This Life Table is derived from the Healthy Districts Life Table constructed by Dr. Farr and published in 1859 in the "Transactions of the Royal Society," pp. 837-878; the number of children born, and dying at various ages, has been raised to 1,000,000 to render the Table comparable with those of All England, of London, and of Liverpool.

TABLE 25.—Outline LIFE TABLE for LIVERPOOL DISTRICT.

AGE x	l_x			d_x		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	512,044	487,956	460,370	240,775	219,595
5	539,630	271,269	268,361	41,009	21,444	19,565
10	498,621	249,825	248,796	15,729	8,207	7,522
15	482,892	241,618	241,274	20,124	11,151	8,973
20	462,768	230,467	232,301	28,271	15,817	12,454
25	434,497	214,650	219,847	74,153	38,876	35,277
35	360,344	175,774	184,570	85,151	45,651	39,500
45	275,193	130,123	145,070	90,969	46,090	44,879
55	184,224	84,033	100,191	86,589	42,710	43,879
65	97,635	41,323	56,312	63,480	28,792	34,688
75	34,155	12,531	21,624	28,152	10,757	17,395
85	6,003	1,774	4,229	5,586	1,684	3,902
95	417	90	327	408	89	319
105	9	1	8	9	1	8

The Table may be read thus:—According to the rates of mortality prevailing in the 10 years 1861-70, of a million children born alive, 512,044 males, 487,956 females, 462,768 attain the age of 20; 28,271 die in the following 5 years; and 434,497 survive to the age of 25.

TABLE 26.—Table of Mortality, derived from the preceding LIVERPOOL LIFE TABLE,
expected

AGES . . .	ALL AGES.	0— (See Table 29.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	1,000,000	480,370	41,009	15,729	20,124	28,271
TOTAL ZYMOTIC DISEASES—Order 1.*	284,983	171,009	32,032	6,162	5,699	6,821
ZYMOTIC DISEASES—Order 1.*						
Small-pox	8,141	5,175	901	262	287	583
Measles	26,973	25,514	1,372	71	30	34
Scarlatina	38,302	26,818	9,360	1,403	218	184
Diphtheria	4,416	3,395	546	81	100	61
Whooping-cough	34,021	32,551	1,410	50	10	—
Typhus	76,563	9,297	4,907	2,884	4,162	4,724
Diarrhoea and Dysentery . . .	61,446	51,911	900	263	129	273
Cholera	16,489	4,255	1,694	936	436	655
Other Zymotic Diseases—Order 1.*	18,632	12,093	979	212	327	307
FIVE CONSTITUTIONAL DISEASES.						
Cancer	9,992	63	40	10	100	52
Scrofula and Tabes	15,658	11,694	1,537	644	476	350
Phthisis	96,676	5,116	2,428	2,732	7,027	10,914
Hydrocephalus	16,356	14,972	1,126	191	30	—
LOCAL DISEASES.						
Diseases of the Brain	82,251	40,840	2,154	826	823	996
Diseases of the Heart, and Dropsy .	41,947	2,058	1,478	1,079	1,050	1,372
Diseases of the Lungs	190,066	79,893	3,790	908	1,130	2,230
Diseases of the Stomach and Liver .	27,818	4,874	577	423	565	821
Diseases of the Kidneys	9,744	630	362	182	237	468
Diseases of the Generative Organs .	1,502	21	—	—	10	85
Diseases of the Joints	3,552	617	596	463	376	238
Diseases of the Skin	2,325	717	106	50	120	115
CHILDBIRTH AND METRUA . . .	4,127	—	—	—	187	702
VIOLENT DEATHS.						
Suicide	2,009	—	—	20	79	124
Other Violent Deaths	45,184	17,107	2,644	1,434	1,680	2,217
OTHER CAUSES	165,810	101,780	2,135	605	535	764

showing of what Diseases and at what Ages 1,000,000 LIVEBORN CHILDREN may be
to die.

25—	35—	45—	55—	65—	75—	85 and upwards.	AGES.
74,153	86,151	90,900	86,589	63,480	28,152	6,003	DEATHS FROM ALL CAUSES.
15,327	19,006	17,064	12,737	6,726	2,041	289	TOTAL ZYMOTIC DIS.—Order 1.
597	319	85	10	12	—	—	ZYMOTIC DISEASES—Order 1.
23	—	—	—	—	—	—	Small-pox.
234	66	19	—	—	—	—	Measles.
70	27	55	12	53	13	—	Scarlatina.
—	—	—	—	—	—	—	Diphtheria.
19,857	14,323	12,504	8,635	3,681	760	30	Whooping-cough.
822	1,300	1,421	1,903	1,560	766	188	Typhus.
2,178	2,301	1,985	1,186	627	192	44	Diarrhoea and Dysentery.
737	831	985	991	803	310	27	Cholera.
—	—	—	—	—	—	—	Other Zymotic Dis.—Order 1.
702	1,793	2,876	3,589	1,437	317	15	FIVE CONSTITUTIONAL DIS.
349	183	197	183	62	13	—	Cancer.
26,946	21,529	13,374	5,617	1,787	230	15	Scrofula and Tuberc.
17	—	—	20	—	—	—	Phthisis.
—	—	—	—	—	—	—	Hydrocephalus.
3,126	3,708	5,789	6,757	5,873	1,996	366	LOCAL DISEASES.
5,616	7,100	8,020	7,855	5,312	1,535	92	Diseases of the Brain.
8,227	13,967	24,417	29,218	19,037	6,221	968	Diseases of the Heart, & Dropsy.
2,545	4,316	5,531	4,508	2,545	774	39	Diseases of the Lungs.
1,379	1,641	1,683	1,594	1,167	364	36	Diseases of the Stomach & Liver.
228	430	400	193	78	27	—	Diseases of the Kidneys.
436	236	210	291	75	12	—	Diseases of the Generat. Organs.
254	165	271	309	140	40	27	Diseases of the Joints.
—	—	—	—	—	—	—	Diseases of the Skin.
1,933	1,327	73	—	—	—	—	CHILDBIRTH AND METRIA.
323	501	420	278	139	25	—	VIOLENT DEATHS.
4,860	4,606	4,314	3,719	1,810	708	95	Suicide.
—	—	—	—	—	—	—	Other Violent Deaths.
2,000	4,606	6,420	10,751	17,313	13,840	4,041	OTHER CAUSES.

TABLE 27.—Table of Mortality, derived from the preceding LIVERPOOL LIFE TABLE,
expected

AGES . . .	ALL AGES.	0— (See Table 20.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	512,044	240,775	21,444	8,207	11,151	15,817
TOTAL ZYMOTIC DISEASES—Order 1.	143,072	85,468	11,289	2,949	2,927	3,826
ZYMOTIC DISEASES—Order 1.						
Small-pox	4,458	2,615	518	120	139	405
Measles	13,754	12,984	713	20	10	9
Scarlatina	20,132	14,184	5,082	610	60	108
Diphtheria	2,315	1,827	235	40	70	36
Whooping-cough	14,710	14,084	596	30	—	—
Typhus	38,493	4,456	2,307	1,369	2,170	2,566
Diarrhoea and Dysentery . . .	31,645	26,821	489	110	90	171
Cholera	7,805	2,195	801	580	219	342
Other Zymotic Diseases—Order 1. .	9,760	6,302	528	70	169	189
FIVE CONSTITUTIONAL DISEASES.						
Cancer	2,929	21	20	—	70	18
Scrofula and Tubercles	8,407	6,020	938	380	279	198
Phthisis	50,295	2,636	1,280	1,289	3,694	5,753
Hydrocephalus	9,577	8,761	626	140	30	—
LOCAL DISEASES.						
Diseases of the Brain	43,602	27,397	1,202	430	438	558
Diseases of the Heart, and Dropsy .	20,392	1,072	850	520	537	729
Diseases of the Lungs	95,501	42,356	1,877	410	657	1,350
Diseases of the Stomach and Liver .	13,674	2,864	332	240	319	423
Diseases of the Kidneys	6,325	442	244	80	129	189
Diseases of the Generative Organs .	77	—	—	—	—	—
Diseases of the Joints	2,099	326	362	290	189	162
Diseases of the Skin	1,238	325	29	20	90	81
CHILDBIRTH AND METRUA . . .	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide	1,504	—	—	10	30	99
Other Violent Deaths	30,413	8,954	1,359	1,119	1,503	1,963
OTHER CAUSES	82,879	54,133	1,056	330	259	468

Deaths by several Causes.

CXXXI

showing of what Diseases and at what Ages 512,044 Boys BORN ALIVE may be
to die.

25—	35—	45—	55—	65—	75—	85 and upwards.	• • • AGES.
28,876	45,651	46,000	42,710	36,792	10,757	1,774	DEATHS FROM ALL CAUSES.
7,221	9,852	8,557	6,150	3,275	873	96	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
578	207	54	10	12	—	—	Small-pox.
18	—	—	—	—	—	—	Measles.
79	—	9	—	—	—	—	Scarlatina.
44	18	45	—	—	—	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
5,325	7,448	6,219	4,173	1,916	344	—	Typhus.
572	648	725	932	720	283	84	Diarrhoea and Dysentery.
792	1,018	968	527	252	111	—	Cholera.
423	513	517	517	395	136	12	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
155	378	798	901	476	62	—	Cancer.
246	117	145	61	23	—	—	Scrofula and Tuberc.
12,915	11,032	7,280	3,332	941	123	—	Phthisis.
—	—	—	20	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
1,536	2,270	2,003	3,312	2,600	922	84	Diseases of the Brain.
2,674	3,963	3,781	3,312	2,230	676	48	Diseases of the Heart, & Dropsy.
4,695	7,178	11,723	14,200	8,304	2,557	335	Diseases of the Lungs.
1,255	2,143	2,074	2,046	1,067	197	24	Diseases of the Stomach & Liver.
826	1,117	1,070	1,074	825	283	36	Diseases of the Kidneys.
—	9	36	20	12	—	—	Diseases of the Generat. Organs.
255	189	127	152	85	12	—	Diseases of the Joints.
194	99	136	122	70	—	12	Diseases of the Skin.
—	—	—	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
273	452	326	243	139	12	—	Suicide.
4,144	4,063	3,327	2,633	1,138	184	36	Other Violent Deaths.
1,347	2,519	3,418	4,963	7,007	4,856	1,103	OTHER CAUSES.

TABLE 28.—Table of Mortality, derived from the preceding LIVERPOOL LIFE TABLE,
expected

AGES . . .	ALL AGES.	0— (See Table 30.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	487,966	219,596	19,565	7,522	8,973	12,454
TOTAL ZYMOTIC DISEASES—Order 1.	141,911	85,541	10,763	3,213	2,772	2,995
ZYMOTIC DISEASES—Order 1.						
Small-pox	3,683	2,500	383	142	148	178
Measles	13,219	12,530	559	51	30	25
Scarlatina	18,170	12,634	4,278	793	158	76
Diphtheria	2,101	1,568	314	41	30	25
Whooping-cough	19,311	18,467	814	20	10	—
Typhus	38,070	4,841	2,900	1,515	1,992	2,158
Diarrhoea and Dysentery . . .	29,801	25,090	471	153	39	103
Cholera	8,684	2,060	893	356	217	313
Other Zymotic Diseases—Order 1. .	8,872	5,791	451	142	158	118
FIVE CONSTITUTIONAL DISEASES.						
Cancer	7,063	41	20	10	30	34
Scrofula and Tubercles	7,351	5,874	599	264	197	152
Phthisis	46,381	2,490	1,146	1,443	2,333	5,161
Hydrocephalus	6,779	6,211	500	51	—	—
LOCAL DISEASES.						
Diseases of the Brain	38,649	22,443	952	396	335	440
Diseases of the Heart, and Dropsy .	21,555	966	628	559	513	643
Diseases of the Lungs	94,565	37,537	1,913	498	473	590
Diseases of the Stomach and Liver .	14,144	2,010	245	183	246	396
Diseases of the Kidneys	3,419	188	118	102	108	279
Diseases of the Generative Organs .	1,425	21	—	—	10	55
Diseases of the Joints	1,453	291	236	173	187	76
Diseases of the Skin	1,067	392	79	30	30	34
CHILDBIRTH AND METRUA . . .	4,127	—	—	—	187	708
VIOLENT DEATHS.						
Suicide	445	—	—	10	40	25
Other Violent Deaths	14,771	8,153	1,285	315	177	254
OTHER CAUSES	82,931	47,647	1,079	275	276	296

showing of what Diseases and at what Ages 487,956 Girls BORN ALIVE may be
to die.

35—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
3,327	30,500	44,879	43,979	34,088	17,395	4,239	DEATHS FROM ALL CAUSES.
7,326	9,214	8,507	6,878	3,451	1,168	193	TOTAL ZYMOTIC DIS.—Order 1.
129	112	31	—	—	—	—	ZYMOTIC DISEASES—Order 1.
24	—	—	—	—	—	—	Small-pox.
125	66	10	—	—	—	—	Measles.
28	9	10	12	53	13	—	Scarlatina.
—	—	—	—	—	—	—	Diphtheria.
5,128	6,374	6,285	4,462	1,765	416	30	Whooping-cough.
310	522	606	971	330	483	104	Typhus.
1,386	1,233	997	659	395	81	44	Diarrhoea and Dysentery.
344	318	478	474	408	175	15	Cholera.
—	—	—	—	—	—	—	Other Zymotic Dis.—Order 1.
527	1,414	2,078	1,683	961	255	15	FIVE CONSTITUTIONAL DIS.
186	66	52	92	30	13	—	Cancer.
5,121	10,469	5,904	2,365	816	107	15	Scrofula and Tabes.
17	—	—	—	—	—	—	Phthisis.
—	—	—	—	—	—	—	Hydrocephalus.
1,489	1,433	3,096	3,445	3,213	1,074	232	LOCAL DISEASES.
2,342	3,137	4,239	4,543	3,082	859	44	Diseases of the Brain.
3,772	6,799	12,695	14,958	10,733	3,664	653	Diseases of the Heart, & Dropsy.
1,489	2,173	2,857	2,462	1,498	577	15	Diseases of the Lungs.
534	524	623	520	342	81	—	Diseases of the Stomach & Liver.
268	461	344	173	66	27	—	Diseases of the Kidneys.
181	47	82	139	40	—	—	Diseases of the Generat. Organs.
66	66	135	127	79	40	15	Diseases of the Joints.
—	—	—	—	—	—	—	Diseases of the Skin.
1,200	1,227	73	—	—	—	—	CHILD BIRTH AND METRIS.
66	159	94	35	—	13	—	VIOLENT DEATHS.
766	523	967	1,066	672	524	59	Suicide.
—	—	—	—	—	—	—	Other Violent Deaths.
1,162	1,789	3,002	5,768	9,706	8,993	2,938	OTHER CAUSES.

TABLE 29.—Table showing out of 1,000,000 LIVEBORN CHILDREN what Numbers die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Table 26. It shows the deaths at *each year* of age under 5.)

CHILDREN OF BOTH SEXES.						
AGES	Total under 5 Years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES . .	460,370	233,094	114,655	55,636	33,803	22,592
TOTAL ZYMOTIC DISEASES—Order 1.	171,009	58,717	51,530	23,218	19,563	12,991
ZYMOTIC DISEASES—Order 1.						
Small-pox	5,175	3,023	1,134	875	652	436
Measles	25,514	5,121	10,156	5,553	3,041	1,643
Scarlatina	26,818	2,568	6,302	6,459	6,727	4,842
Diphtheria	3,395	697	1,145	685	568	300
Whooping-cough	32,551	11,163	10,854	5,637	3,101	1,806
Typhus	9,297	1,404	1,998	2,013	1,800	1,993
Diarrhoea and Dysentery . . .	51,911	31,379	15,420	3,351	1,337	424
Cholera	4,255	1,433	875	843	568	586
Other Zymotic Diseases—Order 1. .	12,093	2,814	3,736	2,813	1,769	961
FIVE CONSTITUTIONAL DISEASES.						
Cancer	62	—	—	10	32	20
Scrofula and Tubercles	11,694	4,348	3,965	1,723	936	722
Phthisis	5,116	1,102	1,623	1,138	705	546
Hydrocephalus	14,972	6,263	4,707	2,244	1,064	695
LOCAL DISEASES.						
Diseases of the Brain	49,840	34,921	7,931	3,635	2,052	1,311
Diseases of the Heart, and Dropsy .	2,088	293	521	400	463	362
Diseases of the Lungs	79,893	39,658	23,986	9,947	4,556	2,773
Diseases of the Stomach and Liver .	4,874	3,396	718	253	263	246
Diseases of the Kidneys	630	104	104	127	201	94
Diseases of the Generative Organs .	21	—	10	11	—	—
Diseases of the Joints	617	125	94	106	147	145
Diseases of the Skin	717	393	198	64	42	30
CHILDBIRTH AND METRIA . . .	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide	—	—	—	—	—	—
Other Violent Deaths	17,107	11,336	1,740	1,697	1,338	1,065
OTHER CAUSES	101,790	74,152	17,540	6,069	2,441	1,579

Deaths by several Causes.

CXXXV

TABLE 30.—Table showing out of 512,044 MALE CHILDREN, and of 487,956 FEMALE CHILDREN, BORN ALIVE, the Numbers of Male and Female Children respectively who die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Tables 27 and 28.)

SEX	MALES.						FEMALES.					
	Total under 5 years.	0—	1—	2—	3—	4—5	Total under 5 years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES	240,775	127,542	57,822	27,555	16,564	11,286	219,596	106,152	56,827	28,071	17,239	11,306
TOTAL SYMPTOMATIC DISEASES—Order 1.	85,468	30,190	25,445	13,772	9,604	6,487	85,541	28,527	26,075	14,446	9,959	6,534
SYMPTOMATIC DISEASES—Order 1.												
Measles	2,615	1,154	523	390	296	252	2,560	874	611	485	356	234
Scarlet	12,984	2,726	5,210	2,719	1,512	817	12,530	2,395	4,946	2,834	1,529	826
Whooping-cough	14,184	1,457	3,243	3,330	3,554	2,620	12,634	1,151	2,959	3,129	3,173	2,222
Diphtheria	1,827	419	607	358	296	147	1,568	278	538	327	272	153
Whooping-cough	14,084	5,149	4,656	2,308	1,195	776	18,467	6,014	6,198	3,319	1,906	1,030
Rubella	4,456	661	1,036	969	887	933	4,841	833	902	1,043	943	1,000
Scarlet and Dysentery	26,821	16,463	7,753	1,686	709	210	25,090	14,916	7,667	1,665	628	214
Cholera	2,198	734	471	495	275	220	2,060	699	404	348	293	316
Other Symptomatic Diseases—Order 1.	6,302	1,447	1,946	1,517	910	482	5,791	1,367	1,790	1,296	850	479
FIVE CONSTITUTIONAL DISEASES.												
Cancer	21	—	—	—	21	—	41	—	—	10	11	20
Scrophulous and Tuberc.	6,020	2,358	2,092	811	465	314	5,674	2,005	1,873	917	471	408
Rheumatism	2,636	650	795	601	317	273	2,490	452	828	537	388	275
Hydrocephalus	8,761	3,754	2,710	1,254	603	440	6,211	2,508	1,997	990	461	253
LOCAL DISEASES.												
Monies of the Brain	27,397	19,871	4,154	1,844	931	597	22,443	15,050	3,777	1,781	1,121	714
Monies of Heart, & Dropsy	1,072	189	262	200	243	178	966	103	259	200	220	184
Monies of the Lungs	42,356	21,381	12,306	4,964	2,126	1,467	37,537	17,271	11,568	4,963	2,430	1,305
Monies of Stomach & Liver	2,964	2,106	356	147	127	126	2,010	1,285	362	105	136	122
Monies of the Kidneys	442	73	63	74	138	94	188	31	41	53	63	—
Monies of Generative Organs	—	—	—	—	—	—	21	—	10	11	—	—
Monies of the Joints	326	84	42	53	53	94	291	41	52	53	94	51
Monies of the Skin	325	157	115	32	11	10	392	236	83	32	31	10
CHILDREN & INFANTS.	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths.												
Strangulation	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	8,954	5,841	942	875	762	534	8,153	5,397	807	822	576	551
Other Causes	54,133	40,906	8,454	2,908	1,163	702	47,647	33,246	9,095	3,151	1,278	877

TABLE 31.—Outline LIFE TABLE for LONDON, showing out of 1,000,000 LIVEBORN CHILDREN the **Numbers surviving** at the various AGES, and the **Numbers dying** in the INTERVALS of AGE.

AGE <i>x</i>	<i>l_x</i>			<i>d_x</i>		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	508,892	491,108	305,518	162,428	143,090
5	694,482	346,464	348,018	80,922	15,858	15,064
10	668,560	330,606	332,954	18,642	6,935	6,707
15	649,918	323,671	326,247	19,368	9,283	10,085
20	630,550	314,388	316,162	24,068	12,675	11,393
25	606,482	301,713	304,769	56,723	31,050	25,673
35	549,759	270,663	279,096	76,266	42,635	33,631
45	473,493	228,028	245,465	93,145	51,645	41,500
55	380,348	176,383	203,965	120,616	62,623	57,993
65	259,732	113,760	145,972	135,561	64,094	71,467
75	124,171	49,666	74,505	97,882	40,541	57,341
85	26,289	9,125	17,164	25,020	8,768	16,252
95	1,269	357	912	1,262	356	906
105	7	1	6	7	1	6

TABLE 32.—Outline LIFE TABLE for FIFTEEN GREAT TOWNS,
showing out of 1,000,000 LIVEBORN CHILDREN the **Numbers surviving at**
the various AGES, and the **Numbers dying** in the INTERVALS of AGE.

[NOTE.—This life table for fifteen great towns is based on facts relating to the following fifteen Registration Districts, viz., Manchester, Salford, Bradford, Birmingham, Sheffield, Leeds, Newcastle-upon-Tyne, Hunslet, Leicester, Gateshead, Bristol, Hull, Exeter, Worcester, and Shrewsbury.]

AGE <i>x</i>	<i>l_x</i>			<i>d_x</i>		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	509,337	490,663	345,816	183,774	162,042
5	654,184	325,563	328,621	32,411	16,806	15,605
10	621,773	308,757	313,016	15,894	8,120	7,774
15	605,879	300,637	305,242	21,536	10,905	10,631
20	584,343	289,732	294,611	25,497	13,040	12,457
25	558,846	276,692	282,154	58,697	29,787	28,910
35	500,149	246,905	253,244	73,154	39,059	34,095
45	426,995	207,846	219,149	88,376	47,861	40,515
55	338,619	159,985	178,634	114,244	59,179	55,065
65	224,375	100,806	123,569	125,440	59,830	65,610
75	98,935	40,976	57,959	81,357	34,787	46,570
85	17,578	6,189	11,389	16,849	6,008	10,841
95	729	181	548	724	180	544
105	5	1	4	5	1	4

TABLE 33.—Years of Life, and Deaths of Males from different

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Years of Life -	244,340,279	7,337,777	6,790,164	6,629,167	6,488,281	6,321,932	33,517,311	29,440,764	26,742,273
Total Deaths -	5,729,280	1,467,039	471,403	227,724	147,179	106,196	2,439,540	240,042	126,431
TOTAL ZYMOTIC DISEASES—Order 1. }	1,324,784	282,604	184,820	116,125	86,678	63,799	734,036	134,509	43,292
CLASS I.									
ORDER 1.									
1. Small-pox - - -	73179	14936	6764	5358	4577	3807	35442	9523	2915
2. Measles - - -	106271	21110	39377	20393	10736	6039	97655	7167	744
3. Scarlatina, including } Diphtheria 1848 to 1858 }	231839	16358	33295	37572	35002	28058	150285	61113	12287
4. Diphtheria, from 1859 -	27645	3061	3795	3147	3261	2784	16078	6577	1991
9. Quinsy - - -	4513	638	509	362	298	245	2052	520	230
5. Croup - - -	63754	9673	15205	12939	10490	6997	55304	7941	443
7. Whooping-cough - - -	114991	50647	34196	14697	7495	3923	110958	3785	166
6. Typhus - - -	219569	7409	9202	9682	8903	7898	43004	26358	17449
9. Erysipelas - - -	25240	6781	673	315	186	121	8076	439	435
22. Puerperal Fever (Me- tritis) - - -	—	—	—	—	—	—	—	—	—
9. Carbuncle - - -	3898	44	7	5	7	2	65	6	12
7. Influenza - - -	16539	3566	994	415	258	142	5375	368	186
7. Dysentery - - -	19683	4721	2003	772	462	293	8251	610	267
9. Diarrhoea - - -	226959	137672	35211	7607	2657	1523	184675	2543	954
9. Cholera - - -	56344	5087	2817	2121	1745	1530	13300	4824	2488
9. Ague - - -	2097	60	98	99	75	62	394	199	74
9. Remittent Fever - - -	4051	468	515	510	372	248	2113	643	195
9. Rheumatism - - -	27405	60	27	52	100	174	413	1821	2433
9. Other Zymotic Dis- eases, from 1860 - }	798	283	142	79	54	38	596	72	23
ORDER 2.									
25. Syphilis - - -	15396	11304	685	125	41	12	12167	30	8
9. Stricture of Urethra -	5218	6	—	1	—	3	10	1	7
9. Hydrophobia - - -	299	3	4	5	11	12	35	46	43
9. Glanders, from 1858 -	61	—	—	—	—	—	—	—	1
ORDER 3.									
25. Privation - - -	1120	48	21	15	6	4	94	27	22
9. Want of Breast-milk -	13151	12996	151	4	—	—	13151	—	—
9. Purpura and Scoury -	4609	853	546	268	160	112	1944	340	224
9. Alcohol & Del. Trem. ism - { b Intemp. - }	10448	—	—	—	—	—	—	—	3
5707	—	—	—	—	—	—	—	—	—
ORDER 4.									
25. Thrush - - -	14572	13888	453	82	28	16	14467	16	5
9. Worms, &c., from 1858 -	1134	128	147	212	137	112	736	213	45
CLASS II.									
ORDER 1.									
25. Gout - - -	6029	—	—	—	—	—	—	1	2
15. Dropsy - - -	84197	4176	1996	1454	1120	1006	9751	3195	1742
10. Cancer - - -	53867	146	87	120	130	106	589	285	222
25. Cancerum Oris (Noma) -	1277	211	209	196	183	147	946	187	23
9. Mortification - - -	17505	871	173	80	47	39	1209	88	67
ORDER 2.									
11. Scrofula - - -	39440	5769	3335	1569	997	812	12463	3917	3946
9. Tabes Mesenterica - -	73479	33506	17961	6735	2392	1737	62351	4823	2210
12. Phthisis - - -	618729	16538	11509	5913	3394	2817	40169	14465	16399
13. Hydrocephalus - - -	107002	39661	28940	12155	6737	4639	91681	10953	3755
Multipliers - - -	•004	•136	•147	•151	•155	•158	•030	•034	•037

Note.—A supplementary Table of certain causes of death, included under the heads of this Table, will be found in diseases or groups of diseases they are included

Causes of Death in Twenty-five Years.

CXXX

Diseases in England and Wales, during the Twenty-five Years 1848-72.

AGES OF MALES.

AGES OF MALES.										CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.	
91,17,308	21,501,788	35,524,345	27,009,923	21,353,121	14,025,583	7,473,852	2,668,379	325,447	12,127	Years of Life.
124,223	182,794	352,023	360,096	305,146	440,207	506,281	391,303	90,315	5,219	Total Deaths.
25,477	34,225	50,775	43,407	40,519	40,522	39,685	23,509	4,114	166	{ TOTAL ZYMOTIC DISEASES—Order 1.
										CLASS I.
										ORDER 1.
2004	654	7626	4050	2123	885	366	95	14	2	Small-pox.
229	153	157	96	43	18	6	2	2	—	Measles.
2000	1506	1560	782	401	180	77	36	3	—	{ Scarletina, including
200	471	519	357	280	241	153	53	6	—	{ Diphth. 1848 to 1850
222	183	261	244	228	273	205	74	11	—	{ Diphtheria from 1850
23	9	12	8	5	2	4	3	—	—	Quinsy.
24	13	14	10	8	7	7	—	—	—	Croup.
12022	18461	24635	20299	17823	15391	11580	4253	455	10	Whooping-cough.
699	672	1580	2156	2766	3308	3112	1841	314	11	Typhus.
—	—	—	—	—	—	—	—	—	—	Erysipelas.
—	—	—	—	—	—	—	—	—	—	{ Puerperal Fever (M
87	44	135	337	661	909	970	514	94	4	Carbuncle.
191	215	385	573	909	1666	3157	2873	614	27	Influenza.
206	607	1445	1307	1409	1826	2174	1241	189	4	Dysentery.
537	913	1912	2372	3698	6394	10654	9789	2128	100	Diarrhœa.
1200	2763	6760	6965	6678	5514	3611	1378	146	6	Cholera.
91	120	220	231	231	230	203	84	11	—	Ague.
122	115	186	159	158	137	139	65	8	1	Remittent Fever.
2646	1738	3348	3518	3532	3528	3255	1265	116	1	Rheumatism.
12	12	20	13	16	14	12	5	3	—	{ Other Zymotic D
										cases, from 1860.
										ORDER 2.
113	458	1077	758	484	234	92	24	1	—	Syphilis.
19	66	385	737	900	1054	1176	667	100	5	Stricture of Urethra.
29	25	48	33	17	15	6	2	—	—	Hydrophobia.
4	5	9	15	14	10	3	—	—	—	Glanders, from 1858.
										ORDER 3.
21	20	75	168	217	238	180	54	4	—	Privation.
—	—	—	—	—	—	—	—	—	—	Want of Breast-milk.
24	226	383	369	341	361	335	146	16	—	Purpura & Scurvy.
19	234	2429	3787	2477	1084	309	87	2	—	Alco- { a Del.Trem.
80	172	864	1476	1595	1029	434	81	2	—	holism. { b Intemp.
										ORDER 4.
6	2	1	6	5	11	19	20	14	—	Thrush.
10	8	28	34	24	20	13	2	1	—	Worms, &c., from 185
										CLASS II.
										ORDER 1.
1	12	84	463	1195	1771	1722	732	63	3	Gout.
1613	1380	3347	5407	8697	12978	20375	18130	1780	53	Dropsy.
45	579	2167	5266	10180	15063	13039	5377	687	25	Cancer.
13	4	8	10	34	22	22	16	4	—	Cancrum Oris (Noma)
108	98	233	466	906	2214	4531	5636	1588	66	Mortification.
										ORDER 2.
2097	3345	4381	2531	3003	1610	1068	253	25	2	Scrofula.
1406	658	602	400	873	513	160	18	1	—	Tuberc Mesenterica.
14797	25121	144235	114174	80952	46820	17110	2283	140	5	Phthisis.
664	252	250	179	104	75	45	19	—	—	Hydrocephalus.
*94	*947	*088	*086	*047	*071	*134	*375	3*073	82*461	Multipliers.

See Annual Reports of the Registrar General. The Diseases in this Table are numbered so as to show under what in the Life Table series of Tables, Nos. 7 to 15.

TABLE 33. (continued).—Years of Life, and Deaths of Males from different

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS III.									
ORDER 1.									
14. Cephalitis - - -	53068	9825	6596	4008	2955	2465	26364	7328	3536
" Apoplexy - - -	116165	4019	1685	988	758	564	8014	1671	1089
" Paralysis - - -	116263	105	141	131	141	110	638	372	348
" Insanity - - -	6677	—	1	2	1	6	10	14	15
" Chorea - - -	471	7	4	5	5	10	31	85	87
" Epilepsy - - -	26370	863	440	346	280	270	2208	1128	1477
" Convulsions - - -	354170	293935	32811	12084	5718	3120	347668	4515	806
" Brain Disease, &c. -	63989	4800	2166	1144	899	739	9548	2690	1945
ORDER 2.									
15. Pericarditis - - -	7608	140	75	76	62	90	443	643	617
" Aneurism - - -	7653	11	2	7	4	1	25	15	20
" Heart Disease, &c. -	206966	1607	562	391	373	412	3345	3147	4230
ORDER 3.									
16. Laryngitis - - -	18385	4682	3279	1653	1356	1071	12041	1586	315
" Bronchitis - - -	390522	57850	36213	12203	5791	3064	145111	4365	1197
" Pleurisy - - -	15343	534	247	151	153	115	1200	487	354
" Pneumonia - - -	323823	120293	56368	21066	9641	5663	213201	8914	2907
" Asthma - - -	58860	162	70	49	25	26	332	90	99
" Lung Disease, &c. -	52585	9838	3097	1296	692	475	15448	1270	714
ORDER 4.									
17. Gastritis - - -	8560	1068	296	198	131	136	1851	304	160
" Enteritis - - -	42246	14049	2898	1363	748	684	19742	2302	1701
" Peritonitis - - -	15610	1536	325	234	242	261	2698	1357	1371
" Ascites - - -	6609	135	83	83	84	80	405	303	204
" Ulceration of Intestines	10671	896	305	140	75	68	1494	258	254
" Hernia - - -	10724	1033	110	33	18	23	1217	66	64
" Ileus - - -	14762	2444	179	135	130	121	3009	454	373
" Intussusception - - -	3632	883	72	54	46	46	1103	149	143
" Stricture of Intestines -	2979	76	11	5	6	7	106	14	28
" Fistula - - -	1790	12	2	2	3	2	21	6	19
" Stomach Disease, &c.*	31084	4432	847	515	336	273	6403	740	371
" Pancreas Disease, &c. -	167	5	2	—	2	1	8	3	—
" Hepatitis - - -	17570	248	109	95	58	45	655	212	204
" Jaundice - - -	17481	6832	319	309	175	115	7750	230	106
" Liver Disease, &c. -	61322	1349	243	190	115	121	2018	500	454
" Spleen Disease, &c. -	986	46	91	24	10	12	183	35	28
ORDER 5.									
18. Nephritis - - -	5236	148	166	169	177	150	810	411	172
" Ischuria - - -	2005	59	16	20	12	11	118	23	21
" Bright's Dia. (Nephria)	21004	84	176	168	176	160	764	630	467
" Diabetes - - -	9165	10	18	22	15	18	83	133	253
" Calculus - - -	4512	13	42	75	87	74	291	188	106
" Cystitis - - -	6549	46	17	12	13	13	106	60	48
" Kidney Disease, &c. -	41967	312	195	172	161	121	961	508	414
ORDER 6.									
19. Ovarian Dropsy - - -	—	—	—	—	—	—	—	—	—
" Uterus Disease, &c. -	1131	97	27	12	8	6	150	12	18
ORDER 7.									
20. Synovitis (Arthritis) -	1172	23	18	14	20	25	100	107	162
" Joint Disease, &c. -	19655	522	436	375	344	332	2009	2317	2450
ORDER 8.									
21. Phlegmont - - -	12435	2600	631	296	185	171	3883	597	602
" Ulcer - - -	3999	687	135	47	17	16	902	42	42
" Skin Disease, &c. -	4099	2480	424	121	51	34	3110	55	27
Multipliers - - -	·004	·136	·147	·151	·155	·158	·030	·034	·037

* Including deaths from Worms (Class I., Order 4.) 1846-57.

Causes of Death in Twenty-five Years

Diseases in England and Wales, during the Twenty-five Years 1848-72.

AGES OF MALES.										CAUSE OF DEATH
15-	20-	25-	35-	45-	55-	65-	75-	85-	95 & upwards.	CLASS
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	ORDER
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Cephalitis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Apoplexy.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Paralysis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Insanity.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Chorea.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Epilepsy.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Convulsions.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Brain Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	ORDER
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Pericarditis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Aneurism.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Heart Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	ORDER
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Laryngitis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Bronchitis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Pleurisy.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Pneumonia.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Asthma.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Lung Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	ORDER
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Gastritis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Enteritis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Peritonitis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Ascites.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Ulceration of
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Hernia.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Ileus.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Intussusception.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Stricture of
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Fistula.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Stomach Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Pancreas Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Hepatitis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Jaundice.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Liver Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Spleen Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	ORDER
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Nephritis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Ischuria.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Bright's Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Diabetes.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Calculus.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Cystitis.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Kidney Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	ORDER
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Ovarian Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Uterus Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	ORDER
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Synovitis (Arthritis).
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Joint Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	ORDER
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Phlegmon.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Ulcer.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Skin Disease.
15-18	18-21	21-24	24-27	27-30	30-33	33-36	36-39	39-42	42-45	Multipl...

† Including deaths from "Abscess" during the 10 years 1848-57.

TABLE 33. (continued).—Years of Life, and Deaths of Males from different

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS IV.									
ORDER 1.									
25. Premature Birth - -	166476	166475	1	—	—	—	166476	—	—
" Cyanosis - - -	5717	4927	198	104	60	62	5351	153	72
" Spina Bifida - - -	3723	3533	100	30	10	7	3280	30	6
" Other Malformations -	6185	5847	142	40	21	16	6006	49	24
" Teething - - -	56027	28968	24569	2367	89	6	56019	8	—
ORDER 2.									
25. Paramenia - - -	—	—	—	—	—	—	—	—	—
22. Childbirth - - -	—	—	—	—	—	—	—	—	—
ORDER 3.									
25. Old Age - - -	294463	—	—	—	—	—	—	—	—
ORDER 4.									
25. Atrophy and Debility -	303400	207858	29065	8396	3084	1799	250208	3831	1243
CLASS V.*									
ORDER 1. (ACCIDENT or NEGLIGENCE.)									
24. Fractures & Contusions	120182	737	1221	1234	1120	1191	5503	5893	10841
" Gunshot Wounds - -	6487	42	28	30	26	30	156	168	450
" Cut, Stab, from 1858 -	1085	14	22	13	20	17	98	77	109
" Burns and Scalds - -	34851	1293	4994	5072	4459	3468	19206	4433	1341
" Poison - - -	4792	1035	232	195	136	100	1698	218	84
" Drowning - - -	53383	463	1608	1821	1241	1225	6353	6630	5817
" Suffocation - - -	19547	9099	547	197	122	81	10046	260	518
" Otherwise - - -	11304	2148	124	136	113	114	2635	512	676
ORDER 3. (HOMICIDE.)									
24. Murder and Man- slaughter, from 1858 }	3542	1268	45	24	21	15	1373	83	104
ORDER 4. (SUICIDE.)									
23. Gunshot Wounds } from 1858	937	—	—	—	—	—	—	—	—
" Cut, Stab - - -	3189	—	—	—	—	—	—	—	—
" Poison - - -	1110	—	—	—	—	—	—	—	2
" Drowning - - -	2084	—	—	—	—	—	—	—	11
" Hanging - - -	6821	—	—	—	—	—	—	—	56
" Otherwise - - -	1199	—	—	—	—	—	—	—	7
ORDER 5. (EXECUTION.)†									
24. Hanging, from 1858 -	157	—	—	—	—	—	—	—	—
24. Other Violent Deaths (not classed) - - }	7475	1650	75	66	65	57	1913	279	414
—									
25. Sudden Deaths (Cause unascertained) - - }	48633	10633	1075	483	313	213	12717	704	501
25. Causes not specified or ill-defined - - }	79140	38760	4442	2009	1215	814	47240	2347	1397
Multipliers - -	*004	*136	*147	*151	*155	*168	*030	*034	*037

* Previous to 1858, deaths from Violence were not classified under Orders 3, 4, 5, but were all included under the various headings of Order 1, regardless of their being due to Accident, Homicide, Suicide, or Execution.

Diseases in England and Wales, during the Twenty-five Years 1848-72.

AGES OF MALES.

**CAUSES
OF DEATH.**

15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & up- wards.	
—	—	—	—	—	—	—	—	—	—	CLASS IV.
—	—	—	—	—	—	—	—	—	—	ORDER 1.
66 4 19	33 1 6	13 2 15	8 — 3	9 — 1	9 — 1	2 — 1	1 — —	— — —	— — —	Premature Birth. Cyanosis. Spina Bifida. Other Malformatns. Teething.
—	—	—	—	—	—	—	—	—	—	ORDER 2.
—	—	—	—	—	—	—	—	—	—	Paramenia. Childbirth.
—	—	—	—	—	—	56212	167027	67003	4131	ORDER 3.
—	—	—	—	—	—	—	—	—	—	Old Age.
791	600	1156	1835	3036	15971	23279	496	87	1	ORDER 4.
—	—	—	—	—	—	—	—	—	—	Atrophy and Debility.
10290 724 96 1426 145 190 5054 678 710	10724 644 92 1345 190 2204 780 642	19245 1120 150 2351 470 7323 1458 1230	17719 1073 125 1735 645 6221 1533 1262	15644 897 140 1107 633 4651 1765 1277	12363 702 119 775 447 3245 1347 1185	7683 372 66 535 205 1945 875 789	3537 133 24 462 67 558 226 349	799 18 2 117 3 42 41 46	41 — — 5 — 7 1 1	CLASS V.*
—	—	—	—	—	—	—	—	—	—	ORDER 1.
—	—	—	—	—	—	—	—	—	—	(ACCIDENT OR NEGLIGENCE.)
—	—	—	—	—	—	—	—	—	—	Fractures & Contusions. Gunshot Wounds. Cut, Stab, from 1858. Burns and Scalds. Poison. Drowning. Suffocation. Otherwise.
137	288	533	423	304	178	78	34	7	—	ORDER 3.
—	—	—	—	—	—	—	—	—	—	(HOMICIDE.)
—	—	—	—	—	—	—	—	—	—	{ Murder and Ma- slaughter, from 18
41 26 23 64 269 34	121 98 102 149 265 71	200 453 205 263 601 213	185 731 249 376 1128 242	176 723 273 445 1612 255	139 651 173 397 1800 214	61 349 69 224 927 126	11 116 7 49 220 34	3 10 1 6 19 8	— — — — — —	ORDER 4.
—	—	—	—	—	—	—	—	—	—	(SUICIDE.)
—	—	—	—	—	—	—	—	—	—	Gunshot Wounds Cut, Stab - - - } from 1858. Poison - - - } Drowning - - - } Hanging - - - } Otherwise - - - }
12	42	61	31	6	4	1	—	—	—	ORDER 5.
—	—	—	—	—	—	—	—	—	—	(EXECUTION.)†
—	—	—	—	—	—	—	—	—	—	Hanging, from 1858.
465	467	906	812	819	674	463	178	34	1	{ Other Violent Deaths (not classed).
669	1003	2663	4445	5628	7415	7863	4271	539	15	{ Sudden Deaths (Cause unascertained.)
1314	1379	2759	3302	4473	6187	5804	2484	429	26	{ Causes not specified or ill-defined.
*041	*047	*038	*036	*047	*071	*134	*375	3*073	82*461	<i>Multipliers.</i>

† According to the "Judicial Statistics," 101 persons were executed during the 10 years 1848-57; these deaths are included with Suffocation.

TABLE 34.—Years of Life, and Deaths of Females from different

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Years of Life	256,391,069	7,267,507	6,745,183	6,612,348	6,429,157	6,319,529	33,373,674	29,390,761	26,359,782
Total Deaths	5,491,444	1,179,377	445,961	236,590	148,009	105,160	2,105,027	239,942	127,199
TOTAL ZYMOtic DIS- EASES*—Order 1.	1,248,405	247,424	186,031	121,596	89,862	66,089	711,002	129,846	50,531
CLASS I.									
ORDER 1.									
1. Small-pox	62110	13513	6941	5591	4557	3690	34262	8590	2929
2. Measles	103289	17595	37287	20687	11376	6264	93389	7826	997
3. Scarlatina, including Diphtheria, 1848 to 1858	225668	13359	30844	36278	33871	27283	141635	60187	13937
4. Diphtheria, from 1859	31285	2308	3552	3484	3627	3349	16320	8902	3006
9. Quinsy	4099	468	436	314	310	268	1790	622	288
6. Croup	55721	6970	12338	12081	9648	6468	47999	7274	359
5. Whooping-cough	141853	54424	43009	20976	11183	5965	135546	5855	313
6. Typhus	227734	6113	9144	10237	9665	8903	43962	29610	21887
9. Erysipelas	23480	7052	795	441	220	146	8654	404	399
22. Puerperal Fever (Me- tritis)	28439	—	—	—	—	—	—	—	1
9. Carbuncle	1549	46	17	4	4	2	73	7	2
10. Influenza	18296	2790	856	453	282	194	4575	384	203
7. Dysentery	17338	3274	1687	654	355	279	6249	505	198
Diarrhoea	212835	114796	55327	7647	2606	1396	161772	2726	948
8. Cholera	56901	4082	2497	1806	1546	1446	11379	4533	2145
9. Ague	1727	39	83	98	81	84	385	236	100
10. Remittent Fever	4572	333	551	565	432	323	2194	800	267
11. Rheumatism	25837	30	28	36	68	154	316	1614	2570
12. Other Zymotic Dis- eases, from 1860	680	238	139	62	48	25	512	71	12
ORDER 2.									
25. Syphilis	14621	9689	742	177	55	27	10590	35	19
26. Stricture of Urethra †	25	—	—	—	—	—	—	1	1
27. Hydrophobia	74	1	3	4	3	6	17	18	15
28. Glanders, from 1858	1	—	—	—	—	—	—	—	—
ORDER 3.									
25. Privation	801	38	26	12	5	8	89	21	8
26. Want of Breast-milk	11491	11316	170	5	—	—	11491	—	—
27. Purpura and Scurvy	4100	687	512	244	138	109	1690	294	189
28. Alcohol- } a Del. Trem. ism - } b Intemp.	1398	—	—	—	—	—	—	—	1
2568	—	—	—	—	—	—	—	—	—
ORDER 4.									
25. Thrush	13323	12320	602	120	57	24	13123	31	8
26. Worms, &c., from 1858	1320	80	201	269	188	112	640	279	52
CLASS II.									
ORDER 1.									
25. Gout	1438	—	—	—	—	—	—	1	—
15. Dropsy	117789	3676	1874	1151	897	770	8258	2336	1631
10. Cancer	123423	167	90	131	135	91	614	230	226
25. Cancerum Oris (Noma)	2398	268	552	492	329	252	1893	327	30
26. Mortification	18088	862	316	158	95	79	1510	90	51
ORDER 2.									
11. Scrofula	31737	4798	3079	1423	972	746	11018	2779	2701
12. Tabes Mesenterica	65418	27265	16269	6129	2516	1582	53761	4065	2301
13. Phthisis	674164	14836	11092	6045	3679	3184	38384	16396	3996
13. Hydrocephalus	79781	28406	20719	9567	5366	4150	66708	8893	2695
Multipliers	·004	·138	·148	·151	·156	·158	·030	·034	·033

Note.—The diseases in this Table are numbered so as to show under what diseases or

* In comparing the total of Order 1. of Zymotic Diseases in this Table with the total of the same Order in the preceding Life Table the deaths from Puerperal Fever (Metritis) should be deducted from the total given above.

Diseases in England and Wales, during the Twenty-five Years 1848-72.

† All the 25 deaths from Stricture of Urethra were recorded during the seven years 1848-54; such cases have since been included with "Uterus Disease, &c.," Class III., Order 8.

TABLE 34.—Years of Life, and Deaths of Females from different

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Years of Life -	256,391,069	7,267,507	6,745,183	6,612,348	6,429,157	6,319,529	33,373,674	29,390,701	26,359,782
Total Deaths -	5,491,444	1,179,377	445,961	236,530	148,009	105,160	2,105,027	229,942	127,190
TOTAL ZYMOTIC DISEASES* —Order 1. -	1,243,495	247,424	186,031	121,596	89,862	66,089	711,003	139,846	50,531
CLASS I.									
ORDER 1.									
1. Small-pox - - -	63110	13513	6941	5591	4587	3660	34262	8590	2929
2. Measles - - -	103269	17596	37287	20867	11576	6264	93399	7826	997
3. Scarlatina, including Diphtheria, 1845 to 1853 } -	225698	13359	30644	36278	33871	27283	141635	60187	15937
4. Diphtheria, from 1859 -	31235	2308	3552	3494	3627	3349	16320	8602	3006
9. Quinsy - - -	4099	462	436	314	510	258	1780	622	288
" Croup - - -	55721	6970	12588	12081	9642	6468	47999	7274	359
5. Whooping-cough - -	141853	54424	43009	20976	11182	5965	135546	5855	313
6. Typhus - - -	227734	6113	9144	10237	9665	8903	43962	29610	21897
9. Erysipelas - - -	23480	7052	795	441	220	146	8654	404	399
22. Puerperal Fever (Me- tritis) - - -	28439	—	—	—	—	—	—	—	1
9. Carbuncle - - -	1549	46	17	4	—	2	73	7	2
" Influenza - - -	18296	2790	856	453	282	194	4575	384	203
7. Dysentery - - -	17538	3274	1687	654	355	279	6949	505	196
" Diarrhoea - - -	212935	114796	35327	7647	2606	1396	161772	2726	948
8. Cholera - - -	56901	4082	2497	1808	1546	1446	11379	4533	2145
9. Ague - - -	1727	39	83	98	81	84	385	236	100
" Remittent Fever - -	4873	333	551	565	422	323	2194	800	267
" Rheumatism - - -	25937	30	28	36	68	154	316	1614	2570
" Other Zymotic Dis- eases, from 1860 -	660	238	139	62	48	25	512	71	12
ORDER 2.									
25. Syphilis - - -	14621	9589	742	177	55	27	10590	35	19
" Stricture of Urethra † -	25	—	—	—	—	—	—	1	1
" Hydrophobia - - -	74	1	3	—	4	—	17	18	15
" Glanders, from 1858 -	1	—	—	—	—	—	—	—	—
ORDER 3.									
25. Privation - - -	801	38	26	12	5	8	89	21	8
" Want of Breast-milk -	11491	11316	170	5	—	—	11491	—	—
" Purpura and Scurvy -	4100	687	512	244	138	109	1690	294	189
" Alcohol: } a Del. Trem. " } b Intemp. -	1398 2568	— —	— —	— —	— —	— —	— —	— —	— 1
ORDER 4.									
25. Thrush - - -	13323	12320	602	120	57	24	13123	31	8
" Worms, &c., from 1855 -	1390	80	201	269	188	112	840	279	58
CLASS II.									
ORDER 1.									
25. Gout - - -	1438	—	—	—	—	—	—	1	—
15. Dropsy - - -	117789	3576	1874	1151	987	770	6258	2336	1631
10. Cancer - - -	125483	167	90	131	135	91	614	230	226
25. Cancerum Oris (Noma) -	2358	268	562	492	329	232	1893	327	30
" Mortification - - -	15098	863	316	158	96	79	1510	90	51
ORDER 2.									
11. Scrofula - - -	31737	4796	3079	1433	973	746	11018	2779	2701
" Tabes Mesenterica -	65416	27265	16269	6139	2516	1582	53761	4605	2301
13. Phthisis - - -	674164	14886	11092	6643	2679	3184	38334	16369	36966
13. Hydrocephalus - - -	79781	26406	20719	9567	5966	4150	66708	8893	2695
Multipliers - - -	·004	·138	·148	·151	·156	·153	·080	·034	·038

Note—The diseases in this Table are numbered so as to show under what diseases or

* In comparing the total of Order 1. of Zymotic Diseases in this Table with the total of the same Order in the preceding Life Table the deaths from Puerperal Fever (Metritis) should be deducted from the total given above.

Discases in England and Wales, during the Twenty-five Years 1848-72.

AGES OF FEMALES.

	20—	25—	35—	45—	55—	65—	75—	85—	95 & up-wards.
23,068,226	30,242,812	30,206,378	22,257,094	14,825,680	9,142,730	3,375,387	502,704	25,174	
290,505	289,796	366,528	346,603	417,976	523,313	452,166	139,407	10,708	
38,069	64,267	48,781	36,429	38,275	41,087	27,133	5,654	296	
3780	4850	2375	1127	554	311	66	11	—	
218	309	150	57	21	9	5	1	—	
2308	2418	1016	377	195	96	28	7	1	
586	696	424	282	205	115	44	9	3	
147	237	202	185	189	181	71	—	—	
13	19	13	5	5	1	2	—	—	
16	21	11	9	8	3	3	—	—	
18040	24629	19636	16231	14126	10625	4453	556	20	
796	1670	1845	1988	2329	2698	1836	382	21	
6461	12169	7001	308	4	—	—	—	—	
30	77	129	214	334	355	255	52	4	
230	485	585	837	1930	4140	3738	888	43	
434	1146	1163	1238	9001	2281	1426	215	13	
1289	3600	3600	3925	6761	12058	11793	3115	175	
2646	7657	7658	6382	5626	4050	1729	235	11	
84	161	153	131	140	150	92	12	—	
111	187	147	127	161	151	79	11	—	
1701	2752	2630	2881	3678	3747	1446	157	3	
10	14	3	15	8	17	12	1	—	
736	1457	830	437	188	61	10	2	—	
2	3	3	2	5	3	7	—	—	
1	1	—	4	4	1	1	—	—	
30	127	140	136	118	44	5	—	—	
263	264	296	302	286	123	23	—	—	
274	465	339	177	73	19	7	—	—	
367	739	709	454	187	39	2	—	—	
10	20	21	15	16	34	30	8	1	
10	37	26	28	18	17	2	—	1	
4	23	108	300	399	456	235	25	2	
2123	6921	9518	19918	21526	29913	19783	2747	100	
747	5929	18963	31408	31663	23109	8636	1241	50	
11	18	17	21	20	23	13	5	—	
120	294	420	646	1514	3621	4732	1819	121	
2798	3184	3130	1532	1575	1020	390	25	2	
1222	875	1150	505	374	173	25	1	1	
99151	26296	174399	66201	34213	18028	2117	176	10	
722	246	253	87	66	47	15	—	—	
041	046	025	033	045	067	109	296	1080	
041	046	025	033	045	067	109	296	1080	

Groups of diseases they are included in the Life Table series of Tables, Nos. 7 to 15.

† All the 25 deaths from Stricture of Urethra were recorded during the seven years 1849-54; such cases included with "Uterus Disease, &c.," Class III., Order 6.

TABLE 34. (continued).—Years of Life, and Deaths of Females from different

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS III.									
ORDER 1.									
14. Cephalitis - - -	43327	6609	5460	3611	2820	2096	20616	6306	3306
" Apoplexy - - -	117311	2917	1292	832	657	522	6210	1346	963
" Paralysis - - -	119946	116	155	163	123	106	682	386	386
" Insanity - - -	7799	—	2	4	1	1	8	13	21
" Chorea - - -	1107	8	6	4	6	15	39	200	306
" Epilepsy - - -	26741	541	303	296	252	212	1604	976	1234
" Convulsions - - -	276554	217276	30457	11989	5882	3230	268324	4637	955
" Brain Disease, &c. -	46759	3361	1762	1040	784	655	7602	2156	1563
ORDER 2.									
15. Pericarditis - - -	7154	97	54	72	74	69	366	687	799
" Aneurism - - -	2908	13	5	3	1	2	24	5	24
" Heart Disease, &c. -	218734	1327	481	357	340	397	2202	3249	5006
ORDER 3.									
16. Laryngitis - - -	14223	2779	2395	1655	1471	1003	9303	1545	292
" Bronchitis - - -	368961	66806	34161	12970	5659	3539	122915	4658	1374
" Pleurisy - - -	9703	416	248	152	123	100	1039	875	395
" Pneumonia - - -	254978	89091	52197	20978	10664	5893	177813	3063	3052
" Asthma - - -	48825	113	52	37	22	18	248	65	85
" Lung Disease, &c. -	42712	7726	2332	1245	718	443	12962	1217	853
ORDER 4.									
17. Gastritis - - -	10431	899	354	189	168	127	1717	391	219
" Enteritis - - -	41339	9993	2723	1246	827	688	15477	2316	1447
" Peritonitis - - -	22294	990	290	225	203	209	1917	1187	1147
" Ascites - - -	11171	101	78	60	54	48	341	216	163
" Ulceration of Intestines	11913	683	287	136	90	66	1262	296	243
" Hernia - - -	10122	234	24	6	5	8	277	23	16
" Ileus - - -	14199	1305	121	107	100	113	1746	340	257
" Intussusception - - -	3206	479	52	31	31	33	626	116	88
" Stricture of Intestines -	3742	36	2	1	6	—	45	11	11
" Fistula - - -	751	2	2	1	3	2	10	1	7
" Stomach Disease, &c.*	33413	3396	858	556	397	316	5495	825	465
" Pancreas Disease, &c. -	149	1	—	1	1	1	4	—	2
" Hepatitis - - -	17589	222	109	81	48	61	521	169	159
" Jaundice - - -	16923	3991	238	304	192	141	4866	225	86
" Liver Disease, &c. -	54674	876	212	154	98	97	1437	393	356
" Spleen Disease, &c. -	874	34	46	23	8	10	121	17	16
ORDER 5.									
18. Nephritis - - -	3135	90	125	111	89	81	496	220	110
" Ischuria - - -	755	25	5	8	6	10	54	12	6
" Bright's Dis. (Nephria)	14599	66	157	111	135	105	573	428	306
" Diabetes - - -	4629	11	20	9	13	11	64	106	201
" Calculus - - -	524	2	2	2	3	2	11	22	11
" Cystitis - - -	1453	16	8	11	7	2	44	25	25
" Kidney Disease, &c. -	13373	194	158	122	110	81	665	268	223
ORDER 6.									
19. Ovarian Dropsy - - -	5639	—	—	—	—	—	—	—	8
" Uterus Disease, &c. -	21416	44	63	33	16	3	159	10	54
ORDER 7.									
20. Synovitis (Arthritis) -	752	29	21	21	14	21	106	66	79
" Joint Disease, &c. -	15763	508	412	309	213	216	1858	1621	1678
ORDER 8.									
21. Phlegmont - - -	9659	2253	683	327	183	144	3690	424	392
" Ulcer - - -	5075	797	219	92	51	21	1180	42	27
" Skin Disease, &c. - -	2413	1819	306	112	70	36	2243	51	24
Multipliers - - -	•004	•128	•148	•151	•156	•158	•030	•064	•038

* Including deaths from Worms (Class I., Order 4), 1846-57.

Causes of Death in Twenty-five Years.

Diseases in England and Wales, during the Twenty-five Years 1848-72.

AGES OF FEMALES.										CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.	
CLASS 1.										ORDER 1.
2885	2063	2812	2024	1513	1051	675	236	86	—	Cephalitis.
1826	2173	5240	8531	15858	24182	28569	18180	2993	109	Apoplexy.
500	684	3076	6009	11089	22402	36999	29925	5123	207	Paralysis.
80	253	764	1100	1301	1614	1559	833	156	8	Insanity.
261	98	51	27	30	32	36	25	2	—	Chorea.
2289	2682	4901	3058	2886	2635	2251	1132	171	2	Epilepsy.
311	590	464	318	220	184	175	127	29	—	Convulsions.
1712	1706	3820	4891	6224	7430	7464	3613	508	20	Brain Disease.
ORDER 2.										ORDER 2.
677	404	820	837	705	804	648	233	24	—	Pericarditis.
31	85	330	403	575	541	367	121	12	—	Aneurism.
686	665	16683	24045	33000	47190	50641	21359	2011	47	Heart Disease.
ORDER 3.										ORDER 3.
29	232	681	628	531	344	289	91	15	2	Laryngitis.
1790	2403	7824	14485	27779	52028	73256	40996	9942	471	Bronchitis.
40	561	1100	1180	1067	1354	1498	675	100	6	Pleurisy.
379	4283	8528	8768	6588	11262	12070	6698	1123	51	Pneumonia.
124	301	1373	3141	6138	11492	15283	6333	650	28	Asthma.
129	1616	3448	3951	4076	5018	5096	2611	430	14	Lung Disease.
ORDER 4.										ORDER 4.
28	382	912	1087	1273	1652	1688	717	102	6	Gastritis.
274	1875	3460	3215	3074	3599	3474	1542	180	4	Enteritis.
11	2351	4276	3255	2000	1971	1690	716	59	3	Peritonitis.
42	289	884	1386	1939	2380	2228	1020	119	3	Ascites.
25	900	1740	1673	1546	1713	1385	463	39	1	Ulceration of Int.
20	61	259	896	1753	2561	2782	1280	168	9	Hernia.
20	420	886	1142	1671	2421	2968	1790	292	7	Ileus.
11	111	241	512	411	440	515	203	31	—	Intussusception.
19	63	275	315	711	883	819	357	36	1	Stricture of Int.
9	35	130	150	147	115	107	39	1	—	Fistula.
37	809	2088	2900	4269	6243	6430	2931	392	10	Stomach Disease.
6	6	13	23	36	25	29	6	—	—	Pancreas Disease.
26	433	1439	2523	3440	4539	3236	1019	63	1	Hepatitis.
100	287	871	1106	1660	2445	2962	1891	331	13	Jaundice.
535	862	3720	7469	11423	13979	10846	3530	230	10	Liver Disease.
34	36	125	124	143	125	104	35	4	—	Spleen Disease.
ORDER 5.										ORDER 5.
80	149	360	361	371	408	400	143	19	—	Nephritis.
10	22	73	105	116	142	147	57	10	1	Ischuria.
321	865	2309	2581	2415	2337	1631	516	54	1	Bright's Dis. (Nephritis).
305	811	903	808	745	713	464	99	10	—	Diabetes.
19	11	38	52	64	115	125	58	7	—	Calculus.
31	69	140	176	174	241	303	184	41	2	Cystitis.
243	600	1565	1867	2052	2413	2288	1004	119	1	Kidney Disease.
ORDER 6.										ORDER 6.
73	214	852	1241	1412	1091	804	129	9	1	Ovarian Dropsy.
321	905	2999	4712	5149	3861	2417	761	75	2	Uterus Disease.
ORDER 7.										ORDER 7.
44	38	42	68	76	98	88	39	8	—	Synovitis (Arthritis).
1206	1065	1786	1063	1514	1441	1110	397	44	—	Joint Disease, &c.
ORDER 8.										ORDER 8.
239	460	1011	879	686	774	747	362	53	2	Phlegmon.†
34	67	165	251	461	779	1145	798	131	3	Ulcer.
41	41	89	112	144	186	210	138	32	2	Skin Disease, &c.
•41	•043	•025	•033	•045	•067	•109	•290	1•989	39•724	Multipliers.

† Including deaths from "Abscess" during the 10 years 1848-57.

TABLE 34. (continued.)—Years of Life, and Deaths of Females from different

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS IV.									
ORDER 1.									
25. Premature Birth - -	129675	129671	4	—	—	—	129675	—	—
" Cyanosis - - -	4148	3405	192	95	60	40	3891	96	72
" Spina Bifida - - -	4639	4396	140	23	13	12	4584	27	6
" Other Malformations -	4099	3787	138	48	20	14	4007	21	21
" Teething - - -	47968	22549	22836	2454	105	13	47937	11	—
ORDER 2.									
25. Paramenia - - -	2271	—	—	—	—	—	—	—	89
22. Childbirth - - -	55649	—	—	—	—	—	—	—	3
ORDER 3.									
25. Old Age - - -	891170	—	—	—	—	—	—	—	—
ORDER 4.									
25. Atrophy and Debility -	285734	172397	28719	8416	3219	1819	214570	3765	1561
CLASS V.*									
ORDER 1. (ACCIDENT or NEGLIGENCE.)									
24. Fractures & Contusions	21861	622	997	909	631	532	3691	1515	875
" Gunshot Wounds -	1172	38	17	20	14	9	98	50	62
" Cut, Stab, from 1858 -	288	10	12	11	8	7	48	26	11
" Burns and Scalds -	33934	1264	3891	3744	3672	3077	15648	7627	1958
" Poison - - -	3442	802	165	138	93	53	1251	151	51
" Drowning - - -	11189	464	1073	1034	516	312	3399	1056	675
" Suffocation - - -	11243	8371	406	151	91	74	9093	145	57
" Otherwise - - -	3901	1767	120	100	76	66	2120	170	114
ORDER 3. (HOMICIDE.)									
24. Murder and Man- slaughter, from 1858 }	2378	1314	44	28	21	22	1429	57	33
ORDER 4. (SUICIDE.)									
23. Gunshot Wounds	12	—	—	—	—	—	—	—	—
" Cut, Stab - - -	890	—	—	—	—	—	—	—	4
" Poison - - -	900	—	—	—	—	—	—	—	7
" Drowning - - -	1816	—	—	—	—	—	—	1	32
" Hanging - - -	1665	—	—	—	—	—	—	—	5
" Otherwise - - -	483	—	—	—	—	—	—	—	3
ORDER 5. (EXECUTION.)†									
24. Hanging, from 1858 -	8	—	—	—	—	—	—	—	—
24. Other Violent Deaths (not classed) - }	2696	1298	57	47	41	35	1478	121	57
ORDER 6.									
25. Sudden Deaths (Cause unascertained) - }	34057	9430	921	394	278	189	11212	630	406
25. Causes not specified or ill-defined - }	73439	31156	4454	1952	1256	805	39623	2296	1359
Multipliers - -	·004	·138	·148	·151	·156	·158	·030	·034	·038

* Previous to 1858, deaths from Violence were not classified under the Orders 3, 4, 5, but were all included under the various headings of Order 1, regardless of their being due to Accident, Homicide, Suicide, or Execution.

Diseases in England and Wales, during the Twenty-five Years 1848-72.

AGES OF FEMALES.										CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.	
—	—	—	—	—	—	—	—	—	—	CLASS IV. ORDER 1. Premature Birth. Cyanosis. Spina Bifida. Other Malformations. Teething. ORDER 2. Paramenia. Childbirth. ORDER 3. Old Age. ORDER 4. Atrophy and Debility.
34	20	13	5	6	8	3	—	—	—	
2	2	3	1	2	1	—	1	—	—	
29	10	10	5	3	2	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
855	349	300	338	432	78	5	—	—	—	
2297	8905	23019	20341	1193	1	—	—	—	—	
—	—	—	—	—	—	70863	213037	96394	8871	
—	—	—	—	—	—	—	—	—	—	
946	919	2237	3124	5942	21538	80487	529	105	9	
68	445	1006	1323	1770	2303	3056	3812	1317	90	CLASS V.* ORDER 1. (ACCIDENT OR NEGLIGENCE.) Fractures & Contusions. Gunshot Wounds. Cut, Stab, from 1858. Burns and Scalds. Poison. Drowning. Suffocation. Otherwise.
54	89	166	171	199	144	101	29	9	—	
11	9	23	32	40	22	26	25	6	2	
1003	579	870	778	960	956	1421	1649	546	39	
243	252	334	367	332	222	158	69	10	2	
294	763	1092	990	929	688	440	194	18	1	
188	119	240	327	424	367	233	113	21	1	
99	64	195	216	232	235	241	160	42	4	
—	—	—	—	—	—	—	—	—	—	
42	89	232	218	128	71	44	35	2	—	
2	2	2	2	2	2	—	—	—	—	ORDER 3. (HOMICIDE.) { Murder and Man- slaughter, from 1858.
12	49	160	172	213	158	88	30	4	—	
109	119	177	194	173	78	37	5	1	—	
222	194	273	232	263	217	113	36	3	—	
51	72	180	220	445	352	209	58	4	—	
36	35	91	102	88	55	54	21	4	—	
—	—	—	—	—	—	—	—	—	—	
—	—	4	3	—	—	1	—	—	—	
66	58	143	146	117	146	159	159	46	2	
—	—	—	—	—	—	—	—	—	—	
596	717	1869	2614	3313	4389	4906	2912	485	16	{ Sudden Deaths (Cause unascertained). { Causes not specified or ill-defined.
1488	1896	3637	4206	4406	5992	5598	2549	607	38	
*041	*043	*025	*033	*045	*067	*109	*296	1*989	39*724	Multipliers.

† According to the "Judicial Statistics," 101 persons were executed during the 10 years 1848-57; these deaths are included with Suffocation.

TABLE 35.—Reciprocals of Years of Life at each AGE multiplied by 1,000,000 and to be called "Multipliers."

AGES.	MALES.	FEMALES.
ALL AGES	·004	·004
0—	·136	·138
1—	·147	·148
2—	·151	·151
3—	·155	·156
4—5	·158	·158
0—5	·030	·030
5—	·034	·034
10—	·037	·038
15—	·041	·041
20—	·047	·043
25—	·028	·025
35—	·036	·033
45—	·047	·045
55—	·071	·067
65—	·134	·109
75—	·375	·296
85—	3·073	1·989
95 & upwards	82·461	39·724

These *Multipliers* are obtained by dividing 1,000,000 by the years of life at each age; and to obtain the approximate rate of mortality per million at any age by any particular disease, it will suffice to employ these multipliers. Thus the males dying from Typhus at ages 25—35 are 24,635, which number multiplied by ·028 found in the Table above against age 25 gives a death-rate from that disease of 690 per million males, nearly equivalent to the rate (693) as obtained by dividing the deaths by the years of life and multiplying by a million. The appropriate *Multipliers* will be found at the foot of every column.

TABLE 36.—Reciprocals of Deaths from All Causes at each of EIGHTEEN GROUPS OF AGES multiplied by 100,000, and called "Death Multipliers," to obtain the PROPORTION OF DEATHS by each DISEASE to 100,000 DEATHS at each GROUP OF AGES from ALL CAUSES.

AGES.	MALES.	FEMALES.
ALL AGES	·017	·018
0—	·067	·085
1—	·212	·224
2—	·439	·441
3—	·679	·676
4—5	·942	·951
0—5	·041	·048
5—	·402	·417
10—	·791	·786
15—	·640	·580
20—	·527	·499
25—	·284	·257
35—	·271	·273
45—	·253	·289
55—	·223	·239
65—	·198	·191
75—	·256	·221
85—	1·007	·717
95 & upwards	19·161	9·339

Thus the males dying from Phthisis at ages 25—35 are 144,285, which number multiplied by ·234 found in the Table above against age 25 gives a proportion of deaths from that disease of 40,977 to 100,000 deaths from All Causes at that age, nearly equivalent to the proportion (40,918) as obtained by dividing the deaths by Phthisis at age 25 by the deaths from All Causes at age 25 and multiplying by 100,000.

TABLE 37.—The Districts of England and Wales (including London)
CLASSIFIED according to Mortality.

MEAN ANNUAL DEATH-RATES per 1000 Persons, 1861-70.	Number of Districts at each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULATION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUMERATED POPULATION, 1861-71.
ENGLAND & WALES }	619	37,319,221	21,348,974*	7,500,096	4,767,587*	2,732,509	2,640,042
15	1	147,816	12,699	3,718	1,916	1,802	- 1,023
16	16	1,004,779	227,270	66,967	36,153	30,834	55,719
17	37	2,072,758	622,903	188,638	106,077	82,561	81,494
18	89	5,881,423	1,459,374	459,625	263,596	196,029	122,022
19	145	10,154,367	3,095,263	966,225	588,100	398,125	240,840
20	115	7,969,197	2,766,001	910,048	554,014	356,034	282,358
21	60	4,346,118	2,048,272	704,756	429,768	274,988	330,465
22	50	2,554,037	2,253,034	806,154	503,632	302,522	315,343
23	32	1,504,498	1,566,054	579,008	356,576	222,432	304,105
24	23	818,257	1,621,901	613,214	389,077	224,137	256,614
25	18	461,753	1,862,622	702,224	469,879	232,345	210,700
26	15	268,527	1,699,542	661,589	441,887	219,702	327,674
27	5	10,764	533,233	208,039	142,146	65,893	55,240
28	4	75,924	456,951	175,040	122,077	52,963	22,546
29	4	60,182	367,939	148,029	105,579	42,450	46,748
30	3	3,357	254,708	99,090	78,660	20,430	18,560
32	1	12,994	247,131	92,244	80,300	11,944	7,968
39	1	2,470	254,077	95,468	98,130	- 2,662	- 31,331

* 40,371 of population returned as in 45 Asylums and 5 Military Camps and Hospitals, as well as 28,963 deaths occurring in the same, are excluded.

TABLE 38.—THE Districts of England and Wales (including London) CLASSIFIED according to Mortality; the calculated results deduced from facts in Table 37.

MEAN ANNUAL RATES OF MORTALITY per 1000 Persons, 1861-70.	Number of Districts at each Rate of Mortality in Col. 1.	ACRES to a Person, 1861-71.	ANNUAL RATES PER 1000 LIVING, 1861-70.			ANNUAL INCREASE OF ENUMERATED POPULATION per 1000 living, 1861-71.
			BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
ENGLAND & WALES }	619	1.74	35.1	22.4†	12.6†	12.4
15	1	11.64	29.3	15.1	14.2	- 8.1
16	16	4.42	29.5	15.9	13.6	24.5
17	37	3.33	30.3	17.0	13.3	13.1
18	89	4.03	31.5	18.1	13.4	8.4
19	145	3.28	31.9	19.0	12.9	7.8
20	115	2.88	32.9	20.0	12.9	10.2
21	60	2.12	34.4	21.0	13.4	16.1
22	50	1.13	33.8	22.4	13.4	14.0
23	32	.96	37.0	22.8	14.2	19.4
24	23	.50	37.8	24.0	13.8	15.8
25	18	.23	37.7	25.2	12.5	11.3
26	15	.16	38.9	26.0	12.9	19.3
27	5	.02	39.0	26.7	12.4	10.4
28	4	.17	38.3	26.7	11.6	4.9
29	4	.16	40.2	28.7	11.5	12.7
30	3	.01	38.9	30.9	8.0	7.3
32	1	.05	37.3	32.5	4.8	3.2
39	1	.01	37.6	38.6	- 1.0	- 13.3
22-39	13	.10	38.6	30.7	7.9	4.1

* The Annual Birth and Death Rates per 1000 living were obtained by dividing the Annual Births and Deaths in the groups of Districts by the Mean Population of those Districts.

† This column shows the proportional Annual Increase of enumerated Population to the Mean Population 1861-71.

‡ The Deaths in Institutions and Camps mentioned at the foot of preceding Table are included in the rate for England and Wales.

Note.—The minus sign (—) implies a decrease.

TABLE 39.—Of the Districts of England and Wales (including London) the NUMBER OF DISTRICTS at and above each Rate of Mortality.

[This Table is formed by the addition from the bottom of each column of Table 37.]

MEAN ANNUAL RATES OF MORTALITY per 1000 Persons, 1861-70.	No. of Districts having a Mortality at and above each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULATION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUMERATED POPULATION, 1861-71.
15	619	37,319,221	21,348,974	7,500,006	4,767,567	2,732,529	2,646,042
16	618	37,171,405	21,336,275	7,406,378	4,765,651	2,730,727	2,647,065
17	602	36,166,626	21,109,005	7,429,391	4,729,498	2,699,893	2,591,346
18	565	34,093,898	20,496,102	7,240,753	4,633,421	2,617,332	2,509,850
19	476	28,212,445	19,026,728	6,781,128	4,359,825	2,421,303	2,387,832
20	331	18,058,078	15,931,465	5,794,903	3,771,725	2,023,178	2,146,990
21	216	10,068,881	13,165,464	4,894,855	3,217,711	1,667,144	1,864,632
22	186	5,742,763	11,117,192	4,180,099	2,787,943	1,392,156	1,534,167
23	106	3,188,736	8,864,158	3,373,945	2,284,311	1,089,634	1,218,824
24	74	1,684,228	7,298,104	2,794,937	1,927,735	867,202	914,719
25	51	865,971	5,676,203	2,181,723	1,538,658	643,065	658,105
26	33	434,218	3,813,581	1,479,499	1,068,779	410,720	447,405
27	18	165,691	2,114,039	817,910	626,892	191,018	119,731
28	13	154,927	1,580,806	608,871	484,746	125,125	64,491
29	9	79,003	1,123,855	434,831	362,669	72,162	41,945
30	5	18,821	755,916	286,802	237,090	29,712	- 4,803
32	2	15,464	501,308	187,712	178,430	9,282	- 23,363
33	1	2,470	254,077	95,468	98,130	- 2,662	- 31,331

TABLE 40 (calculated from Table 39).—SHOWING the MEAN AREA and POPULATION 1861-71, also ANNUAL BIRTHS and DEATHS in the Ten Years 1861-70, and INCREASE of POPULATION 1861-71, in an Average District of several selected GROUPS of DISTRICTS.

MEAN ANNUAL RATES OF MORTALITY per 1000 Persons, 1861-70.	Number of Districts having a Mortality at and above each Rate of Mortality in Col. 1.	MEAN AREA in square miles.	MEAN POPULATION, 1861-71.	AVERAGE ANNUAL NUMBERS, 1861-70.			ANNUAL INCREASE of ENUMERATED POPULATION, 1861-71.
				BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
15	619	94°20	34,489	1211°6	770°2	441°4	427°5
17	602	93°87	35,065	1234°1	785°6	448°5	430°5
20	331	85°24	48,131	1750°7	1139°5	611°2	648°6
23	106	47°00	83,624	3183°0	2155°0	1028°0	1140°8
26	33	20°56	115,563	4483°3	3238°7	1244°6	1355°8
29	9	13°72	124,873	4831°5	4020°7	801°8	466°1

It will be seen that in an average district of 331 districts, in which the rate of mortality is 20 per 1000 or higher, the area is 85°24 square miles; the population is 48,131; the mean annual number of births is 1751, of deaths 1140, the annual addition to the population by excess of births over deaths is 611 and the annual increase of population 646.

TABLE 41.—Of the Districts of England and Wales (including London), the NUMBER of DISTRICTS at and above certain Rates of Mortality, with the DENSITY and BIRTH, DEATH, &c. RATES in an AVERAGE DISTRICT of each GROUP.

MEAN ANNUAL RATES OF MORTALITY per 1000 Persons, 1861-70.	Number of Districts having a Mortality at and above each Rate of Mortality in Col. 1.	PERSONS to a square mile, 1861-71.	ANNUAL RATES, 1861-70, PER 1000 LIVING.			ANNUAL INCREASE OF ENUME- RATED POPULATION, 1861-71, to 1000 living in the middle of the period.
			BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
15	619	366	35.13	22.33	12.80	12.39
17	602	374	35.20	22.41	12.79	12.28
20	331	565	36.37	23.67	12.70	13.48
23	106	1779	38.06	25.77	12.29	13.75
26	33	5625	38.80	28.03	10.77	11.73
29	9	9137	38.69	32.27	6.42	3.73

TABLE 42.—THE Districts of England and Wales (excluding London) CLASSIFIED according to Mortality.

MEAN ANNUAL DEATH- RATES per 1000 Persons, 1861-70.	Number of Districts at each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULA- TION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUME- RATED POPU- LATION, 1861-71.
15	1	147,816	12,699	3,718	1,916	1,802	- 1,023
16	15	1,002,531	201,577	60,635	32,233	28,412	42,544
17	37	2,072,758	622,903	188,638	106,077	82,561	81,404
18	89	5,881,423	1,469,374	459,625	263,596	196,029	123,023
19	142	10,124,950	2,831,239	902,811	536,364	366,447	160,654
20	114	7,965,262	2,661,877	875,720	532,189	343,531	240,702
21	59	4,538,674	1,813,720	632,398	381,067	251,331	233,262
22	48	2,548,258	1,858,348	664,929	406,728	258,201	234,229
23	30	1,496,107	1,289,465	477,996	296,010	181,986	217,989
24	23	818,257	1,021,901	613,214	389,077	224,137	256,614
25	14	426,327	1,235,659	480,641	310,207	170,434	179,873
26	10	239,528	1,179,629	470,362	306,061	164,311	313,961
27	3	9,185	363,395	138,751	94,553	44,218	42,191
28	2	74,646	234,208	92,221	65,639	26,582	25,553
29	3	59,937	314,123	129,024	90,825	38,799	47,268
30	1	2,736	128,464	53,113	38,293	14,820	21,796
32	1	12,994	247,131	92,244	80,300	11,944	7,968
39	1	2,470	254,077	95,468	98,130	- 2,662	- 31,331

TABLE 43.—THE Districts of England and Wales (excluding London)
grouped according to Mortality.

(Obtained from Table 42.)

MEAN ANNUAL DEATH-RATES per 1000 Persons, 1861-70.	Number of Districts at the Rates of Mortality in Col. 1.	AREA in Acres.	AREA in Square Miles.	MEAN POPULATION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUMERATED POPULATION, 1861-71.
15-39	593	37,243,859	58,194	18,319,849	6,432,108	4,081,225	2,400,883	2,195,771
15-17	53	3,223,105	5,036	837,179	252,991	140,216	112,775	123,015
18-20	345	23,971,635	37,456	6,952,400	2,238,156	1,332,140	906,007	523,378
21-23	137	8,383,039	13,099	4,961,533	1,775,323	1,085,905	689,518	685,460
24-26	47	1,504,112	2,350	4,037,189	1,564,217	1,005,335	558,882	750,453
27-30	9	146,504	229	1,030,250	413,709	299,290	124,419	136,806
32	1	12,904	20	247,131	92,244	80,300	11,944	7,068
39	1	2,470	3·86	254,077	95,468	98,130	- 2,662	- 31,331

TABLE 44.—THE Districts of England and Wales (excluding London)
grouped according to Mortality.

(Calculated from Table 43.)

MEAN ANNUAL RATES of MORTALITY per 1000 Persons, 1861-70.	Number of Districts at the Rates of Mortality in Col. 1.	ACRES to a Person, 1861-71.	PERSONS to a Square Mile, 1861-71.	ANNUAL RATES, 1861-70, PER 1000 LIVING.			ANNUAL INCREASE of POPULATION, 1861-71, per 1000 living in the middle of the period.
				BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
15-39	593	2·03	315	35·11	22·00	13·11	11·99
15-17	53	3·85	106	30·22	16·75	13·47	14·09
18-20	345	3·45	186	32·19	19·16	13·03	7·53
21-23	137	1·69	379	35·78	21·88	13·90	13·82
24-26	47	·37	1,718	38·75	24·90	13·84	18·59
27-30	9	·14	4,499	40·16	28·08	12·08	13·28
32	1	·05	12,357	37·33	32·49	4·83	3·22
39	1	·01	65,923	37·57	38·62	- 1·05	- 12·33

TABLE 45.—OF the Districts of England and Wales (excluding London), the NUMBER of DISTRICTS at and above each Rate of Mortality. (This Table is formed by the addition, from the bottom, of each Column of Table 42.)

MEAN ANNUAL RATES of MOR- TALITY per 1000 Persons, 1861-70.	Number of Districts having a Mortality at and above each Rate of Mortality in Col. I.	AREA in Acres.	MEAN POPULA- TION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUME- RATED POPU- LATION, 1861-71.
15	593	37,248,859	18,319,849	6,432,108	4,081,225	2,400,883	2,195,771
16	592	37,096,043	18,307,150	6,423,390	4,029,309	2,399,081	2,196,794
17	577	36,093,512	18,106,573	6,367,755	3,997,096	2,370,659	2,154,250
18	540	34,020,754	17,482,070	6,179,117	3,891,009	2,288,108	2,072,756
19	461	28,139,331	16,023,296	5,719,402	3,627,413	2,092,079	1,950,734
20	309	18,014,381	13,192,057	4,816,681	3,091,049	1,725,632	1,790,080
21	195	10,046,119	10,530,180	3,940,961	2,558,860	1,382,101	1,540,378
22	136	5,710,445	8,716,460	3,308,563	2,177,793	1,130,770	1,316,116
23	88	3,162,187	6,858,112	2,643,634	1,769,065	874,569	1,061,887
24	58	1,696,060	5,568,647	2,165,638	1,473,055	692,583	863,898
25	35	847,823	3,946,746	1,552,424	1,063,978	488,446	607,234
26	21	421,496	2,711,067	1,071,783	773,771	298,012	427,406
27	11	161,968	1,531,458	601,421	467,720	133,701	113,445
28	8	152,783	1,178,063	462,670	373,187	89,483	71,254
29	6	78,137	943,795	370,449	307,548	62,901	45,701
30	3	18,200	629,672	240,825	216,723	24,102	- 1,567
32	2	16,464	501,206	187,712	178,430	9,282	- 23,563
39	1	2,470	254,077	95,468	98,130	- 2,662	- 31,331

TABLE 46.—Comparative Mortality of England and of its Metropolis, 1861-70.

—		ALL AGES.	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
ENGLAND (exclusive of LONDON).														
MEAN POPULATION.	PERSONS -	18,360,120	2,463,566	2,200,324	1,977,704	1,773,412	1,617,639	2,633,869	2,079,226	1,596,619	1,093,065	632,446	230,399	32,261
	Males -	9,002,130	1,240,722	1,100,739	998,261	899,736	772,378	1,259,074	1,007,267	779,703	531,414	296,515	104,025	12,696
	Females -	9,357,990	1,222,844	1,099,585	979,543	893,676	844,761	1,374,796	1,071,959	818,916	562,261	335,931	130,374	19,565
DEATHS.	PERSONS -	4,003,168	1,651,017	171,235	89,361	116,084	135,750	257,969	256,364	264,418	318,624	384,018	318,286	96,012
	Males -	2,063,676	897,373	87,730	44,838	55,262	65,628	129,355	120,030	141,320	167,620	192,402	160,383	39,728
	Females -	1,974,483	753,644	83,505	44,523	60,822	70,122	138,614	127,328	123,098	151,004	191,616	167,903	56,284
Annual Rate of Mortality per cent.	PERSONS -	2·210	6·621	·778	·463	·655	·839	·980	1·233	1·654	2·913	6·101	13·815	29·460
	Males -	2·315	7·101	·797	·449	·621	·849	·972	1·231	1·812	3·154	6·489	14·456	31·293
	Females -	2·110	6·139	·759	·465	·688	·830	·967	1·188	1·608	2·696	5·755	13·286	28·271
LONDON.														
MEAN POPULATION.	PERSONS -	3,082,125	392,463	324,972	287,004	283,115	290,487	514,368	385,696	268,047	161,864	82,118	25,063	3,366
	Males -	1,415,466	192,963	161,161	141,969	131,585	133,185	233,714	178,860	124,417	71,145	35,097	9,325	1,065
	Females -	1,613,659	199,500	163,821	145,035	151,530	166,302	280,674	206,826	144,530	90,739	46,021	16,338	2,343
DEATHS.	PERSONS -	756,342	329,283	29,285	11,923	15,390	21,304	50,074	87,225	68,717	61,546	60,372	39,702	10,219
	Males -	375,514	170,317	15,096	6,026	7,639	10,963	25,379	30,661	31,963	31,196	27,413	15,761	3,391
	Females -	380,828	148,966	14,490	5,897	7,751	10,341	24,695	26,564	28,764	30,353	33,959	23,941	6,828
Annual Rate of Mortality per cent.	PERSONS -	2·451	8·161	·910	·415	·544	·711	·973	1·464	2·188	3·302	7·362	15·471	30·074
	Males -	2·635	9·691	·937	·424	·593	·823	1·066	1·714	2·568	4·365	8·283	16·902	32·143
	Females -	2·234	7·032	·885	·407	·510	·622	·880	1·254	1·833	3·245	6·723	14·054	29·143

TABLE 27.—Average Annual Mortality per cent., 1861-70, at the SEVERAL AGES in the Districts of England and Wales, the DISTRICTS of LONDON and the DISTRICT of BILLESDON being excluded.

NOTE.—The mean Rate of Mortality per cent. at each Age is got by dividing the sum of the rates in the whole of the Districts of the several Groups by the number of those Districts. The Male and Female rates are separately treated.

Age.	Mean Annual Rate of Mortality per 100 persons.	Number of Districts at each Rate of Mortality.	Persons to a square Mile.	Sexes.	AVERAGE ANNUAL RATES OF MORTALITY per Cent. AT THE UNDER-MENTIONED AGES.												
					ALL AGES.	Under 5	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
15	1	55		M.	1'548	3'301	'442	'410	'355	'366	'761	'748	1'205	2'272	6'419	14'432	35'385
				F.	1'478	2'611	'561	'375	'382	'579	'791	'968	1'207	2'121	4'818	14'064	29'444
16	14	131		M.	1'672	3'971	'586	'389	'507	'761	'729	'900	1'261	2'215	5'350	13'087	28'496
				F.	1'569	3'280	'580	'373	'662	'751	'770	'961	1'153	2'140	4'974	12'788	26'070
17	37	192		M.	1'807	4'275	'556	'325	'482	'757	'880	1'046	1'401	2'449	5'801	13'227	28'986
				F.	1'669	3'491	'541	'366	'647	'777	'878	1'021	1'205	2'170	5'134	12'604	27'069
18	39	159		M.	1'855	4'564	'569	'360	'489	'760	'838	'961	1'349	2'377	5'448	13'293	28'088
				F.	1'768	3'942	'563	'409	'647	'807	'866	'967	1'168	2'175	5'070	13'686	29'697
19	162	179		M.	1'963	5'053	'606	'372	'541	'817	'888	1'009	1'413	2'490	5'586	13'681	31'125
				F.	1'851	4'298	'596	'429	'698	'852	'937	1'083	1'281	2'176	5'086	12'483	28'486
20	114	214		M.	2'081	5'677	'651	'369	'538	'836	'897	1'077	1'447	2'655	5'784	13'947	32'318
				F.	1'948	4'909	'649	'447	'712	'865	'978	1'090	1'285	2'309	5'254	13'859	29'481
21	59	208		M.	2'167	6'227	'722	'449	'622	'892	'934	1'149	1'634	2'989	6'383	14'451	32'086
				F.	2'048	5'392	'714	'476	'753	'911	1'087	1'165	1'845	2'510	5'657	13'413	29'236
22	48	467		M.	2'310	7'041	'816	'466	'667	'896	1'009	1'263	1'738	3'109	6'634	14'576	32'415
				F.	2'096	6'015	'760	'460	'682	'842	1'006	1'173	1'430	2'586	5'762	13'561	29'634
23	39	532		M.	2'484	7'875	'882	'522	'711	'948	1'012	1'301	1'866	3'349	7'094	15'351	33'222
				F.	2'195	6'473	'820	'491	'750	'918	1'065	1'207	1'484	2'711	6'056	13'907	30'135
24	28	1,268		M.	2'518	8'427	'946	'561	'712	'865	'930	1'289	1'889	3'545	7'514	16'682	33'880
				F.	2'293	7'300	'907	'479	'711	'882	1'097	1'211	1'552	2'966	6'401	14'637	30'737
25	14	1,855		M.	2'665	8'786	'916	'585	'726	'920	1'082	1'454	2'190	4'045	8'085	17'193	33'870
				F.	2'379	7'684	'859	'482	'697	'876	1'033	1'290	1'703	3'191	6'804	15'180	28'961
26	10	2,909		M.	2'760	9'662	'966	'523	'727	'861	'990	1'439	2'274	4'142	8'947	17'554	35'706
				F.	2'458	8'282	'907	'476	'720	'856	1'036	1'334	1'804	3'414	7'151	15'650	30'259
27	3†	34,627		M.	3'000	9'806	'994	'447	1'094	1'196	1'541	1'939	2'929	4'331	8'744	17'356	35'686
				F.	2'423	8'416	'904	'437	'607	'761	'923	1'338	1'878	3'465	7'422	15'600	29'259
28	3†	2,009		M.	2'964	10'259	1'103	'559	'801	'975	1'217	1'702	2'505	4'370	8'370	18'493	34'080
				F.	2'632	8'996	1'007	'473	'770	'875	1'170	1'639	1'963	3'736	7'145	15'414	29'576
29	3†	8,334		M.	2'996	10'283	1'213	'618	'806	'946	1'176	1'711	2'525	4'330	8'966	17'643	32'670
				F.	2'656	8'997	1'090	'501	'730	'839	1'010	1'345	2'001	3'483	7'309	15'761	31'511
30	Leeds	30,050		M.	3'217	11'392	1'045	'582	'797	1'080	1'302	1'908	2'928	5'132	9'039	22'413	34'348
				F.	2'760	9'645	'944	'539	'716	'955	1'170	1'554	2'206	3'991	8'543	17'863	27'817
31	Man- chester.	12,257		M.	3'538	11'790	1'401	'651	'839	1'167	1'409	2'325	3'455	6'017	10'876	20'978	40'714
				F.	3'046	10'380	1'182	'579	'740	'855	1'307	1'926	2'870	5'031	9'428	17'300	27'387
32	Liver- pool.	62,523		M.	4'097	14'475	1'647	'608	'945	1'432	1'996	3'007	4'372	7'095	11'918	19'488	29'600
				F.	3'636	13'415	'514	'614	'758	1'102	1'749	2'408	3'701	5'700	9'564	16'261	25'446

* The Mortality in this column was deduced for each District by dividing the annual Deaths of Persons by the average number of Persons living in the respective Districts.

† The three Districts with a rate of 27 per 1000 are East Stonehouse, Birmingham, and Salford; the two with a rate of 28 per 1000, Preston and Newcastle-upon-Tyne; and the three with a rate of 29 per 1000, Bristol, Wigan, and Sheffield.

TABLE 48.—SHOWING in a COMPARATIVE VIEW the actual MORTALITY (Annual Rate per 1000) in Seven Groups of Districts of England and Wales (exclusive of London); with the MORTALITY deduced from the DENSITIES (Population to a Square Mile) of those GROUPS.

Number of Group.	Number of Districts in each Group.	RANGE of MORTALITY.	DENSITY—Persons to a Square Mile.	PROXIMITY in Yards.	OBSERVED MORTALITY.	CALCULATED MORTALITY.
Columns -	1.	2.	3.	4.	5.	6.
ENGLAND & WALES (exclusive of LONDON) -	593	15-39	315	107	22'00	20'41
I.	53	15-17	166	147	16'75	18'90
II.	345	18-20	186	139	19'16	19'16
III.	137	21-23	379	97	21'88	30'87
IV.	47	24-26	1,718	46	24'90	25'02
V.	9	27-30	4,499	28	28'08	28'08
VI.	{ Manchester } District	32	12,357	17	32'40	37'70
VII.	{ Liverpool } District	39	65,823	7	38'62	38'74

m being the mortality in any group and m' being the higher mortality at any other group, D and D' being the density of population in the two groups, then

$$m' = m \left(\frac{D'}{D} \right)^n = m \left(\frac{D'}{D} \right)^{0.11998}$$

The mortality of districts is nearly as the 12th root of their densities.

The starting point being 19'16, the calculated rates (see col. 6.) in the other groups are deduced by the formula from the densities as given in column 3; or taking the above value of n , and p and p' as the mean proximity of person to person, we have $m' = m \left(\frac{p}{p'} \right)^{2n}$. So the mortality of districts is nearly as the 6th root of the proximities.

The Table may be read thus:—In 47 districts having a density of 1718 persons to a square mile, a proximity of 46 yards, the annual mortality (1861-70) ranged from 24 to 26—the exact mortality was 24'90—per 1000. The mortality calculated from that of the 345 districts having a mortality of 19'16, a density of 186 persons to a square mile, was 25'02, thus differing from the actual mortality by only 0'12.

It will be noticed that there is not much difference in the density of groups I. and II., and yet the mortality in group I. is much lower than the mortality in group II. It may therefore be inferred that there are many more small towns in group II. than in group I., and in those small towns the effects of a higher density are felt, whereas in group I. the population is more evenly distributed over the area. Were the population aggregated to the same extent as it is in group II., it is probable that the mortality would approximate to 18'90.

TABLE 49.—Mean Annual Rate of Mortality per Cent., 1861-70, at the various AGES in Districts,* grouped according to the RATE OF MORTALITY OF PERSONS LIVING AT ALL AGES.

Annual Rates of Mortality per 1000 Persons living at all Ages	Range 15-17 Mean - 16	18-20 19	21-23 22	24-26 25	27-30 28.5	32	39
Density: Persons to one Square Mile	166	186	379	1,718	4,499	12,357	65,823
Number of Districts at the above Rates of Mortality	53	345	187	47	9	1	1
Annual Birth Rates, per 1000 Persons living, in the above groups of Districts	30.2	32.2	35.8	38.7	40.2	37.5	37.6

MEAN RATES of Mortality per cent.† at the various AGES in the above groups of DISTRICTS.

	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.
ALL AGES	1.757	1.631	1.974	1.862	2.284	2.095	2.613	2.349	3.019	2.584	3.538	3.046	4.097	3.636
Under 5	4.148	3.412	5.133	4.373	6.808	5.804	8.796	7.623	10.131	8.876	11.790	10.590	14.475	13.429
5-	.561	.543	.612	.604	.790	.763	.941	.893	1.097	.983	1.401	1.153	1.647	1.514
10-	.342	.382	.374	.429	.471	.474	.540	.479	.538	.478	.651	.579	.668	.614
15-	.480	.641	.528	.690	.657	.727	.719	.709	.900	.693	.989	.740	.945	.758
20-	.750	.763	.808	.845	.906	.888	.876	.874	1.045	.830	1.167	.955	1.422	1.102
25-	.829	.839	.880	.930	.975	1.023	.974	1.031	1.321	1.034	1.469	1.307	1.998	1.740
30-	.997	.992	1.024	1.040	1.222	1.177	1.370	1.261	1.807	1.407	2.325	1.926	3.007	2.408
35-	1.354	1.186	1.408	1.232	1.721	1.407	2.060	1.651	2.700	1.979	3.455	2.876	4.372	3.701
40-	2.375	2.145	2.515	2.220	3.088	2.581	3.821	3.124	4.421	3.591	6.017	5.031	7.095	5.760
45-	5.464	5.063	5.617	5.117	6.627	5.781	7.840	6.681	8.864	7.414	10.876	9.426	11.918	9.564
50-	13.222	12.586	13.607	12.633	14.692	13.573	17.020	15.009	18.266	16.831	20.978	17.300	19.488	16.281
55 and upwards	28.622	26.811	31.755	29.107	32.429	29.572	34.236	30.112	34.175	29.931	40.714	27.587	29.600	25.446

PERSONS.

(The Rates are the Means of the above Male and Female Rates.)

ALL AGES	1.694	1.918	2.190	2.481	2.802	3.292	3.867
Under 5	3.780	4.753	6.806	8.210	9.504	11.190	13.952
5-	.552	.608	.772	.917	1.045	1.277	1.581
10-	.362	.402	.473	.510	.508	.615	.641
15-	.561	.608	.692	.714	.797	.840	.852
20-	.757	.827	.897	.875	.933	1.061	1.262
25-	.834	.905	1.002	1.003	1.178	1.388	1.874
30-	.995	1.032	1.200	1.316	1.607	2.126	2.708
35-	1.270	1.320	1.564	1.856	2.340	3.166	4.037
40-	2.280	2.368	2.835	3.473	4.001	5.524	6.428
45-	5.259	5.367	6.204	7.261	8.139	10.151	10.741
50-	12.904	13.120	14.133	16.015	17.040	19.139	17.885
55 and upwards	27.717	30.431	31.001	32.174	32.053	34.051	27.523

This Table of the mean Mortality at all ages of Males and Females shows that in 53 Healthy Districts the Mortality was 16.94 per 1000, and in the group of 345 Districts it was 19.18 per 1000.

The mean rates of Mortality of Persons are equivalent to the rates of Mortality of equal numbers of the two sexes at each age. Thus the Mortality of the 53 Healthiest Districts was 1.757 for Males, 1.631 for Females, and 1.694 for Persons

(50 Males and 50 Females); as $\frac{1.757 + 1.631}{2} = 1.694$.

* The London Districts are excluded on account of the difficulty of correcting for displaced deaths in Hospitals. For the mortality of London in the aggregate see page clix.

† By passing the decimal point one figure to the right-hand, thus, instead of 1.757 at "All Ages" in the first Column, read 17.57, the Table shows the rate per 1000.

TABLE 50.—Average Annual Rate of Mortality per Cent., 1861-70, at different Ages in Fifty-one Healthy Districts of England and Wales, in the whole of England and Wales, in London, and in Manchester and Liverpool Districts respectively.

AGES.	MALES.					FEMALES.				
	FIFTY-ONE HEALTHY DISTRICTS.	ENGLAND AND WALES.	LONDON.	MAN-CHESTER DISTRICT.	LIVER-POOL DISTRICT.	FIFTY-ONE HEALTHY DISTRICTS.	ENGLAND AND WALES.	LONDON.	MAN-CHESTER DISTRICT.	LIVER-POOL DISTRICT.
ALL AGES -	1'756	2'361	2'655	3'538	4'097	1'623	2'128	2'234	3'046	3'686
0—	4'246	7'316	8'691	11'790	14'475	3'501	6'343	7'632	10'590	13'429
5—	566	815	937	1'401	1'647	562	776	885	1'152	1'514
10—	346	446	424	651	668	390	448	407	579	614
15—	483	616	582	939	945	628	662	510	740	758
20—	738	845	823	1'187	1'422	734	796	622	955	1'102
25—	824	990	1'066	1'469	1'998	807	968	880	1'307	1'749
35—	1'007	1'346	1'714	2'325	3'007	975	1'203	1'284	1'926	2'406
45—	1'346	1'916	2'568	3'455	4'372	1'176	1'555	1'862	2'876	3'701
55—	2'372	3'300	4'885	6'017	7'095	2'114	2'777	3'345	5'031	5'780
65—	5'456	6'669	8'283	10'876	11'918	4'995	5'880	6'723	9'426	9'584
75—	13'128	14'658	16'902	20'978	19'488	12'378	18'443	14'654	17'300	16'281
85 & upwds.	28'492	31'357	32'142	40'714	29'600	26'400	28'364	29'142	27'587	25'446

* In this Table two districts are excluded from the *fifty-three* Healthy Districts shown in other Tables, namely, Barnet and King's Norton, on account of their proximity, the former to London, and the latter to Birmingham.

TABLE 51.—Average Annual Rate of Mortality per Cent., 1861-70, at different Ages in Fifteen Great Town Districts, and in the same coupled with Liverpool District and London.

AGES.	MALES.		FEMALES.	
	Fifteen great town Districts, including Manchester.	Seventeen great town Districts, including previous fifteen districts, with districts of Liverpool and London.	Fifteen great town Districts, including Manchester.	Seventeen great town Districts, including previous fifteen districts, with districts of Liverpool and London.
ALL AGES - - -	2'948	2'833	2'591	2'423
0— - - -	10'177	9'497	8'888	8'357
5— - - -	1'060	1'016	973	946
10— - - -	533	476	503	451
15— - - -	739	658	709	591
20— - - -	921	890	864	725
25— - - -	1'139	1'156	1'081	990
35— - - -	1'722	1'791	1'446	1'396
45— - - -	2'617	2'687	2'044	2'008
55— - - -	4'618	4'602	3'685	3'566
65— - - -	8'996	8'667	7'507	7'061
75— - - -	18'846	17'614	16'235	15'175
85 and upwards -	34'933	32'865	30'109	29'225
Mean Population, 1861-71	321,460	2,361,736	876,596	2,619,522
Deaths, 1861-70 - -	242,157	669,102	227,105	634,632
Area in square miles -	278'08	399'69	278'08	399'69
Persons to 1 square mile -	6,106	12,463	6,106	12,463

The fifteen town Districts are:—Manchester, Salford, Bradford, Birmingham, Sheffield, Leeds, Newcastle-upon-Tyne, Hunslet, Leicester, Gateshead, Bristol, Hull, Exeter, Worcester, and Shrewsbury.

TABLE 52.—SHOWING how much the Mortality at each of TWELVE AGES is raised in SEVEN GROUPS of DISTRICTS experiencing different RATES OF MORTALITY at ALL AGES.

(The London Districts are in one Group, see Table 46.)

Annual Rates of Mortality per 1000 Persons living at all Ages, 1861-70.	Range 18-20	21-23	24	24-26	27-30	32	39
	Mean - 19	23	24	25	28.5	32	39
Number of Districts at the above Rates of Mortality	345	137	London.	47	9	Man- chester District.	Liverpool District.
INCREASE per cent. ON THE RATES OF THE FIFTY-THREE HEALTHY DISTRICTS.							
ALL AGES	13.2	29.3	44.3	46.5	65.4	94.3	128.8
Under 5	25.7	66.8	115.9	117.2	151.4	196.0	269.1
5-	10.1	39.9	65.0	66.1	89.3	131.3	186.4
10-	11.0	30.7	14.9	40.9	40.3	69.9	77.1
15-	8.4	23.4	2.7	27.3	42.1	40.7	51.9
20-	9.2	18.5	4.5	15.6	23.9	40.2	66.7
25-	8.5	20.1	17.9	20.3	41.2	66.4	124.7
35-	3.7	20.6	50.7	32.3	61.5	113.7	172.2
45-	3.9	23.1	74.0	46.1	84.3	140.3	217.9
55-	4.8	25.4	71.0	53.7	77.0	144.4	184.4
65-	2.1	18.0	42.7	38.1	54.8	93.0	104.2
75-	1.7	9.5	22.3	24.1	32.1	48.3	38.6
85 and upwards	9.8	11.8	10.6	16.1	15.6	22.9	7.7

This Table of the increase of mortality may be read thus:—In 345 Districts having a mortality at all ages of 18-20 per 1000, the mortality at the ages under five years shows an excess of 25.7 per cent. on the rate at that group of ages in the 53 Healthy Districts; in 137 Districts having a mortality at all ages of 21-23 it is 66.8 per cent. in excess; in Liverpool it is 269.1 per cent. in excess, or out of the same numbers of Children living, the deaths are between three and four times as many in Liverpool as they are in the Healthy Districts.

TABLE 53.—Relative Mortality, 1861-70, at each of Twelve Ages in EIGHT GROUPS of Districts of England and Wales, the DEATHS at each AGE in the 53 HEALTHY DISTRICTS being represented by 100.

Mortality Range -	15-17	18-20	21-23	24	24-26	27-30	32	39	
Persons to one sq. mile	166	186	379	25,071	1,718	4,409	12,357	65,823	
DEATHS, OUT OF PERSONS as given in Column 2.									
AGES.	Persons living.	In 53 Healthy Districts.	In 845 Districts.	In 137 Districts.	In London.	In 47 Districts.	In 9 Districts.	In Manchester District.	In Liverpool District.
ALL AGES -	5,903	100	113	129	144	146	165	194	223
0-	2,646	100	126	167	216	217	251	296	369
5-	18,116	100	110	140	165	166	189	231	286
10-	27,624	100	111	131	115	141	140	170	177
15-	17,825	100	108	123	97	127	142	150	152
20-	13,310	100	109	118	96	116	124	140	167
25-	11,990	100	109	120	118	120	141	166	225
35-	10,050	100	104	121	151	132	162	214	272
45-	7,874	100	104	123	174	146	184	240	318
55-	4,425	100	105	125	171	154	177	244	284
65-	1,902	100	102	118	143	138	155	193	204
75-	775	100	102	110	122	124	133	148	139
85 & upwards	361	100	110	112	111	116	116	123	99

The Table may be read thus:—Out of 2646 Children living under five years of age, 100 die annually in the Healthy Districts; 126 in 845 Districts having rates of mortality of 18 to 20; 296 in Manchester District; and 369 in Liverpool District.

TABLE 54.—Relative Mortality of Males and Females, 1861-70, at Seven Ages in EIGHT GROUPS of Districts of England and Wales, the DEATHS at each AGE in the 53 HEALTHY DISTRICTS being represented by 100.

Mortality Range			15-17	18-20	21-23	24	24-26	27-30	32	39
Persons to one square mile . .			166	186	379	25,671	1,718	4,499	12,357	65,823
AGES.	Sex.	Numbers living.	DEATHS OF MALES AND FEMALES, out of Numbers given in Column 2.							
			In 53 Healthy Districts.	In 345 Districts.	In 137 Districts.	In London.	In 47 Districts.	In 9 Districts.	In Manchester District.	In Liverpool District.
ALL AGES	Males -	5,692	100	112	130	151	149	172	201	233
	Females	6,151	100	114	128	137	144	158	187	223
0-5	Males -	2,411	100	124	164	210	212	244	284	349
	Females	2,931	100	128	170	224	223	260	310	394
5-10	Males -	17,825	100	109	141	167	168	196	250	294
	Females	18,416	100	111	139	163	164	183	212	279
25-35	Males -	12,063	100	106	118	131	117	159	177	241
	Females	11,919	100	111	123	106	123	123	156	206
35-45	Males -	10,030	100	103	123	172	137	181	233	302
	Females	10,061	100	105	119	129	127	142	194	243
45-55	Males -	7,386	100	104	127	190	152	199	255	323
	Females	8,432	100	104	119	156	139	167	242	312
55-65	Males -	4,211	100	106	130	185	161	186	253	299
	Females	4,682	100	103	120	156	146	167	235	269
65-75	Males -	1,834	100	103	122	152	144	163	199	219
	Females	1,975	100	101	114	133	132	146	186	189

Out of 2411 Male Children living under 5 years of age 100 die annually in the Healthy Districts, 284 in the Manchester District, and 349 in the District of Liverpool.

TABLE 55.—Average Rates of Mortality in the Thirty Years 1841-70, in combination with Density of Population, in the 619 Districts of England and Wales grouped in Registration Divisions.

Mean Density of Population—Acres to a Person - - - }	0—	1—	2—	3—	5—	7—	9 & upwards.
DIVISIONS.	AVERAGE ANNUAL RATES OF MORTALITY per 1000 Persons, 1841-70.						
ENGLAND AND WALES	23·9	20·9	20·0	19·3	19·0	18·8	18·2
I. LONDON - - -	23·9	—	—	—	—	—	—
II. SOUTH-EASTERN -	21	19	19	18	19	19	—
III. SOUTH MIDLAND -	22	20	21	20	—	—	—
IV. EASTERN - - -	22	19	20	20	20	—	—
V. SOUTH-WESTERN -	24	20	20	19	19	18	18
VI. WEST MIDLAND -	24	22	20	19	19	19	—
VII. NORTH MIDLAND -	25	22	20	19	20	17	—
VIII. NORTH-WESTERN -	26	22	20	19	20	—	—
IX. YORK - - -	25	22	22	20	19	19	19
X. NORTHERN - - -	26	22	22	20	19	19	17
XI. WELSH - - -	—	24	21	21	19	19	19

The Table may be read thus :—In Division IV. the mean mortality of the districts of which the density of population is greatest, viz., less than one acre to a person, is 22 per 1000; in districts in which the density of population is one acre and less than two, the mean mortality is 19 per 1000; and so on.

The following particulars are interesting as regards the three sets of Districts (viz., those in Divisions IX., X., and XI.) that are least populous, there being 9 acres or upwards to each inhabitant.

DISTRICTS in Division IX.	ACRES to a Person.	ANNUAL MORTALITY per 1000, 1841-70.	DISTRICTS in Division X.	ACRES to a Person.	ANNUAL MORTALITY per 1000, 1841-70.	DISTRICTS in Division XI.	ACRES to a Person.	ANNUAL MORTALITY per 1000, 1841-70.
Sedburgh -	11	18	Haltwhistle -	14	17	Llandovery -	10	19
Settle -	11	19	Bellingham -	35	17	Tregaron -	11	17
Helmsley -	9	19	Glendale -	10	18	Bulth -	12	18
Pickering -	9	19	Rothbury -	23	18	Brecknock -	11	21
Aysgarth -	16	20	Bootle -	14	17	Knighton -	10	18
Reeth -	11	20	East Ward -	12	17	Rhayader -	15	18
—	—	—	West Ward -	14	18	Machynlleth -	9	21
—	—	—	—	—	—	Dolgelly -	11	19

Note.—Dulverton, in Division V., is the only other district with more than 9 acres to a person; it has an area of 10 acres, and the annual mortality in the 30 years was 18 per 1000 of population.

The population of the whole of Sedbergh district has slightly increased; that of the township of Sedbergh has decreased in consequence of the *absence* of labourers who were constructing a railway in 1861, while the larger populations in Garsdale and Dent are attributed to the *presence* of labourers forming a railway from Settle to Carlisle.

The population of Settle in 1871 was 15,134 against 12,528 in 1861; an increase in the township of Burton-in-Lonsdale is ascribed to the extension of a cotton factory, and in some other townships to the presence of labourers employed in constructing a railway.

A very slight decrease in the population of Helmsley occurred between 1861 and 1871, the two populations being 11,832 and 11,716. Helmsley township, with a population of 1437 in 1871, has an area of 8312 acres, and Kirkby Moorside a population of 1788 on 4506 acres.

In Pickering district the population rose from 10,549 in 1861 to 12,737 in 1871; in the townships of Rosedale West Side and Rosedale East Side there was a rapid increase owing to the development of ironstone mining, especially in the latter township, where the population at the two censuses was 446 and 2041. The township of Pickering has a population of 3689 on 16,087 acres.

In some of the townships comprised in Aysgarth district there was a decrease in the population in consequence of the abandonment of lead mines, but the general population of the district was nearly stationary. There is no thickly populated township in Aysgarth district.

In all the townships and parishes forming the district of Beeth the population declined, in Muker and Melbecks through the falling off in the productiveness of the lead mines. Muker township, with a population in 1871 of 913 only, has an area of 30,192 acres. All the townships in this district are sparsely populated.

The increase of population in a few of the parishes and townships in Haltwhistle district is due to the extension of collieries, but in the whole district the increase is not large. The township of Haltwhistle, with an area of 3133 acres, has a population of 1668.

The population of Bellingham district in 1871 was identical with that in 1861. Plaashetts and Tynehead township had a population of 766 in 1871 against 404 in 1861, the increase being attributed to the extension of the Plaashetts Colliery. The parish of Corsenside, with the largest population in the district, and which more than doubled itself in the 10 years 1861-1871, has an area of 11,504 acres and a population of 1067; the rapid growth of the population is due to the demand for labour at Sir Wm. Armstrong's Ironworks. Bellingham township has a population of 833 on an area of 2353 acres; the population has slightly decreased.

The district of Glendale does not include any large town. The parishes of Wooler and Chatton have populations of 1610 on 4917 acres, and 1538 on 17,335 acres respectively; in both parishes the population has decreased. The parishes of Carham (area 10,714, population 1210), of Ford (area 11,727, population 1841), and of Lowick (area 12,878, population 1770), all show a decrease of population, attributed to emigration and to migration in search of more remunerative employment.

The district of Rothbury is composed of many small townships. Rothbury, possessing the largest population, namely 1074, has an area of 5366 acres. An increase of 276 in the population since 1861 is mainly due to improvements effected by Sir Wm. Armstrong and to the erection of a railway station and gasworks.

In the district of Bootle the township of Millom shows the largest population, namely 4307 (against 1541 in 1861), on 13,531 acres. The large increase is attributed to the opening of iron ore pits.

In East Ward district the parishes of Appleby St. Michael or Bongate, and Appleby St. Lawrence together contained in 1861, 3234 persons; in 1871, 3235 persons; the increase in these parishes, as well as in other parishes and townships of the district, is stated to be due to the temporary presence of labourers constructing the Settle and Carlisle railway.

In West Ward district the population of the parish of Shap rose from 991 in 1861 to 1270 in 1871, the increase being due to the erection of cottages for the accommodation of granite quarry labourers; the area of the parish is 37,177 acres. The development of the Greenside Lead Mines caused a rise in the population of Patterdale-with-Hartson township; in 1871 the population was 805 on an area of 14,735 acres.

The district of Llandoverly contains the parish of Llangadock with a population of 2830 on 15,642 acres; the parish of Llandingat (including Llandoverly) with a population of 2379 on 8107 acres; and the parish of Conwil-Cayo with a population of 2002 on 41,785 acres. Llangadock exhibits a slight increase, while Conwil-Cayo shows a decrease, the causes assigned in the case of the latter being migration and emigration.

The only considerable township in Tregaron district is Caron-ys-Clawdd or Tregaron with a population of 1788, which appears to be nearly stationary. There is no workhouse for the Tregaron union.

Builth district is composed of several inconsiderable parishes and hamlets. The parish of Builth is thickly populated, having a population of 1090 on 712 acres; in 1861 the population was 1110. There is no workhouse for the Builth union.

In Brecknock district the chapelry of Lower Division or St. Mary, Brecknock, is the most densely populated; the population being 2711 on 705 acres. In 1861 the population was 3107.

The only considerable parish in Knighton district is Knighton; it has a population of 1946 and an area of 2461 acres.

In Rhayader district the parish of Rhayader with an area of only 188 acres has a population of 802, though the population has slightly decreased; in 1861 it was 846. The increase of population in the parishes of Cefnlllys (population 471) and Llanbadarnfawr (population 589) is attributed to the erection of houses and cottages.

The population of Machyulleth township in 1861 was 1640; in 1871 it was 2028; the increase is attributed to the construction and working of a railway, and to the discovery and development of new slab quarries and lead mines. Towyn township also exhibits an increase of population, due to the construction of a railway; in 1871 the population was 3307 on 26,372 acres.

In Dolgelly district the parish of Dolgelly had a population of 3789 in 1871; in 1861 the population was 3487; its area is 25,607 acres. The increase of population in some other parishes is attributed to the great extension of slate quarrying.

TABLE 56.—Density and Mortality of the Districts of London in THREE DECENNIADS, the DISTRICTS arranged according to the Density of Population in the DECENNIAD 1861-70.

DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
	ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
Westminster (St. James) * - - -	·004	·005	·005 ?	22	23	23 ?	23 ?
St. Giles - - - - -	·005	·005	·005	28	28	29	28
Holborn : Holborn - - - - -	·004	·004	·005	26	26	28	26
" Clerkenwell - - - - -	·006	·006		24	23		
" St. Luke - - - - -	·004	·004		27	27		
Shoreditch - - - - -	·007	·005	·005	27	24	26	26
Whitechapel - - - - -	·005	·005	·005	29	28	30	29
St. George-in-the-East - - - -	·005	·005	·005	29	29	30	29
Strand : St. Martin-in-the-Fields -	·012	·013	·006	24	23	25	24
" Strand * - - - - -	·004	·004		24	24		
London City : East London - - -	·004	·004	·007	27	27	26	26
" West London - - - -	·005	·005		29	25		
" London City - - - -	·008	·009		23	23		
Bethnal Green - - - - -	·009	·008	·007	25	23	27	25
Stepney - - - - -	·012	·010	·008	25	27	28	27
Mile End Old Town - - - - }		·011	·008		24	25	25
Marylebone - - - - -	·010	·009	·009	24	24	25	24
St. Saviour Southwk : St. Geo. Southwk.	·006	·005	·009	30	27	25	27
" Newington - - - - -	·010	·009		26	24		
" St. Saviour - - - - }	·006	·008		30	29		
St. Olave Southwark : St. Olave - -	·017	·013	·009	28	26	25	27
" Bermondsey - - - - -		·013		28	26		
" Rotherhithe - - - - -		·042		28	25		
Chelsea - - - - -	·018	·014	·012	27	26	26	26
St. George Han. Sq. : Westminster -	·015	·014	·012	27	26	27	27
" St. Geo. Han. Sq. - - - -	·017	·014	·013	19	19	19	19
Pancras - - - - -	·018	·015	·013	23	22	23	23
Islington - - - - -	·041	·025	·017	19	21	22	21
Lambeth - - - - -	·031	·027	·021	25	23	23	24
Poplar - - - - -	·080	·037	·024	22	24	26	24
Kensington - - - - -	·076	·048	·032	20	19	21	20
Greenwich † - - - - -	·090	·047	·035	27	24	26	26
Hackney - - - - -	·078	·055	·038	19	19	20	19
Camberwell - - - - -	·092	·069	·049	24	23	23	23
Hampstead - - - - -	·204	·145	·087	18	17	16	17
Wandsworth - - - - -	·258	·193	·118	19	20	19	19
Lewisham † - - - - -	·595	·342	·217	17	18	19	18

* In consequence of the change in the District of Westminster (St. James) in 1868, the Density of Population and the Mortality in the 10 Years 1861-70 are not given for that District separately from the Strand District.

† The District of Woolwich having been formed out of the Districts of Greenwich and Lewisham so recently as 1st July 1890 is included in those Districts.

TABLE 57.—Density and Mortality, in THREE DECENNIADS, of the Districts of England and Wales (exclusive of LONDON) in which the Area to a Person is less than one acre, the DISTRICT arranged according to the Density of Population in the DECENNIAD 1861-70.

DISTRICT.	COUNTY.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years, 1841-70
East Stonehouse - - -	Devon - - -	·02	·01	·01	29	27	27	28
Bristol - - -	Gloucester - - -	·01	·01	·01	29	28	29	29
Birmingham - - -	Warwick - - -	·02	·01	·01	26	27	27	27
Liverpool - - -	Lancaster - - -	·01	·01	·01	39*	33	39	37*
Brighton - - -	Sussex - - -	·03	·02	·02	21	22	22	22
Plymouth - - -	Devon - - -	·04	·03	·02	25	24	23	24
Nottingham - - -	Nottingham - - -	·03	·03	·02	26	27	24	26
Leeds - - -	York, West Riding -	·02	·02	·02	30	28	30	29
Hull - - -	York, East Riding -	·02	·02	·02	31	25	26	27
Southampton - - -	Hants - - -	·04	·03	·03	23	24	23	23
Stoke Damerel - - -	Devon - - -	·05	·04	·04	26	23	21	23
Leicester - - -	Leicester - - -	·07	·06	·04	27	25	26	26
Portsea Island - - -	Hants - - -	·08	·06	·05	25	23	21	23
Yarmouth (Great) - - -	Norfolk - - -	·06	·05	·05	23	25	24	24
Salisbury - - -	Wilts - - -	·05	·05	·05	28	24	20	24
Exeter - - -	Devon - - -	·06	·05	·05	25	24	25	25
Salford - - -	Lancaster - - -	·08	·06	·05	28	26	27	27
Manchester - - -	" - - -	·06	·05	·05	33	31	32	32
Gravesend - - -	Kent (extra-met.) -	·08	·07	·06	25	23	22	23
Derby - - -	Derby - - -	·08	·06	·06	24	24	23	24
Chorlton - - -	Lancaster - - -	—	·08	·06	—	24	25	24
Newcastle-upon-Tyne -	Northumberland -	·09	·07	·06	27	27	28	27
Sheffield - - -	York, West Riding -	·11	·09	·07	27	28	29	28
Norwich - - -	Norfolk - - -	·11	·10	·10	24	25	24	24
Sunderland - - -	Durham - - -	·19	·15	·11	24	25	24	24
Cambridge - - -	Cambridge - - -	·13	·13	·12	23	20	22	23
Coventry - - -	Warwick - - -	·16	·14	·13	27	25	21	24
Oxford - - -	Oxford - - -	—	·15	·14	—	22	22	22
Dudley - - -	Stafford - - -	·19	·15	·14	25	26	25	25
West Derby - - -	Lancaster - - -	·34	·22	·14	26	23	26	25
Oldham - - -	" - - -	·21	·17	·14	26	25	26	26
Stoke-upon-Trent - -	Stafford - - -	·23	·19	·15	27	26	26	26
Reading - - -	Berks - - -	·23	·20	·16	24	22	22	23
Alverstoke - - -	Hants - - -	·25	·19	·17	24	20	19	21
Bradford - - -	York, West Riding -	·26	·21	·18	25	26	25	25
Canterbury - - -	Kent (extra-met.) -	·21	·20	·19	24	23	24	24
West Bromwich - - -	Stafford - - -	·32	·24	·19	23	24	22	23
Bury St. Edmunds - -	Suffolk - - -	·22	·22	·21	24	22	23	23
Ipswich - - -	" - - -	·29	·24	·21	23	22	22	22
Worcester - - -	Worcester - - -	·24	·23	·21	24	23	25	24
Radford - - -	Nottingham - - -	·28	·24	·21	22	25	22	23
Richmond - - -	Surrey (extra-met.) -	·29	·25	·22	20	20	19	20
Medway - - -	Kent (extra-met.) -	·36	·31	·22	25	23	22	23
Wolstanton - - -	Stafford - - -	·37	·28	·22	26	26	25	26
Stourbridge - - -	Worcester - - -	·31	·26	·23	24	23	22	23
Dewsbury - - -	York, West Riding -	·37	·30	·23	23	23	26	25
Ecclesall Bierlow - -	" - - -	·51	·35	·23	22	23	23	23
West Ham - - -	Essex - - -	·64	·42	·24	18	20	20	19
Aston - - -	Warwick - - -	·53	·37	·25	21	21	21	21
Clifton - - -	Gloucester - - -	·41	·34	·26	23	20	20	21

* Excluding the Irish famine year (1847) the rate for 1841-50 is 36, and is also for the 30 years 1841-7036.

Density and Mortality, in THREE DECENNIADS, of the **Districts of England and Wales** (exclusive of LONDON) in which the **Area to a Person** is less than **one acre**, the DISTRICTS arranged according to the **Density of Population** in the DECENNIAD 1861-70—*continued*.

DISTRICT.	COUNTY.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
South Shields . . .	Durham . . .	'48	'38	'26	26	24	24	25
Embsay . . .	York, West Riding .	'47	'40	'27	25	24	26	25
Holbeck . . .								
Bransley . . .								
Ashton-under-Lyne . .	Lancaster . . .	'35	'30	'29	26	27	25	26
Stockport . . .	Chester . . .	'35	'33	'23	25	26	25	25
Bolton . . .	Lancaster . . .	'41	'36	'23	27	27	26	27
Bury . . .	" . . .	'40	'35	'23	25	23	24	24
Walmell . . .	Stafford . . .	'56	'42	'33	24	26	24	25
Brentford . . .	Middlesex (<i>ex-met.</i>) .	'53	'44	'34	21	23	20	21
Kings Lynn . . .	Norfolk . . .	'30	'30	'34	23	23	23	23
Reckdale . . .	Lancaster . . .	'53	'42	'35	24	24	24	24
Blackburn . . .	" . . .	'53	'41	'35	25	26	26	26
Hastings . . .	" . . .	'58	'44	'36	23	23	23	23
Gateshead . . .	Durham . . .	'60	'46	'38	25	26	25	25
Halifax . . .	York, West Riding .	'49	'46	'40	23	24	24	23
Wolverhampton . . .	Stafford . . .	'58	'47	'42	27	23	24	26
Northampton . . .	Northampton . . .	'67	'56	'44	24	24	24	24
Bath . . .	Somerset . . .	'44	'44	'44	24	23	23	23
Hastings . . .	Sussex . . .	'78	'59	'45	18	18	20	19
Colchester . . .	Essex . . .	'60	'53	'45	24	23	23	23
Tynemouth . . .	Northumberland . .	'66	'56	'45	24	23	24	24
Wigan . . .	Lancaster . . .	'66	'55	'47	28	27	29	28
Croydon . . .	Surrey (<i>extra-met.</i>) .	1'10	'84	'50	20	19	19	19
Cheltenham . . .	Gloucester . . .	'59	'53	'50	20	19	19	19
Kings Norton . . .	Worcester . . .	1'08	'73	'50	17	17	17	17
Huddersfield . . .	York, West Riding .	'61	'56	'53	23	23	24	23
Kingston . . .	Surrey (<i>extra-met.</i>) .	'89	'71	'54	18	18	18	18
Barton-upon-Irwell .	Lancaster . . .	—	'66	'54	—	23	23	23
Preston . . .	" . . .	'78	'66	'60	25	27	28	27
Leigh . . .	" . . .	'80	'67	'61	26	25	25	25
Warrington . . .	" . . .		'75	'63		24	26	25
Sculcoates . . .	York, East Riding .	'95	'80	'64	25	22	23	23
Edmonton . . .	Middlesex (<i>ex-met.</i>) .	1'06	'89	'66	19	18	19	19
Fraser . . .	Lancaster . . .	1'14	'88	'67	23	23	23	23
Shrewsbury . . .	Salop . . .	'81	'74	'68	26	24	25	25
Barnsley . . .	York, West Riding .	—	'88	'68	—	24	25	24
Houghton-le-Spring .	Durham . . .	'91	'78	'63	20	21	24	23
Wakefield . . .	York, West Riding .	'85	'79	'69	23	23	23	23
Merthyr Tydfil . . .	South Wales . . .	1'74	1'23	'71	23	29	25	27
Redruth . . .	Cornwall . . .	'79	'73	'73	20	21	23	21
Keighley . . .	York, West Riding .	1'12	1'01	'77	21	23	24	23
Barnley . . .	Lancaster . . .	1'08	'91	'78	23	24	24	24
Thanet . . .	Kent (<i>extra-met.</i>) .	'94	'93	'80	19	21	20	20
Gloucester . . .	Gloucester . . .	1'09	'96	'84	24	21	21	23
South Stoneham . . .	Hants . . .	1'85	1'28	'92	18	17	18	18
Windsor . . .	Berks . . .	1'16	1'10	'95	20	20	20	20
Madeley . . .	Salop . . .	1'09	1'01	'97	23	21	22	22
Newcastle-under-Lyme .	Stafford . . .	1'33	1'18	'96	26	23	23	24
Saddleworth . . .	York, West Riding .	1'06	1'00	'98	22	24	23	23
Melksham . . .	Wilts . . .	'94	'99	1'00	22	22	22	22

TABLE 58.—Comparison of a Life Table for Males, CONSTRUCTED by a SHORT METHOD, with the English Life Table. [The same data served for both Tables, and are given on pages xviii–xx of English Life Table.]

Age x.	l_x			d_x			MEAN AFTER-LIFETIME.		
	By English Life Table.	By Short Method.	Excess by Short Method.	By English Life Table.	By Short Method.	Excess by Short Method.	By English Life Table.	By Short Method.	Excess by Short Method.
0	511,745	511,745	—	141,887	141,887	—	39·91	40·00	·09
5	370,358	370,358	—	17,327	16,651	—676	49·71	49·82	·11
10	353,031	353,707	676	8,741	9,026	285	47·05	47·05	—
15	344,290	344,681	391	24,948	27,201	2,253	43·18	43·21	—·03
25	319,443	317,480	—1,963	30,592	30,183	—409	36·12	36·49	·37
35	288,850	287,297	—1,553	35,142	34,594	—548	29·40	29·80	·40
45	253,708	252,703	—1,005	44,169	42,703	—1,466	23·76	23·19	·57
55	209,539	210,000	461	58,785	57,254	—1,531	16·45	16·89	·44
65	150,754	152,746	1,992	74,977	74,518	—459	10·82	11·35	·53
75	75,777	78,228	2,451	58,900	60,393	1,493	6·49	7·39	·90
85	16,877	17,835	958	16,044	16,979	935	3·73	5·48	1·75
95	833	856	23	829	846	17	2·17	5·00	2·83
105	4	10	6	4	10	6	—	—	—

NOTE.—The above Table furnishes a comparison of the numbers living at the various ages, and the numbers dying in the intervals of those ages, also the mean after-lifetime, as calculated from the same data (1) by interpolation for each age according to the English Life Table, (2) by a short method in which the intervals of age are quinquennial up to age 15 and after that age decennial.

The dying in the first five years of life in both Tables were deduced from the Births registered during the 17 years 1838–54 (corrected for defective registration) and the registered Deaths in subsequent years of children, born during that period, occurring in the 1st, 2nd, 3rd, and 4th years of life. Then by the formula

$$\frac{1 - \frac{1}{2}m}{1 + \frac{1}{2}m} = \frac{2 - m}{2 + m} = \text{the probability of living through one year}$$

this probability raised to the 5th power was applied to the survivors at age 5, and the rates at other ages in the same manner to survivors in each successive group of ages up to 15. After that age $\left(\frac{2 - m}{2 + m}\right)^{10}$ was the formula employed.

Take as an example age 15–25. The value of m for Males was ·00822 so $\frac{2 - \cdot00822}{2 + \cdot00822} = \frac{1\cdot99178}{2\cdot00822}$ and

$\left(\frac{1\cdot99178}{2\cdot00822}\right)^{10} = 1\cdot9643000$, which added to $\lambda l_{15} = 5\cdot5374169$ gives $\lambda l_{25} 5\cdot5017169$; and 317,480 is the corresponding number of l_{25} .

It will be seen that the Expectation of Life by each Table at the ages up to 15 is nearly the same; at ages 25 to 65 the differences range from ·37 to ·53 of a year, the Short Method giving an excess; and after that age there is a rapid increase in the excess of the mean after-lifetime by the Short Method Table.

TABLE 59.—ENGLAND AND WALES.—Average Annual Numbers of Males and Females Dying at the several Ages, to 1000 living at those AGES, of All Causes; of Certain Diseases; and of All Causes excluding each of those DISEASES; in the Ten Years 1861-70.

AGES.	ALL CAUSES.		PHTHISIS.		ALL ZYMOTIC DISEASES, Order 1.		CANCER.		ALL CAUSES excluding					
	m_x		p_x		z_x		c_x		Phthisis, $m_x - p_x$		Zymotic Dis., $m_x - z_x$		Cancer, $m_x - c_x$	
	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.
ALL AGES	23·609	21·383	2·467	2·483	4·917	4·616	·244	·523	21·142	19·799	18·669	18·666	23·365	20·759
0—	73·163	63·430	·900	·947	23·355	21·754	·013	·013	72·173	62·483	50·807	41·676	73·149	68·417
5—	8·148	7·756	·431	·476	4·478	4·643	·006	·007	7·717	7·280	3·670	3·114	8·140	7·749
10—	4·460	4·484	·605	1·045	1·800	1·809	·008	·008	3·855	3·439	2·900	2·675	4·452	4·476
15—	6·161	6·622	2·188	3·110	1·313	1·431	·030	·017	3·973	3·513	4·848	5·201	6·141	6·605
20—	8·453	7·958	3·884	3·965	1·348	1·190	·027	·083	4·569	3·603	7·105	6·768	8·436	7·925
25—	9·897	9·683	4·092	4·378	1·217	1·115	·061	·163	5·805	5·307	8·690	8·570	9·836	9·622
30—	13·464	12·084	4·165	3·900	1·361	1·207	·206	·673	9·299	8·124	12·068	10·837	13·258	11·861
35—	19·165	15·553	3·960	2·950	1·080	1·393	·539	1·538	15·205	12·705	17·475	14·163	18·636	14·017
40—	23·995	27·773	3·297	2·065	2·543	2·184	1·206	2·300	20·698	25·708	20·453	25·639	21·787	25·473
45—	66·689	58·797	2·034	1·389	4·414	3·763	1·877	2·810	64·655	57·558	63·275	55·085	64·813	55·967
50—	146·876	134·437	·086	·475	7·608	6·736	2·301	2·844	146·878	133·963	138·973	127·669	144·283	131·589
55 & upwards.	313·870	283·643	·542	·200	11·350	9·863	2·327	2·713	313·238	283·383	307·230	278·759	311·243	280·929

The Table may be read thus:—At Ages 25-35 the annual number of Males dying to One thousand living at those Ages in the 10 Years 1861-70 was 9·897; had there occurred no deaths from Consumption the mortality would have been 5·805 per 1000; had there occurred no deaths from Order 1. of Zymotic Diseases or from Cancer, the numbers of Males dying to One thousand would have been 8·690 and 9·836 respectively.

TABLE 60. ENGLAND AND WALES.—Four Orders of Life Tables for Males (calculated from the Facts recorded during the Ten Years 1861-70), showing the EFFECT of the EXCLUSION of Deaths from (1) Zymotic Diseases, (2) Phthisis, and (3) Cancer, on the PROBABILITIES of LIVING from AGE to AGE.

Age x.	LIVING AT EACH AGE.				DYING IN EACH INTERVAL OF AGE.			
	To die of All Diseases.	Order 1. of Zymotic Diseases excluded.	Phthisis excluded.	Cancer excluded.	Of All Diseases.	Order 1. of Zymotic Diseases excluded.	Phthisis excluded.	Cancer excluded.
	l_x	l'_x	p'_x	c'_x	d_x	d'_x	p'_d	c'_d
0	510,622	510,622	510,622	510,622	142,805	99,273	140,977	142,787
5	367,817	411,350	369,645	367,835	14,688	7,479	13,997	14,670
10	353,129	403,871	355,648	353,165	7,788	5,384	6,798	7,773
15	345,341	397,937	348,350	345,393	10,474	9,533	6,857	10,442
20	334,867	388,404	341,993	334,951	13,854	13,566	7,725	13,825
25	321,013	374,888	334,268	321,126	30,258	31,164	13,368	30,094
30	290,755	343,674	315,400	291,032	36,617	36,107	28,010	36,148
35	254,138	304,567	287,790	254,890	44,313	46,846	40,798	43,827
40	200,825	255,721	246,592	211,563	53,981	67,133	63,367	57,618
45	150,944	188,588	183,225	153,945	73,435	87,442	87,279	73,444
50	77,409	101,146	95,946	80,501	59,583	76,002	73,695	61,831
55	17,326	23,144	22,251	18,970	17,037	23,948	21,305	18,147
60	789	1,196	946	823	790	1,187	937	814
105	9	9	9	9	9	9	9	9

The Table may be read thus:—Of 510,622 boys born alive, 321,013 attain the age of 25, of whom 30,268 die in the 10 years following. Exempted from attack by Miasmatic diseases 374,838 would survive to age 25, 31,164 dying in the next 10 years.

TABLE 61.—ENGLAND AND WALES.—~~Number of Men~~ at different PERIODS of AGE from 15 and upwards in the under-mentioned Occupations enumerated at the Census of 1871, and the NUMBER at the SAME AGES and in the same OCCUPATIONS who died in the Year 1871.

OCCUPATIONS.	MEN.—AGES.						
	15 Years and upwards.	15-25	25-35	35-45	45-55	55-65	65-75 & upwards.
ALL MEN aged 15 Years and upwards - - - { Living in 1871 -	6,960,881	2,036,630	1,569,598	1,230,916	962,735	640,583	355,257
- - - { Deaths in 1871 -	138,413	15,723	17,655	17,833	19,305	21,796	24,029
Tailors - - - - - { Living in 1871 -	109,180	23,698	22,498	21,161	20,214	13,780	5,884
- - - { Deaths in 1871 -	2,499	189	288	389	460	455	416
Shoemakers - - - - { Living in 1871 -	190,873	40,371	41,919	36,823	31,968	23,061	12,494
- - - { Deaths in 1871 -	4,068	274	416	438	587	724	844
Farmers and Graziers - - { Living in 1871 -	225,569	5,679	28,473	43,744	52,521	47,308	32,919
- - - { Deaths in 1871 -	6,946	65	268	416	667	1,135	1,555
Carpenters and Joiners - { Living in 1871 -	202,449	59,338	50,920	34,950	26,124	18,415	9,248
- - - { Deaths in 1871 -	3,510	319	490	438	449	596	618
Butchers - - - - - { Living in 1871 -	70,336	22,716	16,632	12,171	8,949	5,737	3,150
- - - { Deaths in 1871 -	1,498	120	180	264	227	211	268
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weavers not otherwise described - - - - - { Living in 1871 -	336,535	110,546	71,774	55,944	43,900	28,087	14,132
- - - { Deaths in 1871 -	6,041	710	697	605	813	1,065	1,154
Bakers and Confectioners - { Living in 1871 -	59,469	18,708	13,702	10,995	8,085	5,127	2,515
- - - { Deaths in 1871 -	1,062	100	137	153	174	202	195
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers { Living in 1871 -	74,267	3,125	15,965	20,162	18,271	11,808	5,006
- - - { Deaths in 1871 -	2,538	35	226	463	580	562	884
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers; including Wine and Spirit Merchants - - - - - { Living in 1871 -	84,846	5,446	16,732	22,341	20,536	12,752	5,562
- - - { Deaths in 1871 -	2,775	57	277	511	610	592	417
Grocers - - - - - { Living in 1871 -	85,902	27,213	18,199	14,201	11,871	8,259	4,505
- - - { Deaths in 1871 -	1,223	161	203	145	174	212	246
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined) - - - - - { Living in 1871 -	107,453	30,203	22,522	19,061	16,256	11,332	6,219
- - - { Deaths in 1871 -	1,715	180	239	197	231	296	322
Miners, viz., Coal, Iron, Copper, Tin, and Lead; and others connected with Mines { Living in 1871 -	335,129	120,859	87,542	60,968	37,906	19,196	7,143
- - - { Deaths in 1871 -	5,275	942	843	721	788	853	711
Persons engaged in the Iron, Copper, Lead, and Tin Manufactures - - - - - { Living in 1871 -	178,321	62,995	50,789	32,227	19,420	9,245	3,061
- - - { Deaths in 1871 -	2,560	439	494	426	369	362	285
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies; Stone, Slate, and Limestone Quarriers; Brick-makers, and other Workers in Stone and Clay - - - { Living in 1871 -	1,471,417	407,829	295,127	226,609	218,459	189,254	96,084
- - - { Deaths in 1871 -	29,648	2,410	3,066	3,196	3,734	4,706	6,184
Labourers, &c. as above, including Bricklayers and Masons - - - - - { Living in 1871 -	1,064,649	469,465	344,396	292,266	244,664	175,619	105,045
- - - { Deaths in 1871 -	33,223	2,695	3,568	3,759	4,271	5,980	6,728
Blacksmiths - - - - - { Living in 1871 -	108,939	34,465	25,717	18,627	14,564	9,223	4,935
- - - { Deaths in 1871 -	1,988	211	275	223	305	311	349

TABLE 62.—ENGLAND AND WALES. Annual Mortality per Cent. of Men at different Periods of Age from 15 and upwards in the under-mentioned Occupations, in the Year 1871.

OCCUPATIONS.	MEN.—AGES.						
	15—	25—	35—	45—	55—	65—	75 & upwards.
	ANNUAL MORTALITY PER CENT.						
ALL MEN aged 15 Years and upwards - - - -	·772	1'111	1'448	2'005	2'401	6'764	16'345
Tailors - - - - -	·801	1'280	1'602	2'264	3'314	7'070	18'051
Shoemakers - - - - -	·679	·992	1'186	1'886	3'137	6'755	19'586
Farmers and Graziers - - - -	1'145	·941	·951	1'270	2'405	5'635	16'900
Carpenters and Joiners - - - -	·538	·963	1'280	1'719	3'236	8'628	17'661
Butchers - - - - -	·528	1'082	2'169	2'537	3'678	8'562	22'506
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weavers not otherwise described - - - -	·642	·971	1'081	1'856	3'792	8'106	23'448
Bakers and Confectioners - - - -	·535	1'000	1'444	2'152	3'940	7'788	16'418
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers -	1'116	1'683	2'296	3'073	4'759	7'580	20'515
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers; including Wine and Spirit Merchants -	1'047	1'656	2'287	2'970	4'642	7'497	21'056
Grocers - - - - -	·592	1'115	1'021	1'406	2'567	5'461	13'442
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined)	·596	1'061	1'082	1'421	2'620	5'178	13'506
Miners, viz., Coal, Iron, Copper, Tin, and Lead; and others connected with Mines -	·779	·963	1'185	2'079	4'446	9'964	25'698
Persons engaged in the Iron, Copper, Tin, and Lead Manufactures - - - -	·697	·974	1'282	2'065	3'916	9'311	24'446
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies; Stone, Slate, and Limestone Quarriers; Brickmakers, and other Workers in Stone and Clay - -	·591	1'085	1'245	1'709	2'966	6'264	17'779
Labourers, &c. as above, including Bricklayers and Masons - - - - -	·583	1'036	1'283	1'746	3'082	6'344	17'775
Blacksmiths - - - - -	·612	1'069	1'197	2'084	3'372	7'419	18'927

TABLE 63.—ENGLAND AND WALES. **Number of Men** Aged 15 Years and upwards in 62 selected **Occupations living** at the Census of 1871, plus twice the **Number living** at the Census of 1861, the **Deaths** in the Three Years 1860, 1861, and 1871, and the **Annual Rate of Mortality per Cent.** at different Periods of LIFE.

Class.	Order.	OCCUPATIONS.	AGES.								
			15—	20—	The influence of Profession is most felt.				65—	75—	
					25—	35—	45—	55—			
I.	3	MORTALITY OF THE 62 SELECTED OCCUPATIONS PER CENT.	·632	·859	·985	1·305	1·853	3·215	6·676	16·584	
			·417	·831	·973	1·328	1·965	3·500	7·562	19·216	
			·778	·880	·993	1·290	1·786	3·070	6·315	15·768	
		Clergyman - - - - -	—	1,148	13,339	14,811	13,539	10,084	5,857	1,804	
			Deaths - - - - -	—	5	63	98	106	339	279	271
			Mortality per Cent.	—	·436	·465	·628	1·324	2·270	5·208	15·023
		Protestant Minister - - -	—	1,313	6,008	5,754	5,144	3,902	2,097	733	
			Deaths - - - - -	—	13	35	43	45	95	118	130
			Mortality per Cent.	—	·990	·583	·730	·933	2·400	5·627	10·393
		Roman Catholic Priest - -	—	121	1,175	1,189	883	490	200	45	
			Deaths - - - - -	—	1	9	11	8	24	19	10
			Mortality per Cent.	—	·826	·766	·925	·962	4·898	9·500	23·223
		Barrister - - - - -	—	223	2,525	2,603	2,126	1,472	610	164	
			Deaths - - - - -	—	13	17	30	35	35	16	16
			Mortality per Cent.	—	—	·475	·653	1·364	2·445	4·095	9·750
		Solicitor, Attorney - - -	—	1,827	8,315	8,344	7,463	5,917	2,619	703	
			Deaths - - - - -	—	16	74	111	144	181	197	117
			Mortality per Cent.	—	·876	·890	1·340	1·930	3·059	7·523	10·667
		Physician, Surgeon - - -	—	2,148	10,021	10,043	9,918	6,963	3,288	1,125	
			Deaths - - - - -	—	24	139	148	308	309	312	309
			Mortality per Cent.	—	1·117	1·287	1·474	2·047	3·045	6·207	13·414
		Chemist, Druggist - - -	—	9,265	8,616	8,801	6,084	3,878	1,170	272	
			Deaths - - - - -	—	31	97	180	180	106	96	89
			Mortality per Cent.	—	·337	1·126	1·177	1·704	1·841	3·357	8·376
		Schoolmaster, Teacher, Pro- fessor, &c. - - - - -	—	18,381	12,009	11,080	14,231	10,318	7,002	3,323	
			Deaths - - - - -	—	68	115	189	184	354	399	253
			Mortality per Cent.	—	·371	·958	·891	1·117	1·493	3·568	8·465
Civil Engineer - - - - -	—	1,181	2,078	2,965	2,613	1,812	897	73			
	Deaths - - - - -	—	2	12	28	40	19	18	19		
	Mortality per Cent.	—	·169	·577	·944	1·531	1·040	5·217	26·393		
II.	5	Domestic Servant - - - - -	92,087	76,180	96,096	59,500	37,687	30,801	9,228		
			Deaths - - - - -	223	459	568	814	700	656	726	
Mortality per Cent.	·242		·563	·901	1·368	1·857	3·184	7·243	23·786		
III.	6	Insurance Service and Commer- cial Clerk - - - - -	54,219	46,770	40,822	34,769	15,006	8,946	3,884		
			Deaths - - - - -	306	877	631	430	878	316	310	
			Mortality per Cent.	·320	·806	1·274	1·736	2·506	3·532	7·961	
		Commercial Traveller - - -	1,191	4,780	13,359	9,767	6,086	3,054	944		
			Deaths - - - - -	2	27	131	153	143	121	65	
			Mortality per Cent.	·168	·568	·981	1·506	2·353	3·968	6·986	
		Railway Engine Driver, Officer, Servant, &c. - - - - -	22,756	36,057	64,445	37,375	17,849	6,405	1,278		
			Deaths - - - - -	163	428	787	867	884	390	119	
			Mortality per Cent.	·712	1·173	1·231	1·497	2·151	4·059	7·092	
		Coachman, Cabman, &c. (not Domestic) - - - - -	8,273	9,852	28,005	24,448	15,877	7,630	2,774		
			Deaths - - - - -	10	102	841	495	469	860	277	
			Mortality per Cent.	·308	1·001	1·218	2·025	2·954	4·724	9·096	
		Carman, Carrier, Cartier, Dray- man - - - - -	23,147	28,588	53,908	42,069	29,039	18,234	6,080		
			Deaths - - - - -	113	257	649	708	736	734	619	
			Mortality per Cent.	·488	·899	1·204	1·662	2·541	4·521	10·161	
		Bargeman, Waterman - - -	11,895	11,812	20,307	17,043	12,894	8,264	4,177		
			Deaths - - - - -	70	112	333	327	307	943	804	
			Mortality per Cent.	·590	·948	1·147	1·919	2·394	4·136	9·433	
		Harbour, Dock Service, La- bourer - - - - -	7,058	11,132	25,187	22,436	15,908	7,783	3,450		
			Deaths - - - - -	25	95	281	367	397	831	223	
			Mortality per Cent.	·354	·853	1·116	1·591	2·490	4·253	8·075	
		Messenger, Porter, Errand Boy	49,501	15,718	26,417	22,729	17,487	10,998	4,785		
			Deaths - - - - -	187	121	298	347	435	425	778	
			Mortality per Cent.	·317	·770	1·200	1·527	2·430	3·865	7·705	
IV.	9	Horsekeeper, Groom, Jockey -	18,015	17,299	27,988	21,293	14,232	8,276	3,208		
			Deaths - - - - -	60	156	365	430	412	361	239	
			Mortality per Cent.	·332	·897	1·304	2·019	2·871	4·624	7·853	
		Farrier, Veterinary Surgeon -	1,695	2,519	4,821	4,000	3,210	2,246	1,175		
			Deaths - - - - -	6	14	70	65	79	72	77	
			Mortality per Cent.	·354	·556	1·452	1·625	2·461	3·205	6·298	
		Gamekeeper - - - - -	1,845	2,545	7,847	8,739	6,226	3,274	1,868		
			Deaths - - - - -	6	18	40	63	65	85	118	
			Mortality per Cent.	·372	·707	·510	·709	·893	2·596	8·327	

TABLE 63. (continued).—ENGLAND AND WALES. Number of Men Aged 15 Years and upwards in 62 selected Occupations living at the Census of 1871, plus twice the Number living at the Census of 1861, the Deaths in the Three Years 1860, 1861, and 1871, and the Annual Rate of Mortality per Cent. at different Periods of Life.

Class.	Order.	OCCUPATIONS.	AGES.							
			The influence of Profession is most felt.							
			15—	20—	25—	35—	45—	55—	65—	75—
V.	10	MORTALITY OF ALL CLASSES - - -	632	850	965	1305	1853	3215	6676	16594
		OF THE 62 SELECTED OCCU- PATIONS	417	831	973	1328	1965	3500	7563	19216
		OF THE REMAINING CLASSES -	778	890	998	1290	1786	3070	6315	15706
		Bookseller, Publisher - - -	3,687	2,597	5,074	4,411	3,272	2,058	963	351
		Deaths - - -	13	23	39	43	50	60	73	86
		Mortality per Cent.	455	871	769	975	1503	2430	7484	13523
		Bookbinder - - -	3,923	3,869	4,753	3,306	2,354	1,448	637	145
		Deaths - - -	17	36	48	66	50	70	50	24
		Mortality per Cent.	433	1060	1010	1049	2124	4834	7974	16553
		Printer - - -	34,873	17,336	23,316	14,796	8,638	4,310	1,381	365
		Deaths - - -	117	187	248	247	309	171	143	75
		Mortality per Cent.	474	1070	1068	1609	2424	3068	7549	30548
		Musical Instrument Maker, Dealer - - -	2,613	2,721	4,515	3,384	2,086	1,301	423	123
		Deaths - - -	11	31	33	43	36	40	34	94
		Mortality per Cent.	421	1139	731	1299	1876	2831	7100	18045
		Watchmaker, Clockmaker - - -	8,610	9,283	14,157	11,280	8,100	4,741	2,464	833
		Deaths - - -	39	105	129	125	139	181	178	156
		Mortality per Cent.	453	1125	991	1109	1714	3818	7021	18727
		Gunsmith, Gun Manufacture - - -	6,214	4,765	5,832	5,227	3,321	1,818	904	299
		Deaths - - -	15	39	76	68	61	66	71	85
		Mortality per Cent.	241	676	912	1301	1837	3866	7854	18395
		Engine and Machine Maker and Millwright - - -	48,063	48,067	73,281	47,873	37,513	13,517	4,156	1,065
		Deaths - - -	192	417	686	605	496	460	347	221
		Mortality per Cent.	446	856	922	1273	1797	3075	8349	20369
		Tool, File, and Saw Maker, Dealer - - -	7,387	7,880	11,448	8,760	5,335	2,722	1,109	323
		Deaths - - -	35	64	120	151	143	127	88	63
		Mortality per Cent.	458	814	1136	1495	2680	5033	7935	20635
		Needle Manufacture - - -	1,115	855	1,473	1,355	787	428	191	85
		Deaths - - -	11	9	14	24	17	17	13	19
		Mortality per Cent.	997	1053	950	1012	2160	3072	6806	22353
		Cookmaker - - -	9,120	9,174	14,268	10,904	8,498	4,523	1,704	287
		Deaths - - -	33	66	125	139	307	178	127	63
		Mortality per Cent.	351	610	938	1183	2439	3927	8049	22069
		Wheelwright - - -	14,943	18,580	18,251	15,084	12,347	8,205	4,774	1,938
		Deaths - - -	37	100	120	151	210	225	318	334
		Mortality per Cent.	260	737	768	1000	1701	2743	6061	17234
		Shipbuilder, Shipwright - - -	13,881	17,408	25,798	19,498	12,004	6,540	3,867	1,584
		Deaths - - -	77	155	228	300	346	341	513	298
		Mortality per Cent.	555	897	865	1338	2049	3085	8068	17803
		Carpenter, Joiner - - -	75,200	66,882	131,262	97,394	75,480	48,263	26,612	9,986
		Deaths - - -	273	690	1,115	1,045	1,210	1,498	1,220	1,737
		Mortality per Cent.	361	714	849	1073	1603	2068	6839	17394
		Plumber, Painter, Glazier - - -	35,595	38,989	66,517	49,384	32,151	15,777	5,879	1,177
		Deaths - - -	129	278	628	618	686	768	528	214
		Mortality per Cent.	362	713	944	1050	2778	4868	9297	18182
		Carver, Gilder - - -	3,051	2,841	4,483	3,097	1,961	1,119	463	114
		Deaths - - -	17	23	41	49	36	41	21	21
		Mortality per Cent.	557	810	915	1583	2601	3217	8439	18431
		Manufacturing Chemist and Dye and Colour Manufacture - - -	3,042	3,994	6,428	6,486	4,439	2,232	663	130
		Deaths - - -	19	51	96	108	92	86	65	34
		Mortality per Cent.	625	1277	1139	1598	2073	3853	9804	24000
		Wool and Worsted Manufacture - - -	57,539	45,491	74,001	61,502	47,834	32,783	17,064	5,698
		Deaths - - -	290	460	633	635	807	1,008	1,305	1,163
		Mortality per Cent.	504	979	854	1033	1687	3258	7048	20972
		Silk Manufacture - - -	13,869	11,120	21,175	20,881	18,500	12,770	6,151	1,746
		Deaths - - -	95	99	186	227	279	349	390	265
		Mortality per Cent.	710	890	878	1103	1507	2733	6349	15178
		Cotton and Flax Manufacture - - -	125,491	92,268	181,840	100,327	70,004	39,241	18,148	5,520
		Deaths - - -	687	854	1,324	1,214	1,265	1,696	1,720	1,406
		Mortality per Cent.	547	924	954	1210	1798	4333	9478	25417
		Draper, Linendraper, Mercer - - -	38,736	30,735	35,107	20,155	12,215	6,471	2,730	839
		Deaths - - -	163	285	442	297	226	218	163	161
		Mortality per Cent.	420	927	1259	1474	1932	3309	6055	19431
		Hairdresser, Wig Maker - - -	4,066	3,949	7,371	6,455	5,507	3,082	1,320	357
		Deaths - - -	91	43	88	124	125	133	107	72
		Mortality per Cent.	518	1080	1194	1803	2270	4354	8699	20168

TABLE 63. (continued.)—ENGLAND AND WALES. Number of Men Aged 15 Years and upwards in 62 selected Occupations living at the Census of 1871, plus twice the Number living at the Census of 1861, the Deaths in the Three Years 1860, 1861, and 1871, and the Annual Rate of Mortality per Cent. at different Periods of LIFE.

Class.	Order.	OCCUPATIONS.	AGES.							
			15—	20—	The influence of Profession is most felt				65—	75—
					25—	35—	45—	55—		
V. cont.	11 cont.	MORTALITY OF ALL CLASSES - - -	·632	·850	·965	1·305	1·853	3·215	6·676	16·564
		OF THE 62 SELECTED OCCUPATIONS - - -	·417	·881	·973	1·323	1·965	3·500	7·562	19·216
		OF THE REMAINING CLASSES - - -	·778	·890	·998	1·290	1·786	3·070	6·315	15·768
12		Hatter, Hat Manufacture - - -	3,794 17 ·450	3,777 42 1·113	6,940 68 ·094	6,279 100 1·593	5,903 141 3·389	4,305 180 4·261	2,433 193 7·868	808 179 22·153
		Tailor - - - - -	84,491 323 ·644	86,082 392 1·067	69,823 536 1·200	69,081 956 1·395	56,870 1,141 2·006	32,786 1,082 3·300	15,683 1,094 6·932	5,844 966 18·451
		Shoemaker - - - - -	72,005 860 ·500	69,878 648 ·927	181,799 1,285 ·052	116,828 1,337 1·136	94,982 1,580 1·664	64,415 1,974 3·065	33,043 2,264 6·852	11,536 2,166 18·703
		Rope, Cord—Maker - - -	4,323 17 ·493	3,264 20 ·613	5,919 45 ·760	5,077 56 1·103	3,880 79 2·031	2,822 118 4·181	1,377 124 7·863	635 113 17·466
13		Butcher - - - - -	31,880 74 ·233	30,835 174 ·599	46,354 466 1·005	35,275 611 1·733	25,785 879 2·245	16,851 631 3·745	8,423 686 8·223	2,741 563 20·102
		Poulterer - - - - -	783 8 ·384	843 9 1·068	1,225 21 ·177	1,371 84 2·430	1,121 85 3·095	801 83 4·120	400 25 8·250	180 25 17·036
		Fishmonger - - - - -	3,881 10 ·347	3,384 25 ·750	7,326 96 1·204	7,032 123 1·735	5,187 117 2·269	2,804 104 3·709	1,380 109 3·709	325 89 18·154
		Miller - - - - -	11,938 41 ·343	12,580 80 ·707	32,178 209 ·721	17,408 330 1·201	12,481 330 1·843	8,158 330 3·023	4,089 354 8·657	1,404 276 19·058
14		Baker - - - - -	33,988 66 ·275	20,990 126 ·043	32,986 285 ·067	26,890 346 1·347	18,746 871 1·979	12,075 436 3·611	5,743 407 7·140	1,612 307 19·045
		Grocer - - - - -	87,401 119 ·318	81,346 263 ·859	46,899 396 ·043	41,399 596 ·957	32,263 485 1·348	23,265 602 2·243	11,473 548 4·776	3,412 489 13·866
		Tobacco, Cigar, Snuff Manu- facture, Tobacconist - - -	3,801 10 ·278	3,616 44 ·121	6,574 71 ·124	4,878 71 1·459	2,746 49 1·566	1,344 46 3·465	519 80 5·786	114 21 18·431
		Tanner and Currier - - -	8,165 33 ·282	8,465 47 ·555	15,375 171 ·073	13,267 171 1·304	9,543 186 1·940	6,082 214 3·548	2,798 237 8·113	1,000 109 13·900
15		Sawyer - - - - -	6,870 22 ·350	9,625 65 ·571	31,497 151 ·702	30,468 213 1·041	18,823 241 1·542	9,472 298 3·093	4,354 336 7·423	1,875 404 21·547
		Paper Manufacture - - -	3,897 12 ·308	3,270 33 1·009	5,375 45 ·053	4,021 51 1·268	2,811 43 1·530	1,998 54 3·709	1,081 78 7·031	363 77 20·304
		Earthenware Manufacture -	13,711 55 ·401	11,403 118 1·026	17,807 136 ·708	18,090 263 2·009	8,019 270 3·367	3,890 231 5·804	1,331 171 12·847	366 88 23·370
		Glass Manufacture - - -	6,053 24 ·298	7,163 108 ·670	10,882 196 1·186	7,204 110 1·537	4,679 100 2·106	2,338 104 4·407	831 108 13·395	173 80 26·002
16		Copper Manufacture and Copper- smith - - - - -	2,441 11 ·451	2,458 25 1·005	4,099 43 1·008	3,023 43 1·428	2,221 45 2·017	1,461 63 5·486	61 51 11·003	11 15 13·043
		Brass Manufacture and Brazier	11,238 43 ·380	9,878 65 ·679	12,548 112 ·072	8,418 117 1·390	5,447 100 1·856	2,974 116 3·900	1,254 87 6·938	208 43 17·765
		Iron and Steel Manufacture -	72,327 303 ·415	75,949 878 ·761	116,794 938 ·820	73,890 864 1·172	49,013 884 2·038	19,033 743 3·993	6,134 549 8·950	1,367 323 23·026
		Blacksmith - - - - -	54,046 198 ·360	60,787 284 ·757	73,421 674 ·918	55,283 625 1·124	40,458 756 1·899	25,120 810 3·225	12,805 914 7·198	4,330 972 19·254

NOTE.—The Years of Life exposed to risk in the several Occupations during the three years 1860, 1861, and 1871 are calculated by adding twice the numbers living at the various groups of Ages at the Census of 1861 (see Vol. II, pp. xi–vi) to the numbers living at the Census of 1871 (see Vol. III, pp. xxx–xliii). The Deaths for the two years 1860–61 will be found in the Supplement to the Twenty-fifth Annual Report of the Registrar-General.

TABLE 64.—ENGLAND AND WALES. Number of Men Aged 15 Years and upwards in the under-mentioned Occupations living at the Census of 1871, plus twice the Number living at the Census of 1861; the Number in the same Occupations who died in the Three Years 1860, 1861, and 1871; and the Annual Rate of Mortality per Cent., at different Periods of Life.

[Some Trades are so closely allied that they are liable to be confounded either in the Census or in the Registration Classifications; to obviate errors from such causes the following occupations have been grouped.]

OCCUPATIONS.	MEN.—AGES.						
	15—	25—	35—	45—	55—	65—	75—
Years of Life among all Males aged 15 Years and upwards -	5,672,910	4,861,532	3,518,592	2,653,747	1,769,654	963,189	373,243
Deaths -	41,937	45,147	45,644	49,186	66,901	64,808	61,898
Mortality per Cent. -	739	955	1'305	1'853	3'215	6'676	16'584
Farmers and Graziers - - - { Years of Life -	16,897	86,519	189,016	156,787	142,089	94,921	43,554
(See also Table 65.) { Deaths -	181	765	1,323	1,964	3,394	5,420	7,386
{ Mortality per Cent. -	1'091	884	1'901	1'253	2'339	5'710	16'958
Persons engaged in the Wool, Cotton, Flax, and Silk Manufacture, including Weaver, not otherwise described - - - { Years of Life -	347,550	228,804	183,980	137,966	86,608	42,700	13,830
{ Deaths -	2,481	2,136	2,145	2,580	3,294	3,641	3,128
{ Mortality per Cent. -	714	929	1'106	1'855	3'723	8'527	22'617
Bakers and Confectioners - - - { Years of Life -	51,870	39,083	30,868	23,317	14,286	6,781	1,885
{ Deaths -	340	358	411	447	519	602	863
{ Mortality per Cent. -	653	906	1'332	1'903	3'633	7'455	19'257
Inn and Hotel Keepers, Licensed Victuallers and Publicans, and Beer-sellers, and Wine and Spirit Merchants - - - { Years of Life -	12,483	43,786	63,197	55,878	34,633	15,138	4,029
{ Deaths -	119	654	1,292	1,568	1,491	1,120	878
{ Mortality per Cent. -	957	1'449	2'044	2'859	4'393	7'465	21'793
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined) - - - { Years of Life -	72,353	54,408	43,175	38,490	27,206	14,207	4,272
{ Deaths -	408	467	569	633	633	687	872
{ Mortality per Cent. -	561	947	1'305	1'582	2'323	4'823	13'390
Miners, viz., Coal, Iron, Copper, Tin, and Lead, and others connected with Mines - - - { Years of Life -	335,959	242,114	163,180	99,224	51,256	19,041	4,581
{ Deaths -	2,715	2,383	2,081	2,045	2,294	1,909	1,124
{ Mortality per Cent. -	808	984	1'245	2'047	4'359	10'026	24'807
Persons engaged in the Iron, Copper, and Tin and Lead Manufactures - - - { Years of Life -	154,317	120,399	76,483	43,868	29,371	6,667	1,514
{ Deaths -	934	1,009	913	890	808	615	384
{ Mortality per Cent. -	605	839	1'193	2'057	3'066	9'225	24'043
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies, Stone, Slate, and Limestone Quarriers, Brickmakers, and other Workers in Stone and Clay - - - { Years of Life -	1,905,087	891,969	767,139	681,806	490,284	269,638	101,225
{ Deaths -	6,185	7,753	8,895	9,968	12,596	16,841	18,489
{ Mortality per Cent. -	513	872	1'165	1'507	2'734	6'066	18'256
Labourers, &c., as above, including Bricklayers and Masons - - - { Years of Life -	1,242,677	1,022,606	867,500	694,694	508,585	291,163	107,542
{ Deaths -	6,898	9,017	9,733	10,909	14,907	17,663	19,679
{ Mortality per Cent. -	514	882	1'121	1'570	2'932	6'159	18'205
Royal Navy - - - - - { Years of Life -	124,361	69,701	31,039	5,963	2,023	—	—
{ Deaths, 1861-65 -	1,433	863	857	117	31	—	—
{ Mortality per Cent. -	1'15	1'24	1'70	1'95	1'52	—	—

† In the British Army at home, at ages 15-40, the average annual rate of mortality in the six years 1866-71 was 1'05 per cent. among officers, and among non-commissioned and men 1'13 per cent. Abroad the rates were 1'36 and 1'83 per cent. respectively. In the British Navy, at ages 15-40, the mortality of men was 0'89 per cent. in the year 1873 and 0'83 per cent. in 1875.

TABLE 65.—THE Number of "Farmers" and "Farmers' Sons" living at the Censuses of 1861 and 1871, the numbers of those who died, and the Annual Rate of Mortality per Cent. at certain Ages during the Three Years 1860, 1861, and 1871.

	MEN.—AGES.							
	15 Years and upwards.	15—	25—	35—	45—	55—	65—	75—
Living in 1861:								
Farmers - - -	226,967	5,459	29,028	47,696	52,138	47,448	31,001	14,393
Farmers' Sons, &c. -	92,231	57,613	22,811	7,996	2,761	686	309	97
Living in 1871:								
Farmers - - -	226,689	5,679	29,473	43,744	52,331	47,308	32,919	15,030
Farmers' Sons, &c. -	74,620	47,696	18,689	5,714	1,823	490	186	62
Dying in 1860-1 and 1871:								
Farmers - - -	20,292	181	765	1,262	1,964	3,294	5,420	7,386
Farmers' Sons, &c. -	1,113	686	323	86	40	14	3	1
Annual Rate of Mortality per Cent.:								
Farmers - - -	—	1'091	2'584	2'921	3'723	7'110	16'958	—
Farmers and Farmers' Sons, &c. -	—	1'091	2'584	2'921	3'723	7'110	16'958	—

NOTE.—With Farmers are included Graziers, and with Farmers' "Sons" are included Farmers' "Grandson," "Brother," "Nephew,"—at Home.

TABLE 63. (continued).—ENGLAND AND WALES. Number of Men Aged 15 Years and upwards in 62 selected Occupations living at the Census of 1871, plus twice the Number living at the Census of 1861, the Deaths in the Three Years 1860, 1861, and 1871, and the Annual Rate of Mortality per Cent. at different Periods of Life.

Class.	Order.	OCCUPATIONS.	AGES.							
			The influence of Profession is most felt							
			15—	20—	25—	35—	45—	55—	65—	75—
V. cont.	11 cont.	MORTALITY OF ALL CLASSES - - - - -	633	869	985	1,305	1,853	3,215	6,076	16,584
		OF THE 62 SELECTED OCCU- PATIONS - - - - -	417	881	973	1,328	1,965	3,500	7,562	19,216
		OF THE REMAINING CLASSES - - - - -	778	880	986	1,290	1,786	3,070	6,315	15,768
		Hatter, Hat Manufacture - - - - -	3,794	3,777	6,840	6,379	5,908	4,305	2,483	808
		Deaths - - - - -	17	42	68	100	141	180	198	179
		Mortality per Cent. - - - - -	456	1,112	994	1,593	2,389	4,281	7,968	22,153
		Tailor - - - - -	34,491	36,082	60,823	60,081	56,870	32,786	15,088	5,844
		Deaths - - - - -	282	282	836	1,141	1,083	1,094	808	808
		Mortality per Cent. - - - - -	644	1,087	1,200	1,385	2,005	3,300	6,982	18,451
		Shoemaker - - - - -	73,005	60,878	131,799	116,838	94,983	64,415	33,043	11,536
12		Deaths - - - - -	880	648	1,385	1,337	1,280	1,974	2,264	2,106
		Mortality per Cent. - - - - -	500	997	952	1,136	1,664	3,005	6,852	18,793
		Rope, Cord—Maker - - - - -	4,223	3,264	5,919	5,077	3,899	3,322	1,377	635
		Deaths - - - - -	17	20	45	66	79	118	154	112
		Mortality per Cent. - - - - -	403	613	760	1,103	2,031	4,181	7,893	17,496
		Butcher - - - - -	31,380	29,525	46,354	35,375	25,795	16,851	8,423	2,741
		Deaths - - - - -	74	174	406	611	679	681	695	651
		Mortality per Cent. - - - - -	232	589	1,005	1,732	2,245	3,745	8,232	20,102
		Poulterer - - - - -	782	843	1,285	1,371	1,131	801	400	120
		Deaths - - - - -	3	9	21	34	35	33	33	25
13		Mortality per Cent. - - - - -	384	1,068	1,377	2,480	3,095	4,120	8,250	17,680
		Fishmonger - - - - -	2,881	3,384	7,356	7,032	5,167	3,804	1,280	325
		Deaths - - - - -	10	25	98	132	117	104	109	89
		Mortality per Cent. - - - - -	347	750	1,204	1,735	2,209	3,709	8,516	18,154
		Miller - - - - -	11,338	12,580	22,178	17,406	12,481	8,168	4,080	1,404
		Deaths - - - - -	41	89	199	309	330	330	354	278
		Mortality per Cent. - - - - -	343	707	721	1,201	1,843	3,923	8,657	19,058
		Baker - - - - -	33,986	30,990	33,986	35,890	18,748	12,975	5,742	1,612
		Deaths - - - - -	66	185	285	346	671	496	410	507
		Mortality per Cent. - - - - -	275	643	867	1,347	1,979	3,011	7,140	19,045
14		Grocer - - - - -	37,401	31,346	46,890	41,389	32,363	22,385	11,473	3,412
		Deaths - - - - -	119	262	480	366	425	502	548	420
		Mortality per Cent. - - - - -	318	839	943	957	1,343	2,243	4,776	12,866
		Tobacco, Cigar, Snuff Manu- facture, Tobacconist - - - - -	3,601	3,518	6,874	4,978	2,746	1,344	519	114
		Deaths - - - - -	10	24	71	71	78	46	80	21
		Mortality per Cent. - - - - -	278	1,251	1,222	1,456	1,566	3,423	5,780	18,421
		Tanner and Currier - - - - -	8,165	6,465	15,275	12,267	9,543	6,083	2,796	1,000
		Deaths - - - - -	23	47	125	171	186	214	237	180
		Mortality per Cent. - - - - -	282	555	873	1,394	1,949	3,546	8,173	13,920
		Sawyer - - - - -	6,870	9,225	21,497	30,468	15,622	9,473	4,554	1,275
15		Deaths - - - - -	23	55	151	213	241	298	338	404
		Mortality per Cent. - - - - -	350	571	702	1,041	1,542	3,093	7,422	21,547
		Paper Manufacture - - - - -	3,897	3,370	5,275	4,021	2,811	1,998	1,031	383
		Deaths - - - - -	12	23	45	61	43	54	73	77
		Mortality per Cent. - - - - -	306	1,009	853	1,206	1,530	2,700	7,061	20,104
		Earthenware Manufacture - - - - -	12,711	11,205	17,807	18,080	8,019	8,880	1,231	988
		Deaths - - - - -	55	118	126	263	270	231	171	86
		Mortality per Cent. - - - - -	401	1,026	706	2,000	3,307	5,804	12,847	23,370
		Glass Manufacture - - - - -	8,023	7,163	10,623	7,204	4,629	2,328	831	173
		Deaths - - - - -	24	48	126	110	100	104	108	80
16		Mortality per Cent. - - - - -	298	670	1,180	1,527	2,160	4,407	12,395	26,922
		Copper Manufacture and Copper- smith - - - - -	2,441	2,468	4,099	3,023	2,221	1,161	461	115
		Deaths - - - - -	11	25	45	43	45	63	51	15
		Mortality per Cent. - - - - -	451	1,005	1,098	1,422	2,017	5,426	11,003	13,043
		Brass Manufacture and Brasier - - - - -	11,228	9,878	12,848	8,415	5,447	2,974	1,254	298
		Deaths - - - - -	43	65	112	117	100	116	87	33
		Mortality per Cent. - - - - -	380	679	872	1,390	1,856	3,900	6,936	17,785
		Iron and Steel Manufacture - - - - -	72,227	72,940	116,794	73,680	40,913	19,085	6,184	1,267
		Deaths - - - - -	302	678	938	864	884	748	540	328
		Mortality per Cent. - - - - -	415	761	820	1,172	2,038	3,993	8,950	23,028
17		Blacksmith - - - - -	54,046	50,787	73,421	55,883	40,412	25,120	12,805	4,530
		Deaths - - - - -	188	584	874	756	810	914	914	673
		Mortality per Cent. - - - - -	356	757	918	1,124	1,869	3,225	7,156	19,354

NOTE.—The Years of Life exposed to risk in the several Occupations during the three years 1860, 1861, and 1871 are calculated by adding twice the numbers living at the various groups of Ages at the Census of 1861 (see Vol. II. pp. xi-iv) to the numbers living at the Census of 1871 (see Vol. III. pp. xxxv-xliii). The Deaths for the two years 1860-61 will be found in the Supplement to the Twenty-fifth Annual Report of the Registrar-General.

TABLE 64.—ENGLAND AND WALES. Number of Men Aged 15 Years and upwards in the under-mentioned Occupations living at the Census of 1871, plus twice the Number living at the Census of 1861; the Number in the same Occupations who died in the Three Years 1860, 1861, and 1871; and the Annual Rate of Mortality per Cent., at different Periods of Life.

[Some Trades are so closely allied that they are liable to be confounded either in the Census or in the Registration Classifications; to obviate errors from such causes the following occupations have been grouped.]

OCCUPATIONS.	MEN.—AGES.						
	15—	25—	35—	45—	55—	65—	75—
Years of Life among all Males aged 15 Years and upwards -	5,672,910	4,381,553	3,513,522	2,653,747	1,769,654	963,189	373,243
Deaths -	41,927	43,147	45,844	49,185	56,901	64,303	61,388
Mortality per Cent. -	·739	·985	1·305	1·853	3·215	6·676	16·594
Farmers and Graziers - - - (Years of Life -	18,597	86,519	189,016	166,787	142,080	94,921	43,554
(See also Table 65.) - - - (Deaths -	181	765	1,323	1,964	3,534	5,420	7,386
- - - (Mortality per Cent. -	1·091	·884	·901	1·253	2·339	5·710	16·958
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weaver, not otherwise described - - - (Years of Life -	347,550	228,804	183,960	137,998	88,603	42,700	13,880
- - - (Deaths -	3,481	2,136	2,145	2,660	3,284	3,641	3,128
- - - (Mortality per Cent. -	·714	·929	1·166	1·855	3·743	8·527	22·617
Bakers and Confectioners - - - (Years of Life -	51,870	30,083	30,863	23,317	14,385	6,731	1,885
- - - (Deaths -	240	336	411	447	519	503	363
- - - (Mortality per Cent. -	·463	·866	1·332	2·003	3·593	7·458	19·257
Inn and Hotel Keepers, Licensed Victuallers and Publicans, and Beer-sellers, and Wine and Spirit Merchants - - - (Years of Life -	12,493	43,766	63,197	55,378	34,653	15,133	4,029
- - - (Deaths -	119	634	1,329	1,383	1,491	1,130	878
- - - (Mortality per Cent. -	·957	1·449	2·044	2·569	4·353	7·465	21·792
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined) - - - (Years of Life -	72,353	54,408	48,175	38,490	27,306	14,307	4,273
- - - (Deaths -	406	615	467	383	333	337	373
- - - (Mortality per Cent. -	·561	·947	·969	1·022	2·123	4·802	13·390
Miners, viz., Coal, Iron, Copper, Tin, and Lead, and others connected with Mines - - - (Years of Life -	335,959	242,114	163,180	99,924	51,256	19,041	4,581
- - - (Deaths -	2,715	2,383	2,081	2,045	2,294	1,909	1,124
- - - (Mortality per Cent. -	·806	·984	1·245	2·047	4·359	10·026	24·807
Persons engaged in the Iron, Copper, and Tin and Lead Manufactures - - - (Years of Life -	154,317	120,289	76,433	43,368	30,371	6,667	1,514
- - - (Deaths -	934	1,009	913	890	808	615	364
- - - (Mortality per Cent. -	·605	·839	1·193	2·057	3·066	9·225	24·043
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies, Stone, Slate, and Limestone Quarriers, Brickmakers, and other Workers in Stone and Clay - - - (Years of Life -	1,306,087	891,989	767,139	631,505	440,324	289,633	101,225
- - - (Deaths -	6,135	7,732	5,365	5,268	12,686	16,841	15,480
- - - (Mortality per Cent. -	·513	·872	1·080	1·507	2·734	6·000	15·256
Labourers, &c., as above, including Bricklayers and Masons - - - (Years of Life -	1,342,677	1,022,606	867,500	694,584	505,265	291,163	107,743
- - - (Deaths -	6,896	9,017	9,725	10,503	14,807	17,363	16,679
- - - (Mortality per Cent. -	·514	·882	1·121	1·570	2·932	6·159	15·205
Royal Navy - - - - - (Years of Life -	124,361	69,701	31,059	5,983	2,063	—	—
- - - (Deaths, 1861-65 -	1,433	863	257	117	31	—	—
- - - (Mortality per Cent. -	1·15	1·24	1·70	1·95	1·52	—	—

* In the British Army at home, at ages 15-40, the average annual rate of mortality in the six years 1866-71 was 1·06 per cent. among officers, and among non-commissioned and men 1·13 per cent. Abroad the rates were 1·36 and 1·83 per cent. respectively. In the British Navy, at ages 15-40, the mortality of men was 0·83 per cent. in the year 1873 and 0·83 per cent. in 1873.

TABLE 65.—THE Number of "Farmers" and "Farmers' Sons" living at the Censuses of 1861 and 1871, the numbers of those who died, and the Annual Rate of Mortality per Cent. at certain Ages during the Three Years 1860, 1861, and 1871.

	MEN.—AGES.							
	15 Years and upwards.	15—	25—	35—	45—	55—	65—	75—
Living in 1861 :								
Farmers - - -	226,967	5,459	30,028	47,696	53,128	47,448	31,001	14,923
Farmers' Sons, &c. -	92,231	57,513	23,811	7,393	2,761	868	809	97
Living in 1871 :								
Farmers - - -	225,569	5,679	32,473	43,744	53,531	47,308	33,919	15,030
Farmers' Sons, &c. -	74,620	47,696	18,689	5,714	1,823	490	166	33
Dying in 1860-1 and 1871 :								
Farmers - - -	30,392	181	765	1,363	1,964	3,234	5,430	7,366
Farmers' Sons, &c. -	1,113	696	283	88	40	14	8	1
Annual Rate of Mortality per Cent. :								
Farmers - - -	—	1·091	·884	·901	1·253	2·339	5·710	16·958
Farmers and Farmers' Sons, &c. -	—	·464	·694	·834	1·221	2·313	5·665	16·185

NOTE.—With Farmers are included Graziers, and with Farmers' "Sons" are included Farmers' "Grandson," "Brother," "Nephew,"—at Home.

MARRIAGE ACTS, 1753–1837.

"An Act for the better preventing of Clandestine Marriages" (36 Geo. 2, chap. 33), prepared by Lord Hardwicke, came into force in 1754, and established the necessity of resorting to a public and regular form of marriage in the parish church or chapel of one of the parties, after banns or by licence. By it the marriage of a minor after banns, where *dissent* had not been expressed, was lawful. But in the case of a marriage by licence, where either of the parties (not being a widow or widower) was a minor, without the *consent* of the parent or guardian of the minor the marriage was to be absolutely null and void. This was remedied in 1822 by Dr. Phillimore's Act.

By the Toleration Act of 1st William and Mary dissenters had been formally recognised, and their marriages according to their own forms and usages were, up to the passing of Lord Hardwicke's Act, treated as marriages *de facto*. This Act gave the Church the sole authority to celebrate legal marriages in England, which it continued to enjoy until the year 1837.

A further Act was passed in 1823, by which the penalty of nullity was confined to the case of persons wilfully evading the legal forms of publication or of celebration.

Relief was afforded to dissenters by Lord John Russell's Bill of 1836, which came into force in 1837, by which they were enabled to celebrate their marriages according to their own rites in their own places of worship, on condition that a Registrar of Marriages should be present at the ceremony.

And those, too, who desired to contract marriage without religious ceremony were given the option of the Civil form of marriage at the District Register Office. (See Hammick's Law of Marriages, pp. 12–17.)

TABLE 66.—Annual Increase of Marriages per cent. in England and Wales in successive periods of Five Years, 1756–1870.

QUIN- QUENNIALS.	TOTAL MARRIAGES in 5 Years.	Mean Annual Number of Marriages.	Increase per cent. per annum.
1756–60	263,329	52,666	2'60
1761–65	269,414	53,883	(Decrease.) — '28
1766–70	295,216	59,043	'57
1771–75	303,703	60,741	1'13
1776–80	321,189	64,238	'76
1781–85	333,570	*66,714	1'36
1786–90	356,816	71,363	'23
1791–95	361,025	72,205	'76
1796–1800	374,989	74,998	2'17
1801–05	417,387	*83,477	(Decrease.) — '13
1806–10	414,764	82,953	1'42
1811–15	445,063	89,013	'90
1816–20	465,363	93,073	2'12
1821–25	516,815	103,363	'70
1826–30	535,280	107,056	'82
1831–35	557,517	111,503	1'34
1836–40	596,009	119,202	1'47
1841–45	641,131	128,226	2'19
1846–50	714,966	142,973	2'02
1851–55	789,346	157,870	'58
1856–60	812,383	162,477	1'31
1861–65	867,107	173,421	'80
1866–70	902,517	180,503	

* In the Census Report of 1851 the medium average for the 5 years 1781–85 is given as 66,723, that for the 5 years 1801–5 as 83,465.

NOTE.—The number of Baptisms increased during the various quinquennials from 1801 at the following rates per cent. per annum:—From 1801–5 to 1806–10, 1'33; from 1806–10 to 1811–15, 1'28; from 1811–15 to 1816–20, 1'06; from 1816–20 to 1821–25, 2'00; from 1821–25 to 1826–30, 0'70.

TABLE 67.—Annual Increase of Marriages per cent. in England and Wales in various Decennials from 1796 to 1870; also the Annual Increase of Population per cent., 1801-1871.

DECENNIADS.	MARRIAGES in 10 Years.	Mean Annual Number of Marriages.	Annual Increase of Marriages per cent.	Annual Increase of Population per cent.
1796-1805	792,376	79,238	0·82	1·32 (1801-11)
1806-1815	859,827	85,983		1·67 (1811-21)
1816-1825	962,178	96,218		1·48 (1821-31)
1826-1835	1,092,797	109,280		1·36 (1831-41)
1836-1845	1,237,140	123,714		1·23 (1841-51)
1846-1855	1,503,714	150,371	1·11	1·13 (1851-61)
1856-1865 (Quinquennial.)	1,679,490	167,949	1·45	1·25 (1861-71)
1866-1870	902,517	180,503		

TABLE 68.—Estimated Decennial Numbers of Births in England and Wales since the Year 1771; the Numbers of Persons ENUMERATED in 1871 at DIFFERENT AGES; and the Numbers that died or emigrated out of the said BIRTHS; also the Proportions of the TWO SERIES of NUMBERS.

AGES of POPULATION enumerated in 1871 (Survivors).	YEARS.	ESTIMATED BIRTHS in ENGLAND and WALES.	SURVIVORS (+ Immi- grants) enumerated in 1871.	DIED or EMIGRATED (- Immi- grants) during the Interval.	PROPORTION per 10,000.	
					Survivors + Immigrants = $10000 \times \frac{S}{b}$ = $s \times 10000$.	Gone away by Death or Emigration = $10000 \times \frac{(d+e-i)}{b}$ = $t \times 10000$.
0-10	1861-1870	7,636,233	5,795,746	1,840,487	7589·8	2410·2
10-20	1851-1860	6,664,884	4,637,886	2,026,998	6958·7	3041·3
20-30	1841-1850	5,869,098	3,870,700	1,998,398	6695·1	3404·9
30-40	1831-1840	5,289,398	2,949,061	2,340,337	5675·5	4424·5
40-50	1821-1830	4,796,224	2,299,748	2,496,476	4792·9	5207·1
50-60	1811-1820	4,484,690	1,670,570	2,754,120	3775·6	6224·4
60-70	1801-1810	3,675,247	1,067,537	2,607,710	2904·7	7095·3
70-80	1791-1800	2,968,439	507,523	2,460,917	1696·3	8301·7
80-90	1781-1790	2,641,371	119,789	2,521,582	453·5	9546·5
90-100	1771-1780	2,379,329	7,991	2,371,338	33·6	9966·4

Let $S = b - (d + e - i)$ = survivors + immigrants enumerated in 1871.

Births = b

Deaths = d

Immigrants = i

Emigrants = e

$$\frac{S}{b} = s = \frac{b - (d + e - i)}{b} = \text{ratio of survivors to Births.}$$

$$1 - s = \frac{(d + e - i)}{b}$$

The Births in five cases were deduced by the Life Table from the numbers enumerated under 10 years of age at the censuses of 1821, 1841, 1851, 1861, and 1871. Thus, putting P_{0-10} as the population under 10 and b for the corresponding Births, we have $b = \frac{10 l_0}{Q_{0-10}} \times P_{0-10}$.


As the ages were not enumerated in 1831, instead of calculating the Births for 1821-30 from the population at ages under 10 they were deduced from the population at the ages 10-20 enumerated in 1841: the step back from 10-20 to 0-10 being deduced from the proportion living at those decennials in the other enumerations. See Census Report, vol. 4, pp. 54-57.

TABLE 69.—The **English Population** in **1871** at each **QUINQUENNIAD**; contrasted with what it would have been had the **Births** remained **constant** and there had been no **Emigration** since the Year **1771**.

AGES.	AGES of the POPULATION of ENGLAND in the middle of 1871.	AGES of the POPULATION of ENGLAND if the NUMBER of ANNUAL BIRTHS had been and remained the same (253,320)* in and since the year 1771.	ADDITION to the POPULATION due to EXCESS of BIRTHS since the year 1770.
ALL AGES -	22,782,812	10,350,195	12,432,617
0 - - -	3,080,814	1,014,348	2,066,466
5 - - -	2,714,932	908,040	1,806,892
10 - - -	2,431,768	878,061	1,553,707
15 - - -	2,189,629	854,254	1,335,375
20 - - -	2,008,543	831,464	1,187,079
25 - - -	1,787,611	784,031	1,003,580
30 - - -	1,563,339	744,739	818,600
35 - - -	1,370,315	703,535	666,780
40 - - -	1,206,826	659,863	546,964
45 - - -	1,080,645	612,381	468,264
50 - - -	923,290	561,407	361,883
55 - - -	748,703	501,828	246,875
60 - - -	596,315	431,040	165,275
65 - - -	453,495	347,428	106,067
70 - - -	314,093	252,374	61,719
75 - - -	185,686	157,697	27,989
80 - - -	86,984	78,682	8,102
85 - - -	28,907	28,907	—
90 - - -	7,506	7,506	—
95 - - -	1,232	1,232	—
100 and upwards	127	127	—

* This is an estimated number of births in that year.

DIAGRAM OF THE POPULATION



The Diagram represents by its area enclosed by the ... at the Census of 1871. The area enclosed by the red line represents a population of 253,320 a year as in 1771, instead of increasing as the population was in 1871. The population living who were under the age of 5 years, while in 1771 the population would be One Million only.




TABLE 70.—Two Populations equal in Numbers but differing in Constitution as to Age.

AGES.	PROPORTIONAL NUMBERS of POPULATION at each Quinquenniad out of a Total of 10 millions living at All Ages.		EXCESS of CENSUS NUMBERS over LIFE TABLE NUMBERS.	EXCESS of LIFE TABLE NUMBERS over CENSUS NUMBERS.	PROPORTION of CENSUS NUMBERS to LIFE TABLE NUMBERS (of <i>a</i> to <i>b</i>).
	Population according to Census (graduated Table).	Population according to Life Table.			
Columns -	<i>a</i>	<i>b</i>	$c = a - b.$	$d = b - a.$	<i>e</i>
ALL AGES -	10,000,000	10,000,000	—		—
0—	1,352,254	980,028	372,226	—	1·390
5—	1,191,658	877,316	314,342	—	1·358
10—	1,067,370	848,352	219,018	—	1·258
15—	961,088	825,351	135,737	—	1·164
20—	881,604	793,670	87,934	—	1·111
25—	784,631	757,503	27,128	—	1·036
30—	686,192	719,541	—	33,349	·964
35—	601,469	679,732	—	78,263	·885
40—	530,537	637,536	—	106,949	·832
45—	474,325	592,145	—	117,820	·801
50—	405,257	542,411	—	137,154	·747
55—	328,636	484,840	—	156,223	·678
60—	261,739	416,456	—	154,717	·628
65—	199,061	335,673	—	136,622	·593
70—	137,864	244,318	—	106,454	·564
75—	81,503	152,361	—	70,858	·535
80—	38,180	76,213	—	38,033	·501
85—	12,688	28,265	—	15,577	·449
90—	3,296	7,097	—	3,802	·464
95—	563	1,068	—	525	·517
100 and upwards.	56	95	—	39	·589




TABLE 70.—Two Populations equal in Numbers but differing in Constitution as to Age.

AGES.	PROPORTIONAL NUMBERS OF POPULATION at each Quinquennial out of a Total of 10 millions living at All Ages.		EXCESS OF CENSUS NUMBERS over LIFE TABLE NUMBERS.	EXCESS OF LIFE TABLE NUMBERS over CENSUS NUMBERS.	PROPORTION OF CENSUS NUMBERS to LIFE TABLE NUMBERS (of <i>a</i> to <i>b</i>).
	Population according to Census (graduated Table).	Population according to Life Table.			
Columns -	<i>a</i>	<i>b</i>	$c = a - b.$	$d = b - a.$	<i>e</i>
ALL AGES -	10,000,000	10,000,000	—	—	—
0—	1,352,254	960,028	372,226	—	1·380
5—	1,191,658	877,316	314,342	—	1·358
10—	1,067,370	849,352	219,018	—	1·258
15—	961,083	835,351	135,737	—	1·164
20—	881,604	793,870	87,934	—	1·111
25—	784,631	757,503	27,128	—	1·036
30—	686,192	719,541	—	33,349	·954
35—	601,469	679,732	—	78,263	·885
40—	530,537	637,536	—	106,949	·832
45—	474,325	592,145	—	117,820	·801
50—	405,287	542,411	—	137,124	·747
55—	328,636	484,849	—	156,223	·678
60—	261,739	416,456	—	154,717	·628
65—	199,051	335,673	—	136,622	·593
70—	137,864	244,318	—	106,454	·564
75—	81,503	152,361	—	70,858	·535
80—	38,180	76,213	—	38,033	·501
85—	12,068	28,265	—	15,577	·449
90—	3,296	7,097	—	3,802	·464
95—	563	1,068	—	525	·517
100 and upwards.	56	95	—	39	·589

clxxx *England and Wales.—Deaths at the same Rates of Mortality amongst Population by Census and by Life Table.*

TABLE 71.—Comparison of the Deaths under the same Rates of Mortality in Two Populations differently constituted as regards Age.

Note.—The rates of Mortality are deduced from the English Life Table No. 3. by the

$$\text{formula } \frac{L_x \ 15}{Q_x \ 15} = m$$

AGES.	MORTALITY per cent. at each Quinquenniad.	DEATHS at the corresponding AGES, mortality being taken at the same rate as in the English Life Table.		EXCESS of Deaths in Column <i>b</i> .	DEFECT of Deaths in Column <i>b</i> .
		Deaths deduced from Column <i>a</i> of Table 70.	Deaths deduced from Column <i>b</i> of Table 70.		
Columns -	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i> = <i>b</i> - <i>c</i>	<i>e</i> = <i>c</i> - <i>b</i>
ALL AGES -	—	223,616	244,756	Defect -	21,140
0—	6·573	88,884	61,417	24,467	—
5—	·967	11,404	8,396	3,008	—
10—	·518	5,529	4,394	1,135	—
15—	·647	6,218	5,340	878	—
20—	·885	7,802	7,024	778	—
25—	·980	7,689	7,424	265	—
30—	1·079	7,404	7,764	—	360
35—	1·203	7,236	8,177	—	941
40—	1·369	7,264	8,728	—	1,464
45—	1·597	7,575	9,457	—	1,882
50—	1·948	7,894	10,568	—	2,672
55—	2·539	8,508	12,553	—	4,045
60—	3·573	9,352	14,880	—	5,528
65—	5·181	10,313	17,391	—	7,078
70—	7·699	10,614	18,810	—	8,196
75—	11·404	9,295	17,375	—	8,080
80—	16·560	6,323	12,621	—	6,298
85—	23·428	2,973	6,622	—	3,649
90—	32·267	1,063	2,290	—	1,227
95—	43·420	244	472	—	228
100 & upwards	57·623	32	55	—	23

TABLE 72.—Enumerated Population of the United States of America at the several DECENNIAL CENSUSES.

Dates of Enumeration.	Population.	Increase in 10 Years.	Decennial Increase per cent.	Decennials.
1790	3,929,214	1,379,269	35·10	1790-1800
1800	5,308,483			
1810	7,239,881	1,931,398	36·38	1800-1810
1820	9,633,822	2,393,941	33·07	1810-1820
1830	12,866,020	3,232,198	33·55	1820-1830
1840	17,070,240	4,204,220	32·68	1830-1840
1850	23,191,876	6,121,636	35·86	1840-1850
1860	31,443,321	8,251,445	35·58	1850-1860
1870	38,558,371	7,115,050	22·63	1860-1870

NOTE.—The increase of Population in the 70 Years 1790 to 1860 was at the rate of 3·02 per cent. per annum, so $r = 1·0302$; and at this rate the Population doubles itself in 23·30 years.

The Population increased 8-fold in the 70 years 1790-1860; and carrying the rate backwards it makes the Population of 1790 about 401,000; of 1650 no more than 61,356; of 1590 about 7,667.

clxxxii *England and Wales.—Attacks of, and Deaths by, Fever and Small-pox.*

TABLE 73.—Attacks of, and Deaths by, Fever and Small-pox.

AGES.	FEVER.		SMALL-POX.		ATTACKS to One Death.	
	Attacks.	Deaths.	Attacks.	Deaths.	Fever.	Small-pox.
Under 5	33	3	256	105	11'00	2'44
5—	401	29	264	64	13'83	4'13
10—	809	51	617	118	15'86	5'23
15—	2,481	240	4,171	1,198	10'34	3'48
25—	1,207	186	2,099	744	6'40	2'82
35—	816	201	303	150	4'06	2'02
45—	445	170	140	96	2'62	1'46
55—	231	110			2'10	
65—	77	46			1'67	
75 & upwards	10	7			1'43	

NOTE.—The facts concerning Fever were supplied by Dr. Murchison, and published in the Registrar General's 25th Annual Report, p. 176; those for Small-pox were obtained from M'Culloch's "Account of the British Empire," p. 594.

TABLE 74.—Deaths by Fever and by Small-pox according to the LIFE TABLE, and the PROPORTIONAL NUMBER of ATTACKS, deduced from Table 73.

AGE <i>x</i> .	FEVER.			SMALL-POX.		
	Deaths according to Table 7.	Attacks calculated from above Table and Table 7.	Attacks at Age <i>x</i> and upwards.	Deaths according to Table 7.	Attacks calculated from above Table and Table 7.	Attacks at Age <i>x</i> and upwards.
Under 5	5,401	59,411	286,128	3,331	8,128	18,482
5—	4,036	55,818	226,717	833	3,440	10,354
10—	2,842	45,074	170,899	241	1,276	6,914
15—	5,603	57,935	125,825	747	2,600	5,638
25—	4,197	27,239	67,890	624	1,760	3,038
35—	3,777	15,335	40,651	347	701	1,278
45—	3,749	9,822	25,316	395	577	577
55—	3,822	8,026	15,494			
65—	3,233	5,399	7,468			
75 & upwards	1,447	2,069	2,069			

The Table may be read thus :—5,401 children die of fever under 5 years of age, according to the Table 7, deduced from the Life Table; out of 59,411 cases calculated from Table 73. 1,000,000 persons born experience in their Lifetime 286,128 attacks of fever.

TABLE 75.—LONDON, 1861-70. Annual Mortality, from 25 SETS of CAUSES, per MILLION LIVING at 4 GROUPS of AGES, distinguishing MALES and FEMALES.

CAUSES OF DEATH.	25-35		35-45		45-55		55-65	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
TOTAL DEATHS	10,850	8,798	17,142	12,844	25,682	18,518	43,848	33,460
Small-pox - - - -	222	106	160	84	87	44	48	33
Measles - - - -	4	7	3	3	2	1	1	2
Scarlatina - - - -	57	88	35	44	23	14	14	10
Diphtheria - - - -	21	26	30	21	26	23	37	25
Whooping-cough - -	—	1	2	—	2	—	1	—
Typhus - - - -	652	553	925	766	1,175	909	1,677	1,324
Diarrhoea and Dysentery -	72	64	102	87	186	166	526	457
Cholera - - - -	148	144	201	228	281	255	417	367
Other Zymotic Diseases -	215	161	327	204	468	279	891	541
Cancer - - - -	79	219	291	909	817	2,080	1,652	2,985
Scrofula and Tubercles -	75	62	72	66	84	71	105	92
Phthisis - - - -	4,793	3,698	6,153	4,997	6,380	3,203	5,314	2,899
Hydrocephalus - - -	13	4	4	3	3	3	3	1
Dia. of Brain - - -	733	483	1,551	1,011	2,897	2,107	6,525	4,840
Dia. of Heart, and Dropsy -	775	585	1,541	1,181	2,729	2,339	5,424	4,860
Dia. of Lungs - - -	996	578	2,160	1,277	4,843	3,291	11,342	8,987
Dia. of Stomach and Liver	431	477	992	960	1,898	1,741	3,335	3,106
Dia. of Kidneys - - -	310	182	620	291	1,067	459	1,909	766
Dia. of Generative Organs -	4	133	13	263	17	416	27	489
Dia. of Joints - - -	77	45	83	53	107	72	170	98
Dia. of Skin - - - -	23	34	45	40	80	52	164	93
Childbirth and Metria -	—	828	—	710	—	32	—	—
Suicide - - - -	140	51	239	88	357	104	474	90
Other Violent Deaths -	739	120	991	188	1,276	284	1,566	429
Other Causes - - - -	275	149	546	265	879	475	2,136	1,556

TABLE 76.—Comparison of the Mortality of Males and Females from Phthisis and Diseases of the Lungs at 4 GROUPS of AGES in England and its Metropolis, 1861-70.

	MALES.				FEMALES.			
	25-35	35-45	45-55	55-65	25-35	35-45	45-55	55-65
DEATHS to 1,000,000 living at the above Groups of Ages from Phthisis.								
ENGLAND - - -	4092	4165	3860	3297	4378	3900	2850	2065
LONDON - - -	4793	6183	6380	5314	3698	4007	3208	2290
DEATHS to 1,000,000 living at the above Ages from Lung Diseases.								
ENGLAND - - -	860	1722	3500	7587	613	1130	2327	5875
LONDON - - -	996	2180	4943	11342	578	1277	3294	8987
DEATHS to 1,000,000 living at the above Ages from Phthisis and Lung Diseases.								
ENGLAND - - -	4952	5887	7360	10884	4991	5030	5177	7040
LONDON - - -	5789	8363	11223	16656	4276	5374	6502	11286

DENSITY OF POPULATION AND ANNUAL MORTALITY

IN THE

THREE DECENNIADS 1841-50, 1851-60, AND 1861-70,

IN THE

REGISTRATION DIVISIONS, COUNTIES, AND DISTRICTS

OF

ENGLAND.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND.

DIVISIONS AND REGISTRATION COUNTIES.				DENSITY OF POPULATION. ACRES TO A PERSON.			ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
				1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	ENGLAND - - -			2'21	1'96	1'74	22	22	22	22
No.	DIVISIONS.									
I.	LONDON	-	-	'04	'03	'02	25	24	24	24
II.	SOUTH EASTERN COUNTIES	-	-	2'62	2'34	1'99	20	20	19	20
III.	SOUTH MIDLAND COUNTIES	-	-	2'09	2'53	2'34	21	20	20	20
IV.	EASTERN COUNTIES -	-	-	2'08	2'85	2'72	20	21	20	20
V.	SOUTH WESTERN COUNTIES	-	-	2'82	2'74	2'68	20	20	20	20
VI.	WEST MIDLAND COUNTIES	-	-	1'91	1'69	1'50	22	22	22	22
VII.	NORTH MIDLAND COUNTIES	-	-	3'04	2'83	2'62	21	21	21	21
VIII.	NORTH WESTERN COUNTIES	-	-	'88	'74	'63	27	26	26	26
IX.	YORKSHIRE - - -	-	-	2'17	1'92	1'68	23	23	24	23
X.	NORTHERN COUNTIES -	-	-	3'89	3'29	2'77	22	22	23	22
XI.	MONMOUTHSHIRE AND WALES	-	-	4'63	4'18	3'79	20	21	21	21
	I.—LONDON.									
	MIDDLESEX (part of)	-	-	'02	'02	'01	24	23	25	24
	SURREY (part of)	-	-	'05	'04	'03	26	25	23	25
	KENT (part of)	-	-	'19	'14	'10	25	22	22	23
	II.—SOUTH EASTERN COUNTIES.									
1	SURREY (extra-metropolitan)	-	-	2'44	2'00	1'47	18	18	18	18
2	KENT (extra-metropolitan)	-	-	2'18	1'97	1'67	21	20	20	20
3	SUSSEX - - -	-	-	2'06	2'09	2'41	18	19	19	19
4	HAMPSHIRE - - -	-	-	2'81	2'47	2'11	20	20	19	20
5	BERKSHIRE - - -	-	-	2'00	2'79	2'61	20	20	20	20
	III.—SOUTH MIDLAND COUNTIES.									
6	MIDDLESEX (extra-metropolitan)	-	-	1'21	1'04	'79	19	20	20	20
7	HERTFORDSHIRE - - -	-	-	2'55	2'44	2'30	20	19	19	19
8	BUCKINGHAMSHIRE - - -	-	-	2'86	2'77	2'67	21	21	20	21
9	OXFORDSHIRE - - -	-	-	2'87	2'81	2'72	21	21	20	21
10	NORTHAMPTONSHIRE - - -	-	-	3'06	2'84	2'64	22	21	21	21
11	HUNTINGDONSHIRE - - -	-	-	3'54	3'44	3'40	22	20	20	21
12	BEDFORDSHIRE - - -	-	-	2'52	2'26	2'09	22	21	21	21
13	CAMBRIDGESHIRE - - -	-	-	3'16	3'07	3'07	23	21	20	21
	IV.—EASTERN COUNTIES.									
14	ESSEX - - -	-	-	2'96	2'72	2'38	20	20	19	20
15	SUFFOLK - - -	-	-	2'86	2'77	2'72	20	20	20	20
16	NORFOLK - - -	-	-	3'10	3'02	3'05	21	21	21	21

Note.—The population used in obtaining the results given in this Table is the arithmetical mean of the numbers enumerated at the Censuses of 1841, 1851, 1861, and 1871. The deaths to 1000 living are given in round numbers: thus any rate of mortality ranging from 21'5 to 22'49 is entered as 22. For example, the mean mortality of males and females in all England was in the three decennials 22'35, 22'35, 22'35: these averages are here entered as 22, 22, 22.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND—continued.

REGISTRATION COUNTIES.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
No.	V.—SOUTH WESTERN COUNTIES.							
17	WILTSHIRE - - - - -	3'22	3'26	3'23	21	21	19	20
18	DORSETSHIRE - - - - -	3'57	3'43	3'29	20	19	19	19
19	DEVONSHIRE - - - - -	3'08	2'81	2'75	20	20	20	20
20	CORNWALL - - - - -	2'52	2'48	2'45	19	20	21	20
21	SOMERSETSHIRE - - - - -	2'23	2'34	2'25	20	20	20	20
	VI.—WEST MIDLAND COUNTIES.							
22	GLOUCESTERSHIRE - - - - -	1'76	1'66	1'54	22	21	21	21
23	HEREFORDSHIRE - - - - -	4'35	4'13	3'94	21	20	20	20
24	SHROPSHIRE - - - - -	3'72	3'63	3'50	21	20	20	20
25	STAFFORDSHIRE - - - - -	1'30	1'08	'91	24	25	23	24
26	WORCESTERSHIRE - - - - -	1'77	1'57	1'38	21	20	20	20
27	WARWICKSHIRE - - - - -	1'38	1'17	1'02	23	23	23	23
	VII.—NORTH MIDLAND COUNTIES.							
28	LEICESTERSHIRE - - - - -	2'34	2'23	2'06	22	22	22	22
29	RUTLANDSHIRE - - - - -	4'54	4'51	4'58	19	18	19	19
30	LINCOLNSHIRE - - - - -	4'60	4'32	4'16	20	19	19	19
31	NOTTINGHAMSHIRE - - - - -	2'12	1'94	1'77	21	22	22	22
32	DERBYSHIRE - - - - -	2'23	2'01	1'82	21	22	22	22
	VIII.—NORTH WESTERN COUNTIES.							
33	CHESHIRE - - - - -	1'75	1'53	1'35	23	22	22	22
34	LANCASHIRE - - - - -	'70	'58	'49	28	26	27	27
	IX.—YORKSHIRE.							
35	WEST RIDING - - - - -	1'34	1'19	1'05	23	24	25	24
36	EAST RIDING (WITH YORK) - - -	3'07	2'73	2'40	24	22	23	23
37	NORTH RIDING - - - - -	6'49	6'09	5'54	19	19	20	19
	X.—NORTHERN COUNTIES.							
38	DURHAM - - - - -	2'04	1'58	1'22	22	23	23	23
39	NORTHUMBERLAND - - - - -	4'53	3'99	3'54	22	22	23	22
40	CUMBERLAND - - - - -	5'19	4'84	4'56	21	21	22	21
41	WESTMORLAND - - - - -	8'75	8'43	7'98	19	18	18	18
	XI.—MONMOUTHSHIRE AND WALES.							
42	MONMOUTHSHIRE - - - - -	2'64	2'31	2'08	23	23	22	23
43	SOUTH WALES - - - - -	4'96	4'81	3'81	20	22	21	21
44	NORTH WALES - - - - -	4'00	4'81	4'60	20	20	21	20

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the Three Decennials 1841-50, 1851-60, and 1861-70 in the Districts of England.

I.—LONDON.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	MIDDLESEX (part of).							
1	(a) KENSINGTON	·076	·048	·032	20	19	21	20
2	(b) CHELSEA	·018	·014	·012	27	26	26	26
3	(c) ST. GEORGE HAN. SQ.: St. George Han. Sq.*	·017	·014	·013	19	19	19	19
	Westminster*	·015	·014	·012	27	26	27	27
6	(d) WESTMINSTER (St. James)†	·004	·005	†	22	23	†	—
7	(e) MARYLEBONE	·010	·009	·009	24	24	25	24
8	(f) HAMPSTEAD	·204	·145	·087	18	17	16	17
9	PANCREAS	·018	·015	·013	23	22	23	23
10	(g) ISLINGTON	·041	·025	·017	19	21	22	21
11	HACKNEY	·078	·055	·038	19	19	20	19
12	(h) ST. GILES	·005	·005	·005	36	28	29	28
13	STRAND: St. Martin-in-the-Fields†	·012	·013	·006	24	23	25†	24
	Strand†	·004	·004	·004	24	24	24	24
14	(i) HOLBORN: Holborn†	·004	·004	·005	26	26	28†	26
	Clerkenwell†	·006	·006	·006	24	23	24	24
	St. Luke†	·004	·004	·004	27	27	27	27
19	(j) LONDON CITY: East London§	·004	·004	·007	27	27	26§	26
	West London§	·005	·005	·005	29	25	26	26
	London City§	·008	·009	·009	22	22	22	22
20	(k) SHOREDITCH	·007	·005	·005	27	24	26	26
21	(l) BETHNAL GREEN	·009	·008	·007	25	23	27	25
22	WHITECHAPEL	·005	·005	·005	29	28	30	29

NOTE.—The Mortality in the several METROPOLITAN DISTRICTS, as given in the above Table for each of the three decades 1841-70, is corrected for the disturbing element of the presence of certain Public Institutions located in particular Districts, but whose occupants are drawn more or less indiscriminately from the whole Metropolitan area. This correction has been made by subtracting the mean population and the average annual deaths in each Institution from the corresponding population and deaths of the District in which it is situated, and then the whole of the Institution population and deaths were distributed proportionally over all the London districts. In the case of certain Workhouses situated in Districts to which they do not belong, the average inmates and the deaths in such Workhouses have been transferred to their proper Districts prior to calculating the mortality. For all the Institutions which have been thus dealt with, the annual deaths registered during 1861-70 and the number of inmates, according to the Census Returns of 1861 and 1871, are given in a Table which will be found on page cxx of this Report.

Besides the Institutions just referred to, there are others in LONDON for which it has not been deemed necessary to make corrections in the mortality; such Institutions will be found specified in foot-notes, the deaths registered in 1869 and 1870 and the inmates at the Census of 1871 being given for each Institution.

With regard to Districts *not within the Metropolitan limits*, no correction has been made for Public Institutions, *except* in the case of County and certain other large Lunatic Asylums, of a few special Institutions, of Military Camps, and of Workhouses not located in their proper Districts. Particulars of such corrections as have been made will be found noted under the several Districts concerned. Institutions of any importance for which no corrections have been made are given in foot-notes to the Districts wherein they are situated, together with the deaths registered in such Institutions in 1869 and 1870 and the inmates at the Census of 1871.

* On 1st July 1870 the District of Westminster was merged in the District of St. George Hanover Square.

† On 1st July 1868 the Sub-district of St. Anne Soho, was taken from the Strand District and added to Westminster St. James, and at the same time the District of St. Martin-in-the-Fields was merged in the Strand District; in consequence of these changes the Density of Population and Mortality in the 10 Years 1861-70 for the District of Westminster (St. James) is not given separately from that of the Strand District.

‡ On 2nd August 1860 the districts of Clerkenwell and St. Luke were merged in the Holborn District.

§ On 1st January 1870 the Districts of East London and West London were merged in the London City District.

DISTRICTS containing INSTITUTIONS for which the Mortality is *not* corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) KENSINGTON	Lock Hospital	5	9	124	(g) ISLINGTON	Great Northern Hospital	29	22	24
	West London Hospital	50	14	22	(h) ST. GILES	British Lying-in Hospital	5	17	14
(b) CHELSEA	Victoria Hospital	19	11	25	(i) HOLBORN	London Homoeopathic Hospital	17	21	36
	Consum. Hos. (Chelsea Home)	2	2	18		St. John and Elizabeth Hospital	33	19	37
	Cancer Hospital	36	43	62		City of London Lying-in Hosp.	22	23	43
(c) ST. GEO. HAN. SQ.	Belgrave Hospital	5	1	10		Royal Hosp. for Chest Diseases	12	13	9
	Children's Hos. (Carlisle Place)	54	64	78		St. Luke's Lunatic Hospital	See p. cxiii.		
(d) WESTMINSTER	Hospital for Women	8	21	44	(j) LONDON CITY	City Police Hospital	6	3	0
	French Hospital	—	14	9		Metropolitan Free Hospital	14	15	13
(e) MARYLEBONE	St. Peter's Hospital	5	2	6	(k) SHOREDITCH	Children's Hospital	2	7	9
	Samaritan Free Hospital	11	15	16		Horton House Lunatic Asylum	See p. cxiii.		
	Qn. Charlotte's Lying-in Hosp.	4	19	65	(l) BETHNAL GREEN	London City Chest Hospital	68	59	95
(f) HAMPSTEAD	North London Consump. Hosp.	18	15	27		Bethnal House Lunatic Asylum	See p. cxiii.		

Density of Population and Annual Mortality, 1841-70.

enci

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

I.—LONDON—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.				
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.				
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70	
No.	MIDDLESEX (part of)— <i>cont.</i>								
22	ST. GEORGE-IN-THE-EAST - - - - -	'005	'005	'005	29	29	30	29	
23a	(a) STEPNEY - - - - -	'012	'010	'008	} 25	{ 27	28	27	
24b	(b) MILL END OLD TOWN - - - - -	'012	'011	'008		{ 24	25	25	
25	(c) POPLAR - - - - -	'060	'037	'024	22	24	26	24	
SURREY (part of).									
26	(d) ST. SAVIOUR SOUTHWARK: St. Geo., Southwk.*	'006	'005	} '009	{ 30	27	} 25†	27	
	Newington * - - - - -	'010	'009			26			24
	St. Saviour * - - - - -	'008	'008			30†			29†
27	ST. OLAVE SOUTHWARK: St. Olave * - - -	'017	'013	} '021	{ 28	26	} 23	24	
	Bermondsey * - - - - -	'056	'042			28			25
	Rotherhithe * - - - - -	'031	'027			25			23
28	(e) LAMBETH - - - - -	'031	'027	'021	25	23	23	24	
29	(f) WANDSWORTH (inc. County Lunatic Asylum) -	'258	'193	'118	22	22	21	22	
	Wandsworth (excl. County Lunatic Asy.) †	—	—	—	19	20	19	19	
30	(g) CAMBERWELL - - - - -	'092	'069	'049	24	23	23	23	
KENT (part of).									
31	GREENWICH - - - - -	'060	'047	'035	27	24	26	26	
32a	(A) LEWISHAM - - - - -	'595	'342	'217	17	18	19	18	
32b	(A) WOOLWICH ‡ - - - - -	—	—	—	—	—	—	—	

II.—SOUTH EASTERN COUNTIES.

1.—SURREY (Extra-metropolitan).								
33	EPSOM - - - - -	2'27	1'09	1'59	18	16	17	17
34	(i) CHERTSEY - - - - -	2'60	2'50	2'02	18	18	17	18
35	(j) GUILDFORD (inc. Godalming, and County Lunatic Asylum)	2'72	2'41	2'12	19	19	20	19
	Guilford (excl. County Lunatic Asylum) †						19	
36	FARNHAM ‡ (inc. Military in Aldershot Camp)	3'79	2'19	1'38	18	16	17	17
	Farnham (excl. Aldershot Camp)					19	19	

* On 1st January 1870 the Districts of St. George Southwark and Newington were merged in the District of St. Saviour Southwark, and the Districts of Bermondsey and Rotherhithe were merged in the District of St. Olave Southwark.

† Parts of both St. Thomas's and Guy's Hospitals being situate in the Districts of St. Saviour and St. Olave, it has been found impracticable to give the corrected mortality of the two Districts separately.

‡ The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table 5, p. cxi.

On 1st July 1868 the new District of Woolwich was formed out of parts of the Districts of Greenwich and Lewisham; the Density and Mortality of the new District are included in this Table with the Two Districts of which it until so recently formed part.

The District of Farnham was divided in 1846 into the two Districts of Farnham (40) and Farnborough (41); on 1st July 1869 the District of Farnborough was abolished, and the parishes and places of which it had been composed were transferred to the Districts of Farnham (40), Guildford (39), Hartley Wintney (115), Alton (114), and Petersfield (112). The details of the first of these changes are given in the Thirteenth Annual Report, p. 223, and of the second in the Thirty-third Report, p. 372. For comparative purposes the rates of Density and Mortality in the above Table have been corrected so as to represent as nearly as possible the original district of Farnham, including the Camp at Aldershot. During the 10 years 1861-70 the average annual number of Military in the Camp was 10,729, and the deaths occurring among them averaged 72 per annum; upon these numbers the correction in the mortality of the District has been made.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) STEPNEY - -	Children's Hospital - - -	45	42	32	(f) WANDSWORTH -	Royal Hospital for Incurables -	12	15	124
(b) MILL END OLD TOWN - -	Portuguese Jews' Hospital - -	7	8	20	(g) CAMBERWELL -	Camberwell House Lunatic Asyl. -	See p. cxi.		
(c) POPLAR - - -	Poplar Hospital - - -	31	30	25		Peckham House Lunatic Asyl. -			
	Grove Hall Lunatic Asylum - -	See p. cxi.			(h) LEWISHAM - -	Herbert Hospital - - -	44	64	281
(d) ST. SAVIOUR SOUTHWARK -	Evelina Hospital - - -	9	13	31	(i) WOOLWICH - -	Garrison Female Hospital -	10	18	23
	Bethlehem Lunatic Hospital -	See p. cxi.			(j) CHERTSEY - -	Metropolitan Convalescent Asyl. -	4	4	150
(e) LAMBETH - -	Royal Infirmary, Women and Children - - -	14	14	18	(k) GUILDFORD - -	Invalid Convict Prison - -	20	35	707
(f) WANDSWORTH -	General Lying-in Hospital -	6	12	37		Royal Surrey County Hospital -	15	14	38
	British Home for Incurables -	6	6	36					

Density of POPULATION and ANNUAL Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

II.—SOUTH EASTERN COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			Mean of 30 Years 1841-70
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	
	1. SURREY (Extra-metropolitan)—cont.							
42	HAMBLEDON - - - - -	4'58	4'40	4'17	16	17	17	17
43	DORKING - - - - -	3'58	3'36	3'02	17	17	17	17
44	REIGATE (inc. Earlswood Asylum for Idiots) - -	3'53	2'98	2'16	16	17	17	17
	Reigate, (exclud. Idiot Asylum) * - - -	-	-	-	-	-	16	-
45	GODSTONE - - - - -	4'94	4'74	3'79	17	17	16	17
46	(a) CROYDON - - - - -	1'10	'84	'50	20	19	19	19
47	(b) KINGSTON (inc. Teddington and Hampton) - -	'89	'71	'54	18	18	18	18
48	(c) RICHMOND - - - - -	'29	'25	'22	20	20	19	20
	2.—KENT (Extra-metropolitan).							
49	BROMLEY - - - - -	2'37	2'10	1'54	17	16	16	16
50	DARTFORD (inc. City of London Lunatic Asy.) -	2'02	1'78	1'40	19	18	19	19
	Dartford (exclud. City of London Lun. Asy.) * -	-	-	-	-	-	19	-
51	(d) GRAVESEND - - - - -	'08	'07	'06	25	23	22	23
52	NORTH AYLESFORD (inc. Northfleet & Strood) - -	2'40	2'10	1'84	22	20	20	21
53	HOO - - - - -	7'04	6'06	6'02	24	25	23	24
54	(e) MIDWAY (inc. Rochester and Chatham) - -	'56	'31	'22	25	23	22	23
55	MALLING - - - - -	2'53	2'31	2'12	21	19	20	20
56	SEVENOAKS - - - - -	3'05	3'06	2'91	18	18	18	18
57	(f) TUNBRIDGE (inc. pt. of Tunbridge Wells) - -	1'76	1'47	1'18	20	20	18	19
58	(g) MAIDSTONE (inc. County Lunatic Asylum) -	1'11	1'02	'96	23	23	23	23
	Maidstone (exclud. County Lunatic Asylum) * -	-	-	-	-	21	21	-
59	HOLLINGBOURN - - - - -	4'14	4'17	4'17	20	19	19	19
60	CHANERBROOK - - - - -	3'07	3'04	3'02	19	17	17	18
61	TENTERDEN - - - - -	4'21	4'22	4'34	20	19	17	19
62	WEST ASHFORD - - - - -	3'40	2'95	2'67	18	20	19	19
63	EAST ASHFORD - - - - -	4'64	4'50	4'31	17	18	17	17
64	BRIDGE - - - - -	3'74	3'68	3'69	18	18	18	18
65	(h) CANTERBURY - - - - -	'21	'20	'19	24	23	24	24
66	BLEAN (inc. Whitstable, Herne Bay, and pt. of Canterbury City) - - -	2'27	2'09	1'87	17	18	20	18
67	FAVERHAM - - - - -	2'85	2'61	2'12	19	20	19	19
68	MILTON (inc. Sittingbourne) - - - - -	2'71	2'38	1'88	21	21	20	21
69	SHEPPEY (inc. Sheerness) - - - - -	1'85	1'41	1'21	24	19	19	21
70	(i) THANET (inc. Ramsgate and Margate) - -	'94	'93	'80	19	21	20	20
71	(j) EASTRY (inc. Deal, Walmer, and Sandwich) -	2'07	1'99	1'90	19	19	19	19
72	(k) DOVER - - - - -	1'13	1'00	'87	21	20	20	20
73	ELHAM (inc. Folkestone, Hythe, and Shorncliffe Camp) - - -	2'58	1'89	1'52	19	18	17	18
	Elham (exclud. Military in Shorncliffe Camp)† -	-	-	-	-	19	18	-
74	ROMNEY MARSH (inc. New Romney) - - -	8'44	8'05	7'61	19	21	18	19
	3.—SUSSEX.							
75	RYE (inc. Winchelsea) - - - - -	3'26	3'24	3'24	18	20	19	19
76	(l) HASTINGS - - - - -	'78	'59	'45	18	18	20	19
77	BATTLE - - - - -	4'11	4'01	4'08	16	17	17	17
78	(m) EASTBOURNE - - - - -	4'07	3'39	2'88	15	17	17	16

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table 5., p. cxx.
 † During the 10 years 1861-70 the average annual strength of the Military in Shorncliffe Camp was 2793, and the deaths occurring among them averaged 20'1 per annum; upon these numbers the above correction in the District mortality has been made.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) CROYDON - -	Croydon General Hospital - - -	10	14	11	(l) THANET - -	Royal Sea Bathing Infirmary -	9	7	123
(b) KINGSTON - -	Atkinson Morley Convales. Hos. -	-	7	56	" - -	Metrop. Infirmary. (Dane Hill) -	9	16	128
(c) RICHMOND - -	Infirmary and Dispensary - - -	9	12	11	" - -	Seaman's Infirmary - - -	5	-	13
(d) GRAVESEND -	Infirmary and Dispensary - - -	8	6	1	(j) EASTRY - -	Infirmary and Dispensary - -	2	2	1
(e) MIDWAY - -	St. Bartholomew's Hospital - - -	45	37	46	(k) DOVER - -	Hospital and Dispensary - -	4	6	2
" - -	General Hospital (Fort Pitt) - -	40	-	194	(l) HASTINGS -	East Sussex Infirmary - - -	7	9	23
" - -	Melville Hosp. (R. M. Infirmary.) -	17	22	115	(m) EASTBOURNE	Sensile Convales. Hos. (Seaford)	3	-	35
(f) TUNBRIDGE -	Infirmary and Dispensary - - -	-	11	21	" - -	All Saints Convalescent Hosp. (Eastbourne) - - -	-	9	64
(g) MAIDSTONE -	West Kent General Hospital - -	21	14	32					
(h) CANTERBURY -	Kent and Canterbury Hospital - -	25	20	58					

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

II.—SOUTH EASTERN COUNTIES—continued.

DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
	ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
3.—SUSSEX—cont.							
79	HAILSHAM - - - - -	4'23	4'19	4'23	17	17	17
80	TICEHURST (inc. pt. of Tunbridge Wells) - -	3'48	3'43	3'31	19	19	18
81	UCKFIELD - - - - -	4'36	4'25	4'06	17	19	17
82	EAST GRINSTEAD - - - - -	4'75	4'40	4'05	17	17	16
83	UCKFIELD - - - - -	3'96	3'77	3'31	16	18	16
84	(a) LEWES (inc. County Lunatic Asylum) - -	3'37	3'23	2'99	19	19	19
	Lewes (exclud. County Lunatic Asylum)* -	-	-	-	19	18	-
85	(b) BRIGHTON - - - - -	'03	'02	'02	21	22	22
86	STEYNING (inc. New Shoreham) - - - - -	2'84	2'17	1'63	16	16	16
87	HORSHAM - - - - -	4'16	3'89	3'56	18	18	18
88	PETWORTH - - - - -	4'07	4'13	4'13	17	19	18
89	TRAFALGAR - - - - -	4'08	4'75	4'77	18	18	17
90	(c) EAST PRESTON (formerly WORTHING), inc. Littlehampton and Arundel - - - - -	2'34	2'25	1'96	17	18	18
91	WESTHAMPTON (inc. Bognor) - - - - -	5'03	4'98	4'94	19	18	18
92	(d) CHICHESTER - - - - -	1'59	1'44	1'43	21	21	20
93	MIDHURST - - - - -	4'88	5'02	5'13	17	18	18
94	WESTBOURNE - - - - -	4'83	4'73	4'64	18	17	18
4.—HAMPSHIRE.							
95	HAVANT - - - - -	2'05	1'97	1'85	18	19	19
96	(e) PORTSEA ISLAND (inc. Portsmouth) - -	'08	'06	'05	25	23	21
97	ALVERSTOCK (inc. Gosport, & Haslar Hospital) -	'25	'19	'17	29	26	26
	Alverstoke (exclud. Haslar Hospital)† - -	-	-	-	24	20	21
98	FARNHAM (inc. County Lunatic Asylum) -	2'64	2'62	2'38	19	21	21
	Farnham (exclud. County Lunatic Asylum)* -	-	-	-	18	19	-
99	(f) ISLE OF WIGHT (inc. Ryde, Newport, Cowes, Shanklin, and Ventnor) - - - - -	2'15	1'89	1'54	17	17	17
100	LYMINGTON - - - - -	3'57	3'48	3'26	17	18	17
101	(g) CHRISTCHURCH (inc. Bournemouth) - -	4'51	3'89	2'39	16	18	17
102	RINGWOOD - - - - -	6'07	6'04	6'50	17	18	17
103	FORDINGBRIDGE - - - - -	5'19	5'32	5'48	20	20	20
104	NEW FOREST - - - - -	5'18	5'13	5'14	17	17	17
105	(h) SOUTHAMPTON - - - - -	'04	'03	'03	23	24	23
106	SOUTH STONEHAM (inc. Netley Hospital) -	1'85	1'28	'92	16	17	18
	South Stoneham (exclud. Netley Hospital)† -	-	-	-	-	18	-
107	ROSEBURY - - - - -	2'58	2'61	2'89	21	19	20
108	STOCKBRIDGE - - - - -	6'22	6'14	6'23	20	19	19
109	(i) WINCHESTER - - - - -	3'23	3'01	2'79	21	20	20
110	DROXFORD - - - - -	4'00	4'52	4'36	18	18	18
111	CATHERINGTON - - - - -	5'42	5'27	4'99	17	19	17
112	PETERSFIELD - - - - -	5'25	6'12	4'89	16	19	17
113	ALRESFORD - - - - -	5'45	5'45	5'90	17	16	17
114	ALTON - - - - -	4'57	4'43	4'24	19	18	19
115	HARTLEY WINTNEY - - - - -	3'83	3'70	3'79	18	19	18

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., p. cxx.

† During the 10 years 1861-70 the average annual number of inmates of Haslar Hospital was 453, and of deaths occurring among these inmates 99·1; upon these numbers the above correction in the District mortality has been made.

‡ Netley Hospital was opened in April 1863; the number of patients averaged 403 per annum, and the deaths of patients 50·5 per annum, in the eight years 1863-70; upon these numbers the above correction in the District mortality has been made.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) LEWES - - -	Lewes Infirmary - - - - -	1	-	-	(e) PORTSEA ISL.	Female Hospital (Mill-Dam) -	5	9	123
(b) BRIGHTON -	County Hospital - - - - -	72	83	141	(f) ISLE OF WIGHT	Garrison Hospital - - - - -	20	45	28
- - - - -	St. Mary's Hospital - - - - -	-	6	116	- - - - -	Royal Isle of Wight Infirmary -	17	32	24
- - - - -	Hospital for Sick Children - -	-	1	19	- - - - -	National Cottage Hospital for Consumption - - - - -	-	5	31
(c) EAST PRESTON (WORTHING) }	Worthing Infirmary - - - - -	-	1	-	(g) CHRISTCHURCH -	National Sanatorium, Bournemouth -	1	1	24
(d) CHICHESTER -	General Infirmary & Dispensary -	17	11	38	(h) SOUTHAMPTON -	Royal South Hants Infirmary -	23	43	24
(e) PORTSEA ISL. }	Royal Portsmouth, Portsea, & Gosport Hospital - - - - -	28	28	137	(i) WINCHESTER -	Royal Hants County Hospital -	24	43	50

DENSITY OF POPULATION AND ANNUAL MORTALITY in the THREE DECENNIADS **1841-50, 1851-60, and 1861-70** in the DISTRICTS OF ENGLAND—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	4.—HAMPSHIRE—cont.							
116	BASINGSTOKE - - - - -	4'33	4'23	4'16	20	19	19	19
117	WHITCHURCH - - - - -	5'31	5'30	5'30	19	22	19	20
118	ANDOVER - - - - -	4'88	4'86	4'89	19	18	18	18
119	KINGSCLERE - - - - -	5'39	5'37	5'47	19	19	20	19
	5.—BERKSHIRE.							
120	NEWBURY - - - - -	2'11	2'10	2'11	21	21	20	21
121	HUNGERFORD - - - - -	4'88	4'88	5'01	20	20	19	20
122	FABINGDON - - - - -	4'10	4'09	4'10	20	21	21	21
123	ABINGDON (inc. Lunatic Asylum for Oxon and Berks)	2'84	2'70	2'66	23	23	22	23
	Abingdon (exclud. Lunatic Asylum)* - - -	—	—	—	—	22	20	—
124	WANTAGE - - - - -	4'42	4'36	4'37	19	20	19	19
125	WALLINGFORD - - - - -	2'91	2'90	2'85	20	20	18	19
126	BRADFIELD - - - - -	3'89	3'87	3'93	19	19	18	19
(a)	READING - - - - -	2'23	2'20	2'16	24	22	22	23
128	WOKINGHAM - - - - -	3'19	3'00	2'75	17	18	18	18
129	COOKHAM (inc. Maidenhead) - - - - -	2'59	2'39	2'11	19	18	18	18
130	EASTHAMSTEAD (inc. Broadmoor Criminal Lunatic Asylum)	4'10	3'65	2'79	16	16	16	16
	Easthamstead (exclud. Lunatic Asylum)* - -	—	—	—	—	—	16	—
131	(b) WINDSOR - - - - -	1'16	1'10	1'95	20	20	20	20

III.—SOUTH MIDLAND COUNTIES.

	6.—MIDDLESEX (Extra-metropolitan)							
132	STAINES - - - - -	1'83	1'66	1'85	19	19	18	19
133	UXBRIDGE (inc. Hanwell Lunatic Asylum) -	1'35	1'22	1'10	23	22	25	23
	Uxbridge (exclud. Hanwell Lunatic Asylum)* -	—	—	—	20	19	20	20
134	(c) BRENTFORD (inc. Hounslow and Twickenham)	2'52	2'44	2'34	21	22	20	21
135	HENDON (inc. Harrow) - - - - -	2'11	1'88	1'19	17	18	18	18
136	BARNET (inc. Colney Hatch Lunatic Asylum)	1'81	1'52	1'15	18	25	24	22
	Barnet (exclud. Colney Hatch Lunatic Asy.) -	—	—	—	—	18	17	—
137	(d) EDMONTON (inc. Waltham Abbey and Enfield)	1'66	1'89	1'66	19	18	19	19
	7.—HERTFORDSHIRE.							
138	WARE - - - - -	2'24	2'17	2'10	19	18	18	18
139	BISHOP STORTFORD - - - - -	2'70	2'65	2'57	21	18	19	19
140	ROYSTON - - - - -	3'46	3'46	3'47	21	19	18	19
141	(e) HITCHIN - - - - -	2'70	2'58	2'44	21	19	20	20
142	(f) HERTFORD - - - - -	2'35	2'26	2'20	20	17	19	19
143	HATFIELD - - - - -	3'57	3'49	3'46	18	18	18	18
144	ST. ALBANS - - - - -	1'98	1'87	1'73	20	19	19	19
145	WATFORD - - - - -	1'98	1'87	1'54	20	20	19	20
146	(g) HEMEL HEMPSTEAD - - - - -	2'07	1'85	1'78	20	21	20	20
147	BERKHAMSTEAD - - - - -	2'04	1'91	1'80	22	21	20	21

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., p. cxx.

DISTRICTS containing INSTITUTIONS for which the Mortality is *not* corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
a)	READING - - - - -	57	40	92	(c)	BRENTFORD - - - - -	Convalescent Home - - - - -	—	2
b)	WINDSOR - - - - -	10	7	49	(d)	EDMONTON - - - - -	Training Hospital - - - - -	13	22
	" - - - - -	11	6	14	(e)	HITCHIN - - - - -	Nrth. Herts & Stth. Beds Infirm.	4	5
	" - - - - -	—	—	—	(f)	HERTFORD - - - - -	Herts General Infirm. - - - - -	1	—
c)	BRENTFORD - - - - -	—	—	124	(g)	HEMEL HEMPSTED - - - - -	West Herts Infirm. - - - - -	6	1

Density of Population and Annual Mortality, 1841-70.

CXCV

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

III.—SOUTH MIDLAND COUNTIES—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
No.								
8.—BUCKINGHAMSHIRE.								
146	AMERSHAM - - - - -	2.71	2.70	2.71	22	23	21	22
146	ETON (inc. Slough) - - - - -	1.99	1.90	1.80	18	18	18	18
146	WYCOMBE (inc. Great Marlow) - - - - -	2.83*	2.37	2.22	21*	21	20	21
147	(a) AYLESBURY (inc. County Lunatic Asylum) - - - - -	3.25	3.14	3.04	21	22	22	22
	Aylesbury (exclud. County Lunatic Asylum)† - - - - -	—	—	—	—	21	21	—
147	WINSLOW - - - - -	3.77	3.59	3.64	21	22	20	21
148	NEWPORT PAGNELL - - - - -	2.98	2.86	2.77	22	21	20	21
148	BUCKINGHAM - - - - -	3.66	3.72	3.85	23	22	20	23
9.—OXFORDSHIRE.								
148	HENLEY - - - - -	*	3.42	3.32	*	19	18	19
148	THAME - - - - -	3.52	3.55	3.63	22	21	19	21
149	(b) HEADINGTON † (inc. pt. of Oxford City) - - - - -	1.82 {	1.56	1.30	23 {	22	21	22
149	OXFORD † - - - - -	.15 {	.15	.14	22 {	22	22	22
149	BICESTER - - - - -	4.17	4.12	4.12	21	21	20	21
149	WOODSTOCK - - - - -	3.44	3.34	3.31	21	20	20	20
149	WITNEY - - - - -	3.02	3.00	3.02	22	20	20	21
149	CHIPPING NORTON - - - - -	4.55	4.40	4.24	19	19	19	19
149	BASINGSTON - - - - -	2.58	2.51	2.45	22	21	20	21
10.—NORTHAMPTONSHIRE.								
149	BRACKLEY - - - - -	4.33	4.32	4.36	22	21	20	21
149	TOWCESTER - - - - -	3.33	3.27	3.25	22	23	20	23
149	POTTERS PURY - - - - -	2.19	2.01	1.92	22	20	19	20
149	HARDINGSTONE - - - - -	3.64	3.40	3.15	21	20	20	20
149	(c) NORTHAMPTON (inc. General Lunatic Hosptl.) - - - - -	.07	.56	.44	24	25	25	25
	Northampton (exclud. Lunatic Hospital)† - - - - -	—	—	—	—	24	24	—
149	DAVENTRY - - - - -	2.92	2.98	3.16	20	20	20	20
149	BLISWORTH - - - - -	3.98	4.13	4.13	22	20	19	20
149	WELLINGBOROUGH - - - - -	3.27 {	2.43	2.09	22 {	22	21	23
149	KETTERING - - - - -	3.04	2.93	2.83	20	20	21	20
149	THRAPSTON - - - - -	4.11	3.80	3.60	19	20	20	20
149	OUNDE - - - - -	4.56	4.49	4.64	21	19	19	20
149	(d) PETERBOROUGH - - - - -	3.69	3.24	2.86	21	20	20	20
11.—HUNTINGDONSHIRE.								
149	(e) HUNTINGDON (inc. Godmanchester) - - - - -	3.92	3.73	3.71	22	20	20	21
149	ST. IVES - - - - -	3.17	3.13	3.27	22	20	21	21
149	ST. NEOTS - - - - -	3.54	3.45	3.48	21	19	19	20
12.—BEDFORDSHIRE.								
149	(f) BEDFORD } Inc. Lunatic Asylum for {	2.89	2.64	2.44	23	20	20	21
149	BIGGLESWADE } Beds, Herts, and Hunts - - - - -	2.63	2.38	2.18	21	21	22	21
	Bedford } (exclud. Lunatic Asylum)† - - - - -	—	—	—	—	19	—	—
	Biggleswaide } - - - - -	—	—	—	—	—	20	—
149	AMPTHILL - - - - -	2.58	2.48	2.41	22	21	21	21
149	WOBURN - - - - -	2.53	2.49	2.55	20	22	20	21
149	LEIGHTON BUZZARD - - - - -	2.10 {	2.19	2.09	21 {	22	20	21
149	LUTON (inc. Dunstable) - - - - -	1.46	1.46	1.26	21	20	21	21

* For the 10 years 1841-50 the Districts of Wycombe and Henley are combined.
† The average number of inmates, and the deaths in each year 1861-1870 in these Asylums are given in Table b, p. cxx. The Lunatic Asylum for the Counties of Beds, Herts, and Hunts, was transferred from the District of Bedford to the District of Biggleswaide in 1869.
‡ In this District is situated the Workhouse belonging to the Oxford Union, for which a correction has been made in the mortality of both Districts; this Workhouse contained 217 special inmates in 1871, and the estimated average annual deaths in the 10 years 1861-70 were 40.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) AYLESBURY -	County Infirmary - - - - -	12	5	43	(d) PETERBOROUGH -	Infirmary, Dispensary, & Fever Hos.	5	10	19
(b) HEADINGTON -	Keele Infirmary - - - - -	54	27	128	(e) HUNTINGDON -	County Hospital - - - - -	6	7	36
(c) NORTHAMPTON -	General Infirmary - - - - -	22	51	120	(f) BEDFORD -	General Infirmary & Fever Hos.	50	35	63

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

III.—SOUTH MIDLAND COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	13.—CAMBRIDGESHIRE.							
185	CAXTON - - - - -	4·72	4·53	4·41	19	19	19	19
186	CHESTERTON (inc. County Lunatic Asylum) -	3·28	3·05	2·89	21	20	20	20
	<i>Chesterton (exclud. Lunatic Asylum)*</i> - - -	—	—	—	—	20	19	—
187	(a) CAMBRIDGE - - - - -	·13	·13	·12	23	20	22	22
188	LINTON - - - - -	3·53	3·46	3·54	20	19	19	19
189	NEWMARKET - - - - -	3·36	3·28	3·35	20	20	20	20
190	ELY - - - - -	3·72	3·57	3·67	23	21	20	21
191	NORTH WITCHFORD - - - - -	3·86	3·86	3·94	27	21	20	23
192	WHITLESSEY - - - - -	3·45	3·43	3·60	25	23	21	23
193	WISBECH - - - - -	3·89	3·78	3·90	25	22	20	22

IV.—EASTERN COUNTIES.

	14.—ESSEX.							
194	WEST HAM (inc. Stratford and Walthamstow)	·64	·42	·24	18	20	20	19
195	EPPING - - - - -	2·97	2·89	2·53	18	18	18	18
196	ONGAR - - - - -	4·01	4·10	4·16	17	18	18	18
197	ROMFORD (inc. Barking) - - - - -	2·06	1·87	1·64	20	20	20	20
198	ORESETT - - - - -	3·96	3·70	3·32	24	21	18	21
199	BILLERICAY (inc. Brentwood, and County Lunatic Asylum) -	5·37†	3·53	3·11	21†	21	19	20
	<i>Billericay (exclud. Lunatic Asylum)*</i> - - -	—	—	—	—	19	17	—
200	CHELMSFORD - - - - -	2·67	2·58	2·52	20	19	19	19
201	ROCHFORD (inc. Southend) - - - - -	†	6·32	5·51	†	21	19	20
202	MALDON - - - - -	4·90	4·79	4·61	21	21	19	20
203	TENDRING (inc. Harwich) - - - - -	3·33	3·28	3·15	20	20	19	20
204	(b) COLCHESTER (inc. Military in Colchester Camp) Colchester (exclud. Military in Camp)‡ -	·60	·52	·45	24	22	21	23
205	LEXDEN - - - - -	3·47	3·31	3·14	19	19	18	19
206	WITHAM (inc. Great Coggeshall) - - - - -	2·47	2·40	2·42	20	21	21	21
207	HALSTEAD - - - - -	2·10	2·06	2·11	20	22	20	21
208	BRAINTREE - - - - -	2·30	2·23	2·25	21	21	21	21
209	DUNMOW - - - - -	3·60	3·61	3·68	21	20	19	20
210	(c) SAFFRON WALDEN - - - - -	3·17	3·10	3·19	21	19	19	20
	15.—SUFFOLK.							
211	RISBRIDGE - - - - -	3·02	3·02	2·98	22	20	20	21
212	(d) SUDBURY - - - - -	2·57	2·52	2·48	20	20	20	20
213	COSFORD (inc. Hadleigh) - - - - -	2·90	2·97	3·06	21	20	19	20
214	THINGOE§ - - - - -	4·45	4·43	4·60	18	20	18	19
215	(e) BURY ST. EDMUNDS§ - - - - -	·22	·22	·21	24	22	23	23
216	MILDENHALL - - - - -	6·27	6·14	6·51	20	20	19	20
217	STOW (inc. Stowmarket) - - - - -	2·71	2·63	2·64	18	19	19	19
218	HARTISMERE (inc. Eye) - - - - -	2·89	2·95	3·15	21	20	20	20

* The average number of inmates, and the deaths in each year 1861-70 in these Asylums, are given in Table b, p. cxi.

† For the 10 years 1841-50 the Districts of Billericay and Rochford are combined.

‡ The average annual strength of the military force in Colchester Camp during the 10 years 1861-70 was 2,017, and the average annual deaths occurring in the force for the same period were 24·3.

§ The Workhouse belonging to the Thingoe District is situated in Bury St. Edmunds, and a correction has been made on that account in the mortality of both Districts; this Workhouse contained 104 special inmates in 1871, and the estimated average annual deaths in the 10 years 1861-70 were 12.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) CAMBRIDGE -	Addenbrooke's Hospital - - -	38	41	83	(c) SAFFRON WALDEN.	Hospital - - - - -	7	7	10
(b) COLCHESTER -	Essex and Colchester Hospital -	19	8	62	(d) SUDBURY - - -	St. Leonard's Hospital -	2	2	10
"	Essex Hall Idiot Asylum - - -	11	9	97	(e) BURY ST. EDMS.	Suffolk General Hospital -	22	17	61

Density OF POPULATION and ANNUAL MORTALITY in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

IV.—EASTERN COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	15.—SUFFOLK—cont.							
229	Hoxne	3'35	3'47	3'63	21	20	19	20
230	Bosmere	3'43	3'47	3'63	18	19	19	19
231	Samford	4'13	3'98	4'00	18	20	19	19
232	(a) Ipswich	2'29	2'24	2'21	23	22	22	22
233	Woodbridge (inc. County Lunatic Asylum)	3'51	3'53	3'64	21	20	21	21
234	Woodbridge (exclud. Lunatic Asylum)*	—	—	—	—	19	19	—
235	Plomesgate	3'53	3'56	3'62	19	20	18	19
236	Blything (inc. Southwold and Halesworth)	3'34	3'37	3'46	18	20	19	19
237	Wangford (inc. Bungay)	2'52	2'54	2'54	19	21	19	20
238	(b) Mutford (inc. Lowestoft and Gorleston)	1'94	1'61	1'28	17	20	18	18
	16.—NORFOLK.							
239	(c) Yarmouth (Great)	3'06	3'05	3'05	23	25	24	24
240	Flegg	3'60	3'40	3'23	20	20	18	19
241	Smallburgh (formerly Tunstead)	4'05	4'16	4'33	20	21	19	20
242	Eppingham (inc. North Walsham)	3'43	3'40	3'56	20	21	20	20
243	Aylsham	3'40	3'49	3'67	21	21	19	20
244	(d) St. Faith's	4'12	4'09	4'35	20	18	19	19
245	Norwich	1'11	1'10	1'10	24	25	24	24
246	Poerhor	2'79	2'67	3'01	21	20	20	20
247	Henstead	3'78	3'80	3'94	17	19	19	18
248	Blofield (inc. County Lunatic Asylum)	3'99	3'83	3'87	20	20	21	20
249	Blofield (exclud. County Lunatic Asylum)*	—	—	—	—	18	18	—
250	Loddon	4'02	4'05	4'26	18	19	18	18
251	Depwade	2'80	2'81	2'94	20	20	20	20
252	Guiltcross	3'61	3'70	3'91	21	22	20	21
253	Wattland	4'38	4'31	4'51	19	20	20	20
254	Mifford (inc. East Dereham)	3'64	3'67	3'79	20	20	19	20
255	Walsingham (inc. Wells-next-the-Sea)	4'08	4'06	4'24	21	20	22	21
256	Docking	5'77	5'66	5'80	20	21	21	21
257	Frederick Lynn	6'03	5'83	5'85	18	18	20	19
258	(e) King's Lynn	3'30	3'30	3'34	23	22	22	22
259	Downham (inc. Downham Market)	4'16	4'06	4'10	22	21	20	21
260	Swaffham	5'93	5'79	5'94	19	19	19	19
261	Thetford (inc. Brandon)	6'44	6'24	6'56	21	20	21	21

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.							
262	Highworth (inc. Swindon)	3'02	2'72	2'23	21	21	18	20
263	Cricklade (inc. Wootton Bassett)	3'65	3'63	3'52	20	20	19	20
264	Malisbury	3'75	3'90	3'93	19	19	18	19
265	Chiffesham	2'80	2'76	2'66	19	21	19	20
266	Calne	3'09	3'17	3'21	20	20	18	19
267	Marlborough	4'32	4'20	4'17	20	19	19	19

* The average number of inmates, and the deaths in each year 1861-70 in these Asylums, are given in Table δ., p. ccxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) IPSWICH	East Suffolk and Ipswich Hosp.	5	17	71	(d) NORWICH	Norfolk and Norwich Hospital—Bethel Hospital (Lunatic)	50	54	136
(b) MUTFORD	Mutford & Lotherland Infirmary.	4	3	11	"	Jenny Lind Infy. for Sick Childn.	1	4	18
(c) YARMOUTH	Yarmouth Hospital	4	5	18	(e) KING'S LYNN	West Norfolk and Lynn Hosp.—	15	13	33
	Royal Naval Hosp. (Lunatic)	See p. ccxii.							
(d) NORWICH	City Lunatic Asylum	See p. ccxii.							

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

V.—SOUTH WESTERN COUNTIES—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
No.	17.—WILTSHIRE—cont.							
255	DEVIZES (inc. County Lunatic Asylum) -	2'86	2'89	2'96	22	21	21	21
	Devizes (exclud. County Lunatic Asylum)* -	—	—	—	—	20	19	—
257	MELKSHAM (inc. Trowbridge) -	'94	'99	1'00	22	22	22	22
258	BRADFORD-ON-AVON -	1'50	1'70	1'78	20	22	19	20
259	WESTBURY -	2'39	2'55	2'67	22	22	21	22
260	WARMINSTER -	3'30	3'41	3'61	21	20	18	20
261	PEWSEY -	5'30	5'26	5'39	20	19	20	20
262	AMESBURY -	7'82	7'62	7'76	18	20	18	19
263	(a) ALDERBURY, Alderbury (inc. Downton) -	3'68	3'55	3'43	22	23	22	22
	Salisbury -	'05	'03	'05	23	24	20	24
265	WILTON -	5'25	5'16	5'13	21	21	18	20
266	TISBURY -	3'99	4'04	4'10	20	19	18	19
267	MERE -	3'92	4'03	4'07	19	21	19	20
	18.—DORSETSHIRE.							
268	SHAPTESBURY -	2'79	2'81	2'79	20	20	19	20
269	STURMINSTER -	3'64	3'62	3'58	19	20	18	19
270	BLANDFORD -	4'02	3'89	3'89	19	17	18	18
271	WIMBORNE -	4'88	4'69	4'69	19	18	18	18
272	POOLE -	1'97	1'84	1'72	20	20	21	20
273	WAREHAM -	5'67	5'58	5'62	18	19	17	18
274	(b) WYEMOUTH (inc. Melcombe Regis) -	1'83	1'51	1'17	19	18	17	18
275	(c) DORCHESTER (inc. County Lunatic Asylum) -	4'77	4'63	4'55	20	21	19	20
	Dorchester (exclud. County Lunatic Asylum)* -	—	—	—	—	21	19	—
276	(d) SHERBORNE -	3'16	3'02	2'92	20	20	19	20
277	BEAMINSTER -	3'66	3'86	4'03	21	20	19	20
278	BRIDPORT -	1'98	1'97	1'98	22	21	21	21
	19.—DEVONSHIRE.							
279	AXMINSTER (inc. Lyme Regis) -	3'02	3'08	3'07	19	20	19	19
280	HONITON (inc. Ottery St. Mary & Sidmouth) -	3'39	3'47	3'59	18	19	19	19
281	ST. THOMAS (inc. Exmouth, Topsham, and Suburbs of Exeter, and the County Lunatic Asylum) -	2'71	2'68	2'66	18	19	20	19
	St. Thomas (exclud. County Lunatic Asylum)* -	—	—	—	—	19	19	—
282	(e) EXETER -	'06	'05	'05	25	24	25	25
283	(f) NEWTON ABBOT (inc. Dawlish, Torquay, and East and West Teignmouth) -	2'43	2'11	1'85	19	18	20	19
284	TOTNES (inc. Dartmouth, Brixham, and Paignton) -	2'89	2'94	2'86	19	19	20	19
285	KINGSBRIDGE -	3'40	3'58	3'76	17	18	19	18
286	PLYMPTON ST. MARY -	3'82	3'76	3'49	18	19	19	19
287	(g) PLYMOUTH -	'04	'03	'02	25	24	23	24
288	(h) EAST STONEHOUSE (inc. pt. of Devonport) -	'02	'01	'01	29	27	27	28

* The average number of inmates, and the deaths in each year 1861-70 in these Asylums, are given in Table b, p. cxi.

† On 21st May 1869 the district of Salisbury was merged in Alderbury district.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.
		1869	1870				1869	1870	
(a) ALDERBURY	Salisbury General Infirmary -	37	39	77	(f) NEWTON ABBOT	Teignmouth, Newton, & Daw-	5	3	5
"	Fisherton House Lunatic Asyl.	See p. cxxii.				lish Infirmary -			
(b) WYMOUTH	Royal Infirmary -	1	4	2		Torbay with Tormoham Infr-			
"	Sanatorium -	3	4	7	"	mary and Dispensary -	6	5	23
(c) DORCHESTER	County Hospital -	12	17	57	"	Western Hos. (Incip. Consump.	2	2	28
(d) SHERBORNE	Yeoman Hospital -	1	3	18	(g) PLYMOUTH	Sth. Devon & E. Cornwall Hos.	15	21	21
(e) EXETER	Devon and Exeter Hospital -	54	63	189	(h) EAST STONEHOUSE	Royal Naval Hospital -	71	78	267

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

V.—SOUTH WESTERN COUNTIES—continued.

DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
	ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
19.—DEVONSHIRE—cont.							
(a) STOKE DAMEREL (inc. pt. of Devonport)	·05	·04	·04	26	23	21	23
TATISTOCK	5·88	4·69	4·79	19	20	19	19
OKEMHAMPTON	5·98	6·51	6·70	16	18	17	17
CREDITON	4·20	4·37	4·63	17	18	19	18
TIVERTON	4·64*	3·29	3·40	20*	21	20	20
SOUTH MOLTON	5·93	6·20	7·48	18	18	18	18
(b) BARNSTAPLE (inc. Ilfracombe and Lynton)	3·97	4·02	4·66	17	18	18	18
TORRINGTON	4·57	4·74	4·91	17	17	19	18
BIDEFORD (inc. Northam)	3·75	3·52	3·42	17	19	19	18
HOLSWORTHY	7·32	7·94	8·55	16	18	18	17
20.—CORNWALL.							
STRATTON	6·04	6·55	6·86	17	20	19	19
CAMELFOED	6·28	6·39	6·40	17	19	18	18
LAUNCESTON	5·25	5·76	5·91	17	19	18	18
St. GERMANS	2·89	2·76	2·49	21	21	20	21
LISKEARD	3·76	3·41	3·17	18	20	19	19
(c) BODMIN (inc. County Lunatic Asylum)	4·31	4·43	4·52	18	20	20	19
Bodmin (excl. County Lunatic Asylum)†	—	—	—	—	19	18	—
St. CULSTUM (inc. Padstow)	4·69	4·61	4·69	17	18	19	18
St. AUSTELL	1·81	1·74	1·77	19	20	20	20
(d) TRURO	2·16	2·16	2·17	20	20	22	21
PALMOUTH (inc. Penryn)	1·23	1·23	1·15	21	20	22	21
HELSTON	2·38	2·48	2·48	18	20	21	20
REDRUTH (inc. Camborne and Gwemnap)	·79	·73	·73	20	21	23	21
PENZANCE (inc. St. Ives and Marazion)	1·26	1·20	1·19	20	21	22	21
SCILLY ISLANDS	1·37	1·41	1·58	19	18	20	19
21.—SOMERSETSHIRE.							
WILLITON	5·56	5·40	5·50	17	18	18	18
DULVERTON	—	12·91	9·69	—	16	17	18
WELLINGTON (inc. Wiveliscombe)	2·75	2·84	2·93	19	18	18	18
(e) TAUNTON	2·06	1·99	1·98	20	20	19	20
BRIDGWATER	2·84	2·73	2·63	20	19	19	19
LANGPORT	3·24	3·24	3·32	18	19	19	19
CHARD (inc. Ilminster and Crewkerne)	2·29	2·34	2·32	19	20	19	19
YEovil	1·85	1·84	1·83	21	21	19	20
WINCANTON	3·10	3·09	3·11	20	20	19	20
FROME	—	2·09	2·13	—	22	20	21
SHEPTON Mallet	2·35	2·96	3·04	22	20	19	20
Wells (inc. Glastonbury and County Lunatic Asylum)	3·09	3·00	2·93	20	21	22	21
Wells (excl. County Lunatic Asylum)†	—	—	—	—	19	19	—
(g) AXBRIDGE (inc. Weston-super-Mare)	3·24	3·06	2·81	18	17	19	18
CLEUTTON (inc. Midsomer Norton)	1·87	1·92	1·98	19	19	19	19
(h) BATH	·44	·44	·44	24	22	22	23
KENSHAM	1·51	1·54	1·49	19	19	20	19
(i) BEDMINSTER (inc. Clevedon, and pt. of Bristol City)	1·53	1·44	1·20	20	20	20	20

* In the 10 Years 1841-50 Dulverton formed part of the District of Tiverton (293).

† The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., page cxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) STOKE DAMEREL	Royal Albert Hosp. & Eye Infr. Military Hospital	22	23	130	(f) BRIDGWATER	Infirmery	—	2	20
(b) BARNSTAPLE	North Devon Infirmery	15	21	174	(g) AXBRIDGE	Weston-super-Mare Hospital	13	6	4
(c) BODMIN	East Devon Infirmery	11	11	62	(h) BATH	Mineral Water Hospital	4	6	122
(d) TIVERTON	Royal Cornwall Infirmery	1	1	8	(i) BEDMINSTER	Royal Bath United Hospital	70	82	77
(e) TAUNTON	Taunton and Somerset Hosp.	12	14	51		Bristol General Hos. (part of)	40	52	45
		14	23	2					

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

VI.—WEST MIDLAND COUNTIES.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
22.—GLOUCESTERSHIRE.								
329	(a) BRISTOL * - - - - -	'01	'01	'01	29	28	29	29
330	(b) CLIFTON * (inc. pt. of Bristol City) - - -	'41	'34	'26	23	20	20	21
331	CHIPPING SODBURY - - - - -	3'30	3'34	3'33	20	19	20	20
332	THORNBURY - - - - -	4'00	4'00	3'89	18	17	17	17
333	DURSLEY (inc. Wotton-under-Edge) - - -	1'69	1'89	2'01	21	21	20	21
334	WESTBURY-ON-SEVERN - - - - -	2'55	2'26	2'02	19	18	19	19
335	NEWENT - - - - -	3'73	3'62	3'71	19	19	19	19
336	(c) GLOUCESTER (inc. County Lunatic Asylum) -	1'09	'96	'84	24	22	22	23
	Gloucester (excl. County Lunatic Asylum)†	—	—	—	—	21	21	—
337	WHEATENHURST - - - - -	3'07	3'10	3'25	20	19	17	19
338	(d) STROUD (inc. Bisley) - - - - -	1'15	1'18	1'12	21	22	21	21
339	TETBURY - - - - -	4'22	4'15	4'19	18	18	19	18
340	CIRENCESTER - - - - -	4'06	4'04	4'02	20	20	18	19
341	NORTLEACH - - - - -	6'25	6'18	6'30	18	19	18	18
342	STOW-ON-THE-WOLD - - - - -	4'23	4'19	4'26	18	18	20	19
343	WINCHCOMB - - - - -	5'71	5'69	5'63	17	18	18	18
344	(e) CHELTENHAM - - - - -	'59	'53	'50	20	19	19	19
345	TEWKESBURY - - - - -	2'59	2'59	2'69	21	21	20	21
23.—HEREFORDSHIRE.								
346	LEDBURY - - - - -	3'75	3'48	3'49	19	18	17	18
347	ROSS - - - - -	3'67	3'49	3'38	20	20	20	20
348	(f) HEREFORD - - - - -	4'17	3'90	3'54	22	21	21	21
349	WOBLEY - - - - -	5'69	5'52	5'43	20	20	18	19
350	BROMYARD - - - - -	5'32	5'25	5'19	20	20	19	20
351	LEOMINSTER - - - - -	4'48	4'32	4'17	22	21	20	21
24.—SHROPSHIRE.								
352	LUDLOW - - - - -	4'82	4'79	4'65	20	19	20	20
353	CLUN (inc. Bishops Castle) - - - - -	8'23	8'00	7'75	20	18	18	19
354	CHURCH STRETTON - - - - -	7'55	7'42	7'36	19	18	18	18
355	CLEOBURY MORTIMER - - - - -	6'30	6'45	6'58	19	18	18	18
356	(g) BRIDGNORTH - - - - -	4'44	4'43	4'47	21	19	18	19
357	SHIFFNAL - - - - -	4'09	3'92	3'72	21	18	19	19
358	MADDELEY (inc. Ironbridge and Much Wenlock)	1'09	1'01	'97	23	21	22	22
359	ATCHAM - - - - -	5'48	5'39	5'52	18	18	17	18
360	(h) SHREWSBURY (inc. Lunatic Asylum for Counties of Salop and Montgomery) -	'81	'74	'68	26	25	25	26
	Shrewsbury (excl. Lunatic Asylum)†	—	—	—	—	24	25	—
361	OSWESTRY - - - - -	3'36	3'31	3'04	19	19	21	20
362	ELLESMERE - - - - -	4'60	4'76	4'89	20	19	19	19
363a	WEM - - - - -	3'86	4'81	4'90	20	20	19	20
363b	WHITCHURCH - - - - -		3'45	3'44		20†	21	20
364	MARKET DRAYTON - - - - -	4'83	4'78	4'70	20	20	18	19
365	WELLINGTON - - - - -	1'65	1'59	1'37	21	22	22	22
366	NEWPORT - - - - -	3'13	3'06	3'03	20	20	18	19

* The Workhouse belonging to Bristol is situated in Clifton District, and a correction has been made on that account in the mortality of the two Districts; this Workhouse contained 1081 special inmates in 1871, and the estimated average annual deaths in the 10 years 1861-70 were 161.

† The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., page cxi.

‡ The District of Whitchurch was formed in April 1853; the mortality given above is therefore the average annual rate during 7½ years.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) BRISTOL - -	General Hospital (pt. of) - -	61	29	65	(d) STROUD - -	General Hospital - -	3	3	8
" - -	Royal Infirmary - -	135	158	209	(e) CHELTENHAM -	General Hosp. and Dispensary -	15	16	23
" - -	Hospital for Sick Children - -	11	22	36	(f) HEREFORD - -	General Infirmary - -	27	25	36
(b) CLIFTON - -	Bristol Lunatic Asylum - -	See p. cxlii.			(g) BRIDGNORTH -	South Salop & Bridgnorth Infirmary -	3	—	—
(c) GLOUCESTER -	St. Luey's Hosp. for Children -	7	3	29	(h) SHREWSBURY -	Infirmary - -	45	53	196
" - -	General Infirmary - -	32	35	121					

Density OF POPULATION AND ANNUAL MORTALITY in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS OF ENGLAND—continued.

VI.—WEST MIDLAND COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
25.—STAFFORDSHIRE.								
267	(a) STAFFORD (inc. County Lunatic Asylum)	2'42	2'20	2'04	22	22	23	22
268	Stafford (exclud. Lunatic Asylum)*	—	—	—	—	20	20	—
269	(b) STONE	3'50	3'32	2'04	21	20	20	20
270	NEWCASTLE-UNDER-LYME	1'33	1'15	'98	25	23	22	24
271	WOLSTANTON (inc. Burslem and Tunstall)	'37	'28	'22	23	24	25	26
272	(c) STROKE-UPON-TRENT (inc. Hanley and Longton)	'23	'19	'15	27	26	26	26
273	LEEK	3'29	3'05	2'66	21	24	21	22
274	URDREALE	3'06	2'82	2'61	21	21	21	21
275	UTTOXETER	4'18	4'20	4'32	18	20	20	19
276	BURTON-UPON-TRENT (inc. Lunatic Asylum for the County of Derby)	2'00	2'40	1'87	20	21	21	21
277	Burton-upon-Trent (exclud. Lunatic Asylum)*	—	—	—	—	20	21	—
278	TAMWORTH	3'48	3'17	2'81	19	20	20	20
279	LICHFIELD (inc. County Lunatic Asylum)	2'90	2'71	2'44	19	20	20	20
280	Lichfield (exclud. Lunatic Asylum)*	—	—	—	—	—	20	—
281	PENKIDGE	4'30	3'99	3'38	19	20	18	19
282	(d) WOLVERHAMPTON	'58	'47	'42	27	28	24	26
283	WALSALL (inc. Darlaston)	'56	'42	'33	24	26	24	25
284	WEST BROMWICH (inc. Oldbury and Wednesbury)	'32	'24	'19	23	24	22	23
285	DUDLEY (inc. Tipton, Rowley, and Sedgley)	'19	'15	'14	25	26	25	25
26.—WORCESTERSHIRE.								
286	STOURBRIDGE (inc. Halesowen)	'31	'26	'23	24	23	22	23
287	(e) KIDDERMINSTER (inc. Bewdley)	1'20	1'18	1'14	22	21	21	21
288	TENSBURY	5'09	4'09	4'73	19	17	18	18
289	MARTLEY	3'99	3'72	3'42	19	18	17	18
290	(f) WORCESTER	'24	'23	'21	24	23	25	24
291	UPTON-ON-SEVERN (inc. Great Malvern, and the County Lunatic Asylum)	3'03	2'71	2'39	18	20	20	19
292	Upton-on-Severn (exclud. Lunatic Asylum)*	—	—	—	—	19	17	—
293	EVESHAM	3'29	3'19	3'08	20	19	18	19
294	PERSHORE	3'88	3'81	3'73	19	17	17	18
295	DROITWICH	3'17	3'02	2'65	19	18	19	19
296	BROMSGROVE (inc. Redditch)	2'01	1'86	1'76	22	20	21	21
297	KINGS NORTON (inc. pt. of Birmingham Borough)	1'08	'73	'50	17	17	17	17
27.—WARWICKSHIRE.								
298	(g) BIRMINGHAM	'02	'01	'01	26	27	27	27
299	ASTON (inc. pt. of Birmingham Borough)	'53	'37	'25	21	21	21	21
300	MERRIDEN	4'32	4'31	4'36	20	18	18	19
301	ATHERSTONE	2'50	2'37	2'32	21	20	20	20
302	NUNEATON	1'58	1'54	1'60	27	23	23	24
303	FOLESHILL (inc. Bedworth)	1'23	1'01	1'04	25	25	23	24

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., p. cxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) STAFFORD	General Infirmary	31	27	53	(f) WORCESTER	Infirmary	46	53	67
(b) STONE	Colon Hill Lunatic Asylum	See p. cxxii.	—	—	(g) BIRMINGHAM	Children's Hospital	27	55	66
(c) STROKE-UPON-TRENT	Convent Hospital	3	2	136	"	Queen's Hospital	119	134	129
(d) WOLVERHAMPTON	North Staffordshire Infirmary	63	78	144	"	Homoeopathic Hospital	5	3	12
(e) KIDDERMINSTER	South Staffordshire Hospital	32	48	97	"	General Hospital	189	198	226
	Infirmary	5	4	7	"	Borough Lunatic Asylum	See p. cxxii.	—	—

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

VI.—WEST MIDLAND COUNTIES—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
No.	27.—WARWICKSHIRE—cont.							
400	(a) COVENTRY - - - - -	·16	·14	·13	27	25	21	24
401	RUGBY - - - - -	3·67	3·37	3·26	19	19	18	19
402	SOLIHULL - - - - -	3·86	3·66	3·25	18	18	16	17
403	(b) WARWICK (inc. Leamington, and the County Lunatic Asylum)	1·68	1·55	1·44	20	21	21	21
	Warwick (exclud. County Lunatic Asylum)*	—	—	—	—	20	20	—
404	STRATFORD-ON-AVON - - - - -	3·83	3·76	3·60	20	19	18	19
405	ALCESTER - - - - -	3·06	3·05	2·99	21	21	19	20
406	SHIPSTON-ON-STOUR - - - - -	3·91	3·90	3·99	20	20	18	19
407	SOUTHAM - - - - -	4·94	4·82	4·82	21	19	18	19

VII.—NORTH MIDLAND COUNTIES.

28.—LEICESTERSHIRE.								
408	LUTHERWORTH - - - - -	3·66	3·72	3·97	18	19	19	19
409	MARKET HARBOUROUGH - - - - -	4·05	4·02	3·99	20	20	19	20
410	(c) BILLESDON - - - - -	7·34	7·10	6·84	18	16	16½	17
411	BLADY - - - - -	2·45	2·41	2·36	20	21	20	20
412	HINCKLEY - - - - -	1·56	1·70	1·73	22	23	22	22
413	MARKET BOSWORTH - - - - -	3·93	3·96	3·91	19	19	19	19
414	ASHBY-DE-LA-ZOUCH (inc. Whitwick) - - - - -	2·00	1·85	1·73	20	21	20	20
415	(d) LOUGHBOROUGH - - - - -	1·82	1·84	1·81	22	23	23	23
416	BARROW-ON-SOAR - - - - -	2·41	2·40	2·32	21	22	21	21
417	(e) LEICESTER (inc. Lunatic Asylum for the Counties of Leicester and Rutland)	·07	·06	·04	27	25	26	26
	Leicester (exclud. Lunatic Asylum)*	—	—	—	—	25	26	—
418	MELTON MOWBRAY - - - - -	4·92	4·82	4·89	17	19	19	18
29.—RUTLANDSHIRE.								
419	OAKHAM - - - - -	4·84	4·86	4·95	20	19	20	20
420	UPPINGHAM - - - - -	4·27	4·19	4·25	19	18	18	18
30.—LINCOLNSHIRE.								
421	(f) STAMFORD - - - - -	2·87	2·78	2·93	19	20	19	19
422	BOURN - - - - -	5·00	4·90	4·52	18	19	19	19
423	SPALDING - - - - -	3·40	3·32	3·82	22	20	19	20
424	HOLBEACH - - - - -	5·94	5·72	5·08	21	21	19	20
425	BOSTON - - - - -	3·43	3·29	3·31	21	19	19	20
426	SLEAFORD - - - - -	5·52	5·33	5·19	19	19	18	19
427	GRANTHAM - - - - -	3·75	3·54	3·50	18	19	19	19
428	(g) LINCOLN (inc. County Lunatic Asylum)	4·07	3·57	3·20	21	20	21	21
	Lincoln (exclud. County Lunatic Asylum)*	—	—	—	—	20	20	—
429	HORNCASTLE - - - - -	4·70	4·56	4·69	19	19	18	19
430	SPILSBY - - - - -	5·04	4·86	4·83	18	19	15	18
431	LOUTH - - - - -	5·43	5·01	4·91	21	20	19	20
432	CAISTON (inc. Grimsby and Market Rasen)	5·68	4·85	4·03	18	19	19	19
433	GAINFORD BRIDGE (inc. Barton-upon-Humber)	5·20	4·83	4·66	19	19	20	19
434	GAINSBOROUGH - - - - -	4·09	4·08	4·08	22	20	21	21

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., p. cxi.
† BILLESDON.—The rate of mortality in the 10 years 1861-70 has been corrected for defective registration.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.
		1869	1870				1869	1870	
(a) COVENTRY - -	Coventry & Warwicksh. Hosp. -	14	12	25	(e) LEICESTER - -	Infirmary and Fever House -	87	88	100
(b) WARWICK - -	Warneford Hospital - - -	22	13	55	(f) STAMFORD - -	Gen. Infirmy. (Stamfrd. & Rutld.	11	7	21
(c) BILLESDON - -	Leicester Borough Lunatic Asyl.	See p. cxiii.			(g) LINCOLN - -	County Hospital - - -	25	16	81
(d) LOUGHBOROUGH	Infirmary and Dispensary -	3	4	10					

DENSITY OF POPULATION AND ANNUAL MORTALITY in the THREE DECENNIADS **1841-50, 1851-60, and 1861-70** in the DISTRICTS OF ENGLAND—continued.

VII.—NORTH MIDLAND COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	31.—NOTTINGHAMSHIRE.							
635	EAST RETFORD - - - - -	4'15	4'03	4'01	19	19	19	19
636	WORKSOP - - - - -	4'35	4'06	3'40	18	20	20	19
637	MANFIELD - - - - -	1'94	1'84	1'63	20	21	22	21
638	BASFORD (inc. Ilkeston) - - - - -	1'41	1'27	1'11	21	23	22	22
639	RADFORD (inc. pt. of Suburbs of Nottingham, and the County Lunatic Asylum) - - - - -	2'28	2'24	2'21	22	25	23	23
	Radford (exclud. Lunatic Asylum)* - - - - -	—	—	—	—	25	22	—
640	(a) NOTTINGHAM - - - - -	4'03	4'03	4'02	26	27	24	26
641	SOUTHWELL - - - - -	4'64	4'70	4'97	17	19	19	18
642	(b) NEWARK - - - - -	3'25	3'10	3'16	20	20	20	20
643	BINGHAM - - - - -	4'20	4'27	4'48	18	19	19	19
	32.—DERBYSHIRE.							
644	SHARDLOW (inc. Melbourne) - - - - -	2'26	2'31	2'30	20	20	19	20
645	(c) DERBY - - - - -	2'08	2'06	2'06	24	24	23	24
646	BELPER (inc. Alfreton and Ripley) - - - - -	1'43	1'35	1'26	21	21	22	21
647	ASHBORNE - - - - -	4'35†	4'30	5'03	20†	20	20	20
648	(d) CHESTERFIELD (inc. Claycross and Staveley) - - - - -	2'23	1'79	1'36	21	22	22	22
649	BAKEWELL (inc. Matlock) - - - - -	—	3'36	3'38	†	20	21	20
650	(e) CHAPEL-EN-LE-FRITH (inc. Buxton) - - - - -	†	5'30	4'54	†	20	21	20
651	HATFIELD - - - - -	1'82	1'58	1'51	22	23	22	22

VIII.—NORTH WESTERN COUNTIES.

	33.—CHESHIRE.							
652	(f) STOCKPORT (inc. Hyde) - - - - -	2'35	2'33	2'32	25	26	25	25
653	MACCLESFIELD - - - - -	1'37	1'31	1'36	20	25	23	25
654	ALTRINCHAM (inc. Sale) - - - - -	2'26	1'98	1'63	21	20	19	20
655	RUNCORN - - - - -	1'79	1'74	1'60	22	21	23	22
656	NORTHWICH - - - - -	2'17	2'03	1'78	21	22	22	22
657	CONGLETON (inc. Sandbach) - - - - -	1'78	1'63	1'55	22	23	22	22
658	NANTWICH (inc. Crewe) - - - - -	3'37	2'59	2'55	21	20	20	20
659	(g) CHESTER (formerly GREAT BOUGHTON) (inc. County Lunatic Asylum) - - - - -	2'14	1'93	1'71	23	22	23	23
660	Chester (exclud. County Lunatic Asylum)* - - - - -	—	—	—	—	22	22	—
661	WIRRAL - - - - -	—	—	4'21	—	—	18	—
662	(A) BIRKENHEAD (inc. Trannmere) - - - - -	2'52	1'64	1'33	20	19	23	20

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table d., page cxxi.
† Ashborne includes Bakewell and Chapel-en-le-Frith for the 10 years 1841-50.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) NOTTINGHAM	General Hospital - - - - -	58	55	95	(f) STOCKPORT	Infirmary - - - - -	27	31	24
	Sick Child's Hospital - - - - -	—	1	9		Convalescent Hospital - - - - -	3	2	37
(b) NEWARK	Hospital and Dispensary - - - - -	8	4	12		Manchester Royal Lunatic Asyl.	38	34	66
(c) DERBY	Derbyshire and General Infirmary - - - - -	63	72	84	(g) CHESTER	General Infirmary - - - - -	12	11	23
(d) CHESTERFIELD	Chesterfield and North Derbyshire Hospital - - - - -	—	—	12	(A) BIRKENHEAD	Lying-in Hospital - - - - -	—	—	2
(e) CHAPL-EN-LE-FRITH	Devonshire Hospital - - - - -	5	3	73		Children's Hospital - - - - -	—	1	4

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECADES 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

VIII.—NORTH WESTERN COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	34.—LANCASHIRE.							
461	(a) LIVERPOOL - - - - -	·01	·01	·01	36*	33	30	36
462	(b) WEST DERBY (inc. pt. of Liverpool Borough) -	·34	·22	·14	26	23	26	25
463	PRESCOT (inc. Widnes, and County Lunatic Asylum) -	1·14	·88	·67	23	24	24	24
	Prescot (exclud. Lunatic Asylum)†	—	—	—	—	23	23	—
464	(c) ORMSKIRK (inc. Southport) - - - - -	2·47	2·14	1·72	20	19	22	20
465	WIGAN (inc. Hindley) - - - - -	·66	·55	·47	28	27	29	28
466	(d) WARRINGTON - - - - -	·80	·75	·63	26	24	28	25
467	LEIGH (inc. Tyldesley) - - - - -	·41	·67	·61	27	25	25	25
468	(e) BOLTON (inc. Farnworth) - - - - -	·40	·34	·32	27	27	26	27
469	BURY (inc. Heywood) - - - - -	·40	·35	·32	25	23	24	24
470	BARFON-UPON-IRWELL (inc. Stretford) - - -	·27	·06	·54	25	22	22	23
471	(f) CHORLTON (inc. pt. of Manchester City) -	·08	·08	·06	25	24	25	25
472	(g) SALFORD - - - - -	·08	·06	·05	28	26	27	27
473	(h) MANCHESTER (inc. County Lunatic Asylum) -	·06	·05	·05	33	31	33	32
	Manchester (exclud. Lunatic Asylum)†	—	—	—	—	31	32	—
474	(i) ASHTON-UNDER-LYNE (inc. Stalybridge) -	·35	·30	·29	26	27	25	26
475	OLDHAM - - - - -	·21	·17	·14	26	25	26	26
476	ROCHDALE (inc. pt. of Bacup) - - - - -	·52	·42	·35	24	24	24	24
477	HASLINGDEN (inc. pt. of Bacup) - - - - -	·58	·44	·36	22	22	23	22
478	BURNLEY - - - - -	1·08	·91	·78	23	24	24	24
479	CLITHEROE - - - - -	5·25	5·67	5·74	19	21	20	20
480	(j) BLACKBURN (inc. Oswaldtwistle and Over Darwen) -	·53	·41	·35	25	26	26	26
481	CHORLEY - - - - -	1·36	1·32	1·29	22	22	23	22
482	(k) PRESTON - - - - -	·78	·66	·60	25	27	28	27
483	PYLYE (inc. Fleetwood-on-Wyre & Blackpool)	2·75	2·48	2·10	18	19	21	19
484	GARSTANG - - - - -	4·76	4·87	4·97	16	18	18	17
485a	(l) LANCASTER (inc. County Lunatic Asylum) -	4·01	3·97	3·69	23	23	22	23
485b	LUNESDALE - - - - -	—	—	—	—	21	20	—
	Lancaster (exclud. County Lunatic Asylum)†	—	—	—	—	21	20	—
486	(m) ULVERSTON (inc. Barrow-in-Furness) -	5·30	4·58	3·34	18	20	21	20

IX.—YORKSHIRE.

35.—WEST RIDING.								
487	SEDBERGH - - - - -	11·24	11·80	11·23	18	19	16	18
488	SETTLE - - - - -	10·91	11·66	10·99	20	20	18	19
489	SKIPTON - - - - -	5·22	5·22	4·99	20	21	21	21

* In calculating the mortality of Liverpool, for the 10 years 1841-50, the year 1847 (the year of the Irish famine and immigration) has been omitted; including that year the mortality was 39 annually to every 1000 living.

† The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., page cxi.

‡ The District of Lunsdale was formed out of the Lancaster District on 1st July 1869; the density and mortality of the new district are included with that of the Lancaster district.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) LIVERPOOL	Northern Hospital - - - - -	111	137	110	(f) CHORLTON - -	Manchester Southern Hospital	-	1	115
"	Southern and Toxteth Hospital -	98	109	79	(g) SALFORD - -	Royal Hospital and Dispensary	18	26	23
"	Royal Infirmary - - - - -	196	192	228	(h) MANCHESTER -	Lock Hospital - - - - -	-	5	25
"	Children's Infirmary - - - - -	23	32	55	"	St. Mary's Hospital - - -	14	17	23
"	Lock Hospital - - - - -	-	4	37	"	Gen. Hosp. & Disp. for Children	16	14	21
"	Lunatic Hospital - - - - -	5	5	42	"	Royal Infirmary & Dispensary	321	311	293
"	Lying-in Hospital - - - - -	8	13	-	"	Clinical Hospital - - - -	13	9	21
(b) WEST DERBY	Fever Hospital - - - - -	-	162	143	(i) ASHTON-UN-LNE	Infirmary - - - - -	-	31	41
"	Booth Borough Hospital - - - -	-	36	-	(j) BLACKBURN -	Blackburn & E. Lancash. Infry.	13	24	15
(c) ORMSKIRK	Convalescent Hospital - - - -	4	4	(9)	(k) PRESTON - -	Royal Infirmary - - - -	-	6	11
"	Hydropathic Hospital - - - -	5	-	40	(l) LANCASTER -	Infirmary and Dispensary	5	11	6
(d) WARRINGTON	Haydock Lodge Lunatic Asyl. -	See p. ccvii.			(m) ULVERSTON -	North Lonsdale Hospital -	-	5	14
(e) BOLTON	Infirmary and Dispensary - - -	15	13	17					

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

IX.—YORKSHIRE—continued.

DISTRICTS.

DENSITY OF POPULATION.

ACRES TO A PERSON.

ANNUAL MORTALITY.

DEATHS TO 1000 LIVING.

1841-50

1851-60

1861-70

1841-50

1851-60

1861-70

Mean of
30 Years
1841-70

35.—WEST RIDING—cont.

400	PATNEY BRIDGE	8.71	7.87	8.24	19	21	21	20
401	REPOH	4.40	4.44	4.02	18	20	20	19
402a	GREAT OUSEBURN *	3.15	3.45	3.45	20	18	21	20
402b	(a) KNARESBOROUGH (inc. Harrogate)	2.45	2.27	2.27	20	21	21	20
403	WETHERBY *	4.36	*	*	18	*	*	21
404	(b) WHARFEDALE * (inc. Otley and Guiseley)	2.78	2.60	*	20	22	*	21
405	KEIGHLEY (inc. Bingley)	1.12	1.01	.77	21	23	24	23
406	TODMORDEN	1.16	1.18	1.13	21	20	22	21
407	SADDLEWORTH	1.06	1.00	.98	22	24	23	23
408	(c) HUDDERSFIELD (inc. Golcar)	.61	.56	.53	22	22	24	23
409	(d) HALIFAX (inc. Northowram)	.49	.46	.40	22	24	24	23
410	(e) BRADFORD	.26	.21	.18	25	26	25	25
411	HUNSALET †							
412	HOLBECK †	.47	.40	.37	25	24	26	25
413	BRAMLEY †							
414	(f) LEEDS	.02	.02	.02	30	28	30	29
415	DEWSBURY (inc. Batley)	.37	.30	.23	23	25	26	25
416	(g) WAKEFIELD (inc. West Riding Lunatic Asylum)	.85	.79	.60	23	24	26	24
417	Wakefield (excl. Lunatic Asylum) ‡	—	—	—	—	23	23	—
418	PONTEFRAC (inc. Castleford)	2.60	2.04	1.60	21	22	23	22
419	(A) HEMSWORTH	4.25	4.38	4.38	16	16	19	19
420	(A) BARNLEY	.88	.68	.68	23	24	25	24
421	WOITLEY	2.65	2.24	2.24	21	21	21	22
422	ECCLESALL BIERLOW (inc. pt. of Sheffield Borough)	.51	.35	.23	22	23	23	23
423	(i) SHEFFIELD	.11	.09	.07	27	28	29	28
424	ROTHERHAM (inc. Kimberworth)	1.64	1.31	1.04	20	22	24	23
425	(j) DONCASTER	3.25	2.94	2.68	21	22	22	22
426	THORNES	4.61	4.51	4.31	21	21	22	21
427	GOOLE	3.12	2.84	2.68	22	21	23	22
428	SELBY	3.02	3.54	3.52	21	21	21	21
429	TADCASTER *	3.97	3.84	*	19	19	*	19

36.—EAST RIDING (WITH YORK).

430	(k) YORK (inc. North and East Ridings Lunatic Asylum)	1.84	1.46	1.32	24	24	24	24
431	York (excl. Lunatic Asylum) ‡	—	—	—	—	23	23	—
432	POCKLINGTON	7.02	6.74	6.77	19	19	18	19
433	HOWDEN	5.28	5.15	5.18	19	23	23	22

* For the 10 years 1861-70 the density of population and mortality in the districts of Wetherby (402 c), Wharfedale (403), and Tadcaster (514) cannot be given separately from that of Great Ouseburn (402 a) in consequence of numerous and intricate alterations having been made since 1861 in the constitution of these four districts.

† The districts of Holbeck and Bramley have been formed since 1861, chiefly out of parts of the old district of Hunslet; the changes involved have been so numerous as to render it necessary to give in this Table the density of population and mortality of the three districts combined.

‡ The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b, page cxxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.	Special In- mates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.	Special In- mates at Census 1871.
		1869	1870			1869	1870
(a) KNARESBOROUGH	Rath Hospital	5	1	(a) WAKEFIELD	Clayton Hos. & Wakefield Gen. Dis.	10	5
(b) WHARFEDALE	Cockbridge Convalescent Hosp.	5	5	(b) BARNSEY	Beckett's Hosp. and Dispensary	2	3
(c) HUDDERSFIELD	Thley Hospital	1	18	(c) SHEFFIELD	Hospital for Women	4	3
(d) HALIFAX	New North Road Infirmary	24	33	"	Public Hospital and Dispensary	40	18
(e) BRADFORD	Infirmary	30	32	"	General Infirmary	132	137
"	Infirmary	87	85	(j) DONCASTER	Infirmary and Dispensary	2	9
"	Saltire Infirmary	2	1	(k) YORK	York Lunatic Hospital	See p. cxxii.	19
(f) LEEDS	House of Recovery or Fer. Hos.	79	82	"	County Hospital	25	28
"	General Infirmary	151	168	"	York Retreat Asylum	See p. cxxii.	84
"	Hospital for Women & Child.	1	2				

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

IX.—YORKSHIRE—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
36.—EAST RIDING—cont.								
518	BEVERLEY - - - - -	4'02	3'82	3'78	20	19	20	20
519	SCULCOATES (inc. pt. of Hull Borough) - -	'95	'80	'64	25	22	23	23
520	(a) HULL - - - - -	'02	'02	'02	31	25	26	27
521	PATRINGTON - - - - -	6'87	6'51	6'61	18	20	19	19
522	SKIRLAUGH - - - - -	7'33	7'08	6'94	20	19	19	19
523	DRIFFIELD - - - - -	6'34	5'94	5'78	19	20	21	20
524	BRIDLINGTON - - - - -	4'97	4'74	4'47	21	20	20	20
37.—NORTH RIDING.								
525	SCARBOROUGH (inc. Filey) - - - - -	3'84	3'20	2'63	21	21	22	21
526	MALTON - - - - -	5'18	4'98	5'01	20	19	20	20
527	EASINGWOLD - - - - -	6'04	6'25	6'45	17	18	18	18
528	THIRSK - - - - -	5'05	4'98	5'30	19	18	20	19
529	HELMSEY - - - - -	10'61	9'66	9'66	19	19	19	19
530	PICKERING - - - - -		9'65	8'51		19	20	19
531	WHITBY - - - - -	3'94	3'64	3'83	21	20	23	21
532	(b) GUISBOROUGH (inc. pt. of Middlesborough) -	8'52	5'64	2'95	16	20	22	19
533	STOKESLEY - - - - -	6'97	7'68	7'18	18	20	19	19
534	NORTHALLERTON - - - - -	9'46	5'55	5'63	18	19	19	19
535	BEDALE - - - - -	4'96	5'17	5'97	18	18	19	18
536	LEYBURN - - - - -	8'49	8'42	8'91	18	17	18	18
537	AYSGARTH (formerly ASKRIGG) - - - - -	14'25	14'36	14'57	19	20	20	20
538	REETH - - - - -	10'97	11'44	12'88	20	20	21	20
539	RICHMOND - - - - -	5'94	5'94	6'00	18	19	18	18

X.—NORTHERN COUNTIES.

38.—DURHAM.								
540	(c) DARLINGTON - - - - -	2'92	2'64	1'96	20	20	21	20
541a	(d) STOCKTON (inc. pt. of Middlesborough, and the County Lunatic Asylum) - - - - -	2'75	1'84	{ 1'30 }	21	22	{ 24 }	22
541b	(e) HARTLEPOOL - - - - -			{ '02 }			{ 22 }	
	Stockton (exclud. County Lunatic Asylum)* - -	—	—	—	—	22	23	—
542	ATCKLAND - - - - -	1'51	1'47	1'08	21	23	24	23
543	TEESDALE (inc. Barnard Castle) - - - - -	8'84	8'56	8'64	20	19	19	19
544	WEALEDALE - - - - -	7'95	6'35	5'53	20	21	21	21
545	(f) DURHAM - - - - -	2'55	1'77	1'37	23	23	21	22
546	(g) EASINGTON (inc. Seaham Harbour) - - - -	2'65	1'57	1'25	20	20	22	21
547	HOUGHTON-LE-SPRING - - - - -	'91	'78	'68	20	21	24	22
548	CHESTER-LE-STREET - - - - -	1'68	1'56	1'14	20	21	24	22
549	(h) SUNDERLAND (inc. Bishopwearmouth and Monkwearmouth) - - - - -	'19	'15	'11	24	25	24	24
550	SOUTH SHIELDS - - - - -	'48	'38	'26	23	24	24	25
551	(i) GATESHEAD - - - - -	'00	'48	'38	23	26	25	25

* The average number of inmates and the deaths in each year 1861-70 in this Asylum are given in Table b., page ccxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) HULL - - -	General Infirmary - - -	109	96	111	(e) HARTLEPOOL -	Hospital and Dispensary - -	9	8	16
- - -	Borough Lunatic Asylum - -	See p. ccxi.			(f) DURHAM - - -	County Hospital - - -	12	10	21
(b) GUTHROW -	North Ormsley Cottage Hosp. -	6	1	28	(g) EASTINGTON -	Seaham Harbour Infirmary -	2	3	-
(c) DARLINGTON	Hospital and Dispensary - -	4	9	10	(h) SUNDERLAND -	General Infirmary & Dispensary -	43	39	83
(d) STOCKTON -	North Riding Infirmary - -	7	12	34	(i) GATESHEAD - -	Fever and Small-pox Hospital -	13	7	-

Density of Population and Annual Mortality, 1841-70.

covii

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

X.—NORTHERN COUNTIES—continued.

DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
	ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
39.—NORTHUMBERLAND.							
(a) NEWCASTLE-UPON-TYNE - - - - -	'09	'07	'06	27	27	28	27
(b) TYNEMOUTH (inc. North Shields and Blyth) - - - - -	'66	'56	'45	24	25	24	24
(c) CASTLE WARD - - - - -	6'42	6'33	5'73	18	19	19	19
HEXHAM - - - - -	7'06	6'62	6'40	18	19	20	19
HALTWHISTLE - - - - -	14'56	13'78	14'08	16	17	17	17
BELLINGHAM - - - - -	35'15	36'14	34'80	17	14	19	17
MORPETH (inc. County Lunatic Asylum) - - - - -	5'76	4'53	3'54	18	19	23	20
Morpeth (exclud. Lunatic Asylum)* - - - - -	-	-	-	-	19	22	-
(d) ALNWICK - - - - -	4'06	4'69	4'84	19	19	20	19
BELFORD - - - - -	5'01	5'99	6'50	17	16	18	17
BERWICK - - - - -	2'36	2'31	2'46	21	19	20	20
GLENDALE - - - - -	10'35	10'73	11'44	15	15	15	15
ROTHBURY - - - - -	22'80	23'04	23'60	15	15	16	15
40.—CUMBERLAND.							
ALSTON - - - - -	5'74	5'59	6'12	20	20	21	20
PESEITH - - - - -	8'09	8'44	8'17	18	19	19	19
BLAMPTON - - - - -	8'94	8'81	9'10	17	17	19	18
LONGTOWN - - - - -	8'95	8'62	9'42	17	17	19	18
(e) CARLISLE (inc. Cumberland and Westmorland Lunatic Asylum) - - - - -	1'82	1'04	1'51	24	23	24	24
Carlisle (exclud. Lunatic Asylum)* - - - - -	-	-	-	-	-	24	-
WIGTON - - - - -	5'85	5'87	5'99	19	19	20	19
COCKERMOUTH (inc. Keswick, Maryport, and Workington) - - - - -	4'59	4'26	3'87	21	22	23	22
(f) WHITEHAVEN (inc. Cleator Moor) - - - - -	2'77	2'40	2'07	25	23	25	24
BOOTH - - - - -	15'85	15'36	12'05	16	16	18	17
41.—WESTMORLAND.							
EAST WARD (inc. Appleby) - - - - -	13'46	12'72	11'43	17	18	16	17
WEST WARD - - - - -	14'95	14'85	14'94	18	18	18	18
KENDAL - - - - -	5'50	5'30	5'07	20	19	19	19

XI.—MONMOUTHSHIRE AND WALES.

42.—MONMOUTHSHIRE.							
576 CREWSTON - - - - -	4'54	4'59	4'48	19	20	19	19
(g) 577 MONMOUTH - - - - -	3'86	3'53	3'29	19	19	20	19
578a ABERGAVENNY (inc. Lunatic Asylum belonging to the Counties of Monmouth, Brecon, Hereford, and Radnor) - - - - -	1'60	1'40	{ 2'84 }	25	25	{ 23 }	25
579b REDWELLY (inc. Tredegar) - - - - -	-	-	{ '56 }	-	-	{ 24 }	-
Abergavenny (exclud. Lunatic Asylum)* - - - - -	-	-	-	-	25	21	-
579c FORTYFOOL - - - - -	1'94	1'76	1'60	23	23	22	23
580 (A) NEWPORT - - - - -	2'88	2'32	1'96	24	22	21	23

* The average number of inmates and the deaths in each year 1861-70 in these Asylums, are given in Table b, p. cxxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(d) NEWCASTLE-ON-TYNE - - - - -	Infirmary - - - - -	143	127	164	(d) ALNWICK - - - - -	Infirmary - - - - -	-	6	3
" - - - - -	Children's Hospital - - - - -	4	3	20	(e) CARLISLE - - - - -	Cumberland Infirmary - - - - -	20	13	20
" - - - - -	Fever Hospital - - - - -	15	27	16	" - - - - -	Fever Hospital - - - - -	1	1	6
" - - - - -	Lying-in Hospital - - - - -	1	6	4	(f) WHITEHAVEN - - - - -	Whitehaven and West Cumberland Infirmary - - - - -	38	56	18
(b) TYNEMOUTH - - - - -	Walker Hospital & Infirmary - - - - -	-	9	8	(g) MONMOUTH - - - - -	General Hospital and Infirmary - - - - -	3	-	7
(c) CASTLE WARD - - - - -	Newcastle Borough Lunatic Asylum (Coxlodge) - - - - -	See p. cxxii.			(h) NEWPORT - - - - -	Infirmary and Dispensary - - - - -	5	1	8

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

XI.—MONMOUTHSHIRE AND WALES—continued.

DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
	ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
43.—SOUTH WALES.							
GLAMORGANSHIRE.							
581a (a) CARDIFF - - - - -	2'08	1'85	{ 1'21 }	22	23	{ 21 }	22
581b PONTYPRIDD - - - - -	1'74	1'23	{ 1'91 }	28	29	{ 23 }	27
582 (b) MERTHYR TYDFIL (inc. Aberdare) - - -	4'89	4'39	3'77	19	20	20	20
583 BRIDGEND (inc. County Lunatic Asylum) -	—	—	—	—	—	20	—
<i>Bridgend (exclud. Lunatic Asylum)*</i>							
584 NEATH (inc. Aberavon) - - - - -	4'12	3'10	2'64	22	22	22	22
585a (c) SWANSEA - - - - -	2'43	1'95	{ 1'74 }	19	20	{ 22 }	20
585b GOWER - - - - -	—	—	{ 6'77 }	—	—	{ 20 }	—
CARMARTHENSHIRE.							
586 (d) LLANELLY - - - - -	3'36	2'85	2'34	18	20	21	20
587 LLANDOVERY - - - - -	10'38	10'36	10'73	20	18	19	19
588 LLANDOFAWR - - - - -	5'54	5'52	5'69	19	19	19	19
589 (e) CARMARTHEN (inc. Lunatic Asylum for Carmarthen, Cardigan, Pembroke, and Haverfordwest) -	4'56	4'61	4'77	20	21	21	21
<i>Carmarthen (exclud. Lunatic Asylum)*</i>							
PEMBROKESHIRE.							
590 NARBERTH - - - - -	5'69	5'75	5'97	18	19	19	19
591 PEMBROKE (inc. Tenby) - - - - -	3'00	2'46	2'20	18	19	19	19
592 (f) HAVERFORDWEST (inc. Milford) - - -	4'47	4'45	4'73	17	21	21	20
CARDIGANSHIRE.							
593 CARDIGAN - - - - -	4'26	4'41	4'73	19	19	19	19
594 NEWCASTLE-IN-EMLYN - - - - -	5'52	5'78	5'98	18	18	18	18
595 LAMPETER - - - - -	7'07	7'02	7'58	18	18	17	18
596 ABERAYRON - - - - -	5'04	4'91	4'88	18	20	19	19
597 ABERYSTWITH - - - - -	5'77	5'39	5'01	18	19	20	19
598 TREGARON - - - - -	11'82	11'55	11'40	18	18	16	17
BRECKNOCKSHIRE.							
599 BUILTH - - - - -	12'07	12'37	12'43	16	18	19	18
600 (g) BRECKNOCK - - - - -	10'97	11'10	11'24	21	21	20	21
601 CRICKHOWELL - - - - -	2'73	2'43	2'52	27	25	23	25
602 HAY - - - - -	8'05	8'24	8'50	20	22	20	21
RADNORSHIRE.							
603a KINGSTON† (inc. Radnor) - - - - -	7'08	7'10	6'92	19	19	20	19
603b PRESTEIGNE - - - - -	10'76	10'18	9'77	18	16	19	18
604 KNIGHTON - - - - -	15'61	15'51	15'47	18	18	18	18
605 RHAYADER - - - - -	—	—	—	—	—	—	—

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., page ccki.

† The new district of Kingston (603a) was formed out of the district of Presteigne (603b) on 1st April 1870; the density and mortality of the new district are included with that of the district of Presteigne.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(a) CARDIFF - -	Infirmary and Dispensary - -	24	31	27	(d) LLANELLY - -	Hospital - -	3	3	5
" - -	Hospital Ship - -	10	16	88	(e) CARMARTHEN -	General Infirmary - -	6	7	25
(b) MERTHYR TYDFIL	Tydfil's Well Hospital - -	—	7	8	(f) HAVERFORDWEST	Infirmary - -	8	—	11
(c) SWANSEA - -	Fever Hospital - -	8	3	9	(g) BRECKNOCK - -	General Infirmary - -	8	3	11
" - -	New Hospital - -	—	9	27					

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

XL—MONMOUTHSHIRE AND WALES—continued.

DISTRICTS.	DENSITY OF POPULATION, ACRES TO A PERSON.			ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
44.—NORTH WALES.							
MONTGOMERYSHIRE.							
606	MACHYLLLETH - - - - -	9.55	9.52	9.07	19	21	21
607	NEWTOWN (inc. Llanidloes) - - -	7.42	7.76	7.83	21	21	21
608	FORDEN (formerly MONTGOMERY) (inc. pt. of Welshpool) - - - - -	4.30	4.74	4.63	20	19	20
609	LLANYLLIN (inc. pt. of Welshpool) - -	8.05	8.61	8.66	19	19	19
FLINTSHIRE.							
610	HOLTWELL (inc. Flint and Mold) - - -	1.97	1.99	1.93	21	21	22
DENBIGHSHIRE.							
611	(a) WREXHAM (inc. Rusbon) - - - - -	2.12	1.79	1.54	23	22	24
612	BUTHIN - - - - -	5.55	5.64	5.90	19	19	20
613	(b) ST. ASAPH (inc. Rhyl, and North Wales Lunatic Asylum) - - - - -	3.85	3.56	3.39	19	21	23
614	St. Asaph (exclud. Lunatic Asylum)* - - -	—	—	—	—	20	—
614	LLANWST - - - - -	8.12	7.97	7.79	19	19	19
MERIONETHSHIRE.							
615	CORWEN (inc. Llangollen) - - - - -	8.12	7.85	7.61	17	18	20
616	BALA - - - - -	8.52	8.91	9.00	18	18	18
617	DOLGELLY - - - - -	11.09	11.41	10.84	18	18	19
618	(c) FESTINIOG - - - - -	8.77	8.05	6.54	18	19	22
CAERNARONSHIRE.							
619	PWLLHELI - - - - -	4.30	4.37	4.42	17	18	18
620	CARNARVON - - - - -	3.31	3.11	2.73	20	22	23
621	(d) BANGOR - - - - -	3.26	3.07	2.97	21	21	22
622	CONWAY (inc. Llandudno) - - - - -	5.12	4.48	4.00	19	18	20
ANGLESEY.							
623	ANGLESEY (inc. Holyhead) - - - - -	3.41	3.16	3.36	17	19	21

* The average number of inmates and the deaths in each year 1861-70 in this Asylum, are given in Table b., page cxxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.
		1869	1870				1869	1870	
(a) WREXHAM - -	Infirmary and Dispensary - -	5	1	3	(d) BANGOR - -	Carnarvonsh. & Anglesey Infirry.	5	1	8
(b) ST. ASAPH - -	Denbighshire Infirmary - -	12	9	32	" - -	Pentryn Hospital - -	5	5	8
(c) FESTINIOG - -	Quarry Hospital - -	8	4	8					

Hospitals and Lunatic Asylums in Districts.

TABLE (a).—Institutions for which CORRECTIONS have been made in the Mortality of London Districts, 1861-70.

DISTRICT IN WHICH INSTITUTION IS SITUATE.	NAME OF INSTITUTION.	DEATHS REGISTERED.											SPECIAL INMATES.	
		1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	Annual Ave- rage.	1861	1871
1	KENSINGTON - - St. Mary's Hospital - - -	171	168	189	200	178	191	151	215	174	183	182'0	147	157
"	" - - Consumption Hospital - - -	127	121	142	161	150	127	135	138	144	142	138'7	137	198
2	CHELSEA - - Workh. belong. to ST.GEO., HAN.SQ.	29	24	30	38	25	41	44	34	39	37	34'2	320	334
3	ST. GEO., HAN. SQ. St. George's Hospital - - -	297	318	311	318	340	343	338	370	333	335	332'3	312	302
"	" - - Westminster Hospital - - -	143	186	147	183	182	174	164	182	168	205	173'2	144	162
7	MARYLEBONE - - Middlesex Hospital - - -	235	265	247	300	236	292	254	260	283	261	263'6	239	219
9	PANCRAS - - Workh. belong. to STRAND - - -	119	144	107	148	99	111	113	91	79	114	112'3	564	346
"	" - - University College Hospital - - -	161	153	169	216	208	211	211	235	225	211	200'2	119	121
"	" - - Royal Free Hospital - - -	63	95	77	103	108	129	76	88	80	112	93'7	92	96
10	ISLINGTON - - London Fever Hospital - - -	118	466	335	639	631	668	455	535	518	454	483'9	24	91
"	" - - Small-pox Hospital - - -	31	56	290	103	162	200	229	119	52	200	150'5	17	30
"	" - - Workh. belong. to LONDON CITY - - -	—	—	—	—	26	101	98	92	83	67	78'7	—	440
11	HACKNEY - - Workh. belong. to LONDON CITY - - -	99	136	86	131	138	121	129	115	124	112	121'1	587	605
"	" - - German Hospital - - -	52	65	56	75	64	90	93	73	88	95	75'1	49	89
13	STRAND - - Charing Cross Hospital - - -	70	81	78	101	89	74	64	133	121	123	93'4	86	133
"	" - - King's College Hospital - - -	147	139	180	215	207	234	183	235	182	167	190'9	116	137
14	HOLBOEN - - Hospital for Sick Children - - -	99	73	77	81	82	71	75	83	67	87	79'8	46	73
19	LONDON CITY - - St. Bartholomew's Hospital - - -	611	633	577	628	584	565	565	595	574	530	586'2	555	506
20	SHOREDITCH - - Workh. belong. to HOLBOEN - - -	174	234	240	255	218	203	227	237	250	116	215'6	684	572
22	WHITECHAPEL - - London Hospital - - -	366	324	415	452	396	738	441	546	479	600	475'8	310	455
24	MILE END OLD TN. } Workh. belong. to LONDON CITY {	34	40	24	37	19	19	5	13	6	12	20'9	367	311
25	POPLAR - - - }	144	163	123	156	151	172	141	134	132	140	145'6	509	423
"	" - - Workh. belong. to STEPNEY - - -	—	—	32	200	138	146	125	155	146	162	138'0	—	314
26	ST. SAVR., STHWK. } Guy's Hospital - - -	448	458	494	487	505	541	510	488	495	497	492'3	484	502
27	ST. OLAVE, STHWK. } St. Thomas's Hospital - - -	378	221	190	231	201	197	191	205	183	202	219'9	429	293
32	WANDSWORTH - - Surrey County Lunatic Asylum - - -	See Table b., below.												
35	GREENWICH - - Seamen's Hospital - - -	115	128	116	111	98	106	97	96	106	108	108'3	172	136

TABLE (b).—Lunatic Asylums for which CORRECTIONS have been made in the Mortality of Districts, 1861-70.

[The average number of inmates and the Deaths in each year are taken from the Lunacy Commissioners' Reports.]

DISTRICT IN WHICH ASYLUM IS SITUATE.	DESCRIPTION OF ASYLUM.	—	YEARS.										Average Annual Numbers, 1861-71.	
			1861	1862	1863	1864	1865	1866	1867	1868	1869	1870		
32	WANDSWORTH - Surrey County Asylum - - {	Average Inmates Deaths -	924 37	906 48	915 58	913 74	915 65	907 65	910 47	912 38	910 66	911 74	912'1 61'2	
39	GUILDFORD - Surrey County Asyl. (Brook- wood).	Average Inmates Deaths -	{	-	Opened June 1867			-	{	442 51	546 86	640 83	542'7 63'3	
44	REIGATE - - Earlswood Idiot Asylum - {	Average Inmates Deaths -	318 23	332 33	344 47	370 19	412 13	424 31	438 21	467 29	482 31	493 22	468'0 36'9	
50	DARTFORD - - London City Asylum - - {	Average Inmates Deaths -	{	-	Opened April 1866			-	{	253 22	271 16	271 23	265'0 20'0	
56	MAIDSTONE - Kent County Asylum - - {	Average Inmates Deaths -	614 84	628 53	638 90	686 96	732 73	755 56	755 73	845 75	879 114	1102 136	768'4 87'4	
84	LEWES - - Sussex County Asylum - - {	Average Inmates Deaths -	429 46	481 40	490 43	473 65	508 70	535 72	555 72	616 82	633 64	676 57	540'7 56'6	
98	FAREHAM - - Hants County Asylum - - {	Average Inmates Deaths -	543 55	570 57	582 66	590 93	567 93	604 70	613 60	629 78	623 61	622 73	591'0 70'5	
123	ABINGDON - - Oxford } Joint Counties Asyl. { Berks }	Average Inmates Deaths -	484 69	490 65	488 57	478 70	464 42	483 53	507 62	491 47	490 74	507 74	488'4 59'9	
130	EASTHAMPTSTEAD Broadmoor State Criminal Lunatic Asylum - - -	Average Inmates Deaths -	{	Opened June 1863			{	269 7	393 13	426 18	433 19	441 14	462 13	402'6 41'7
133	UXBRIDGE - - Middlesex County Asylum (Hanwell) - - -	Average Inmates Deaths -	1391 141	1475 163	1539 147	1609 203	1643 203	1708 165	1727 177	1710 177	1716 175	1776 182	1631'2 166'0	
136	BARNET - - Middlesex County Asylum (Colney Hatch) - - -	Average Inmates Deaths -	1837 302	1860 167	1896 173	1945 201	2012 198	2028 189	2036 174	2030 190	2038 194	2048 187	1976'0 158'3	
151	ATLESBURY - Bucks County Asylum - - {	Average Inmates Deaths -	254 18	270 30	283 20	286 33	284 29	310 25	322 33	342 32	398 32	419 31	316'8 31'9	
168	NORTHAMPTON - Northampton County Lunatic Hospital - - -	Average Inmates Deaths -	333 34	372 34	396 37	418 41	450 38	419 46	433 45	447 45	447 44	453 44	414'8 43'4	
180	HIGGLESWADE - Beds, Herts, and Hants Joint Counties Asylum - - -	Average Inmates Deaths -	443 47	476 53	506 60	500 59	517 59	529 74	517 53	525 54	507 50	522 50	503'3 60'5	

* A new Asylum for the county of Berks situate in the Wallingford district (125) was opened in September 1870.

**Lunatic Asylums for which CORRECTIONS have been made in the Mortality of Districts,
1861-70—continued.**

DISTRICT IN WHICH ASYLUM IS SITUATE.	DESCRIPTION OF ASYLUM.	—	YEARS.										Average Numbers, 1861-70.		
			1861	1862	1863	1864	1865	1866	1867	1868	1869	1870			
100	CREWERTON - Cambridge & I. of Ely Asylum	{	Average Inmates	229	255	278	288	288	306	272	284	291	277	276.8	
			Deaths -	28	27	31	25	29	33	31	25	48	22	39.9	
101	ELLERREY - Essex County Asylum	- {	Average Inmates	460	483	508	531	548	563	582	594	593	615	547.7	
			Deaths -	42	39	52	65	67	67	77	48	60	55	55.2	
102	WOODBRIDGE - Suffolk County Asylum	- {	Average Inmates	328	322	338	346	364	362	370	377	404	400	361.1	
			Deaths -	53	53	50	41	36	56	54	41	61	42	46.7	
103	BLOFIELD - Norfolk County Asylum	- {	Average Inmates	368	367	373	380	388	389	382	412	424	456	393.0	
			Deaths -	45	34	41	44	51	45	43	36	55	40	43.4	
104	DEVIZES - Wilts County Asylum	- {	Average Inmates	351	372	384	386	402	415	421	435	444	447	405.7	
			Deaths -	48	29	53	47	43	49	62	46	46	65	48.6	
105	DORCHESTER - Dorset County Asylum	- {	Average Inmates	185	190	200	278	342	434	461	472	482	490	353.4	
			Deaths -	12	11	9	27	20	25	37	26	37	39	24.3	
106	ST. THOMAS - Devon County Asylum	- {	Average Inmates	595	651	662	674	690	674	658	696	692	708	669.5	
			Deaths -	52	56	77	83	73	104	60	66	84	68	72.2	
107	BOHEM - Cornwall County Asylum	- {	Average Inmates	328	359	358	375	394	404	413	439	455	460	396.5	
			Deaths -	36	34	31	36	40	41	53	45	38	58	41.2	
108	WALLS - Somerset County Asylum	- {	Average Inmates	447	471	488	515	505	491	493	534	589	619	518.2	
			Deaths -	43	41	41	59	60	61	48	72	92	71	58.8	
109	GLOUCESTER - Gloucester County Asylum	- {	Average Inmates	518	546	573	600	600	596	587	588	595	604	580.7	
			Deaths -	64	51	57	63	70	57	62	70	71	66	63.1	
110	SHERBURN - Salop and Montgomery Joint Counties Asylum	- {	Average Inmates	363	380	396	405	390	428	467	480	485	505	429.0	
			Deaths -	29	43	37	40	63	62	40	55	48	42	44.9	
111	STAFFORD - Stafford County Asylum	- {	Average Inmates	509	492	483	513	481	484	519	500	509	512	500.2	
			Deaths -	64	62	87	76	78	80	84	88	88	98	80.5	
112	DERBY-UPON-TRENT - Derby County Asylum	- {	Average Inmates	229	318	324	324	333	329	339	367	367	379	337.9	
			Deaths -	37	42	48	39	27	39	46	43	50	40	41.1	
113	LICHFIELD - Stafford County Asy. (Bornt-wood)	- {	Average Inmates	Opened December 1864				141	207	220	308	494	550	320.0	
			Deaths -					5	8	19	19	50	41	23.7	
114	UPTON - ON SEVERN - Worcester County Asylum	- {	Average Inmates	389	416	435	499	512	538	587	603	627	641	526.7	
			Deaths -	41	45	54	70	47	53	64	71	67	79	59.4	
115	WARWICK - Warwick County Asylum	- {	Average Inmates	341	352	370	391	389	413	435	436	463	459	405.0	
			Deaths -	32	40	38	38	28	34	47	42	43	33	37.5	
116	LEICESTER - Leicester and Rutland Joint Counties Asylum	- {	Average Inmates	392	388	391	384	397	397	402	428	484	411	410.4	
			Deaths -	46	46	21	47	56	39	28	38	53	59	38.4	
117	LINCOLN - Lincoln County Asylum	- {	Average Inmates	405	432	438	444	456	514	529	562	572	578	493.0	
			Deaths -	40	38	48	43	48	57	62	76	65	61	53.8	
118	NANTWICH - Nottingham County Asylum	- {	Average Inmates	293	305	320	326	335	347	337	343	339	353	329.8	
			Deaths -	39	37	38	40	41	42	43	42	29	48	40.9	
119	CHESTER - Chester County Asylum	- {	Average Inmates	341	422	435	461	464	460	497	529	535	535	469.6	
			Deaths -	25	46	58	64	39	36	59	81	77	87	58.2	
120	PRESCOT - Lancaster County Asylum (Rainhill)	- {	Average Inmates	641	665	696	664	661	657	665	670	670	671	665.0	
			Deaths -	91	82	66	50	77	62	85	58	45	57	68.2	
121	MANCHESTER - Lancaster County Asylum (Prestwich)	- {	Average Inmates	505	506	569	911	972	984	985	986	993	1001	841.2	
			Deaths -	68	53	54	138	123	109	120	119	121	137	104.2	
122	LANCASTER - Lancaster County Asylum (Lancaster Moor)	- {	Average Inmates	733	740	745	736	799	805	945	991	1023	1026	860.3	
			Deaths -	63	56	76	62	55	77	86	116	101	78	77.0	
123	WAKEFIELD - York: West Riding Asylum	- {	Average Inmates	996	1027	1044	1075	1126	1118	1179	1241	1308	1455	1165.9	
			Deaths -	167	170	154	166	188	195	151	125	175	161	165.2	
124	TOKE - York: North Riding Asylum	- {	Average Inmates	485	492	495	501	500	497	487	513	534	551	505.5	
			Deaths -	42	35	43	49	65	68	47	44	55	54	49.2	
125	STOCKTON - Durham County Asylum	- {	Average Inmates	320	378	387	410	408	398	446	480	505	539	426.3	
			Deaths -	20	42	37	41	50	56	49	58	81	69	48.9	
126	MUSKETE - Northumberland County Asy.	- {	Average Inmates	185	210	222	243	266	294	290	311	333	383	272.7	
			Deaths -	11	14	17	17	29	28	25	34	58	42	25.5	
127	CARLEISLE - Cumberland and Westmorland Joint Counties Asylum	- {	Average Inmates	Opened Jan. 1862			175	209	225	227	244	302	362	403	276.3
			Deaths -				10	11	27	15	10	31	25	28	20.0
128	ARMSLEY - Monmouth, Hereford, Brecon, & Radnor Joint Counties Asy.	- {	Average Inmates	414	436	459	456	458	461	473	497	509	518	467.1	
			Deaths -	49	39	50	45	34	47	41	45	41	71	49.2	
129	BRIDGEND - Glamorgan County Asylum	- {	Average Inmates	Opened Nov. 1864				136	255	260	344	361	386	297.0	
			Deaths -					6	23	20	35	38	33	24.2	
130	CARMARTHEN - Carmarthen, Cardigan, Pembroke, and Haverfordwest Joint Asylum	- {	Average Inmates	Opened September 1865				149	183	199	231	239	200.2	20.6	
			Deaths -					24	21	15	18	25			
131	ST. ASAPH - Denbigh, Anglesey, Carnarvon, Flint, and Merioneth Joint Counties Asylum	- {	Average Inmates	232	232	262	271	306	362	379	392	382	588	320.6	
			Deaths -	21	22	33	33	35	66	69	55	51	63	42.6	

TABLE (a).—Institutions for which CORRECTIONS have been made in the Mortality of London Districts, 1861-70.

DISTRICT IN WHICH INSTITUTION IS SITUATE.	NAME OF INSTITUTION.	DEATHS REGISTERED.											SPECIAL INMATES.	
		1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	Annual Average.	1861	1871
1	KENSINGTON - - St. Mary's Hospital - - -	171	168	189	200	178	191	151	215	174	188	182'0	147	137
"	" - - Consumption Hospital - - -	127	121	142	161	159	127	135	138	144	143	138'7	137	198
2	CHELSEA - - Workh. belong. to ST. GEO., HAN. SQ.	29	24	30	38	25	41	44	34	39	37	34'2	320	334
3	ST. GEO., HAN. SQ. St. George's Hospital - - -	297	318	311	318	340	343	338	370	353	335	332'3	312	302
"	" - - Westminster Hospital - - -	143	186	147	183	182	174	164	132	166	203	173'2	144	163
7	MARYLEBONE - - Middlesex Hospital - - -	235	203	247	200	236	292	254	250	283	261	263'6	230	219
9	PANCRAS - - Workh. belong. to STRAND - - -	119	144	107	146	99	111	113	91	79	114	112'3	564	346
"	" - - University College Hospital - - -	161	155	169	216	208	211	211	235	225	211	200'2	119	121
"	" - - Royal Free Hospital - - -	63	95	77	109	108	129	76	88	80	112	91'7	92	96
10	ISLINGTON - - London Fever Hospital - - -	118	466	335	639	631	668	455	535	518	454	485'9	24	91
"	" - - Small-pox Hospital - - -	31	56	290	103	162	260	229	119	52	200	150'5	17	95
"	" - - Workh. belong. to LONDON CITY - - -	—	—	—	—	20	101	98	92	83	67	78'7	—	440
11	HACKNEY - - Workh. belong. to LONDON CITY - - -	99	136	86	131	138	121	129	115	124	112	121'1	587	605
"	" - - German Hospital - - -	52	65	56	75	64	90	93	73	88	95	75'1	49	89
13	STRAND - - Charing Cross Hospital - - -	70	81	78	101	89	74	64	130	121	123	93'4	86	133
"	" - - King's College Hospital - - -	147	159	180	215	207	234	183	235	182	167	109'9	116	137
14	HOLBORN - - Hospital for Sick Children - - -	99	73	77	81	82	71	75	83	67	87	79'8	46	73
19	LONDON CITY - - St. Bartholomew's Hospital - - -	611	633	577	628	584	565	565	595	574	539	586'2	555	506
20	SHOREDITCH - - Workh. belong. to HOLBORN - - -	174	234	240	255	218	205	227	237	250	116	215'6	684	572
22	WHITECHAPEL - - London Hospital - - -	566	324	418	452	396	733	444	346	479	600	475'8	110	455
24	MILE END OLD TN. } Workh. belong. to LONDON CITY {	34	40	24	37	19	19	5	13	6	12	30'9	367	311
25	POPLAR - - -	144	163	123	154	151	172	141	134	132	146	145'6	509	423
"	" - - Workh. belong. to STEPNEY - - -	—	—	32	200	138	146	125	155	146	162	135'0	—	514
26	ST. SAVR., STHWK. } Guy's Hospital - - -	448	458	494	487	505	511	510	488	495	497	492'3	484	502
27	ST. OLAVE, STHWK. } St. Thomas's Hospital - - -	873	221	190	231	201	197	191	205	183	202	219'9	429	203
32	WANDSWORTH - - Surrey County Lunatic Asylum - - -	See Table b., below.												
35	GREENWICH - - Seamen's Hospital - - -	115	128	116	111	98	108	97	96	106	108	108'3	172	136

TABLE (b).—Lunatic Asylums for which CORRECTIONS have been made in the Mortality of Districts, 1861-70.

[The average number of Inmates and the Deaths in each year are taken from the Lunacy Commissioners' Reports.]

DISTRICT IN WHICH ASYLUM IS SITUATE.	DESCRIPTION OF ASYLUM.	—	YEARS.										Average Annual Number 1861-71.
			1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	
32	WANDSWORTH - Surrey County Asylum - - -	Average Inmates -	924	906	915	913	913	907	910	912	910	911	912'1
		Deaths -	37	48	58	74	65	65	47	58	60	74	61'2
39	GUILDFORD - Surrey County Asyl. (Brook-wood).	Average Inmates -	—	—	Opened June 1867			—	—	442	546	640	542'7
		Deaths -	—	—	—			—	—	51	66	83	63'3
44	REIGATE - - Earlswood Idiot Asylum - - -	Average Inmates -	318	332	344	370	412	424	438	467	482	493	468'0
		Deaths -	23	33	47	19	13	31	21	29	31	22	26'9
50	DARTFORD - - London City Asylum - - -	Average Inmates -	—	—	Opened April 1866			—	253	271	271	265	265'0
		Deaths -	—	—	—			—	22	16	23	19	20'0
58	MAIDSTONE - Kent County Asylum - - -	Average Inmates -	614	628	688	686	732	755	755	845	879	1102	768'4
		Deaths -	84	53	90	96	73	56	73	99	114	136	97'4
84	LEWES - - Sussex County Asylum - - -	Average Inmates -	420	481	490	473	508	535	535	616	633	676	540'7
		Deaths -	46	40	43	57	65	70	72	52	64	57	50'6
98	FAREHAM - - Hants County Asylum - - -	Average Inmates -	543	579	582	590	567	604	618	620	623	622	591'0
		Deaths -	55	57	66	90	93	70	60	78	61	75	70'5
123	ABINGDON - - Oxford } Joint Counties Asyl. { Berks *	Average Inmates -	484	490	488	478	466	483	507	491	499	507	488'4
		Deaths -	69	65	57	70	42	53	62	47	74	69	59'9
130	EASTHAMPTON - Broadmoor State Criminal Lunatic Asylum - - -	Average Inmates -	—	Opened June 1863			299	395	426	433	441	452	402'6
		Deaths -	—	—			7	13	18	10	7	14	11'7
133	UXBRIDGE - - Middlesex County Asylum (Hanwell) - - -	Average Inmates -	1391	1478	1539	1609	1643	1708	1727	1770	1716	1776	1631'2
		Deaths -	141	165	147	223	203	168	177	103	175	182	166'6
136	BARNET - - Middlesex County Asylum (Colney Hatch) - - -	Average Inmates -	1837	1869	1886	1945	2019	2098	2056	2050	2058	2048	1976'0
		Deaths -	202	167	173	291	294	189	174	190	202	187	188'5
151	ATLESBURY - Bucks County Asylum - - -	Average Inmates -	254	270	283	286	284	310	322	342	398	419	316'8
		Deaths -	18	30	20	33	29	25	33	32	39	31	31'0
169	NORTHAMPTON - Northampton County Lunatic Hospital - - -	Average Inmates -	353	372	390	418	450	419	433	447	447	453	414'8
		Deaths -	34	34	37	41	38	46	45	48	57	44	42'4
180	BIGGLESWADE - Beds, Herts, and Hunts Joint Counties Asylum - - -	Average Inmates -	443	478	506	500	517	520	517	525	507	522	503'3
		Deaths -	47	56	43	44	50	74	53	64	70	80	60'2

* A new Asylum for the county of Berks situate in the Wallingford district (123) was opened in September 1870.

**Lunatic Asylums for which CORRECTIONS have been made in the Mortality of Districts,
1861-70—continued.**

DISTRICT IN WHICH ASYLUM IS SITUATE.	DESCRIPTION OF ASYLUM.	—	YEARS.										Average Annual Number, 1861-70.	
			1861	1862	1863	1864	1865	1866	1867	1868	1869	1870		
16	CHESTERTON - Cambridge & I. of Ely Asylum	{	Average Inmates	229	255	278	288	288	305	272	284	291	277	276.8
			Deaths -	28	27	31	25	29	33	31	25	48	22	20.9
17	BELMERICAT - Essex County Asylum -	{	Average Inmates	400	483	508	531	548	563	582	594	593	615	547.7
			Deaths -	42	39	52	65	67	67	77	48	60	55	55.2
18	WOODBRIDGE - Suffolk County Asylum -	{	Average Inmates	328	322	338	346	364	362	370	377	404	400	361.1
			Deaths -	53	33	50	41	36	56	54	41	61	42	40.7
19	ELSFIELD - Norfolk County Asylum -	{	Average Inmates	368	567	373	380	388	389	382	412	424	456	393.0
			Deaths -	45	34	41	44	51	45	43	36	55	40	43.4
20	DEVIZES - Wilts County Asylum -	{	Average Inmates	351	372	384	386	402	415	421	435	444	447	405.7
			Deaths -	48	29	53	47	43	49	62	46	46	65	48.6
21	DORCHESTER - Dorset County Asylum -	{	Average Inmates	183	190	200	278	342	434	461	477	482	490	353.4
			Deaths -	12	11	9	27	20	25	37	26	37	39	24.3
22	ST. THOMAS - Devon County Asylum -	{	Average Inmates	595	651	662	674	690	674	658	696	692	708	669.5
			Deaths -	52	56	77	82	73	104	60	66	84	68	72.2
23	BODMIN - Cornwall County Asylum	{	Average Inmates	328	339	358	375	394	404	413	439	455	460	390.5
			Deaths -	36	34	51	36	40	41	53	45	38	58	41.2
24	WELLS - Somerset County Asylum	{	Average Inmates	447	471	488	515	505	491	493	534	589	619	518.2
			Deaths -	43	41	41	50	60	61	48	72	92	71	58.8
25	GLOUCESTER - Gloucester County Asylum	{	Average Inmates	515	546	573	600	600	595	587	588	595	604	580.7
			Deaths -	64	51	57	63	70	57	62	70	71	66	65.1
26	SHREWSBURY - Salop and Montgomery Joint Counties Asylum -	{	Average Inmates	363	380	396	405	390	428	467	480	485	505	429.0
			Deaths -	29	43	37	40	63	52	40	55	48	42	44.0
27	STAFFORD - Stafford County Asylum -	{	Average Inmates	509	492	483	513	481	484	519	500	509	512	500.2
			Deaths -	64	62	57	76	78	80	84	88	88	98	80.5
28	DERBY - Derby County Asylum -	{	Average Inmates	229	318	324	324	333	329	339	367	367	379	337.9
			Deaths -	37	42	48	39	27	39	46	43	50	40	41.1
29	LICHFIELD - Stafford County Asy. (Burnt-wood)	{	Average Inmates	Opened December 1864				141	207	220	308	494	550	320.0
			Deaths -					5	8	19	19	50	41	23.7
30	UPPER - ON SEVERN - Worcester County Asylum	{	Average Inmates	389	416	435	499	512	558	587	603	627	641	526.7
			Deaths -	41	45	54	70	47	53	64	71	67	79	59.1
31	WARWICK - Warwick County Asylum	{	Average Inmates	341	352	310	391	389	413	435	456	483	429	403.0
			Deaths -	32	40	38	38	28	34	47	42	43	33	37.5
32	LEICESTER - Leicester and Rutland Joint Counties Asylum -	{	Average Inmates	392	388	391	384	397	397	402	428	484	411	410.4
			Deaths -	46	46	21	47	56	39	28	38	53	59	38.4
33	LINCOLN - Lincoln County Asylum -	{	Average Inmates	405	432	438	444	456	514	529	562	572	578	493.0
			Deaths -	40	38	48	43	43	57	62	76	65	61	53.3
34	RADFORD - Nottingham County Asylum -	{	Average Inmates	293	305	320	326	335	347	337	343	359	353	329.8
			Deaths -	39	37	38	40	41	42	43	42	39	48	40.0
35	CHESTER - Chester County Asylum	{	Average Inmates	341	422	435	461	464	460	497	539	535	535	468.5
			Deaths -	55	46	58	64	39	56	59	81	77	87	58.3
36	FRESCO - Lancaster County Asylum (Rainhill)	{	Average Inmates	641	665	666	664	661	657	665	670	670	671	663.0
			Deaths -	91	82	66	59	77	62	85	58	45	57	68.2
37	MANCHESTER - Lancaster County Asylum (Frestwich)	{	Average Inmates	505	506	569	911	972	984	985	986	993	1001	841.2
			Deaths -	68	53	54	138	123	109	120	119	121	137	104.2
38	LANCASTER - Lancaster County Asylum (Lancaster Moor)	{	Average Inmates	733	740	745	736	799	865	946	991	1023	1026	860.3
			Deaths -	63	56	76	62	55	77	86	116	101	78	77.0
39	WAKEFIELD - York: West Riding Asylum	{	Average Inmates	966	1027	1044	1075	1126	1118	1179	1241	1308	1435	1165.0
			Deaths -	167	170	154	166	188	195	151	125	175	161	105.2
40	TOKE - York: North Riding Asylum	{	Average Inmates	485	492	495	501	500	497	487	513	534	551	505.5
			Deaths -	42	35	43	49	63	58	47	44	55	54	49.2
41	STOCKTON - Durham County Asylum	{	Average Inmates	320	378	387	410	403	398	446	480	505	539	426.5
			Deaths -	29	42	37	41	50	56	49	58	81	69	48.9
42	MORPETH - Northumberland County Asy.	{	Average Inmates	185	210	222	243	266	284	290	311	333	383	272.7
			Deaths -	11	14	17	17	29	28	25	34	58	42	25.5
43	CARLISLE - Cumberland and Westmorland Joint Counties Asylum	{	Average Inmates	Opened Jan. 1862				175	209	225	237	244	302	276.3
			Deaths -					10	11	27	15	31	25	20.0
44	ASHGATE - Monmouth, Hereford, Brecon, & Radnor Joint Counties Asy.	{	Average Inmates	414	426	459	456	438	461	473	497	509	518	467.1
			Deaths -	49	39	50	45	34	47	41	45	41	71	49.2
45	BRIDGEND - Glamorgan County Asylum	{	Average Inmates	Opened Nov. 1864				136	255	300	344	361	386	297.0
			Deaths -					6	13	20	35	58	33	24.3
46	CARMARTHEN - Carmarthen, Cardigan, Pem- broke, and Haverfordwest Joint Asylum	{	Average Inmates	Opened September 1865				149	183	199	231	239	200.2	200.2
			Deaths -					24	21	15	18	25	20.6	20.6
47	ST. ASAPH - Denbigh, Anglesey, Carnarvon, Flint, and Merioneth Joint Counties Asylum -	{	Average Inmates	232	232	262	271	306	362	379	392	382	388	320.6
			Deaths -	21	22	33	33	33	56	59	55	51	63	42.6

TABLE (c).—Lunatic Asylums for which CORRECTIONS have not been made in the Mortality of Districts, 1861-70.

DISTRICT IN WHICH ASYLUM IS SITUATE.	DESCRIPTION OF ASYLUM.	—	YEARS.										Average Annual Numbers.	
			1861	1862	1863	1864	1865	1866	1867	1868	1869	1870		
14	HOLBORN - -	St. Luke's Hospital - -	Average Inmates -	152	158	158	163	145	134	133	147	132	140	146 ¹ / ₉
			Deaths -	11	12	6	8	13	10	9	11	11	5	9 ¹ / ₉
20	SHOREDITCH -	Hoxton House Asylum - -	Average Inmates -	178	203	222	238	245	244	280	298	319	321	254 ¹ / ₅
			Deaths -	16	25	25	29	37	46	37	39	47	52	35 ¹ / ₅
21	BETHNAL GREEN	Bethnal House Asylum*	Average Inmates -	233	270	310	304	327	348	353	368	385	379	327 ¹ / ₅
			Deaths -	18	41	33	47	37	69	46	38	28	33	30 ¹ / ₅
25	POPLAR - -	Grove Hall Asylum - -	Average Inmates -	308	331	344	367	383	390	402	425	442	443	383 ¹ / ₅
			Deaths -	37	49	28	50	63	65	55	60	47	37	48 ¹ / ₅
26	ST. SAV. STHWK.	Bethlehem Hospital - -	Average Inmates -	344	327	333	263	234	253	242	244	232	266	277 ¹ / ₅
			Deaths -	23	19	21	19	27	21	30	26	30	32	24 ¹ / ₅
33	CAMBERWELL -	Camberwell House Asylum -	Average Inmates -	283	328	328	328	330	333	388	400	399	391	350 ¹ / ₅
			Deaths -	42	37	30	37	36	57	60	44	44	37	42 ¹ / ₅
"	" - -	Peckham House Asylum - -	Average Inmates -	257	312	313	313	311	307	316	319	326	323	320 ¹ / ₅
			Deaths -	39	49	37	33	44	45	53	37	43	37	47 ¹ / ₅
228	YARMOUTH -	Royal Naval Lunatic Hospital -	Average Inmates -	151	134	141	156	160	163	173	179	182	182	162 ¹ / ₅
			Deaths -	20	15	19	19	20	13	19	16	22	20	18 ¹ / ₅
234	NORWICH - -	Norwich Asylum - -	Average Inmates -	Opened March 1864			90	89	96	98	99	100	101	90 ¹ / ₅
			Deaths -				5	7	14	12	12	15	10	10 ¹ / ₅
"	" - -	Bethel Hospital - -	Average Inmates -	77	77	76	76	77	77	78	79	74	72	70 ¹ / ₅
			Deaths -	2	4	7	2	6	4	2	1	9	8	4 ¹ / ₅
263	ALDERBURY -	Fisherton House Asylum - -	Average Inmates -	369	420	447	434	361	382	483	523	568	582	460 ¹ / ₅
			Deaths -	26	30	26	25	25	23	37	78	83	85	43 ¹ / ₅
330	CLIFTON - -	Bristol City Asylum - -	Average Inmates -	142	168	195	202	204	217	218	228	230	235	302 ¹ / ₅
			Deaths -	26	30	24	33	27	23	23	30	32	26	27 ¹ / ₅
367	STAFFORD -	Coton Hill Institution for the Insane - -	Average Inmates -	122	122	121	123	129	135	135	137	131	133	135 ¹ / ₅
			Deaths -	4	5	7	6	8	8	12	5	15	10	7 ¹ / ₅
394	BIRMINGHAM -	Birmingham Boro' Asylum -	Average Inmates -	360	400	485	534	567	590	604	604	614	602	536 ¹ / ₅
			Deaths -	30	50	50	65	69	79	78	70	76	68	63 ¹ / ₅
410	BILLESDON -	Leicester Boro' Asylum - -	Average Inmates -	Opened September 1869									236	236 ¹ / ₅
			Deaths -										21	21 ¹ / ₅
452	STOCKPORT -	Manchester Lunatic Hospital -	Average Inmates -	79	82	90	95	103	120	116	120	125	130	100 ¹ / ₅
			Deaths -	5	7	4	5	16	12	19	19	19	12	11 ¹ / ₅
466	WARRINGTON -	Haydock Lodge Asylum - -	Average Inmates -	130	218	240	121	123	208	198	228	226	229	103 ¹ / ₅
			Deaths -	16	20	39	9	27	58	46	40	43	27	32 ¹ / ₅
515	YORK - -	York Lunatic Hospital - -	Average Inmates -	146	163	173	174	175	174	174	179	185	182	172 ¹ / ₅
			Deaths -	14	19	9	11	16	12	13	9	12	13	11 ¹ / ₅
"	" - -	York Retreat Asylum - -	Average Inmates -	122	124	122	124	129	133	134	137	130	134	120 ¹ / ₅
			Deaths -	6	5	8	5	3	6	11	6	12	8	7 ¹ / ₅
520	HULL - -	Hull Boro' Asylum - -	Average Inmates -	95	102	112	116	121	123	131	144	158	158	126 ¹ / ₅
			Deaths -	16	11	8	10	19	14	18	11	17	29	15 ¹ / ₅
554	CASTLE WARD -	Newcastle-on-Tyne Boro' Asy. -	Average Inmates -	Opened June 1865									221	154 ¹ / ₅
			Deaths -										32	17 ¹ / ₅

* A small part of this Asylum extends into the Mile End Old Town district (245.)

NOTE.—Two Metropolitan District Asylums, one situate at Caterham in the Godstone district (45) and the other at Leavesden in the Watford district (145) were opened in October 1870.

ENGLAND.

AVERAGE ANNUAL RATE

OF

MORTALITY

FROM

ALL CAUSES AT DIFFERENT AGES

TO

100 Living during the 10 Years

1861-70.

NOTE.

IN several Districts changes have been made between 1861 and 1871, and in such cases the Enumerated Population *at the different Ages* in 1861 will not refer to the same limits of District as the Enumerated Population in 1871.

CASE I.—Suppose a Parish is *removed from* District A. and *added to* District B. in 1868, then the Deaths in that Parish will be returned with District A. for eight years, and with District B. for two years (of the ten years 1861–70). And the Population of the Parish will be *included* in District A. in 1861, but *not* in 1871; consequently the Enumerated Population of District B. will *include* the Parish in 1871, but *not* in 1861.

To estimate the Population.

District A.—As the Parish formed part of the District (A.) in 1861, and for eight years subsequently, *add* the Population of the Parish in 1871 to the Population of the District in 1871; the correct *years of life* are obtained in the way explained below.

District B.—As the Parish did not form part of the District (B.) until 1868, *subtract* the Population of the Parish in 1871 from the Population of the District in 1871.

NOTE.—The Population *at each age* in the Parish is obtained by assuming that the Males and Females are distributed in the same proportion at each age as the Males and Females in the Sub-district in 1871, of which the Parish formed part for eight years out of the ten years.

To estimate the Years of Life.

(The Years of Life = the Mean Population 1861–71 \times 10.)

District A. contains the Deaths in the Parish for eight years only (out of the ten years); and as the Years of Life of the Parish are included for the whole of the ten years, *subtract* the Years of Life for two years from the Mean Population of the District \times 10.

District B.—*Add* the Years of Life extending over two years of the Parish to the Mean Population of the District \times 10.

CASE II.—If the change in the constitution of a District took place, say in 1863 or 1864, the above rules are applicable to the Population in 1861.

In cases where changes in the limits of Districts have taken place during the ten years, the nature of the changes, and the dates when they were made, are recorded in a Table, pp. 370–399, in the Registrar-General's Thirty-third Annual Report.

PUBLIC INSTITUTIONS.

In many Districts the mortality is increased by the circumstance of large Public Institutions being situated in them. A tabular statement of the Institutions likely to disturb the rate of mortality is given at the foot of pp. xlv–lxiii, showing the number of Special Inmates enumerated on the 3rd April 1871, and the Deaths registered during the years 1869 and 1870. The presence of such Institutions in any District is indicated in the following Table by *H* for Hospitals and Infirmarys, *L* for Lunatic Asylums, and *w* for Workhouse belonging to another District; repetitions of these letters show the number of such Institutions in any District.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70.**

No.	DIVISIONS.	SEX.	All Ages.	Ages.											
				Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
	ENGLAND	M.	2'361	7'316	'815	'446	'616	'845	'990	1'346	1'916	3'300	6'069	14'658	31'357
		F.	2'128	6'343	'776	'448	'662	'796	'968	1'203	1'555	2'777	5'880	13'443	28'364
	DIVISIONS.														
I.	LONDON	M.	2'655	8'091	'937	'424	'582	'823	1'086	1'714	2'568	4'385	8'283	16'902	32'142
		F.	2'234	7'632	'885	'407	'510	'622	'880	1'284	1'852	3'345	6'723	14'054	29'142
II.	SOUTH EASTERN COUNTIES	M.	2'013	5'541	'663	'307	'508	'769	'984	1'295	1'683	2'796	5'852	13'728	30'957
		F.	1'813	4'683	'645	'405	'623	'739	'875	1'089	1'342	2'355	5'383	12'684	28'239
III.	SOUTH MIDLAND COUNTIES	M.	2'110	6'187	'638	'357	'478	'738	'878	1'149	1'570	2'752	6'021	14'430	32'532
		F.	1'928	5'219	'628	'406	'659	'771	'891	1'066	1'314	2'404	5'484	13'420	29'312
IV.	EASTERN COUN- TIES	M.	2'081	5'851	'691	'391	'564	'831	'883	1'085	1'386	2'448	5'489	13'175	29'458
		F.	1'938	4'991	'675	'470	'720	'863	'937	1'049	1'264	2'145	4'743	11'999	27'376
V.	SOUTH WESTERN COUNTIES	M.	2'008	5'615	'629	'383	'538	'830	'967	1'168	1'583	2'724	5'874	13'710	31'166
		F.	1'899	4'825	'611	'413	'626	'768	'871	'996	1'226	2'236	5'182	12'952	28'058
VI.	WEST MIDLAND COUNTIES	M.	2'306	7'269	'743	'414	'533	'715	'879	1'223	1'824	3'269	6'746	14'827	32'261
		F.	2'075	6'314	'704	'408	'582	'707	'872	1'102	1'417	2'652	5'878	13'524	29'092
VII.	NORTH MIDLAND COUNTIES	M.	2'146	6'655	'668	'408	'572	'790	'818	'993	1'432	2'602	5'895	13'798	30'621
		F.	2'024	5'609	'640	'454	'761	'893	1'018	1'086	1'335	2'470	5'488	13'269	29'586
VIII.	NORTH WESTERN COUNTIES	M.	2'797	9'286	1'052	'526	'746	'932	1'129	1'659	2'485	4'332	8'351	16'935	34'970
		F.	2'479	8'183	'968	'487	'719	'873	1'119	1'493	2'092	3'745	7'859	15'140	28'785
IX.	YORKSHIRE	M.	2'513	8'269	'803	'523	'709	'888	'962	1'298	1'911	3'540	7'263	16'024	32'417
		F.	2'289	7'022	'843	'523	'807	'926	1'068	1'247	1'585	2'954	6'443	14'070	29'140
X.	NORTHERN COUN- TIES	M.	2'318	7'376	'912	'525	'697	'826	'913	1'192	1'778	3'228	6'858	15'147	30'901
		F.	2'227	6'534	'900	'468	'680	'852	1'040	1'215	1'517	2'767	5'953	13'947	28'761
XI.	MONMOUTHSHIRE AND WALES	M.	2'219	6'012	'866	'556	'791	1'159	1'118	1'275	1'686	2'874	6'102	13'291	28'752
		F.	2'059	5'310	'822	'512	'733	'968	1'093	1'219	1'397	2'370	5'012	11'494	25'818

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.												
					Under 5 Years.												
					5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.		
I.—LONDON.																	
No.	MIDDLESEX (part of).																
1	KENSINGTON HHHH - - -	M.	2'479	7'992	'833	'412	'612	'852	1'022	1'559	2'094	3'744	7'062	14'369	32'597		
		F.	1'791	6'749	'818	'389	'483	'597	'697	'992	1'456	2'661	5'900	13'758	29'048		
2	CHELSEA wHHH - - -	M.	2'751	8'843	'947	'345	'375	'634	'915	1'624	2'491	4'149	8'294	18'511	31'923		
		F.	2'320	7'868	'797	'398	'410	'623	'845	1'226	1'798	3'398	6'723	15'631	28'262		
3	ST. GEORGE HANOVER-SQ. HH -	M.	2'688	8'473	'1050	'533	'712	'800	1'845	2'012	3'165	4'795	8'742	17'873	36'000		
		F.	1'761	7'001	'909	'541	'601	'456	'705	1'047	1'764	3'066	6'278	13'007	26'167		
	WESTMINSTER HH* - - -	M.	3'011	10'940	'1046	'425	'664	'869	1'297	2'171	3'063	5'213	9'014	16'932	38'750		
		F.	2'555	9'421	'1018	'433	'609	'727	1'040	1'385	2'087	3'839	7'801	13'075	24'694		
6	WESTMINSTER ST. JAMES † HH -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—		
7	MARYLEBONE HHHH - - -	M.	2'903	9'913	'989	'455	'568	'700	1'015	1'571	2'511	4'658	8'767	15'832	33'770		
		F.	2'283	8'487	'916	'393	'482	'539	'833	1'295	1'998	3'571	7'127	14'745	30'323		
8	HAMPSTEAD H - - -	M.	1'980	5'592	'534	'372	'504	'767	'825	1'155	1'745	3'631	7'056	16'394	50'000		
		F.	1'247	4'706	'529	'388	'300	'306	'503	'769	1'140	2'487	5'012	12'619	25'714		
9	PANCRAS wHH - - -	M.	2'296	8'633	'919	'404	'492	'726	'944	1'596	2'517	4'222	8'429	17'991	40'184		
		F.	2'209	7'279	'845	'394	'463	'571	'825	1'247	1'866	3'345	7'059	16'223	30'311		
10	ISLINGTON wHHH - - -	M.	2'646	7'874	'973	'518	'833	1'292	1'192	1'733	2'649	4'399	8'087	15'733	32'157		
		F.	2'240	7'045	'893	'610	'689	'767	1'034	1'437	2'053	3'292	6'425	14'630	31'607		
11	HACKNEY wH - - -	M.	2'569	6'835	'712	'451	'535	'865	1'104	1'493	2'196	3'721	8'079	15'985	30'298		
		F.	1'885	5'899	'707	'352	'367	'524	'788	1'095	1'525	2'833	6'167	14'180	28'034		
12	ST. GILES H - - -	M.	2'927	11'740	'1047	'358	'488	'642	'917	'577	'791	4'619	9'147	20'076	36'250		
		F.	2'575	10'642	'1039	'425	'411	'524	'900	1'679	2'300	4'059	7'518	14'828	27'659		
13	STRAND HH† - - -	M.	2'739	10'073	'1108	'500	'536	'705	1'180	2'000	2'939	5'015	8'309	17'045	30'769		
		F.	2'294	8'926	'1010	'506	'475	'617	'920	1'898	2'118	3'931	7'107	15'362	27'558		
14	HOLBORN HHHHHH‡ - - -	M.	2'643	10'162	'1158	'328	'458	'649	'874	1'475	2'410	4'098	8'052	17'211	28'553		
		F.	2'470	9'220	'1064	'356	'415	'571	'831	1'322	1'813	3'489	7'844	15'770	25'357		
	EAST LONDON HH § - - -	M.	2'405	9'499	'1002	'330	'374	'481	'817	1'290	2'234	3'673	7'401	15'056	24'167		
		F.	2'266	8'135	'1032	'320	'394	'459	'819	1'145	1'855	3'012	6'110	12'653	22'333		
19	WEST LONDON H § - - -	M.	3'573	13'454	'2363	'1687	'2181	'2770	4'329	6'983	9'033	9'776	13'607	24'167	27'778		
		F.	4'290	10'230	'2328	'1276	'2155	'2491	2'379	3'790	4'871	5'052	8'300	17'302	32'000		
	LONDON CITY § - - -	M.	1'931	8'567	'940	'386	'316	'384	'906	1'269	2'279	3'833	7'287	14'951	29'000		
		F.	1'608	6'929	'949	'386	'283	'402	'629	'948	1'371	2'530	5'148	10'979	21'071		
20	SHOREDITCH wHL - - -	M.	2'682	9'022	'913	'298	'512	'641	'808	1'533	2'452	4'807	9'218	20'544	32'105		
		F.	2'491	8'154	'818	'314	'512	'633	'895	1'356	2'084	3'782	7'630	16'338	31'649		
21	BETHNAL GREEN HL - - -	M.	2'681	9'317	'934	'297	'469	'792	'944	1'476	2'343	4'035	7'710	16'172	30'523		
		F.	2'462	8'357	'933	'365	'548	'798	'914	1'213	1'840	3'469	6'743	14'936	26'986		
22	WHITECHAPEL H - - -	M.	3'686	11'460	'1364	'616	'850	1'352	1'766	3'139	4'323	7'178	10'637	18'768	25'556		
		F.	3'115	10'209	'1262	'563	'727	'1054	1'417	2'190	2'907	4'736	8'056	16'806	27'925		
23	ST. GEORGE-IN-THE-EAST - - -	M.	2'914	10'480	'1005	'367	'495	'791	'820	1'699	2'464	4'454	9'597	20'979	36'429		
		F.	2'817	9'069	'1013	'363	'551	'948	1'294	1'840	2'277	4'258	8'718	15'623	30'000		
24a	STEPNEY H - - -	M.	2'375	9'231	'1113	'576	'624	'664	'990	1'513	2'062	3'780	6'964	13'893	38'000		
		F.	2'378	8'295	'936	'385	'525	'718	'987	1'860	1'842	3'157	6'624	12'539	19'318		

NOTE.—Owing to the difficulty of getting satisfactory data and the great labour involved no correction for Public Institutions has been made in the Mortality at the different ages throughout this Table. In the preceding Table, p. cxxviii, showing the comparative death-rate of the several districts during the three last decennials without distinction of age or sex, all the London district death-rates and some country ones also have been corrected for Institutions.

The letter *H* indicates the presence of a Hospital and *L* of a Lunatic Asylum in a District; *w* indicates a Workhouse belonging to another District.

* On 1st July 1870 the District of Westminster was merged in the District of St. George Hanover Square; the mortality of the two old districts however is separately given in this Table.

† On 1st July 1868 the Sub-district of St. Anne, Soho, was taken from the Strand District and added to Westminster, St. James, and at the same time the District of St. Martin-in-the-Fields was merged in the Strand District; in consequence of these changes the Mortality in the 10 years 1861-70 for the District of Westminster (St. James) is not given separately from that of the Strand District.

‡ On 2nd August 1860 the Districts of Clerkenwell and St. Luke were merged in the Holborn District.

§ On 1st January 1870 the Districts of East London and West London were merged in the London City District; but the Mortality in each of the old Districts is separately given in this Table.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			Sex.	All Ages.	Ages.											85 and upwards.
					Under 5 Years.											
					5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
I.—LONDON—cont.																
MIDDLESEX (part of)																
—cont.																
24	MILE END OLD TOWN <i>WHL</i>	M.	2'459	7'946	'916	'363	'508	'632	'834	1'440	2'179	3'751	7'047	18'509	38'333	
		F.	2'234	7'003	'882	'554	'511	'630	'870	1'205	1'649	3'054	6'750	13'878	28'026	
25	POPULAR <i>WHL</i>	M.	2'834	8'422	'936	'563	'761	1'015	1'289	1'811	2'622	4'933	10'159	19'117	39'032	
		F.	2'571	7'417	'843	'420	'695	'809	1'069	1'519	2'123	4'055	9'110	18'927	38'689	
SURREY (part of).																
26	ST. SAVIOUR SOUTHWK.* <i>HHHL</i>	M.	2'642	8'905	'932	'356	'498	'672	1'008	1'690	2'581	4'362	8'785	18'775	27'547	
		F.	2'443	8'050	'880	'374	'531	'706	'973	1'379	1'954	3'696	7'088	15'348	31'261	
27	ST. OLAVE SOUTHWARK * <i>HH</i>	M.	3'044	8'628	'898	'585	'823	1'247	1'867	2'466	3'537	5'594	9'752	17'873	30'000	
		F.	2'548	7'321	'808	'384	'777	1'025	1'176	1'856	2'222	3'788	7'415	14'957	30'882	
28	LANNETH <i>HH</i>	M.	2'371	8'134	'804	'331	'446	'645	'750	1'320	2'162	3'754	7'540	16'628	29'829	
		F.	2'078	7'148	'774	'409	'390	'520	'758	1'127	1'848	2'928	6'143	14'589	35'625	
29	WARDWORTH <i>HHL</i>	M.	2'145	7'642	'655	'324	'565	'609	'828	1'251	1'872	3'260	6'673	15'732	25'854	
		F.	1'779	5'898	'701	'327	'403	'471	'656	'932	1'367	2'837	5'462	13'849	28'295	
30	CANNERSWELL <i>LL</i>	M.	2'341	6'822	'815	'417	'441	'781	'907	1'572	2'082	3'859	7'375	13'665	28'810	
		F.	1'979	6'140	'757	'336	'381	'489	'821	1'115	1'600	2'772	6'263	12'818	31'512	
KENT (part of).																
31	GREENWICH <i>HH†</i>	M.	2'738	8'203	'926	'485	'702	1'050	1'382	1'856	2'662	4'234	7'761	16'715	36'701	
		F.	2'292	7'488	'847	'431	'535	'629	'919	1'293	1'640	3'169	6'073	13'223	26'829	
32	LEWISHAM † <i>H</i>	M.	1'922	6'234	'723	'348	'335	'585	'918	1'150	1'593	2'854	5'836	14'256	28'036	
		F.	1'090	5'477	'710	'316	'377	'364	'610	'955	1'293	2'266	5'096	12'364	23'175	
33	WOOLWICH † <i>HH</i>	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.—SOUTH EASTERN COUNTIES.																
1.—SURREY (extra-met.)																
34	EPWOM	M.	1'784	4'584	'746	'257	'448	'553	'877	1'144	1'607	3'212	5'741	14'236	27'278	
		F.	1'548	3'903	'803	'334	'509	'516	'624	'942	1'330	2'136	4'661	12'553	25'162	
35	CHESTERTON <i>H</i>	M.	1'844	4'330	'592	'332	'848	'667	'840	1'193	1'648	3'032	5'297	14'889	32'333	
		F.	1'426	3'520	'605	'433	'640	'339	'623	1'083	1'195	2'597	5'995	11'742	31'200	
36	GUILDFORD <i>HHHL</i>	M.	2'161	5'095	'713	'351	'509	1'190	1'310	1'453	2'068	3'851	6'417	14'967	42'105	
		F.	1'745	4'022	'691	'422	'756	'735	'894	1'077	1'200	2'530	5'842	11'547	29'091	
37	FARNHAM †	M.	1'502	8'605	'792	'374	'289	'362	'732	1'233	1'740	2'819	5'802	14'458	19'239	
		F.	1'304	5'399	'757	'418	'734	'862	'955	1'064	1'322	2'621	6'225	11'211	28'671	
38	HAMBLEDON	M.	1'679	3'836	'635	'271	'492	'510	'827	'875	1'127	1'963	5'889	14'884	27'333	
		F.	1'665	3'188	'569	'477	'682	'805	'933	'893	1'141	2'778	5'018	14'020	29'875	
39	DORRING	M.	1'815	4'189	'628	'322	'335	'833	'994	1'083	1'562	2'300	6'448	14'316	30'000	
		F.	1'518	3'151	'536	'349	'698	'600	'719	'884	1'085	2'035	5'569	13'882	33'143	
40	REIGATE <i>L</i>	M.	1'782	4'539	'793	'712	'781	1'022	'669	'897	1'418	2'365	5'847	12'464	34'000	
		F.	1'555	3'661	'651	'683	'719	'670	'726	1'070	1'160	2'202	4'869	14'034	25'353	
41	GODSTONE <i>L</i>	M.	1'665	4'125	'491	'237	'472	'539	'881	'778	1'239	2'416	5'020	12'593	32'636	
		F.	1'444	3'414	'435	'425	'755	'671	'693	'711	1'032	1'647	4'133	11'269	15'769	
42	UBOYDON <i>H</i>	M.	2'123	6'259	'700	'391	'477	'629	'846	1'307	1'881	3'563	6'303	14'020	30'279	
		F.	1'678	5'420	'631	'375	'436	'478	'722	'945	1'337	2'314	5'097	11'790	33'774	
43	KINGSTON <i>H</i>	M.	2'067	5'312	'748	'353	'477	'751	'892	1'415	2'052	3'372	5'744	14'714	29'585	
		F.	1'596	4'444	'547	'347	'510	'486	'634	'923	1'273	2'865	5'300	12'779	30'851	
44	RICHMOND <i>H</i>	M.	2'230	6'024	'705	'499	'697	'759	'934	1'659	2'301	3'908	6'037	18'870	37'867	
		F.	1'635	5'036	'666	'301	'333	'365	'594	'912	1'191	2'354	6'076	12'971	37'087	

* On 1st January 1870 the Districts of St. George Southwark and Newington were merged in the District of St. Saviour Southwark; and at the same time the Districts of Bermondsey and Rotherhithe were merged in the District of St. Olave Southwark.

† On 1st July 1868 the new District of Woolwich was formed out of parts of the Districts of Greenwich and Lewisham. The mortality of the new District is not separately given in this Table.

‡ A correction has been made for a change in the constitution of this District during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.			SEX.	All Ages.	Ages.																
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.					
No.	II.—SOUTH EASTERN COUNTIES—cont.			2.—KENT (extra-metrop.)																	
49	BROMLEY	-	-	-	-	M.	1'805	4'066	690	363	443	389	633	1'117	1'400	2'431	6'114	13'946	26'590		
						F.	1'494	3'877	610	333	457	502	558	900	1'158	2'153	5'233	12'970	25'337		
50	DARTFORD L	-	-	-	-	M.	2'072	5'913	570	314	573	804	888	1'259	1'879	2'922	6'016	13'456	28'710		
						F.	1'751	5'146	707	306	530	501	674	1'015	1'209	2'366	5'392	11'818	22'821		
51	GRAVESEND H	-	-	-	-	M.	2'431	6'646	854	360	645	1'084	1'225	1'793	2'272	3'664	7'443	14'862	29'167		
						F.	1'980	5'847	763	347	445	697	780	1'180	1'594	2'861	6'893	12'633	27'241		
52	NORTH AYLESFORD	-	-	-	-	M.	2'136	6'442	625	391	790	933	836	1'199	1'565	2'577	5'912	12'830	44'286		
						F.	1'884	5'318	757	436	748	785	806	1'075	1'151	2'196	4'634	12'821	33'750		
53	Hoo	-	-	-	-	M.	2'513	8'020	622	760	877	1'286	1'298	1'579	2'069	3'010	8'800	15'000	25'000		
						F.	2'112	5'639	980	606	690	1'284	900	1'014	1'475	2'195	6'279	16'923	40'000		
54	MEDWAY HHH	-	-	-	-	M.	2'214	7'676	767	358	579	861	1'179	1'330	2'076	3'233	6'275	13'221	32'571		
						F.	2'204	6'953	739	440	531	825	1'070	1'272	1'631	2'843	5'716	12'748	28'148		
55	MALLING	-	-	-	-	M.	2'051	5'598	593	392	596	842	1'026	1'002	1'377	2'953	6'276	12'774	30'000		
						F.	1'871	5'118	582	420	797	840	956	950	1'235	2'115	4'894	14'104	31'905		
56	SEVENOAKS	-	-	-	-	M.	1'863	4'777	710	391	435	705	810	1'039	1'477	2'266	5'617	12'784	26'890		
						F.	1'737	3'741	653	358	611	840	991	1'200	1'182	2'270	5'241	12'244	29'300		
57	TUNBRIDGE H	-	-	-	-	M.	2'004	5'653	612	293	486	755	818	1'240	1'635	2'946	5'530	12'696	33'290		
						F.	1'692	4'554	590	296	389	650	776	1'072	1'313	2'282	5'470	15'417	25'484		
58	MAIDSTONE HL	-	-	-	-	M.	2'413	6'432	742	443	676	856	1'258	1'771	2'096	3'506	7'248	14'922	29'697		
						F.	2'192	5'838	774	430	636	963	1'094	1'418	1'805	2'961	6'079	13'016	25'192		
59	HOLLINGBOURN	-	-	-	-	M.	1'940	5'098	639	404	607	875	638	1'000	1'277	1'878	5'194	13'876	37'200		
						F.	1'764	4'075	551	429	856	636	1'009	982	1'078	1'912	5'000	10'796	31'667		
60	CRANBROOK	-	-	-	-	M.	1'671	4'070	541	290	428	736	693	702	935	2'452	6'475	13'333	24'667		
						F.	1'098	3'427	541	375	935	799	909	1'055	1'225	2'160	5'876	12'323	39'091		
61	TENTERDEN	-	-	-	-	M.	1'633	4'188	693	338	346	561	631	812	1'034	2'265	4'855	12'727	24'545		
						F.	1'749	3'850	566	461	681	851	1'074	1'104	1'150	1'851	5'158	11'170	27'039		
62	WEST ASHFORD	-	-	-	-	M.	1'896	5'640	634	453	482	790	736	966	1'216	2'169	4'716	14'688	27'323		
						F.	1'838	4'367	638	395	768	1'289	924	931	1'209	2'008	5'548	14'495	27'778		
63	EAST ASHFORD	-	-	-	-	M.	1'754	4'681	529	198	644	593	659	858	1'030	1'708	5'085	12'389	30'600		
						F.	1'720	3'485	656	496	676	1'037	1'090	1'176	1'126	1'948	4'370	10'753	28'421		
64	BRIDGE	-	-	-	-	M.	1'844	4'747	662	339	473	587	685	1'031	1'139	2'042	4'784	10'672	27'000		
						F.	1'670	3'646	493	524	588	825	730	1'039	1'130	1'696	4'412	11'416	25'294		
65	CANTERBURY H	-	-	-	-	M.	2'485	7'770	926	527	549	844	1'308	2'013	2'224	3'222	7'254	16'404	27'143		
						F.	2'334	6'945	854	615	729	1'042	1'000	1'592	1'361	2'611	5'155	13'354	23'611		
66	BLEAN	-	-	-	-	M.	2'110	6'237	711	383	464	591	971	1'158	1'580	2'500	4'850	12'851	29'323		
						F.	1'833	4'874	723	416	750	926	878	836	1'245	2'053	4'917	11'791	22'600		
67	FAVERSHAM	-	-	-	-	M.	1'971	5'670	565	314	487	605	907	1'014	1'412	1'990	5'617	12'134	28'333		
						F.	1'844	5'100	538	356	708	647	800	890	1'116	2'297	4'934	11'337	26'267		
68	MILTON	-	-	-	-	M.	2'155	7'146	610	382	597	800	751	1'132	1'503	2'103	5'172	12'646	24'000		
						F.	1'883	5'796	546	352	450	608	1'023	1'120	1'605	1'969	5'299	10'526	21'379		
69	SHEPPEY	-	-	-	-	M.	1'876	7'861	895	347	423	435	767	917	1'222	2'903	5'206	14'844	19'091		
						F.	1'989	6'401	638	417	598	702	745	902	1'622	2'176	6'340	13'134	30'000		
70	THANET HHH	-	-	-	-	M.	2'312	5'955	780	482	833	993	1'199	1'560	2'107	3'330	6'167	13'992	29'189		
						F.	1'830	5'043	662	561	623	594	942	930	1'432	2'202	4'709	11'501	26'885		
71	EASTRY H	-	-	-	-	M.	2'016	5'033	719	408	597	701	1'110	1'089	1'466	2'455	5'074	13'328	37'419		
						F.	1'823	4'035	601	389	574	884	981	939	1'119	1'578	4'779	10'290	31'250		
72	DOVER H	-	-	-	-	M.	2'086	6'709	781	326	405	667	1'023	1'200	1'992	2'906	6'187	13'788	33'730		
						F.	1'901	5'599	699	407	733	664	897	1'010	1'431	2'184	5'178	11'479	23'639		
73	ELHAM	-	-	-	-	M.	1'657	5'482	672	314	328	386	589	1'335	1'537	2'406	5'341	14'543	35'263		
						F.	1'756	4'777	714	382	462	663	833	783	1'218	2'716	5'338	12'692	32'143		
74	ROMNEY MARSH	-	-	-	-	M.	1'788	4'439	647	410	702	657	621	1'067	1'498	2'743	6'667	11'220	46'667		
						F.	1'792	4'369	577	411	615	663	1'081	1'125	1'152	2'236	5'000	11'136	28'333		

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			Sex.	All Ages.	Ages.											85 and upwards.
					Under 5 Years.											
					5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
No.	II.—SOUTH EASTERN COUNTIES—cont.															
	3.—SUSSEX.															
75	RYE	- - - - -	M.	1'885	4'793	4'090	2'827	4'427	9'942	8'855	1'080	1'137	2'330	5'378	14'222	38'000
			F.	1'838	3'630	3'048	2'402	3'693	7'778	7'946	1'418	1'504	2'249	5'243	14'536	34'615
76	HASTINGS H	- - - - -	M.	2'319	6'193	5'371	3'260	6'008	1'071	1'396	1'854	2'184	3'168	5'956	12'658	34'375
			F.	1'715	5'531	4'703	3'430	5'696	5'447	8'826	1'164	1'540	2'364	4'908	11'814	33'333
77	BATTLE	- - - - -	M.	1'635	3'819	3'470	2'358	3'365	7'792	7'742	1'153	1'861	3'267	14'261	24'667	34'000
			F.	1'727	3'155	2'804	1'438	2'911	8'816	9'655	9'004	1'273	2'095	5'554	16'067	24'000
78	EASTBOURNE HH	- - - - -	M.	1'896	4'732	3'674	2'449	3'655	8'856	8'880	1'053	1'389	2'332	5'305	13'000	16'000
			F.	1'586	3'928	2'578	1'484	2'457	6'640	9'955	9'886	1'173	1'931	4'851	12'614	18'235
79	HAILSHAM	- - - - -	M.	1'645	3'488	3'003	2'068	3'510	6'646	6'645	9'357	1'022	2'222	4'232	15'554	32'941
			F.	1'749	3'153	2'472	1'443	1'030	1'078	9'973	1'150	1'190	2'348	5'263	12'881	25'385
80	TICEHURST	- - - - -	M.	1'774	4'392	3'684	2'365	3'615	8'832	7'775	9'971	1'225	2'349	5'292	10'880	22'941
			F.	1'605	3'310	2'549	1'428	1'743	8'822	8'823	1'136	1'201	1'963	5'218	11'759	30'000
81	UCKFIELD	- - - - -	M.	1'756	4'415	3'450	2'333	3'409	8'874	7'729	9'919	1'329	2'149	5'378	13'526	22'174
			F.	1'692	3'122	2'562	1'390	1'142	1'000	1'018	1'205	1'173	2'624	5'311	13'119	25'000
82	EAST GRINSTEAD	- - - - -	M.	1'607	3'730	3'426	2'333	3'451	6'604	6'601	9'940	1'144	2'116	4'776	14'533	32'857
			F.	1'662	3'526	2'585	1'369	1'789	9'951	9'941	1'042	1'080	2'102	5'891	11'193	21'667
83	UCKFIELD	- - - - -	M.	1'614	4'183	3'446	2'276	2'290	8'900	7'787	9'888	1'261	2'173	5'618	13'043	28'421
			F.	1'535	3'203	2'517	1'372	1'867	7'711	8'858	1'102	1'143	1'781	5'000	12'032	25'789
84	LEWES HL	- - - - -	M.	2'068	4'585	3'554	2'081	3'683	1'118	1'285	1'533	1'900	2'699	6'192	12'793	35'000
			F.	1'939	4'222	3'500	2'300	2'798	1'090	1'230	1'402	1'431	2'408	5'375	14'976	30'741
85	BRIGHTON HHH	- - - - -	M.	2'561	8'208	7'727	3'375	5'527	9'946	1'072	1'732	2'265	3'936	7'205	14'482	27'895
			F.	1'980	6'824	5'745	3'380	4'449	5'565	8'811	1'153	1'522	2'715	5'263	13'547	27'160
86	STEYNING*	- - - - -	M.	1'754	5'277	3'534	2'388	3'532	6'601	6'655	9'964	1'478	2'376	6'280	12'418	32'500
			F.	1'495	4'786	3'632	2'360	3'997	5'529	6'631	9'902	1'264	2'269	4'058	12'000	24'286
87	HORSHAM*	- - - - -	M.	1'835	4'407	3'780	2'362	3'522	5'526	7'721	1'003	1'304	2'020	6'135	15'680	35'714
			F.	1'694	3'446	2'693	1'427	1'637	1'003	9'944	1'009	1'223	2'236	5'003	15'206	31'667
88	PETWORTH*	- - - - -	M.	1'900	4'505	3'784	2'539	3'398	1'030	1'011	1'819	1'900	2'028	5'149	15'357	33'333
			F.	1'970	3'642	2'825	1'618	1'094	1'043	1'066	1'103	1'554	2'366	5'707	16'500	37'000
89	THAKHAM*	- - - - -	M.	1'647	3'797	3'615	2'390	3'308	9'946	8'873	5'820	1'000	1'870	4'303	13'562	35'371
			F.	1'632	2'878	2'665	1'271	1'986	8'849	8'802	9'980	1'632	2'417	4'465	11'324	25'556
90	EAST PRESTON (WORTHING)* H	- - - - -	M.	1'944	4'572	3'677	2'297	3'586	1'008	1'078	1'108	1'732	2'604	5'875	12'500	33'333
			F.	1'711	3'580	2'641	1'460	2'700	7'716	9'906	1'104	1'321	1'952	4'622	11'038	30'000
91	WESTHAMPTON*	- - - - -	M.	1'788	3'643	3'003	2'384	3'571	8'846	9'941	9'955	1'398	2'085	5'148	11'400	31'304
			F.	1'605	2'932	2'442	1'435	2'810	1'033	8'856	1'014	1'149	2'063	4'448	12'037	22'000
92	CHICHESTER* H	- - - - -	M.	2'060	4'238	3'501	2'386	3'553	9'943	1'121	1'206	2'036	3'846	5'880	15'983	31'765
			F.	1'797	3'521	2'480	1'387	2'850	8'828	1'192	1'301	1'340	2'246	5'439	12'400	26'937
93	MIDHURST*	- - - - -	M.	1'766	3'654	2'860	2'123	3'466	9'917	7'729	9'972	9'989	2'311	5'890	11'811	32'105
			F.	1'735	3'415	2'392	1'415	2'927	1'019	7'764	9'967	1'195	2'495	5'053	12'500	39'251
94	WESTBOURNE	- - - - -	M.	2'039	4'637	3'560	2'610	3'452	9'938	1'121	1'272	1'577	2'036	5'069	12'519	34'167
			F.	1'673	3'294	2'601	1'406	2'478	6'677	7'758	8'816	1'325	2'532	4'873	9'429	30'833
4.—HAMPSHIRE.																
95	HAVANT	- - - - -	M.	2'046	4'374	3'611	2'516	3'619	1'008	8'835	1'355	1'590	2'577	6'296	12'635	23'846
			F.	1'805	3'968	2'565	1'366	2'838	1'166	8'800	1'247	1'114	1'978	5'389	11'333	28'000
96	FORTSEA ISLAND HHH	- - - - -	M.	2'122	7'183	5'802	3'344	4'535	5'558	9'912	1'417	1'991	3'398	6'802	15'280	33'898
			F.	2'118	6'398	5'107	3'370	5'585	7'797	1'016	1'292	1'618	2'615	5'827	13'875	28'438
97	ALVERSTOCK H	- - - - -	M.	2'485	6'569	5'088	3'348	1'030	1'423	1'901	2'392	2'778	3'685	5'744	13'981	36'923
			F.	1'983	5'633	4'791	3'411	6'663	6'642	9'924	1'400	1'314	2'216	5'019	12'155	26'937
98	FAVERHAM L	- - - - -	M.	2'304	4'032	3'375	2'350	3'559	9'950	1'335	1'982	2'667	3'667	6'935	14'211	30'048
			F.	2'223	3'372	2'531	1'370	2'642	9'957	1'380	1'775	1'917	3'063	5'836	13'614	22'414
99	ISLE OF WIGHT HH	- - - - -	M.	1'880	4'505	3'601	2'402	3'549	8'885	1'067	1'268	1'416	2'348	4'977	12'590	31'200
			F.	1'615	4'006	3'006	1'436	2'577	7'794	7'788	9'946	1'172	2'082	4'862	11'927	27'465

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.												
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
No.	II.—SOUTH EASTERN COUNTIES—cont.																
	4.—HAMPSHIRE—cont.																
100	LYMINGTON - - - - -	M.	1'719	3'630	480	402	345	639	853	1'010	1'442	2'295	4'754	12'477	24'444		
		F.	1'652	2'978	469	829	787	928	942	967	1'207	1'866	5'690	14'947	32'000		
101	CHRISTCHURCH H - - -	M.	1'932	4'494	610	494	500	1'285	1'509	1'043	1'488	2'639	5'761	10'879	35'556		
		F.	1'486	3'527	512	322	522	705	898	958	1'075	2'112	4'618	15'476	25'556		
102	RINGWOOD - - - - -	M.	1'704	3'769	566	162	460	918	863	745	1'145	2'439	3'944	15'849	25'000		
		F.	1'748	3'415	400	252	482	766	1'078	1'049	1'849	2'554	5'703	12'800	27'500		
103	FORDINGBRIDGE - - -	M.	1'931	4'473	700	290	459	639	710	892	1'470	2'169	5'639	13'968	53'333		
		F.	1'901	3'764	792	510	980	744	1'117	962	1'406	2'443	5'352	11'071	62'000		
104	NEW FOREST - - - - -	M.	1'735	3'869	592	240	488	652	1'024	905	1'097	2'144	5'677	12'661	33'529		
		F.	1'633	3'294	400	422	497	1'096	839	946	910	1'744	5'467	13'421	34'375		
105	SOUTHAMPTON H - - -	M.	2'509	7'247	820	465	499	965	1'435	1'858	2'604	3'896	7'065	15'832	25'632		
		F.	2'042	5'949	763	438	511	765	1'050	1'403	1'853	2'795	5'699	13'189	37'373		
106	SOUTH STONEHAM H - -	M.	2'245	5'178	544	357	524	1'475	2'177	1'617	1'731	2'790	6'394	13'846	41'250		
		F.	1'869	4'017	516	316	625	516	836	955	1'409	2'179	5'818	13'795	23'043		
107	ROMSEY - - - - -	M.	1'977	4'667	895	558	605	798	938	866	1'434	2'412	5'172	14'629	25'000		
		F.	1'982	4'341	882	466	753	1'015	915	1'139	1'586	2'241	5'617	13'830	33'846		
108	STOCKBRIDGE - - - - -	M.	1'758	3'808	343	419	401	600	897	751	1'400	2'724	5'323	13'321	42'000		
		F.	1'744	3'299	535	632	947	1'200	725	1'111	1'228	2'397	5'975	12'400	37'000		
109	WINCHESTER H - - -	M.	1'913	4'946	727	297	328	695	1'075	1'481	1'715	3'101	6'091	14'300	32'308		
		F.	1'812	4'499	678	584	714	784	927	1'039	1'239	2'239	5'498	13'662	26'129		
110	DROKFORD - - - - -	M.	1'791	4'755	506	216	315	508	963	967	1'135	2'293	4'531	10'769	26'750		
		F.	1'672	3'497	696	386	698	987	854	915	871	2'316	3'913	11'239	24'286		
111	CATHERINGTON - - - -	M.	1'731	4'211	655	516	317	1'08	699	811	1'591	1'854	4'615	11'923	30'095		
		F.	1'457	2'584	355	226	439	753	805	855	866	2'472	5'179	16'250	20'667		
112	PETERSFIELD * - - -	M.	1'778	4'460	635	279	707	897	1'785	878	1'035	1'895	5'650	11'184	37'500		
		F.	1'569	3'085	618	188	545	826	827	1'002	1'050	1'908	4'171	13'025	24'545		
113	ALRESFORD - - - - -	M.	1'742	3'799	455	296	458	641	979	1'128	1'042	1'978	4'944	14'028	31'000		
		F.	1'678	3'319	354	331	606	822	959	1'213	1'429	2'179	5'290	10'714	23'000		
114	ALTON * - - - - -	M.	1'959	4'788	555	440	656	692	760	1'030	1'459	2'933	5'445	13'000	32'667		
		F.	1'877	4'316	644	482	870	1'029	1'010	1'106	1'171	2'341	5'644	12'979	30'667		
115	HARTLEY WINTNEY * - -	M.	1'805	4'191	642	297	307	702	851	984	1'434	2'187	5'324	11'780	32'837		
		F.	1'831	3'885	639	569	487	800	1'053	783	1'284	1'924	6'854	11'880	24'737		
116	BASINGSTOKE - - - -	M.	1'949	4'667	654	292	486	545	975	1'116	1'484	2'614	5'203	15'263	43'671		
		F.	1'873	4'435	491	438	705	953	861	979	1'542	2'261	5'919	11'096	29'200		
117	WHITCHURCH - - - -	M.	1'901	5'376	389	248	561	707	841	1'040	1'539	1'925	5'703	11'928	25'556		
		F.	1'814	3'179	554	358	573	973	1'018	1'131	1'290	2'889	4'963	12'536	27'778		
118	ANDOVER - - - - -	M.	1'816	3'948	417	384	473	669	783	910	1'333	2'831	5'946	13'563	37'143		
		F.	1'733	3'485	375	279	559	925	724	1'355	1'206	2'357	5'697	12'727	31'667		
119	KINGSCLERE - - - -	M.	1'999	5'055	748	489	480	994	753	933	1'069	2'201	4'682	15'696	33'333		
		F.	1'945	4'017	911	431	815	774	1'325	1'078	1'198	2'595	4'427	15'217	27'273		
5.—BERKSHIRE.																	
120	NEWBURY - - - - -	M.	2'169	5'410	564	378	525	1'003	993	1'163	1'556	2'738	6'342	14'419	25'632		
		F.	1'920	4'389	604	300	806	903	979	1'138	1'417	2'210	5'206	12'262	34'193		
121	HUNGERFORD - - - -	M.	1'957	5'216	431	355	367	660	976	866	1'374	2'408	5'681	14'506	34'118		
		F.	1'839	3'516	373	401	644	965	1'067	994	1'131	2'398	5'800	11'396	32'300		
122	FARINGDON - - - - -	M.	2'184	5'821	841	406	723	878	881	1'071	1'280	2'539	5'444	14'921	48'462		
		F.	2'096	5'413	617	522	831	721	1'091	1'215	1'435	2'447	5'741	12'908	41'250		
123	ABINGDON L - - - -	M.	2'302	5'845	555	405	467	908	1'140	1'498	1'800	3'443	5'848	16'111	49'373		
		F.	2'165	4'510	629	357	605	981	1'231	1'202	1'704	3'228	6'074	16'221	33'704		
124	WANTAGE - - - - -	M.	1'957	5'094	324	376	450	904	857	932	1'327	2'271	6'298	14'000	31'528		
		F.	1'925	4'108	633	539	753	915	1'067	1'226	1'229	2'070	6'022	14'191	33'043		

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.		SEX.	All Ages.	Ages.												85 and upwards.	
				Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—			
No.	II.—SOUTH EASTERN COUNTIES—cont.																
	5.—BERKSHIRE—cont.																
123	WALLINGFORD L. - - - -	M. 1'911	4'684	'441	'409	'459	'765	'714	1'419	1'351	2'331	5'335	14'545	35'000			
		F. 1'760	3'482	'393	'458	'541	'963	'910	'996	1'137	2'340	5'088	14'462	34'375			
126	BRADFIELD - - - - -	M. 1'772	4'320	'487	'319	'331	'809	'863	'927	1'328	1'970	4'924	12'338	30'000			
		F. 1'751	3'447	'432	'346	'701	'906	'966	1'242	1'184	1'947	4'846	13'885	32'727			
127	READING H. - - - - -	M. 2'402	7'055	'898	'420	'625	'885	1'072	1'439	2'108	3'471	7'555	16'370	40'000			
		F. 2'043	5'999	'780	'445	'508	'790	'844	1'116	1'579	2'708	6'123	13'925	33'929			
128	WOKINGHAM - - - - -	M. 1'873	4'312	'602	'326	'518	'767	'807	'992	1'593	2'524	5'640	11'854	32'667			
		F. 1'697	4'046	'738	'428	'614	'639	'691	'862	1'137	1'860	4'899	12'992	45'714			
129	COOKHAM - - - - -	M. 1'815	4'862	'632	'305	'444	'739	'730	1'184	1'669	2'571	5'201	14'305	28'182			
		F. 1'722	4'094	'422	'511	'610	'667	'587	1'091	1'086	2'350	6'400	13'592	40'714			
130	EASTHAMPTON L. - - -	M. 1'710	3'764	'828	'305	'441	'698	'830	1'300	1'477	2'583	6'145	15'283	36'667			
		F. 1'537	3'471	'626	'330	'570	'493	'572	'853	1'211	2'466	6'330	9'646	32'727			
131	WINDSOR HH. - - - -	M. 2'055	5'313	'581	'292	'493	'579	'990	1'742	1'998	3'896	7'066	14'167	32'353			
		F. 1'870	5'114	'780	'565	'567	'893	'737	'997	1'555	2'494	6'289	13'208	31'111			
III.—SOUTH MIDLAND COUNTIES.																	
6.—MIDDLSEX.—(ex-met.)																	
132	STAINES - - - - -	M. 1'805	5'453	'600	'295	'542	'672	'738	1'056	1'353	2'801	5'016	13'017	27'222			
		F. 1'712	4'484	'548	'339	'671	'668	'821	'829	1'299	2'060	5'210	12'835	26'095			
133	URBRIDGE L. - - - -	M. 2'637	6'021	'670	'338	'652	'971	1'705	2'759	2'909	4'885	7'457	14'026	31'500			
		F. 2'431	5'119	'727	'412	'881	'738	1'489	1'932	2'384	3'552	7'165	15'238	29'032			
134	BRENTFORD HL. - - -	M. 2'192	6'402	'612	'381	'392	'764	'868	1'460	2'164	3'514	7'012	14'713	42'759			
		F. 1'849	5'682	'713	'415	'534	'534	'691	1'046	1'353	2'688	5'491	13'159	35'278			
135	BENDON - - - - -	M. 2'048	6'329	'568	'391	'478	'648	'919	1'221	1'682	3'576	6'305	15'603	24'706			
		F. 1'632	5'485	'542	'385	'502	'449	'640	'840	1'191	2'340	5'222	13'602	26'400			
136	BARNET L. - - - - -	M. 2'099	4'668	'705	'284	'543	1'410	2'105	3'144	3'611	5'024	7'327	14'511	26'429			
		F. 2'004	4'232	'470	'389	'460	'603	1'233	1'755	2'180	3'455	6'489	14'011	29'300			
137	EDMONTON H. - - - -	M. 2'009	5'741	'696	'330	'403	'623	'851	1'148	1'809	3'353	6'167	14'259	36'952			
		F. 1'716	5'118	'666	'315	'364	'687	'686	'863	1'255	2'426	5'126	11'915	29'873			
7.—HERTFORDSHIRE.																	
138	WARE - - - - -	M. 1'840	4'195	'616	'404	'431	'817	'931	1'212	1'658	2'747	6'656	15'045	28'462			
		F. 1'765	4'127	'683	'339	'586	'598	'844	'917	1'043	2'236	4'972	13'056	31'538			
139	BISHOP STORTFORD - -	M. 2'023	4'898	'696	'373	'569	'854	'787	1'135	1'647	2'805	6'109	13'522	31'538			
		F. 1'771	4'109	'625	'461	'694	'767	'747	1'094	'987	2'177	5'169	14'048	27'667			
140	ROSTON - - - - -	M. 1'830	5'092	'598	'270	'410	'614	'881	'890	1'419	2'243	5'271	14'643	29'545			
		F. 1'856	4'436	'505	'408	'670	'922	'888	'865	1'272	2'347	4'955	12'237	32'681			
141	HITCHIN H. - - - - -	M. 2'054	6'074	'595	'385	'441	'612	'710	'993	1'487	2'696	6'390	15'263	42'857			
		F. 1'860	5'164	'627	'519	'607	'889	'888	'904	1'068	2'279	5'824	12'551	29'286			
142	HERTFORD H. - - - -	M. 1'871	5'015	'581	'318	'399	'744	'863	1'265	1'509	2'739	5'411	16'346	30'000			
		F. 1'859	4'722	'586	'325	'581	'487	'836	1'035	1'375	2'468	5'424	13'485	37'837			
143	HATFIELD - - - - -	M. 1'856	4'168	'435	'369	'339	'813	'886	1'152	1'881	1'809	7'176	15'818	36'230			
		F. 1'729	4'086	'455	'289	'634	'762	'749	1'324	1'065	2'115	5'683	14'571	26'000			
144	ST. ALBANS - - - - -	M. 2'076	5'878	'390	'509	'569	'729	'921	1'238	1'648	2'895	6'275	16'803	40'000			
		F. 1'837	5'118	'437	'511	'752	'745	'758	1'182	1'374	2'438	5'459	11'897	27'917			
145	WATFORD L. - - - -	M. 2'003	5'844	'575	'410	'399	'472	'752	1'329	1'667	2'608	6'728	15'495	28'333			
		F. 1'731	5'338	'547	'407	'515	'398	'739	'799	1'194	2'208	5'050	10'659	28'214			
146	HEMEL HEMPSTEAD H. -	M. 2'178	6'428	'752	'306	'453	'765	1'070	1'267	1'766	2'940	5'504	15'925	35'536			
		F. 1'815	5'262	'493	'292	'592	'959	'808	1'199	1'454	2'160	5'896	12'222	29'000			
147	BRECHAMPTON - - - -	M. 2'131	7'010	'581	'375	'315	'435	'748	1'101	1'413	2'678	6'102	16'620	37'143			
		F. 1'956	5'763	'619	'376	'485	'882	'880	1'019	1'149	3'023	6'448	14'405	35'000			

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.			Sex.	All Ages.	Ages.											83 and upwards.
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
No.	III.—SOUTH MIDLAND COUNTIES—cont.															
8.—BUCKINGHAMSH.																
148	AMERSHAM	- - - - -	M.	2'163	6'593	'548	'293	'366	'695	'780	'988	1'302	2'579	5'937	16'119	42'143
			F.	2'051	5'471	'617	'415	'489	'839	'931	1'143	1'181	2'584	6'099	14'071	34'375
149	ETON	- - - - -	M.	1'977	5'180	'598	'316	'444	'832	'845	1'185	1'778	3'166	6'372	15'262	31'667
			F.	1'735	4'415	'618	'291	'583	'609	'759	'856	1'200	2'402	6'228	13'547	31'250
150	WYCOMBE	- - - - -	M.	2'080	6'527	'600	'333	'467	'639	'635	'847	1'458	2'432	5'819	15'212	39'615
			F.	1'932	5'170	'532	'303	'628	'687	'804	1'041	1'338	2'552	6'277	14'718	36'897
151	AYLESBURY HL	- - - - -	M.	2'282	6'226	'679	'398	'524	1'058	'933	1'283	1'356	2'898	5'903	13'994	33'810
			F.	2'214	5'215	'793	'568	'878	'867	1'148	1'121	1'514	2'704	6'525	15'750	31'786
152	WINSLOW	- - - - -	M.	1'992	5'920	'657	'399	'468	1'054	'567	'728	1'017	2'461	5'707	11'765	28'000
			F.	1'948	4'623	'582	'581	'839	1'055	1'036	1'060	1'671	2'339	4'750	12'300	36'000
153	NEWPORT PAGNELL	- - - - -	M.	2'015	5'893	'548	'293	'516	'673	'737	'869	1'145	2'355	6'336	16'154	32'727
			F.	1'963	5'127	'505	'398	'836	'817	'870	'918	1'130	2'085	5'814	13'493	30'000
154	BUCKINGHAM	- - - - -	M.	1'957	5'924	'527	'338	'458	'510	'673	'870	1'026	1'972	5'944	12'081	33'333
			F.	2'008	4'989	'378	'411	'979	'953	1'018	1'179	1'341	2'432	4'970	12'581	39'167
9.—OXFORDSHIRE.																
155	HENLEY	- - - - -	M.	1'940	4'780	'377	'327	'387	'750	'784	1'041	1'366	2'504	6'752	13'114	39'474
			F.	1'744	3'551	'586	'437	'751	'609	'845	1'119	1'291	1'941	5'286	12'378	32'308
156	THAME	- - - - -	M.	1'922	5'156	'525	'336	'457	'654	'849	'648	1'173	2'006	5'125	15'615	28'135
			F.	1'929	4'459	'435	'279	'716	1'129	'890	1'030	1'455	2'348	5'818	14'419	31'111
157	HEADINGTON wH	- - - - -	M.	2'497	5'924	'684	'439	'722	'925	1'310	1'920	2'372	3'463	7'238	17'642	26'316
			F.	2'086	5'514	'699	'527	'539	'829	'969	1'377	1'289	2'097	6'390	13'533	27'931
158	OXFORD	- - - - -	M.	2'036	6'340	'817	'963	'371	'718	1'009	1'322	2'044	2'740	6'886	18'704	22'500
			F.	1'936	6'696	'665	'379	'387	'521	'838	1'255	1'535	2'547	6'401	13'740	33'125
159	DICESTER	- - - - -	M.	2'072	5'604	'545	'309	'485	'789	'825	'883	1'316	2'986	5'922	15'373	44'615
			F.	1'997	5'129	'580	'432	'620	'942	'832	1'073	1'173	2'125	5'989	13'566	23'500
160	WOODSTOCK	- - - - -	M.	2'081	5'655	'446	'351	'329	'730	'855	'924	1'349	2'799	6'482	15'243	36'923
			F.	1'876	4'309	'463	'386	'633	'826	'978	1'339	1'566	2'984	5'192	14'286	21'176
161	WITNEY	- - - - -	M.	1'942	5'151	'510	'239	'427	'661	'716	'888	1'207	2'453	5'317	14'429	33'846
			F.	1'960	4'351	'624	'441	'661	'995	'863	1'112	1'456	2'331	4'611	15'258	32'258
162	CHIPPING NORTON	- - - - -	M.	1'983	5'395	'642	'357	'393	'641	'691	1'044	1'171	2'185	5'965	13'642	28'421
			F.	1'826	4'137	'644	'467	'757	'953	1'073	'881	1'083	2'017	4'947	14'709	27'331
163	BANBURY	- - - - -	M.	2'010	5'630	'627	'305	'396	'521	'784	'943	1'394	2'613	6'003	14'000	36'667
			F.	1'933	4'904	'547	'359	'700	'664	'936	1'006	1'225	2'450	5'745	14'400	28'065
10.—NORTHAMPTNSH.																
164	BRACKLEY	- - - - -	M.	1'996	5'502	'514	'515	'342	'728	'766	'805	1'100	2'257	5'539	14'622	30'000
			F.	1'920	4'473	'469	'480	'768	'870	'968	1'229	1'003	2'447	5'188	15'755	31'818
165	TOWCESTER	- - - - -	M.	2'107	7'157	'553	'323	'446	'806	'676	'728	'972	2'305	5'392	14'804	33'077
			F.	1'981	5'297	'498	'416	'764	'695	'917	1'173	1'306	2'412	5'714	13'800	29'251
166	POTTERS PURDY	- - - - -	M.	1'822	6'428	'552	'248	'419	'554	'522	'841	1'369	2'147	5'160	13'433	28'880
			F.	1'946	5'556	'427	'356	'552	'896	'819	1'085	1'908	2'753	6'037	14'638	31'818
167	HARDINGSTONE	- - - - -	M.	1'968	6'681	'614	'237	'611	'652	'597	'664	1'209	2'281	4'717	13'582	34'286
			F.	2'065	5'027	'640	'523	'987	'977	1'197	1'162	1'388	2'290	6'262	17'719	17'000
168	NORTHAMPTON HL	- - - - -	M.	2'692	9'565	1'012	'480	'534	'890	1'061	1'286	1'915	3'028	7'845	17'225	29'048
			F.	2'949	8'196	'958	'414	'694	'794	1'023	1'230	1'496	3'026	6'252	14'595	27'419
169	DAVENTRY	- - - - -	M.	1'968	5'867	'625	'341	'409	'611	'734	'974	1'153	2'576	5'385	14'912	36'667
			F.	1'934	4'342	'564	'393	'849	1'096	1'080	1'079	1'258	2'236	5'341	13'837	32'105
170	BRIXWORTH	- - - - -	M.	1'949	5'838	'495	'291	'426	'631	'629	'822	1'047	2'429	5'045	14'711	40'000
			F.	1'888	4'551	'723	'429	'745	'851	'699	1'057	1'133	2'164	5'604	14'836	40'000
171	WELLINGBOROUGH	- - - - -	M.	2'173	7'532	'704	'362	'476	'689	'712	'802	1'367	2'737	5'769	13'185	32'000
			F.	2'049	6'107	'610	'533	'838	'985	1'023	'864	1'319	2'391	5'498	16'015	36'542

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.		SEX.	All Ages.	Ages.											85 and upwards.	
				Under 5 Years.												
				5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
No.	III.—SOUTH MIDLAND COUNTIES—cont.															
	10.—NORTHAMPTNSH.—cont.															
	172	KETTERING - - - - -	M.	2'105	7'124	'575	'400	'525	'563	'384	'886	'980	2'384	6'588	12'910	35'000
			F.	2'062	5'722	'683	'350	'872	'708	'903	1'066	1'217	2'219	5'894	15'105	35'471
	173	THRAPSTON - - - - -	M.	2'057	6'982	'656	'521	'357	'778	'620	'815	1'047	2'873	5'254	14'945	27'778
			F.	1'918	4'957	'570	'337	'878	'848	'884	1'048	1'026	2'326	5'480	14'831	36'607
	174	OUNDE - - - - -	M.	1'923	5'455	'782	'349	'490	'821	'768	'848	1'259	2'295	5'132	13'226	29'231
			F.	1'815	4'205	'636	'471	'658	'808	'984	1'069	1'135	1'961	4'617	13'382	31'667
	175	PETERSBOROUGH H - - - -	M.	2'131	6'557	'814	'453	'573	'607	'743	1'029	1'557	2'693	6'104	13'661	27'291
			F.	1'896	5'414	'785	'449	'664	'799	'831	'874	1'257	1'973	4'602	12'885	27'143
11.—HUNTINGDNESH.																
176	HUNTINGDON H - - - - -	M.	2'105	5'899	'618	'337	'657	'906	'904	1'213	1'786	2'450	5'631	12'950	27'895	
		F.	1'928	4'885	'730	'378	'685	'978	'906	1'014	1'282	1'994	5'516	13'704	36'090	
177	ST. IVES - - - - -	M.	2'195	6'124	'867	'465	'545	'978	'902	1'085	1'684	2'182	6'235	13'413	21'818	
		F.	2'014	5'410	'733	'511	'810	'984	1'045	'926	1'811	2'170	4'864	11'117	28'750	
178	ST. NEOTS - - - - -	M.	1'961	5'754	'505	'435	'498	'763	'627	'932	1'221	2'680	5'872	12'090	41'818	
		F.	1'847	4'459	'534	'518	'664	1'083	'753	'987	1'225	2'159	4'944	12'308	23'077	
12.—BEDFORDSHIRE.																
179	BEDFORD H - - - - -	M.	1'986	5'886	'573	'320	'331	'905	'839	1'142	1'371	2'381	5'970	14'748	40'526	
		F.	1'938	5'279	'536	'446	'857	'857	'981	1'004	1'276	2'423	5'238	13'691	31'516	
180	BIGGLESWADE L - - - - -	M.	2'009	6'775	'586	'375	'415	'887	1'007	1'449	1'814	2'024	6'151	13'962	30'226	
		F.	2'089	5'631	'758	'357	'631	'833	'956	1'222	1'574	2'703	6'538	14'821	28'400	
181	AMPTHILL - - - - -	M.	2'119	7'050	'546	'297	'418	'746	'718	'831	1'130	2'491	5'392	13'415	27'857	
		F.	2'119	5'930	'601	'329	'717	'930	1'023	1'060	1'187	2'842	6'217	15'043	34'667	
182	WOBURN - - - - -	M.	2'071	6'263	'609	'382	'720	'657	'908	'714	1'052	2'221	5'263	13'763	43'233	
		F.	1'914	4'993	'598	'447	'861	'829	'897	1'135	1'316	2'393	5'233	13'900	25'833	
183	LEIGHTON BUZZARD - - - -	M.	2'104	6'388	'678	'443	'579	'713	'771	'851	1'381	2'562	4'896	16'814	29'231	
		F.	1'958	5'414	'709	'418	'607	'798	1'032	1'174	1'354	2'333	6'677	14'554	40'769	
184	LUTON - - - - -	M.	2'069	5'461	'705	'332	'428	'594	'846	1'186	1'437	3'052	7'067	15'357	31'818	
		F.	1'939	7'195	'685	'351	'692	'676	'862	1'122	1'459	2'734	6'066	15'616	23'000	
13.—CAMBRIDGESH.																
185	CAXTON - - - - -	M.	1'890	5'278	'525	'357	'524	'489	'779	'655	'875	2'293	5'768	14'719	31'667	
		F.	1'809	4'428	'875	'472	'725	'735	'815	'961	'945	2'133	5'000	14'940	28'750	
186	CHESTERTON L - - - - -	M.	2'063	5'867	'622	'372	'372	'674	'883	1'231	1'662	2'374	5'962	13'518	29'615	
		F.	1'975	5'038	'776	'432	'941	'883	'880	1'127	1'268	1'929	4'461	11'174	24'451	
187	CAMBRIDGE H - - - - -	M.	2'388	6'917	'702	'865	'544	'524	1'234	1'648	2'482	3'649	6'637	19'063	40'000	
		F.	1'932	5'640	'572	'387	'463	'602	'961	1'246	1'730	2'479	5'844	13'077	27'568	
188	LINTON - - - - -	M.	1'980	5'238	'639	'334	'686	'763	'737	'953	1'816	2'166	5'323	13'145	35'285	
		F.	1'781	3'462	'565	'425	'980	'849	'827	1'187	1'305	1'935	4'506	11'905	33'810	
189	NEWMARKET - - - - -	M.	2'075	5'994	'627	'431	'435	'868	'885	'957	1'375	2'094	5'570	13'777	28'378	
		F.	1'901	4'840	'697	'464	'878	'839	'947	1'097	1'290	1'975	4'531	11'137	27'853	
190	ELY - - - - -	M.	2'127	6'829	'724	'370	'726	'801	'835	'877	1'227	2'163	4'670	13'827	32'105	
		F.	1'962	5'357	'615	'435	'587	'798	'967	'965	1'304	2'162	4'785	12'183	22'703	
191	NORTH WITCHFORD - - - -	M.	2'080	6'500	'814	'352	'457	'718	'785	'842	1'144	2'667	5'604	11'756	24'000	
		F.	2'004	3'776	'602	'408	'840	'893	'927	1'309	'950	2'180	4'715	13'193	23'880	
192	WHITTLESEY - - - - -	M.	2'260	6'443	'392	'552	'820	'1'067	1'126	1'657	1'518	1'951	6'039	12'364	18'750	
		F.	1'992	4'734	'711	'605	'940	'929	1'114	1'166	'938	1'929	4'693	11'486	34'444	
193	WIARECH - - - - -	M.	2'131	6'577	'727	'413	'550	'710	'862	'948	1'435	2'095	5'710	13'205	30'000	
		F.	1'876	5'633	'676	'404	'609	'765	'844	'757	1'048	2'129	4'295	11'757	31'628	

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.		SEX.	All Ages.	Ages.													85 and upwards.
				Under 5 Years.													
				5-	10-	15-	20-	25-	35-	45-	55-	65-	75-				
IV.—EASTERN COUNTIES.																	
No.	14.—ESSEX.																
194	WEST HAM - - - - -	M.	2'172	6'914	'945	'461	'484	'755	'905	1'275	1'834	3'225	6'542	16'570	32'222		
		F.	1'922	6'246	'742	'459	'500	'589	'766	1'080	1'520	2'508	5'458	12'551	26'006		
195	EPPING - - - - -	M.	1'852	4'687	'627	'325	'545	'857	'734	'967	1'536	2'195	6'176	11'688	36'667		
		F.	1'668	3'633	'520	'450	'563	'709	'770	'803	1'264	1'926	5'000	13'288	32'222		
196	ONGAR - - - - -	M.	1'801	4'408	'598	'366	'618	'877	'934	'938	1'193	2'083	5'000	14'712	25'985		
		F.	1'845	4'194	'382	'452	1'060	'940	'773	'697	1'201	2'027	5'058	12'432	31'875		
197	ROMFORD - - - - -	M.	2'122	5'942	'608	'306	'463	'761	'917	1'067	1'663	3'031	6'352	14'410	27'686		
		F.	1'768	5'342	'611	'365	'630	'690	'713	'889	1'227	2'444	4'753	12'227	27'500		
198	ORSETT - - - - -	M.	1'741	5'391	'702	'289	'517	'699	'686	1'094	1'557	2'494	5'541	11'358	27'000		
		F.	1'883	5'024	'761	'427	'619	'839	'750	1'185	1'289	2'119	4'541	12'953	30'600		
199	BILLERICAY L - - - - -	M.	2'016	5'141	'606	'244	'470	'794	1'275	1'771	1'782	3'321	6'018	13'625	27'059		
		F.	1'875	3'895	'577	'414	'718	'776	'912	1'288	1'778	2'704	6'307	15'138	36'429		
200	CHELMSFORD - - - - -	M.	1'912	4'955	'708	'372	'446	'719	'828	1'051	1'504	2'423	5'696	13'653	22'250		
		F.	1'900	4'201	'666	'422	'768	'935	'865	1'002	1'299	2'489	5'558	12'578	29'245		
201	ROCHFORD - - - - -	M.	1'885	5'873	'630	'423	'371	'452	'770	1'032	1'629	2'393	6'333	16'731	27'600		
		F.	1'836	5'125	'636	'396	'528	'681	'699	1'167	1'364	2'102	5'229	12'712	25'263		
202	MALDON - - - - -	M.	1'896	5'018	'525	'399	'561	'624	'789	'984	1'412	2'363	5'816	12'882	32'523		
		F.	1'819	4'354	'425	'409	'733	1'053	'872	'917	1'538	2'413	5'558	13'224	31'429		
203	TENDRING - - - - -	M.	1'917	5'160	'547	'360	'586	'907	'908	'892	1'221	2'211	5'205	13'185	27'778		
		F.	1'848	4'467	'600	'427	'713	1'104	'976	1'160	1'165	1'942	4'725	12'255	28'750		
204	COLCHESTER HL - - - - -	M.	2'171	7'379	'799	'440	'601	'594	'999	1'496	1'817	3'344	6'327	16'160	27'778		
		F.	2'032	5'631	'918	'485	'683	'713	'901	1'192	1'632	2'771	5'593	13'677	27'778		
205	LEXDEN - - - - -	M.	1'935	4'927	'573	'441	'568	'776	'841	'798	1'192	1'980	5'486	15'211	22'963		
		F.	1'706	3'762	'563	'548	'712	'984	'890	'844	'976	2'276	4'949	12'232	29'667		
206	WITHAM - - - - -	M.	2'178	5'608	'755	'500	'690	'878	'877	1'187	1'814	2'965	6'184	14'234	35'353		
		F.	1'909	4'491	'695	'537	'769	'933	'935	1'302	1'226	2'053	5'421	14'628	25'200		
207	HALSTEAD - - - - -	M.	2'058	5'922	'674	'488	'813	'985	'923	'814	'883	2'151	5'500	14'676	20'909		
		F.	1'862	4'547	'722	'470	'933	'1'047	'1'011	1'089	1'148	2'248	5'325	12'750	20'741		
208	BRAINTREE - - - - -	M.	2'197	6'276	'735	'442	'423	'935	'829	'883	1'461	2'702	6'236	14'014	43'636		
		F.	2'011	5'134	'663	'495	'923	'810	1'111	1'113	1'293	2'037	5'330	14'230	29'200		
209	DUNMOW - - - - -	M.	1'930	4'732	'737	'372	'409	'864	'951	'857	1'207	2'421	5'632	14'682	31'033		
		F.	1'866	4'014	'725	'379	'984	1'066	'979	'996	1'208	1'884	4'327	12'181	29'167		
210	SAFFRON WALDEN H - - - - -	M.	1'972	4'809	'615	'425	'425	'785	'857	'884	1'227	2'736	5'523	12'951	38'750		
		F.	1'873	4'344	'561	'461	'919	'928	'976	1'087	1'025	2'006	4'567	11'658	34'286		
15.—SUFFOLK.																	
211	RISBRIDGE - - - - -	M.	1'979	4'062	'650	'356	'583	'682	'852	1'060	1'206	2'249	5'643	13'430	26'471		
		F.	1'931	4'474	'653	'485	'876	1'122	1'066	'884	1'478	2'048	4'704	11'911	29'583		
212	SUDBURY H - - - - -	M.	2'072	5'340	'766	'305	'581	'850	'848	'954	1'284	2'298	5'779	14'046	35'357		
		F.	1'956	4'566	'734	'568	'781	'983	1'068	1'186	1'226	2'041	5'198	11'250	28'393		
213	COSFORD - - - - -	M.	1'897	4'674	'797	'453	'453	'698	'654	'828	1'087	2'409	5'439	11'337	33'125		
		F.	1'975	4'140	'615	'589	'876	'897	'1'145	1'022	1'350	2'181	4'509	12'063	37'692		
214	THINGOE - - - - -	M.	1'730	4'646	'488	'336	'474	'801	'949	'751	1'058	1'709	4'615	11'420	30'909		
		F.	1'750	5'655	'594	'409	1'070	1'132	'932	'889	'910	1'883	4'929	10'914	29'615		
215	BURY ST. EDMUNDS wH - - - - -	M.	2'712	7'146	'847	'857	'814	1'107	1'532	1'623	2'556	4'203	7'500	17'478	33'077		
		F.	2'045	6'000	'805	'311	'517	'721	'710	1'278	1'489	2'601	5'508	14'929	32'222		
216	MILDENHALL - - - - -	M.	1'961	5'308	'783	'357	'684	'861	'822	'805	1'275	1'815	5'060	12'953	25'833		
		F.	1'925	4'957	'618	'468	'881	'994	1'096	1'159	1'316	1'785	5'122	13'647	27'333		
217	STOW - - - - -	M.	1'931	5'074	'629	'315	'320	1'089	'893	'963	1'161	2'242	4'665	11'854	29'239		
		F.	1'886	4'179	'568	'396	'818	'910	1'221	1'013	1'262	2'173	4'283	12'947	28'235		
218	HARTISMERE - - - - -	M.	2'082	5'768	'696	'467	'591	'839	'792	'886	1'293	2'127	5'040	12'636	35'200		
		F.	1'970	4'534	'695	'488	'764	1'231	'962	1'039	'968	2'007	4'177	11'190	25'932		
219	HOXNE - - - - -	M.	1'845	4'944	'475	'194	'510	'876	'736	'777	'885	1'758	4'745	12'229	22'593		
		F.	1'877	4'188	'800	'428	'772	'935	1'016	1'079	'975	1'750	4'291	9'600	29'284		

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.												85 and upwards.
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
IV.—EASTERN COUNTIES																	
—cont.																	
No.	15.—SUFFOLK—cont.																
220	BOSWERE - - - - -	M.	1'902	5'083	'484	'345	'547	'912	1'038	'704	1'310	2'061	4'610	12'557	37'778		
		F.	1'906	4'013	'582	'494	'962	1'069	1'071	1'251	1'154	1'956	4'787	11'801	23'871		
221	SAMFORD - - - - -	M.	1'877	4'774	'536	'464	'729	'757	'823	'619	1'238	2'119	5'705	13'645	24'067		
		F.	1'938	4'287	'515	'652	'998	'959	'943	1'008	1'315	2'369	4'400	14'587	29'444		
222	IPSWICH H - - - - -	M.	2'338	7'060	'786	'413	'641	'883	'974	1'329	1'919	3'267	5'984	14'686	30'323		
		F.	2'078	6'323	'741	'542	'609	'809	'900	1'243	1'568	2'576	5'134	13'106	29'538		
223	WOODBRIDGE L - - - -	M.	2'075	4'878	'550	'428	'649	1'036	'804	1'066	1'263	2'656	5'044	12'857	25'610		
		F.	2'036	3'913	'478	'485	'929	'894	1'178	1'342	1'786	2'494	5'250	11'849	27'826		
224	PLONESSGATE - - - - -	M.	1'865	4'613	'517	'326	'429	'619	1'030	'862	1'288	2'143	4'275	11'416	29'189		
		F.	1'788	3'580	'535	'401	'602	1'019	1'154	'846	1'153	2'079	4'517	10'410	24'118		
225	BLITHING - - - - -	M.	1'873	4'464	'579	'391	'525	'989	'742	'865	1'145	2'148	4'695	12'022	31'111		
		F.	1'854	4'004	'608	'492	'818	'992	1'055	'978	1'027	1'656	4'230	12'508	23'485		
226	WANSFORD - - - - -	M.	1'966	4'039	'584	'401	'756	1'063	'906	'892	1'002	1'916	4'849	13'407	24'348		
		F.	1'802	4'232	'407	'419	'879	'836	'854	1'051	1'255	1'825	4'298	10'932	23'607		
227	MUTTFORD H - - - - -	M.	1'905	5'680	'708	'359	'507	'852	'850	1'015	1'211	2'365	4'485	10'056	33'750		
		F.	1'667	4'906	'540	'365	'420	'595	'758	'880	1'134	1'809	4'092	10'185	29'250		
16.—NORFOLK.																	
228	YARMOUTH HL - - - - -	M.	2'723	9'140	'634	'326	'554	'805	1'097	1'723	2'162	3'129	6'499	16'339	34'848		
		F.	2'124	7'628	'739	'368	'413	'635	'828	1'128	1'390	2'261	4'861	12'678	27'037		
229	FLEGG - - - - -	M.	1'828	5'231	'624	'300	'628	'676	'534	'896	'911	1'775	4'300	12'501	23'333		
		F.	1'692	4'816	'640	'366	'654	'815	'836	'845	1'036	1'649	3'731	7'426	23'333		
230	SMALLBURGH (formerly TUNSTEAD)	M.	1'921	4'985	'725	'417	'690	1'000	'745	'836	1'002	1'564	4'688	12'876	33'880		
		F.	1'875	4'575	'514	'401	'947	1'159	'989	'882	1'201	1'807	3'730	11'996	21'667		
231	KEPINCUM - - - - -	M.	2'120	6'118	'655	'462	'655	'875	'844	'771	1'139	1'909	4'739	12'324	33'625		
		F.	1'920	5'088	'745	'546	'830	'839	1'073	1'009	1'089	1'628	3'750	10'040	28'293		
232	ATLHAM - - - - -	M.	1'951	5'090	'678	'423	'699	'969	'845	'944	'959	1'658	4'877	12'011	33'478		
		F.	1'915	4'519	'797	'507	'678	1'004	'959	'862	1'039	1'835	4'442	10'708	24'620		
233	ST. FAITHS * - - - - -	M.	1'975	5'575	'583	'285	'424	1'045	'708	1'063	'873	1'825	4'029	11'635	26'667		
		F.	1'918	4'671	'701	'441	'830	'890	1'030	'995	1'099	1'683	4'085	11'721	33'128		
234	NORWICH * HULL - - - -	M.	2'676	8'570	'879	'407	'608	'865	'872	1'279	1'865	3'329	7'140	16'583	30'741		
		F.	2'222	7'067	'748	'408	'571	'661	'952	1'107	1'415	2'545	5'227	12'464	27'851		
235	FOREBEE - - - - -	M.	2'044	5'810	'549	'300	'559	'925	'791	'943	1'279	2'130	4'704	13'243	30'292		
		F.	1'983	4'897	'739	'413	'714	1'054	1'120	1'105	'974	1'845	3'842	11'761	29'615		
236	HENSTAD - - - - -	M.	1'877	4'709	'581	'428	'725	'842	'654	'725	'667	1'847	5'009	11'780	29'474		
		F.	1'860	4'602	'492	'375	'661	1'004	1'017	'944	1'179	1'901	3'828	12'000	28'182		
237	BLOFIELD L - - - - -	M.	3'194	4'791	'647	'309	'890	'873	1'066	1'744	1'908	2'196	5'466	12'203	30'556		
		F.	2'082	4'451	'592	'307	'968	1'161	1'061	1'518	1'204	2'847	5'547	12'353	29'000		
238	LODDON - - - - -	M.	1'856	4'495	'514	'407	'641	'780	'808	'676	1'012	1'704	4'430	12'188	30'417		
		F.	1'738	3'685	'490	'441	'762	1'171	'990	'877	1'016	2'008	4'454	10'750	19'750		
239	DEFWADE - - - - -	M.	2'055	5'406	'744	'308	'621	'933	'903	'774	1'045	2'202	4'967	12'074	28'222		
		F.	2'000	4'597	'949	'629	'960	'832	1'021	1'064	1'074	1'833	3'294	10'845	27'077		
240	GUILTCROSS - - - - -	M.	1'908	5'190	'536	'302	'418	1'117	'778	'896	'916	1'909	5'233	10'000	27'778		
		F.	1'964	4'498	'654	'559	'927	1'169	1'170	'780	1'028	1'575	3'951	11'338	33'333		
241	WAYLAND - - - - -	M.	2'040	5'745	'512	'277	'308	'902	'665	'799	1'332	1'883	5'985	11'570	35'714		
		F.	1'919	4'549	'771	'500	'785	'681	1'099	'978	'886	2'137	4'429	11'298	29'333		
242	MITTFORD - - - - -	M.	1'940	5'563	'694	'317	'528	'723	'926	'629	1'035	2'365	4'638	11'966	30'622		
		F.	1'812	4'026	'719	'597	'747	'844	1'050	'912	1'047	1'781	3'668	10'967	25'556		
243	WALSINGHAM - - - - -	M.	2'252	6'292	'107	'508	'930	1'049	'968	'135	2'308	4'654	11'748	21'176			
		F.	2'061	5'461	'924	'572	'846	'927	'918	'953	1'118	1'898	4'250	10'830	30'628		
244	DOCKING - - - - -	M.	2'141	6'470	'707	'578	'683	1'002	'957	'747	'874	2'294	5'398	11'634	38'500		
		F.	2'079	5'694	'1040	'635	'830	'867	'875	'875	1'272	1'767	4'582	11'398	27'500		

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.											
					Under 5 Years.											
					5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
IV.—EASTERN COUNTIES																
—cont.																
No.	16.—NORFOLK—cont.															
245	FREEDRIDGE LYNN - - -	M.	1'940	5'048	'067	'445	'462	'522	'848	'716	1'201	1'815	5'495	11'624	26'422	
		F.	1'965	5'616	'729	'467	'577	'851	'772	1'020	1'256	1'660	4'465	10'441	31'304	
246	KINGS LYNN H - - -	M.	2'466	7'518	'745	'429	'723	'623	'932	1'416	1'751	3'895	5'080	12'778	25'882	
		F.	2'058	6'207	'667	'447	'529	'702	'869	1'203	1'383	2'322	4'978	14'294	25'758	
247	DOWNHAM - - -	M.	1'981	6'132	'718	'309	'486	'750	'733	'833	1'025	2'440	4'474	9'784	27'308	
		F.	1'981	5'408	'781	'582	'822	'928	'871	'818	1'317	1'817	4'802	11'117	27'439	
248	SWAFFHAM - - -	M.	1'975	5'689	'577	'569	'504	'787	'800	'900	1'149	2'122	5'656	12'344	32'353	
		F.	1'906	4'790	'687	'417	'756	'883	1'000	1'145	1'042	1'703	4'132	11'625	25'484	
249	THETFORD - - -	M.	2'124	5'751	'815	'489	'641	1'157	'827	'946	1'190	2'410	5'444	14'277	26'667	
		F.	2'058	4'878	'817	'571	'735	'905	1'067	1'177	1'299	2'292	4'594	12'305	33'333	
V.—SOUTH WESTERN COUNTIES.																
17.—WILTSHIRE.																
250	HIGHWORTH - - -	M.	1'788	5'594	'493	'903	'429	'622	'690	'800	1'495	2'684	5'316	12'222	25'417	
		F.	1'788	4'682	'464	'409	'670	'912	'848	1'036	1'220	2'162	5'294	11'583	33'000	
251	CRICKLADE - - -	M.	1'982	5'000	'635	'381	'563	'811	'864	'901	1'126	2'430	5'059	9'732	37'809	
		F.	1'821	4'216	'565	'326	'604	'808	'946	'859	1'197	2'000	5'310	12'368	33'529	
252	MALMESBURY - - -	M.	1'862	4'758	'530	'432	'431	'583	'664	'926	'987	2'366	4'986	12'451	40'769	
		F.	1'693	3'624	'323	'295	'731	'737	'787	'946	1'158	2'050	4'650	13'481	24'383	
253	CHIPPENHAM - - -	M.	1'917	4'508	'618	'362	'495	'764	'854	1'102	1'448	2'716	5'268	13'000	28'965	
		F.	1'843	3'710	'507	'395	'732	'834	1'062	1'083	1'224	2'211	5'415	13'239	32'121	
254	CALNE - - -	M.	1'893	4'262	'756	'372	'520	'769	'791	1'128	1'266	2'182	4'676	10'918	30'000	
		F.	1'806	3'772	'549	'447	'607	1'000	'802	1'042	1'078	2'492	4'181	13'398	35'000	
255	MARLBOROUGH - - -	M.	1'881	5'495	'722	'325	'443	'729	'822	'945	1'475	2'628	6'552	14'384	41'429	
		F.	1'903	4'742	'574	'408	'572	'911	'791	1'068	1'338	2'162	4'990	11'795	28'462	
256	DEVIZES L - - -	M.	2'136	4'480	'587	'291	'630	'897	1'505	1'668	1'699	2'916	6'898	14'293	33'158	
		F.	2'082	3'547	'634	'332	'677	'944	1'147	1'388	1'530	3'106	6'309	15'044	32'121	
257	MELKSHAM - - -	M.	2'256	6'369	'844	'278	'596	'767	1'060	1'366	1'490	2'693	6'433	14'416	34'118	
		F.	2'032	5'101	'657	'379	'554	'630	'896	1'149	1'229	2'684	6'068	14'514	44'000	
258	BRADFORD-ON-AVON - - -	M.	1'941	4'192	'399	'351	'374	'888	'901	'963	1'575	2'460	6'211	12'885	43'333	
		F.	1'943	4'028	'577	'347	'812	'829	'932	1'127	1'179	2'343	5'023	15'378	27'647	
259	WESTBURY - - -	M.	2'112	5'501	'642	'438	'643	'777	'715	1'141	1'239	2'077	5'369	13'388	35'000	
		F.	2'011	4'521	'681	'371	'765	1'061	'661	1'154	1'443	2'414	6'570	14'018	30'000	
260	WARMINSTER - - -	M.	1'854	4'492	'384	'368	'418	'864	'906	1'025	1'282	2'161	5'843	14'468	29'111	
		F.	1'786	3'476	'439	'338	'518	'815	'852	1'143	1'248	2'413	5'390	14'603	25'417	
261	PEWSEY - - -	M.	1'968	4'953	'766	'409	'456	'837	'787	'900	1'308	2'185	5'640	14'234	56'000	
		F.	1'944	3'985	'633	'524	'807	'783	1'180	1'265	1'212	2'397	4'983	12'643	32'421	
262	AMESBURY - - -	M.	1'752	3'943	'327	'172	'408	'683	'809	'871	1'333	2'384	5'824	14'783	52'000	
		F.	1'762	3'543	'561	'395	'575	'580	1'083	1'308	1'023	2'388	6'727	13'788	27'143	
263	ALDBURY* HL - - -	M.	2'416	4'268	'553	'407	'630	1'092	1'796	2'328	2'439	3'846	8'032	14'444	56'667	
		F.	1'946	3'630	'470	'385	'628	'938	1'144	1'176	1'824	2'942	8'866	15'434	26'471	
	SALISBURY* - - -	M.	2'138	5'072	'607	'232	'223	'749	'875	1'245	2'141	3'178	7'153	14'107	47'500	
		F.	1'872	5'159	'662	'382	'414	'467	'657	1'237	1'312	2'848	5'294	14'075	53'000	
265	WILTON - - -	M.	1'820	4'640	'524	'254	'337	'767	'729	'848	1'294	2'456	5'482	11'818	39'000	
		F.	1'802	3'373	'469	'305	'577	1'020	'798	1'031	1'103	2'725	5'153	16'395	42'000	
266	TISBURY - - -	M.	1'780	3'983	'584	'429	'441	'767	'747	'866	1'295	2'194	5'708	12'508	38'000	
		F.	1'785	3'564	'494	'393	'549	'707	'803	'925	1'226	2'784	6'303	14'444	34'444	
267	MERE - - -	M.	1'913	4'641	'449	'476	'582	1'048	'603	'829	1'019	2'408	5'536	12'963	27'778	
		F.	1'880	4'008	'463	'515	'699	'945	1'025	1'114	1'083	2'184	6'154	19'638	24'767	

* The District of Salisbury was merged in the Aldbury District on 21st May 1869, but the Mortality of the two parts now combined is here separately given.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.											
					Under 5 Years.											
					5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
V.—SOUTH WESTERN COUNTIES—cont.																
No.	18.—DORSETSHIRE.															
268	SHAFERBURY - - - -	M.	1'831	4'595	5'325	4'409	5'541	7'111	6'068	9'236	1'164	2'195	5'036	12'214	24'762	
		F.	1'905	4'110	5'644	5'307	6'685	8'337	1'068	1'105	1'270	2'144	5'108	12'609	36'697	
269	STURMINSTER - - - -	M.	1'771	4'074	5'609	5'281	5'394	7'112	8'879	6'884	1'308	2'009	4'816	12'291	40'250	
		F.	1'839	3'825	5'079	5'309	1'041	6'095	1'080	9'74	1'041	2'213	5'141	12'710	34'613	
270	BLANDFORD - - - -	M.	1'880	5'068	5'379	5'372	5'307	9'59	8'899	9'45	1'190	2'125	5'638	13'089	39'251	
		F.	1'724	3'923	5'654	5'364	5'01	6'49	6'880	7'98	1'188	2'469	5'549	14'628	28'694	
271	WIMBORNE - - - -	M.	1'770	4'300	5'451	5'555	5'327	9'068	7'32	8'79	1'248	2'079	5'079	13'188	32'000	
		F.	1'777	3'696	4'416	5'320	5'391	1'136	7'78	1'157	1'232	2'621	4'909	14'671	30'000	
272	POOLE - - - -	M.	2'134	5'551	5'856	5'498	5'886	8'838	9'21	9'88	1'607	2'804	6'809	13'980	30'000	
		F.	1'987	4'711	5'774	5'408	7'88	8'602	1'051	1'018	1'350	2'539	5'415	12'197	46'923	
273	WAKEHAM - - - -	M.	1'779	4'905	4'76	5'283	4'35	7'42	8'75	8'82	1'038	1'133	5'474	14'203	44'154	
		F.	1'645	3'430	4'54	5'338	5'337	8'16	9'01	9'39	1'080	2'019	4'008	12'997	22'333	
274	WIMMOUTH RH - - - -	M.	1'741	5'585	5'579	5'357	5'383	6'60	7'86	1'206	1'468	2'625	5'735	11'916	26'000	
		F.	1'697	4'341	4'497	5'324	4'69	5'18	7'43	8'90	1'342	2'314	4'538	14'333	34'242	
275	DORCHESTER HL - - - -	M.	1'990	5'121	6'440	5'558	5'444	8'51	9'69	1'236	1'550	2'961	5'487	13'316	39'048	
		F.	1'902	4'441	5'664	5'411	5'698	9'08	9'87	1'060	1'433	2'615	5'376	13'762	28'587	
276	SEABORNE H - - - -	M.	1'955	5'011	5'08	5'317	5'307	8'05	9'92	8'43	1'416	2'721	6'113	12'952	30'000	
		F.	1'880	4'735	5'566	5'585	5'41	6'68	7'86	9'81	1'424	2'803	5'683	12'209	29'444	
277	BEAMINSTER - - - -	M.	2'001	5'394	5'74	5'45	5'11	5'08	7'27	8'78	1'603	2'555	4'783	13'864	27'805	
		F.	1'871	4'605	5'694	5'325	5'698	7'54	7'73	7'49	1'080	1'994	5'491	13'250	25'835	
278	BRIDPORT - - - -	M.	2'179	6'106	5'14	5'75	5'61	5'45	9'02	1'806	1'334	2'477	6'258	14'766	30'769	
		F.	1'974	5'091	6'15	5'386	5'588	7'83	9'67	1'117	1'392	2'000	5'175	12'414	29'032	
19.—DEVONSHIRE.																
279	AXMINSTER - - - -	M.	1'969	4'548	5'612	5'355	5'761	7'77	8'30	7'90	1'404	2'233	5'223	14'474	32'600	
		F.	1'892	4'163	5'596	5'496	7'76	6'69	9'16	9'75	1'130	2'288	5'103	12'883	26'046	
280	HONITON - - - -	M.	1'921	4'682	5'617	5'290	5'555	7'20	1'087	1'013	1'236	2'174	4'954	11'336	38'333	
		F.	1'788	3'691	4'434	5'354	7'35	7'91	8'59	1'020	1'246	1'959	4'436	12'429	30'256	
281	ST. THOMAS L - - - -	M.	2'200	4'956	6'70	4'14	5'57	7'76	1'194	1'530	1'721	3'027	5'926	13'812	31'509	
		F.	1'913	4'411	5'588	5'388	6'17	6'65	8'84	1'000	1'352	2'177	5'098	13'292	27'789	
282	EXETER H - - - -	M.	2'816	8'817	7'15	5'329	6'66	1'001	1'272	1'869	2'357	4'074	7'376	16'640	30'932	
		F.	2'304	7'394	7'13	6'16	5'19	7'07	9'2	1'301	1'618	2'785	5'588	14'474	27'719	
283	NEWTON ABBOT HHH - - -	M.	2'133	5'732	6'22	5'392	5'588	6'94	1'199	1'269	1'505	2'550	6'012	15'560	30'769	
		F.	1'766	4'609	6'20	5'385	5'598	7'43	8'50	8'55	1'179	2'127	4'796	13'029	24'510	
284	TOTNES - - - -	M.	2'123	5'068	6'532	4'18	5'686	9'46	1'101	1'117	1'628	2'266	5'772	13'389	55'294	
		F.	1'900	4'261	6'70	4'66	7'01	6'58	8'11	8'87	9'89	2'229	5'327	12'901	26'418	
285	KINGSBRIDGE - - - -	M.	2'046	4'659	5'535	5'354	5'16	1'040	1'175	1'069	1'333	2'155	5'215	13'000	32'381	
		F.	1'829	4'339	5'696	5'377	5'94	7'04	1'025	8'81	1'097	1'873	4'189	11'870	34'621	
286	PLYMPTON ST. MARY - - -	M.	2'059	4'945	5'609	4'12	5'91	9'40	1'038	1'094	1'589	2'332	5'290	13'516	29'565	
		F.	1'721	4'270	6'23	5'393	5'69	6'76	8'42	9'11	1'032	1'907	4'914	11'827	24'667	
287	PLYMOUTH H - - - -	M.	2'484	8'533	8'07	4'77	5'18	7'40	9'07	1'403	2'027	3'323	6'092	14'518	29'111	
		F.	2'161	7'509	7'15	4'99	5'87	6'07	1'021	1'068	1'489	2'363	5'478	14'325	26'410	
288	EAST STONEHOUSE H - - -	M.	2'283	8'806	8'71	5'89	6'03	2'048	2'452	2'354	3'330	3'323	7'313	18'729	26'067	
		F.	2'236	7'510	7'67	4'20	6'19	7'63	9'0	1'292	1'402	2'632	6'586	14'194	23'125	
289	STONE DAMREL HHH - - -	M.	2'020	7'906	7'10	4'18	5'02	4'51	8'21	1'198	1'708	3'325	6'361	16'680	30'329	
		F.	2'153	6'052	7'42	4'41	5'14	6'03	9'13	1'067	1'499	2'615	5'557	15'000	27'018	
290	TAVISTOCK - - - -	M.	1'968	5'094	5'908	5'326	5'76	8'16	7'88	9'92	1'451	3'030	6'625	13'619	30'417	
		F.	1'794	4'411	5'875	4'97	5'08	5'83	8'06	8'43	1'039	2'063	5'338	12'688	34'000	
291	ORSHAMPTON - - - -	M.	1'687	3'685	5'77	5'49	5'44	5'05	9'08	6'75	1'036	2'023	5'826	12'184	30'741	
		F.	1'630	2'974	5'328	4'28	5'03	5'02	7'00	8'55	9'23	2'102	4'563	11'368	23'265	
292	CREDITON - - - -	M.	1'868	4'076	5'394	5'284	5'05	8'31	9'14	7'15	1'239	2'553	6'024	13'316	32'727	
		F.	1'870	3'544	4'81	4'28	5'39	6'19	8'08	9'29	1'152	2'157	5'163	12'038	28'182	
293	TIVERTON * - - - -	M.	2'116	5'183	6'44	4'33	4'84	5'97	8'80	1'164	1'409	2'665	5'169	14'008	28'758	
		F.	1'976	4'479	6'10	5'16	5'88	6'48	9'03	1'012	1'036	2'194	5'487	14'018	24'280	

* A correction has been made for a change in the constitution of this District during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.		SEX.	All Ages.	Ages.													85 and upwards.
				Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—			
No.	V.—SOUTH WESTERN COUNTIES—cont.																
	19.—DEVONSHIRE—cont.																
294	SOUTH MOLTON * - - - -	M.	1'854	4'208	5'11	5'44	4'57	7'28	8'74	8'78	1'429	2'233	5'872	13'687	37'333		
		F.	1'769	3'333	4'83	5'13	4'77	7'77	8'61	1'024	1'062	2'027	5'041	13'036	28'710		
295	BARNSTAPLE H - - - -	M.	1'938	4'294	5'37	5'56	6'03	8'01	1'065	1'112	1'439	2'281	5'763	11'590	27'255		
		F.	1'732	3'700	5'24	5'84	5'70	6'85	8'52	8'44	1'024	2'081	4'570	11'393	29'432		
296	TORRINGTON - - - -	M.	1'850	4'083	5'63	5'17	4'60	7'59	7'85	1'073	981	2'420	5'116	14'074	33'000		
		F.	1'832	3'569	6'08	5'34	4'80	1'011	973	1'138	1'195	2'332	4'802	13'196	25'908		
297	BIDEFORD - - - -	M.	1'959	4'531	5'08	5'08	5'80	1'012	821	1'154	1'161	2'120	5'307	12'353	30'667		
		F.	1'776	3'895	5'59	5'21	6'85	6'00	867	1'222	1'040	4'738	10'542	28'005			
298	HOLSWORTHY - - - -	M.	1'762	3'936	5'79	5'71	4'62	6'33	7'23	8'06	975	2'205	5'021	14'845	37'500		
		F.	1'798	3'517	5'77	4'56	6'98	5'11	1'043	876	1'244	2'344	5'351	12'800	24'762		
20.—CORNWALL.																	
299	STRATTON - - - -	M.	1'950	4'438	4'55	4'83	5'21	7'94	1'054	1'028	1'302	2'081	5'291	13'333	29'091		
		F.	1'738	3'051	4'51	4'80	5'25	932	825	1'138	942	1'910	4'527	14'624	34'000		
300	CAMELFORD - - - -	M.	1'818	4'490	5'44	4'16	4'52	8'38	7'35	1'071	1'495	1'957	4'556	12'468	30'667		
		F.	1'816	4'651	5'52	232	4'56	8'74	769	901	1'161	1'877	5'767	10'370	33'000		
301	LAUNCESTON - - - -	M.	1'808	4'960	4'67	5'80	5'22	6'62	8'43	7'87	1'248	1'996	5'570	14'779	31'579		
		F.	1'720	3'733	6'54	5'43	6'79	7'51	7'64	774	851	2'428	4'647	13'452	31'429		
302	ST. GERMANS - - - -	M.	2'143	5'192	6'61	5'47	5'20	8'64	1'100	1'083	1'347	2'920	5'929	15'000	35'000		
		F.	1'863	4'212	7'83	4'41	6'20	6'67	919	1'091	1'140	2'065	5'124	12'449	25'226		
303	LISKEARD - - - -	M.	2'038	5'781	6'74	5'81	5'94	8'28	815	1'062	1'472	2'374	6'095	12'894	25'172		
		F.	1'795	4'926	6'73	4'05	5'51	7'14	763	910	994	1'915	4'985	13'022	28'049		
304	BODMIN HL - - - -	M.	2'150	5'190	4'06	4'12	5'32	1'042	1'283	1'305	1'488	2'223	5'127	13'116	34'762		
		F.	1'879	4'329	6'20	4'28	5'83	1'005	838	936	1'218	2'185	4'430	12'550	29'091		
305	ST. COLUMB - - - -	M.	1'919	4'978	6'45	5'69	5'50	6'16	693	860	1'079	2'178	5'462	13'741	33'158		
		F.	1'808	4'342	5'06	5'15	5'93	7'30	836	988	1'248	1'593	4'809	12'432	26'452		
306	ST. AUSTELL - - - -	M.	2'084	5'965	7'24	5'74	6'03	8'04	732	876	1'478	2'610	6'706	15'657	30'429		
		F.	1'912	5'480	6'55	5'35	7'10	8'82	914	826	963	1'884	5'088	12'070	30'000		
307	TRURO H - - - -	M.	2'327	6'900	6'58	5'40	6'59	1'066	1'000	1'273	1'558	3'126	6'908	13'783	54'118		
		F.	2'080	6'291	7'33	4'76	7'37	8'73	887	875	1'107	2'116	4'981	13'643	31'286		
308	PALMOUTH - - - -	M.	2'332	7'752	7'58	4'68	8'90	1'088	1'181	1'164	1'649	2'897	4'762	13'645	28'500		
		F.	2'154	6'867	6'22	5'47	6'20	8'84	933	1'070	1'341	2'301	5'041	13'030	24'878		
309	HELSTON - - - -	M.	2'301	6'707	7'82	4'24	6'10	1'069	1'023	1'159	1'870	2'770	5'879	13'198	24'483		
		F.	1'922	5'986	5'83	5'08	6'41	902	7'88	900	990	1'812	4'583	11'990	33'571		
310	REDRUTH - - - -	M.	2'563	8'348	9'30	4'71	6'80	8'89	1'052	1'220	2'439	4'451	8'542	15'514	41'379		
		F.	2'063	7'405	8'32	4'01	6'29	8'14	753	891	1'167	2'146	4'462	13'947	30'833		
311	PENZANCE - - - -	M.	2'426	7'911	7'31	3'87	6'33	966	969	1'226	1'877	3'124	6'296	13'618	41'923		
		F.	2'083	7'414	7'35	4'36	5'89	897	763	863	1'130	1'883	5'147	13'100	28'378		
312	SCILLY ISLANDS - - - -	M.	2'156	4'074	4'81	5'45	4'35	1'212	1'495	1'028	991	2'264	3'364	15'353	31'667		
		F.	1'839	3'250	5'46	3'70	7'41	1'319	1'152	902	1'090	1'066	5'205	15'000	32'000		
21.—SOMERSETSH.																	
313a	WILLITON - - - -	M.	1'854	4'182	4'46	5'68	5'56	7'22	8'04	928	1'367	2'708	4'892	12'100	30'270		
		F.	1'647	3'154	5'78	5'13	5'45	8'78	808	890	1'028	2'089	4'909	10'917	29'167		
313b	DULVERTON * - - - -	M.	1'831	3'966	3'97	5'06	5'57	6'81	761	980	1'434	1'712	6'400	15'536	21'333		
		F.	1'577	3'119	5'63	5'16	4'45	6'25	698	985	1'597	3'672	11'856	25'000			
314	WELLINGTON - - - -	M.	1'806	3'870	5'46	4'56	4'65	5'77	952	994	1'306	2'296	4'989	12'379	27'241		
		F.	1'723	3'725	5'47	4'65	5'60	7'20	803	926	1'010	1'809	4'335	11'733	25'381		
315	TAUNTON H - - - -	M.	2'022	4'612	5'38	5'45	5'38	1'084	1'134	1'246	1'462	2'877	6'067	13'696	38'295		
		F.	1'792	4'079	4'90	4'58	6'83	7'86	818	928	1'533	3'002	4'531	12'932	28'541		
316	BRIDGWATER H - - - -	M.	1'951	4'294	5'70	5'31	5'22	816	969	959	1'701	3'852	5'321	13'728	21'222		
		F.	1'769	4'096	4'59	5'82	7'65	6'71	866	1'026	975	2'083	4'495	12'486	27'258		
317	LANGFORD - - - -	M.	1'946	4'415	5'67	5'44	4'66	8'05	945	1'071	1'671	2'164	5'718	15'790	22'500		
		F.	1'841	3'886	5'11	4'63	7'39	1'036	1'000	803	1'091	2'054	4'774	15'545	25'561		
318	CHARD - - - -	M.	1'906	5'194	5'47	5'87	4'85	7'72	837	997	1'205	2'450	5'709	14'343	27'826		
		F.	1'815	4'471	5'34	5'29	7'01	8'85	881	954	1'090	2'143	4'801	13'294	27'000		

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.			SEX.	All Ages.	Ages.											85 and upwards.
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
No.	V.—SOUTH WESTERN COUNTIES—cont.															
	21.—SOMERSETSH.—cont.															
218	TEOYIL - - - - -	M.	2'053	5'655	5'592	5'299	5'427	5'658	5'800	1'148	1'426	2'786	5'423	15'028	26'400	
		F.	1'811	4'502	4'550	4'300	4'609	4'675	4'665	1'090	1'306	2'107	5'787	12'962	31'389	
219	WISCANTON - - - - -	M.	1'974	5'129	4'37	4'280	4'486	4'615	4'848	1'024	1'337	3'036	5'471	15'027	50'476	
		F.	1'803	4'148	3'72	4'46	4'511	4'545	4'807	1'003	1'212	2'441	5'487	12'895	32'792	
220	FROME - - - - -	M.	2'000	4'901	4'68	4'374	4'490	1'015	1'845	1'159	1'596	2'983	5'935	12'929	33'704	
		F.	1'904	4'234	4'51	4'357	4'618	4'708	4'886	1'144	1'308	2'360	5'075	11'987	27'872	
221	SHEPTON MILLET - - - - -	M.	1'882	4'257	4'40	4'343	4'561	4'766	4'866	1'047	1'702	2'892	5'041	13'013	21'786	
		F.	1'885	4'091	4'64	4'541	4'485	4'906	4'815	1'001	1'169	2'178	5'093	12'020	26'259	
222	WELLS L - - - - -	M.	2'272	4'787	4'719	4'586	4'415	4'601	1'276	1'640	2'246	2'891	6'981	15'282	36'364	
		F.	2'032	4'444	4'625	4'426	4'589	4'766	1'152	1'400	1'737	2'548	5'810	11'481	24'783	
223	AXBRIDGE H - - - - -	M.	2'041	5'137	4'618	4'440	4'461	4'831	4'763	1'245	1'645	2'730	5'577	13'050	29'592	
		F.	1'726	4'378	4'613	4'845	4'599	4'715	4'844	1'076	1'143	1'939	4'749	10'871	33'294	
224	CLIFTON - - - - -	M.	1'994	5'224	4'631	4'359	4'670	4'763	4'770	1'231	1'231	2'391	5'743	14'306	33'333	
		F.	1'835	3'797	4'673	4'440	4'945	4'990	4'896	1'020	1'035	1'920	5'232	10'040	24'607	
225	BATH RH - - - - -	M.	2'303	6'974	7'42	4'337	4'468	4'863	1'225	1'759	2'223	3'324	6'615	15'011	30'526	
		F.	2'001	5'706	7'13	4'580	4'400	4'902	1'265	1'146	1'570	2'819	5'315	13'068	28'828	
226	KEYNSHAM - - - - -	M.	2'026	5'419	4'680	4'532	4'540	4'929	4'709	1'066	1'533	2'293	5'297	12'722	28'519	
		F.	2'015	4'891	4'729	4'490	4'891	4'940	4'990	1'101	1'037	2'065	5'463	11'743	30'000	
227	BEDWINSTER H - - - - -	M.	2'116	6'874	6'07	4'877	4'888	4'711	4'83	1'275	1'660	2'678	5'883	14'274	31'176	
		F.	1'882	5'405	4'621	4'412	4'651	4'643	4'816	1'070	1'350	2'302	4'851	12'676	26'721	
VI.—WEST MIDLAND COUNTIES.																
22.—GLOUCESTERSH.																
228	BRIISTOL RHH - - - - -	M.	2'955	9'747	1'180	4'610	4'816	1'028	1'433	1'932	2'734	3'981	6'508	16'207	30'988	
		F.	2'462	8'311	1'063	4'522	4'617	1'789	1'913	1'345	2'046	3'221	6'231	14'333	29'167	
229	CLIFTON & L - - - - -	M.	2'377	7'273	4'644	4'425	4'504	4'622	4'911	1'342	1'910	3'758	7'215	16'180	31'639	
		F.	1'990	6'508	4'783	4'493	4'541	4'604	4'684	1'078	1'432	2'634	6'034	13'457	28'696	
230	CHIPPING SOBBURY - - - - -	M.	1'965	5'628	4'591	4'375	4'389	4'615	4'794	1'093	1'265	2'279	5'128	11'451	28'462	
		F.	1'988	4'883	4'731	4'668	4'636	4'960	4'774	1'068	1'143	2'083	4'890	12'587	26'432	
231	THOLSBURY - - - - -	M.	1'781	3'841	4'612	4'405	4'438	4'561	4'782	1'051	1'491	2'484	5'116	13'947	27'619	
		F.	1'637	3'130	4'607	4'342	4'644	4'696	4'697	1'062	1'133	1'973	5'564	10'836	29'353	
232	DEWLEY - - - - -	M.	2'019	4'082	4'423	4'258	4'519	4'627	4'848	1'028	1'412	2'649	6'104	12'229	36'190	
		F.	2'047	3'570	4'465	4'441	4'619	4'832	4'902	1'094	1'294	2'297	5'597	13'161	32'759	
233	WESTBURY-ON-SYVERN - - - - -	M.	1'938	3'266	4'629	4'401	4'405	4'854	4'778	1'021	1'601	3'042	5'635	14'677	34'167	
		F.	1'815	4'481	4'526	4'362	4'876	4'923	4'833	1'099	1'252	2'352	4'462	13'514	30'000	
234	NEWENT - - - - -	M.	1'920	4'688	4'492	4'314	4'562	4'553	4'817	1'075	1'675	2'478	6'088	11'641	33'600	
		F.	1'718	3'806	4'408	4'483	4'685	4'710	4'761	1'012	1'144	1'832	4'879	10'593	25'000	
235	GLOUCESTER RHL - - - - -	M.	2'414	6'755	4'673	4'438	4'711	4'889	1'007	1'705	2'343	3'879	7'578	15'497	35'264	
		F.	2'091	5'293	4'609	4'448	4'701	4'727	1'045	1'117	1'573	2'777	6'119	13'723	27'755	
236	WHEATENHERST - - - - -	M.	1'845	3'750	4'521	4'308	4'468	4'554	4'735	1'032	1'573	2'824	6'888	12'821	46'250	
		F.	1'503	3'314	4'240	4'283	4'555	4'900	4'806	1'052	1'010	1'597	4'167	11'648	25'338	
237	STROUD H - - - - -	M.	2'208	6'638	4'716	4'470	4'477	4'704	4'809	1'078	1'279	2'864	6'005	13'587	36'410	
		F.	1'979	4'827	4'651	4'400	4'629	4'743	4'868	1'018	1'218	2'690	5'894	14'197	31'552	
238	TEWKSBURY - - - - -	M.	1'873	4'420	4'821	4'477	4'405	4'673	1'069	1'784	1'170	1'951	7'069	12'941	25'000	
		F.	1'920	4'356	4'830	4'456	4'300	4'943	1'046	1'309	1'232	2'002	5'672	13'123	27'506	
239	CHENYCHSTER - - - - -	M.	1'829	4'626	4'568	4'343	4'409	4'487	4'732	1'058	1'153	2'383	5'946	11'891	31'667	
		F.	1'806	4'244	4'400	4'421	4'580	4'835	4'865	1'053	1'196	2'483	5'686	12'287	31'667	
240	NORTHLEACH - - - - -	M.	1'758	4'446	4'487	4'271	4'479	4'502	4'783	1'057	1'159	2'338	5'946	11'887	32'727	
		F.	1'771	3'740	4'580	4'345	4'622	4'741	4'885	1'050	1'038	2'304	5'044	13'708	33'077	
241	NEW-ON-THE-WOLD - - - - -	M.	1'992	5'016	4'378	4'386	4'601	4'688	4'729	1'096	1'236	2'300	5'021	15'862	37'778	
		F.	1'993	4'756	4'412	4'596	4'798	4'876	4'969	1'077	1'055	2'084	5'452	16'923	37'092	

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.											
Under 5 Years.																
5-	10-	15-			20-	25-	35-	45-	55-	65-	75-	85 and upwards.				
VI.—WEST MIDLAND COUNTIES—cont.																
No.	22.—GLOUCESTERSH.—cont.															
343	WINCHECOMB	-	-	M.	1'763	4'862	4'78	4'292	4'19	4'16	4'633	4'820	1'125	1'083	5'738	12'000
				F.	1'832	4'200	4'707	4'076	4'89	4'61	4'741	1'006	1'175	2'368	4'212	11'636
344	CHELTONHAM II	-	-	M.	2'227	6'631	5'80	4'360	4'58	4'707	4'995	1'329	1'881	3'078	6'484	13'867
				F.	1'717	5'251	5'088	4'865	4'42	4'66	4'850	1'991	1'804	2'428	5'247	13'833
345	TEWKESBURY	-	-	M.	2'051	5'128	5'52	4'375	4'35	4'946	4'856	1'837	1'325	2'583	5'839	16'090
				F.	1'906	4'499	5'20	4'408	4'68	4'777	4'747	1'128	1'122	2'183	4'915	11'535
23.—HEREFORDSH.																
346	LEDBURY	-	-	M.	1'783	4'533	4'87	4'289	4'35	4'474	4'798	1'850	1'639	2'951	6'444	12'261
				F.	1'699	3'937	4'602	4'299	4'71	4'688	4'785	1'935	1'083	2'042	5'016	10'507
347	ROSS	-	-	M.	2'018	5'005	4'83	4'341	4'79	4'801	4'770	1'153	1'414	2'990	6'305	15'512
				F.	1'862	4'812	4'554	4'384	4'14	4'776	4'873	1'054	1'234	2'803	5'627	12'330
348	HEREFORD II	-	-	M.	2'189	5'193	4'712	4'376	4'67	4'886	4'984	1'461	2'035	3'205	6'301	15'354
				F.	1'989	4'571	5'52	4'363	4'74	4'663	4'990	1'238	1'578	2'734	5'630	12'092
349	WEOLLY	-	-	M.	1'919	4'058	4'35	4'217	4'71	1'161	4'610	1'992	1'470	3'252	6'175	16'410
				F.	1'648	3'739	4'515	4'344	4'69	4'663	4'853	1'744	1'111	1'617	4'298	10'825
350	BROMYARD	-	-	M.	1'907	4'606	5'52	4'299	4'06	4'48	4'717	1'932	1'402	2'446	6'813	13'529
				F.	1'889	4'246	4'91	4'444	4'75	4'679	4'886	1'726	1'098	2'323	5'438	12'174
351	LEOMINSTER	-	-	M.	2'069	4'757	4'61	4'377	4'42	4'727	4'938	1'182	1'765	3'345	6'447	15'793
				F.	2'019	4'274	4'86	4'394	4'82	4'838	1'638	1'063	1'255	2'606	6'210	13'161
24.—SHROPSHIRE.																
352	LUDLOW	-	-	M.	2'144	5'736	4'743	4'516	4'72	4'762	4'825	1'000	1'627	2'963	6'446	14'286
				F.	1'944	4'706	4'609	4'449	4'60	4'767	4'899	1'324	1'184	2'283	4'498	11'540
353	CLUN	-	-	M.	1'775	4'065	4'22	4'392	4'72	4'308	4'834	1'959	1'056	2'335	5'394	14'667
				F.	1'812	4'058	4'582	4'328	4'80	4'808	4'835	1'947	1'923	2'844	5'091	12'435
354	CHURCH STRETTON	-	-	M.	1'793	3'765	4'04	4'355	4'505	1'068	4'837	1'886	1'074	2'417	5'484	12'667
				F.	1'739	3'000	4'402	4'420	4'595	4'709	4'974	1'363	1'949	2'989	4'780	12'059
355	CLEOBURY MORTIMER	-	-	M.	1'852	3'065	4'539	4'71	4'609	4'673	1'132	1'510	2'325	4'682	13'333	32'500
				F.	1'748	3'321	4'772	4'451	4'716	4'600	4'904	1'920	1'055	1'961	4'115	12'500
356	BRIDGNORTH II	-	-	M.	1'816	4'537	4'330	4'246	4'394	4'761	4'635	1'839	1'098	2'697	6'081	13'259
				F.	1'844	4'139	4'582	4'522	4'750	4'632	4'792	1'931	1'160	2'579	5'413	12'517
357	SHIFFNAL	-	-	M.	2'079	5'827	4'642	4'331	4'557	4'736	4'881	1'962	1'503	3'159	6'164	18'763
				F.	1'748	4'367	4'689	4'461	4'303	4'580	4'811	1'833	1'113	1'958	5'369	10'917
358	MADELEY	-	-	M.	2'249	7'079	4'624	4'553	4'581	4'725	4'818	1'963	1'763	3'163	6'911	15'129
				F.	2'085	5'537	4'612	4'440	4'631	4'526	4'929	1'110	1'276	2'389	6'025	13'816
359	ATCHAM	-	-	M.	1'695	3'818	4'77	4'565	4'905	4'644	4'813	1'883	1'296	2'218	5'764	13'207
				F.	1'733	3'384	4'546	4'536	4'725	1'054	4'973	1'758	1'005	2'110	4'437	12'696
360	SHREWSBURY HL	-	-	M.	2'884	7'461	4'770	4'625	4'855	1'242	1'417	2'000	3'098	4'331	7'881	18'009
				F.	2'562	6'444	4'783	4'119	4'742	4'978	1'200	1'585	1'847	4'121	6'044	16'073
361	OSWESTRY	-	-	M.	2'145	5'379	4'579	4'467	4'661	4'822	1'045	1'154	1'598	3'288	6'474	15'200
				F.	2'026	4'733	4'648	4'439	4'762	1'0'8	1'038	1'251	1'211	2'242	5'034	12'470
362	ELLESMERE	-	-	M.	2'040	4'467	4'617	4'114	4'320	4'866	1'197	1'084	1'589	2'675	5'718	15'612
				F.	1'817	4'058	4'681	4'360	4'543	4'718	1'065	1'023	1'208	1'900	4'905	12'379
363a	WEM	-	-	M.	1'927	4'521	4'598	4'383	4'497	4'670	4'817	1'747	1'231	2'063	6'245	14'406
				F.	1'878	3'893	4'535	4'446	4'491	4'815	4'973	1'954	1'221	2'235	4'784	14'167
363b	WHITCHURCH	-	-	M.	2'130	5'930	4'614	4'338	4'541	4'888	4'853	1'908	1'404	2'690	5'825	16'729
				F.	1'966	4'526	4'745	4'413	4'438	4'818	4'983	1'369	1'292	2'222	5'418	12'913
364	MARKET DRATTON	-	-	M.	1'828	4'877	4'487	4'350	4'548	4'705	4'647	1'997	1'876	3'006	5'090	12'823
				F.	1'753	4'190	4'504	4'363	4'442	4'695	4'948	1'927	1'154	2'156	5'415	13'672
365	WELLINGTON	-	-	M.	2'211	6'896	4'640	4'455	4'71	4'834	4'633	1'004	1'464	3'551	6'329	14'444
				F.	2'194	6'108	4'633	4'419	4'769	4'652	4'809	1'250	1'190	2'900	5'488	12'460
366	NEWPORT	-	-	M.	1'840	4'823	4'72	4'323	4'461	4'962	4'855	1'055	1'159	2'811	5'788	15'042
				F.	1'808	4'245	4'325	4'343	4'625	4'774	4'813	1'032	1'275	2'100	4'883	13'154

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

No.		DISTRICTS.	SEX.	All Ages.	Ages.											
					Under 5 Years.											
					5 -	10 -	15 -	20 -	25 -	35 -	45 -	55 -	65 -	75 -	85 and upwards.	
VI.—WEST MIDLAND COUNTIES—cont.																
25.—STAFFORDSH.																
302	STAFFORD HLL - - - - -	M.	2'439	6'148	'619	'490	'746	1'151	1'411	2'058	2'553	3'787	6'508	13'358	28'571	
		F.	2'160	5'148	'761	'370	'741	'926	1'134	1'639	1'949	3'109	6'115	13'464	27'333	
303	STONE H - - - - -	M.	2'008	5'512	'599	'330	'514	'819	'683	1'114	1'600	3'061	6'334	12'739	24'231	
		F.	1'938	4'914	'561	'335	'691	'954	1'015	1'158	1'995	2'380	5'778	12'747	37'590	
304	NEWCASTLE-UNDER-LYME - - -	M.	2'288	6'094	'695	'560	'734	'851	1'019	1'304	1'638	3'088	7'563	15'242	38'182	
		F.	2'061	5'928	'762	'411	'544	'751	1'062	1'243	1'153	2'927	6'451	13'188	31'250	
305	WOLSTANTON - - - - -	M.	2'649	6'636	'792	'488	'585	'667	'846	1'430	2'519	4'408	8'005	17'445	30'316	
		F.	2'442	6'248	'794	'439	'639	'795	'961	1'187	1'602	3'411	7'948	15'083	23'913	
306	STOKE-UPON-TRENT H - - -	M.	2'790	6'550	'820	'476	'658	'763	1'025	1'754	2'720	4'945	9'255	20'033	35'556	
		F.	2'432	6'312	'853	'418	'653	'885	1'131	1'271	1'733	3'317	7'113	15'820	35'625	
307	LEEK - - - - -	M.	2'179	6'013	'732	'406	'730	'809	'941	1'062	1'062	2'883	6'835	13'713	25'632	
		F.	2'080	5'000	'619	'499	'861	'894	1'153	1'310	1'630	2'692	6'805	16'011	24'333	
308	CHREADEL - - - - -	M.	2'177	5'930	'744	'414	'739	'837	1'036	1'021	1'389	2'876	6'760	14'113	29'000	
		F.	2'030	4'869	'370	'627	'886	'892	1'021	1'314	1'375	2'317	5'725	14'408	27'826	
309	UTTOXETER - - - - -	M.	1'999	4'697	'575	'379	'465	'582	'840	'953	1'280	2'567	6'218	14'815	35'263	
		F.	1'948	4'160	'542	'407	'462	'913	1'268	1'248	1'119	2'334	5'232	13'208	30'455	
310	BURTON-UPON-TRENT L - - -	M.	2'196	6'484	'615	'864	'497	'723	'931	1'455	1'865	3'309	6'544	15'030	34'483	
		F.	2'064	5'475	'609	'462	'710	'760	1'051	1'246	1'525	2'612	6'110	12'696	33'889	
311	TANWORTH - - - - -	M.	2'077	5'701	'691	'516	'541	'701	'776	1'100	1'360	2'577	6'107	16'759	36'000	
		F.	1'988	4'785	'399	'391	'645	'857	'906	1'119	1'269	2'357	6'491	14'148	30'455	
312	LICHFIELD L - - - - -	M.	2'002	5'476	'725	'432	'506	'708	'854	1'077	1'359	2'595	5'900	13'069	29'118	
		F.	1'945	4'689	'569	'461	'669	'741	'908	1'097	1'402	2'223	5'642	12'731	27'727	
313	PENKEDGE - - - - -	M.	1'854	5'490	'555	'345	'503	'570	'764	'877	1'278	2'532	5'275	13'935	36'842	
		F.	1'808	4'467	'656	'338	'633	'671	'853	'818	1'041	1'496	5'912	13'205	33'214	
314	WOLVERHAMPTON H - - -	M.	2'564	6'033	'923	'445	'531	'664	'840	1'275	1'938	3'680	8'078	15'754	27'736	
		F.	2'299	5'065	'812	'343	'497	'676	'875	1'112	1'498	3'015	6'003	13'135	28'272	
315	WALSALL - - - - -	M.	2'536	6'067	'968	'444	'540	'726	'820	1'128	1'779	3'476	7'893	15'166	27'301	
		F.	2'257	7'469	'890	'418	'566	'614	'841	1'089	1'464	3'037	6'804	14'779	42'737	
316	WEST BROMWICH - - - - -	M.	2'339	6'314	'783	'443	'477	'627	'716	'901	1'920	3'406	7'289	15'313	36'667	
		F.	2'108	7'143	'723	'389	'601	'595	'790	1'057	1'368	2'648	6'735	13'973	38'571	
317	DUDLEY - - - - -	M.	2'648	6'690	'840	'597	'571	'670	'792	1'118	1'701	3'001	7'783	15'764	30'800	
		F.	2'382	6'294	'736	'414	'464	'623	'764	1'077	1'390	2'834	6'192	13'957	28'624	
26.—WORCESTERSH.																
318	STOURBRIDGE - - - - -	M.	2'351	6'391	'763	'411	'483	'637	'749	1'008	1'497	2'962	7'069	14'318	30'345	
		F.	2'090	6'880	'740	'515	'517	'659	'780	1'032	1'328	2'383	6'372	13'617	27'843	
319	KIDDERMINSTER H - - -	M.	2'219	6'886	'790	'336	'576	'532	'820	'867	1'520	3'090	6'491	13'164	40'909	
		F.	1'929	5'303	'902	'467	'619	'679	'755	'906	1'193	2'394	5'497	12'730	25'882	
320	TENBURY - - - - -	M.	1'854	4'314	'823	'346	'222	'640	'646	'795	1'515	3'050	6'790	15'465	33'750	
		F.	1'790	3'893	'511	'327	'714	'775	'611	'888	1'171	1'910	4'431	12'083	28'038	
321	MANTLEY - - - - -	M.	1'734	3'848	'672	'291	'243	'525	'741	'771	1'427	2'253	5'027	12'933	29'000	
		F.	1'705	3'780	'407	'414	'492	'742	'779	'914	1'080	2'011	4'755	10'890	25'455	
322	WORCESTER H - - - - -	M.	2'689	6'217	'848	'558	'611	'825	1'212	1'697	2'384	4'617	7'407	18'516	37'143	
		F.	2'282	7'540	'604	'483	'438	'817	'961	1'281	1'681	3'006	6'009	15'081	30'300	
323	UPTON-ON-SEVERN L - - -	M.	2'200	5'016	'501	'314	'665	'935	'930	1'765	2'454	3'295	6'051	15'165	28'371	
		F.	1'747	3'692	'516	'405	'572	'648	'909	1'169	1'625	2'044	5'056	12'100	26'842	
324	EVERHAM - - - - -	M.	1'829	4'235	'567	'365	'379	'470	'751	'800	1'600	2'605	6'201	13'750	29'001	
		F.	1'719	4'169	'569	'237	'573	'706	'799	1'080	1'082	2'143	4'311	13'082	33'029	
325	PERDUE - - - - -	M.	1'857	4'873	'610	'365	'455	'510	'633	'963	1'286	2'365	5'714	12'689	32'500	
		F.	1'635	3'420	'487	'373	'757	'621	'875	'797	1'184	2'105	4'448	11'607	29'167	
326	DEWITCH - - - - -	M.	1'968	5'363	'559	'374	'388	'523	'712	'755	1'563	2'679	6'266	15'290	30'600	
		F.	1'712	4'698	'537	'351	'676	'639	'791	'846	1'237	2'064	4'720	11'111	27'143	
327	HIGHBROOKE - - - - -	M.	2'223	7'129	'791	'416	'420	'748	'771	'881	1'476	2'736	6'428	16'873	27'083	
		F.	2'014	5'712	'626	'416	'597	'738	'834	'967	1'120	2'704	6'292	14'975	35'885	
328	KINGS NORTON - - - - -	M.	1'845	5'652	'589	'317	'531	'620	'630	'928	1'691	3'165	6'621	15'389	38'523	
		F.	1'562	5'132	'511	'376	'563	'396	'674	1'006	1'304	2'296	5'740	13'000	30'698	

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.		SEX.	All Ages.	Ages.												85 and upwards.
				Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
No.	VI.—WEST MIDLAND COUNTIES—cont.															
	27.—WARWICKSHIR.															
394	BIRMINGHAM <i>HHHLL</i>	M.	2'838	9'917	1'018	424	553	735	1'085	1'770	2'741	4'657	9'211	18'430	35'008	
		F.	2'495	8'897	996	424	514	702	910	1'308	1'982	3'848	7'726	17'172	30'294	
395	ASTON	M.	2'146	7'823	738	341	404	567	638	972	1'770	3'396	6'629	14'043	34'074	
		F.	2'016	6'921	683	349	463	564	737	1'019	1'565	2'800	5'787	14'197	30'169	
396	MERIDEN	M.	1'803	4'704	482	417	557	693	699	947	1'217	1'991	5'805	13'981	37'778	
		F.	1'788	3'576	563	537	805	564	834	964	1'283	1'744	5'036	13'171	29'412	
397	ATHERSTONE	M.	2'068	6'034	698	845	978	873	964	987	1'095	2'698	6'846	13'714	32'727	
		F.	1'944	4'555	546	823	688	827	840	1'176	1'299	2'518	5'641	11'887	33'383	
398	NUNEATON	M.	2'416	7'338	922	817	772	807	800	829	1'577	2'913	6'896	13'846	33'846	
		F.	2'241	6'763	715	519	654	982	1'110	1'088	1'229	2'455	6'812	13'627	32'090	
399	FOLESHILL	M.	2'360	7'988	555	529	696	799	718	863	1'066	2'340	5'702	14'297	45'000	
		F.	2'172	6'397	662	508	768	838	1'238	907	991	2'376	5'985	14'214	29'048	
400	COVENTRY <i>H</i>	M.	2'251	7'362	831	416	570	780	746	1'076	1'451	3'073	6'687	16'368	36'000	
		F.	2'004	6'255	744	340	583	767	847	989	1'389	2'583	6'299	16'486	33'428	
401	RUGBY	M.	1'854	5'593	514	413	507	569	768	1'116	1'100	2'386	5'434	15'529	34'091	
		F.	1'782	4'535	612	363	622	608	856	994	1'017	2'232	5'684	12'900	38'695	
402	SOLIHULL	M.	1'689	4'186	585	310	368	563	667	772	1'256	2'280	4'728	12'571	30'429	
		F.	1'566	3'276	633	250	422	490	766	931	1'091	1'893	5'331	12'336	31'035	
403	WARWICK <i>HL</i>	M.	2'253	6'032	662	453	562	876	1'068	1'273	1'913	3'050	6'484	16'149	30'000	
		F.	1'902	5'332	734	508	574	691	847	893	1'402	2'613	5'565	13'341	31'273	
404	STRATFORD-ON-AVON	M.	1'838	4'893	536	274	452	636	813	810	1'306	2'710	5'798	13'713	44'706	
		F.	1'827	4'250	637	390	787	741	832	921	1'122	2'212	5'626	14'706	26'786	
405	ALCESTER	M.	1'919	5'193	611	273	648	626	562	690	1'523	2'446	5'990	13'904	39'231	
		F.	1'909	4'704	695	374	728	796	969	917	1'147	2'663	5'039	13'097	27'591	
406	SHIPSTON-ON-STOUE	M.	1'888	5'172	512	342	440	471	725	797	1'106	2'324	5'900	13'842	35'882	
		F.	1'764	3'645	491	462	745	760	903	893	1'121	2'151	5'426	13'444	30'000	
407	SOUTHAM	M.	1'855	4'993	642	532	654	735	578	826	1'222	2'335	5'732	13'810	25'714	
		F.	1'830	4'261	499	389	803	1'063	910	864	931	1'554	6'140	14'578	33'000	
VII.—NORTH MIDLAND COUNTIES.																
28.—LEICESTERSHIR.																
408	LUTTERWORTH	M.	1'846	4'764	534	310	469	735	794	616	904	2'317	5'419	14'161	33'000	
		F.	2'069	4'641	444	429	680	833	1'148	975	1'526	2'327	5'266	12'433	39'375	
409	MARKET HARBOUROUGH	M.	1'885	5'781	434	239	349	587	793	890	1'137	2'414	5'060	13'782	42'000	
		F.	1'843	4'394	412	310	715	720	772	975	1'245	1'890	4'963	13'629	32'500	
410	BILLESDON <i>L</i>	M.	1'847	2'756	568	245	166	498	398	818	1'054	2'015	4'211	14'426	22'000	
		F.	1'226	3'118	362	372	398	578	539	495	939	1'279	3'320	7'606	24'286	
411	BLABY	M.	2'084	7'626	573	242	548	713	877	971	1'037	2'635	4'787	11'024	29'286	
		F.	1'971	5'776	461	384	693	611	644	657	1'205	2'367	6'221	14'313	30'000	
412	HINCKLEY	M.	2'233	7'097	582	267	482	832	746	865	1'067	1'967	6'179	14'000	26'111	
		F.	2'145	6'170	549	391	1'050	991	1'063	1'112	1'303	2'966	5'947	13'483	46'000	
413	MARKET BOSWORTH	M.	1'948	5'698	488	314	342	834	611	604	1'248	2'129	6'101	13'932	26'000	
		F.	1'896	4'917	570	263	987	894	974	873	975	2'070	5'117	12'719	23'233	
414	ASHBY-DE-LA-ZOUCH	M.	2'038	6'496	421	232	643	843	669	907	1'096	2'647	6'453	12'562	30'741	
		F.	1'933	5'650	440	348	569	815	980	1'054	1'314	2'646	5'878	13'761	25'882	
415	LOUGHBOROUGH <i>H</i>	M.	2'333	7'412	553	399	548	873	775	935	1'610	2'546	5'907	14'631	32'727	
		F.	2'235	6'466	643	448	812	1'003	1'086	1'124	1'243	2'549	5'832	13'397	26'129	
416	BARROW-UPON-SOAR	M.	2'117	6'412	588	465	513	825	665	742	988	2'806	5'796	12'812	35'217	
		F.	2'056	5'991	498	239	785	787	1'127	1'116	890	2'568	5'590	12'478	34'762	
417	LEICESTER <i>HL</i>	M.	2'855	10'774	629	369	636	724	941	1'352	1'662	3'623	7'741	16'299	29'624	
		F.	2'414	9'213	601	473	631	774	925	1'207	1'668	2'936	6'689	15'033	34'290	
418	MELTON MOWBRAY	M.	1'894	5'087	537	230	586	787	916	978	1'111	2'427	5'393	12'296	34'000	
		F.	1'815	4'271	481	449	670	870	858	999	1'459	1'898	5'632	12'733	26'750	

* BILLESDON.—See note as to defective registration, p. lvi.

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.			SEX.	All Ages.	Ages.													
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.		
No.	VII.—NORTH MIDLAND COUNTIES—cont.																	
29.—RUTLANDSHIRE.																		
419	GAHRAM	-	-	-	M. F.	2'029 1'878	5'250 4'250	546 579	307 315	575 552	907 1'121	802 836	958 1'092	1'412 1'670	2'324 2'042	3'591 4'444	15'934 13'364	30'000 44'000
420	UPPINGHAM	-	-	-	M. F.	1'823 1'808	4'734 4'324	680 492	415 325	387 383	714 826	820 926	848 1'116	1'270 1'113	2'272 1'881	4'516 5'149	13'679 14'554	33'636 27'143
30.—LINCOLNSHIRE.																		
421	STAMFORD II	-	-	-	M. F.	2'048 1'763	5'651 4'540	656 635	414 412	401 388	710 566	797 856	995 998	1'826 1'979	2'613 2'281	6'050 4'977	15'000 11'576	24'000 38'421
422	BOCES*	-	-	-	M. F.	1'940 1'761	5'185 4'396	667 578	378 388	493 510	684 930	741 792	875 919	1'098 990	2'381 2'023	5'711 3'991	13'804 12'565	28'000 37'742
423	SPALDING*	-	-	-	M. F.	2'041 1'685	6'200 4'393	656 722	447 380	406 567	797 907	746 875	948 856	1'451 1'059	2'475 2'059	5'071 4'027	12'778 10'905	28'824 24'400
424	HOLBEACH	-	-	-	M. F.	1'906 1'803	6'103 4'815	515 536	457 467	450 567	640 829	743 926	765 1'343	1'312 2'204	2'393 4'278	4'698 4'278	11'724 12'324	28'667 24'000
425	BOSTON	-	-	-	M. F.	1'958 1'795	5'439 4'398	640 737	390 469	540 596	789 676	851 942	1'021 949	1'400 1'249	2'348 2'043	5'264 4'463	11'842 12'765	30'732 27'541
426	SLEAFORD	-	-	-	M. F.	1'889 1'714	5'169 4'472	669 542	310 492	441 427	624 737	822 760	881 853	1'122 1'083	2'036 2'025	5'460 4'641	12'338 10'575	29'643 30'938
427	GRANTHAM	-	-	-	M. F.	1'976 1'920	5'396 4'928	548 673	353 382	603 671	871 763	865 954	845 1'099	1'286 1'378	2'549 1'892	6'187 5'545	13'644 11'900	31'304 42'000
428	LINCOLN HL	-	-	-	M. F.	2'232 2'014	6'809 5'438	672 658	416 444	508 728	889 857	1'002 1'195	1'307 1'150	1'721 1'805	3'120 2'354	5'828 5'347	13'934 12'975	29'231 29'815
429	HOUNCASTLE	-	-	-	M. F.	1'791 1'822	4'625 4'109	600 758	535 548	446 877	830 929	656 947	873 1'100	1'195 1'096	2'179 1'890	5'116 4'242	11'567 11'265	30'000 23'265
430	SPILBY	-	-	-	M. F.	1'842 1'738	4'987 3'885	655 739	281 548	521 706	901 862	986 1'095	824 884	1'220 1'134	1'963 1'815	4'844 4'067	11'914 12'107	27'273 22'128
431	LOUTH	-	-	-	M. F.	1'871 1'783	5'062 4'655	580 481	325 494	633 671	646 871	717 982	736 1'008	1'261 1'033	2'347 2'088	5'668 4'543	14'033 10'521	29'143 27'222
432	CASTON	-	-	-	M. F.	1'910 1'824	6'340 5'040	767 669	468 474	480 685	697 865	751 974	916 1'010	1'148 1'162	2'204 2'065	5'169 4'610	12'720 12'566	25'866 23'605
433	GLANFORD BRIGG	-	-	-	M. F.	1'904 1'929	5'378 4'764	888 749	508 571	583 832	897 927	821 1'026	1'188 1'131	1'288 1'138	2'228 2'014	5'322 4'460	12'132 13'235	28'718 29'818
434	GAINSBOROUGH	-	-	-	M. F.	2'171 1'979	6'162 5'026	877 804	457 418	618 787	830 1'122	830 984	890 980	1'346 1'167	2'451 2'187	5'591 4'313	12'689 11'696	30'000 24'250
31.—NOTTINGHAMSHIRE.																		
435	EAST RETFORD	-	-	-	M. F.	1'983 1'824	5'453 4'234	642 490	335 381	452 689	670 822	796 928	900 962	1'166 1'277	2'202 1'780	4'834 4'774	13'717 11'833	30'741 34'152
436	WORKSOP	-	-	-	M. F.	1'906 1'906	6'032 4'832	771 702	329 444	412 710	636 634	685 930	1'118 1'030	1'471 1'340	2'553 2'411	5'965 4'941	15'553 14'242	33'571 36'500
437	MANSFIELD	-	-	-	M. F.	2'169 2'163	6'923 5'915	730 503	308 502	709 813	734 1'139	705 1'006	884 1'245	1'232 1'199	2'502 2'620	6'374 6'411	14'844 16'316	35'263 31'290
438	BARFORD*	-	-	-	M. F.	2'136 2'151	7'463 6'295	679 635	403 482	589 874	778 980	618 1'027	808 1'032	1'179 1'209	2'536 2'714	5'288 5'641	12'537 14'264	37'400 28'295
439	RADFORD L.	-	-	-	M. F.	2'376 2'253	8'419 7'474	838 761	448 469	681 938	761 986	868 1'026	1'053 1'104	1'544 1'641	2'789 3'145	6'071 6'536	14'058 14'834	42'500 37'500
440	NOTTINGHAM* III	-	-	-	M. F.	2'628 2'248	9'282 8'112	773 705	408 479	680 719	912 896	917 1'075	1'383 1'167	1'888 1'715	3'401 3'392	7'355 7'003	16'760 14'504	41'515 30'000
441	SOUTHWELL	-	-	-	M. F.	1'941 1'808	4'649 4'195	452 630	383 365	609 749	961 928	800 1'056	767 889	1'409 1'110	2'061 1'291	5'327 4'874	12'438 12'500	27'297 29'487
442	NEWARK II	-	-	-	M. F.	2'079 2'017	5'735 4'128	734 702	395 486	514 779	698 830	858 1'030	1'026 1'181	1'193 1'947	2'462 2'238	5'191 4'835	12'714 11'636	25'641 25'745
443	BINGHAM	-	-	-	M. F.	1'888 1'847	4'505 4'470	509 489	388 458	707 692	891 1'048	746 950	861 1'003	1'243 1'059	2'241 1'888	4'420 5'232	12'600 11'046	24'444 23'333

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.		SEX.	All Ages.	Ages.											
				Under 5 Years.											
				5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
VII.—NORTH MIDLAND COUNTIES—cont.															
32.—DERBYSHIRE.															
444	SHARDLOW - - - - -	M.	1'937	4'919	'596	'496	'441	'736	'771	1'061	1'205	2'502	5'845	13'063	34'138
		F.	1'947	4'241	'600	'479	'865	1'034	1'065	1'058	1'142	2'406	5'712	14'380	32'647
445	DERBY II - - - - -	M.	2'421	7'968	'885	'432	'703	'776	'977	1'117	1'996	3'636	7'609	17'460	33'750
		F.	2'237	6'634	'832	'440	'812	1'009	1'145	1'417	1'600	3'248	6'510	14'737	33'714
446	BELPER - - - - -	M.	2'148	6'572	'727	'510	'573	'771	'847	'966	1'612	2'780	6'409	14'706	30'000
		F.	2'178	5'215	'784	'472	'887	'905	1'273	1'197	1'641	3'003	6'423	14'475	42'286
447	ASHBORNE - - - - -	M.	1'954	4'541	'507	'435	'499	'619	'743	1'011	1'325	2'627	6'048	14'674	28'462
		F.	2'003	4'142	'595	'474	'895	1'035	1'179	1'068	1'457	2'834	5'785	13'561	28'333
448	CHESTERFIELD II - - - -	M.	2'219	7'509	'780	'477	'690	'838	'759	1'001	1'625	2'868	6'845	15'763	37'931
		F.	2'178	6'223	'777	'463	'804	'890	1'022	1'059	1'351	2'555	6'193	16'131	30'811
449	BAKEWELL - - - - -	M.	2'193	5'365	'551	'391	'735	'991	1'134	1'177	1'676	2'950	6'407	16'594	41'176
		F.	1'995	4'217	'616	'440	'977	1'046	1'111	1'558	1'290	3'035	6'985	15'505	25'632
450	CHAPEL-EN-LE-FRITH II -	M.	2'102	5'334	'619	'539	'633	'651	'862	1'231	2'167	3'659	6'418	13'493	48'333
		F.	2'065	4'948	'605	'646	1'061	'983	1'183	1'145	1'631	3'213	7'395	14'941	31'250
451	HAYFIELD - - - - -	M.	2'297	7'482	'871	'568	'800	'901	'832	'919	1'617	3'061	7'995	16'723	27'837
		F.	2'025	5'784	'595	'577	'919	'708	1'033	1'096	1'736	3'590	7'674	16'015	24'615
VIII.—NORTH WSTRN. COUNTIES.															
33.—CHESHIRE.															
452	STOCKPORT IIII - - - - -	M.	2'745	9'563	'614	'520	'683	1'062	'974	1'405	2'191	4'401	8'537	16'804	42'083
		F.	2'351	7'928	'972	'473	'646	'821	'975	1'370	1'945	3'974	7'725	13'635	25'294
453	MACCLESFIELD - - - - -	M.	2'405	7'103	'788	'443	'887	1'066	'968	1'165	1'791	3'294	7'880	16'558	34'688
		F.	2'264	6'298	'741	'544	'835	'937	1'271	1'363	1'816	3'420	7'796	16'625	31'500
454	ALTRINCHAM - - - - -	M.	2'011	5'491	'712	'364	'527	'658	'951	1'291	1'749	2'835	7'082	15'066	36'667
		F.	1'772	4'287	'739	'420	'492	'601	'833	1'128	1'428	2'761	6'144	13'233	32'333
455	RUNCORN - - - - -	M.	2'364	7'301	'915	'499	'736	'805	1'000	1'446	1'750	3'700	7'190	15'625	33'068
		F.	2'233	6'169	'706	'440	'723	'941	1'051	1'204	1'697	3'284	6'815	11'695	27'836
456	NORTHWICH - - - - -	M.	2'252	7'062	'831	'541	'536	'716	'817	1'162	1'582	2'821	6'780	13'609	41'000
		F.	2'140	5'781	'719	'404	'591	'917	1'031	1'293	1'287	2'660	6'355	13'491	27'576
457	CONGLETON - - - - -	M.	2'219	6'760	'726	'420	'671	'893	'872	1'020	1'639	3'016	6'806	13'846	28'214
		F.	2'100	5'400	'651	'562	'832	1'138	1'279	1'300	1'590	2'970	6'490	16'355	31'739
458	NANTWICH - - - - -	M.	2'664	6'338	'813	'527	'474	'735	'708	'876	1'469	2'671	6'158	14'066	37'667
		F.	1'941	5'660	'655	'379	'554	'795	'822	1'135	1'331	2'430	5'339	13'174	29'090
459	CHESTER (GREAT BOUGHTON) III	M.	2'460	6'691	'744	'474	'577	1'045	1'324	1'835	2'418	3'844	6'893	15'898	37'281
		F.	2'163	5'919	'733	'387	'695	'867	1'109	1'369	1'807	2'872	5'995	12'263	26'949
460a	WIRRAL * - - - - -	M.	1'912	5'028	'787	'437	'601	'772	1'033	1'081	1'694	2'769	6'573	14'312	28'067
		F.	1'711	4'316	'706	'475	'682	'612	'770	'877	1'336	2'788	5'737	12'445	30'000
460b	IRKENHEAD * IIIII - - -	M.	2'471	8'239	'1059	'508	'629	'782	'997	1'601	2'470	3'949	8'195	17'295	30'000
		F.	2'111	7'414	'974	'451	'512	'575	'921	1'214	1'784	3'032	6'354	13'881	27'067
34.—LANCASHIRE.															
461	LIVERPOOL IIIIIIIII - -	M.	4'097	14'475	'1647	'668	'945	1'422	1'998	3'607	4'372	7'095	11'918	19'488	29'600
		F.	3'636	13'429	'1514	'614	'758	1'102	1'749	2'408	3'701	5'769	9'364	16'281	25'446
462	WEST DERBY IIIII - - -	M.	2'798	9'394	'1123	'496	'662	'834	1'156	1'890	2'726	4'427	8'165	16'735	33'200
		F.	2'483	8'438	'1056	'512	'614	'747	1'080	1'576	2'363	3'831	7'064	14'359	25'469
463	PRESCOT L - - - - -	M.	2'468	7'775	'1027	'495	'697	'899	1'005	1'457	2'356	3'733	7'441	16'294	29'167
		F.	2'208	7'035	'829	'423	'507	'763	'941	1'340	1'876	2'788	6'488	13'792	29'333
464	OBMSKIRK IIII - - - - -	M.	2'348	6'461	'848	'538	'586	'930	1'175	1'670	2'061	3'286	6'985	13'992	33'667
		F.	2'012	5'704	'857	'485	'605	'711	1'068	1'227	1'570	2'628	5'983	12'690	26'639
465	WIGAN - - - - -	M.	2'994	10'592	'1909	'642	'829	'932	'981	1'387	2'079	3'856	8'374	16'500	35'405
		F.	2'735	9'398	'1130	'494	'763	'837	1'019	1'286	1'667	3'351	7'291	15'251	27'692
466	WARRINGTON L - - - -	M.	2'689	8'509	'1106	'557	'773	'940	1'089	1'606	2'401	4'217	7'472	14'224	32'500
		F.	2'568	7'954	'924	'423	'634	'861	1'021	1'411	2'128	3'849	8'000	15'922	32'398

* On 2nd July 1861 the new District of Birkenhead was formed out of the District of Wirral. The mortality of the new District is here given for the whole period, a correction having been made for the part of the year 1861 prior to the date of change.

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.		SEX.	All Ages.	Ages.											
				Under 5 Years.											
				5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
VIII.—NORTH WSTRN. COUNTIES—cont.															
No.	34.—LANCASHIRE—cont.														
467	LEIGH - - - - -	M.	2'612	8'642	'856	'479	'711	'950	'857	1'288	1'861	3'327	7'461	15'099	30'526
		F.	2'463	7'820	'867	'421	'894	1'009	1'161	1'367	1'811	3'041	7'200	15'137	32'273
468	BOLTON H - - - - -	M.	2'811	9'487	'981	'567	'820	'891	'990	1'397	2'349	4'459	8'459	17'411	35'814
		F.	2'373	7'978	'944	'437	'759	'838	'957	1'337	1'741	3'559	7'082	15'700	29'063
469	BURY - - - - -	M.	2'539	8'278	'908	'548	'778	'846	'924	1'332	2'141	4'293	8'424	19'029	30'774
		F.	2'234	7'147	'927	'449	'765	'897	1'007	1'333	1'798	3'362	7'134	15'488	38'293
470	BARTON-UPON-IRWELL - - -	M.	2'355	7'190	'965	'570	'649	'880	'947	1'295	1'881	3'673	7'607	18'096	38'333
		F.	2'002	6'011	'729	'532	'663	'749	'981	1'146	1'596	3'326	6'241	15'352	40'000
471	CROFTON H - - - - -	M.	2'653	9'161	'019	'443	'667	'776	'967	1'574	2'494	4'718	9'591	18'017	32'188
		F.	2'373	8'247	'952	'458	'639	'745	'988	1'555	2'063	3'926	7'910	16'732	34'328
472	SALFORD H - - - - -	M.	2'879	9'795	'098	'527	'674	'785	1'056	1'692	2'736	5'012	9'709	19'210	45'294
		F.	2'319	8'840	'950	'466	'687	'818	'956	1'460	2'250	4'006	8'154	15'135	34'559
473	MANCHESTER HHHHHH - - -	M.	3'338	11'790	'401	'651	'839	1'167	1'469	2'323	3'455	6'017	10'876	20'978	40'714
		F.	3'046	10'390	'152	'579	'740	'955	1'307	1'926	2'876	5'031	9'426	17'900	27'567
474	ASHTON-UNDER-LYNE H - - -	M.	2'704	9'359	'938	'519	'827	'934	'973	1'310	2'224	4'377	8'734	18'448	50'000
		F.	2'352	7'994	'889	'514	'774	'896	1'117	1'533	1'851	3'697	7'689	17'071	37'027
475	OLDHAM - - - - -	M.	2'725	9'095	'116	'574	'685	'819	'878	1'337	2'214	4'459	8'820	19'378	37'000
		F.	2'306	8'085	'022	'445	'756	'856	1'019	1'294	1'810	3'546	7'744	16'419	28'637
476	ROCHDALE - - - - -	M.	2'550	8'490	'098	'500	'729	'805	'937	1'398	2'354	4'322	8'546	18'822	42'500
		F.	2'236	7'421	'985	'530	'745	'900	1'006	1'279	1'674	3'005	7'564	16'188	32'029
477	HALESODEN - - - - -	M.	2'378	8'223	'019	'544	'650	'754	'797	1'210	1'859	3'796	7'750	18'488	43'729
		F.	2'147	6'976	'896	'446	'768	'839	1'050	1'167	1'720	3'309	7'703	16'441	37'241
478	BURNLEY - - - - -	M.	2'522	8'966	'934	'497	'814	'817	'795	1'149	1'743	3'729	8'221	18'212	33'704
		F.	2'279	7'323	'914	'468	'830	'901	1'023	1'551	1'671	3'407	7'420	15'563	31'290
479	CLITHEROE - - - - -	M.	2'043	5'719	'584	'426	'622	'628	'698	1'041	1'216	2'822	7'157	15'325	27'500
		F.	2'024	4'605	'740	'440	'849	1'020	1'205	1'321	1'142	2'594	6'163	14'351	30'875
480	BLACKBURN H - - - - -	M.	2'709	10'003	'892	'453	'806	'848	'930	1'313	2'136	3'855	7'879	16'524	33'250
		F.	2'407	8'507	'896	'441	'794	'940	1'033	1'341	1'777	3'563	6'835	14'288	30'612
481	CROXLEY - - - - -	M.	2'361	7'196	'970	'495	'773	'823	'763	1'202	1'537	3'109	6'809	14'170	33'235
		F.	2'154	6'259	'793	'459	'891	1'007	1'024	1'228	1'448	3'045	6'278	13'099	28'750
482	PRESTON H - - - - -	M.	2'986	10'563	'024	'537	'747	'939	1'163	1'570	2'962	3'783	7'627	16'209	35'690
		F.	2'090	9'184	'882	'480	'858	'963	1'202	1'554	1'947	3'779	7'048	15'069	28'254
483	FYLDE - - - - -	M.	2'271	6'450	'698	'817	'699	1'149	1'188	1'408	1'578	2'828	6'495	13'889	31'607
		F.	2'001	5'540	'828	'453	'618	'841	1'005	1'196	1'463	2'967	5'881	13'030	32'593
484	GAISTANG - - - - -	M.	1'616	4'482	'818	'594	'736	'514	'907	'888	1'050	2'432	4'271	13'000	29'286
		F.	1'877	3'928	'811	'548	'700	'948	1'047	1'062	1'263	2'133	5'178	15'435	28'000
485	LANCASTER* H - - - - -	M.	2'792	5'624	'580	'405	'612	1'030	1'370	1'824	2'216	3'376	6'464	15'841	25'968
486	LANCSDALE - - - - -	F.	2'096	4'882	'618	'424	'681	'892	1'145	1'462	1'892	2'947	6'323	13'488	29'000
487	ULVERSTON H - - - - -	M.	2'100	5'888	'781	'485	'732	'865	'945	1'215	1'723	3'074	6'518	15'174	38'182
		F.	2'027	5'058	'743	'544	'834	'951	1'071	1'079	1'543	2'407	5'179	13'694	26'739
IX.—YORKSHIRE.															
35.—WEST RIDING.															
488	BEDFORD - - - - -	M.	1'327	3'404	'517	'553	'870	'979	'746	'519	'896	1'944	5'228	9'756	26'667
		F.	1'775	2'267	'409	'555	1'156	1'338	'941	1'172	1'232	2'550	4'894	16'189	28'553
489	SETTLE - - - - -	M.	1'783	4'367	'552	'588	'476	'528	'714	'567	1'380	2'692	5'320	13'680	32'778
		F.	1'639	3'977	'694	'549	'836	'923	1'121	'892	1'494	2'292	4'676	13'213	32'143
490	SEIPTON † - - - - -	M.	2'147	6'103	'879	'495	'766	'732	'954	1'032	1'454	2'882	6'299	14'800	40'526
		F.	2'138	4'897	'799	'602	1'112	1'090	1'186	1'236	1'510	2'902	7'044	15'000	36'000
491	FATELEY BRIDGE - - - - -	M.	2'187	5'381	'615	'415	'685	1'640	'928	'830	1'318	2'088	6'359	13'889	29'167
		F.	2'079	4'581	'907	'570	'834	1'463	1'022	1'443	1'539	2'662	5'699	15'536	27'692

* On 1st July 1869 the new District of Lunedale was formed out of the District of Lancaster. The mortality of the new District is not separately given in this Table.

† A correction has been made for a change in the constitution of this District during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.		SEX.	All Ages.	Ages.												80 and upwards.
				Under 5 Years.												
				5—	10—	15—	20—	25—	35—	45—	55—	65—	75—			
No.	IX.—YORKSHIRE—cont.															
	35.—WEST RIDING															
	—cont.															
491	RIPON - - - - -	M.	2'071	5'266	'637	'300	'555	'761	'933	'1017	'1510	2'849	5'888	12'756	29'324	
		F.	1'928	4'287	'647	'377	'511	'824	'975	'1028	'1483	2'243	4'862	14'146	34'828	
492a	GREAT OUSEBURN * - - -	M.	2'152	6'090	'722	'460	'396	'907	'849	'1038	'1485	2'844	6'263	16'402	31'811	
		F.	2'085	5'217	'763	'537	'932	1'061	1'138	1'131	1'428	2'465	5'832	13'975	28'993	
492b	KNARESBOROUGH H - - -	M.	2'223	5'635	'783	'378	'644	'752	'882	'1398	'1765	3'536	6'965	13'516	34'118	
		F.	2'042	5'335	'696	'516	'826	'747	'999	1'222	'1615	2'611	5'497	14'129	31'600	
492c	WETHERBY * - - - - -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	
493	WHARFEDALE * III - - -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	
494	KEIGHLEY † - - - - -	M.	2'540	8'644	'1037	'648	'859	'925	'925	1'137	1'775	3'861	7'391	17'113	35'263	
		F.	2'283	6'946	'979	'697	'1045	1'183	1'069	1'286	1'401	3'300	7'397	17'656	30'000	
495	TODMORDEN - - - - -	M.	2'302	7'161	'740	'507	'825	'690	'877	'1086	'1911	3'696	8'271	18'239	51'429	
		F.	2'048	5'707	'939	'483	'783	'817	1'009	1'186	1'623	3'221	7'489	16'284	31'250	
496	SADDLEWORTH - - - - -	M.	2'443	7'578	'813	'672	'852	'889	'1005	'1034	1'742	3'837	7'043	22'603	45'000	
		F.	2'176	6'174	'725	'655	'946	'1056	'1233	'1608	'1991	7'418	18'795	45'714		
497	HUDDERSFIELD H - - -	M.	2'544	7'910	'947	'555	'805	'955	'963	1'271	1'933	3'917	7'888	17'632	39'744	
		F.	2'198	6'505	'898	'537	'875	'945	1'120	1'223	1'561	3'133	7'051	15'421	29'385	
498	HALIFAX H - - - - -	M.	2'578	8'497	'945	'572	'879	'932	'948	1'354	2'051	4'049	8'269	17'006	37'632	
		F.	2'287	7'396	'840	'640	'1046	1'062	1'030	1'197	1'656	3'258	7'148	16'559	29'180	
499	BRADFORD HH - - - - -	M.	2'666	9'807	'907	'518	'707	'891	'911	1'294	2'001	3'823	8'176	17'857	33'684	
		F.	2'381	8'315	'837	'549	'905	1'012	1'189	1'261	1'667	3'263	7'533	16'551	31'220	
500a	HUNSLY † - - - - -	M.	2'661	9'744	'824	'540	'702	'784	'834	1'223	2'003	3'719	8'310	18'031	43'810	
500b	HOLBECK † - - - - -	F.	2'445	8'037	'879	'518	'828	'876	'973	1'318	1'390	3'212	7'276	17'506	28'533	
500c	BRANLEY † - - - - -	F.	2'317	11'292	'1045	'582	'797	'1030	'1302	1'908	2'928	5'132	9'939	22'413	34'948	
501	LEEDS † HHH - - - - -	F.	2'760	9'645	'944	'539	'716	'955	1'170	1'554	2'308	3'991	8'543	17'863	27'917	
502	DEWSBURY - - - - -	M.	2'777	10'276	'1076	'583	'756	'901	'914	1'097	1'864	3'522	8'487	17'041	41'023	
		F.	2'449	8'454	'967	'568	'874	'997	'1248	1'491	3'377	7'271	16'639	31'707		
503	WAKEFIELD † HL - - -	M.	2'686	7'421	'878	'576	'747	'1003	1'205	1'996	2'969	4'305	9'039	16'833	34'800	
		F.	2'448	6'510	'765	'492	'820	'924	1'260	1'614	2'140	3'629	7'114	15'698	35'714	
504a	PONTEFRAC † - - - - -	M.	2'390	7'932	'787	'463	'620	'697	'819	1'108	1'652	3'179	6'467	15'350	29'200	
		F.	2'246	6'290	'835	'511	'730	'847	'916	1'111	1'291	2'646	5'856	14'304	31'429	
504b	HEMSWORTH - - - - -	M.	1'903	4'604	'704	'466	'547	'839	1'012	'867	1'731	2'384	5'912	14'001	31'429	
		F.	1'903	3'327	'562	'569	'1000	'993	1'130	'835	1'672	1'877	5'398	16'022	29'000	
505	BARNLEY H - - - - -	M.	2'393	8'376	'853	'700	'806	'1063	'1133	'1312	1'860	3'341	7'328	15'309	31'250	
		F.	2'045	7'073	'723	'485	'880	'922	'977	1'232	1'483	2'638	6'200	15'105	28'000	
506	WORTLEY - - - - -	M.	2'131	6'586	'789	'512	'628	'703	'800	1'229	1'717	2'903	6'963	16'117	35'556	
		F.	2'135	3'633	'781	'589	'678	'998	1'011	1'203	1'294	2'806	6'560	17'784	31'765	
507	ECCLESALL BIRLOW - - -	M.	2'382	7'893	'985	'520	'652	'766	'865	1'207	'872	'872	8'021	19'543	39'412	
		F.	2'137	6'935	'928	'496	'550	'712	'892	1'195	1'630	3'042	7'079	18'365	35'533	
508	SHEFFIELD IIIII - - -	M.	3'040	10'515	'1239	'588	'748	'877	'1115	'1813	2'761	5'152	9'985	20'933	31'067	
		F.	2'770	9'313	'1167	'487	'781	'849	1'009	1'403	2'089	3'726	8'104	17'699	37'074	
509	ROTHERHAM - - - - -	M.	2'436	8'040	'836	'664	'674	'828	'824	1'277	'1213	3'469	7'384	20'121	35'000	
		F.	2'299	6'728	'830	'434	'766	'1010	1'107	1'182	1'593	2'881	6'494	14'898	28'750	
510	DONCASTER H - - - - -	M.	2'321	7'293	'786	'541	'617	'756	'1043	'1275	1'674	3'878	6'396	15'870	33'333	
		F.	2'170	6'055	'839	'497	'732	'732	1'093	1'228	1'319	2'245	5'633	13'559	35'342	
511	THORNE - - - - -	M.	2'268	6'990	'717	'419	'729	'909	'745	'868	1'173	2'262	5'197	15'108	31'176	
		F.	2'056	5'478	'568	'466	'582	'1005	1'306	'977	1'044	1'728	5'394	11'309	24'375	
512	GOOLE - - - - -	M.	2'399	7'784	'914	'541	'515	'180	'1008	'1111	1'378	2'738	6'042	10'696	26'000	
		F.	2'202	6'981	'808	'617	'830	'860	1'218	'1015	1'163	2'104	5'220	9'265	32'667	
513	SELBY - - - - -	M.	2'193	6'539	'725	'498	'563	'863	'740	'1018	1'538	2'594	5'635	13'136	24'500	
		F.	2'007	5'582	'675	'433	'592	'754	'826	'994	1'050	2'130	5'431	11'722	29'200	
514	TADCASTER * - - - - -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	

* The mortality for the Districts of Wetherby (492c), Wharfedale (493), and Tadcaster (514) is included with that of Great Ouseburn District (492a), the numerous and intricate changes made in the constitution of these four Districts during the 10 years 1861-70 having rendered it impracticable to give anything like a correct death-rate for the Districts separately.

† The Districts of Holbeck and Bramley were formed in 1862 and 1863, chiefly out of parts of the old District of Hunslet; the changes thereby involved were so numerous as to make it necessary to give the mortality for the three Districts combined.

‡ Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

			Ages.														
DISTRICTS.			SEX.	All Ages.	Under 5 Years.											85 and upwards.	
					5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
IX.—YORKSHIRE—cont.																	
36.—EAST RIDING (with York).																	
No.																	
213	YORK HULL	- - -	M. F.	2'517 2'210	7'747 6'341	7'48 7'00	7'454 7'313	7'207 7'022	1'006 7'01	1'054 1'033	1'613 1'412	1'951 1'690	3'768 3'054	7'115 5'937	17'750 14'132	31'778 24'607	
214	POCKLINGTON	- - -	M. F.	1'802 1'847	5'074 4'432	6'80 5'00	7'388 7'408	7'05 7'413	7'479 7'01	7'87 7'44	7'85 1'122	1'203 1'181	2'181 1'904	5'423 5'039	13'333 12'400	40'000 29'565	
217	HOWDEN	- - -	M. F.	2'357 2'183	6'966 5'700	1'027 7'99	7'515 7'441	1'197 1'455	1'337 1'376	7'985 1'130	1'039 7'064	1'355 7'855	2'028 1'670	5'266 5'160	15'000 11'467	23'636 29'818	
218	BEVERLEY	- - -	M. F.	2'038 1'806	6'746 5'101	6'28 7'62	7'381 7'428	7'495 7'649	7'23 7'97	7'39 7'87	7'99 7'982	1'212 2'030	2'554 4'440	5'800 4'561	13'608 10'561	33'478 28'096	
219	SCULCOATES	- - -	M. F.	2'425 2'177	8'389 7'122	7'47 7'813	7'447 7'483	7'710 7'501	7'791 7'794	7'834 7'966	1'076 1'002	1'472 1'422	2'707 2'741	6'568 5'460	14'055 13'061	28'710 22'712	
220	HULL HL	- - -	M. F.	2'728 2'395	9'234 7'824	1'092 7'99	7'614 7'520	7'768 7'601	1'089 7'901	1'145 1'220	1'501 1'337	2'367 1'737	4'191 2'945	7'878 6'489	18'909 14'519	32'381 26'739	
221	PATRINGTON	- - -	M. F.	1'753 1'957	5'094 4'909	7'03 7'32	7'333 7'402	7'573 7'57	7'905 1'309	7'547 7'993	7'645 7'798	1'186 1'196	2'476 2'093	4'715 4'523	12'838 11'647	25'435 33'846	
222	SKELAUGH	- - -	M. F.	1'940 1'929	6'230 5'164	6'21 6'53	7'485 7'597	7'472 7'614	7'688 7'960	7'624 1'319	7'989 7'929	7'989 7'968	1'259 2'050	2'484 4'233	5'034 4'233	13'409 12'143	23'636 21'176
223	DRIFFIELD	- - -	M. F.	2'095 2'100	6'880 5'511	7'82 7'970	7'527 7'612	7'488 7'606	7'621 1'005	7'727 1'142	7'793 1'233	1'292 1'823	2'435 3'433	5'576 4'786	13'972 12'484	33'625 28'519	
224	BRIDLINGTON	- - -	M. F.	2'045 1'944	6'441 5'722	7'04 7'046	7'294 7'429	7'513 7'598	7'679 7'776	7'829 7'976	7'946 1'001	1'122 1'064	2'702 1'962	5'344 4'205	14'211 11'655	34'286 24'000	
37.—NORTH RIDING.																	
225	SCARBOROUGH	- - -	M. F.	2'398 2'080	7'493 6'327	7'830 7'866	7'510 7'454	7'385 7'094	7'770 7'732	1'033 7'953	1'084 1'138	1'722 1'502	3'160 2'402	6'323 5'237	14'141 12'655	23'333 26'000	
226	MALTON	- - -	M. F.	1'982 1'932	5'118 4'707	7'70 7'01	7'479 7'614	7'423 7'388	7'849 7'927	7'842 7'071	1'018 7'882	1'264 1'330	2'634 2'389	5'877 4'855	12'857 11'556	29'310 29'594	
227	EASINGWOLD	- - -	M. F.	1'759 1'712	4'008 3'679	7'403 7'396	7'289 7'572	7'422 7'485	7'864 7'640	7'796 1'052	7'703 1'107	7'890 1'142	2'036 2'558	4'981 5'813	13'097 11'748	22'837 30'714	
228	THIRSK	- - -	M. F.	2'012 2'039	4'902 4'395	7'553 7'620	7'590 7'429	7'612 7'397	7'815 7'994	7'935 1'050	7'924 1'172	1'061 1'263	2'273 2'661	5'627 4'916	13'303 13'696	25'780 32'300	
229	HEMSLEY	- - -	M. F.	1'882 1'916	4'094 4'157	7'451 7'550	7'294 7'237	7'586 7'750	7'606 7'970	7'707 1'022	7'624 1'278	1'421 1'362	2'364 2'400	5'512 4'484	15'840 12'407	31'250 33'684	
230	PICKERING	- - -	M. F.	2'031 2'019	5'876 4'529	7'644 7'671	7'387 7'245	7'582 7'558	7'848 7'835	7'871 1'173	1'022 1'184	1'511 1'475	2'894 2'006	5'190 5'602	12'400 13'505	29'691 22'607	
231	WHITBY	- - -	M. F.	2'452 2'126	6'548 5'008	7'941 7'719	7'514 7'576	7'803 7'700	7'888 7'855	7'935 1'131	1'350 1'106	1'779 1'200	3'004 2'234	6'341 4'904	13'825 12'702	38'005 24'314	
232	GUENSBROUGH II	- - -	M. F.	2'107 2'147	7'222 6'102	7'939 7'787	7'566 7'596	7'752 7'808	7'975 7'902	7'905 7'950	1'135 1'181	1'584 1'185	2'685 2'171	5'442 4'768	12'707 14'140	18'750 27'037	
233	STOKESLEY	- - -	M. F.	1'906 1'966	4'764 4'048	7'520 7'61	7'557 7'385	7'671 7'780	7'682 7'809	7'847 7'968	7'711 1'125	1'190 1'452	2'253 2'239	5'063 5'181	12'600 10'692	22'607 24'000	
234	NORTHALLERTON	- - -	M. F.	1'951 1'928	4'354 3'538	7'09 7'661	7'382 7'204	7'329 7'635	1'045 1'106	7'922 7'969	7'960 1'151	1'308 1'325	2'200 2'273	5'513 5'560	12'422 13'113	27'000 34'138	
235	BEDALE *	- - -	M. F.	1'941 1'849	4'080 3'504	7'545 7'447	7'484 7'320	7'322 7'649	7'862 7'897	7'969 7'929	7'923 1'106	1'277 1'105	2'467 2'246	5'355 5'022	13'902 11'078	34'444 28'182	
236	LAYBURN *	- - -	M. F.	1'818 1'748	4'078 3'624	7'512 7'501	7'330 7'279	7'401 7'583	1'022 1'054	7'775 7'871	7'615 7'907	1'220 1'194	2'229 2'077	5'647 4'620	14'000 11'951	23'333 23'000	
237	ATGARTH (formerly ASKING)	- - -	M. F.	1'948 2'096	4'860 4'067	7'328 7'496	7'493 7'447	7'524 7'915	1'212 1'109	7'758 1'183	1'234 1'293	7'887 1'556	1'620 2'688	5'385 6'393	13'509 10'484	44'000 40'000	
238	REITH	- - -	M. F.	2'139 2'010	4'948 3'549	7'596 7'377	7'387 7'62	7'815 1'007	1'079 1'647	1'000 1'090	1'456 1'575	2'785 1'116	4'270 2'813	8'873 6'087	19'524 19'211	16'607 22'000	
239	RICHMOND	- - -	M. F.	1'783 1'871	3'945 3'633	7'655 7'590	7'283 7'349	7'526 7'449	7'908 7'990	1'048 1'074	1'008 1'391	7'990 1'153	2'093 2'304	4'709 5'039	11'831 12'025	31'053 24'839	

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.											
					Under 5 Years.											
					5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
No.	X.—NORTHERN COUNTIES.															
	38.—DURHAM.															
540	DARLINGTON H - - - -	M. F.	2'117 2'053	6'407 5'706	'881 '884	'416 '508	'652 '651	'843 '855	'762 '972	1'126 1'084	1'494 1'137	2'848 2'577	6'082 5'704	13'670 12'556	30'000 29'469	
541	STOCKTON HL - - - -	M. F.	2'333 2'366	8'841 7'179	'988 '867	'588 '428	'651 '699	'804 '857	'839 1'110	1'188 1'340	1'862 1'590	3'403 3'108	6'406 6'204	12'714 12'645	29'167 30'625	
541½	HARTLEPOOL H - - - -	M. F.	2'200 2'159	7'723 6'959	'001 '950	'477 '306	'591 '551	'674 '725	'882 '896	1'103 1'332	1'520 1'423	2'814 2'645	7'872 6'090	13'837 13'396	25'000 33'158	
542	AUCKLAND - - - -	M. F.	2'393 2'400	8'577 7'510	'935 '988	'568 '500	'786 '792	'955 '976	'785 1'132	1'006 1'250	1'370 1'402	2'794 2'529	6'633 5'399	15'825 13'206	27'500 29'697	
543	TEESDALE - - - -	M. F.	1'877 1'877	4'323 3'906	'580 '390	'333 '353	'600 '665	'981 1'081	'976 1'020	'998 1'153	1'479 1'527	2'477 2'008	6'203 5'011	12'848 13'352	25'818 21'944	
544	WEARDALE - - - -	M. F.	2'013 2'008	5'556 4'764	'540 '098	'431 '408	'728 '800	'902 1'034	'949 1'505	1'195 1'433	2'187 1'405	4'086 3'411	8'617 6'303	15'297 11'282	23'000 30'625	
545	DURHAM H - - - -	M. F.	2'097 2'119	7'092 6'403	'910 '971	'591 '483	'698 '654	'683 '788	'740 '995	'931 1'125	1'579 1'330	2'830 2'350	6'488 5'325	13'475 13'101	40'337 38'607	
546	EASINGTON H - - - -	M. F.	2'252 2'178	7'643 7'113	'006 '940	'694 '464	'719 '664	'752 '619	'635 '855	'984 '981	1'519 1'492	3'079 2'371	6'161 5'210	12'347 12'294	35'000 24'762	
547	HOUGHTON-LE-SPRING - -	M. F.	2'412 2'295	8'208 7'078	'016 '037	'618 '390	'822 '871	'685 '794	'771 '951	'912 1'012	1'267 1'324	2'763 2'604	6'350 6'420	14'463 13'944	25'000 21'005	
548	CHESTER-LE-STREET - -	M. F.	2'469 2'372	8'147 7'347	'067 '029	'822 '496	'844 '733	'937 '989	'796 1'203	1'098 1'110	1'614 1'370	2'958 2'332	5'618 5'868	15'505 14'286	22'500 32'800	
549	SUNDERLAND H - - - -	M. F.	2'475 2'269	8'196 7'228	'928 '866	'504 '391	'610 '543	'791 '699	'850 '906	1'304 1'235	2'037 1'755	3'692 3'144	8'204 6'842	16'808 15'732	33'571 25'689	
550	SOUTH SHIELDS - - - -	M. F.	2'407 2'365	8'480 7'627	'120 '998	'518 '464	'687 '656	'622 '676	'821 '945	1'122 1'079	1'834 1'567	3'461 3'066	7'755 6'840	18'023 15'313	32'778 30'583	
551	GATESHEAD H - - - -	M. F.	2'510 2'411	8'625 7'430	'044 '031	'455 '427	'626 '739	'756 '750	'767 '948	1'171 1'270	1'869 1'560	3'478 2'845	8'128 6'645	17'524 15'967	42'500 27'963	
	39.—NORTHMERLND.															
552	NEWCASTLE-UPON-TYNE HHHH -	M. F.	2'981 2'637	9'955 8'812	'182 '122	'540 '468	'854 '682	1'010 '814	1'271 1'137	1'833 1'523	2'748 2'018	4'889 3'675	9'112 7'241	20'776 15'769	32'500 30'807	
553	TYNEMOUTH H - - - -	M. F.	2'464 2'376	8'250 7'273	'908 '050	'701 '470	'806 '655	'841 '997	'954 '908	1'173 1'171	1'802 1'538	3'499 2'934	7'219 6'141	16'258 15'561	45'172 31'746	
554	CASTLE WARD L - - - -	M. F.	1'907 1'840	5'009 4'922	'564 '659	'461 '545	'748 '660	'813 '900	'933 '909	'903 1'297	1'397 1'449	2'617 2'080	5'854 4'810	13'496 11'908	33'571 32'105	
555	HEXHAM - - - -	M. F.	2'013 1'969	5'181 4'401	'716 '686	'382 '511	'533 '705	'828 '998	'859 1'119	1'112 1'205	1'671 1'311	3'024 2'418	5'993 5'811	13'983 11'267	29'714 40'000	
556	HALTWHISTLE - - - -	M. F.	1'783 1'743	4'096 3'011	'401 '518	'408 '509	'816 '729	'786 '957	'796 1'082	'765 1'468	1'212 1'597	2'387 2'080	5'000 4'470	12'034 14'792	23'000 20'000	
557	BELLINGHAM - - - -	M. F.	1'879 1'836	4'427 3'005	'522 '688	'384 '590	'968 '614	'855 '875	'944 1'236	'905 1'002	1'569 2'083	2'292 2'083	6'224 5'809	10'823 11'471	22'667 24'167	
558	MORPETH L - - - -	M. F.	2'280 2'269	7'305 6'220	'996 '037	'522 '455	'732 '811	'835 '874	'897 1'255	1'223 1'290	1'443 1'641	2'513 2'506	6'507 5'797	15'594 10'769	32'222 30'541	
559	ALNWICK H - - - -	M. F.	1'993 1'919	4'389 3'294	'800 '639	'452 '490	'803 '686	'841 1'002	'980 1'143	1'013 1'043	1'278 1'298	2'720 2'416	6'982 5'711	14'293 13'333	41'875 35'383	
560	BELFORD - - - -	M. F.	1'881 1'866	4'041 3'719	'672 '633	'554 '452	'433 '517	'809 '728	1'258 1'709	'825 1'115	1'274 1'018	2'284 2'008	5'504 5'000	17'111 10'769	30'600 33'633	
561	BERWICK - - - -	M. F.	2'191 1'946	5'298 4'738	'879 '797	'833 '489	'752 '647	'911 '962	1'098 '971	1'069 1'064	1'642 2'093	2'576 5'620	6'276 13'807	14'800 13'807	37'143 40'741	
562	GLENDAL - - - -	M. F.	1'543 1'478	3'201 2'611	'442 '561	'410 '375	'355 '382	'563 '579	'741 '791	'743 '808	1'205 1'299	2'272 2'121	6'419 4'813	14'432 14'054	25'285 29'444	
563	ROTHBURY - - - -	M. F.	1'496 1'619	2'869 2'941	'595 '749	'499 '460	'313 '410	'513 '579	'523 '990	'914 1'013	1'097 1'078	2'075 2'082	4'733 5'324	11'549 14'286	19'233 33'040	

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.		SEX.	All Ages.	Ages.												
				Under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
No.	X.—NORTHERN COUNTIES—cont.															
	40.—CUMBERLAND.															
584	ALSTON	M.	2'173	5'408	086	449	538	940	1'217	1'058	3'388	5'547	10'090	20'803	—	
		F.	2'055	5'024	027	478	1'019	1'174	1'387	1'104	1'035	3'107	6'091	10'444	21'667	
585	PENRITH	M.	1'949	4'846	555	222	494	588	823	1'013	1'613	2'924	6'459	13'137	29'833	
		F.	1'838	3'929	614	447	612	843	902	1'043	1'282	2'161	5'280	13'070	26'765	
586	BRAMPTON	M.	1'947	4'528	550	335	546	804	1'139	1'241	1'446	2'384	4'801	14'639	30'000	
		F.	1'850	3'816	022	490	647	989	1'111	1'182	1'218	2'265	4'959	12'920	25'294	
587	LONGTOWN	M.	1'846	4'908	061	556	379	646	762	912	1'082	1'900	5'222	12'828	26'429	
		F.	1'906	3'936	491	474	624	944	1'037	1'168	1'114	2'476	5'610	10'583	27'368	
588	CARLISLE RHL	M.	2'462	7'135	929	519	604	984	1'129	1'517	1'922	3'768	7'139	14'569	27'105	
		F.	2'296	6'784	795	516	729	862	1'162	1'231	1'807	2'806	6'181	14'840	29'029	
589	WIGTON	M.	2'052	5'242	747	487	379	930	1'117	1'000	1'308	2'354	5'247	14'322	30'557	
		F.	2'010	4'540	096	687	783	1'142	1'025	933	1'407	2'713	4'709	13'946	27'632	
590	COCKERMOUTH	M.	2'586	6'808	879	635	764	898	1'063	1'242	1'732	3'146	7'141	15'060	28'421	
		F.	2'263	5'976	934	475	933	986	1'044	1'223	1'532	2'539	5'637	14'582	32'000	
591	WHITEHAVEN H	M.	2'542	7'455	1'020	519	774	919	1'174	1'456	2'156	3'862	7'848	17'071	29'600	
		F.	2'454	6'776	1'063	641	709	1'104	1'170	1'242	1'634	3'153	6'540	15'071	26'444	
592	BOOTLE	M.	1'854	3'976	567	379	729	905	955	1'045	1'190	2'879	5'793	19'638	31'429	
		F.	1'745	3'450	603	349	925	997	1'092	1'314	1'285	1'889	4'924	13'929	20'000	
	41.—WESTMORLAND.															
593	EAST WARD	M.	1'647	3'487	521	344	571	586	638	729	1'132	1'980	5'082	13'919	20'067	
		F.	1'709	3'254	478	532	736	861	827	1'110	1'000	2'189	5'231	13'556	19'643	
594	WEST WARD	M.	1'830	3'881	411	474	411	729	744	901	1'578	2'704	5'030	13'544	33'000	
		F.	1'829	3'728	321	208	935	1'058	945	1'347	1'061	2'222	4'480	13'684	41'111	
595	KENDAL	M.	1'884	4'545	577	357	579	836	896	1'049	1'564	2'780	5'793	14'113	33'636	
		F.	1'824	3'902	599	470	671	738	890	1'356	1'440	2'396	5'548	15'703	29'795	
	XI.—MONMOUTHSHIRE AND WALES.															
	42.—MONMOUTHSH.															
596	CARPENTON	M.	1'959	4'998	783	557	330	805	831	908	1'548	2'554	5'170	13'841	24'583	
		F.	1'839	4'052	674	400	602	866	906	976	1'086	2'003	5'115	14'047	28'276	
597	MONMOUTH H	M.	1'975	5'183	766	424	464	737	699	1'125	1'422	2'607	5'724	13'123	30'000	
		F.	1'983	4'909	810	431	715	700	978	1'095	1'233	2'434	4'801	12'109	22'329	
598	ABERGAVENNY * L	M.	2'398	6'022	678	631	585	792	1'001	1'714	2'080	3'138	6'950	15'390	33'043	
		F.	2'215	5'834	829	430	576	799	1'084	1'382	1'768	2'907	5'833	12'638	30'176	
599	BEDWELTY *	M.	2'417	6'005	1'151	886	895	978	950	1'188	1'795	3'451	7'953	15'190	30'500	
		F.	2'376	7'405	1'019	480	704	957	1'191	1'212	1'759	3'008	6'795	12'471	34'000	
599	PONTYPOOL	M.	2'333	7'425	869	629	676	1'005	972	1'222	1'641	3'155	6'915	13'657	30'000	
		F.	2'089	6'020	989	501	651	795	901	1'034	1'286	2'651	5'679	12'703	31'500	
599	NEWPORT H	M.	2'204	6'446	782	474	699	1'008	1'021	1'207	1'975	3'262	6'471	12'473	24'806	
		F.	1'976	5'408	780	455	599	898	1'019	1'344	1'569	2'830	5'563	12'917	29'293	
	43.—SOUTH WALES.															
	GLAMORGANSHIRE.															
599	CARDIFF† H	M.	2'227	7'374	853	527	771	1'103	1'119	1'451	1'812	2'901	5'771	12'222	30'585	
		F.	2'053	6'384	810	389	547	917	1'050	1'272	1'703	2'836	5'811	11'612	26'170	
599	PONTYPRIDD†	M.	2'375	7'638	947	802	1'112	1'197	1'092	1'549	1'881	2'809	5'540	12'029	29'375	
		F.	2'253	6'068	919	541	897	1'108	1'186	1'260	1'363	2'195	4'825	10'298	30'557	
599	MERTHYR TYDFIL† H	M.	2'666	8'407	1'203	869	956	1'151	1'128	1'443	2'016	3'375	8'309	17'565	24'762	
		F.	2'418	7'657	082	749	653	1'018	1'108	1'415	1'725	2'984	5'645	11'995	29'377	
599	BRIDGEND L	M.	2'104	5'905	853	465	736	851	1'040	1'182	1'483	2'871	5'149	11'698	24'762	
		F.	1'962	5'249	607	448	680	817	1'009	1'119	1'456	2'007	4'306	10'489	27'861	
599	NEATH	M.	2'006	6'869	1'016	710	906	1'211	1'147	1'388	1'979	3'525	7'017	12'437	30'000	
		F.	2'078	5'855	969	585	820	947	1'135	1'362	1'409	2'191	4'676	10'538	24'104	

* On 1st July 1861 the new District of Bedwelty was formed out of the District of Abergavenny. The mortality of the new District is here given for the whole period, a correction having been made for the part of the year 1861 prior to the date of change.

On 18th July 1862 the new District of Pontypridd was formed out of parts of the Districts of Cardiff and Merthyr Tydfil. The mortality of the new District is here given for the whole period 1861-70, a correction having been made for the time previous to the date of change.


**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.		SEX.	All Ages.	Ages.												85 and upwards.
				Under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-		
No.	XI.—MONMOUTHSHIRE AND WALES—cont. 43.—SOUTH WALES —cont. GLAMORGANSHIRE—cont.															
585a	SWANSEA HH - - - -	M. F.	2'318 2'174	6'840 6'406	1'245 1'103	'585 '513	'757 '568	'995 '894	1'024 1'072	1'528 1'251	2'618 1'634	3'734 2'817	6'799 5'483	14'550 12'175	25'938 20'219	
585b	GOWER - - - - -	M. F.	2'075 1'864	4'654 3'853	1'100 1'372	'477 '680	1'106 '719	1'500 '955	1'098 1'205	1'086 1'168	1'288 '896	2'219 1'707	5'161 4'871	11'772 11'073	20'000 21'000	
	CARMARTHENSHIRE.															
586	LLANELLY H - - - -	M. F.	2'189 1'945	5'664 4'973	1'022 '849	'747 '490	'960 '834	1'264 '931	1'242 1'085	1'145 1'069	1'505 1'270	2'848 2'240	6'019 4'462	13'750 10'167	23'500 22'000	
587	LLANDOVERY - - - -	M. F.	2'072 1'804	4'390 3'753	'748 '601	'511 '556	'774 '752	1'598 '964	1'140 1'178	'885 1'320	1'444 1'355	2'478 1'903	5'746 3'988	14'015 9'896	22'174 22'143	
588	LLANDILOFAW - - - -	M. F.	1'863 1'851	3'845 3'395	'638 '738	'600 '691	'755 '744	1'433 '736	1'213 1'087	1'276 1'313	1'224 1'189	2'469 1'970	4'775 4'941	12'516 8'477	27'837 24'545	
589	CARMARTHEN HL - - -	M. F.	2'184 1'946	4'544 4'055	'742 '641	'554 '525	'732 '743	1'240 '934	1'370 1'104	1'294 1'148	1'774 1'314	2'805 2'140	6'322 5'155	13'433 10'939	26'538 23'697	
	PEMBROKESHIRE.															
590	NARBERTH - - - - -	M. F.	1'966 1'757	3'591 3'001	'560 '680	'625 '512	'988 '750	1'601 '872	1'359 1'051	'905 '845	1'442 1'290	2'606 2'097	5'789 4'319	12'872 9'904	27'857 25'455	
591	PEMBROKE - - - - -	M. F.	1'939 1'943	5'298 5'024	'738 '748	'420 '420	'650 '621	'965 '878	'900 1'029	1'110 1'289	1'416 1'446	2'395 2'189	5'897 5'117	13'087 11'706	22'121 21'077	
592	HAVERFORDWEST H - -	M. F.	2'195 2'051	5'059 4'270	'739 '725	'405 '539	'882 '915	1'412 1'035	1'247 1'034	1'123 1'234	1'503 1'091	2'382 2'554	5'763 4'979	13'354 10'939	22'549 27'864	
	CARDIGANSHIRE.															
593	CARDIGAN - - - - -	M. F.	2'020 1'826	3'267 3'014	'621 '625	'404 '597	'965 '633	1'888 '793	1'270 '817	1'153 1'071	1'272 1'066	2'671 2'339	4'751 4'385	11'203 11'267	33'871 25'075	
594	NEWCASTLE-IN-EMLYN -	M. F.	1'931 1'757	3'073 2'904	'736 '876	'448 '667	'755 '711	1'512 '865	1'661 '931	1'650 '878	1'421 1'042	2'122 1'683	5'964 4'196	11'649 10'821	25'152 25'967	
595	LAMPETER - - - - -	M. F.	1'810 1'685	3'734 2'799	'557 '614	'404 '487	'610 '551	1'441 '756	'877 '881	'967 1'275	1'418 '952	2'094 2'122	4'450 4'767	12'313 10'410	34'286 27'000	
596	ABERAYRON - - - - -	M. F.	2'118 1'698	3'453 2'963	'701 '585	'417 '492	1'308 '745	1'917 '763	1'618 '819	1'053 1'013	1'374 1'069	2'725 1'940	5'006 4'496	12'269 12'197	41'667 27'432	
597	ABERYSTWYTH - - - -	M. F.	2'088 1'842	4'125 3'694	'690 '650	'444 '510	'887 '670	1'497 1'025	1'391 '964	1'413 1'136	1'649 1'432	3'000 2'659	6'461 5'584	14'229 12'157	27'600 33'125	
598	TREGARON - - - - -	M. F.	1'833 1'485	3'287 2'504	'490 '595	'450 '301	'677 '542	1'751 '915	1'011 '857	1'022 '813	1'438 1'137	2'544 1'792	5'215 3'425	14'915 10'800	27'275 27'778	
	BRECKNOCKSHIRE.															
599	BUILTH - - - - -	M. F.	1'994 1'828	4'501 3'683	'741 '762	'501 '530	'690 '760	'737 '968	'975 '962	1'293 1'205	1'775 1'137	1'978 2'337	4'921 3'859	13'523 11'607	32'778 23'750	
600	BRECKNOCK H - - - -	M. F.	2'066 2'017	4'743 4'310	'812 '758	'285 '697	'473 '676	'952 '683	'991 '988	1'230 1'327	1'824 1'099	2'796 2'587	5'450 4'892	12'350 11'244	28'000 24'894	
601	CRICKHOWELL - - - -	M. F.	2'390 2'187	7'019 6'295	1'006 '912	'566 '505	'585 '768	'985 '924	'926 1'251	1'062 1'294	1'777 1'200	3'168 2'067	6'580 5'160	12'246 13'038	51'818 25'000	
602	HAY - - - - -	M. F.	2'010 1'993	5'054 4'340	'443 '491	'310 '381	'436 '687	'544 1'050	'880 1'030	1'055 1'211	1'497 1'402	2'684 2'332	5'330 4'747	14'315 10'495	27'000 36'523	
	RADNORSHIRE.															
603a	KINGTON * - - - - -	M. F.	1'947	4'782	'582	'381	'590	'636	'898	1'105	1'531	2'180	5'063	12'827	34'000	
603b	PRESTIGE * - - - - -		2'012	4'506	'755	'634	'733	'938	1'171	'976	1'168	2'024	5'043	14'690	28'750	
604	KNIGHTON - - - - -	M. F.	1'902 1'823	3'067 4'147	'567 '595	'433 '539	'407 '500	'934 1'016	'777 '919	1'068 1'000	1'504 1'240	2'708 2'172	5'368 4'776	12'907 11'766	29'167 23'529	
605	RHAYADER - - - - -	M. F.	1'901 1'670	4'086 3'576	'613 '469	'440 '393	'718 '445	1'000 '725	1'058 '941	1'083 '788	1'581 1'010	2'904 1'963	5'664 5'827	10'735 10'769	20'000 22'500	

* On 1st April 1870 the new District of Kington was formed out of the District of Presteigne. The mortality of the new District is not separately given in this Table.

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.			SEX.	All Ages.	Ages.											
					Under 5 Years.											
					5 -	10 -	15 -	20 -	25 -	35 -	45 -	55 -	65 -	75 -	85 and upwards.	
XI.—MONMOUTHSHIRE AND WALES—cont.																
44.—NORTH WALES.																
MONTGOMERYSHIRE.																
No.																
805	MACHYNLETH - - - -	M.	2'201	5'183	'814	'392	'032	1'115	1'170	1'116	1'623	2'871	6'000	15'214	20'032	
		F.	2'143	4'530	'712	'517	'069	1'027	1'346	1'402	1'009	2'105	4'455	12'544	21'515	
807	NEWTOWN - - - -	M.	2'072	4'781	'605	'425	'821	1'132	'958	1'125	1'500	2'381	6'080	13'287	34'138	
		F.	2'040	4'627	'680	'477	'860	1'025	1'345	1'253	1'426	2'039	4'621	11'326	25'200	
808	FORDEN (formerly MONTGOMERY)	M.	2'000	4'706	'580	'369	'563	1'020	1'073	'977	1'456	2'740	6'380	14'803	27'917	
		F.	1'918	3'813	'003	'495	'830	'940	1'139	1'288	1'238	2'124	5'079	11'927	31'111	
809	LLANFILLIN - - - -	M.	2'028	4'741	'689	'536	'738	1'028	1'014	'972	1'255	2'451	5'347	13'468	20'532	
		F.	1'905	3'828	'640	'512	'915	1'220	1'150	1'236	1'151	2'446	4'576	11'693	23'182	
FLINTSHIRE.																
810	HOLYWELL - - - -	M.	2'325	6'134	'953	'508	'681	1'041	1'070	1'451	1'908	3'441	7'626	12'956	30'231	
		F.	2'235	5'486	'976	'411	'814	1'170	1'117	1'288	1'562	2'488	5'531	11'554	24'286	
DENBIGHSHIRE.																
811	WREKHAM H - - - -	M.	2'450	7'588	'904	'513	'688	1'018	1'005	1'310	2'005	3'230	7'219	15'373	34'194	
		F.	2'312	6'411	'976	'515	'726	1'223	1'089	1'268	1'582	2'317	5'614	12'820	31'724	
812	RUTHIN - - - -	M.	2'011	4'447	'720	'361	'542	1'115	1'042	'956	1'543	2'567	5'850	13'879	31'903	
		F.	2'040	4'136	'659	'575	'787	1'027	1'004	1'104	1'202	2'363	5'142	12'184	29'429	
813	ST. ASAPH HL - - - -	M.	2'440	5'537	'990	'470	'721	1'155	1'338	1'491	1'990	2'957	7'313	14'061	31'363	
		F.	2'222	5'073	'958	'500	'740	1'080	1'205	1'471	1'671	2'967	6'628	12'862	26'981	
814	LLANWST - - - -	M.	1'937	4'088	'636	'353	'706	1'187	1'126	1'186	1'368	2'000	5'556	10'746	22'174	
		F.	1'903	4'323	'000	'634	'039	1'103	1'240	1'290	1'248	1'853	3'207	10'621	19'730	
MERIONETHSHIRE.																
815	CORWEN - - - -	M.	2'041	4'184	'569	'402	'835	1'250	1'155	1'060	1'546	2'802	6'342	13'636	33'182	
		F.	1'895	3'688	'431	'320	'610	1'044	1'006	1'173	1'513	2'273	5'385	11'868	30'000	
816	BALA - - - -	M.	1'765	3'273	'500	'442	'608	'936	1'000	1'315	1'361	2'000	3'922	13'158	31'818	
		F.	1'868	3'406	'805	'649	'608	'674	'924	'808	1'246	2'072	4'253	10'101	25'000	
817	DOLGELLY - - - -	M.	2'228	4'614	'838	'713	'953	1'618	1'351	1'188	1'942	2'381	4'585	11'950	28'095	
		F.	1'917	3'559	'090	'418	'881	'886	1'082	1'043	1'238	2'015	4'286	9'858	21'170	
818	FESTINIOG H - - - -	M.	2'347	5'903	'903	'582	1'150	1'634	1'680	1'217	1'488	2'824	5'608	13'284	22'917	
		F.	2'076	5'162	'745	'587	'804	1'228	1'234	1'060	1'304	2'209	3'805	11'317	23'542	
CARNARVONSHIRE.																
819	PWLLBELL - - - -	M.	1'888	3'858	'720	'432	'662	1'153	1'017	'976	1'282	2'018	4'808	12'771	21'533	
		F.	1'805	3'657	'530	'491	'588	'748	'902	'886	1'024	2'144	4'953	11'291	30'444	
820	CARNARVON - - - -	M.	2'340	6'216	'921	'646	'981	1'588	1'496	1'204	1'328	2'890	6'043	12'756	29'333	
		F.	2'190	5'731	'799	'650	'967	1'245	1'345	1'372	1'328	2'312	5'298	11'276	24'516	
821	BANGOR, III - - - -	M.	2'293	6'131	'019	'490	'814	1'251	1'180	1'227	1'541	2'679	5'983	12'558	32'105	
		F.	2'147	5'590	'815	'703	1'033	1'217	1'270	1'141	1'355	2'214	4'909	11'575	26'995	
822	CONWAY - - - -	M.	2'013	4'812	'988	'453	'493	1'115	'971	1'285	1'226	2'088	5'156	15'254	30'000	
		F.	1'916	4'455	'740	'577	'875	'789	1'032	1'071	1'800	2'437	5'375	10'373	28'000	
ANGLESEY.																
823	ANGLESEY - - - -	M.	2'147	4'543	'700	'586	'838	1'830	1'420	1'366	1'439	2'297	5'870	13'460	30'632	
		F.	2'080	4'202	'837	'697	1'021	1'301	1'180	1'207	1'273	2'138	4'973	11'268	30'667	



MEAN POPULATION, 1861-71,
AND
DEATHS FROM DIFFERENT CAUSES
OF
MALES AND FEMALES AT DIFFERENT AGES,
IN THE TEN YEARS
1861-70.

Causes of Death in the Ten Years 1861-70,

Mean Population, 1861-71, and Deaths in **ENGLAND**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Mean Populⁿ, 1861-71	10,417,596	321,315	284,789	287,474	278,145	273,962	1,445,685	1,261,890	1,140,330
TOTAL DEATHS	2,459,489	643,426	208,889	98,063	62,709	44,603	1,057,690	102,825	50,864
Small-pox - - -	18927	4316	1741	1435	1172	888	9552	1891	643
Measles - - -	47843	9537	18355	9219	4661	2572	44344	2903	297
Scarlatina - - -	105308	7073	15334	17148	16130	12918	68603	27692	5341
Diphtheria - - -	18467	2124	2635	2185	2208	1795	10947	4265	1219
Whooping-cough - -	50712	22446	15278	6538	3169	1634	49065	1547	61
Typhus - - -	93298	2885	3783	4089	3774	3255	17786	11115	7094
Diarrhoea and Dysentery	107554	66413	16632	3321	1168	655	88189	1061	377
Cholera - - -	11812	2072	835	488	327	289	4011	955	462
Other Zymotic Diseases -	58364	8402	7874	6196	4894	3337	30703	4774	1622
Cancer - - -	25424	18	22	44	59	43	186	102	91
Scrofula and Tubercles -	50086	18860	9971	3657	1592	1038	35118	3510	2482
Phthisis - - -	256958	5500	4292	2197	1266	1052	14307	5442	6902
Hydrocephalus - - -	42888	16224	11701	4797	2679	1872	37273	4116	1056
Diseases of Brain - -	320005	128133	20278	8325	4736	3186	164658	7537	3820
Diseases of Heart & Dropsy	136531	2540	1125	808	649	640	5762	2945	2873
Diseases of Lungs - -	384789	100511	45081	15995	7688	4385	173690	6975	2271
Diseases of Stom. & Liver	103977	14817	2270	1301	787	683	19853	2592	2192
Diseases of Kidneys -	43815	337	352	351	350	295	1685	1075	740
Diseases of Gener. Organs	598	38	12	8	7	5	70	6	8
Diseases of Joints - -	9920	267	236	194	184	161	1042	1192	1163
Diseases of Skin - -	6044	2101	390	147	75	70	2873	158	174
Childbirth and Metria -	-	-	-	-	-	-	-	-	-
Suicide - - -	10302	-	-	-	-	-	-	-	47
Other Violent Deaths -	112134	8358	3921	3590	2984	2489	21342	7575	5388
Other Causes - - -	443073	220364	26771	6030	2150	1341	256656	3097	1341
Mean Populⁿ, 1861-71	10,971,649	318,991	283,727	287,597	278,161	271,868	1,440,344	1,263,406	1,124,378
TOTAL DEATHS	2,335,011	511,756	196,607	97,909	62,969	44,279	913,610	97,995	50,420
Small-pox - - -	15859	3913	1857	1488	1201	870	9329	1764	625
Measles - - -	46256	7989	17135	9389	4965	2714	42192	3212	358
Scarlatina - - -	102499	5900	14070	16823	15509	12557	64859	27103	6009
Diphtheria - - -	20987	1596	2531	2430	2421	2225	11293	5660	1863
Whooping-cough - -	62088	24008	19242	9171	4740	2450	59611	2295	123
Typhus - - -	95087	2367	3836	4360	3942	3731	18236	12208	8969
Diarrhoea and Dysentery	99702	55613	16439	3326	1136	589	77103	1134	329
Cholera - - -	11133	1692	758	395	292	284	3421	893	372
Other Zymotic Diseases -	51946	6938	6815	5381	4656	3087	27377	4371	1682
Cancer - - -	57396	19	27	40	61	44	191	88	85
Scrofula and Tubercles -	43443	15341	9110	3397	1508	957	30313	2059	1949
Phthisis - - -	272467	4771	4124	2210	1367	1167	13639	6019	11783
Hydrocephalus - - -	31264	10023	8204	3740	2193	1544	26604	3230	961
Diseases of Brain - -	275742	94710	18031	8908	4689	2900	128338	6816	3575
Diseases of Heart & Dropsy	151916	2159	1076	688	582	524	5029	2646	3222
Diseases of Lungs - -	334812	74824	41489	16988	8053	4645	145099	6950	2409
Diseases of Stom. & Liver	105767	9748	2054	1065	791	700	14358	2395	1714
Diseases of Kidneys -	19939	219	282	223	221	170	1120	610	494
Diseases of Gener. Organs	11908	13	26	13	7	2	61	6	34
Diseases of Joints - -	7738	221	204	159	150	156	890	774	798
Diseases of Skin - -	6188	1799	370	179	87	67	2502	119	124
Childbirth and Metria -	35254	-	-	-	-	-	-	-	3
Suicide - - -	3707	-	-	-	-	-	-	1	37
Other Violent Deaths -	37997	7571	3038	2537	2014	1507	16667	5982	1473
Other Causes - - -	433316	179422	25979	6294	2384	1389	215468	3090	1390

Causes of Death in the Ten Years 1861-70.

and WALES during the 10 Years 1861-70.

AGES OF MALES.

13—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1,021,321	906,063	1,492,788	1,186,127	904,120	602,559	329,612	113,350	13,751
62,921	76,591	147,734	159,697	173,273	198,816	219,815	166,144	43,119
983	1638	2037	1165	616	288	126	33	5
96	65	59	48	18	9	2	1	1
1318	721	709	271	140	46	17	9	1
591	315	364	239	197	182	107	37	4
11	4	4	9	4	4	3	-	-
8049	7455	10513	9404	8168	6981	4843	1710	189
539	448	1076	1219	1747	2009	4782	4348	909
285	371	996	1176	1304	1146	792	290	24
1696	1199	2422	2828	3080	3695	3877	2190	365
290	246	907	2437	4874	7278	6186	2597	320
1961	1522	1907	1163	965	845	517	106	10
2246	35191	61091	49402	34900	19809	6670	791	47
292	77	77	41	19	14	11	2	-
3790	4009	10502	15912	20292	28108	39087	22230	3909
3185	3124	4923	14027	19769	27602	30420	14726	1575
5221	4735	12832	20420	31644	45716	50051	28558	4706
2430	2538	6707	10802	15440	18425	16207	6072	645
1619	1238	3546	4810	5940	7706	9549	5713	785
11	21	50	93	92	94	102	43	8
1645	802	1949	993	894	905	666	238	21
177	168	282	342	517	671	779	422	81
-	-	-	-	-	-	-	-	-
280	534	1381	1937	2368	2261	1175	290	28
8476	8674	14795	13572	11684	9113	5468	2343	504
1169	1496	4605	6857	8583	14888	41318	73395	29768

CAUSES OF DEATH.

{ Mean Popul", 1861-71.

TOTAL DEATHS.

Small-pox.
Measles.
Scarlatina.
Diphtheria.
Whooping-cough.
Typhus.
Diarrhoea and Dysentery.
Cholera.
Other Zymotic Diseases.
Cancer.
Scrophula and Tabes.
Phthisis.
Hydrocephalus.
Diseases of Brain.
Diseases of Heart & Dropsy.
Diseases of Lungs.
Diseases of Stom. & Liver.
Diseases of Kidneys.
Diseases of Gener. Organ.
Diseases of Joints.
Diseases of Skin.
Childbirth and Metritis.
Suicide.
Other Violent Deaths.
Other Causes.

AGES OF FEMALES.

1,035,206	1,011,063	1,655,469	1,278,785	963,446	652,990	381,952	142,712	21,898
63,552	80,463	160,329	153,892	140,862	181,356	224,575	191,844	62,112
826	964	1160	638	304	164	59	23	3
150	99	149	73	27	9	5	2	-
1624	1066	1204	420	118	64	24	8	-
627	418	469	284	207	143	80	29	4
32	9	9	4	1	2	2	-	-
9431	7303	10615	9027	7558	6290	4400	1776	204
334	590	1622	1777	3162	5384	5192	1445	1445
296	419	1193	1293	1121	1011	774	313	57
1407	1171	2058	2055	2362	3128	3841	2303	451
178	330	2702	8603	14817	15018	10732	4058	594
1775	1299	1749	1255	1038	789	470	141	10
32197	40199	72483	49868	27457	13482	4734	678	57
230	85	70	37	23	14	8	2	-
4042	4105	9110	11895	17408	26215	35575	24365	4208
2532	3039	10444	15234	20958	31094	36021	17759	2938
3179	3876	10144	14453	22416	38364	50077	31634	6158
2375	3271	8418	11623	15217	19454	17996	7921	1025
636	1035	2596	8111	3042	3319	2760	1049	147
174	442	1638	2525	2942	2226	1592	409	41
771	527	845	764	811	723	593	217	25
98	178	394	394	456	617	739	479	88
1699	6396	15248	11361	577	-	-	-	-
314	317	572	673	799	565	315	103	11
1207	883	1664	1776	1931	2037	2428	2790	929
1479	1613	3781	4906	6425	13486	46366	90683	44617

{ Mean Popul", 1861-71.

TOTAL DEATHS.

Small-pox.
Measles.
Scarlatina.
Diphtheria.
Whooping-cough.
Typhus.
Diarrhoea and Dysentery.
Cholera.
Other Zymotic Diseases.
Cancer.
Scrophula and Tabes.
Phthisis.
Hydrocephalus.
Diseases of Brain.
Diseases of Heart & Dropsy.
Diseases of Lungs.
Diseases of Stom. & Liver.
Diseases of Kidneys.
Diseases of Gener. Organ.
Diseases of Joints.
Diseases of Skin.
Childbirth and Metritis.
Suicide.
Other Violent Deaths.
Other Causes.

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
I.—LONDON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 year.	1	2	3	4	Total under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Populu ⁿ . 1861-71	1,415,466	45,610	38,583	38,343	37,401	36,026	195,963	161,151	141,969	131,585	133,185	233,714	178,860	124,417	71,145	33,097	9,325	1,055
TOTAL DEATHS -	375,814	95,550	37,682	18,004	11,138	7,345	170,317	15,095	6,026	7,659	10,963	25,379	30,631	51,953	31,196	27,413	15,701	3,391
Small-pox -	4547	976	460	367	298	221	2332	481	144	220	400	518	287	108	34	22	1	-
Measles -	8852	1715	3451	1890	995	433	8394	398	24	7	7	9	5	2	1	1	-	-
Scarlatina -	17470	1168	2037	3109	2788	2132	11831	4299	735	223	136	134	62	28	10	-	2	1
Diphtheria -	2319	398	464	374	327	233	1796	402	61	37	35	49	53	32	26	20	8	-
Whooping-cough -	13967	4321	3975	1861	890	451	11038	345	11	3	1	1	4	2	1	-	-	-
Typhus -	13219	339	437	501	562	489	2108	1459	899	863	865	1324	1656	1460	1103	705	223	24
Diarrhoea & Dysentery -	16348	11299	2343	428	155	65	14311	152	42	43	75	169	183	231	374	423	354	82
Cholera -	5663	696	310	187	121	111	1393	349	137	87	106	345	339	350	297	162	53	5
Other Zymotic Dis. -	9384	1339	1291	994	709	438	4987	617	249	229	218	501	280	282	654	512	221	41
Cancer -	4033	2	6	8	13	7	41	19	17	83	49	185	220	1016	1175	780	224	24
Scrofula and Tuberc. -	8293	3203	1787	765	313	193	6961	222	253	133	149	175	128	105	73	37	5	-
Phthisis -	47423	1680	855	595	298	215	2922	919	702	2009	5077	11392	11059	7938	3781	1059	146	9
Hydrocephalus -	8872	3459	2221	1105	299	535	8692	642	114	28	17	90	7	4	2	2	1	-
Dis. of Brain -	41891	13290	3028	1312	800	474	18004	1091	433	463	289	1715	2775	2905	4612	4996	2329	390
Dis. of Heart & Dropsy -	19911	374	138	124	95	80	829	483	478	510	329	1811	2735	3295	2859	2995	1234	148
Dis. of Lungs -	69298	17283	9083	3538	1432	733	31933	1031	393	439	827	2228	3900	6925	8009	7635	3169	698
Dis. of Stom. and Liver -	13611	1990	217	169	102	97	2575	345	259	302	336	1093	1774	2561	2573	1682	553	75
Dis. of Kidneys -	7560	41	49	76	66	59	291	181	112	176	227	724	1109	1328	1422	1281	651	53
Dis. of Genur. Organs -	124	9	1	1	2	1	14	1	2	3	3	10	24	21	19	13	9	-
Dis. of Joints -	1558	48	51	30	34	34	177	219	184	130	117	181	158	133	121	67	20	4
Dis. of Skin -	1149	269	62	25	15	8	479	18	22	25	44	66	81	109	117	127	23	8
Childbirth and Metrisia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	1969	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	15154	2718	568	427	359	272	4355	964	829	874	947	1737	1773	1588	1114	672	284	53
Other Causes -	50459	28749	3941	893	545	153	33984	217	85	90	172	643	976	1094	1520	4070	6950	1313

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
I.—LONDON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.		1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popul ⁿ , 1861-71	1,613,659	45,472	38,512	38,814	37,580	36,122	196,500	163,821	145,035	151,530	166,302	280,674	206,828	144,530	90,739	49,021	16,338	2,343	
TOTAL DEATHS	360,528	77,904	55,061	18,472	11,069	7,400	149,596	14,490	5,897	7,731	10,341	24,005	26,564	26,764	30,352	32,959	23,941	6,828	
Small-pox	3800	871	461	373	284	225	2214	458	119	183	252	298	174	63	50	8	1		
Measles	8461	1466	3249	1850	945	488	7988	397	41	13	21	21	6	2	2	1			
Scarlatina	16721	1634	2531	2015	2301	2109	10680	4272	891	372	222	248	91	21	9	8	2		
Diphtheria	5804	590	459	444	357	283	1863	659	123	61	42	73	43	33	23	9	5		
Whooping-cough	14483	4719	4658	2552	1315	646	13220	258	23	8	2	3				1			
Typhus	13031	301	473	622	649	569	2314	1547	914	964	877	1362	1384	1444	1201	736	264	44	
Diarrhœa & Dysentery	15290	9729	2331	416	146	67	12880	155	35	31	54	179	180	240	415	205	513	153	
Cholera	3738	562	270	153	98	90	1131	316	115	98	147	403	472	368	333	278	82	23	
Other Zymotic Dis.	8403	1235	1124	597	707	431	4454	583	284	249	253	453	422	403	491	405	278	60	
Cancer	10717	5	2	8	10	5	30	18	14	45	55	615	1870	3006	2708	1735	543	69	
Scrophula and Tuberc.	5065	2904	1689	628	270	172	5603	405	220	151	88	173	137	102	83	48	15	1	
Phthisis	5874	928	790	401	284	232	2731	984	1165	2973	4437	10380	8473	4696	2086	664	113	12	
Hydrocephalus	557	2434	1812	835	455	298	1564	607	112	53	17	13	6	4	1	1			
Dia. of Brain	37033	9909	2529	1253	712	467	14500	617	416	217	213	1856	2002	2045	4392	5263	2473	634	
Dia. of Heart & Dropsy	21430	321	147	105	72	68	743	484	324	533	647	1641	2443	3280	4410	4523	2027	245	
Dia. of Lungs	62568	13129	8128	3427	1542	827	27063	1072	328	440	570	1621	2642	4761	8155	9544	2346	1020	
Dia. of Stom. and Liver	15463	1302	213	120	84	88	1612	533	210	204	441	1338	1066	2317	2818	2480	1655	169	
Dia. of Kidneys	2872	20	37	38	37	26	168	99	73	119	206	312	602	664	605	323	101	20	
Dia. of Gener. Organs	2425	4	7	5	1	1	18		8	43	100	374	543	692	444	228	61	12	
Dia. of Joints	1127	53	29	23	32	23	160	161	105	98	82	127	119	104	89	64	25	3	
Dia. of Skin	1034	226	56	56	14	9	441	15	16	15	35	94	83	75	84	110	74	12	
Childbirth and Metris	4949								1	213	896	2223	1468	46					
Suicide	760							1		60	82	143	181	151	89	38	7		
Other Violent Deaths	7146	2556	457	329	295	171	2778	450	163	178	162	337	389	410	389	423	362	102	
Other Causes	51520	22575	3728	812	271	135	28821	321	178	126	161	417	549	687	1412	2291	9504	4245	

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
 II.—SOUTH EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		28,396	25,806	26,443	25,525	25,310	131,480	118,251	108,371	96,780	88,898	142,535	111,123	84,605	59,452	35,614	13,158	1,641
Mean Populu, 1861-71	991,908	13,507	6,498	4,465	3,234	72,856	7,837	3,980	4,919	6,893	14,032	14,391	14,239	16,321	20,841	18,063	5,080	
TOTAL DEATHS -	190,092	45,212																
Small-pox -	1202	231	69	50	44	461	110	46	62	122	105	134	84	44	25	16	2	
Measles -	2998	590	1051	367	175	2654	228	46	16	10	6	6	-	1	-	-	1	
Scarlatina -	7101	402	190	1066	822	4151	2015	519	176	96	88	23	23	4	8	3	-	
Diphtheria -	1819	123	187	188	249	560	569	126	64	27	56	19	19	16	7	3	1	
Whooping-cough -	5539	1714	1067	399	191	3460	92	3	1	1	-	-	-	1	1	-	-	
Typhus -	6181	292	258	260	220	1220	779	511	202	519	645	553	474	516	400	212	23	
Diarrhoea & Dysentery -	7694	4438	956	229	97	5788	118	58	85	56	152	130	143	228	407	413	156	
Cholera -	849	171	67	41	22	330	71	29	29	24	66	73	92	67	56	26	5	
Other Zymotic Dis. -	5000	594	498	456	273	2199	429	148	177	125	265	272	299	368	407	264	55	
Cancer -	2578	3	5	3	8	22	6	9	17	21	85	211	448	695	603	331	39	
Scrofula and Tuberc. -	4330	1456	660	360	122	280	2907	329	157	155	179	125	99	91	47	12	2	
Phthisis -	29228	461	535	167	90	69	1131	385	400	182	3117	6163	4771	3161	1779	637	99	
Hydrocephalus -	5029	1230	925	424	276	3126	357	97	20	5	5	4	-	1	3	1	-	
Dis. of Brain -	23570	7104	1577	554	350	9673	263	334	332	428	1031	1594	1873	2322	3735	2719	422	
Dis. of Heart & Dropsy -	14394	218	65	45	38	41	407	184	235	265	397	1154	1588	1764	2713	3574	1973	
Dis. of Lungs -	28323	7430	2667	1022	495	12167	508	166	292	477	1165	1587	1949	2670	3948	2964	588	
Dis. of Stom. and Liver -	3555	1272	155	112	64	1653	253	181	201	242	683	991	1292	1653	1631	729	74	
Dis. of Kidneys -	4812	35	20	28	30	144	90	63	97	131	377	513	619	869	1147	798	116	
Dis. of Genes. Organs -	73	3	4	1	1	9	-	1	1	5	8	13	15	9	11	4	4	
Dis. of Joints -	894	21	21	17	20	89	89	102	74	75	92	80	92	85	78	19	2	
Dis. of Skin -	674	228	37	14	13	300	11	23	16	17	23	96	25	58	73	50	12	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	1281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	7853	563	276	239	213	161	1452	463	491	596	1084	939	894	639	594	213	71	
Other Causes -	35993	10910	1642	338	129	91	18843	294	96	82	137	423	595	663	1089	3359	7290	

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
II.—SOUTH EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																85 and upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
Mean Popul ⁿ , 1861-71	1,015,785	27,978	25,685	26,464	25,523	25,162	130,812	118,169	105,570	91,807	91,483	151,222	118,249	90,386	63,023	38,140	14,704	2,220
TOTAL DEATHS	184,170	35,250	12,254	9,351	4,200	3,112	61,257	7,618	4,280	5,724	6,760	13,288	12,883	12,126	14,841	20,532	18,651	6,969
Small-pox	103	214	83	70	31	20	468	76	45	61	75	77	48	23	21	5	7	1
Measles	2021	460	1013	555	290	175	2629	279	46	20	8	12	10	4	3	-	1	-
Scarlatina	6902	363	736	1011	937	806	3335	1014	245	144	123	149	50	23	7	1	2	-
Diphtheria	2197	113	194	190	238	217	585	688	294	92	43	44	36	18	11	12	4	-
Whooping-cough	4168	1792	1255	585	232	145	3969	164	10	3	1	1	-	-	-	-	-	-
Typhus	6710	139	252	276	284	245	1216	895	656	724	519	671	590	442	403	382	174	28
Diarrhoea & Dysentery	6707	5384	950	107	79	40	4856	114	20	37	62	142	115	126	105	466	436	188
Cholera	735	132	49	28	29	11	249	60	27	13	31	58	82	73	51	51	28	3
Other Zymotic Dis.	4173	877	374	265	355	255	1896	391	132	124	118	190	198	199	213	559	266	62
Cancer	3748	2	1	8	4	3	18	12	9	18	27	250	794	1577	1355	1184	446	73
Scrophulous and Tuberc.	3628	1160	614	244	114	90	2228	275	205	201	129	200	151	110	84	60	13	1
Phthisis	22704	422	500	170	169	88	1089	425	833	2544	3428	6062	4456	2243	1114	414	58	2
Hydrocephalus	2637	897	637	294	269	136	2183	335	106	18	8	5	6	1	4	-	1	-
Dis. of Brain	22238	4946	1228	615	595	216	7371	601	398	423	392	910	1155	1618	2409	2645	2859	396
Dis. of Heart & Dropsy	14463	200	67	56	47	34	404	178	246	291	298	819	1274	1698	2837	4014	2142	242
Dis. of Lungs	25532	5313	2925	967	600	302	9005	618	188	545	277	684	962	1259	2320	2837	2983	677
Dis. of Stomach and Liver	9021	800	131	90	84	66	1171	230	131	226	228	605	934	1316	1757	1842	915	117
Dis. of Kidneys	2118	20	20	18	18	17	93	31	51	60	96	255	949	514	359	322	141	27
Dis. of Genes, Organs	1220	-	1	-	1	-	2	2	4	13	24	138	213	324	298	220	58	4
Dis. of Joints	660	14	18	13	10	12	67	38	84	69	45	75	63	80	69	58	21	3
Dis. of Skin	640	198	30	18	7	3	256	11	20	12	24	33	36	39	53	87	37	12
Childbirth and Metris	2810	-	-	-	-	-	-	-	-	141	491	1220	890	62	-	-	-	1
Suicide	378	-	-	-	-	-	-	-	5	54	31	63	42	85	63	35	10	1
Other Violent Deaths	2024	485	215	194	169	104	1107	253	102	71	81	122	135	125	158	192	246	72
Other Causes	35029	12457	1221	884	101	79	10532	290	84	129	130	357	268	447	537	5405	7769	4220

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
IV.—EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popul ⁿ , 1861-71	579,348	16,693	15,417	15,749	15,544	15,485	78,868	79,314	67,418	55,846	43,136	70,462	62,892	52,946	39,372	25,175	9,610	1,309
TOTAL DEATHS -	130,555	30,190	7,783	3,717	2,542	1,910	46,148	5,000	2,637	3,149	3,584	6,220	6,507	7,336	9,639	13,818	12,661	3,856
Small-pox -	605	118	35	80	22	13	213	48	22	36	68	74	63	40	22	13	2	-
Measles -	1512	290	510	290	183	99	1331	131	16	5	2	1	5	1	-	-	-	-
Scarlatina -	4019	280	441	582	554	402	2269	1150	344	99	46	51	16	8	5	-	1	-
Diphtheria -	1265	94	134	164	166	162	710	453	163	83	41	57	25	19	17	5	4	-
Whooping-cough -	2283	1209	609	237	107	64	2216	53	6	1	-	-	-	1	1	-	-	-
Typhus -	3768	90	114	143	157	136	649	402	333	391	281	348	311	297	289	269	123	10
Diarrhoea & Dysentery -	4000	2684	489	122	37	23	3378	61	15	17	14	39	48	71	103	309	392	90
Cholera -	431	65	29	20	14	11	183	48	17	16	12	30	40	38	40	29	17	2
Other Zymotic Dis. -	2662	226	296	241	208	161	1113	254	95	89	44	90	129	145	214	298	167	24
Cancer -	1248	4	-	4	2	3	13	5	3	6	7	33	108	223	444	473	305	28
Scrofula and Tuberc. -	2853	1184	412	165	89	53	1863	209	144	112	84	119	80	64	74	55	12	1
Phthisis -	12662	378	212	81	52	35	778	303	341	1130	1896	2911	2180	1569	1004	389	40	2
Hydrocephalus -	1710	684	439	174	115	66	1463	201	46	14	5	6	2	2	1	1	-	-
Dia. of Brain -	13900	3335	894	349	186	141	4865	376	219	201	208	471	686	906	1425	2302	1773	278
Dia. of Heart & Dropsy -	7454	163	49	28	27	28	287	132	118	142	132	353	539	843	1477	2063	1193	140
Dia. of Lungs -	16315	4236	1785	592	331	197	7111	941	109	133	185	444	650	1045	1599	2378	1902	388
Dia. of Stom. and Liver -	5354	632	85	59	36	31	863	127	112	108	115	247	460	710	989	1071	510	42
Dia. of Kidneys -	2729	24	15	13	10	0	68	49	47	53	45	146	223	285	448	780	493	83
Dia. of Genes. Organs -	31	2	-	1	-	-	3	-	-	1	1	4	3	4	4	8	3	-
Dia. of Joints -	407	8	11	9	5	4	37	49	45	42	35	39	28	32	35	42	21	2
Dia. of Skin -	425	115	18	5	5	3	146	14	16	11	9	11	12	35	46	81	89	5
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	530	-	-	-	-	-	-	-	4	12	23	65	75	125	104	92	27	3
Other Violent Deaths -	4474	290	173	133	114	94	744	234	360	354	327	510	465	457	419	390	190	34
Other Causes -	28817	14108	1344	290	111	75	10832	290	62	79	84	191	308	411	816	2540	2579	2734

IV.—EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Populn., 1861-71.	601,307	16,475	15,062	15,531	15,313	15,257	77,038	71,945	65,124	53,273	49,004	80,799	68,588	55,006	39,895	26,867	11,258	1,940
TOTAL DEATHS -	116,550	25,751	6,998	3,829	2,482	1,893	38,753	4,858	3,058	3,838	4,297	7,568	7,192	6,951	8,551	12,744	18,598	5,311
Small-pox -	454	114	31	35	16	12	108	34	21	41	33	41	33	19	6	3	5	-
Measles -	1,138	229	490	298	145	105	1253	160	20	8	7	3	3	3	-	1	1	-
Scarlatina -	3391	205	549	548	431	431	2128	1168	873	90	53	78	24	9	7	5	-	-
Diphtheria -	1228	79	108	165	101	205	748	654	265	81	47	43	41	34	17	12	2	1
Whooping-cough -	2901	1185	741	329	107	80	2311	82	5	2	-	1	-	-	-	-	-	-
Typhus -	4109	87	110	149	155	154	685	665	447	422	310	424	380	295	273	241	131	16
Diarrhoea & Dysentery	4216	2114	473	111	62	34	2794	71	19	23	32	80	72	72	149	312	442	147
Cholera -	496	68	19	21	10	17	115	37	16	9	21	42	42	38	24	20	9	2
Other Zymotic Dis.	2551	288	216	295	174	132	1014	278	105	68	45	85	103	110	185	257	151	32
Cancer -	3683	-	2	2	4	1	9	4	4	8	23	171	312	900	948	751	397	46
Syphilis and Tuberc.	2205	969	372	178	80	42	1281	171	145	115	96	142	99	103	73	51	18	1
Frofila and -	19021	327	218	89	40	58	738	338	802	1069	2339	3791	2529	1461	737	282	30	1
Hydrocephalus -	1185	599	290	122	91	60	962	189	69	14	2	2	2	1	1	-	-	-
Dis. of Brain -	12903	2318	647	332	190	100	3303	316	129	293	293	405	373	813	1392	2292	1868	332
Dis. of Heart & Dropsy	7926	145	46	30	25	22	298	109	135	137	160	400	624	842	1478	2247	1346	180
Dis. of Lungs -	14128	3193	1259	285	323	219	3840	344	128	179	162	315	502	675	1194	2294	1907	408
Dis. of Stom. and Liver	5415	419	66	37	57	55	614	114	106	127	148	347	482	673	978	1191	695	190
Dis. of Kidneys -	932	19	8	6	13	3	40	33	29	42	46	91	128	143	167	149	81	13
Dis. of Gener. Organs -	862	1	3	-	-	4	-	2	2	19	23	85	163	201	144	115	39	3
Dis. of Joints -	304	7	14	4	5	6	30	24	35	28	35	35	43	31	55	34	18	1
Dis. of Skin -	333	77	17	9	4	6	115	13	19	6	9	13	14	27	42	51	26	7
Childbirth and Metris	1629	-	-	-	-	-	-	-	-	70	398	653	595	43	-	-	-	-
Self-suicide -	176	-	-	-	-	-	-	-	1	11	15	19	36	41	27	24	12	-
Other Violent Deaths -	1437	185	121	106	66	51	829	167	60	43	32	29	39	63	73	109	173	79
Other Causes -	27268	11394	1131	276	116	67	12974	181	72	92	87	171	243	351	592	9413	6258	3830

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
V.—SOUTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popul ⁿ , 1861-71	887,638	25,489	23,698	24,210	23,509	23,453	120,359	111,623	103,442	91,810	69,628	107,681	91,801	78,757	59,133	37,122	14,489	1,793
TOTAL DEATHS -	186,250	42,003	12,609	6,166	3,920	2,798	67,586	7,025	3,950	4,937	5,782	10,411	10,722	12,466	16,105	21,804	19,865	5,588
Small-pox -	888	192	93	72	61	42	469	90	37	54	90	85	35	15	8	4	1	-
Measles -	3002	681	1246	714	375	231	3247	285	32	13	9	11	4	1	-	1	-	-
Scarlatina -	6288	442	843	963	895	763	3847	1739	400	111	68	37	18	13	4	-	1	-
Diphtheria -	1636	130	135	112	119	103	569	245	21	59	14	17	8	6	9	6	2	-
Whooping-cough -	3207	1605	886	579	365	82	3117	84	4	2	-	-	-	-	-	-	-	-
Typhus -	6063	161	236	285	255	222	1120	810	381	619	530	555	448	382	406	302	166	15
Diarrhoea & Dysentery -	5301	2269	620	112	52	42	3765	56	28	18	46	86	85	111	180	265	389	72
Cholera -	626	75	29	20	22	12	138	46	25	17	11	45	59	40	55	80	18	2
Other Zymotic Dis. -	4134	559	440	576	282	225	1885	323	128	135	97	129	181	232	279	403	265	43
Cancer -	2997	-	2	2	5	4	13	8	6	21	25	61	183	441	694	738	347	23
Scrophula and Tuberc. -	3393	1148	544	277	124	71	2114	277	292	197	177	247	113	105	77	62	16	1
Phthisis -	19107	451	575	173	65	70	1164	358	433	1529	2395	4314	3178	2639	1909	821	101	5
Hydrocephalus -	2618	897	725	269	139	108	2139	321	124	17	10	3	2	1	1	-	-	-
Dis. of Brain -	22513	6225	1236	466	279	203	8129	558	320	383	329	864	1199	1571	2293	3729	2732	587
Dis. of Heart & Dropsy -	12463	185	87	33	51	43	419	201	193	249	222	694	1035	1598	2522	3255	2038	234
Dis. of Lungs -	28335	6931	2754	954	597	273	11429	464	173	293	401	838	1275	1968	3258	4510	3267	619
Dis. of Stom. and Liver -	8654	1069	135	98	61	47	1880	161	177	191	213	492	825	1185	1538	1650	751	90
Dis. of Kidneys -	3854	12	15	10	13	15	65	70	65	84	98	299	365	440	626	949	661	99
Dis. of Gen. Organs -	43	1	1	1	2	1	7	2	1	1	2	2	3	4	0	9	6	-
Dis. of Joints -	802	18	24	18	6	0	72	78	91	85	68	87	71	73	82	58	36	1
Dis. of Skin -	567	135	23	11	4	10	203	18	14	23	8	22	27	29	45	63	49	6
Childbirth and Metrisa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	762	-	-	-	-	-	-	-	-	5	18	58	99	119	108	97	32	5
Other Violent Deaths -	8609	498	267	384	220	175	1474	582	676	699	619	1055	1005	972	777	494	949	67
Other Causes -	40156	17878	2602	497	177	107	26721	239	112	89	112	298	456	690	1193	2818	8615	3875

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
V.—SOUTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Populn. 1861-71	970,608	25,091	23,406	24,047	23,206	23,102	118,952	111,379	100,377	91,112	83,526	132,159	108,832	91,218	67,166	44,622	18,384	2,981
TOTAL DEATHS -	184,273	32,068	11,613	5,956	3,980	2,820	57,346	6,808	4,140	5,704	6,416	11,507	10,845	11,186	15,017	23,123	23,811	8,364
Small-pox -	725	193	75	62	65	33	430	81	36	34	53	56	18	6	7	2	2	-
Measles -	5367	258	1142	635	338	241	2934	331	86	15	20	19	9	4	1	-	-	-
Scarlatina -	6163	317	809	942	884	693	3678	1690	448	120	80	80	36	14	3	3	1	-
Diphtheria -	1108	70	118	113	135	152	588	532	98	53	20	29	11	9	9	6	3	-
Whooping-cough -	3910	1688	1135	208	278	122	3731	165	11	2	-	-	1	-	-	-	-	-
Typhus -	6845	152	224	298	290	274	1242	937	781	856	550	600	446	388	380	387	185	23
Diarrhoea & Dysentery -	4804	2442	519	136	55	33	3185	64	21	31	88	93	108	113	180	283	454	133
Cholera -	472	57	28	20	12	19	136	58	19	12	11	31	45	56	51	49	22	2
Other Zymotic Dis. -	3767	425	371	337	283	211	1627	288	141	120	89	138	131	192	244	379	628	70
Cancer -	5468	4	3	4	5	4	20	3	9	10	28	182	617	1241	1388	1266	379	95
Scrofula and Tuberc. -	3253	947	529	227	116	76	1896	228	125	203	131	179	141	106	92	57	16	1
Phthisis -	21394	374	331	185	115	78	1103	447	969	2565	3247	5281	3557	2771	1262	573	107	12
Hydrocephalus -	1855	296	428	220	121	99	1465	224	114	35	6	4	4	2	1	2	-	-
Dis. of Brain -	20720	4369	982	442	268	167	6108	206	328	264	403	777	808	1453	2334	3865	3121	549
Dis. of Heart & Dropsy -	13535	129	57	53	39	32	323	186	231	294	345	706	1140	1710	3162	4485	2043	509
Dis. of Lungs -	24301	4312	2125	945	517	271	5971	463	220	285	393	718	832	1204	2480	4519	3531	732
Dis. of Stom. and Liver -	8864	686	122	65	55	66	1005	107	138	207	271	298	838	1173	1388	1831	1011	117
Dis. of Kidneys -	1669	10	13	15	16	15	70	41	40	49	79	207	243	246	298	293	110	21
Dis. of Gen. Organs -	969	1	2	-	2	-	5	-	1	11	37	112	175	220	203	144	51	-
Dis. of Joints -	638	8	9	17	8	10	52	42	61	71	46	83	60	63	63	57	27	1
Dis. of Skin -	479	120	25	11	6	4	166	15	6	6	11	26	30	32	47	60	70	10
Childbirth and Metris -	2313	-	-	-	-	-	-	-	-	114	448	1037	909	55	-	-	-	-
Suicide -	297	-	-	-	-	-	-	-	2	26	19	43	40	32	63	82	15	3
Other Violent Deaths -	2283	412	187	190	125	118	1032	280	114	96	59	108	100	95	146	172	284	94
Other Causes -	42314	14723	2027	518	205	105	17578	212	159	133	119	329	535	468	1024	4353	11327	6192

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
VI.—WEST MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Populⁿ, 1861-71	1,262,909	39,762	35,113	35,441	34,224	34,072	178,612	155,822	140,141	123,298	107,147	176,609	142,740	109,446	73,527	40,107	13,815	1,645
TOTAL DEATHS—	291,207	80,083	25,237	11,704	7,501	5,300	129,831	11,578	5,807	6,576	7,662	15,526	17,464	10,953	23,959	27,055	20,484	5,307
Small-pox —	2121	503	240	139	122	117	1131	103	75	66	133	200	182	73	41	18	2	2
Measles —	5880	1124	2298	1143	569	320	5464	386	95	12	8	7	10	4	2	-	1	-
Scarlatina —	12069	815	1895	2047	1869	1553	8190	3079	205	123	50	71	24	12	6	4	-	-
Diphtheria —	2354	284	873	291	285	242	1475	483	131	53	26	22	33	29	29	13	7	1
Whooping-cough —	5179	2213	1555	655	328	167	2019	140	8	2	-	-	1	-	-	-	-	-
Typhus —	9733	408	519	592	525	378	2332	1324	863	890	713	944	806	632	633	446	139	21
Diarrhoea & Dysentery —	14632	9193	2297	533	161	94	12268	147	51	33	37	89	121	210	347	637	566	126
Cholera —	893	57	34	6	7	12	153	21	7	3	8	9	33	42	49	44	19	2
Other Zymotic Dis. —	7042	1022	994	738	621	405	3781	533	190	209	131	296	340	369	481	455	212	45
Cancer —	2829	1	1	6	7	5	20	10	11	26	42	156	270	504	806	721	272	32
Scrofula and Tubercles —	3215	2065	1012	549	146	113	3623	309	272	228	164	208	119	111	103	60	14	2
Phthisis —	29342	701	599	238	145	110	1094	569	646	1992	3328	6171	5177	3711	2027	627	53	7
Hydrocephalus —	3017	1544	1113	586	224	146	5423	357	96	18	8	5	6	-	9	-	-	-
Dis. of Brain —	36536	12750	2101	905	521	326	17673	768	461	438	479	1243	1893	2599	3534	4490	2685	377
Dis. of Heart & Dropsy —	10447	371	162	116	79	90	815	869	350	346	354	1068	1635	2382	3922	3769	1778	186
Dis. of Lungs —	48201	13452	2066	2067	922	515	22872	816	254	343	418	1356	2264	3905	5648	6222	3469	544
Dis. of Stomach, and Liver —	12922	2033	347	189	100	92	2732	347	250	302	274	729	1292	1832	2293	1953	698	80
Dis. of Kidneys —	5165	38	43	49	56	39	205	129	90	115	153	431	535	768	966	1135	623	89
Dis. of Genes. Organs —	76	3	2	-	1	1	7	1	2	2	-	7	12	13	18	15	1	1
Dis. of Joints —	1122	28	19	13	24	15	99	113	124	113	99	121	103	102	113	90	31	4
Dis. of Skin —	845	284	53	18	3	7	265	19	22	20	13	32	59	63	97	107	49	8
Childbirth and Metris —	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide —	1083	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths —	14714	1017	655	596	520	416	3111	1253	1197	1082	973	1819	1672	1390	1148	713	303	73
Other Causes —	59910	20067	3139	728	245	149	53531	352	139	140	164	434	731	682	1885	5475	9321	3706

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
VI.—WEST MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popu ⁿ . 1861-71	1,308,678	39,556	35,209	35,636	34,227	33,698	178,256	156,669	138,199	124,090	118,888	190,451	148,665	112,567	76,841	45,204	17,147	2,699
TOTAL DEATHS—	271,787	63,065	24,131	12,000	7,575	5,169	112,549	11,026	5,641	7,225	8,403	16,003	16,387	15,955	20,890	29,873	23,190	7,562
Small-pox —	1784	474	212	100	162	109	1147	174	82	74	84	115	53	32	17	6	—	—
Measles —	3768	942	2056	1256	654	219	2397	595	34	20	10	22	11	5	2	1	1	—
Scarlatina —	11922	705	1719	2045	1911	1321	7902	2367	619	123	107	112	43	14	8	3	—	—
Diphtheria —	2690	200	377	303	804	203	1461	724	207	68	47	58	41	25	21	5	8	—
Whooping-cough —	6529	2459	1974	2367	461	253	6085	219	15	6	—	3	—	—	—	—	—	—
Typhus —	9867	509	327	573	612	454	2375	1438	1044	977	737	923	738	201	485	415	156	13
Dysentery & Cholera —	12546	7386	2815	325	190	93	10512	142	39	45	66	192	185	181	359	706	652	167
Cholera —	329	73	37	13	5	5	153	18	6	5	12	14	32	35	24	34	16	1
Other Zymotic Dis. —	6115	879	806	704	558	364	3461	221	222	164	104	207	201	258	347	305	244	38
Cancer —	6014	1	8	5	7	5	29	12	17	17	36	271	984	1654	1808	1223	477	89
Scrophula and Tuberc. —	4635	1767	806	323	132	62	3199	254	217	218	174	105	143	119	75	44	14	2
Phthisis —	27500	2665	481	247	143	130	1562	627	1110	3116	3948	7277	6139	2818	1322	378	49	4
Hydrocephalus —	2702	989	683	290	184	136	2311	299	101	27	12	7	3	2	—	—	—	—
Dis. of Brain —	31145	16333	2023	913	525	295	14129	718	433	229	514	1101	1344	2021	2931	4038	5808	484
Dis. of Heart & Dropsy —	18211	314	163	94	64	60	695	310	415	401	448	1057	1648	2527	3821	4618	2213	257
Dis. of Lungs —	40285	9840	2295	2185	1006	266	19162	702	270	326	428	1139	1475	2288	4279	6892	3733	771
Dis. of Stom. and Liver —	12450	1220	250	141	96	66	1921	281	214	253	417	653	1363	1737	2220	2072	104	189
Dis. of Kidneys —	2315	24	44	99	23	19	158	83	37	71	107	288	352	544	414	328	125	18
Dis. of Genes. Organs —	1202	4	2	3	—	1	10	—	2	22	46	183	312	363	240	160	42	3
Dis. of Joints —	843	28	20	21	11	16	96	74	91	94	68	86	81	100	67	64	19	8
Dis. of Skin —	894	241	48	23	10	11	348	11	27	14	20	52	48	42	90	95	64	13
Childbirth and Metris —	4107	—	—	—	—	—	—	—	—	221	687	1723	1263	63	—	—	—	—
Suicide —	337	—	—	—	—	—	—	—	5	40	91	45	64	72	32	34	10	1
Other Violent Deaths —	6310	323	553	555	150	255	2375	658	224	202	104	280	213	220	244	320	372	148
Other Causes —	54282	22849	3291	797	254	171	28332	317	151	151	201	397	596	654	1488	5731	11223	5701

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
 VII.—NORTH MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		20,151	18,389	17,795	17,487	17,441	91,263	81,102	73,113	65,214	53,446	88,299	73,263	59,161	43,338	25,756	9,029	1,063
Mean Popula ⁿ , 1861-71		40,971	9,796	4,655	3,080	2,325	60,737	5,421	2,966	3,733	4,224	7,323	7,277	8,472	11,536	15,182	12,458	3,255
TOTAL DEATHS -	684,047																	
Small-pox -	649	135	62	44	30	32	363	45	24	28	65	67	28	25	13	2	-	-
Measles -	2969	658	831	453	231	107	2162	130	14	3	7	2	1	-	-	-	-	-
Scarlatina -	4073	332	686	812	767	623	3230	1263	269	88	28	41	22	8	3	1	-	-
Diphtheria -	1250	132	115	128	138	122	645	332	107	52	24	26	13	20	19	11	1	-
Whooping-cough -	2536	1179	660	255	127	57	2278	72	3	1	-	1	-	-	-	1	-	-
Typhus -	2100	137	105	216	204	177	949	657	499	400	427	626	429	325	389	301	16	18
Diarrhoea & Dysentery -	6147	2867	658	140	60	29	4853	40	15	13	24	34	63	89	102	391	396	78
Cholera -	312	69	22	9	6	7	113	15	3	2	7	14	21	31	43	46	13	1
Other Zymotic Dis. -	3112	431	344	289	223	128	1465	297	104	87	39	119	186	164	246	277	178	50
Cancer -	1835	3	2	-	4	3	12	5	11	7	15	50	128	284	462	411	186	24
Scrophula and Tuberc -	2343	1043	424	143	61	47	1718	179	142	128	94	110	83	69	69	45	5	1
Trichiasis -	12716	841	240	87	45	45	738	283	399	1350	2938	3190	2995	1418	927	312	32	4
Hydrocephalus -	2016	723	530	212	132	80	1686	231	74	11	3	3	4	2	1	1	-	-
Dis. of Brain -	21974	11061	1099	427	232	167	13996	432	211	249	215	323	758	1054	1623	2269	1389	195
Dis. of Heart & Dropsy -	8297	147	40	32	41	31	291	147	166	188	164	490	735	1131	1813	2249	1097	105
Dis. of Lungs -	10633	5438	2995	773	381	219	8926	339	133	201	237	538	823	1344	2293	2932	1791	313
Dis. of Stom. and Liver -	6607	818	102	91	54	50	1145	179	130	131	159	381	589	916	1554	1576	463	53
Dis. of Kidneys -	2986	25	17	15	19	14	91	57	40	62	62	170	237	325	494	721	307	50
Dis. of Genes. Organs -	23	3	1	-	-	-	4	1	1	2	2	3	5	1	2	2	6	1
Dis. of Joints -	553	17	10	9	3	11	59	56	29	63	34	72	43	65	45	48	13	-
Dis. of Skin -	395	123	14	5	2	4	148	6	8	5	8	13	17	29	43	52	34	4
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	742	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	5737	385	223	105	176	165	1145	442	595	437	464	633	567	639	478	332	167	83
Other Causes -	29039	13862	1417	396	124	78	15729	194	93	69	76	229	334	459	1601	3334	6175	2521

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
 VII.—NORTH MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Population, 1861-71.	689,584	20,038	19,326	18,069	17,566	17,316	91,315	81,447	72,316	64,606	59,685	96,466	76,476	60,283	43,582	26,585	9,816	1,327
TOTAL DEATHS.	138,482	52,064	9,319	4,019	3,949	2,172	51,223	5,214	3,283	4,914	5,327	9,823	8,305	8,049	10,764	14,379	13,025	3,926
Small-pox	381	169	55	45	50	20	313	60	32	30	40	83	17	11	7	7	—	1
Measles	2290	224	849	447	265	140	2093	137	22	4	5	4	4	1	—	—	—	—
Scarlatina	4835	285	677	816	764	563	2047	1271	504	82	37	67	25	5	4	2	1	—
Diphtheria	1475	169	182	168	163	127	699	422	174	50	34	43	18	15	11	7	—	2
Whooping-cough	2772	1224	863	369	188	91	2675	91	4	1	1	—	—	—	—	—	—	—
Typhus	5692	140	215	244	184	212	1595	731	679	725	473	644	425	316	209	228	116	11
Diarrhoea & Dysentery	5615	3216	669	131	47	29	4103	53	16	24	39	97	73	91	225	298	386	108
Cholera	202	60	9	7	7	1	84	8	4	6	4	12	8	15	27	15	17	2
Other Zymotic Dis.	2312	267	568	283	214	151	1273	233	97	87	51	123	127	133	207	277	173	31
Cancer	3328	2	1	1	5	1	10	4	4	6	19	154	471	838	928	602	232	29
Scrophula and Tuberc.	2255	759	255	135	49	45	1381	196	123	116	98	133	98	29	49	33	10	1
Pneumonia	17688	328	221	18	65	48	770	315	828	531	2224	4907	2894	1586	790	212	29	2
Hydrocephalus	1405	450	347	155	112	78	1142	173	56	19	5	8	2	1	—	—	—	—
Dia. of Brain	18140	7987	985	428	257	159	9816	533	214	299	294	494	600	889	1455	2068	1448	213
Dia. of Heart & Dropsy	10096	96	52	22	23	24	210	142	122	206	232	606	889	1460	2200	2614	1192	132
Dia. of Lungs	16983	4099	1282	747	376	228	7489	362	132	185	227	568	623	888	1782	2607	1868	342
Dia. of Stom. and Liver	6553	575	95	70	57	53	833	189	117	167	243	548	688	905	1365	1177	453	68
Dia. of Kidneys	1039	14	16	9	8	10	57	29	36	28	65	143	148	154	181	128	56	4
Dia. of Gen. Organs	779	1	—	1	—	—	2	—	2	8	29	98	158	181	167	89	24	1
Dia. of Joints	421	18	9	4	6	0	46	31	43	49	23	45	31	44	65	42	19	2
Dia. of Skin	269	101	18	5	7	4	153	9	8	4	8	25	30	25	44	43	31	4
Childbirth and Metris	1870	—	—	—	—	—	—	—	1	108	339	794	699	28	—	—	—	—
Suicide	205	—	—	—	—	—	—	—	4	29	23	46	48	59	32	27	12	1
Other Violent Deaths	2987	332	180	121	127	89	879	224	87	67	32	93	65	103	115	168	172	62
Other Causes	29918	11267	1493	295	125	101	13191	241	94	123	103	244	314	340	944	2655	6851	2915

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
VIII.—NORTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popul ⁿ . 1861-71.	1,524,958	49,756	43,024	43,206	41,366	39,978	217,330	182,993	164,783	150,936	141,129	233,957	179,852	129,754	77,682	35,508	10,036	998
TOTAL DEATHS -	436,462	117,486	43,353	19,506	12,462	8,985	201,822	19,255	8,697	11,301	13,155	26,423	29,842	32,247	33,651	29,653	16,906	3,490
Small-pox -	2635	606	243	282	120	150	1361	360	92	150	229	277	146	56	17	6	1	-
Measles -	10414	2148	4118	1963	1029	567	9825	238	32	13	6	4	5	-	1	-	-	-
Scarlatina -	21045	1372	3179	3302	8375	2708	14139	2624	866	203	90	84	22	10	1	-	-	-
Diphtheria -	2375	531	303	329	306	240	1738	517	105	62	30	43	25	22	21	8	4	-
Whooping-cough -	9083	4691	2940	1285	648	568	10300	339	11	-	1	-	2	-	-	-	-	-
Typhus -	20050	653	858	773	603	616	3373	2086	1184	1547	1538	2581	2655	2365	1516	806	189	10
Diarrhoea & Dysentery -	24760	13991	4815	846	304	155	21411	236	78	71	85	269	288	428	611	745	478	90
Cholera -	2471	379	148	103	66	55	751	187	65	59	76	228	293	333	245	137	44	1
Other Zymotic Dis. -	10820	1535	2020	1415	1044	722	6735	889	243	226	201	402	460	472	615	417	220	20
Cancer -	2010	1	3	10	5	5	24	10	9	27	35	121	337	645	869	621	185	17
Scrofula and Tuberc. -	7890	2963	1684	691	282	175	5708	603	393	893	205	245	147	116	103	45	7	1
Phthisis -	42820	817	720	303	264	203	2397	1010	1413	4555	6038	10221	8223	5358	2773	778	70	3
Hydrocephalus -	767	3069	2160	895	594	352	7001	683	130	26	5	4	3	3	2	-	-	-
Dia. of Brain -	32908	24603	3762	1102	879	606	31442	1383	692	371	618	1739	2088	3214	4162	4223	1671	313
Dia. of Heart & Dropsy -	19837	315	228	131	135	135	964	624	495	532	538	1711	2123	3190	3756	3304	1100	95
Dia. of Lungs -	74981	13573	9038	3112	1555	954	24222	1489	422	338	855	2745	4705	7060	9972	8302	3608	463
Dia. of Stom. and Liver -	16564	2568	455	293	116	115	3457	431	424	467	442	1218	1355	2720	2899	1983	582	46
Dia. of Kidneys -	5783	58	76	71	89	74	368	235	119	165	189	559	682	876	1006	1013	331	28
Dia. of Gen. Organs -	66	5	2	-	-	-	7	-	-	-	8	7	10	12	10	13	4	-
Dia. of Joints -	1722	82	46	45	40	38	321	294	231	194	196	165	149	133	164	81	20	1
Dia. of Skin -	980	319	89	29	10	13	451	26	23	35	31	53	46	79	81	97	43	15
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	1555	-	-	-	-	-	-	-	-	-	68	205	321	372	365	145	32	-
Other Violent Deaths -	19203	1439	728	728	538	480	2083	1317	1577	1309	1486	2620	2588	2168	1533	796	280	40
Other Causes -	67374	33254	5319	1229	440	205	42767	555	234	214	290	932	1469	1073	3017	6137	7547	2387

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
VIII.—NORTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Populn., 1861-71.	1,634,448	49,486	42,965	43,290	41,248	39,875	216,884	183,816	165,205	160,362	161,622	266,156	197,615	140,030	85,897	42,237	13,022	1,622
TOTAL DEATHS.	405,139	94,451	41,035	19,775	12,738	8,863	177,452	17,786	8,049	11,536	14,109	29,780	29,408	29,292	32,172	31,081	19,715	4,669
Small-pox	2982	561	561	223	177	118	1940	244	102	134	147	185	80	53	13	4	-	-
Measles	10177	1995	2107	1058	527	357	9573	514	40	16	8	20	4	1	-	1	-	-
Scarlatina	20211	1160	2995	3428	3187	2574	13844	3384	972	221	111	155	42	15	7	-	-	-
Diphtheria	2867	520	503	407	335	314	1832	628	165	69	44	53	23	21	15	10	7	-
Whooping-cough	12400	4489	3885	1847	1040	555	11907	467	19	4	2	-	-	-	1	-	-	-
Typhus	20098	573	794	828	804	688	3687	2296	1436	1647	1411	2263	2375	2267	1500	711	199	14
Diarrhoea & Dysentery	22328	13139	4757	884	294	135	11919	239	66	58	129	328	369	425	734	969	687	121
Cholera	2273	330	144	67	65	68	674	181	69	44	81	300	269	244	219	127	59	5
Other Zymotic Dis.	9660	1324	1727	1422	1062	658	6293	829	231	298	210	368	386	384	430	469	194	28
Cancer	6991	-	2	5	7	12	26	13	6	18	55	328	1207	1902	1854	1094	331	30
Scrophula and Tuberc.	6205	2885	1515	567	247	177	4891	494	247	297	166	167	109	112	86	34	10	-
Phthisis	47255	674	674	550	245	215	2158	976	2015	5791	7183	13904	8949	4532	1933	585	64	5
Hydrocephalus	3741	2068	1625	701	383	303	8670	597	112	16	13	9	6	4	3	1	-	-
Dis. of Brain	49992	18117	9458	1351	913	628	24697	1299	545	546	637	1629	2002	3054	4654	4405	2137	286
Dis. of Heart & Dropsy	21589	267	301	125	125	118	831	590	698	694	686	2146	2904	3772	4263	2687	1366	139
Dis. of Lungs	67465	14835	9496	9869	1662	867	29000	1382	498	599	754	2466	3901	6599	9256	9653	4694	589
Dis. of Stom. and Liver	17038	1762	421	292	146	112	2637	469	253	383	334	1128	2197	2747	3170	2201	765	66
Dis. of Kidneys	2997	35	49	45	31	35	215	109	90	139	161	447	485	482	458	283	78	9
Dis. of Gen. Organs	1469	-	8	3	1	-	10	2	8	21	64	227	308	398	257	138	57	4
Dis. of Joints	1329	40	39	26	56	28	169	157	146	141	81	132	125	128	116	83	58	3
Dis. of Skin	885	276	74	33	16	14	467	21	13	13	24	56	46	77	83	87	45	13
Childbirth and Metris	6192	-	-	-	-	-	-	-	-	287	1166	2755	1019	85	-	-	-	-
Suicide	599	-	-	-	-	-	-	-	-	34	40	75	168	120	73	32	11	2
Other Violent Deaths	6819	1315	591	350	368	501	3105	813	257	176	141	358	377	412	469	350	397	77
Other Causes	62923	28870	2483	1325	228	311	29477	532	223	228	250	724	1067	1529	2635	7079	9017	3204

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
IX.—YORKSHIRE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		1 Year.	1	2	3	4	5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Population, 1861-71	1,087,826	34,675	30,523	29,741	29,026	28,416	152,381	131,257	116,597	107,917	96,749	160,377	125,742	93,883	60,627	31,331	9,885	1,080
TOTAL DEATHS	273,321	79,531	24,168	10,512	6,831	4,962	129,004	11,727	6,102	7,655	8,593	15,425	16,316	17,942	21,460	22,756	15,840	3,501
Small-pox	2730	741	287	226	227	149	1630	362	89	110	106	216	115	63	28	0	1	-
Measles	4010	1068	2043	854	406	228	4599	268	22	7	3	11	3	5	-	-	-	-
Scarlatina	-	12310	895	1732	1891	1540	7970	9301	684	169	70	77	17	14	3	4	1	-
Diphtheria	-	1905	229	263	221	223	1167	451	123	68	45	39	23	22	17	12	2	1
Whooping-cough	-	4615	2254	1389	553	268	4462	119	1	1	-	-	2	-	-	-	-	-
Typhus	-	11313	547	461	542	477	2268	1313	910	1027	983	1408	1028	896	800	518	211	25
Diarrhoea & Dysentery	-	8496	2080	393	114	64	11087	112	46	50	46	97	134	201	381	692	603	98
Cholera	-	840	232	73	15	10	354	36	13	14	18	46	47	94	96	87	34	1
Other Zymotic Dis.	-	6995	973	737	645	519	3270	520	156	154	110	241	306	537	647	585	220	37
Cancer	-	2800	3	-	5	4	15	20	6	24	15	86	229	411	707	538	232	26
Scrophula and Tuberc.	-	3252	1890	320	132	112	3533	378	330	235	178	218	137	111	83	51	2	-
Phthisis	-	29245	416	399	192	104	1210	600	920	2297	3313	5983	4732	3299	1896	694	69	2
Hydrocephalus	-	5313	2076	548	281	241	4617	215	144	24	3	4	3	1	2	-	-	-
Dis. of Brain	-	43037	2147	1077	603	420	28324	1005	404	421	437	1066	1372	2133	3181	3721	1900	225
Dis. of Heart & Dropsy	-	14293	362	124	70	70	733	323	334	300	340	1093	1264	2194	2947	2973	1288	115
Dis. of Lungs	-	43672	3178	1727	834	452	19467	801	273	352	549	1443	2324	3385	5242	5529	2734	381
Dis. of Stom. and Liver	-	11971	283	146	95	72	2390	285	251	333	321	786	1224	1764	2146	1800	632	70
Dis. of Kidneys	-	4222	47	86	24	27	188	123	88	105	148	323	420	534	731	923	545	79
Dis. of Genes. Organs	-	67	5	-	-	2	7	1	3	2	4	3	10	9	14	10	2	2
Dis. of Joints	-	1397	38	40	31	21	148	141	156	145	111	127	119	119	124	89	28	-
Dis. of Skin	-	661	239	45	17	7	397	15	11	15	14	36	39	52	78	58	37	8
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	970	-	-	-	-	-	-	4	29	53	129	166	202	216	104	25	2
Other Violent Deaths	-	11442	395	338	330	294	1559	781	857	870	947	1570	1446	1196	976	521	299	50
Other Causes	-	45488	21947	545	188	107	28069	396	140	113	132	411	622	710	1445	4118	7095	2281

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
IX.—YORKSHIRE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popul ⁿ , 1861-71	1,117,729	34,713	30,642	29,931	29,340	28,552	153,178	131,900	115,705	108,194	103,279	169,163	129,424	95,390	62,977	34,892	12,000	1,627
TOTAL DEATHS	255,799	62,680	22,824	10,397	6,788	4,914	107,502	11,122	6,054	8,786	9,662	18,074	16,140	15,120	18,002	22,482	17,604	4,741
Small-pox	2329	629	332	268	207	169	1625	293	87	118	118	129	76	43	20	7	1	-
Measles	4837	862	1868	912	480	209	4441	224	29	8	11	17	5	2	-	-	-	-
Scarlatina	11689	655	1385	1844	1729	1466	7279	3165	721	299	109	127	42	4	4	1	-	-
Diphtheria	2073	185	239	246	231	223	1122	589	168	50	45	53	22	10	9	6	2	-
Whooping-cough	5869	2339	1819	762	367	181	5968	184	9	2	3	1	1	-	-	1	-	-
Typhus	11453	249	498	562	461	474	2244	1453	1176	1298	940	1327	920	737	678	451	169	20
Diarrhoea & Dysentery	12059	7179	2153	950	114	56	8642	131	46	46	79	215	223	228	409	659	007	137
Cholera	667	194	74	19	8	17	312	40	11	7	16	44	43	46	62	56	26	4
Other Zymotic Dis.	5496	825	699	693	592	343	2972	461	173	141	121	219	209	255	322	376	259	88
Cancer	5494	-	5	2	7	3	17	6	9	25	30	278	868	1494	1344	939	365	40
Scrophula and Tuberc.	4373	1493	965	323	174	102	3037	283	222	223	126	265	144	126	98	50	9	-
Phthisis	29723	349	344	191	121	105	1110	625	1440	4329	4842	8181	4978	2463	1299	431	53	-
Hydrocephalus	3032	1337	1111	460	282	169	3389	389	136	20	14	8	2	2	1	1	-	-
Dis. of Brain	35692	16255	2325	1614	610	340	26784	928	470	479	467	915	1232	1797	2602	3402	2068	318
Dis. of Heart & Dropsy	12601	391	135	73	73	68	640	590	375	595	450	1351	1781	2330	3347	3269	1436	136
Dis. of Lungs	26134	8463	4889	1696	811	531	16410	793	303	399	482	1177	1652	2281	3985	2318	3004	470
Dis. of Stom. and Liver	12661	1157	283	132	95	73	1720	255	101	265	388	1026	1537	1728	2290	1869	768	84
Dis. of Kidneys	1890	27	39	28	19	22	135	62	54	63	105	244	280	287	297	243	96	14
Dis. of Genes. Organs	1073	1	3	-	-	-	4	-	5	13	56	177	239	249	194	96	54	6
Dis. of Joints	1108	42	28	21	17	21	129	89	111	105	67	111	119	136	113	94	28	6
Dis. of Skin	627	172	28	11	10	7	228	12	11	13	20	46	54	53	60	55	42	3
Childbirth and Metris	5992	-	-	-	-	-	-	-	-	220	729	1759	1199	55	-	-	-	-
Suicide	403	-	-	-	-	-	-	-	7	45	28	64	68	87	54	29	9	2
Other Violent Deaths	3677	358	395	293	298	153	1458	453	189	131	111	154	199	184	182	258	284	110
Other Causes	42556	19189	5860	697	213	102	22976	282	124	141	135	334	423	551	1272	4711	8940	2384

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
X.—NORTHERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popul ⁿ , 1861-71.	648,066	20,899	18,310	18,986	17,949	17,647	93,791	79,989	69,938	63,795	60,493	98,194	79,276	52,509	33,420	17,072	5,823	766
TOTAL DEATHS—	150,193	41,769	15,945	6,361	4,056	3,056	69,180	7,297	3,671	4,449	4,306	8,966	8,614	9,338	10,787	11,708	8,820	2,367
Small-pox - - -	1420	351	129	122	86	61	740	125	40	61	128	166	81	49	29	10	1	-
Measles - - -	2931	490	1139	502	296	156	2616	188	17	10	6	5	3	3	3	-	-	-
Scarlatina - - -	8948	654	1290	1452	1286	1076	5738	2470	390	105	49	44	23	8	1	-	-	-
Diphtheria - - -	1025	137	185	111	116	84	633	215	53	28	15	23	12	10	6	5	-	-
Whooping-cough -	2783	1185	894	357	161	98	2675	105	4	-	-	-	-	-	-	1	-	-
Typhus - - -	6952	194	979	976	241	212	1332	775	463	566	575	793	619	310	433	395	85	11
Diarrhoea & Dysentery	6173	3385	1210	214	68	38	4954	67	37	26	27	73	84	109	197	294	261	44
Cholera - - -	627	127	48	24	19	16	254	56	21	9	29	42	74	81	61	33	16	-
Other Zymotic Dis.	3328	325	569	382	329	180	1182	274	79	72	59	84	116	151	164	295	115	26
Cancer - - -	1427	-	1	1	1	2	5	5	6	15	9	60	136	265	410	338	169	20
Scrofula and Tuberc.	5025	1926	1463	409	169	88	4946	367	186	147	76	117	66	41	40	24	6	-
Phthisis - - -	13821	196	167	94	64	68	3383	373	531	1490	2074	3416	2355	1709	1083	298	26	2
Hydrocephalus - -	9955	1158	854	320	269	140	2057	338	62	13	7	2	2	3	-	1	-	-
Dia. of Brain - - -	18332	8339	1092	463	295	183	10688	469	299	227	243	545	778	1104	1498	1971	1253	167
Dia. of Heart & Dropsy	8713	129	100	65	47	48	390	183	185	214	201	622	956	1261	1744	1898	986	125
Dia. of Lungs - - -	18772	5591	2677	891	389	218	9316	397	129	186	237	573	888	1283	2042	2192	1313	216
Dia. of Stom. and Liver	6986	1387	281	98	55	45	1846	160	134	152	170	430	581	919	1011	1027	328	30
Dia. of Kidneys - -	2107	29	32	22	18	16	117	63	42	64	77	164	105	282	375	425	208	44
Dia. of Genes. Organs	85	3	1	2	-	-	6	1	-	-	1	3	4	8	3	3	1	1
Dia. of Joints - - -	635	13	13	12	15	19	72	90	73	62	48	75	64	49	58	45	16	3
Dia. of Skin - - -	990	110	19	8	1	7	145	9	7	7	5	8	16	25	37	30	17	3
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	523	-	-	-	-	-	-	-	-	1	14	50	66	102	118	126	54	16
Other Violent Deaths	9068	368	240	198	189	153	1141	510	923	907	863	1425	1076	899	735	419	145	25
Other Causes - - -	27673	12469	1605	592	122	81	17659	179	74	76	76	237	399	510	792	2232	3815	1651

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
X.—NORTHERN COUNTIES.

CAUSES OF DEATH.	AGE AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Populu, 1861-71	634,737	20,593	18,147	18,716	17,697	17,077	92,230	78,669	67,730	60,106	56,826	93,028	70,067	52,065	35,135	20,045	7,608	1,227
TOTAL DEATHS—	141,329	33,590	13,240	6,456	4,098	2,879	60,263	7,083	3,172	4,087	4,843	9,676	8,513	7,806	9,723	11,032	10,612	8,529
Small-pox - - -	1229	315	146	10	86	57	703	120	45	60	32	87	63	28	25	4	11	-
Measles - - -	2031	425	905	323	257	131	2531	223	21	8	2	8	9	2	1	1	-	-
Scarlatina - - -	8908	537	1231	1446	1517	998	5502	2445	485	130	72	80	21	4	2	-	-	-
Diphtheria - - -	1081	94	148	125	141	103	614	203	92	30	22	30	11	11	3	4	1	-
Whooping-cough - -	2405	1365	1015	469	243	150	3232	149	3	1	-	-	-	1	-	-	-	-
Typhus - - -	6277	1360	300	294	274	210	1244	878	543	539	513	775	518	472	490	275	107	13
Diarrhoea & Dysentery	6018	3011	1171	250	65	38	4315	64	21	19	36	134	122	110	204	320	338	105
Cholera - - -	574	78	43	22	24	10	177	51	28	19	12	67	54	39	49	41	14	3
Other Zymotic Dis. -	2994	400	447	353	284	189	1673	207	72	62	50	78	69	100	171	224	148	55
Cancer - - -	2830	1	1	-	4	3	9	4	2	4	14	135	422	716	731	535	215	33
Scrofula and Tuberc.	4456	1686	1347	426	131	80	3090	193	118	98	72	120	59	63	31	18	2	1
Phthisis - - -	15821	128	199	132	37	63	600	429	895	1227	2370	4377	2739	1493	763	241	43	3
Hydrocephalus - - -	2468	878	620	294	145	119	2986	274	68	21	2	6	4	5	-	-	-	-
Dis. of Brain - - -	12970	6228	1029	416	226	150	8049	432	173	212	221	496	634	992	1435	1010	1228	228
Dis. of Heart & Dropsy	8894	125	100	54	55	49	383	143	187	237	209	638	943	1236	1807	2068	1067	138
Dis. of Lungs - - -	16500	4188	2271	915	425	232	8942	421	158	145	107	472	623	903	1620	2102	1497	340
Dis. of Stom. and Liver	6927	955	223	92	55	50	1353	136	101	156	208	510	675	802	1116	1038	468	62
Dis. of Kidneys - - -	1076	17	29	26	21	6	29	41	25	34	61	136	178	156	156	133	20	7
Dis. of Genes. Organs -	615	-	2	1	1	-	4	-	4	8	23	89	134	141	122	61	23	1
Dis. of Joints - - -	481	14	12	14	12	10	62	60	63	46	39	55	38	39	58	38	13	-
Dis. of Skin - - -	329	103	18	8	3	5	137	5	3	5	8	18	17	22	53	49	21	6
Childbirth and Metria	2278	-	-	-	-	-	-	-	1	132	488	1015	714	28	-	-	-	-
Suicide - - -	292	-	-	-	-	-	-	-	4	13	11	31	35	22	89	23	2	1
Other Violent Deaths -	2105	285	167	146	111	80	789	243	86	95	58	88	108	122	131	158	179	40
Other Causes - - -	27102	12390	1683	371	120	84	14650	209	61	87	92	211	391	380	899	2659	6356	2516

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
 XI.—MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Populⁿ. 1861-71	687,450	20,056	17,801	19,180	18,345	18,259	93,641	83,642	75,803	69,327	59,788	95,271	75,082	59,707	41,838	22,846	9,111	1,894
TOTAL DEATHS—	182,539	33,712	10,650	5,590	3,663	2,671	56,295	7,244	4,216	5,483	6,927	10,652	9,574	10,007	12,023	13,941	12,109	4,008
Small-pox - - -	1181	215	84	62	44	44	489	124	48	57	151	173	87	35	12	3	2	-
Measles - - -	2134	403	763	186	128	128	1839	211	35	9	6	6	5	1	1	-	-	-
Scarlatina - - -	6283	209	965	989	745	745	4140	1628	300	86	46	36	15	6	5	1	-	-
Diphtheria - - -	1820	114	155	147	131	118	685	373	126	64	44	28	12	8	8	6	1	-
Whooping-cough -	2359	1115	727	505	167	99	2414	116	7	-	1	1	-	-	-	-	-	-
Typhus - - -	6431	102	236	272	229	220	1109	813	506	658	671	713	562	476	458	524	116	15
Diarrhoea & Dysentery	2464	1125	319	96	40	24	1694	42	20	14	20	27	55	75	135	235	180	48
Cholera - - -	1345	69	62	40	29	30	220	141	86	82	84	139	146	178	154	92	32	1
Other Zymotic Dis.	3411	424	459	382	500	210	1775	357	107	102	88	125	142	146	200	212	159	18
Cancer - - -	1645	-	-	3	5	2	10	10	4	13	13	53	153	285	448	403	219	32
Scrophula and Tuberc.	2523	535	459	193	70	44	1322	219	190	170	183	175	78	91	67	44	12	2
Phthisis - - -	16335	210	222	146	74	67	719	448	714	2134	3150	4404	2983	2106	1398	725	107	7
Hydrocephalus - -	1610	499	381	184	111	78	1244	237	77	21	8	9	7	3	1	3	-	-
Dis. of Brain - - -	22042	14020	1893	733	208	208	17342	202	231	243	238	259	755	853	1228	1679	1900	215
Dis. of Heart & Dropsy	7072	66	46	42	33	33	220	155	164	196	189	334	402	972	1281	1624	858	97
Dis. of Lungs - - -	20052	5719	1913	761	414	244	7051	447	174	265	236	782	1066	1632	4733	3558	1940	272
Dis. of Stom. and Liver	5701	472	116	64	40	34	735	155	137	143	164	422	635	868	1082	960	369	44
Dis. of Kidneys - -	2121	14	19	7	12	10	62	46	30	56	52	155	259	278	542	409	318	54
Dis. of Genet. Organs	26	1	1	-	-	-	2	1	-	-	-	-	6	3	4	5	4	1
Dis. of Joints - - -	3991	6	10	5	6	2	29	39	40	48	48	87	34	37	41	21	12	1
Dis. of Skin - - -	296	89	12	3	3	2	111	8	9	11	6	10	10	23	23	20	20	5
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	10040	147	229	181	166	166	982	545	971	977	1033	1759	1378	1047	753	305	167	31
Other Causes - - -	29198	9726	1575	405	262	153	12241	505	226	171	220	409	311	722	1305	3289	6408	3164

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
 XI.—MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.		1	2	3	4	Total under 5 Years.		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		19,867	17,731	18,741	18,352	18,054	92,745	82,303	73,505	65,463	59,936	97,086	74,820	59,494	42,660	26,278	12,046	2,415		
Mean Population, 1861-71.		26,806	10,129	5,548	3,917	2,762	49,253	6,762	3,765	4,768	5,802	10,609	9,123	8,309	10,109	13,171	13,846	6,233		
TOTAL DEATHS.	141,781																			
Small-pox - - -	985	223	115	83	53	44	317	137	36	46	65	71	37	15	6	5	-	-	-	
Measles - - -	2132	329	705	390	252	151	1837	245	36	8	8	12	4	2	-	-	-	-	-	
Scarlatina - - -	6267	858	898	1984	985	792	4017	1698	373	109	71	57	13	5	5	1	1	-	-	
Diphtheria - - -	1493	80	133	120	168	155	666	442	186	63	41	32	27	14	14	6	1	1	1	
Whooping-cough - -	3213	1274	224	420	256	141	3025	167	16	2	-	-	2	-	1	-	-	-	-	
Typhus - - -	6162	141	239	299	240	220	1139	890	621	649	542	700	499	390	376	297	130	9	9	
Diarrhoea & Dysentery	2297	892	362	94	37	25	1351	50	23	12	56	74	73	84	113	293	201	72	72	
Cholera - - -	1429	37	46	20	31	43	267	126	68	48	83	208	103	163	148	114	37	12	12	
Other Zymotic Dis.	3094	338	407	368	290	163	1396	310	92	77	68	85	81	135	184	220	144	23	23	
Cancer - - -	2690	2	-	-	4	4	10	6	4	11	14	114	323	671	788	268	247	39	39	
Scrofula and Tuberc.	1933	441	462	173	75	51	1142	136	128	94	90	122	60	69	49	36	17	1	1	
Phthisis - - -	20521	299	266	124	97	79	733	506	1054	2493	3032	3116	3456	2118	1314	618	86	11	11	
Hydrocephalus - - -	1065	297	262	129	73	60	833	185	49	16	3	5	-	-	2	-	-	-	-	
Dia. of Brain - - -	21333	16920	1798	605	359	219	14091	569	201	191	211	461	514	737	1146	1727	1344	276	276	
Dia. of Heart & Dropsy	8129	53	51	21	29	34	198	138	174	221	253	655	770	1060	1547	1861	1100	122	122	
Dia. of Lungs - - -	15518	2756	1780	779	453	240	6913	436	156	208	273	262	674	863	1731	2694	1680	316	316	
Dia. of Stomach and Liver	3169	2-8	89	32	33	25	700	132	56	113	184	471	563	719	297	841	469	46	46	
Dia. of Kidneys - - -	859	9	8	4	9	9	69	27	23	23	60	116	149	119	163	125	44	3	3	
Dia. of Genes. Organs	405	1	-	-	-	-	1	-	1	10	18	59	90	90	77	44	13	2	2	
Dia. of Joints - - -	286	3	5	6	4	4	21	27	29	31	17	87	33	30	24	15	10	2	2	
Dia. of Skin - - -	248	64	8	8	5	1	86	4	4	3	8	10	20	31	40	24	17	1	1	
Childbirth and Metris	2695	-	-	-	-	-	-	-	-	73	445	1145	963	62	-	-	-	-	-	
Suicide - - -	127	-	-	-	-	-	-	-	-	9	12	25	17	25	25	10	5	-	-	
Other Violent Deaths	2042	160	203	174	178	113	828	285	103	98	46	84	78	99	95	130	129	67	67	
Other Causes - - -	31754	7901	1540	537	237	135	10470	465	288	179	223	410	463	714	1339	3734	8211	5322	5322	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.					Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--
			1	2	3	4		Years.									85 & upwards.

1.—KENSINGTON.

Mean Popul ⁿ , 1861-71	137309	3239	2700	2753	2697	2547	13936	11779	10600	13830	16763	27146	18046	12055	7496	4080	1389	189
TOTAL DEATHS -	24590	5187	2087	1059	677	445	9405	964	403	668	850	1893	1790	1755	1905	2407	1911	540
Small-pox -	129	38	11	8	11	5	68	18	4	5	7	12	9	3	1	2	-	-
Measles -	615	104	246	131	58	24	563	34	8	4	3	2	-	1	-	-	-	-
Scarlatina -	1065	55	143	194	124	128	674	271	48	14	18	27	10	2	1	-	-	-
Diphtheria -	247	23	31	28	40	23	145	51	10	9	7	14	5	2	3	1	-	-
Whooping-cough -	761	280	214	138	67	22	721	88	2	-	-	1	-	-	-	1	-	-
Typhus -	704	17	31	31	40	29	148	95	44	73	46	82	57	52	39	42	22	4
Dysentery & Dysentery -	1164	804	119	23	12	6	964	12	1	-	6	14	15	17	22	43	56	14
Cholera -	94	34	9	2	3	2	49	11	1	-	9	4	6	5	5	0	3	-
Other Zymotic Dis. -	686	86	61	65	45	33	290	40	20	16	19	33	27	35	51	36	51	8
Cancer -	637	-	-	-	-	-	1	1	3	6	41	134	220	207	162	66	6	-
Scrophula and Tuberc -	455	189	95	27	18	13	533	25	23	13	9	15	15	6	4	3	-	-
Phthisis -	5120	69	35	14	15	15	213	65	105	343	455	851	612	308	120	36	12	-
Hydrocephalus -	494	196	126	46	80	27	437	44	7	3	1	1	-	1	-	-	-	-
Dis. of Brain -	2533	538	142	67	42	25	820	63	27	30	29	98	140	227	223	411	334	71
Dis. of Heart & Dropsy -	1680	39	12	11	4	7	73	26	24	43	37	104	159	240	333	385	234	21
Dis. of Lungs -	4153	828	590	188	107	43	1699	79	96	83	43	115	169	241	484	669	469	126
Dis. of Stom. and Liver -	1230	111	14	3	3	8	141	28	21	23	34	116	140	189	222	198	100	19
Dis. of Kidneys -	253	2	2	3	2	5	14	8	5	7	15	39	49	57	71	45	22	3
Dis. of Genes. Organs -	246	-	-	-	-	-	-	-	1	2	9	43	57	64	41	19	10	-
Dis. of Joints -	61	2	-	1	2	-	5	6	4	3	4	6	6	7	6	10	3	1
Dis. of Skin -	74	18	5	1	-	1	25	-	1	4	3	8	4	5	10	10	3	1
Childbirth and Metris -	385	-	-	-	-	-	-	-	6	67	198	111	-	-	-	-	-	-
Scalds -	51	-	-	-	-	-	-	-	3	10	10	16	16	4	4	4	-	-
Other Violent Deaths -	442	142	24	16	17	15	214	36	12	14	9	23	18	26	19	25	28	12
Other Causes -	3090	1543	200	39	9	9	1800	12	8	11	11	80	28	39	80	281	621	267

2.—CHELSEA.

Mean Popul ⁿ , 1861-71	36386	961	813	773	811	733	4091	3486	3238	3199	3529	6284	4772	3488	2372	1355	483	89
TOTAL DEATHS -	8445	1721	722	390	225	163	3219	278	129	181	220	531	585	627	806	911	755	251
Small-pox -	69	17	9	8	5	3	42	10	1	3	4	4	4	1	-	-	-	-
Measles -	120	38	60	39	17	16	176	11	-	-	-	2	2	1	-	-	-	-
Scarlatina -	411	28	68	81	59	51	267	88	20	7	2	2	3	1	1	-	-	-
Diphtheria -	46	2	9	5	5	5	30	13	1	1	-	3	1	-	-	1	-	-
Whooping-cough -	290	97	108	46	19	11	281	8	1	-	-	-	-	-	-	-	-	-
Typhus -	224	8	12	19	14	16	64	25	17	7	10	16	22	18	24	15	5	1
Dysentery & Dysentery -	947	218	60	10	4	-	282	6	1	-	1	5	3	7	10	14	10	8
Cholera -	28	6	1	2	1	1	11	1	1	-	2	2	1	2	2	4	2	-
Other Zymotic Dis. -	147	17	15	15	10	4	67	10	6	3	5	7	10	8	15	8	9	1
Cancer -	417	-	-	-	-	-	-	1	1	1	3	26	81	105	103	75	18	3
Scrophula and Tuberc -	128	83	28	9	1	3	124	3	7	1	4	7	4	2	2	3	1	-
Phthisis -	1105	58	37	11	10	10	125	28	42	60	118	260	212	159	64	29	4	1
Hydrocephalus -	144	61	35	22	15	3	129	12	-	3	-	-	-	-	-	-	-	-
Dis. of Brain -	880	194	63	23	13	13	306	19	6	9	8	29	56	72	129	142	83	16
Dis. of Heart & Dropsy -	491	7	4	3	1	1	16	8	5	9	14	50	46	58	124	116	45	1
Dis. of Lungs -	1480	301	189	72	36	22	870	16	9	6	15	38	47	92	187	297	158	35
Dis. of Stom. and Liver -	561	18	-	3	7	-	28	3	8	8	10	26	35	63	72	64	83	1
Dis. of Kidneys -	64	-	1	2	-	-	3	1	-	3	-	9	7	9	12	10	8	1
Dis. of Genes. Organs -	24	-	-	-	-	-	1	-	2	2	-	1	7	9	12	4	1	-
Dis. of Joints -	35	7	2	1	-	-	10	-	1	-	1	2	2	-	4	2	2	-
Dis. of Skin -	88	-	-	-	-	-	-	-	-	4	17	38	28	1	-	-	-	-
Childbirth and Metris -	38	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Scalds -	80	38	5	3	2	1	49	5	-	1	3	3	3	3	5	9	5	1
Other Violent Deaths -	1585	538	67	12	1	3	621	4	-	1	4	12	9	14	35	155	354	173

3.—ST. GEORGE HANOVER SQUARE.*

Mean Popul ⁿ , 1861-71	50680	1008	871	859	801	753	4292	3498	3292	5048	6720	10830	7319	4882	2913	1397	429	60
TOTAL DEATHS -	8923	1614	639	351	230	171	3005	318	178	253	293	764	766	861	893	877	558	157
Small-pox -	41	13	1	-	3	2	19	1	5	1	4	5	5	2	-	1	-	-
Measles -	182	22	64	44	23	14	166	10	2	-	1	2	2	1	-	-	-	-
Scarlatina -	948	15	47	52	49	46	269	89	28	11	4	3	3	1	-	-	-	-
Diphtheria -	87	7	7	9	16	7	46	18	6	3	5	6	1	2	3	-	-	-
Whooping-cough -	289	169	88	42	29	13	281	8	-	-	-	-	-	-	-	-	-	-
Typhus -	254	3	9	15	7	7	41	23	21	19	24	29	35	18	29	13	6	-
Dysentery & Dysentery -	261	163	30	2	3	2	220	6	1	-	1	5	4	2	1	4	-	-
Cholera -	37	16	2	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	243	24	20	13	13	15	84	20	10	10	9	22	17	16	21	22	10	3
Cancer -	458	-	-	-	-	1	1	-	2	4	2	50	65	145	121	66	29	1
Scrophula and Tuberc -	349	94	29	11	3	4	80	10	6	3	2	6	11	5	1	4	1	-
Phthisis -	958	12	17	12	8	7	56	18	36	89	101	269	265	129	40	10	2	-
Hydrocephalus -	183	73	39	15	12	13	132	21	7	-	-	-	-	-	-	-	-	-
Dis. of Brain -	802	159	42	33	11	12	257	13	18	27	16	51	46	77	94	130	80	17
Dis. of Heart & Dropsy -	295	14	3	2	1	3	23	3	9	20	21	59	60	105	131	115	42	7
Dis. of Lungs -	1535	278	161	66	31	11	647	80	8	16	18	50	68	115	214	299	165	25
Dis. of Stom. and Liver -	829	34	3	1	2	3	43	7	7	14	21	55	69	102	95	82	24	4
Dis. of Kidneys -	208	1	-	-	2	-	3	2	4	3	14	30	28	38	47	25	6	-
Dis. of Genes. Organs -	111	-	-	-	-	-	-	-	-	2	6	24	20	29	29	6	2	1
Dis. of Joints -	68	-	2	1	2	-	5	9	3	8	5	7	5	10	9	1	1	-
Dis. of Skin -	84	17	3	3	1	1	25	2	-	-	2	10	6	2	1	3	1	-
Childbirth and Metris -	149	-	-	-	-	-	-	-	-	3	24	71	48	-	-	-	-	-
Scalds -	38	-	-	-	-	-	-	-	-	1	1	7	6	5	8	8	-	-
Other Violent Deaths -	206	51	14	11	15	8	97	22	3	15	7	17	18	24	15	18	15	3
Other Causes -	1962	547	61	10	3	2	632	4	3	6	7	23	23	32	32	30	170	41

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
4.—WESTMINSTER, ST. MARGARET.*																			
Mean Popul ⁿ , 1861-71	32818	941	749	749	753	743	3935	3280	2931	2875	3621	6090	4412	3004	1717	761	176	16	
TOTAL DEATHS—	9883	2393	946	509	276	181	4305	343	124	191	311	790	953	920	895	686	208	62	
Small-pox - - -	122	21	12	10	14	14	71	13	3	5	7	11	9	3	-	-	-	-	
Measles - - -	305	61	113	71	31	15	291	12	-	-	1	1	-	-	-	-	-	-	
Scarlatina - - -	372	17	54	79	56	39	245	97	18	2	4	5	1	-	-	-	-	-	
Diphtheria - - -	47	3	15	4	5	6	29	7	2	-	2	1	3	1	-	2	-	-	
Whooping-cough -	339	123	110	60	28	16	337	2	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	514	9	13	12	14	13	61	30	15	24	17	45	32	32	20	25	5	5	
Diarrhoea & Dysentery	384	250	54	10	4	3	321	1	-	1	-	5	9	9	12	16	8	8	
Cholera - - -	46	16	5	-	1	1	21	-	-	1	-	6	3	3	5	3	1	1	
Other Zymotic Dis.	240	23	50	26	19	10	108	19	4	6	5	18	14	18	18	21	6	8	
Cancer - - -	68	-	-	-	-	-	-	-	-	2	-	5	20	20	27	11	2	1	
Scrofula and Tuberc.	103	77	36	22	6	3	144	19	5	4	4	7	2	5	2	1	-	-	
Phthisis - - -	1393	21	24	13	9	1	68	16	12	72	155	337	351	239	110	33	-	-	
Hydrocephalus - -	233	100	69	29	12	8	218	11	3	-	-	-	-	1	-	-	-	-	
Dis. of Brain - - -	1021	561	85	25	16	12	490	26	11	8	17	50	66	58	105	106	44	8	
Dis. of Heart & Dropsy	490	11	4	5	3	3	24	7	11	13	10	77	84	76	100	59	23	2	
Dis. of Lungs - - -	1859	411	192	93	45	14	753	27	7	21	35	88	158	201	249	224	87	9	
Dis. of Stom. and Liver	353	49	7	5	3	4	68	7	7	7	12	26	45	66	76	32	7	-	
Dis. of Kidneys - -	249	1	-	3	1	2	7	6	4	5	8	22	40	59	43	28	19	2	
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	
Dis. of Joints - - -	43	1	4	1	1	-	7	10	4	2	6	4	5	2	1	3	1	-	
Dis. of Skin - - -	55	8	3	1	1	-	13	1	-	-	1	4	2	5	6	3	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	57	-	-	-	-	-	-	-	-	-	-	5	8	12	10	16	6	-	
Other Violent Deaths	368	47	10	10	7	11	85	18	16	15	16	46	55	46	40	21	11	1	
Other Causes - - -	1223	783	110	30	4	6	933	11	2	3	6	24	42	39	56	90	86	34	
6 and 13.—WESTMINSTER, ST. JAMES, AND STRAND.†																			
Mean Popul ⁿ , 1861-71	46824	1202	955	981	927	885	4950	4070	3917	4554	5263	8502	6651	4823	2686	1113	264	26	
TOTAL DEATHS—	12824	2694	1187	589	328	218	4986	451	196	244	371	1003	1330	1419	1347	947	450	60	
Small-pox - - -	75	17	11	12	5	4	49	9	2	2	3	2	3	4	1	-	-	-	
Measles - - -	249	51	91	65	17	8	232	16	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	432	25	71	89	65	62	302	98	17	3	3	3	6	-	-	-	-	-	
Diphtheria - - -	59	13	9	9	5	4	40	10	1	2	2	-	1	1	1	-	1	-	
Whooping-cough -	387	139	188	54	28	15	374	11	-	-	-	-	-	2	-	-	-	-	
Typhus - - -	506	5	9	9	17	8	48	38	21	18	21	50	45	36	31	12	6	-	
Diarrhoea & Dysentery	336	239	52	11	5	1	308	3	-	-	-	12	7	6	7	7	5	1	
Cholera - - -	41	13	4	1	1	-	19	3	1	-	1	4	7	3	2	-	1	-	
Other Zymotic Dis.	297	41	27	23	19	19	129	22	9	8	10	22	29	26	20	17	5	-	
Cancer - - -	197	-	-	-	1	-	-	3	1	3	2	10	31	57	58	26	3	2	
Scrofula and Tuberc.	279	89	63	34	17	11	214	25	15	8	3	5	2	4	3	-	-	-	
Phthisis - - -	1692	26	35	26	15	9	111	38	50	86	159	430	458	545	189	42	4	-	
Hydrocephalus - -	335	116	95	47	27	20	303	27	1	1	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	1284	300	97	45	23	14	539	25	17	17	19	66	107	132	192	178	71	1	
Dis. of Heart & Dropsy	827	8	9	7	4	4	32	17	18	25	21	99	181	168	170	111	31	1	
Dis. of Lungs - - -	2357	384	218	110	59	84	1045	29	10	12	31	88	169	261	342	272	80	9	
Dis. of Stom. and Liver	573	55	4	5	1	1	66	17	15	14	16	49	97	118	113	60	17	1	
Dis. of Kidneys - -	896	2	1	4	3	1	11	6	5	12	20	46	75	63	82	48	28	-	
Dis. of Gener. Organs	5	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	
Dis. of Joints - - -	79	1	-	3	-	3	7	11	6	7	5	17	8	11	-	-	-	-	
Dis. of Skin - - -	65	13	1	-	2	-	16	-	3	3	10	8	8	4	7	4	2	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	88	-	-	-	-	-	-	-	-	5	3	16	19	21	14	8	2	-	
Other Violent Deaths	506	64	19	9	7	9	108	32	18	15	30	77	63	66	53	35	10	-	
Other Causes - - -	1699	862	133	26	7	1	1029	11	5	8	12	26	55	73	81	137	175	63	
7.—MARYLEBONE.																			
Mean Popul ⁿ , 1861-71	69943	2157	1755	1707	1652	1603	8874	7056	6155	6396	6890	12082	9212	6663	4109	1898	547	61	
TOTAL DEATHS—	19004	5153	1881	883	547	333	8797	698	268	363	482	1226	1447	1673	1914	1664	863	206	
Small-pox - - -	117	35	11	9	9	2	66	16	6	2	7	9	8	2	1	-	-	-	
Measles - - -	459	95	179	98	39	22	453	24	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	765	49	102	114	133	92	490	198	41	19	8	4	3	1	1	-	-	-	
Diphtheria - - -	133	25	28	13	15	10	91	30	4	2	1	3	1	2	1	5	5	-	
Whooping-cough -	605	219	211	91	39	21	881	21	1	-	1	-	1	-	-	-	-	-	
Typhus - - -	300	16	24	18	15	19	92	56	24	30	29	54	41	33	20	15	5	1	
Diarrhoea & Dysentery	934	708	107	17	4	1	837	3	-	2	2	5	5	5	21	23	24	15	
Cholera - - -	61	22	8	1	1	-	32	2	2	2	-	2	4	3	9	4	-	-	
Other Zymotic Dis.	420	64	57	42	32	23	218	21	9	10	9	34	29	22	40	17	9	2	
Cancer - - -	326	-	-	1	2	-	3	-	3	-	-	2	15	28	97	36	17	1	
Scrofula and Tuberc.	505	217	102	53	27	14	413	27	14	12	14	11	3	5	5	1	-	-	
Phthisis - - -	2463	45	82	27	17	12	133	47	38	143	243	615	589	400	205	55	6	-	
Hydrocephalus - -	263	225	159	68	33	22	507	46	5	1	2	2	-	-	-	-	-	-	
Dis. of Brain - - -	2214	643	156	70	45	28	942	86	18	22	25	77	135	208	218	559	166	19	
Dis. of Heart & Dropsy	1074	20	4	1	4	1	30	25	25	29	22	91	144	188	258	178	72	15	
Dis. of Lungs - - -	3833	968	605	194	94	38	1799	67	13	19	39	153	193	551	494	490	197	29	
Dis. of Stom. and Liver	606	96	8	6	7	5	122	19	12	16	12	28	68	104	138	103	37	1	
Dis. of Kidneys - -	581	2	1	3	3	4	13	7	6	14	14	44	61	92	141	134	55	3	
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
Dis. of Joints - - -	111	6	-	4	1	5	16	22	16	11	-	12	8	9	5	5	-	-	
Dis. of Skin - - -	43	11	2	-	1	-	14	5	1	-	1	1	3	5	8	4	5	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	81	-	-	-	-	-	-	-	-	1	6	10	18	17	19	7	2	1	
Other Violent Deaths	675	148	21	14	20	9	212	31	25	24	31	46	60	57	49	33	7	-	
Other Causes - - -	2932	1339	164	39	6	5	1753	7	4	5	7	29	43	66	71	165	294	113	

* Sub-districts of St. John and St. Margaret.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.
4.—WESTMINSTER, ST. MARGARET.*																		
Mean Popul ⁿ , 1861-71	34418	957	780	810	773	703	4023	3281	2887	2807	3439	6385	4882	3354	2016	973	322	49
TOTAL DEATHS -	8705	2010	889	454	267	164	3790	344	125	171	250	604	676	700	774	759	421	121
Small-pox - - -	78	18	9	16	9	3	55	8	2	1	3	5	4	-	-	-	-	-
Scarlet - - - -	252	44	108	57	30	23	271	17	1	1	-	-	1	-	1	-	-	-
Erysipelas - -	345	20	44	72	48	59	223	88	19	3	3	7	1	1	-	-	-	-
Diphtheria - -	46	8	3	6	5	5	27	9	1	3	-	-	4	1	-	-	1	-
Whooping-cough -	356	128	120	71	34	18	371	23	-	-	-	-	-	-	-	-	-	-
Croup - - - -	329	8	10	8	18	11	50	41	16	21	22	40	26	35	42	29	7	-
Scarlet & Dysentery	431	280	67	10	2	-	339	4	1	1	1	6	6	9	7	17	13	6
Cholera - - - -	42	10	4	3	3	-	20	4	-	1	2	6	3	2	2	3	-	-
Other Zymotic Dis.	179	23	23	23	11	7	87	16	3	6	8	7	15	12	16	6	3	-
Cancer - - - -	237	-	-	1	1	-	2	2	1	1	1	25	46	80	53	32	13	1
Scrophulous and Tuberc.	189	64	40	10	9	4	127	7	6	4	3	6	-	3	2	-	1	-
Paralysis - - -	978	15	14	7	9	4	49	28	32	64	95	277	227	131	60	14	1	-
Hydrocephalus -	173	63	49	33	14	4	163	8	-	1	1	-	-	-	-	-	-	-
Dis. of Brain - -	968	276	76	22	30	13	407	23	9	20	17	26	38	67	96	98	61	6
Dis. of Heart & Dropsy	497	22	6	7	1	1	37	9	12	7	12	50	63	79	80	93	40	6
Dis. of Lungs - -	1361	293	177	79	30	22	601	20	11	5	20	56	83	152	238	244	104	27
Dis. of Stomach and Liver	364	33	3	3	-	3	42	13	3	4	13	27	43	52	86	63	16	2
Dis. of Kidneys -	94	3	-	-	-	-	3	1	2	6	4	19	15	17	9	17	4	1
Dis. of Genes. Organs -	67	-	-	-	-	-	-	-	-	-	-	13	13	18	9	3	1	-
Dis. of Joints - -	20	-	1	1	-	-	2	3	1	5	2	4	-	2	2	-	1	1
Dis. of Skin - -	25	9	1	-	-	-	10	-	-	1	3	2	-	-	-	4	4	1
Childbirth and Metris.	147	-	-	-	-	-	-	-	-	6	25	57	67	2	-	-	-	-
Infants - - - -	18	-	-	-	-	-	-	-	-	2	3	2	6	2	3	-	-	-
Other Violent Deaths -	176	48	9	2	11	5	75	13	4	4	6	11	9	17	11	15	7	4
Other Causes - -	1256	651	123	23	8	2	809	5	1	4	6	18	16	18	48	121	144	66

6 and 13.—WESTMINSTER, ST. JAMES, AND STRAND.†

Mean Popul ⁿ , 1861-71	49033	1200	976	973	937	914	5000	4269	4041	5090	5789	9241	6821	4924	2880	1424	401	53
TOTAL DEATHS -	11456	2224	1102	538	367	232	4463	444	202	242	337	850	950	1043	1132	1012	616	145
Small-pox -	70	30	10	5	6	2	43	9	-	4	5	4	4	1	-	-	-	-
Scarlet -	243	43	95	58	23	10	229	11	1	2	-	-	-	-	-	-	-	-
Erysipelas -	490	42	66	67	87	70	332	133	16	3	7	4	4	1	1	-	-	-
Diphtheria -	70	7	11	13	15	5	51	8	2	3	3	-	1	1	1	-	-	-
Whooping-cough -	483	134	161	88	62	28	463	18	1	-	1	-	-	-	-	-	-	-
Croup -	322	7	12	12	8	9	48	32	27	20	23	41	34	40	30	13	4	-
Scarlet & Dysentery -	374	244	46	7	4	-	301	9	3	4	-	5	6	14	11	12	6	3
Cholera -	42	12	3	1	-	-	16	4	-	2	-	5	2	8	2	2	1	-
Other Zymotic Dis. -	264	29	29	19	28	16	121	17	7	10	19	19	18	15	14	19	4	1
Cancer -	321	1	-	-	-	1	2	2	1	2	1	28	59	85	85	46	8	2
Scrophulous and Tuberc. -	293	68	44	18	16	4	145	23	11	6	1	4	4	3	5	2	-	-
Paralysis -	1204	33	36	23	16	10	119	36	51	77	111	323	221	139	81	24	2	-
Hydrocephalus -	258	71	68	43	22	16	220	28	6	2	1	-	-	-	-	-	-	-
Dis. of Brain -	1075	272	84	28	27	15	436	29	14	6	19	41	68	104	153	141	68	4
Dis. of Heart & Dropsy -	729	8	4	4	2	2	30	12	17	22	32	81	102	132	167	107	31	6
Dis. of Lungs -	2276	419	391	119	64	22	915	38	11	14	26	63	112	254	350	338	136	19
Dis. of Stomach and Liver -	546	31	4	2	1	3	41	11	10	14	8	57	84	113	110	77	19	2
Dis. of Kidneys -	171	-	1	-	1	2	4	5	4	6	12	27	35	27	30	10	10	1
Dis. of Genes. Organs -	112	-	-	-	-	-	-	-	1	5	3	21	25	29	20	6	2	-
Dis. of Joints -	61	2	1	1	2	1	7	7	6	10	5	6	10	2	6	2	-	-
Dis. of Skin -	21	8	-	-	-	-	3	-	2	-	1	9	2	1	-	2	1	-
Childbirth and Metris. -	162	-	-	-	-	-	-	-	-	5	35	71	49	2	-	-	-	-
Infants -	30	-	-	-	-	-	-	-	-	2	4	8	7	3	3	2	1	-
Other Violent Deaths -	375	83	12	9	7	12	123	17	7	8	8	15	18	24	15	24	14	2
Other Causes -	264	603	114	21	3	4	835	5	4	5	2	18	14	26	46	185	309	105

7.—MARYLEBONE.

Mean Popul ⁿ , 1861-71	90524	2070	1720	1744	1711	1622	8867	7336	6873	8167	10182	17234	12535	8969	5825	3181	1100	155
TOTAL DEATHS -	20607	4130	1664	831	545	355	7525	672	270	394	540	1435	1636	1756	2080	2267	1622	470
Small-pox -	110	18	12	18	9	10	73	8	-	3	3	11	6	3	2	-	1	-
Scarlet -	277	77	164	82	50	21	306	22	2	1	1	-	-	-	-	-	-	-
Erysipelas -	629	34	85	123	103	84	429	187	29	17	11	11	3	1	1	-	-	-
Diphtheria -	159	15	24	34	17	14	104	31	5	2	2	8	3	2	1	1	-	-
Whooping-cough -	609	235	198	104	69	30	636	50	2	1	-	-	-	-	-	-	-	-
Croup -	448	11	15	24	21	29	98	73	32	37	38	50	47	43	35	22	10	3
Scarlet & Dysentery -	906	653	83	16	6	2	760	6	3	2	3	17	10	8	24	35	28	10
Cholera -	60	17	6	1	-	-	24	4	1	1	-	5	3	7	5	7	3	-
Other Zymotic Dis. -	260	57	40	52	34	26	189	38	13	10	8	19	23	22	22	25	14	2
Cancer -	1695	-	-	-	-	-	-	1	-	4	4	72	200	336	284	138	41	6
Scrophulous and Tuberc. -	208	164	82	34	14	12	306	17	12	14	3	13	9	8	9	6	1	-
Paralysis -	2124	45	38	21	14	17	125	53	68	141	219	285	201	262	123	29	6	1
Hydrocephalus -	423	138	118	82	31	30	579	25	9	3	3	-	-	-	-	1	-	-
Dis. of Brain -	2306	429	135	58	43	22	687	50	24	24	24	91	118	204	311	460	254	49
Dis. of Heart & Dropsy -	1294	11	6	4	1	2	34	23	22	25	35	105	144	234	362	318	159	14
Dis. of Lungs -	3802	672	457	174	90	47	1440	64	33	55	48	96	170	282	607	659	460	68
Dis. of Stomach and Liver -	916	38	13	8	3	3	87	12	9	21	28	84	129	136	168	169	65	8
Dis. of Kidneys -	208	1	4	2	2	1	10	6	2	10	13	35	42	55	60	55	17	3
Dis. of Genes. Organs -	259	-	-	1	-	-	-	-	2	16	6	36	63	73	28	17	1	2
Dis. of Joints -	65	2	-	1	1	4	14	7	6	7	4	11	7	8	5	4	-	-
Dis. of Skin -	48	11	1	2	-	-	1	1	1	3	2	4	5	4	6	5	2	1
Childbirth and Metris. -	255	-	-	-	-	-	-	-	-	18	56	169	69	3	-	-	-	-
Infants -	36	-	-	-	-	-	-	-	-	1	3	7	9	7	8	4	-	-
Other Violent Deaths -	357	164	22	17	16	8	227	10	6	6	5	16	18	16	24	33	22	4
Other Causes -	2640	1269	153	37	15	3	1494	4	1	6	3	39	32	22	60	279	607	209

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	80—
		8.—HAMPSTEAD.																
Mean Popul ⁿ , 1861-71	9899	320	263	271	269	270	1393	1179	1047	953	847	1430	1229	911	548	280	77	5
TOTAL DEATHS	1960	500	133	70	50	26	779	63	39	48	65	118	142	150	109	107	120	25
Small-pox	22	3	2	1	1	2	7	5	1	1	3	4	—	—	—	—	1	—
Measles	40	4	18	6	8	—	38	9	—	—	—	—	—	—	—	—	—	—
Scarlatina	84	7	14	15	13	11	60	14	7	1	1	—	—	—	1	—	—	—
Diphtheria	22	—	2	6	5	1	14	4	1	1	—	1	—	—	1	—	—	—
Whooping-cough	63	31	15	12	2	2	69	1	—	—	—	—	—	—	—	—	—	—
Typhus	46	1	2	2	1	1	7	1	4	4	3	10	2	6	4	1	2	—
Diarrhoea & Dysentery	104	84	8	—	—	—	92	—	—	—	—	1	3	—	1	3	4	—
Cholera	9	8	—	—	—	—	8	—	—	—	—	—	—	1	—	—	—	—
Other Zymotic Dis.	51	8	7	3	4	—	22	3	5	3	2	1	3	2	5	2	3	—
Cancer	27	—	—	—	—	—	—	—	—	—	—	2	2	6	5	9	3	—
Scrofula and Tuberc.	25	9	6	—	1	—	16	2	1	1	1	2	—	—	1	—	—	—
Phthisis	255	2	8	5	—	—	10	6	2	17	36	63	55	33	24	8	3	—
Hydrocephalus	45	20	10	4	3	3	40	5	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	241	46	10	5	5	—	66	5	2	3	4	5	15	23	43	48	21	3
Dis. of Heart & Dropsy	181	3	—	—	1	—	4	4	2	—	2	7	16	20	29	34	12	1
Dis. of Lungs	284	85	25	8	2	3	123	2	2	2	5	3	16	27	32	41	23	8
Dis. of Stom. and Liver	91	11	2	—	1	—	14	2	1	4	4	6	10	15	21	9	5	—
Dis. of Kidneys	60	1	—	—	1	—	2	1	1	—	1	5	6	9	13	15	6	1
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	6	—	—	—	1	—	1	—	—	—	—	—	1	1	—	—	1	—
Dis. of Skin	9	3	—	1	—	—	4	—	1	—	—	—	—	1	1	1	1	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	21	—	—	—	—	—	—	—	—	1	—	2	7	4	3	4	—	—
Other Violent Deaths	69	18	2	1	1	2	24	6	7	9	3	2	6	7	3	1	1	—
Other Causes	255	166	7	1	—	1	165	—	2	1	—	4	4	1	12	19	37	13
9.—PANCRAS.																		
Mean Popul ⁿ , 1861-71	97198	3069	2709	2648	2494	2428	13348	10714	9321	8603	9404	16798	12501	8584	4903	2330	632	61
TOTAL DEATHS	25229	6523	2507	1245	771	504	11550	985	377	423	683	1585	1995	2161	2119	1964	1137	290
Small-pox	161	49	26	9	11	8	103	15	4	7	9	10	9	3	1	—	—	—
Measles	555	110	216	104	65	34	531	21	1	—	—	—	1	—	—	—	—	—
Scarlatina	1261	74	173	243	207	152	849	312	61	11	12	5	7	3	1	—	—	—
Diphtheria	231	22	43	41	32	28	106	39	5	3	2	5	3	6	1	1	—	—
Whooping-cough	813	287	284	130	58	33	799	18	2	—	—	—	1	—	—	—	—	—
Typhus	571	20	26	48	24	32	150	66	38	32	43	67	58	47	31	24	14	1
Diarrhoea & Dysentery	1055	810	112	19	9	1	951	3	—	2	1	6	5	12	22	31	22	—
Cholera	120	43	9	3	1	3	59	9	3	—	—	1	8	12	10	7	1	—
Other Zymotic Dis.	557	50	78	43	32	21	204	56	20	14	19	29	35	46	40	31	17	6
Cancer	296	—	1	—	2	1	4	1	—	—	3	2	8	38	66	91	67	13
Scrofula and Tuberc.	626	317	114	63	21	16	521	29	16	12	11	10	5	9	12	1	—	—
Phthisis	3094	90	72	45	27	18	2327	77	45	169	332	785	839	644	278	72	10	1
Hydrocephalus	675	256	183	86	42	27	604	50	12	2	1	6	—	—	—	—	—	—
Dis. of Brain	2624	712	195	67	60	30	1603	68	27	29	31	95	165	233	331	345	181	24
Dis. of Heart & Dropsy	1241	54	13	8	9	5	68	36	30	25	38	95	151	219	220	218	97	14
Dis. of Lungs	4535	1244	639	230	101	47	2251	69	24	21	47	113	213	365	558	584	203	28
Dis. of Stom. and Liver	970	170	18	14	5	8	215	26	14	20	15	56	121	161	169	117	49	7
Dis. of Kidneys	536	2	4	7	5	4	22	14	3	15	17	63	74	87	104	85	43	6
Dis. of Gener. Organs	9	1	—	—	—	—	1	—	—	—	—	1	2	1	2	—	—	—
Dis. of Joints	129	3	3	4	2	—	16	17	19	14	4	13	16	10	12	7	1	—
Dis. of Skin	66	27	5	1	4	—	37	—	1	3	1	2	5	4	3	6	4	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	156	—	—	—	—	—	—	—	3	—	—	11	27	38	37	25	12	3
Other Violent Deaths	1171	254	39	36	29	21	379	76	44	37	69	128	136	123	84	96	22	7
Other Causes	3367	1908	263	82	14	13	2240	3	5	4	16	43	61	75	94	278	603	140
10.—ISLINGTON.																		
Mean Popul ⁿ , 1861-71	83906	2852	2499	2450	2421	2280	12502	9921	8300	7531	7862	14228	10498	6946	3833	1756	478	51
TOTAL DEATHS	22189	5674	2071	988	665	446	9844	965	430	627	945	1696	1819	1840	1686	1420	753	144
Small-pox	1133	63	29	25	35	29	121	61	51	120	243	356	119	48	16	12	—	—
Measles	518	97	139	111	55	26	438	25	1	—	—	—	—	—	—	—	—	—
Scarlatina	1320	83	171	195	194	140	783	338	78	1	35	26	6	1	2	—	—	—
Diphtheria	163	34	34	19	23	13	128	19	2	2	2	4	1	—	—	1	—	—
Whooping-cough	837	849	276	124	48	25	822	15	—	—	—	—	—	—	—	—	—	—
Typhus	2107	23	19	19	28	30	118	79	86	141	204	348	697	370	237	105	17	3
Diarrhoea & Dysentery	971	725	121	17	8	7	878	7	2	3	1	2	11	6	21	16	21	3
Cholera	111	33	9	3	3	3	61	10	6	3	4	7	5	7	10	7	1	—
Other Zymotic Dis.	320	93	68	48	38	31	268	40	13	20	19	33	31	36	34	26	16	—
Cancer	198	—	—	1	1	—	2	—	—	2	2	5	20	42	56	43	13	—
Scrofula and Tuberc.	428	207	78	33	16	10	344	27	13	9	8	8	8	4	3	—	—	—
Phthisis	2245	79	46	33	12	7	177	43	33	123	268	557	514	355	188	95	2	—
Hydrocephalus	605	224	150	74	35	34	517	67	12	1	8	5	3	1	—	—	—	—
Dis. of Brain	2921	688	182	66	40	33	649	50	34	34	31	82	127	156	238	285	120	17
Dis. of Heart & Dropsy	964	24	4	4	4	3	39	25	26	23	18	61	123	178	201	189	73	9
Dis. of Lungs	3623	1005	518	163	83	26	1797	63	26	29	28	137	187	325	421	369	167	27
Dis. of Stom. and Liver	768	142	10	11	5	3	169	23	8	19	17	51	98	134	118	94	35	2
Dis. of Kidneys	563	1	—	—	3	4	8	3	4	11	10	36	56	29	77	61	36	2
Dis. of Gener. Organs	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	31	1	2	—	1	—	4	9	12	7	3	5	6	1	2	3	—	—
Dis. of Skin	83	21	8	—	1	1	26	—	1	2	—	—	5	6	4	4	3	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	81	—	—	—	—	—	—	—	—	4	5	17	18	15	13	9	—	—
Other Violent Deaths	439	164	20	16	17	14	231	35	18	6	13	26	39	37	25	19	8	2
Other Causes	2647	1718	193	34	12	7	1904	16	4	7	3	29	43	44	68	143	224	100

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
8.—HAMPSTEAD.																			
Mean Popul ⁿ , 1861-71	15794	297	271	275	293	275	1411	1304	1365	1901	2255	3101	1873	1246	768	423	126	21	
TOTAL DEATHS -	1970	359	128	79	58	40	664	69	53	57	63	156	144	142	101	212	150	54	
Small-pox - - -	17	2	1	-	-	3	6	3	2	-	1	3	2	-	-	-	-	-	
Measles - - - -	43	9	12	9	4	5	39	3	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	82	4	9	12	13	11	49	20	8	2	-	1	3	-	-	-	-	-	
Diphtheria - - -	33	4	6	5	2	4	21	6	4	-	1	1	-	-	-	-	-	-	
Whooping-cough -	65	26	19	8	6	3	62	3	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	34	1	3	2	2	-	8	4	5	-	1	4	4	2	1	-	-	-	
Dysentery & Dysentery	78	47	8	2	-	-	57	1	-	-	1	1	3	2	3	4	4	2	
Cholera - - - - -	5	1	1	-	-	-	2	-	1	-	-	-	-	4	1	-	-	1	
Other Zymotic Dis.	62	6	4	9	8	4	31	2	4	1	2	5	1	4	5	5	2	-	
Cancer - - - - -	95	-	-	-	-	-	-	-	-	-	-	5	14	26	22	19	6	1	
Scrophula and Tuberc.	31	5	0	3	1	1	19	1	3	1	1	4	-	1	-	-	1	-	
Phthisis - - - -	232	5	-	1	3	1	8	2	10	23	34	66	54	19	8	7	1	-	
Hydrocephalus - -	44	15	9	7	5	1	35	6	2	-	1	-	-	-	-	-	-	-	
Dis. of Brain - - -	239	40	12	8	5	1	66	8	5	9	3	12	13	18	35	33	30	7	
Dis. of Heart & Dropsy	135	1	1	1	-	-	3	3	3	4	3	10	14	26	35	31	22	1	
Dis. of Lungs - - -	245	49	22	5	5	4	85	4	2	5	4	6	6	13	37	49	39	4	
Dis. of Stomach and Liver	131	19	4	2	-	1	26	3	1	3	6	12	11	15	22	32	7	3	
Dis. of Kidneys - -	85	2	-	-	-	-	2	-	1	-	1	4	5	6	5	8	3	-	
Dis. of Genes. Organs -	23	-	-	-	-	-	-	-	-	-	1	4	4	5	4	4	1	-	
Dis. of Testes - - -	6	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin - - -	10	2	-	1	1	-	4	-	-	-	1	-	-	1	2	2	-	-	
Childbirth and Metris	27	-	-	-	-	-	-	-	-	-	5	11	11	-	-	-	-	-	
Suicide - - - - -	8	-	-	-	-	-	-	-	3	-	1	1	1	1	-	1	-	-	
Other Violent Deaths -	40	22	1	3	4	-	30	-	1	-	2	3	-	1	1	2	-	-	
Other Causes - - -	230	100	7	-	1	-	168	-	-	1	-	1	1	2	7	34	41	5	

9.—PANCRAAS.

Mean Popu ^l , 1861-71	112929	3099	2671	2699	2537	2494	13500	11157	9684	10227	11635	20199	14576	10296	6613	3671	1210	161
TOTAL DEATHS -	24041	5231	2182	1176	737	501	9827	943	382	473	664	1666	1818	1921	2212	2584	1963	488
Small-pox - - -	149	35	24	20	8	12	99	14	-	1	9	16	5	1	4	-	-	-
Scarlet - - - -	323	103	192	94	69	30	488	28	-	-	-	2	-	1	-	-	-	-
Measles - - - -	1172	57	139	101	194	161	742	303	67	17	16	29	7	1	-	-	-	-
Diphtheria - - -	248	25	48	38	30	23	107	53	7	8	4	6	-	1	1	1	1	-
Whooping-cough -	1007	311	535	183	95	44	968	22	4	3	-	-	-	-	-	-	-	-
Typhus - - - - -	622	23	25	39	30	35	148	68	47	44	33	76	4	54	40	36	20	3
Erysipelas & Dysentery	995	659	111	19	3	1	773	7	1	1	4	10	17	19	29	23	15	6
Cholera - - - - -	124	31	10	8	-	3	47	6	3	2	6	18	11	14	10	7	3	5
Other Zymotic Dis.	550	96	64	-	1	29	244	40	29	28	20	35	34	27	38	45	22	6
Cancer - - - - -	791	1	-	1	3	-	-	-	1	4	5	43	128	212	211	181	40	5
Scrofula and Tuberc.	633	241	122	34	20	12	426	28	10	9	10	18	4	1	3	1	1	1
Fistula - - - - -	2803	62	81	88	23	15	197	70	78	207	503	744	620	868	139	40	10	1
Hydrocephalus - -	469	165	124	60	41	21	411	37	8	3	1	4	1	1	-	-	-	-
Dis. of Brain - - -	2376	405	117	78	38	21	749	56	24	27	29	83	135	231	319	400	369	54
Dis. of Heart & Liver	2613	22	9	6	5	3	43	98	44	30	38	100	184	249	346	560	159	29
Dis. of Lungs - - -	940	940	525	231	97	65	1896	74	12	35	34	108	187	943	808	994	467	87
Dis. of Stom. & Intest.	1171	116	13	7	4	7	147	22	13	16	29	100	148	183	217	191	88	17
Dis. of Kidneys - -	313	3	2	2	4	3	14	8	6	7	19	35	40	69	55	37	17	-
Dis. of Genes. Organs -	150	-	2	-	-	-	3	-	3	6	18	24	37	31	24	3	-	-
Dis. of Skin - - -	76	1	2	-	-	3	6	8	10	4	16	6	5	4	5	8	1	1
Dis. of Joints - - -	71	21	6	4	2	2	34	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	339	-	-	-	-	-	-	-	-	8	58	158	113	3	-	-	-	-
Infants - - - - -	47	-	-	-	-	-	-	-	-	7	9	10	8	-	4	5	2	-
Other Violent Deaths -	616	219	28	23	22	17	899	32	19	15	6	24	38	42	41	42	43	6
Other Causes - - -	9636	1699	234	60	14	16	1899	17	1	8	11	29	42	39	87	418	792	200

10.—ISLINGTON.

Mean Popul ⁿ , 1861-71	100653	2849	2409	2413	2309	2285	12265	10224	8842	10240	11006	17665	12374	8447	5477	3013	974	126
TOTAL DEATHS -	22345	4742	1872	989	627	411	8641	913	539	706	844	1827	1778	1734	1803	1936	1425	399
Small-pox - - -	677	58	31	26	26	22	165	53	40	94	2	122	113	89	18	10	1	-
Measles - - - -	477	95	17	51	52	25	440	28	5	2	5	5	6	14	8	-	-	-
Scarlatina - - -	1204	55	155	226	194	137	729	323	106	53	57	40	14	8	-	1	-	-
Diphtheria - - -	184	12	52	30	20	16	110	46	14	5	-	2	2	3	2	-	-	-
Whooping-cough -	891	330	265	147	79	29	850	37	2	-	1	1	-	-	-	-	-	-
Typhoid - - - -	2169	29	17	29	36	112	100	113	171	185	322	305	281	266	89	27	15	1
Typhoid & Dysentery	953	693	162	18	1	2	830	-	-	2	1	9	5	7	25	37	25	18
Cholera - - - - -	112	35	8	1	2	2	41	7	6	4	5	14	6	8	11	8	2	-
Other Zymotic Dis.	543	77	74	38	44	17	250	26	25	21	12	32	32	25	42	47	26	8
Cancer - - - - -	254	1	-	1	2	-	4	1	1	1	4	27	63	136	161	96	34	6
Consumption and Tuberc.	352	128	67	30	22	10	267	27	19	6	4	10	5	7	6	1	-	-
Pneumonia - - -	2664	60	56	24	10	10	140	47	67	163	234	606	429	257	107	31	2	-
Hydrocephalus -	469	158	129	50	35	25	307	48	17	4	2	8	-	-	-	-	-	-
Doc. of Brain - -	2011	474	109	55	50	27	695	48	26	44	50	68	150	146	255	312	224	23
Doc. of Heart & Dropsy	1269	19	5	5	1	6	34	25	37	25	35	87	136	178	253	277	159	25
Doc. of Lungs - -	3497	736	431	156	78	34	1455	49	31	47	89	107	187	220	393	567	336	61
Doc. of Stom. and Liver	960	100	7	7	4	5	123	19	11	19	36	67	104	181	177	168	79	19
Doc. of Kidneys -	214	1	1	-	2	-	4	2	10	11	86	29	56	48	35	10	-	-
Doc. of Genear. Organs	114	1	-	-	-	-	1	2	2	-	11	15	22	27	24	14	1	2
Doc. of Joints - -	61	2	3	-	2	5	10	5	7	8	4	11	7	7	4	1	2	-
Doc. of Skin - - -	56	18	3	1	-	1	23	1	2	-	1	5	7	3	3	2	8	1
Childbirth and Metria morde - - - - -	467	-	-	-	-	-	-	-	-	15	64	216	110	2	-	-	-	-
Accidents - - - -	47	-	-	-	-	-	-	-	-	2	6	2	17	9	6	4	1	-
Other Violent Deaths	820	100	17	21	14	7	219	15	5	8	6	7	10	10	10	15	14	8
Other Causes - - -	2845	1481	223	35	8	5	1752	5	5	7	8	22	37	42	67	230	435	227

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
11.—HACKNEY.																			
Mean Popul ⁿ , 1861-71	45467	1449	1324	1313	1304	1279	6669	5728	4965	4205	3734	6873	5379	3953	2279	1244	396	42	
TOTAL DEATHS -	10771	2685	956	432	270	215	4553	408	214	225	323	759	803	803	848	1005	633	127	
Small-pox - - -	68	18	8	4	3	5	58	6	3	1	3	10	5	5	-	1	-	-	
Measles - - - -	189	36	88	31	15	8	178	6	1	1	-	1	-	-	-	-	-	-	
Scarlatina - - -	507	32	60	76	70	83	321	141	29	5	2	6	2	-	-	-	1	-	
Diphtheria - - -	82	18	12	9	8	9	56	15	4	1	-	2	-	1	3	-	-	-	
Whooping-cough -	288	116	110	31	17	9	283	4	1	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	368	16	12	20	24	13	85	38	43	21	28	47	33	24	22	15	12	-	
Diarrhoea & Dysentery	454	332	53	4	3	1	393	3	2	1	1	5	6	5	8	11	15	4	
Cholera - - - - -	102	38	8	5	2	1	54	7	3	1	2	10	4	9	5	4	5	-	
Other Zymotic Dis. -	312	62	41	31	23	5	162	21	8	10	4	15	21	21	17	24	6	3	
Cancer - - - - -	122	-	1	-	1	-	2	1	-	-	2	3	17	31	27	30	8	1	
Scrofula and Tubercles	222	71	43	20	9	5	148	13	15	6	8	17	10	3	3	1	-	-	
Phthisis - - - - -	1392	27	19	9	5	3	63	18	21	86	1	173	361	294	239	102	31	3	
Hydrocephalus - - -	248	104	71	23	16	12	226	18	2	1	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	1263	335	71	38	22	16	482	26	15	12	17	39	94	106	159	192	112	7	
Dis. of Heart & Dropsy	905	6	2	1	-	4	13	15	17	18	14	49	61	101	122	129	64	2	
Dis. of Lungs - - -	1746	440	226	87	56	20	809	25	10	16	25	75	93	136	177	248	112	20	
Dis. of Stom. and Liver	449	67	8	6	5	1	89	9	9	9	11	29	51	62	79	77	21	3	
Dis. of Kidneys - - -	239	1	1	1	-	3	6	7	3	2	8	18	34	46	41	43	24	2	
Dis. of Genes. Organs -	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	
Dis. of Joints - - -	46	2	1	1	1	1	6	6	4	5	3	7	3	8	3	1	-	-	
Dis. of Skin - - - -	29	8	1	1	-	1	11	-	-	1	1	2	2	-	5	7	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	58	-	-	-	-	-	-	-	-	1	2	11	16	15	6	6	1	-	
Other Violent Deaths	365	82	17	13	4	7	123	16	22	24	17	56	40	37	20	14	9	1	
Other Causes - - -	1614	873	103	19	6	8	1069	11	4	3	2	14	18	19	43	166	242	83	

12.—ST. GILES.																			
Mean Popul ⁿ , 1861-71	25500	733	552	597	580	521	2983	2454	2348	2439	2478	4330	3500	2612	1523	676	142	15	
TOTAL DEATHS -	7464	1936	844	371	218	133	3502	257	84	119	159	397	552	729	703	619	285	58	
Small-pox -	73	25	7	12	2	2	48	12	2	2	1	3	2	3	-	-	-	-	
Measles -	155	41	65	25	13	6	150	5	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	275	23	47	51	31	31	306	45	10	6	1	2	1	2	-	-	-	-	
Diphtheria -	37	9	7	5	6	1	24	4	-	-	-	-	-	-	2	-	-	-	
Whooping-cough -	223	72	73	31	21	12	266	14	-	-	-	-	-	-	-	-	-	-	
Typhus -	354	4	4	5	11	7	31	28	6	12	13	25	47	89	53	15	3	-	
Diarrhoea & Dysentery -	517	231	61	5	6	2	305	5	-	-	2	1	3	5	11	7	7	1	
Cholera -	30	5	2	1	3	2	13	5	3	-	1	1	2	3	2	-	-	-	
Other Zymotic Dis. -	182	39	31	26	10	5	111	10	2	4	8	8	9	9	11	11	4	1	
Cancer -	73	-	-	-	-	-	-	1	1	-	-	3	2	26	25	10	5	-	
Scrofula and Tubercles -	189	75	56	17	5	3	156	8	7	2	-	2	3	2	-	-	-	-	
Phthisis -	1097	27	22	10	8	4	71	24	20	50	95	219	230	224	114	27	4	1	
Hydrocephalus -	186	76	55	24	8	12	175	7	3	1	-	-	-	-	-	-	-	-	
Dis. of Brain -	718	195	57	30	18	8	308	22	8	6	10	23	40	82	78	101	268	4	
Dis. of Heart & Dropsy -	892	7	3	4	2	1	17	9	2	7	8	31	50	81	90	63	39	4	
Dis. of Lungs -	1770	408	256	102	43	23	832	33	5	9	17	33	71	151	244	287	78	10	
Dis. of Stom. and Liver -	202	32	5	3	2	3	45	5	1	7	3	21	24	46	20	30	2	-	
Dis. of Kidneys -	111	-	-	-	2	3	5	10	1	4	2	6	11	17	22	16	17	-	
Dis. of Genes. Organs -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
Dis. of Joints -	21	1	2	1	-	2	6	4	7	1	-	-	1	2	-	-	-	-	
Dis. of Skin -	8	3	1	1	-	-	5	-	-	-	-	1	-	-	1	1	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	28	-	-	-	-	-	-	-	-	3	-	3	7	8	3	2	-	-	
Other Violent Deaths -	150	91	7	5	8	1	107	5	8	3	1	3	3	7	11	4	3	-	
Other Causes -	950	572	83	15	4	2	674	1	-	2	2	11	25	22	27	55	95	53	

14.—HOLBORN.*																			
Mean Popul ⁿ , 1861-71	80984	2587	2082	2081	1994	1951	10695	8622	8082	8134	8102	13474	10296	7232	4124	1740	441	42	
TOTAL DEATHS -	21405	5734	2501	1206	739	508	10808	981	265	356	528	1178	1519	1743	1090	1461	759	119	
Small-pox - - -	221	66	31	32	19	14	162	26	6	1	7	10	6	3	-	-	-	-	-
Measles - - -	633	117	248	136	62	42	905	27	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	1124	98	194	205	177	133	807	253	39	18	3	6	2	1	-	-	-	-	-
Diphtheria - - -	164	27	32	29	28	14	130	20	2	1	3	2	3	1	2	-	-	-	-
Whooping cough -	771	274	255	129	60	28	746	23	-	1	-	-	-	-	1	-	-	-	-
Typhus - - -	687	22	25	30	40	30	147	88	43	45	38	76	79	69	58	37	5	2	7
Diarrhoea & Dysentery -	1601	685	166	30	15	4	900	11	3	2	4	4	4	11	13	25	15	7	1
Cholera - - -	47	22	9	3	3	5	42	8	-	-	1	2	10	10	5	7	2	7	2
Other Zymotic Dis. -	524	96	89	44	20	37	286	39	14	8	10	21	28	98	44	27	7	2	1
Cancer - - -	173	-	2	1	2	1	6	1	1	1	2	4	14	45	51	41	6	1	1
Scrofula and Tubercles -	231	107	74	21	17	45	337	47	11	7	5	5	2	5	3	2	-	-	-
Phthisis - - -	2757	51	26	35	15	18	175	65	39	153	282	623	640	496	204	53	5	-	-
Hydrocephalus - - -	655	244	169	86	49	37	585	61	7	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	2339	868	187	74	55	28	1222	71	22	23	27	101	139	190	221	210	160	10	14
Dis. of Heart & Dropsy -	940	55	11	5	4	6	81	30	19	25	29	56	128	178	205	180	43	4	4
Dis. of Lungs - - -	4125	979	623	251	90	62	2005	82	17	21	33	136	245	293	535	454	176	18	18
Dis. of Stom. and Liver -	749	99	20	17	6	8	150	31	16	13	15	41	89	139	132	86	34	5	5
Dis. of Kidneys - - -	276	2	5	8	5	3	23	15	5	4	7	22	33	50	47	46	23	1	1
Dis. of Genes. Organs -	9	-	1	-	-	-	1	1	-	-	-	-	2	1	3	1	-	-	-
Dis. of Joints - - -	79	5	4	4	7	2	22	22	8	5	6	4	3	5	3	-	-	-	-
Dis. of Skin - - -	55	20	7	2	-	-	29	1	-	1	-	1	1	3	7	4	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	120	-	-	-	-	-	-	-	1	6	10	17	23	82	30	11	-	-	-
Other Violent Deaths -	426	194	27	11	18	5	235	30	10	11	12	14	23	25	30	20	5	3	3
Other Causes - - -	2953	1579	523	90	33	14	2639	19	1	4	11	33	43	54	99	261	222	6	6

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		85 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
11.—HACKNEY.																				
Mean Popul ⁿ , 1861-71	58657	1520	1340	1329	1362	1264	6815	5910	5513	6642	6282	9421	6859	4985	3322	2035	756	117		
TOTAL DEATHS -	11054	3279	830	416	286	209	4020	418	194	244	329	742	751	700	941	1255	1072	328		
Small-pox - - -	78	27	5	4	8	1	45	10	2	2	5	8	5	2	-	1	-	-		
Measles - - - -	178	24	63	39	23	10	161	13	3	-	-	1	-	-	-	-	-	-		
Scarlatina - - -	628	29	52	85	78	37	301	149	35	16	12	8	6	1	-	-	-	-		
Diphtheria - - -	105	9	14	11	8	14	56	30	6	4	2	1	2	2	-	2	-	-		
Whooping-cough -	325	118	107	42	29	18	314	10	1	-	-	-	-	-	-	-	-	-		
Typhoid - - - -	333	6	11	23	18	17	75	40	23	24	29	41	34	23	20	9	7	2		
Diarrhoea & Dysentery	443	291	51	9	6	2	339	3	2	2	2	4	4	2	14	25	23	6		
Cholera - - - -	91	32	7	1	4	1	45	2	4	-	2	4	8	10	9	2	5	-		
Other Zymotic Dis.	248	36	19	28	23	5	111	18	13	5	9	14	11	4	17	22	19	5		
Cancer - - - -	419	-	-	-	1	-	1	-	-	1	1	16	57	118	108	62	31	4		
Scrophula and Tuberc.	192	81	37	13	5	3	139	8	10	2	3	11	8	3	3	3	1	1		
Epilepsy - - - -	1146	24	14	9	4	3	54	19	31	110	149	311	248	129	65	37	6	-		
Hydrocephalus - -	177	75	54	15	8	8	160	11	5	-	1	-	-	-	-	-	-	-		
Dis. of Brain - - -	1222	261	64	37	17	25	404	25	12	14	16	35	65	113	153	199	160	28		
Dis. of Heart & Dropsy	793	10	3	2	2	1	18	14	15	21	25	55	92	91	169	179	109	15		
Dis. of Lungs - - -	1717	380	196	76	32	29	713	26	9	13	9	44	42	120	193	322	191	35		
Dis. of Stom. and Liver	543	47	7	1	3	3	61	17	7	10	12	54	67	73	88	103	55	6		
Dis. of Kidneys - -	121	1	-	-	-	1	2	4	2	3	7	14	18	16	20	24	7	4		
Dis. of Genes. Organs -	28	-	-	-	-	-	-	-	1	1	2	13	11	14	7	6	3	-		
Dis. of Joints - - -	30	-	1	-	2	-	3	1	5	3	2	4	2	5	1	3	1	-		
Dis. of Skin - - - -	31	12	1	3	-	-	16	-	-	-	1	2	4	2	2	4	-	-		
Childbirth and Metris.	174	-	-	-	-	-	-	-	-	4	33	83	50	4	-	-	-	-		
Suicide - - - - -	14	-	-	-	-	-	-	-	-	1	1	1	6	2	2	1	-	-		
Other Violent Deaths -	203	78	16	3	3	4	104	10	5	6	4	12	14	9	12	9	11	7		
Other Causes - - -	1885	728	108	15	10	7	878	8	3	2	2	9	10	17	62	232	447	215		

12.—ST. GILES.

Mean Popul ⁿ , 1861-71	28316	713	604	584	543	532	2977	2531	2353	2625	3131	5179	3894	2796	1717	818	261	34		
TOTAL DEATHS -	7290	1653	785	362	243	125	3168	263	100	108	164	406	615	615	697	615	387	92		
Small-pox -	68	19	10	3	9	3	44	8	3	1	1	7	3	-	1	-	-	-	-	-
Measles -	132	23	54	24	15	8	127	3	-	1	-	1	-	-	-	-	-	-	-	-
Scarlatina -	286	18	49	68	53	33	191	68	16	4	-	1	4	-	1	-	-	-	-	-
Diphtheria -	46	4	8	7	2	3	19	8	1	-	1	3	2	1	1	-	-	-	-	-
Whooping-cough -	272	77	98	43	37	12	267	5	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid -	222	6	6	9	6	11	38	24	13	11	16	25	31	25	29	8	1	-	-	-
Diarrhoea & Dysentery -	307	196	62	6	6	-	270	4	-	1	1	4	2	2	6	12	5	-	-	-
Cholera -	28	8	2	1	-	1	12	3	1	1	-	3	7	4	5	2	-	-	-	-
Other Zymotic Dis. -	149	28	21	22	6	9	86	8	1	2	2	7	9	10	9	12	3	-	-	-
Cancer -	189	-	-	-	-	-	-	-	-	-	2	8	28	65	51	27	8	-	-	-
Scrophula and Tuberc. -	144	32	45	21	4	3	125	7	2	3	2	2	3	-	-	-	-	-	-	-
Epilepsy -	932	24	21	19	11	6	81	35	32	47	74	214	226	136	60	11	-	-	-	-
Hydrocephalus -	143	60	42	17	11	3	133	8	1	-	-	-	1	-	-	-	-	-	-	-
Dis. of Brain -	638	154	47	19	24	4	248	20	10	9	3	23	29	69	84	81	49	3	-	-
Dis. of Heart & Dropsy -	447	11	1	1	3	1	17	6	7	7	6	41	67	86	91	68	38	8	-	-
Dis. of Lungs -	1050	311	233	166	45	17	732	33	6	8	17	42	81	145	239	228	91	7	-	-
Dis. of Stom. and Liver -	232	16	3	2	2	2	25	8	2	1	3	22	32	40	39	42	15	3	-	-
Dis. of Kidneys -	73	1	1	2	1	2	7	3	1	-	2	5	11	10	19	11	4	-	-	-
Dis. of Genes. Organs -	30	-	-	-	-	-	-	-	-	-	2	5	9	9	4	2	1	-	-	-
Dis. of Joints -	22	1	-	-	2	1	4	7	2	2	1	2	-	2	-	2	-	-	-	-
Dis. of Skin -	15	7	1	-	-	-	8	1	-	-	1	1	-	-	1	1	1	-	-	-
Childbirth and Metris. -	81	-	-	-	-	-	-	-	-	8	19	35	21	-	-	-	-	-	-	-
Suicide -	14	-	-	-	-	-	-	-	-	1	-	2	2	2	1	1	-	-	-	-
Other Violent Deaths -	162	106	8	5	1	2	122	1	1	2	1	6	6	6	8	4	4	1	-	-
Other Causes -	282	628	58	17	5	4	612	5	1	4	7	7	18	13	22	53	160	74	-	-

14.—HOLBORN.*

Mean Popul ⁿ , 1861-71	84569	2627	2107	2135	1949	1879	10697	8734	7950	7831	8369	14012	10960	7920	4839	2410	740	107
TOTAL DEATHS -	20880	4728	2454	1401	756	524	9883	929	288	325	478	1234	1449	1436	1684	1770	1167	271
Small-pox -	215	60	30	28	18	16	152	27	4	5	3	8	12	1	3	-	-	-
Measles -	638	91	268	154	71	48	602	34	1	-	-	1	-	-	-	-	-	-
Scarlatina -	1076	45	163	215	162	158	748	273	25	12	5	6	5	1	-	-	-	-
Diphtheria -	171	19	32	33	25	25	134	26	2	2	3	-	2	1	-	-	-	-
Whooping-cough -	1001	204	334	187	100	32	907	34	-	-	-	-	-	-	-	-	-	-
Typhoid -	716	20	59	45	35	38	163	99	48	35	84	76	71	69	73	33	9	-
Diarrhoea & Dysentery -	229	372	179	96	15	3	893	8	1	1	-	12	14	11	18	33	34	4
Cholera -	112	27	3	3	2	4	39	6	5	1	3	9	12	13	15	9	2	-
Other Zymotic Dis. -	468	95	74	58	37	22	286	25	8	7	12	16	27	28	25	22	9	3
Cancer -	459	-	-	1	-	-	1	2	1	-	4	26	100	135	102	78	22	-
Scrophula and Tuberc. -	516	207	139	90	39	15	429	33	11	10	2	6	7	4	2	1	1	-
Epilepsy -	2145	82	51	40	21	21	185	81	65	143	292	529	489	369	116	28	3	-
Hydrocephalus -	463	157	108	92	57	26	430	26	5	1	-	-	-	-	-	-	-	-
Dis. of Brain -	9009	608	175	91	59	19	1022	55	21	18	32	58	106	138	255	231	138	14
Dis. of Heart & Dropsy -	1131	53	16	19	8	4	91	40	26	31	28	93	119	109	220	206	90	6
Dis. of Lungs -	5982	755	566	228	118	48	1745	80	19	17	20	59	180	325	557	500	243	42
Dis. of Stom. and Liver -	887	79	17	10	11	4	121	22	11	19	29	63	131	142	149	156	41	12
Dis. of Kidneys -	139	-	-	5	1	2	6	9	8	-	1	11	19	26	35	29	7	-
Dis. of Genes. Organs -	71	-	1	-	-	-	1	-	-	1	2	11	16	26	15	11	3	-
Dis. of Joints -	71	4	2	5	2	3	16	17	6	2	3	6	4	5	8	5	1	-
Dis. of Skin -	66	23	4	4	-	-	31	1	-	-	1	3	4	6	4	3	1	-
Childbirth and Metris Morbid -	222	-	-	-	-	-	-	-	-	13	51	171	80	7	-	-	-	-
Infanticide -	34	-	-	-	-	-	-	-	-	1	2	6	21	9	2	3	-	-
Other Violent Deaths -	233	195	25	19	8	7	245	9	3	3	6	8	9	14	12	12	11	3
Other Causes -	2928	1292	263	60	30	11	1646	12	3	5	6	15	23	39	102	608	257	187

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	Total under 5 Years.	Total under 1 Year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17			18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		17.—EAST LONDON.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	

The Districts of East London and West London were united to the City of London District on 1st January 1870, but are here distinct from the City of London.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES	AGES OF FEMALES.																		
		17.—EAST LONDON.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—	100—
Mean Popul ⁿ , 1861-71	17935	478	413	413	385	380	2099	1825	1695	1851	1807	2785	2315	1700	1119	569	170	30		
TOTAL DEATHS	4094	913	481	257	142	97	1890	102	56	73	83	228	205	315	337	348	210	67		
Small-pox	41	10	6	—	1	6	23	6	3	1	2	5	—	1	—	—	—	—	—	—
Measles	145	29	64	28	10	8	139	5	1	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	16	35	32	36	32	161	48	3	—	—	—	1	—	—	1	—	—	—	—	—
Diphtheria	31	5	6	5	4	4	24	6	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	222	76	67	58	25	10	216	6	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	160	5	7	12	5	6	32	28	12	12	0	15	23	23	18	14	4	—	—	—
Scarlatina & Dysentery	165	91	34	6	2	1	134	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	42	3	1	2	1	—	7	5	—	—	1	2	4	4	4	2	1	—	—	—
Other Zymotic Dis.	102	17	34	16	6	3	66	3	—	5	4	7	5	4	4	2	1	—	—	—
Cancer	87	—	—	—	—	—	—	—	—	1	—	—	6	9	30	19	18	3	1	—
Scrophula and Tuberc.	114	63	18	16	12	3	102	9	1	1	—	—	—	—	—	—	—	—	—	—
Phthisis	482	9	6	5	8	3	31	24	10	29	40	112	106	51	22	7	—	—	—	—
Hydrocephalus	112	44	34	16	5	5	104	7	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	280	113	55	21	6	5	180	11	6	3	6	11	13	30	47	45	20	8	—	—
Dis. of Heart & Dropsy	235	1	2	2	—	—	5	7	4	10	4	12	26	46	59	53	17	1	—	—
Dis. of Lungs	707	134	86	40	13	9	282	10	4	2	4	15	20	67	118	116	61	8	—	—
Dis. of Stom. and Liver	122	4	4	1	—	2	11	2	1	—	2	6	21	37	18	20	8	—	—	—
Dis. of Kidneys	34	—	1	1	1	—	3	1	2	2	1	1	7	5	5	4	3	—	—	—
Dis. of Genes. Organs	22	—	—	1	—	—	1	—	—	—	—	—	8	8	3	1	—	—	—	—
Dis. of Joints	10	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	15	8	1	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris.	47	—	—	—	—	—	—	—	—	4	5	25	13	—	—	—	—	—	—	—
Infants	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	49	16	4	1	1	—	22	3	—	—	1	4	2	3	2	4	4	—	—	—
Other Causes	561	282	46	14	6	—	248	4	—	1	2	0	7	12	14	46	77	47	—	—

CAUSES OF DEATH.	ALL AGES	AGES OF FEMALES.																		
		18.—WEST LONDON.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—	100—
Mean Popul ⁿ , 1861-71	11541	301	251	263	255	233	1303	988	1027	1165	1172	1980	1504	1123	743	400	126	10		
TOTAL DEATHS	4051	565	328	211	186	93	1333	230	131	251	292	471	570	547	524	332	218	52		
Small-pox	24	6	2	2	2	1	13	6	—	2	—	1	2	—	—	—	—	—	—	—
Measles	83	10	38	19	7	5	79	3	—	1	—	—	—	—	—	—	—	—	—	—
Scarlatina	164	5	11	24	27	16	88	49	15	10	6	1	—	—	—	—	—	—	—	—
Diphtheria	27	—	6	4	5	2	15	6	2	2	—	—	—	—	—	—	—	—	—	—
Whooping-cough	125	23	43	51	8	11	116	9	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	232	2	6	4	6	10	28	18	15	37	24	27	29	27	15	9	3	—	—	—
Scarlatina & Dysentery	101	57	10	3	2	—	78	4	—	1	1	—	3	5	3	5	1	—	—	—
Cholera	28	1	2	—	—	—	3	—	2	1	2	7	5	5	3	1	—	—	—	—
Other Zymotic Dis.	150	12	18	16	9	7	62	9	9	10	10	17	5	12	9	6	1	—	—	—
Cancer	223	—	—	—	—	—	—	—	—	3	1	17	37	75	50	16	4	—	—	—
Scrophula and Tuberc.	93	34	14	11	6	3	68	9	4	1	3	2	4	1	1	—	—	—	—	—
Phthisis	468	1	4	3	3	1	12	11	20	32	37	153	134	68	25	8	1	—	—	—
Hydrocephalus	68	24	18	5	6	6	59	6	—	—	—	—	1	—	—	—	—	—	—	—
Dis. of Brain	306	76	16	13	4	2	111	8	9	9	15	21	15	50	65	38	23	2	—	—
Dis. of Heart & Dropsy	285	1	—	—	—	—	2	2	11	43	32	42	56	68	68	33	8	—	—	—
Dis. of Lungs	748	28	60	35	19	14	224	17	7	17	20	30	72	104	129	88	42	6	—	—
Dis. of Stom. and Liver	517	6	—	2	2	1	11	5	6	7	16	20	37	62	44	66	41	16	3	—
Dis. of Kidneys	131	—	—	2	1	—	3	2	3	10	17	21	32	21	18	4	—	—	—	—
Dis. of Genes. Organs	77	—	1	—	—	—	1	—	—	4	6	17	16	21	10	1	1	—	—	—
Dis. of Joints	33	1	2	—	1	—	4	5	3	4	12	8	11	5	3	—	—	—	—	—
Dis. of Skin	33	1	3	1	—	—	5	—	1	1	4	7	9	3	4	1	—	—	—	—
Childbirth and Metris.	66	—	—	—	—	—	—	—	—	4	13	24	10	—	—	—	—	—	—	—
Infants	22	—	—	—	—	—	—	—	—	—	—	—	5	6	2	2	—	—	—	—
Other Violent Deaths	352	25	25	25	25	12	112	46	10	14	6	16	29	18	34	28	30	9	—	—
Other Causes	490	182	44	11	5	2	244	6	3	7	3	11	14	14	22	55	88	52	—	—

	19.—LONDON CITY.																		
Mean Popul ⁿ , 1861-71	19393	393	291	316	303	293	1586	1465	1530	2364	2410	3216	2501	2028	1395	676	194	28	
TOTAL DEATHS	8119	534	287	180	80	59	1099	139	59	67	97	170	237	278	353	348	213	59	
Small-pox	28	7	—	4	2	1	14	5	—	1	2	—	1	—	—	—	—	—	
Measles	64	12	27	11	7	3	90	3	—	—	—	—	1	—	—	—	—	—	
Scarlatina	140	12	37	21	15	18	83	59	12	2	9	—	2	—	—	—	—	—	
Diphtheria	27	6	6	4	2	2	20	4	—	—	—	—	1	—	1	—	—	1	
Whooping-cough	116	37	45	18	8	5	113	8	—	—	—	—	—	—	—	—	—	—	
Typhus	134	—	9	5	5	2	20	18	10	—	5	6	16	18	18	9	6	1	
Scarlatina & Dysentery	89	58	9	2	1	—	67	1	—	1	1	1	1	2	2	2	6	2	
Cholera	14	1	—	—	—	1	2	2	—	—	—	1	2	2	3	1	—	—	
Other Zymotic Dis.	81	3	10	8	4	9	34	8	4	3	3	7	4	5	6	4	3	—	
Cancer	98	—	—	—	—	—	—	—	2	—	—	2	16	23	26	21	7	1	
Scrophula and Tuberc.	60	25	12	4	5	—	46	6	2	2	—	—	1	2	—	1	—	—	
Phthisis	550	1	14	1	2	—	18	14	12	23	39	71	89	51	20	7	—	—	
Hydrocephalus	61	19	20	7	5	2	69	7	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain	346	86	30	17	7	4	144	11	4	8	6	11	19	33	31	68	20	1	
Dis. of Heart & Dropsy	213	—	1	2	—	—	3	1	5	3	7	9	18	37	57	46	23	4	
Dis. of Lungs	622	91	60	20	9	7	189	10	4	5	3	21	25	88	111	136	66	14	
Dis. of Stom. and Liver	164	8	2	—	—	1	11	—	2	3	9	9	10	29	44	28	19	1	
Dis. of Kidneys	29	2	2	—	—	—	4	1	1	—	—	—	4	8	6	6	2	—	
Dis. of Urinary Organs	14	—	—	—	—	—	—	—	—	—	2	2	1	5	3	2	1	—	
Dis. of Skin	7	—	1	—	—	1	2	1	—	1	—	—	—	—	1	—	2	—	
Dis. of Skin	8	1	—	—	1	—	2	—	—	—	1	1	—	—	1	—	3	—	
Childbirth and Metris.	50	—	—	—	—	—	—	—	—	—	9	16	10	1	—	—	—	—	
Female Suicide	11	18	1	—	—	—	—	—	—	2	2	1	1	1	4	—	—	—	
Other Violent Deaths	70	18	1	1	3	1	24	4	1	6	4	6	4	5	6	5	3	3	
Other Causes	242	140	23	4	3	—	164	1	2	—	1	5	5	8	13	25	62	2	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwds.	
20.—SHOREDITCH.																			
Mean Popul ⁿ , 1861-71	61833	2270	1853	1771	1801	1648	9343	7347	6339	5698	5635	10386	7617	5066	2767	1966	331	38	
TOTAL DEATHS	16584	4670	1905	933	528	333	8429	671	189	292	361	933	1168	1242	1390	1167	680	123	
Small-pox	219	57	26	27	19	19	148	30	4	7	7	10	9	1	3	-	-	-	
Measles	452	92	181	93	44	20	480	22	-	-	-	-	-	-	-	-	-	1	
Scarlatina	831	62	146	145	131	102	286	290	27	7	5	5	-	-	-	-	-	-	
Diphtheria	105	22	21	16	13	8	80	15	4	1	1	3	-	-	1	-	-	-	
Whooping-cough	672	240	234	113	46	10	632	19	29	43	27	65	83	64	77	58	33	-	
Erythra	667	17	13	26	28	22	106	78	8	-	17	5	10	7	25	33	24	1	
Diarrhea & Dysentery	727	474	110	19	4	4	611	6	3	2	2	8	9	6	15	3	1	-	
Cholera	118	37	15	3	2	4	61	9	2	2	7	21	20	20	32	34	13	-	
Other Zymotic Dis.	449	101	64	40	37	18	260	26	9	5	-	-	-	-	-	-	-	-	
Cancer	103	2	-	-	1	1	4	-	-	-	-	2	16	17	35	25	4	-	
Serofula and Tuberc	504	248	139	48	17	10	443	22	4	8	4	7	4	6	4	2	-	-	
Phthisis	2224	29	39	19	6	13	136	39	27	157	214	511	568	375	198	68	16	-	
Hydrocephalus	415	172	131	60	14	14	391	18	4	2	-	-	-	-	-	-	-	-	
Dis. of Brain	2006	613	162	71	45	26	917	51	13	27	21	67	126	185	207	249	125	18	
Dis. of Heart & Dropsy	709	17	9	11	4	2	43	59	20	12	25	66	95	107	164	99	45	4	
Dis. of Lungs	5078	846	483	181	81	35	1623	49	9	16	29	83	156	253	364	328	145	21	
Dis. of Stom. and Liver	450	72	8	6	3	3	92	9	8	9	7	30	42	87	64	61	16	2	
Dis. of Kidneys	198	4	4	5	3	-	16	8	4	6	1	11	22	43	37	34	14	2	
Dis. of Gen. Organs	5	1	-	2	3	1	6	9	6	1	-	2	2	3	3	1	2	-	
Dis. of Joints	37	-	-	-	-	-	29	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	41	19	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Self-de	55	-	-	-	-	-	220	22	14	3	1	9	11	12	11	8	1	4	
Other Violent Deaths	368	172	22	13	15	4	220	22	14	3	3	13	21	23	14	13	14	6	
Other Causes	2151	1343	178	33	12	8	1074	8	2	2	4	15	38	28	54	133	226	62	

		21.—BETHNAL GREEN.																	
Mean Popul ⁿ , } 1861-71 }		55358	1988	1657	1672	1625	1583	8525	7027	6253	5185	4745	8377	6430	4558	2662	1262	303	31
TOTAL DEATHS -		14843	4176	1922	963	545	338	7943	650	186	243	376	791	949	1063	1074	973	490	31
Small-pox -	-	207	92	40	38	26	15	211	57	3	4	6	3	3	-	-	-	-	-
Measles -	-	430	55	183	106	55	17	416	14	-	-	-	-	-	-	-	-	-	-
Scarlatina -	-	809	68	141	161	160	98	608	166	16	6	8	3	2	-	1	-	-	-
Diphtheria -	-	41	7	9	5	8	3	32	6	1	-	1	-	-	-	-	-	-	-
Whooping-cough -	-	841	181	183	102	40	17	523	17	-	-	-	-	1	-	-	-	-	-
Typhus -	-	539	13	20	26	38	25	112	91	35	25	16	44	58	55	54	26	3	-
Diarrhoea & Dysentery -	-	635	373	146	28	9	4	560	6	2	1	4	4	4	9	14	19	9	-
Cholera -	-	326	35	40	25	17	9	126	46	12	4	6	33	22	28	21	23	3	-
Other Zymotic Dis. -	-	366	68	54	60	34	22	228	24	6	7	1	11	26	13	19	24	6	-
Cancer -	-	71	-	-	-	-	-	1	-	1	1	-	3	10	29	14	11	2	-
Scrophula and Tuberc -	-	345	154	92	46	7	5	298	17	7	5	2	1	4	6	3	47	1	-
Phthisis -	-	1841	81	29	17	10	5	92	33	24	114	257	439	371	518	165	47	1	-
Hydrocephalus -	-	261	100	91	21	13	12	237	23	-	-	-	1	-	-	-	-	-	-
Dis. of Brain -	-	1784	696	171	77	41	24	1000	86	11	12	20	53	89	129	166	181	71	-
Dis. of Heart & Dropsy -	-	690	14	9	14	7	13	87	32	29	18	22	69	97	113	125	88	17	-
Dis. of Lungs -	-	2658	733	438	156	79	43	1469	62	4	10	29	67	151	213	351	212	85	-
Dis. of Stom. and Liver -	-	349	66	9	12	3	4	84	16	12	15	11	16	29	50	57	39	15	-
Dis. of Kidneys -	-	127	-	1	1	1	-	3	7	2	5	4	11	20	22	28	16	8	-
Dis. of Gen. Organs -	-	3	2	-	-	-	-	2	-	5	4	-	3	-	2	3	1	1	-
Dis. of Joints -	-	30	2	-	1	-	1	4	2	-	-	-	-	-	1	1	2	1	-
Dis. of Skin -	-	34	19	5	2	-	-	26	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	2	3	10	11	18	9	8	-	-
Suicide -	-	61	-	-	-	-	-	-	10	14	8	-	6	18	21	37	18	17	8
Other Violent Deaths -	-	407	184	25	17	11	13	1595	11	8	-	3	12	27	28	43	218	264	100
Other Causes -	-	2270	1273	236	63	16	8	-	-	-	-	-	-	-	-	-	-	-	-

		22.—WHITECHAPEL.																	
Mean Popul ⁿ , 1861-71	39524	1132	974	977	934	921	4938	4254	3995	3910	3950	6517	5133	3709	2027	844	211	36	
TOTAL DEATHS	14567	2858	1337	768	414	282	5659	581	246	336	534	1151	1611	1604	1455	902	394	36	
Small-pox	153	21	24	24	14	14	97	22	4	4	8	11	4	3	-	-	-	10	
Measles	375	92	145	60	30	13	360	14	1	-	-	-	-	-	-	-	-	3	
Scarlatina	490	84	73	110	84	60	361	110	12	5	1	1	-	-	-	-	-	3	
Diphtheria	85	5	4	5	8	3	25	7	-	-	-	1	1	1	-	-	-	-	
Whooping-cough	543	110	116	55	35	16	822	11	-	-	-	-	-	-	-	-	-	-	
Typhus	637	7	16	30	21	29	108	57	38	29	34	67	87	168	77	46	19	3	
Diarrhœa & Dysentery	550	279	118	26	7	5	435	6	3	2	10	15	19	18	30	15	3	3	
Cholera	484	27	28	23	18	13	109	45	28	29	25	61	71	43	45	19	31	1	
Other Zymotic Dis.	330	43	67	34	26	14	173	12	1	11	11	22	25	25	24	22	3	-	
Cancer	175	-	1	2	1	-	4	1	-	1	8	14	22	48	48	26	8	-	
Scrofula and Tubes	251	86	58	33	10	8	195	15	4	5	8	9	8	5	-	2	-	-	
Phthisis	1594	16	17	12	7	8	60	18	25	80	184	340	436	296	148	32	7	-	
Hydrocephalus	237	86	72	35	14	9	216	17	2	2	-	-	-	-	-	-	-	-	
Dis. of Brain	1519	472	80	43	24	13	632	85	11	20	28	70	169	125	167	75	45	-	
Dis. of Heart & Dropsy	667	3	3	1	2	7	16	24	17	26	30	69	132	143	124	29	16	-	
Dis. of Lungs	2470	530	304	143	62	21	1080	35	10	14	27	99	211	337	369	200	63	-	
Dis. of Stom. and Liver	555	40	5	7	8	-	85	10	12	11	28	57	95	114	111	49	13	-	
Dis. of Kidneys	328	1	2	2	4	1	10	6	5	10	9	48	59	29	70	60	19	-	
Dis. of Genes. Organs	10	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	-	
Dis. of Joints	93	-	2	-	1	1	4	14	9	9	8	23	13	9	3	3	1	-	
Dis. of Skin	57	11	4	-	1	2	18	1	-	1	5	3	10	9	8	1	1	-	
Childbirth and Metrisia	-	-	-	-	-	-	-	-	-	-	4	7	11	19	26	19	6	1	
Suicide	90	102	93	54	35	34	201	101	61	69	92	177	215	197	120	63	27	-	
Other Violent Deaths	1380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Causes	1869	874	173	49	7	11	1113	30	5	13	12	53	54	58	84	219	172	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			20 and upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-				
20.—SHOREDITCH.																					
Mean Popul ⁿ , 1861-71	66431	2196	1832	1777	1760	1692	9257	7295	6173	5815	6429	11284	8218	5720	3556	1939	648	97			
TOTAL DEATHS	16549	3782	1837	926	546	357	7548	597	194	298	420	1010	1114	1192	1345	1464	1060	507			
Small-pox	-	204	52	29	15	18	131	81	6	0	7	10	7	3	-	-	-	-	-		
Measles	-	466	70	182	95	58	34	439	15	-	1	1	-	-	-	-	-	-	-		
Scarlatina	-	812	41	139	162	120	105	567	183	36	6	8	6	5	1	-	-	-	-		
Erythema	-	122	15	27	16	21	14	93	16	5	4	-	1	-	2	1	-	-	-		
Whooping-cough	-	605	290	271	155	69	33	774	20	-	1	-	-	-	-	-	-	-	-		
Dysentery	-	642	16	18	31	29	25	119	69	37	50	33	61	72	64	72	62	17	6		
Diarrhoea & Dysentery	-	715	427	131	26	7	4	595	3	2	1	2	7	5	15	18	35	25	7		
Cholera	-	180	94	21	6	2	5	68	11	4	2	2	6	9	8	9	7	4	-		
Other Zymotic Dis.	-	430	66	64	47	30	22	229	55	14	9	11	17	15	30	26	24	16	4		
Cancer	-	226	-	-	-	-	-	-	-	-	2	1	13	59	87	89	55	16	4		
Scrophulous and Tuberc.	-	395	175	129	26	9	5	354	11	4	5	2	6	1	4	3	5	-	-		
Pathosis	-	1771	47	49	28	10	16	150	56	31	140	139	461	399	225	96	53	8	-		
Hydrocephalus	-	276	114	89	33	14	7	237	16	1	1	-	-	-	1	-	-	-	-		
Dis. of Brain	-	1872	482	118	62	42	15	719	36	14	22	30	79	109	172	219	260	166	44		
Dis. of Heart & Dropsy	-	920	10	9	6	9	5	39	27	17	18	25	61	94	156	189	197	85	10		
Dis. of Lungs	-	3084	649	411	172	84	37	1383	62	11	13	26	67	123	232	280	447	285	55		
Dis. of Stom. and Liver	-	673	67	12	5	5	2	81	11	2	7	19	59	72	81	110	88	33	7		
Dis. of Kidneys	-	127	-	6	3	2	1	12	2	2	3	-	14	17	22	23	22	8	-		
Dis. of Genes. Organs	-	78	-	1	-	-	-	1	-	-	-	2	7	21	20	19	4	2	-		
Dis. of Joints	-	41	4	4	-	2	2	12	3	2	2	3	2	4	4	5	3	1	2		
Dis. of Skin	-	37	13	1	-	-	-	14	-	1	1	-	2	2	2	3	7	4	1		
Childbirth and Metris	-	195	-	-	-	-	-	-	-	-	10	40	98	46	1	-	-	-	-		
Fœtal	-	40	-	-	-	-	-	-	-	-	4	5	9	9	8	4	1	-	-		
Other Violent Deaths	-	275	121	18	13	5	2	169	7	1	6	5	8	15	24	14	11	13	2		
Other Causes	-	2223	1113	178	85	10	6	1342	3	4	2	7	15	25	27	56	201	377	162		

21.—BETHNAL GREEN.

Mean Popul ⁿ , 1861-71	-	57244	1963	1698	1673	1640	1512	8486	6988	6052	5240	5190	8766	6703	4787	2955	1536	468	73				
TOTAL DEATHS	-	14092	3346	1831	1015	551	343	7066	652	221	287	414	801	813	881	1025	1036	699	197				
Small-pox	-	261	67	50	45	25	17	202	26	5	7	8	8	3	2	-	-	-	-				
Measles	-	372	62	131	103	42	11	349	29	1	-	-	1	-	-	1	-	-	-				
Scarlatina	-	700	32	124	158	120	95	529	183	28	8	4	7	-	1	-	-	-	-				
Erythema	-	75	8	15	10	7	5	53	15	1	2	-	2	-	-	-	-	-	-				
Whooping-cough	-	715	212	245	146	54	26	690	29	-	-	-	-	-	-	-	-	-	-				
Dysentery	-	267	15	24	34	32	34	139	84	-	41	34	66	53	37	41	17	11	1				
Diarrhoea & Dysentery	-	647	349	155	25	9	4	542	5	1	-	-	5	9	23	24	23	6	3				
Cholera	-	257	52	40	20	11	7	110	32	11	18	20	37	37	35	27	23	7	6				
Other Zymotic Dis.	-	352	49	50	61	48	15	226	33	11	11	8	14	15	11	15	10	3	2				
Cancer	-	225	-	-	-	-	-	1	1	-	-	-	16	49	64	67	36	9	-				
Scrophulous and Tuberc.	-	282	112	87	34	14	4	241	11	4	7	9	2	3	4	1	1	1	-				
Pathosis	-	1353	20	29	15	12	8	82	34	40	110	210	340	248	176	81	24	4	-				
Hydrocephalus	-	290	88	46	16	18	8	176	11	3	-	-	-	-	-	-	-	-	-				
Dis. of Brain	-	1859	520	129	60	32	26	767	48	18	18	22	43	83	118	167	150	98	15				
Dis. of Heart & Dropsy	-	676	12	8	3	6	7	56	29	21	12	25	35	79	92	144	114	53	8				
Dis. of Lungs	-	2304	607	414	201	72	41	1333	53	8	15	16	63	99	189	308	288	113	17				
Dis. of Stom. and Liver	-	628	45	14	4	1	3	67	13	4	8	11	29	47	58	73	68	17	3				
Dis. of Kidneys	-	63	1	-	-	-	2	8	2	1	4	3	11	6	17	10	6	2	-				
Dis. of Genes. Organs	-	50	-	-	-	-	-	-	-	-	-	-	6	6	13	9	5	-	-				
Dis. of Joints	-	29	-	-	2	-	-	2	0	4	8	-	1	2	1	-	1	-	-				
Dis. of Skin	-	36	15	3	4	1	-	23	-	1	-	1	-	1	2	3	4	1	-				
Childbirth and Metris	-	183	-	-	-	-	-	-	-	-	12	41	77	50	3	-	-	-	-				
Fœtal	-	20	-	-	-	-	-	-	-	-	1	3	4	5	2	4	1	-	-				
Other Violent Deaths	-	255	141	23	7	7	4	182	14	2	6	2	9	7	10	7	11	3	2				
Other Causes	-	2180	920	244	75	17	13	1308	12	1	5	3	5	16	35	51	232	552	140				

22.—WHITECHAPEL.

Mean Populu, 1861-71	38248	1186	930	997	943	954	5010	4246	3775	3756	3654	6056	4926	3416	2029	1008	319	53
TOTAL DEATHS	11916	2415	1347	728	375	280	5145	536	190	273	385	858	1079	903	961	812	536	148
Small-pox	162	32	25	29	17	15	118	23	6	3	4	4	-	2	2	-	-	-
Measles	342	67	123	68	45	23	331	10	1	-	-	-	-	-	-	-	-	-
Scarlatina	441	31	69	89	65	57	311	106	13	6	4	1	-	-	-	-	-	-
Erythema	40	5	7	4	3	6	25	2	2	3	1	4	-	1	1	1	-	-
Whooping-cough	425	127	129	97	34	21	406	16	-	1	-	-	-	-	-	-	-	-
Dysentery	869	8	16	21	19	23	91	72	34	33	39	61	78	78	79	35	8	1
Diarrhoea & Dysentery	670	222	145	23	11	1	472	7	1	1	1	8	12	14	21	17	13	3
Cholera	481	24	25	21	15	10	95	55	15	21	28	60	80	55	40	24	6	2
Other Zymotic Dis.	270	41	48	40	19	13	161	14	12	15	8	11	12	12	17	5	3	3
Cancer	244	-	-	-	-	-	-	2	1	2	3	15	67	70	54	31	8	-
Scrophulous and Tuberc.	214	73	60	28	13	6	175	9	5	2	4	11	5	1	2	-	-	-
Pathosis	1111	16	8	6	3	9	42	25	13	64	132	297	295	143	77	29	3	-
Hydrocephalus	148	58	44	25	6	7	140	7	-	-	-	-	-	-	1	-	-	-
Dis. of Brain	1614	318	87	35	19	13	502	23	14	18	18	41	71	83	95	90	50	7
Dis. of Heart & Dropsy	642	3	4	3	2	2	14	17	27	26	23	67	98	122	114	95	54	4
Dis. of Lungs	2097	280	228	162	87	59	966	48	5	10	15	64	132	200	261	212	89	14
Dis. of Stom. and Liver	473	52	10	2	2	2	48	7	7	19	19	56	74	81	83	50	27	9
Dis. of Kidneys	135	-	1	1	3	-	5	7	3	6	18	29	24	23	28	9	1	-
Dis. of Genes. Organs	97	-	-	-	-	-	-	-	2	6	18	16	29	16	19	15	1	-
Dis. of Joints	42	-	-	1	2	2	5	10	4	3	4	6	2	1	3	-	-	-
Dis. of Skin	43	9	3	3	-	-	15	-	2	2	7	7	2	3	5	2	1	-
Childbirth and Puerperal	177	-	-	-	-	-	-	-	10	34	47	39	2	-	-	-	-	-
Febrile	23	-	-	-	-	-	-	-	5	2	8	8	11	4	1	-	-	6
Other Violent Deaths	552	97	29	59	31	25	230	63	22	13	20	33	35	32	36	58	24	10
Other Causes	1652	772	162	57	3	4	991	14	5	8	10	23	39	27	44	165	27	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
23.—ST. GEORGE-IN-THE-EAST.																			
Mean Popul ⁿ , 1861-71	23649	813	643	635	650	612	3353	2785	2375	2099	2085	3923	3072	2074	1180	546	143	14	
TOTAL DEATHS	6801	1872	836	446	215	145	3514	252	73	104	165	349	522	511	526	524	300	51	
Small-pox	62	23	11	10	11	5	69	9	-	1	4	2	4	2	-	-	-	-	
Measles	218	41	83	54	18	12	213	5	-	-	-	-	-	-	-	-	-	-	
Scarlatina	239	15	46	39	49	31	200	47	8	2	2	-	-	-	-	-	-	-	
Diphtheria	40	11	9	7	4	4	35	2	-	-	-	-	-	2	1	-	-	-	
Whooping-cough	234	116	87	39	19	14	275	9	-	-	-	-	-	-	-	-	-	-	
Typhus	226	6	13	15	15	13	62	30	9	12	4	26	20	27	27	5	4	-	
Diarrhoea & Dysentery	341	196	76	14	-	3	289	3	3	1	4	5	5	4	9	10	5	3	
Cholera	187	19	18	15	8	6	66	24	12	1	4	16	22	17	13	9	2	1	
Other Zymotic Dis.	174	32	35	29	9	9	114	8	1	2	1	11	9	7	5	13	3	-	
Cancer	35	-	-	-	-	-	-	-	-	-	-	1	7	2	13	10	2	-	
Scrofula and Tuberc.	197	67	59	24	11	8	164	16	2	3	5	1	1	2	1	2	-	-	
Phthisis	729	9	11	8	1	6	35	16	7	40	96	155	200	123	49	16	-	-	
Hydrocephalus	213	96	58	30	15	5	202	9	1	-	1	-	-	-	-	-	-	-	
Dis. of Brain	687	234	54	23	11	9	331	22	7	6	4	20	30	46	85	74	20	2	
Dis. of Heart & Dropsy	338	6	6	2	5	1	20	6	8	7	7	35	37	65	66	46	18	3	
Dis. of Lungs	1265	340	177	76	25	18	636	19	3	3	10	32	71	127	153	156	48	8	
Dis. of Stom. and Liver	171	24	4	-	-	1	33	2	1	6	6	12	21	29	94	21	6	-	
Dis. of Kidneys	78	3	-	3	6	1	13	5	1	2	1	5	10	13	9	14	5	-	
Dis. of Gen. Organs	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	20	2	-	-	-	-	2	8	4	2	1	1	-	1	-	-	-	-	
Dis. of Skin	13	5	1	-	-	-	6	-	1	-	-	-	-	-	2	2	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	31	-	-	-	-	-	-	-	-	-	-	4	4	4	11	4	2	1	
Other Violent Deaths	82	61	9	4	6	1	101	10	4	15	9	12	30	13	17	8	5	3	
Other Causes	1067	546	74	39	3	3	653	2	1	1	4	9	21	18	37	150	132	39	
24 a.—STEPNEY.																			
Mean Popul ⁿ , 1861-71	28333	926	773	791	778	761	4029	3486	3141	2675	2440	4333	3575	2546	1366	583	149	10	
TOTAL DEATHS	7297	1928	912	429	268	182	3719	388	181	167	162	433	541	525	530	406	207	38	
Small-pox	116	31	14	10	8	10	73	14	8	5	1	6	5	3	1	-	-	-	
Measles	175	35	75	35	19	5	167	7	-	-	-	-	-	1	-	-	-	-	
Scarlatina	373	20	72	53	60	61	236	99	10	2	-	5	1	-	-	1	-	-	
Diphtheria	62	8	19	12	7	4	50	7	1	-	-	-	1	-	-	-	-	-	
Whooping-cough	255	84	80	39	26	14	243	10	1	-	-	-	-	-	-	-	-	-	
Typhus	315	5	17	13	17	16	68	30	20	12	17	22	52	64	35	19	4	2	
Diarrhoea & Dysentery	357	217	65	18	9	2	311	4	2	1	1	5	8	6	6	4	7	1	
Cholera	284	22	21	23	9	10	85	14	13	10	26	30	23	25	10	1	1	1	
Other Zymotic Dis.	227	43	63	36	27	13	172	10	6	5	2	7	4	10	11	-	1	1	
Cancer	50	-	-	-	-	-	-	1	-	-	1	2	6	14	16	7	3	-	
Scrofula and Tuberc.	159	62	44	13	7	9	135	11	-	2	1	9	-	2	1	-	-	-	
Phthisis	620	7	14	12	8	4	45	21	18	42	53	145	172	101	61	10	3	-	
Hydrocephalus	186	89	51	22	10	5	176	8	-	1	-	-	1	-	-	-	-	-	
Dis. of Brain	729	281	65	28	19	9	402	28	12	6	9	25	28	53	65	80	19	1	
Dis. of Heart & Dropsy	325	4	1	6	4	2	17	10	8	13	8	33	48	67	37	45	17	1	
Dis. of Lungs	1290	384	218	76	29	18	725	28	9	12	17	41	76	96	122	105	52	7	
Dis. of Stom. and Liver	216	38	5	3	2	2	50	4	8	3	1	10	28	29	49	27	7	-	
Dis. of Kidneys	90	1	4	6	1	2	14	8	4	2	1	3	6	9	22	13	7	1	
Dis. of Gen. Organs	3	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	
Dis. of Joints	21	-	-	1	-	1	2	7	3	-	2	1	1	5	-	-	-	-	
Dis. of Skin	10	8	-	-	-	-	8	-	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	29	-	-	-	-	-	-	-	-	-	1	8	6	4	9	1	1	-	
Other Violent Deaths	485	75	12	7	3	3	100	41	50	45	35	83	50	46	18	8	5	3	
Other Causes	870	514	84	16	3	2	619	4	2	3	2	6	13	11	32	75	32	3	
24 b.—MILE END OLD TOWN.																			
Mean Popul ⁿ , 1861-71	38991	1408	1158	1180	1204	1081	6031	4812	4189	3404	3282	6260	4785	3304	1843	823	228	30	
TOTAL DEATHS	9587	2630	1130	554	273	196	4792	441	153	173	214	522	680	720	692	654	422	112	
Small-pox	145	29	22	16	6	6	89	20	1	5	10	12	5	1	1	1	-	-	
Measles	253	54	101	55	30	16	296	12	4	1	-	-	-	-	-	-	-	-	
Scarlatina	340	45	92	104	76	63	580	138	21	4	1	-	1	-	-	-	-	-	
Diphtheria	45	5	7	8	5	3	28	7	-	1	-	2	3	2	1	-	1	-	
Whooping-cough	328	117	106	64	19	12	318	10	-	-	-	-	-	-	-	-	-	-	
Typhus	407	7	15	18	15	11	65	28	28	32	24	30	63	43	31	29	12	-	
Diarrhoea & Dysentery	484	325	78	9	2	2	416	5	1	1	1	6	4	6	14	19	8	3	
Cholera	275	40	24	22	14	7	107	18	14	6	6	23	21	31	29	14	2	1	
Other Zymotic Dis.	275	54	62	37	18	8	169	19	9	6	2	8	10	10	16	19	6	1	
Cancer	65	-	-	-	1	-	1	-	1	-	1	2	6	14	24	11	3	-	
Scrofula and Tuberc.	186	85	52	15	11	4	167	7	4	2	13	5	-	5	-	-	-	-	
Phthisis	1082	14	11	4	2	7	38	22	18	71	112	202	202	168	97	17	4	1	
Hydrocephalus	299	75	71	30	14	5	195	12	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	1072	370	75	44	16	14	619	31	10	9	11	29	52	81	104	123	83	6	
Dis. of Heart & Dropsy	437	5	1	6	2	4	18	6	17	13	10	29	62	73	76	53	16	-	
Dis. of Lungs	1011	514	297	90	33	22	930	31	8	11	21	38	122	144	104	302	121	20	
Dis. of Stom. and Liver	295	65	6	2	3	4	71	9	6	5	3	13	51	53	42	47	10	1	
Dis. of Kidneys	102	1	1	1	-	1	4	3	2	1	2	4	13	21	21	16	12	-	
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Dis. of Joints	17	2	1	-	1	-	4	3	2	-	2	2	-	1	2	1	1	-	
Dis. of Skin	19	12	-	-	-	-	12	-	-	-	-	-	-	1	-	2	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	28	-	-	-	-	-	-	-	-	1	-	9	4	8	5	1	-	-	
Other Violent Deaths	224	103	14	7	3	4	131	17	4	2	3	9	13	17	11	9	6	1	
Other Causes	1184	736	104	19	2	3	864	8	1	1	-	10	14	21	21	66	108	6	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
																			Special.
23.—ST. GEORGE-IN-THE-EAST.																			
Mean Popul ⁿ , 1861-71	24823	809	621	673	650	629	3382	2763	2389	1961	2320	4174	3228	2231	1374	710	256	35	
TOTAL DEATHS	6993	1554	773	568	229	143	3067	280	64	108	220	540	407	508	685	619	400	105	
Small-pox	84	23	15	8	9	10	65	8	1	2	5	3	—	—	—	—	—	—	—
Measles	193	29	79	40	32	5	185	8	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	204	20	47	53	32	85	209	63	5	2	5	—	—	—	—	—	—	—	—
Diphtheria	41	5	7	5	4	9	30	8	1	—	—	1	—	1	—	—	—	—	—
Whooping-cough	260	84	102	54	22	10	272	8	—	—	—	—	—	—	—	—	—	—	—
Typhus	280	3	8	12	20	16	69	35	6	12	19	33	29	39	36	14	3	1	—
Diarrhoea & Dysentery	313	164	69	14	5	—	252	3	2	—	—	3	3	8	8	20	11	3	—
Cholera	241	14	14	9	6	6	49	24	7	5	7	25	38	24	30	21	9	2	—
Other Zymotic Dis.	141	19	21	16	16	11	82	13	1	1	4	9	6	4	11	6	4	—	—
Cancer	147	1	—	—	—	—	1	—	—	—	2	7	24	53	35	18	7	—	—
Scrofula and Tuberc.	145	51	38	16	5	6	116	8	1	3	—	1	2	4	5	1	2	—	—
Phthisis	722	7	9	9	5	5	35	17	15	39	90	263	165	72	25	8	—	—	—
Hydrocephalus	172	77	46	23	8	5	159	12	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	652	190	46	25	13	4	278	15	4	9	12	27	34	64	62	87	49	11	—
Dis. of Heart & Dropsy	305	4	5	3	2	2	16	12	6	9	15	39	56	67	84	63	26	4	—
Dis. of Lungs	1179	276	165	99	17	12	527	20	6	12	20	42	57	85	173	160	64	13	—
Dis. of Stom. and Liver	232	26	3	—	1	2	32	7	5	1	9	18	29	42	43	33	9	4	—
Dis. of Kidneys	59	1	4	1	—	1	7	4	2	—	1	4	4	2	15	9	2	—	—
Dis. of Gener. Organs	29	1	—	—	—	—	—	—	—	—	—	2	8	5	8	3	2	—	—
Dis. of Joints	12	—	—	1	—	—	1	2	—	1	2	1	2	—	—	1	1	—	—
Dis. of Skin	17	5	1	1	—	—	7	1	—	—	—	1	—	4	1	2	1	—	—
Childbirth and Metris	75	—	—	—	—	—	—	—	—	8	18	34	15	—	—	—	—	—	—
Suicide	21	—	—	—	—	—	—	—	—	1	5	6	4	5	—	—	—	—	—
Other Violent Deaths	136	75	8	4	4	—	91	4	—	1	5	5	4	8	4	10	3	1	—
Other Causes	1141	479	88	14	8	4	593	8	1	2	3	16	17	21	44	163	207	66	—

24 a.—STEPNEY.

Mean Popul ⁿ , 1861-71	28797	879	781	778	752	776	3966	3492	3038	2493	2423	4476	3691	2584	1552	785	253	44
TOTAL DEATHS—	6847	1550	789	452	262	213	3266	327	117	131	174	442	502	476	490	520	317	85
Small-pox	98	37	17	10	9	4	77	12	—	2	2	4	1	—	—	—	—	—
Measles	178	28	66	61	18	10	175	8	—	—	—	—	—	—	—	—	—	—
Scarlatina	347	25	48	53	63	61	247	81	10	4	—	3	—	1	—	—	1	—
Diphtheria	40	3	6	9	4	6	30	4	4	—	—	—	1	1	—	—	—	—
Whooping-cough	328	102	99	63	31	17	314	13	1	—	—	—	—	—	—	—	—	—
Typhus	325	6	16	16	17	15	69	32	18	19	14	38	50	48	36	22	6	1
Diarrhoea & Dysentery	323	189	64	12	5	5	273	4	3	—	—	6	7	4	10	12	7	1
Cholera	819	24	19	16	8	9	76	35	13	6	16	50	51	29	30	9	3	1
Other Zymotic Dis.	189	37	43	29	17	13	139	13	3	3	1	7	5	5	5	6	2	1
Cancer	115	—	—	1	—	—	1	—	1	—	2	7	20	34	24	17	8	—
Scrofula and Tuberc.	131	44	47	16	5	5	117	5	2	2	1	1	—	—	—	—	—	—
Phthisis	643	16	12	7	9	9	66	21	91	41	68	166	144	77	34	14	1	—
Hydrocephalus	153	54	44	28	13	3	140	11	1	—	—	—	—	1	—	—	—	—
Dis. of Brain	613	180	58	30	20	14	287	18	5	11	13	14	23	40	47	91	49	6
Dis. of Heart & Dropsy	346	5	1	—	2	1	9	12	13	16	12	29	42	68	78	47	19	1
Dis. of Lungs	1190	274	182	90	29	30	605	31	9	4	9	31	38	89	137	172	62	13
Dis. of Stom. and Liver	280	12	1	3	1	2	19	10	5	7	4	19	34	37	44	33	12	6
Dis. of Kidneys	49	1	1	1	1	—	4	7	—	1	2	6	13	5	6	5	—	—
Dis. of Genes. Organs	24	—	—	—	—	—	—	—	—	1	1	2	6	6	5	8	—	—
Dis. of Joints	23	—	—	—	1	3	4	1	5	3	1	2	1	3	1	2	—	—
Dis. of Skin	11	4	—	—	—	—	4	2	—	—	—	—	2	—	1	—	2	—
Childbirth and Metris	75	—	—	—	—	—	—	—	—	4	10	30	30	1	—	—	—	—
Suicide	23	—	—	—	—	—	—	—	—	2	7	7	7	4	—	1	—	—
Other Violent Deaths	152	68	5	3	5	4	85	4	1	4	7	13	12	7	10	6	3	—
Other Causes	875	441	66	20	8	2	537	6	2	1	3	7	9	5	22	80	147	56

24 b.—MILE END OLD TOWN.

Mean Popul ⁿ , 1861-71	44117	1385	1239	1198	1148	1093	6063	4967	4185	3875	3982	7221	5412	3935	2469	1406	526	76
TOTAL DEATHS—	9856	2134	1011	569	323	209	4246	438	148	198	251	628	652	649	754	949	730	218
Small-pox	132	42	19	14	9	6	90	19	4	4	4	3	6	1	1	—	—	—
Measles	323	40	98	46	24	21	229	22	1	—	—	—	—	—	—	—	—	—
Scarlatina	344	40	86	96	90	68	380	129	20	9	3	2	1	—	—	—	—	—
Diphtheria	65	5	12	10	12	4	45	14	3	—	1	2	1	1	—	—	—	—
Whooping-cough	421	132	131	80	37	20	400	20	1	—	—	—	—	—	—	—	—	—
Typhus	404	6	14	19	11	12	62	45	27	27	25	46	44	38	38	85	14	2
Diarrhoea & Dysentery	426	249	72	13	5	5	344	5	1	3	4	5	3	6	12	20	19	4
Cholera	207	20	23	8	11	11	73	19	12	10	11	41	47	28	23	23	9	1
Other Zymotic Dis.	224	89	39	54	23	8	145	21	6	6	5	5	8	6	6	14	6	1
Cancer	209	—	—	—	—	—	—	—	—	1	—	13	33	60	51	37	7	1
Scrofula and Tuberc.	149	61	38	17	5	2	118	11	4	—	—	3	1	4	4	1	1	—
Phthisis	121	12	10	10	6	3	621	20	34	68	102	257	182	91	44	9	—	—
Hydrocephalus	170	59	40	22	13	4	154	11	4	—	—	—	—	—	—	—	—	—
Dis. of Brain	1050	264	63	43	17	12	589	27	1	15	8	20	38	76	120	172	121	18
Dis. of Heart & Dropsy	354	5	5	—	1	1	10	13	16	14	43	54	73	101	134	61	7	—
Dis. of Lungs	1967	402	230	136	44	25	824	88	9	11	25	47	72	145	221	290	181	36
Dis. of Stom. and Liver	344	29	5	6	1	2	43	7	5	6	11	28	43	56	60	83	29	3
Dis. of Kidneys	65	—	—	1	—	1	2	1	—	3	6	11	13	12	12	7	1	—
Dis. of Genes. Organs	60	—	1	—	—	—	1	—	—	—	—	4	17	15	13	6	2	1
Dis. of Joints	22	1	2	—	1	—	4	3	—	2	—	1	—	8	1	3	2	—
Dis. of Skin	24	10	1	4	—	—	15	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	150	—	—	—	—	—	—	—	—	11	27	72	40	—	—	—	—	—
Suicide	14	—	—	—	—	—	—	—	—	—	1	2	3	4	1	2	1	—
Other Violent Deaths	152	79	8	4	5	1	92	4	4	3	2	4	9	8	9	5	8	—
Other Causes	1507	639	108	18	10	3	779	8	2	2	4	11	8	14	29	129	263	183

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																			
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- & upwds.			
25.—POPULAR.																					
Mean Popul ⁿ , 1861-71	48893	1714	1453	1454	1469	1380	7470	6334	5078	4377	3962	7849	6307	4143	2082	944	317	31			
TOTAL DEATHS -	13858	3519	1898	696	423	255	6291	593	236	333	402	1012	1142	1086	1027	950	608	121			
Small-pox - - -	206	47	14	20	11	9	101	24	5	11	18	22	17	5	2	1	-	-	-	-	
Measles - - -	286	32	106	69	35	11	273	11	-	-	1	-	1	-	-	-	-	-	-	-	
Scarlatina - - -	568	42	87	110	90	64	393	141	23	1	1	4	8	2	-	-	-	-	-	-	
Diphtheria - - -	67	9	11	15	8	7	50	10	3	-	-	3	-	1	-	-	-	-	-	-	
Whooping-cough -	841	137	109	41	31	15	333	7	1	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	496	16	24	23	17	17	97	73	83	32	29	52	58	58	45	52	8	1	-	-	
Diarrhoea & Dysentery	690	363	103	27	6	3	502	5	5	2	3	8	9	12	19	19	15	1	-	-	
Cholera - - -	449	19	29	19	15	18	100	52	23	11	16	53	58	64	41	24	6	1	-	-	
Other Zymotic Dis.	502	49	48	31	37	16	181	18	7	4	6	16	12	19	15	14	9	3	-	-	
Cancer - - -	99	-	1	-	-	-	1	1	-	3	2	5	8	20	39	11	8	1	-	-	
Serofula and Tuberc.	330	161	78	27	9	6	281	19	6	4	3	5	5	2	8	2	-	-	-	-	
Phthisis - - -	1530	51	46	23	12	5	137	30	26	82	151	335	335	241	126	44	3	-	-	-	
Hydrocephalus - -	239	100	75	38	16	8	237	17	3	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Brain - - -	1777	510	335	56	35	10	746	81	19	25	25	160	158	162	189	174	81	14	-	-	
Dis. of Heart & Dropsy	710	14	12	5	5	5	41	20	19	21	15	58	105	126	147	105	49	1	-	-	
Dis. of Lungs - - -	2258	679	322	126	65	37	1229	42	12	13	19	80	124	163	208	231	123	15	-	-	
Dis. of Stom. and Liver	394	72	14	10	2	4	102	12	8	14	8	25	37	57	68	39	11	3	-	-	
Dis. of Kidneys - -	143	-	1	2	3	1	7	5	2	3	4	9	18	27	23	28	16	1	-	-	
Dis. of Gener. Organs	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Joints - - -	30	3	-	1	1	-	5	6	6	3	-	2	2	2	3	1	-	-	-	-	
Dis. of Skin - - -	34	8	-	-	1	-	9	-	2	-	1	3	2	2	4	8	2	1	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	54	-	-	-	-	-	-	-	-	3	5	9	15	12	7	5	-	-	-	-	
Other Violent Deaths	921	84	23	22	9	12	150	61	88	93	93	119	128	98	49	26	10	1	-	-	
Other Causes - - -	2000	1102	100	81	15	7	1315	8	2	8	4	24	28	31	51	159	206	19	-	-	

26.—ST. SAVIOUR, SOUTHWARK.*

Mean Popul ⁿ , 1861-71	84575	2876	2384	2326	2232	2223	12041	9712	8697	7866	7764	13667	10753	7442	4296	1835	449	53		
TOTAL DEATHS -	22346	5980	2327	1231	712	464	10723	905	310	392	522	1378	1720	1021	1874	1612	843	146		
Small-pox - - -	219	53	31	24	18	16	142	30	5	8	10	19	8	2	-	-	-	-	-	-
Measles - - -	492	91	202	112	41	26	472	19	-	-	-	-	-	-	-	1	-	-	-	-
Scarlatina - - -	1122	80	109	211	168	134	762	202	69	14	5	5	3	2	-	-	-	-	-	-
Diphtheria - - -	131	27	20	22	15	11	95	26	3	2	1	2	-	-	-	-	1	-	-	-
Whooping-cough -	874	310	267	149	92	38	847	24	1	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	734	17	31	45	36	28	155	99	45	89	33	67	91	89	66	40	17	3	-	-
Diarrhoea & Dysentery	882	624	130	32	7	-	793	7	2	1	2	4	6	16	17	10	16	2	-	-
Cholera - - -	117	31	12	4	3	8	53	10	4	3	1	11	6	11	10	6	2	-	-	-
Other Zymotic Dis.	509	86	65	64	44	27	296	31	12	15	3	25	27	30	47	28	7	-	-	-
Cancer - - -	206	-	-	-	1	2	3	1	3	3	1	9	33	46	68	29	8	2	-	-
Serofula and Tuberc.	450	216	99	43	16	11	385	20	10	10	7	8	2	5	2	1	-	-	-	-
Phthisis - - -	3938	92	60	43	33	18	246	54	39	146	297	717	680	545	280	54	10	-	-	-
Hydrocephalus - -	435	170	121	65	33	20	408	20	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	2681	1046	241	100	48	32	1467	55	27	21	29	98	141	177	268	235	129	14	-	-
Dis. of Heart & Dropsy	981	12	4	5	7	4	50	87	22	33	23	50	130	260	180	168	53	5	-	-
Dis. of Lungs - - -	4211	1053	537	218	88	47	1919	80	18	17	29	120	240	427	577	645	193	34	-	-
Dis. of Stom. and Liver	742	101	9	10	6	5	131	24	15	28	9	50	91	148	141	73	25	-	-	-
Dis. of Kidneys - -	339	2	5	4	5	6	20	12	7	9	11	29	64	60	60	67	29	1	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	94	3	-	1	2	8	18	9	-	9	7	15	5	7	8	7	1	-	-	-
Dis. of Skin - - -	49	15	1	4	2	2	24	1	1	-	-	1	1	2	3	8	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	121	-	-	-	-	-	-	-	2	-	11	16	30	23	23	8	8	-	-	-
Other Violent Deaths	724	141	41	35	30	24	271	60	35	34	36	63	74	63	49	26	12	2	-	-
Other Causes - - -	5152	1708	282	67	19	10	2176	14	4	4	7	28	62	60	94	290	323	31	-	-

27.—ST. OLAVE, SOUTHWARK.†

Mean Popul ⁿ , 1861-71	56275	1935	1661	1657	1583	1515	8351	6837	5757	5358	5131	9155	6982	4719	2601	1087	268	29
TOTAL DEATHS -	17123	3965	1589	830	478	343	7205	614	337	441	691	1453	1722	1584	1455	1000	479	87
Small-pox -	174	48	18	19	20	13	118	14	5	4	4	15	10	2	-	2	-	-
Measles -	370	70	138	75	58	17	396	10	1	1	5	2	-	-	-	-	-	-
Scarlatina -	728	56	119	146	118	85	524	164	31	7	5	3	3	1	-	-	-	-
Diphtheria -	86	13	15	9	10	10	67	9	2	1	2	1	2	1	1	-	-	-
Whooping-cough -	551	199	180	96	39	26	540	21	-	-	-	-	-	-	-	-	-	-
Typhus -	487	10	21	32	13	27	108	62	22	50	40	60	57	40	46	19	4	-
Diarrhoea & Dysentery	669	432	125	19	3	9	589	5	1	2	4	7	5	6	11	9	6	2
Cholera -	73	16	7	3	4	3	35	8	4	1	8	7	8	5	2	1	1	1
Other Zymotic Dis.	412	63	60	40	46	24	208	80	9	10	14	23	24	27	20	13	3	2
Cancer -	287	-	-	1	-	1	2	2	2	7	5	17	48	70	97	50	6	-
Serofula and Tuberc.	334	142	66	23	9	2	242	19	15	7	16	11	10	6	5	3	-	-
Phthisis -	2169	47	42	21	8	10	128	45	29	115	247	482	530	338	159	33	3	-
Hydrocephalus -	531	108	99	49	25	11	202	25	7	2	1	2	1	-	-	-	-	-
Dis. of Brain -	1783	675	132	55	42	22	927	45	23	24	29	63	113	137	164	177	71	10
Dis. of Heart & Dropsy	933	8	2	7	5	5	27	15	32	37	35	129	144	181	171	89	20	5
Dis. of Lungs -	2818	768	362	167	45	34	1076	41	20	16	46	120	179	231	329	200	90	13
Dis. of Stom. and Liver	697	94	11	6	6	7	124	16	8	17	22	61	126	136	106	65	13	-
Dis. of Kidneys -	531	3	2	4	2	6	17	15	10	12	33	50	65	84	59	48	8	-
Dis. of Gener. Organs	6	-	-	-	1	-	1	-	-	-	-	2	2	2	2	1	-	-
Dis. of Joints -	101	1	1	2	-	1	5	8	10	0	16	17	16	9	10	7	-	-
Dis. of Skin -	82	25	3	3	-	-	34	-	4	-	6	7	8	4	12	6	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	89	-	-	-	-	-	-	-	-	5	4	20	29	17	16	7	-	-
Other Violent Deaths -	1462	69	30	21	28	20	168	60	96	129	138	264	224	144	128	61	16	-
Other Causes -	2040	1109	125	34	11	10	1290	9	6	5	12	43	63	63	75	188	229	20

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	80 years.	
25.—POPLAR.																			
Mean Popul ⁿ , 1861-71	48894	1699	1455	1497	1450	1408	7499	6323	5092	4072	3994	7762	6235	3989	2244	1213	410	61	
TOTAL DEATHS	12569	2856	1298	705	423	231	5562	533	217	283	323	830	947	847	910	1105	776	230	
Small-pox	182	27	13	33	17	18	123	22	5	6	7	11	5	3	-	-	-	-	
Measles	291	59	130	53	35	12	209	17	1	2	2	2	-	-	-	-	-	-	
Scarlatina	607	33	82	112	94	76	397	157	34	4	8	7	-	-	-	-	-	-	
Diphtheria	86	11	12	16	15	7	61	17	3	1	-	1	3	-	-	-	-	-	
Whooping-cough	458	163	139	95	32	16	445	13	-	-	-	-	-	-	-	-	-	-	
Typhus	513	18	23	21	25	27	114	79	46	39	28	59	57	32	29	23	7	-	
Diarrhoea & Dysentery	537	320	101	23	7	4	435	6	5	1	8	9	7	6	14	32	16	1	
Cholera	438	24	20	16	5	11	76	34	7	14	25	46	68	71	51	25	12	9	
Other Zymotic Dis.	294	50	32	29	33	10	154	8	6	9	9	9	8	7	10	14	7	1	
Cancer	292	-	-	1	1	-	2	-	-	2	-	15	55	85	70	46	12	2	
Scrophula and Tuberc.	512	138	81	32	13	10	274	9	6	7	1	4	4	1	4	1	1	-	
Phthisis	1294	89	31	20	11	7	108	28	35	92	122	348	294	162	64	20	1	-	
Hydrocephalus	175	64	45	19	10	12	169	9	5	2	-	-	-	-	-	-	-	-	
Dis. of Brain	1490	414	124	68	29	18	643	27	16	18	16	71	103	101	162	218	98	17	
Dis. of Heart & Dropsy	800	17	7	10	3	5	42	29	22	26	30	65	99	129	158	149	87	5	
Dis. of Lungs	1908	809	299	123	61	33	1028	44	8	18	17	44	78	111	192	221	127	20	
Dis. of Stom. and Liver	427	41	6	10	-	6	63	17	10	10	9	30	64	64	72	72	14	2	
Dis. of Kidneys	56	-	-	1	-	-	1	2	-	2	4	6	9	9	8	10	4	1	
Dis. of Genes. Organs	58	-	-	-	-	-	-	-	1	1	2	5	13	14	9	10	3	-	
Dis. of Joints	28	2	1	-	2	-	5	1	2	3	1	3	5	3	1	4	-	-	
Dis. of Skin	37	5	2	1	-	1	9	-	-	-	1	-	1	5	3	6	2	-	
Childbirth and Metris.	164	-	-	-	-	-	-	-	-	9	30	73	48	4	-	-	-	-	
Scalds	23	-	-	-	-	-	-	1	-	4	-	4	4	7	2	-	1	-	
Other Violent Deaths	198	69	19	10	6	4	108	9	5	8	9	7	17	12	5	11	5	2	
Other Causes	1975	853	126	22	11	4	1025	4	-	7	7	11	16	21	61	241	405	175	

26.—ST. SAVIOUR, SOUTHWARK.*

Mean Popul ⁿ , 1861-72	89900	2754	2370	2353	2241	2148	11866	9836	8533	7979	8362	14804	11541	8088	5114	2768	890
TOTAL DEATHS	21967	4036	2248	1249	686	439	9552	866	319	424	590	1440	1581	1005	1890	1262	1366
Small-pox	194	48	29	27	20	11	135	24	0	5	9	9	4	2	-	-	-
Measles	467	72	178	114	53	27	431	14	1	-	-	-	1	-	-	-	-
Scarlatina	985	50	141	178	150	106	640	270	41	9	11	9	3	2	-	-	-
Diphtheria	130	12	26	31	11	13	93	30	2	1	2	3	2	3	1	-	-
Whooping-cough	1007	309	321	195	101	42	968	36	3	-	-	-	-	-	-	-	-
Typhus	788	13	30	45	20	41	159	84	46	44	48	71	96	94	83	51	16
Diarrhoea & Dysentery	896	535	147	25	6	4	717	12	2	5	7	12	12	12	23	84	94
Cholera	91	20	12	1	4	3	40	7	1	2	3	11	7	2	14	3	2
Other Zymotic Dis.	471	81	69	71	40	34	286	43	11	11	14	17	19	18	17	21	12
Cancer	549	1	-	-	1	-	2	-	2	8	2	35	113	133	151	88	19
Scrophula and Tuberc.	550	139	90	51	14	7	281	26	10	7	7	6	7	4	1	2	-
Phthisis	2596	78	80	40	22	18	269	55	64	181	286	706	534	284	158	65	14
Hydrocephalus	328	125	105	38	24	11	303	19	4	1	-	-	-	-	-	-	-
Dis. of Brain	2293	776	185	94	26	30	1141	70	25	31	35	81	125	175	283	281	215
Dis. of Heart & Dropsy	1250	16	11	9	2	2	40	29	34	42	40	105	160	218	265	219	80
Dis. of Lungs	2696	831	238	240	91	69	1769	55	15	22	21	87	162	350	533	608	815
Dis. of Stom. and Liver	632	66	8	10	7	7	96	19	12	18	29	70	105	155	162	147	59
Dis. of Kidneys	291	2	1	3	1	1	7	8	8	10	12	35	36	27	31	26	8
Dis. of Genes. Organs	163	-	-	-	-	-	9	-	1	1	7	10	21	27	23	9	3
Dis. of Joints	67	3	1	2	4	1	11	12	9	3	5	11	3	6	4	3	-
Dis. of Skin	69	20	4	-	1	1	26	3	1	-	-	4	3	2	8	5	2
Childbirth and Metris.	227	-	-	-	-	-	-	-	-	10	36	97	83	1	-	-	-
Scalds	40	-	-	-	-	-	-	-	-	3	1	7	8	11	6	4	-
Other Violent Deaths	482	155	26	34	18	13	254	41	16	11	8	23	22	18	27	26	-
Other Causes	3332	1568	245	69	19	7	1599	18	10	9	14	24	37	50	110	378	547

27.—ST. OLAVE, SOUTHWARK.†

Mean Popul ⁿ , 1861-71	55881	1919	1598	1650	1577	1550	8294	6865	5653	4506	4092	8914	7096	4884	2975	1474	460
TOTAL DEATHS	14237	3169	1489	805	461	316	6235	596	217	350	481	1048	1104	1055	1127	1093	688
Small-pox	140	45	23	10	4	5	91	28	2	5	6	7	4	1	1	-	-
Measles	369	59	145	84	48	18	545	12	-	-	-	-	-	-	-	-	-
Scarlatina	749	39	120	129	88	8	519	184	17	7	10	8	4	-	-	-	-
Diphtheria	95	17	24	14	6	8	69	15	3	5	1	1	1	-	1	-	-
Whooping-cough	687	216	247	111	64	32	679	10	-	-	-	-	-	-	-	-	-
Typhus	474	8	24	35	16	24	97	68	24	30	26	40	75	46	42	17	3
Diarrhoea & Dysentery	567	562	101	24	5	3	590	1	-	1	3	6	8	9	23	25	9
Cholera	74	30	4	3	1	3	31	6	2	1	1	10	12	3	3	3	2
Other Zymotic Dis.	343	40	46	48	27	20	187	26	9	12	13	23	18	11	18	19	7
Cancer	294	-	1	-	-	-	1	2	1	3	2	40	83	127	82	42	9
Scrophula and Tuberc.	273	105	64	29	10	8	296	19	11	11	6	11	4	4	5	-	-
Phthisis	1565	56	20	23	12	16	126	41	47	122	219	498	305	169	64	29	2
Hydrocephalus	240	83	72	31	14	11	311	22	4	2	1	-	-	-	-	-	-
Dis. of Brain	1419	422	110	62	29	22	665	29	22	28	15	44	63	113	129	160	83
Dis. of Heart & Dropsy	720	3	5	2	-	-	8	20	27	22	41	68	105	139	124	117	41
Dis. of Lungs	2349	582	290	143	63	26	1104	34	8	10	26	68	123	192	334	617	118
Dis. of Stom. and Liver	653	33	6	5	3	4	70	11	9	12	19	69	98	113	132	74	33
Dis. of Kidneys	220	-	2	5	2	2	11	5	5	13	16	41	39	46	29	12	3
Dis. of Genes. Organs	135	1	-	-	-	1	2	-	-	6	10	29	37	28	23	19	6
Dis. of Joints	74	1	3	2	2	3	11	13	5	7	7	9	7	9	6	-	1
Dis. of Skin	60	19	3	-	2	-	24	-	2	2	1	3	4	3	5	3	1
Childbirth and Metris.	183	-	-	-	-	-	-	-	11	8	33	66	53	4	-	-	-
Scalds	45	-	-	-	-	-	-	-	-	7	8	11	6	9	2	2	-
Other Violent Deaths	375	77	25	22	18	6	148	52	14	10	9	25	30	34	24	29	16
Other Causes	2998	944	149	51	19	5	1148	13	4	6	7	13	20	25	71	229	348

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.

31.—LAMBETH.

Mean Popul ⁿ , 1861-71	85428	2858	2502	2456	2347	2394	12457	10270	8695	7486	7499	14256	10693	7289	4198	2007	516	62
TOTAL DEATHS -	20254	5900	2213	1019	606	394	10132	826	288	334	484	1069	1411	1576	1576	1515	858	185
Small-pox -	216	65	32	12	20	11	140	17	7	5	6	18	15	5	3	-	-	-
Measles -	539	105	215	126	61	19	514	24	1	-	-	-	-	-	-	-	-	-
Scarlatina -	1081	65	185	184	178	129	741	265	41	8	10	11	4	1	-	-	-	-
Diphtheria -	123	16	18	23	16	11	84	21	6	3	2	1	2	-	1	3	-	-
Whooping-cough -	788	306	271	101	53	27	758	29	1	-	-	-	-	-	-	-	-	-
Typhus -	675	24	68	37	39	24	162	113	44	37	32	54	63	81	59	41	10	-
Diarrhoea & Dysentery -	1014	748	143	22	8	6	927	8	1	4	1	3	4	12	11	17	22	4
Cholera -	104	45	6	5	2	4	60	5	3	5	3	10	9	5	3	3	1	-
Other Zymotic Dis. -	386	97	74	70	28	30	299	48	20	13	13	21	42	33	61	81	15	-
Cancer -	174	-	-	1	3	-	4	1	1	-	-	1	4	16	40	47	43	17
Scrofula and Tubercles -	458	220	86	33	17	10	361	25	17	13	10	8	9	6	6	2	2	-
Phthisis -	2444	65	269	30	11	12	158	41	42	13	270	546	549	420	100	60	14	1
Hydrocephalus -	431	160	103	69	33	22	382	35	9	3	1	-	-	-	-	-	-	-
Dis. of Brain -	2265	894	178	69	30	27	1218	51	20	19	22	64	114	176	232	288	149	13
Dis. of Heart & Dropsy -	852	10	3	8	2	2	26	24	17	17	74	107	165	194	150	56	4	-
Dis. of Lungs -	3811	1032	516	184	62	35	1829	46	12	16	31	117	226	339	468	463	214	20
Dis. of Stom. and Liver -	746	121	15	6	7	9	158	10	9	12	21	48	89	118	128	118	38	4
Dis. of Kidneys -	287	3	4	5	3	3	18	10	3	3	6	26	37	49	50	51	31	8
Dis. of Genes. Organs -	5	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-
Dis. of Joints -	62	1	4	-	3	3	11	6	7	7	4	3	6	7	5	4	2	-
Dis. of Skin -	65	21	8	2	-	-	31	1	-	-	-	-	3	5	6	12	6	1
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	90	-	-	-	-	-	-	-	-	-	6	13	19	28	16	8	-	-
Other Violent Deaths -	401	95	20	14	12	3	144	38	23	14	22	31	40	45	16	19	8	1
Other Causes -	2236	1819	241	33	8	6	2107	8	5	3	6	16	56	62	90	203	273	104

32.—WANDSWORTH.

Mean Popul ⁿ , 1861-71	44703	1420	1316	1286	1276	1223	6521	5710	4973	3985	3692	6887	5523	3772	2169	1109	321	41
TOTAL DEATHS -	9588	2785	907	401	305	194	4592	374	161	225	225	567	691	706	707	729	505	106
Small-pox -	118	36	16	7	6	7	72	13	6	1	5	15	4	1	1	-	-	-
Measles -	308	44	74	29	28	12	167	17	1	-	-	-	-	-	-	-	-	-
Scarlatina -	483	30	65	74	29	71	830	116	21	4	5	3	2	1	1	-	-	-
Diphtheria -	82	7	17	8	8	6	46	21	3	2	-	1	2	2	1	3	1	-
Whooping-cough -	266	105	87	33	19	8	254	2	-	-	-	-	-	-	-	-	-	-
Typhus -	242	7	8	16	12	8	51	28	19	21	11	23	29	23	10	10	1	1
Diarrhoea & Dysentery -	437	327	50	8	4	4	393	1	2	2	1	1	5	5	7	9	4	-
Cholera -	52	15	13	2	-	-	39	4	2	1	-	3	2	4	4	1	1	-
Other Zymotic Dis. -	279	40	23	37	27	20	153	15	8	10	8	13	13	16	19	7	2	-
Cancer -	83	-	-	-	-	-	-	-	-	-	1	4	12	16	22	12	-	-
Scrofula and Tubercles -	227	100	52	11	6	8	177	13	10	10	5	5	2	2	2	1	-	-
Phthisis -	1044	42	24	12	2	8	88	14	14	72	109	233	216	180	77	17	3	1
Hydrocephalus -	186	71	50	21	24	3	109	14	1	2	-	-	-	-	-	-	-	-
Dis. of Brain -	1379	378	86	35	26	9	534	39	16	20	19	65	137	128	134	180	98	9
Dis. of Heart & Dropsy -	518	8	2	3	1	2	16	9	10	17	8	36	62	75	114	115	51	5
Dis. of Lungs -	1495	493	218	69	37	18	833	12	5	13	14	38	73	110	146	156	82	13
Dis. of Stom. and Liver -	822	64	6	7	2	2	81	4	5	5	6	15	41	51	55	42	16	1
Dis. of Kidneys -	172	-	-	1	1	3	5	4	5	4	4	13	20	29	39	51	16	2
Dis. of Genes. Organs -	6	1	-	-	-	-	1	-	-	-	1	1	1	2	2	-	-	-
Dis. of Joints -	31	1	-	-	2	1	4	6	4	3	2	5	1	5	1	-	-	-
Dis. of Skin -	34	14	2	1	1	1	19	1	-	1	-	2	3	1	2	4	1	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	55	-	-	-	-	-	-	-	-	3	4	11	12	8	10	6	1	-
Other Violent Deaths -	324	29	15	7	4	5	60	27	25	33	23	45	81	36	21	14	6	4
Other Causes -	1555	967	99	13	5	-	1089	4	1	1	1	13	19	18	46	98	201	64

33.—CAMBERWELL.

Mean Popul ⁿ , 1861-71	41224	1423	1226	1251	1267	1187	6354	5414	4580	3695	3163	6028	4967	3472	2060	1097	352	42
TOTAL DEATHS -	9650	2665	855	389	254	173	4335	441	191	163	247	565	781	723	703	809	481	121
Small-pox -	65	12	9	2	5	3	31	6	3	4	3	9	6	1	-	2	-	-
Measles -	129	24	62	32	15	6	149	7	2	-	-	1	-	-	-	-	-	-
Scarlatina -	473	24	59	85	68	57	297	184	27	7	1	5	-	-	2	-	-	-
Diphtheria -	89	13	18	12	7	7	52	23	4	3	2	1	2	1	-	1	-	-
Whooping-cough -	307	147	99	29	16	5	296	11	-	-	-	-	-	-	-	-	-	-
Typhus -	261	15	15	14	14	23	81	83	26	11	12	24	21	18	19	10	6	1
Diarrhoea & Dysentery -	615	374	62	7	5	4	452	4	-	3	1	4	2	9	9	13	14	2
Cholera -	64	25	6	2	-	1	34	6	4	1	3	6	4	4	3	1	4	-
Other Zymotic Dis. -	228	34	28	25	17	11	115	23	10	8	2	7	16	13	16	10	4	-
Cancer -	85	-	-	-	-	-	-	1	-	1	3	9	10	20	27	14	5	4
Scrofula and Tubercles -	271	129	65	18	10	6	217	22	10	5	3	8	6	2	2	1	-	-
Phthisis -	1088	52	16	10	6	6	90	22	16	54	136	244	261	188	86	97	4	-
Hydrocephalus -	194	80	58	20	18	6	182	13	2	-	1	-	-	-	-	-	-	-
Dis. of Brain -	1569	377	75	45	18	12	627	59	19	13	18	69	171	153	182	207	121	10
Dis. of Heart & Dropsy -	432	5	3	1	3	2	14	16	16	12	14	27	61	65	85	85	82	7
Dis. of Lungs -	1673	407	174	58	34	16	689	25	7	10	22	61	91	138	203	205	114	20
Dis. of Stom. and Liver -	393	53	6	4	4	3	70	13	14	4	4	34	42	55	63	71	17	4
Dis. of Kidneys -	164	1	1	1	1	1	5	1	1	3	2	12	19	26	31	43	22	1
Dis. of Genes. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Dis. of Joints -	24	1	-	-	-	1	2	5	2	3	2	1	3	1	4	-	1	-
Dis. of Skin -	31	14	1	-	-	-	15	1	-	-	1	-	-	2	2	8	1	1
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	83	-	-	-	-	-	-	-	-	3	4	9	14	9	9	3	3	-
Other Violent Deaths -	248	42	12	1	5	2	62	28	23	18	10	18	26	21	20	9	8	3
Other Causes -	1353	822	101	23	8	1	935	6	5	1	5	9	23	26	28	96	132	67

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL	AGES OF FEMALES.																			25 years.	
	AGES.	Total under 1 Year.																				
		1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-						
31.—LAMBETH.																						
Mean Popul ⁿ , 1861-71	99765	2983	2464	2505	2441	2313	12706	10209	8995	9250	10212	17324	12383	8772	5611	3142	1033	128				
TOTAL DEATHS	20734	4847	2083	1062	152	438	9082	700	368	561	531	1313	1395	1358	1643	1950	1507	456				
Small-pox	188	48	25	17	12	12	114	26	7	8	7	11	9	3	2	1	-	-				
Measles	545	100	200	139	52	34	325	18	-	-	-	-	-	-	-	-	-	-				
Scarlatina	1042	49	155	185	161	123	673	230	59	12	18	21	4	5	2	-	-	-				
Diphtheria	158	15	30	27	28	12	112	35	8	1	3	-	1	-	2	1	-	-				
Whooping-cough	956	303	322	168	85	45	921	38	2	-	-	-	-	-	-	-	-	-				
Typhus	676	23	25	32	27	38	155	83	54	41	33	71	45	47	64	59	18	7				
Diarrhoea & Dysentery	945	616	144	11	13	5	799	6	-	2	1	10	13	16	16	30	12	20				
Cholera	139	47	14	1	5	2	69	12	6	7	1	7	10	6	4	8	3	-				
Other Zymotic Dis.	544	68	83	59	44	26	269	84	20	9	13	31	27	25	44	35	20	7				
Cancer	623	-	-	-	-	1	1	2	-	1	5	29	101	166	171	111	29	7				
Scrofula and Tuberc.	423	187	90	27	13	6	523	29	19	7	8	8	11	8	7	5	-	-				
Phthisis	2161	43	50	23	13	12	146	61	77	171	943	581	477	223	113	45	21	-				
Hydrocephalus	323	126	96	39	22	19	302	19	1	-	-	-	-	-	-	-	-	-				
Dis. of Brain	2962	636	151	73	33	31	944	57	24	20	24	66	100	152	219	268	298	44				
Dis. of Heart & Dropsy	1068	13	4	1	6	2	26	23	31	17	36	71	114	160	228	223	115	14				
Dis. of Lungs	3754	820	449	179	100	53	1611	47	23	13	27	71	145	252	454	614	415	72				
Dis. of Stom. and Liver	940	89	15	9	7	3	123	16	20	14	21	82	124	151	163	140	69	17				
Dis. of Kidneys	190	5	1	1	2	-	9	1	5	2	8	25	35	29	29	29	12	2				
Dis. of Genet. Organs	123	-	-	-	-	-	-	-	1	-	-	5	10	36	26	20	14	3				
Dis. of Joints	61	2	1	1	1	1	6	7	5	9	2	5	4	3	4	4	2	-				
Dis. of Skin	90	18	3	1	3	1	25	1	1	-	2	2	2	9	5	11	8	-				
Childbirth and Metris	312	-	-	-	-	-	-	-	-	15	61	162	73	1	-	-	-	-				
Suicide	45	-	-	-	-	-	-	-	-	1	3	11	11	11	4	4	-	-				
Other Violent Deaths	238	108	8	11	9	7	145	16	6	1	1	10	9	10	12	11	16	3				
Other Causes	2974	1511	207	43	9	5	1775	17	2	2	10	25	35	37	64	212	536	238				

32.—WANDSWORTH.

Mean Popul ⁿ , 1861-71	53029	1451	1339	1323	1320	1287	6720	5837	5171	4858	5079	9076	6762	4520	2760	1602	556	88				
TOTAL DEATHS	9436	2152	828	462	265	196	3903	400	169	196	239	595	650	618	783	875	770	249				
Small-pox	97	19	10	8	8	6	51	15	4	2	5	11	3	3	2	1	-	-				
Measles	310	38	72	89	17	12	192	14	3	-	1	-	-	-	-	-	-	-				
Scarlatina	483	35	72	79	72	56	314	125	22	5	6	11	3	-	-	1	1	-				
Diphtheria	95	8	6	11	9	14	48	29	8	4	1	2	-	1	2	-	-	-				
Whooping-cough	301	111	100	43	21	13	288	12	-	-	-	-	-	-	-	-	-	-				
Typhus	289	10	8	18	18	14	70	45	28	29	19	34	25	13	17	9	8	1				
Diarrhoea & Dysentery	409	279	44	11	6	3	349	4	-	1	1	6	4	9	13	13	12	3				
Cholera	43	18	3	3	1	1	26	9	1	1	1	4	1	1	3	2	1	-				
Other Zymotic Dis.	254	29	33	24	23	13	121	14	14	10	5	17	8	10	19	19	13	4				
Cancer	392	-	-	-	-	-	1	-	-	-	1	13	33	61	62	48	27	3				
Scrofula and Tuberc.	321	101	33	24	6	6	170	14	9	6	4	4	4	3	5	2	-	-				
Phthisis	928	22	22	10	1	8	63	25	27	91	99	234	206	112	49	17	5	-				
Hydrocephalus	144	54	32	17	8	8	119	13	10	-	-	-	-	-	-	-	-	-				
Dis. of Brain	1225	208	92	48	27	20	455	25	12	11	24	43	94	89	135	178	138	21				
Dis. of Heart & Dropsy	309	10	4	5	2	-	21	14	12	9	15	31	66	85	111	141	77	7				
Dis. of Lungs	1426	330	180	67	35	16	646	29	8	9	7	41	54	88	172	225	140	27				
Dis. of Stom. and Liver	412	42	5	3	1	1	52	9	4	3	12	34	50	49	82	69	50	7				
Dis. of Kidneys	68	-	2	-	2	-	4	1	-	2	2	11	11	15	18	15	6	1				
Dis. of Genet. Organs	60	-	-	-	-	-	-	-	-	1	2	5	7	16	15	11	2	1				
Dis. of Joints	31	2	-	-	-	-	1	1	1	4	-	3	7	6	4	1	6	3				
Dis. of Skin	32	13	1	-	-	-	14	1	-	-	2	-	1	4	1	6	3	-				
Childbirth and Metris	148	-	-	-	-	-	-	-	-	25	70	49	1	-	-	-	-	-				
Suicide	18	-	-	-	-	-	-	-	-	5	4	6	2	3	-	-	-	-				
Other Violent Deaths	123	29	13	12	8	-	37	11	1	4	4	4	8	10	6	8	2	-				
Other Causes	1512	714	95	26	8	2	845	6	5	4	4	12	10	22	39	116	279	173				

33.—CAMBERWELL.

Mean Popul ⁿ , 1861-71	50172	1387	1253	1243	1214	1185	6282	5416	4854	4902	4831	8050	6073	4318	2890	1817	653	86
TOTAL DEATHS	9928	2180	817	390	290	171	3857	410	173	187	236	661	677	691	801	1127	837	271
Small-pox	67	19	8	2	2	3	34	18	3	-	5	4	4	4	-	-	-	-
Measles	166	35	61	86	15	8	155	9	1	-	-	1	-	-	-	-	-	-
Scarlatina	457	31	51	70	73	52	277	120	28	0	3	9	4	-	1	-	-	-
Diphtheria	104	14	17	9	9	9	68	24	11	-	-	3	3	2	2	1	-	-
Whooping-cough	374	119	117	72	37	16	361	12	-	-	-	1	-	-	-	-	-	-
Typhus	212	12	11	12	14	13	62	45	22	18	9	26	21	15	15	18	7	4
Diarrhoea & Dysentery	400	265	49	9	2	2	325	7	-	-	3	8	4	3	14	16	19	1
Cholera	37	22	6	1	3	2	34	7	2	-	-	3	3	3	3	4	1	1
Other Zymotic Dis.	233	32	24	19	23	5	105	20	9	5	4	16	14	11	13	20	15	1
Cancer	364	-	-	-	-	-	-	-	-	-	2	14	49	93	83	89	29	5
Scrofula and Tuberc.	323	105	56	13	5	6	135	10	6	5	2	2	5	3	3	-	-	-
Phthisis	1092	32	13	10	11	6	72	25	28	68	104	268	221	123	41	28	3	1
Hydrocephalus	157	50	33	19	16	7	130	18	5	3	1	-	-	-	-	-	-	-
Dis. of Brain	1572	271	70	29	15	16	461	31	15	16	17	86	92	116	168	228	174	23
Dis. of Heart & Dropsy	604	8	3	3	2	2	18	9	20	11	15	37	54	73	127	154	95	13
Dis. of Lungs	1527	326	178	54	37	15	610	18	10	10	13	33	39	60	107	280	185	96
Dis. of Stom. and Liver	497	44	9	1	7	3	64	16	3	8	12	38	57	76	80	89	50	4
Dis. of Kidneys	107	2	1	1	3	-	7	4	5	2	3	14	5	21	19	17	10	-
Dis. of Genet. Organs	64	1	1	-	-	-	-	-	-	-	3	9	9	15	16	9	1	1
Dis. of Joints	28	1	-	1	-	1	5	7	-	2	1	4	2	3	1	2	1	1
Dis. of Skin	53	8	1	-	1	-	10	-	-	-	-	6	4	5	1	3	2	1
Childbirth and Metris	141	-	-	-	-	-	-	-	-	2	20	64	47	1	-	-	-	-
Swindlers	28	-	-	-	-	-	-	-	-	4	2	6	3	8	5	1	-	0
Other Violent Deaths	118	40	12	5	3	3	65	4	2	6	4	4	9	1	8	8	5	0
Other Causes	1549	754	91	24	10	2	681	6	1	2	3	6	8	20	59	169	209	143

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwds.	
35.—GREENWICH.*																			
Mean Popul ⁿ , 1861-71 -	66396	2036	1805	1796	1704	1741	9082	7541	7130	6451	6819	10778	7852	5206	3028	1657	755	97	
TOTAL DEATHS -	18177	4223	1582	799	506	340	7450	698	346	453	716	1489	1453	1386	1282	1286	1262	556	
Small-pox -	160	43	20	9	12	5	80	20	6	7	10	18	6	3	-	1	-	-	
Measles -	354	68	135	73	30	19	325	24	1	1	2	1	-	-	-	-	-	-	
Scarlatina -	760	40	95	127	146	90	498	198	53	11	8	7	3	2	-	-	-	-	
Diphtheria -	155	25	22	21	21	14	116	18	2	1	6	5	3	1	3	-	-	-	
Whooping-cough -	432	172	149	60	25	13	410	12	1	-	-	-	-	-	-	-	-	-	
Typhus -	724	21	33	40	37	36	167	90	54	57	54	86	81	58	44	23	9	1	
Diarrhoea & Dysentery -	818	480	103	24	9	6	622	8	2	7	26	39	18	17	22	21	20	6	
Cholera -	196	36	21	4	7	10	78	18	9	8	9	24	21	13	11	3	2	-	
Other Zymotic Dis. -	463	59	50	59	41	34	213	37	20	9	14	25	21	20	24	28	18	4	
Cancer -	170	-	-	-	1	-	1	-	-	2	2	13	11	34	41	34	26	2	
Serofula and Tabes -	365	149	79	30	15	6	279	24	14	12	10	9	9	3	2	3	-	-	
Phthisis -	2402	43	86	23	5	5	112	46	42	186	292	603	537	386	175	62	13	-	
Hydrocephalus -	388	170	109	45	24	11	359	22	5	-	-	-	-	-	1	-	-	-	
Dis. of Brain -	2027	706	144	69	31	16	966	32	25	24	24	72	131	182	187	295	169	26	
Dis. of Heart & Dropsy -	1024	24	8	6	6	3	47	10	23	21	40	130	132	178	103	134	104	10	
Dis. of Lungs -	2998	788	363	138	62	43	1894	43	12	23	57	163	167	199	253	394	244	39	
Dis. of Stom. and Liver -	645	90	5	-	4	7	106	18	9	13	30	62	57	101	196	71	50	19	
Dis. of Kidneys -	334	2	4	2	3	5	16	4	4	10	14	36	43	48	35	56	58	10	
Dis. of Gener. Organs -	4	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	
Dis. of Joints -	78	1	2	1	1	2	7	10	11	9	6	11	10	6	2	2	2	2	
Dis. of Skin -	64	18	7	1	-	-	26	1	-	2	8	12	7	12	10	4	2	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	89	-	-	-	-	-	-	-	-	5	4	10	20	13	18	7	3	-	
Other Violent Deaths -	814	82	30	21	10	10	153	40	64	89	88	103	92	74	52	55	23	1	
Other Causes -	2742	1206	157	46	13	5	1427	3	6	4	12	59	53	66	65	287	229	231	
36.—LEWISHAM.†																			
Mean Popul ⁿ , 1861-71 -	35764	1210	1017	1043	987	961	5218	4303	3563	3306	3416	5837	4418	2951	1630	754	242	36	
TOTAL DEATHS -	6874	1918	688	285	222	160	3253	311	124	120	200	536	512	470	46	440	345	161	
Small-pox -	54	7	4	4	4	3	22	5	3	3	7	7	5	1	1	-	-	-	
Measles -	145	23	55	24	22	11	135	10	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	551	28	38	62	60	31	239	84	19	2	2	5	-	-	-	-	-	-	
Diphtheria -	69	5	10	10	6	11	42	19	-	2	1	1	2	1	-	1	-	-	
Whooping-cough -	185	75	52	28	12	10	177	8	-	-	-	-	-	-	-	-	-	-	
Typhus -	265	8	11	10	13	6	48	27	15	20	19	30	14	14	6	8	1	1	
Diarrhoea & Dysentery -	364	261	46	9	4	6	325	5	-	1	1	7	2	-	2	7	14	-	
Cholera -	42	14	-	1	1	-	16	1	-	2	1	6	2	6	2	4	1	-	
Other Zymotic Dis. -	237	36	24	20	14	18	112	22	6	4	10	20	20	11	17	4	11	-	
Cancer -	70	-	-	1	-	-	1	-	-	-	-	4	8	20	20	13	4	-	
Serofula and Tabes -	133	56	31	8	3	4	102	13	3	6	1	2	2	2	-	2	-	-	
Phthisis -	863	12	10	3	6	2	33	20	19	46	103	239	205	121	57	17	-	1	
Hydrocephalus -	196	73	53	19	23	11	179	13	3	1	-	-	-	-	-	-	-	-	
Dis. of Brain -	793	273	56	21	13	12	375	27	7	2	7	39	49	51	89	95	56	11	
Dis. of Heart & Dropsy -	401	4	2	-	4	3	13	11	8	6	9	52	58	62	77	67	31	7	
Dis. of Lungs -	1022	339	152	45	22	5	554	14	7	4	16	43	44	64	94	95	71	16	
Dis. of Stom. and Liver -	324	67	2	3	2	1	75	9	6	3	4	30	44	43	47	45	15	3	
Dis. of Kidneys -	135	-	2	1	-	-	3	5	1	3	3	15	18	19	16	30	19	1	
Dis. of Gener. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	50	1	-	-	2	-	3	7	3	8	-	4	3	2	2	3	-	-	
Dis. of Skin -	19	8	3	-	-	-	11	1	-	1	-	2	1	-	2	1	-	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	55	-	-	-	-	-	-	-	1	-	-	9	7	10	6	-	2	4	
Other Violent Deaths -	188	28	11	4	6	4	63	7	18	10	12	18	20	20	6	6	2	4	
Other Causes -	1012	629	76	12	5	2	724	3	4	1	2	12	8	23	21	42	115	57	

* This Table includes population of the Sub-district of Woolwich Dockyard and Arsenal with the Deaths occurring therein for the whole 10 years.

† This Table includes the portion of the new Woolwich District not transferred to and included in the Greenwich Table.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
35.—GREENWICH.*																			
Mean Popul ⁿ , 1861-71	65517	1968	1721	1741	1733	1683	8846	7446	6313	5677	6008	10630	8266	5702	3592	2101	613	123	
TOTAL DEATHS	15017	3517	1552	758	470	327	6624	631	272	315	378	977	1069	955	1135	1276	1075	330	
Small-pox	162	42	21	13	11	10	97	24	6	6	9	8	7	5	-	-	-	-	
Measles	290	55	117	55	30	22	279	6	3	-	1	1	-	-	-	-	-	-	
Scarlatina	746	44	95	134	109	97	479	198	33	12	9	13	2	-	-	-	-	-	
Diphtheria	137	21	19	25	20	13	98	16	10	2	3	5	1	1	-	-	1	-	
Whooping-cough	548	195	188	70	46	25	524	21	8	-	-	-	-	-	-	-	-	-	
Typhus	644	29	43	51	37	27	187	90	54	40	31	66	54	51	40	24	7	-	
Diarrhoea & Dysentery	692	438	109	13	4	4	568	13	2	2	4	10	9	12	18	21	29	8	
Cholera	171	21	15	7	7	4	52	17	4	4	6	23	27	17	9	11	1	-	
Other Zymotic Dis.	348	60	62	42	36	23	213	23	10	10	4	20	12	18	12	10	15	1	
Cancer	370	-	1	1	1	1	4	1	-	-	-	17	60	93	101	63	26	5	
Scrofula and Tuberc.	332	138	93	29	6	8	274	20	10	8	2	5	2	3	6	1	1	-	
Phthisis	1725	44	55	27	8	10	124	43	55	132	184	443	375	209	123	34	3	-	
Hydrocephalus	248	94	71	32	20	9	235	19	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain	1674	595	129	69	41	27	832	40	29	28	13	48	82	113	147	186	120	25	
Dis. of Heart & Dropsy	844	18	6	5	4	6	37	14	18	18	19	61	105	115	172	190	87	8	
Dis. of Lungs	2287	577	348	142	67	28	1162	42	15	18	16	53	88	124	265	297	170	30	
Dis. of Stom. and Liver	689	53	17	4	1	3	73	11	6	13	17	43	80	90	100	105	35	5	
Dis. of Kidneys	121	-	2	4	4	1	11	1	3	2	6	18	20	16	20	15	0	-	
Dis. of Genes. Organs	80	-	1	-	1	-	2	-	2	3	9	9	22	13	20	8	1	-	
Dis. of Joints	35	1	2	1	-	-	4	5	4	1	2	6	5	1	3	1	2	1	
Dis. of Skin	53	20	3	1	2	1	27	-	-	-	-	6	5	4	3	5	3	-	
Childbirth and Metria	394	-	-	-	-	-	-	-	-	10	31	87	76	-	-	-	-	-	
Suicide	25	-	-	-	-	-	-	-	-	-	1	4	5	4	4	5	-	-	
Other Violent Deaths	225	83	27	12	5	-	127	11	9	2	8	10	15	6	12	6	15	4	
Other Causes	2465	989	160	32	10	8	1199	16	4	5	9	16	17	40	79	294	551	231	
36.—LEWISHAM.†																			
Mean Popul ⁿ , 1861-71	41904	1201	994	1067	1044	985	5291	4351	3922	4159	4637	7459	4961	3371	2123	1095	372	63	
TOTAL DEATHS	6090	1611	608	332	189	158	2898	309	124	157	169	455	474	456	481	558	483	146	
Small-pox	42	17	3	2	2	1	25	4	-	2	3	3	2	1	1	1	-	-	
Measles	130	28	53	32	11	9	127	7	2	-	-	-	-	-	-	-	-	-	
Scarlatina	339	59	56	63	43	54	216	101	18	7	5	6	5	-	-	1	-	-	
Diphtheria	98	5	11	22	8	9	55	25	4	1	2	4	3	1	-	-	-	-	
Whooping-cough	293	105	75	35	27	14	292	12	-	-	-	-	-	-	-	-	-	-	
Typhus	237	5	11	18	11	7	62	31	23	29	14	60	13	13	15	9	17	7	
Diarrhoea & Dysentery	309	296	34	8	-	-	248	3	1	-	1	3	2	4	6	8	7	4	
Cholera	41	10	2	2	-	2	16	4	2	-	2	3	3	1	6	3	-	1	
Other Zymotic Dis.	200	23	30	29	17	16	120	6	5	7	5	10	12	8	3	12	11	1	
Cancer	230	-	-	-	-	-	-	-	-	2	1	9	40	75	55	55	12	1	
Scrofula and Tuberc.	116	44	29	10	2	5	81	7	8	1	2	6	6	4	1	-	-	-	
Phthisis	690	29	16	6	5	2	43	19	19	65	79	201	164	59	35	13	1	1	
Hydrocephalus	158	59	45	15	12	7	136	18	2	-	1	1	-	-	-	-	-	-	
Dis. of Brain	797	245	65	24	13	11	346	20	11	9	8	26	51	52	71	105	77	21	
Dis. of Heart & Dropsy	450	8	6	-	2	2	13	10	6	9	12	27	39	60	95	97	43	5	
Dis. of Lungs	503	223	124	43	30	15	439	15	7	8	8	24	30	44	90	110	105	25	
Dis. of Stom. and Liver	324	33	13	7	1	2	50	7	6	7	8	23	17	52	51	48	34	5	
Dis. of Kidneys	85	1	1	-	-	1	3	2	1	2	4	13	11	15	17	9	5	2	
Dis. of Genes. Organs	52	-	-	-	-	-	-	-	3	-	1	8	16	10	8	4	3	2	
Dis. of Joints	20	-	-	1	-	2	3	2	3	3	-	2	2	1	3	-	1	-	
Dis. of Skin	20	9	-	-	-	-	9	-	2	-	-	3	3	1	-	1	1	-	
Childbirth and Metria	89	-	-	-	-	-	-	-	-	5	10	43	28	2	-	-	-	-	
Suicide	11	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	1	-	
Other Violent Deaths	93	39	8	4	3	3	57	5	2	-	4	1	2	3	7	3	6	3	
Other Causes	949	508	69	11	2	2	592	8	2	2	4	6	12	18	16	79	158	72	

* This Table includes population of the Sub-district of Woolwich Dockyard and Arsenal with the Deaths occurring therein for the whole 10 years.

† This Table includes the portion of the new Woolwich District not transferred to and included in the Greenwich Table.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
		1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	
37.—EPSOM.																			
Mean Popul ⁿ , 1861-71		12891	372	308	338	340	324	1682	1636	1752	1206	995	1711	1416	1126	769	432	144	22
TOTAL DEATHS -		2500	466	134	74	44	53	771	122	45	54	55	150	162	181	247	248	205	60
Small-pox -		19	4	-	2	1	-	7	1	1	2	-	4	1	3	-	-	-	-
Measles -		38	4	16	8	-	4	22	5	1	-	-	-	-	-	-	-	-	-
Scarlatina -		93	5	9	19	12	11	56	26	5	2	-	3	1	-	-	-	-	-
Diphtheria -		25	4	3	4	3	3	17	4	1	1	2	-	-	-	-	-	-	-
Whooping-cough -		47	18	14	5	2	5	44	2	-	-	-	-	-	-	-	-	-	-
Typhus -		57	-	3	1	2	1	7	7	3	9	7	11	3	3	5	2	-	-
Diarrhoea & Dysentery -		87	37	12	2	1	3	55	10	1	-	1	-	4	-	3	4	6	3
Cholera -		14	9	1	-	-	-	10	-	-	-	-	-	1	-	1	1	1	-
Other Zymotic Dis. -		52	8	4	3	3	3	21	4	3	4	2	2	1	6	4	5	2	-
Cancer -		34	-	-	-	-	-	1	1	1	-	-	3	-	6	6	11	4	1
Scrofula and Tubercles -		48	25	10	-	-	1	36	7	1	-	-	-	2	1	1	-	-	-
Phthisis -		258	3	4	2	1	1	11	6	5	11	24	62	64	38	27	7	3	-
Hydrocephalus -		29	7	5	4	5	5	26	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		252	60	8	6	5	4	83	11	4	6	3	6	10	21	29	35	36	7
Dis. of Heart & Dropsy -		163	2	-	-	-	2	4	6	5	4	1	10	14	16	32	35	23	3
Dis. of Lungs -		387	93	27	10	3	3	135	10	4	1	2	16	25	38	47	68	52	8
Dis. of Stom. and Liver -		123	21	2	5	-	1	27	1	1	1	1	3	11	15	37	16	8	2
Dis. of Kidneys -		73	-	-	-	-	-	-	3	1	2	1	6	5	6	20	12	13	4
Dis. of Gener. Organs -		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		10	-	1	-	2	-	5	2	-	-	1	-	2	1	1	-	-	-
Dis. of Skin -		10	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -		22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		112	10	4	2	3	1	30	5	6	7	10	15	14	9	16	6	5	1
Other Causes -		357	151	11	5	1	5	171	6	2	2	-	5	12	8	14	42	74	31
38.—CHERTSEY.																			
Mean Popul ⁿ , 1861-71		10153	282	286	294	274	289	1425	1217	1145	920	824	1357	1174	904	631	404	135	17
TOTAL DEATHS -		1872	397	100	50	33	28	617	72	38	32	55	114	140	149	185	214	201	55
Small-pox -		10	3	-	1	-	-	4	-	-	-	2	2	-	-	1	1	-	-
Measles -		30	5	13	3	3	1	25	4	-	1	-	-	-	-	-	-	-	-
Scarlatina -		56	-	10	9	6	5	30	15	6	3	-	-	-	-	-	-	-	-
Diphtheria -		17	1	1	2	1	3	8	5	1	-	-	2	-	1	-	-	-	-
Whooping-cough -		37	18	12	1	2	4	37	-	-	-	-	-	-	-	-	-	-	-
Typhus -		60	1	-	1	2	-	4	5	5	6	6	7	5	6	7	4	5	-
Diarrhoea & Dysentery -		73	37	8	1	1	1	48	2	-	-	-	-	2	3	3	3	6	3
Cholera -		5	3	-	-	-	-	3	-	-	-	-	-	-	1	-	1	-	-
Other Zymotic Dis. -		55	9	4	3	5	2	23	6	3	1	2	3	2	4	5	4	2	-
Cancer -		20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles -		20	4	2	1	-	1	8	2	3	3	-	2	1	1	1	-	-	-
Phthisis -		182	1	4	1	-	1	7	5	6	10	20	47	49	18	14	5	1	-
Hydrocephalus -		31	14	9	2	1	1	27	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -		248	57	8	7	1	1	74	6	1	1	3	12	9	25	29	47	36	5
Dis. of Heart & Dropsy -		154	1	-	1	1	1	4	-	1	1	2	13	19	18	24	27	23	3
Dis. of Lungs -		292	74	18	9	5	-	106	8	2	2	2	8	12	31	40	40	33	3
Dis. of Stom. and Liver -		90	11	1	1	-	3	16	2	1	-	1	2	14	12	22	14	5	1
Dis. of Kidneys -		51	-	-	-	-	-	-	-	-	-	-	-	2	4	4	6	1	-
Dis. of Gener. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Dis. of Skin -		15	4	2	-	-	-	6	-	-	-	1	-	1	-	4	2	-	1
Childbirth and Metria -		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		95	6	3	4	5	1	19	8	7	2	12	11	9	13	5	5	2	2
Other Causes -		339	148	14	2	-	3	167	1	1	2	-	1	9	9	10	46	79	28
39.—GUILDFORD.																			
Mean Popul ⁿ , 1861-71		16148	426	397	401	389	381	1994	1883	1822	1473	1244	2237	1954	1534	1105	653	230	19
TOTAL DEATHS -		3489	617	183	100	57	59	1016	134	64	75	148	293	284	317	315	410	344	80
Small-pox -		18	3	1	1	-	-	5	1	-	-	1	2	2	4	-	1	2	-
Measles -		57	12	20	10	4	3	49	6	1	-	1	-	-	-	-	-	-	-
Scarlatina -		106	4	10	13	15	15	57	36	9	1	2	-	1	-	-	-	-	-
Diphtheria -		47	3	3	5	8	5	24	11	4	5	1	-	-	1	-	-	1	-
Whooping-cough -		61	27	21	7	3	2	60	1	-	-	-	-	-	-	-	-	-	-
Typhus -		102	4	3	4	1	1	13	9	10	11	10	6	16	8	5	9	5	-
Diarrhoea & Dysentery -		85	43	10	5	3	3	62	-	-	-	1	-	-	3	1	10	8	1
Cholera -		11	4	-	-	-	-	6	1	-	-	-	-	-	1	1	1	-	-
Other Zymotic Dis. -		86	5	7	5	10	2	29	10	-	3	3	4	6	3	10	10	7	1
Cancer -		52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles -		81	26	6	5	1	2	40	9	2	3	7	11	3	11	14	15	7	-
Phthisis -		541	5	4	2	1	1	13	7	7	28	70	156	108	82	60	18	2	-
Hydrocephalus -		61	25	14	10	2	4	55	3	1	1	-	-	1	-	-	-	-	-
Dis. of Brain -		456	107	15	8	2	7	130	4	8	3	7	29	51	47	55	70	50	17
Dis. of Heart & Dropsy -		303	-	-	-	-	2	2	5	4	11	24	27	42	54	78	33	3	3
Dis. of Lungs -		499	131	61	18	1	6	202	15	4	5	3	12	18	47	52	81	39	10
Dis. of Stom. and Liver -		149	9	-	1	-	2	12	6	5	1	7	10	19	22	19	35	11	2
Dis. of Kidneys -		115	-	-	-	-	-	-	2	1	2	6	10	11	15	21	23	23	1
Dis. of Gener. Organs -		14	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		9	1	1	-	-	-	2	-	-	-	1	-	-	2	2	-	-	-
Dis. of Skin -		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -		18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		114	7	4	4	5	3	23	8	7	6	8	19	6	13	11	6	7	-
Other Causes -		478	200	13	3	1	-	223	2	-	1	4	5	8	8	14	37	116	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.				Total under 5 Years.													
		1	2	3	4	5	6	10	15	20	25	35	45	55	65	75	85	95	upwards

37.—EPSOM.																			
Mean Popul ⁿ , 1861-71	13460	368	314	339	303	326	1650	1632	1556	1198	1222	2052	1518	1143	796	472	188	33	
TOTAL DEATHS	2083	351	132	60	52	40	644	131	52	61	63	128	143	152	170	220	236	83	
Small-pox	7	-	-	-	1	-	1	3	-	-	1	1	-	-	1	-	-	-	
Measles	44	6	16	4	4	3	53	9	2	-	-	-	-	-	-	-	-	-	
Scarlatina	90	10	11	11	13	11	56	30	4	-	1	2	-	-	-	-	-	-	
Diphtheria	45	3	2	3	5	9	22	15	2	3	1	-	-	2	-	-	-	-	
Whooping-cough	62	25	18	8	1	6	58	4	-	-	-	-	3	-	-	-	-	-	
Typhus	58	-	-	-	3	3	5	5	6	13	3	6	3	-	5	4	3	-	
Diarrhoea & Dysentery	48	22	6	-	-	-	28	7	-	1	-	3	1	-	3	3	1	1	
Cholera	15	8	1	1	1	-	11	1	-	-	1	-	1	-	1	-	-	-	
Other Zymotic Dis.	47	5	2	1	5	5	18	4	4	1	-	4	4	2	6	2	2	1	
Cancer	86	-	-	-	1	-	1	-	1	1	-	-	2	12	27	17	16	6	3
Scrophula and Tuberc.	58	15	7	-	3	1	26	6	3	1	-	-	1	-	-	1	-	-	
Phthisis	221	1	3	1	1	1	7	9	8	25	36	55	39	29	8	3	1	-	
Hydrocephalus	51	8	4	3	2	-	17	9	3	1	-	-	-	-	-	-	-	-	
Dis. of Brain	263	48	15	10	3	2	78	4	4	4	6	10	9	15	33	47	47	6	6
Dis. of Heart & Dropsy	156	2	1	-	-	-	4	4	5	8	2	5	9	22	24	45	24	6	6
Dis. of Lungs	302	65	25	7	4	2	163	8	4	2	4	9	11	13	27	33	40	15	15
Dis. of Stom. and Liver	147	3	3	2	2	-	19	6	2	2	4	9	15	18	33	25	19	2	2
Dis. of Kidneys	24	-	-	-	-	-	-	1	-	-	2	-	7	4	4	3	3	-	
Dis. of Gen. Organs	11	-	-	-	-	-	-	-	-	-	-	2	2	4	2	1	-	-	
Dis. of Joints	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	
Dis. of Skin	8	1	-	-	-	-	1	-	-	-	-	1	-	-	1	1	2	1	
Childbirth and Metris	41	-	-	-	-	-	-	-	-	2	3	15	19	2	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	
Other Violent Deaths	53	6	4	2	1	1	14	2	-	-	1	1	2	5	-	2	3	3	
Other Causes	326	123	14	5	2	4	148	1	2	-	1	2	6	5	5	33	58	45	

38.—CHERTSEY.																			
Mean Popul ⁿ , 1861-71	10686	292	278	281	305	270	1428	1289	1059	890	947	1653	1228	962	670	387	155	20	
TOTAL DEATHS	1738	285	107	59	31	20	502	78	48	57	51	103	133	115	174	232	182	63	
Small-pox	6	1	-	-	-	-	1	-	1	1	-	-	1	-	2	-	-	-	
Measles	20	5	7	2	1	1	16	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina	65	-	6	10	8	10	34	16	8	8	2	2	-	-	-	-	-	-	
Diphtheria	23	1	-	3	-	-	4	11	-	-	2	-	1	-	-	-	-	-	
Whooping-cough	46	15	17	11	2	1	46	-	-	-	-	7	8	3	3	2	5	5	
Typhus	49	1	2	-	1	2	6	12	4	3	2	3	-	-	-	8	1	1	
Diarrhoea & Dysentery	61	23	12	-	-	-	39	1	-	-	-	3	-	-	1	-	-	-	
Cholera	9	3	-	-	-	-	3	-	-	-	-	-	-	-	5	6	2	1	
Other Zymotic Dis.	43	1	3	8	3	2	17	3	2	3	1	3	-	-	5	6	2	1	
Cancer	62	-	-	-	-	-	-	-	-	-	1	1	9	14	18	16	3	-	
Scrophula and Tuberc.	21	6	3	2	1	-	11	3	1	1	-	2	2	1	-	-	-	-	
Phthisis	183	3	4	-	-	-	7	2	10	19	24	44	46	24	11	-	1	-	
Hydrocephalus	27	6	6	3	1	1	17	8	1	1	-	-	-	-	-	-	-	-	
Dis. of Brain	200	29	10	5	2	-	46	2	5	7	8	7	15	14	25	38	28	5	
Dis. of Heart & Dropsy	149	1	-	-	-	-	1	1	4	2	2	7	18	10	37	43	13	2	
Dis. of Lungs	223	51	22	5	7	-	85	6	2	2	-	6	6	12	31	40	28	5	
Dis. of Stom. and Liver	104	6	-	-	1	-	7	4	1	4	1	3	9	18	20	24	7	-	
Dis. of Kidneys	59	-	-	-	-	-	-	-	3	-	-	2	2	3	7	8	1	1	
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	1	1	
Dis. of Joints	5	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	
Dis. of Skin	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	
Childbirth and Metris	22	-	-	-	-	-	-	-	-	-	4	11	6	1	-	-	-	-	
Suicide	9	-	-	-	-	-	-	-	-	2	-	-	3	2	1	1	-	-	
Other Violent Deaths	52	7	5	4	2	1	19	1	-	2	-	2	4	1	-	3	3	3	
Other Causes	335	125	10	4	2	2	145	4	-	2	1	2	4	6	2	42	88	45	

39.—GUILDFORD.																			
Mean Popul ⁿ , 1861-71	16351	437	420	412	428	389	2086	1909	1681	1376	1417	2464	2014	1500	1012	594	265	33	
TOTAL DEATHS	2853	485	145	88	66	55	839	132	71	104	107	198	217	180	256	347	306	66	
Small-pox	19	4	3	-	1	1	9	-	1	1	4	3	-	-	-	1	-	-	
Measles	36	8	6	7	7	4	32	3	-	-	-	-	1	-	-	-	-	-	
Scarlatina	115	9	6	13	13	15	56	31	15	4	5	4	-	-	-	-	-	-	
Diphtheria	57	2	2	3	3	8	18	27	7	3	1	1	-	-	-	-	-	-	
Whooping-cough	55	41	23	8	3	3	78	7	-	-	-	-	-	-	-	-	-	-	
Typhus	83	3	2	4	4	1	14	12	7	10	7	5	10	7	7	3	-	1	
Diarrhoea & Dysentery	78	39	8	1	2	3	53	1	-	-	-	-	-	-	2	5	10	3	
Cholera	5	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-	
Other Zymotic Dis.	56	8	-	5	3	3	19	5	1	3	1	3	1	2	3	10	6	2	
Cancer	104	-	-	-	-	-	-	-	-	-	1	3	9	18	33	24	12	2	
Scrophula and Tuberc.	66	23	2	5	3	2	35	3	3	6	1	4	4	3	3	2	2	-	
Phthisis	229	2	4	2	-	-	8	4	13	55	47	97	66	27	22	10	-	-	
Hydrocephalus	33	7	0	8	2	2	26	4	4	-	1	-	-	-	-	-	-	-	
Dis. of Brain	568	65	13	6	6	6	96	5	6	12	11	16	28	39	38	69	67	9	
Dis. of Heart & Dropsy	265	5	3	-	-	-	6	5	3	8	6	19	30	25	63	46	2	-	
Dis. of Lungs	414	99	44	15	14	5	171	32	3	6	7	11	19	19	40	67	43	17	
Dis. of Stom. and Liver	145	10	1	-	1	-	12	5	4	6	5	12	19	20	23	24	15	-	
Dis. of Kidneys	53	-	-	1	-	-	1	1	-	-	1	4	8	6	2	3	4	-	
Dis. of Gen. Organs	22	-	-	-	-	-	-	-	-	-	-	5	8	-	-	4	1	-	
Dis. of Joints	10	-	-	1	-	-	1	-	1	-	-	2	-	-	1	-	-	-	
Dis. of Skin	13	4	-	-	-	-	4	1	-	-	1	1	1	1	2	2	-	-	
Childbirth and Metris	59	-	-	-	-	-	-	-	-	4	6	16	21	1	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	
Other Violent Deaths	58	4	3	4	4	1	16	5	2	1	-	1	1	1	3	8	4	1	
Other Causes	421	163	15	3	-	1	182	3	-	2	1	3	4	4	12	46	104	69	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	Total under 5 Years.	Total under 1 Year.	Suppl.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85					
40 & 41.—FARNHAM AND FARNBOROUGH.																					
Mean Popul ⁿ , 1861-71	29857	660	631	550	529	508	2878	2209	1846	3601	5640	7369	3231	1483	894	513	166	27			
TOTAL DEATHS	4486	1202	321	159	134	85	1901	175	69	104	204	554	405	258	252	272	240	52			
Small-pox	9	1	1	-	-	-	2	-	-	2	2	1	-	-	-	2	-	-	-	-	
Measles	79	18	28	12	9	4	71	7	1	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	245	17	37	29	42	33	198	68	10	4	4	1	-	-	-	-	-	-	-	-	
Diphtheria	29	2	4	1	5	5	17	7	3	2	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	63	28	19	8	5	2	62	1	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	124	4	1	5	5	3	18	15	12	17	13	18	12	7	7	4	1	-	-	-	
Diarrhoea & Dysentery	188	111	25	5	4	2	147	2	-	1	2	7	3	5	5	4	10	2	-	-	
Cholera	10	2	-	1	-	-	3	-	-	-	1	3	2	1	-	-	-	-	-	-	
Other Zymotic Dis.	111	14	8	12	7	7	48	6	1	9	8	14	7	5	5	6	2	-	-	-	
Cancer	28	-	1	-	-	-	1	-	-	1	-	-	3	3	10	5	3	-	-	-	
Serofula and Tabes	73	29	16	3	6	1	54	6	1	2	3	4	1	1	1	1	1	-	-	-	
Phthisis	587	7	4	4	5	4	24	6	9	-	80	190	137	80	25	7	1	-	-	-	
Hydrocephalus	92	33	21	16	10	4	84	6	1	28	6	-	-	-	-	-	1	-	-	-	
Dis. of Brain	536	190	36	15	6	5	261	12	5	3	17	35	37	32	40	54	35	5	5	5	
Dis. of Heart & Dropsy	335	12	3	1	1	1	18	6	9	9	12	83	63	23	39	45	15	1	1	1	
Dis. of Lungs	625	174	65	27	13	10	279	9	4	8	24	73	49	34	49	54	36	4	4	4	
Dis. of Stom. and Liver	225	39	6	5	2	1	53	3	2	9	9	35	23	27	30	18	15	1	1	1	
Dis. of Kidneys	73	-	-	-	-	-	-	1	1	-	-	6	17	7	9	18	12	-	-	-	
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Dis. of Joints	15	-	-	-	1	-	1	2	1	1	1	3	2	-	-	2	2	-	-	-	
Dis. of Skin	10	6	-	-	1	-	6	-	-	-	1	1	1	-	1	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	35	-	-	-	-	-	-	-	-	2	2	11	5	4	8	2	1	-	-	-	
Other Violent Deaths	190	16	11	7	8	2	44	14	7	5	16	46	24	12	11	8	3	-	-	-	
Other Causes	892	491	45	8	4	2	550	4	2	1	9	20	19	12	15	42	93	34	3	3	

42.—HAMBLEDON.

Mean Popul ⁿ , 1861-71	7612	216	185	204	211	198	1014	898	921	711	588	955	823	692	545	321	129	15		
TOTAL DEATHS	1278	249	61	30	32	17	389	57	25	35	30	79	72	78	107	173	192	41		
Small-pox	6	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1		
Measles	8	2	2	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1		
Scarlatina	41	2	3	4	9	1	19	12	5	4	1	1	1	1	1	1	1	1		
Diphtheria	35	3	8	1	2	1	15	10	4	1	1	2	2	1	1	1	1	1		
Whooping-cough	19	10	4	1	1	1	17	2	1	1	1	1	1	1	1	1	1	1		
Typhus	27	1	1	1	1	1	2	4	1	2	2	4	2	3	4	5	6	1		
Diarrhoea & Dysentery	33	13	2	1	1	1	17	1	1	1	1	1	1	1	1	1	1	1		
Cholera	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Other Zymotic Dis.	35	6	3	3	3	1	16	3	1	2	1	1	1	1	2	3	7	1		
Cancer	25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Serofula and Tabes	16	3	2	1	1	1	16	2	1	1	1	2	2	3	4	10	4	1		
Phthisis	122	1	1	1	1	1	2	2	2	11	12	34	24	12	12	5	1	1		
Hydrocephalus	34	9	14	3	1	1	27	6	1	1	1	1	1	1	1	1	1	1		
Dis. of Brain	147	42	4	3	2	2	53	1	1	3	1	4	5	14	10	28	25	2		
Dis. of Heart & Dropsy	114	1	1	1	1	1	1	1	1	1	1	3	9	11	23	34	29	1		
Dis. of Lungs	186	45	19	6	5	3	71	4	1	4	2	9	14	9	24	24	23	1		
Dis. of Stom. and Liver	53	10	1	2	1	1	13	2	1	1	2	2	2	3	10	11	7	1		
Dis. of Kidneys	31	1	1	1	1	1	1	3	1	1	1	2	2	3	4	8	7	1		
Dis. of Gener. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Dis. of Joints	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Dis. of Skin	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Childbirth and Metria	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Suicide	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Other Violent Deaths	60	6	2	1	1	3	16	2	6	4	3	11	2	5	5	3	3	1		
Other Causes	263	93	4	1	2	1	100	2	1	1	1	3	2	3	5	35	79	33		

43.—DORKING.

Mean Popul ⁿ , 1861-71	6661	196	169	172	186	153	876	812	746	656	516	825	785	624	456	259	95	11		
TOTAL DEATHS	1209	226	72	28	27	14	367	51	24	22	43	82	85	85	114	167	136	33		
Small-pox	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Measles	8	3	2	1	1	1	6	2	1	1	1	1	1	1	1	1	1	1		
Scarlatina	35	1	4	4	6	3	18	15	1	1	1	1	1	1	1	1	1	1		
Diphtheria	14	1	3	1	1	1	4	4	3	1	2	1	1	1	1	1	1	1		
Whooping-cough	59	14	10	5	2	1	30	4	4	5	4	6	4	2	3	1	2	1		
Typhus	40	1	2	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1		
Diarrhoea & Dysentery	50	14	4	1	1	1	19	1	1	1	1	1	1	1	1	1	1	1		
Cholera	5	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1		
Other Zymotic Dis.	38	9	3	4	3	2	21	3	1	1	1	1	1	1	1	1	1	1		
Cancer	23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Serofula and Tabes	17	4	2	1	1	1	6	1	4	1	1	1	1	1	1	1	1	1		
Phthisis	145	1	2	1	1	1	5	4	1	7	11	38	27	20	17	5	1	1		
Hydrocephalus	23	7	5	4	3	1	19	3	1	1	1	1	1	1	1	1	1	1		
Dis. of Brain	157	32	10	1	2	1	45	4	5	2	4	8	9	11	19	33	14	1		
Dis. of Heart & Dropsy	89	4	1	1	1	1	6	1	1	1	1	2	8	11	5	19	27	1		
Dis. of Lungs	146	28	11	4	4	2	49	4	1	1	2	8	11	5	19	27	18	1		
Dis. of Stom. and Liver	57	7	1	1	1	1	7	1	2	1	1	3	4	7	10	13	10	1		
Dis. of Kidneys	33	1	1	1	1	1	2	1	1	1	1	3	3	11	7	14	9	1		
Dis. of Gener. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Dis. of Joints	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Dis. of Skin	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Childbirth and Metria	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Suicide	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Other Violent Deaths	49	4	3	3	1	1	11	4	1	3	3	6	7	7	2	2	2	1		
Other Causes	229	97	9	2	1	1	109	2	1	1	1	3	4	3	5	27	50	24		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
40 & 41.—FARNHAM AND FARNBOROUGH.																				
Mean Popul ⁿ , 1861-71	18616	686	600	563	552	510	2911	2246	1840	1525	2054	3255	2021	1271	786	488	190	28		
TOTAL DEATHS -	3545	899	320	179	102	63	1563	170	77	112	177	311	213	168	200	255	213	80		
Small-pox -	9	1	-	-	1	2	4	1	-	1	2	1	-	-	-	-	-	-	-	-
Measles -	68	11	22	10	7	5	61	6	-	-	3	1	-	-	-	-	-	-	-	-
Scarlatina -	224	7	81	41	36	22	137	54	17	7	3	4	2	-	-	-	-	-	-	-
Diphtheria -	32	2	3	3	4	6	18	9	2	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough -	94	45	19	17	3	6	90	4	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	93	2	3	4	3	2	14	13	13	10	9	6	10	3	10	3	2	2	1	1
Diarrhoea & Dysentery -	147	74	37	4	2	1	115	4	-	-	3	1	-	-	-	-	-	-	-	-
Cholera -	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	80	12	5	10	9	2	38	11	3	3	5	6	5	2	2	5	2	1	1	1
Cancer -	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc. -	64	22	17	7	2	1	49	6	3	1	5	12	27	20	13	5	1	1	1	1
Phthisis -	421	5	5	5	2	1	18	9	14	44	83	138	67	90	14	4	-	-	-	-
Hydrocephalus -	60	28	15	7	1	1	52	8	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	375	133	37	14	6	2	192	6	5	7	5	13	19	19	26	43	32	8	8	8
Dis. of Heart & Dropsy -	224	3	1	2	1	1	8	4	6	5	9	23	17	26	56	50	26	3	3	3
Dis. of Lungs -	465	137	76	23	14	8	258	7	4	6	12	18	14	16	39	43	40	8	8	8
Dis. of Stom. and Liver -	170	20	4	1	2	1	28	9	2	4	5	13	21	16	28	23	11	-	-	-
Dis. of Kidneys -	45	-	-	1	2	-	3	3	1	2	5	3	9	4	7	8	-	-	-	-
Dis. of Genes. Organs -	25	-	-	-	-	-	-	-	-	1	1	2	5	8	4	5	1	-	-	-
Dis. of Joints -	13	-	-	1	-	-	1	1	2	1	1	1	1	-	1	-	-	-	-	-
Dis. of Skin -	9	9	-	1	-	-	10	-	-	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metris. -	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	10	22	47	18	-	-	-	-	-	-	-
Other Violent Deaths -	64	11	11	6	3	1	32	9	3	2	4	2	2	2	2	1	-	-	-	-
Other Causes -	673	376	54	16	4	1	431	6	2	5	7	12	7	11	11	43	83	25	25	25

42.—HAMBLEDON.																				
Mean Popul ⁿ , 1861-71	6979	203	203	189	192	179	966	914	797	557	522	943	815	622	450	275	102	16		
TOTAL DEATHS -	1163	192	59	18	22	17	308	52	33	38	42	88	72	71	125	138	143	47		
Small-pox -	4	-	-	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Measles -	13	1	4	2	3	-	10	1	-	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	27	1	5	1	8	1	16	6	4	-	1	-	-	-	-	-	-	-	-	-
Diphtheria -	31	-	3	1	5	3	12	8	7	2	1	-	1	-	-	-	-	-	-	-
Whooping-cough -	17	11	6	-	-	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	72	1	1	-	-	-	2	5	6	5	2	5	1	1	1	1	1	1	1	1
Diarrhoea & Dysentery -	25	6	4	2	-	-	12	2	1	-	-	1	1	-	-	-	-	-	-	-
Cholera -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	50	3	-	1	1	2	7	4	2	-	1	1	2	1	1	1	1	1	1	1
Cancer -	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc. -	13	2	3	-	-	-	4	2	1	3	2	1	9	12	12	12	4	-	-	-
Phthisis -	134	3	3	1	-	3	10	4	6	18	20	32	19	14	8	2	1	-	-	-
Hydrocephalus -	17	7	2	2	-	1	12	5	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	169	24	4	-	-	-	28	3	-	5	2	8	3	7	20	34	20	4	-	-
Dis. of Heart & Dropsy -	110	5	-	-	1	1	5	-	2	-	2	6	4	10	30	35	11	5	-	-
Dis. of Lungs -	151	35	16	4	3	3	61	5	5	1	1	2	10	7	5	16	18	19	2	2
Dis. of Stom. and Liver -	53	3	1	1	-	-	5	4	1	1	1	1	1	12	16	6	6	-	-	-
Dis. of Kidneys -	17	-	-	-	-	-	1	1	1	1	1	2	4	1	2	1	2	-	-	-
Dis. of Genes. Organs -	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris. -	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	10	1	2	1	-	1	5	-	-	-	1	-	-	1	2	1	1	1	1	1
Other Causes -	244	89	6	-	-	1	96	-	-	-	-	4	3	2	10	23	73	34	34	34

43.—DORKING.																				
Mean Popul ⁿ , 1861-71	6745	177	190	164	187	158	876	802	702	584	550	1002	792	627	452	259	85	14		
TOTAL DEATHS -	1024	147	65	22	23	19	276	43	24	39	33	72	70	68	92	144	118	45		
Small-pox -	10	3	-	-	-	1	4	-	1	1	1	2	-	1	-	-	-	-	-	-
Measles -	6	1	2	1	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	36	-	6	3	4	6	19	11	3	2	-	-	1	-	-	-	-	-	-	-
Diphtheria -	14	-	2	-	3	1	6	4	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	29	6	12	4	1	3	25	4	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	37	2	1	2	2	1	8	2	3	7	5	4	5	-	1	-	-	-	-	-
Diarrhoea & Dysentery -	25	11	6	-	-	-	19	1	-	-	-	2	-	-	1	2	-	-	-	-
Cholera -	4	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	23	3	-	1	2	1	7	1	1	3	4	2	1	1	1	1	2	1	1	1
Cancer -	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc. -	18	4	2	-	-	1	7	2	5	1	-	-	7	11	21	7	6	1	1	1
Phthisis -	163	1	-	-	1	4	17	5	1	17	14	32	22	9	4	5	-	-	-	-
Hydrocephalus -	23	6	4	2	1	4	17	6	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	159	50	9	4	2	1	46	5	3	1	-	6	5	11	16	27	16	3	3	3
Dis. of Heart & Dropsy -	109	4	-	-	-	-	4	-	-	-	-	6	4	12	21	33	17	1	1	1
Dis. of Lungs -	113	18	11	1	3	1	34	-	-	-	2	5	5	5	12	29	21	5	5	5
Dis. of Stom. and Liver -	48	4	2	-	-	-	6	2	1	-	1	1	4	7	6	11	3	1	1	1
Dis. of Kidneys -	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Genes. Organs -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	5	3	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris. -	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	14	-	1	2	1	-	4	1	3	-	-	-	-	-	1	2	1	1	1	1
Other Causes -	138	60	7	2	1	-	60	-	-	-	-	-	-	-	1	19	40	35	35	35

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 5 Years.	Total under 15 Years.	Total under 25 Years.	Total under 35 Years.	Total under 45 Years.	Total under 55 Years.	Total under 65 Years.	Total under 75 Years.	Total under 85 Years.	Total under 95 Years.	Total under 105 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		Total under 1 Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17												18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
44.—REIGATE.																			
Mean Popul ⁿ , 1861-71	11834	342	342	346	298	308	1636	1397	1216	1043	1135	1901	1393	991	645	343	119	15	
TOTAL DEATHS—	1840	372	116	47	37	27	599	91	83	75	76	138	140	115	142	167	167	38	
Small-pox	6	1	-	-	-	1	2	-	-	-	-	1	-	2	1	-	-	-	
Measles	36	5	4	5	2	2	18	3	12	1	-	1	1	-	-	-	-	-	
Scarlatina	25	5	8	11	8	9	41	14	8	1	-	1	-	-	-	-	-	-	
Diphtheria	24	1	3	3	3	1	11	8	4	1	-	-	-	-	-	-	-	-	
Whooping-cough	44	22	19	1	1	1	44	-	-	-	-	-	-	-	-	-	-	-	
Typhus	59	1	1	1	-	2	5	11	5	12	5	5	6	3	4	2	1	-	
Diarrhoea & Dysentery	48	95	6	2	-	-	53	-	-	-	-	-	-	1	2	5	6	1	
Cholera	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	40	7	5	2	2	4	20	5	8	1	-	1	5	1	2	-	2	-	
Cancer	54	-	-	-	-	-	-	-	-	1	-	1	9	13	17	7	5	1	
Scrophula and Tuberc.	56	19	4	1	2	2	21	5	2	2	3	-	1	2	-	-	-	-	
Phthisis	232	3	2	-	3	-	8	8	21	31	38	63	51	21	6	4	1	-	
Hydrocephalus	19	7	4	1	-	1	13	4	1	-	1	-	-	-	-	-	-	-	
Dis. of Brain	241	53	23	8	6	-	87	9	7	9	7	11	13	14	22	37	23	3	
Dis. of Heart & Dropsy	163	2	1	-	1	-	4	2	6	6	2	10	12	19	39	37	24	2	
Dis. of Lungs	244	64	24	9	6	2	105	15	7	3	4	6	14	11	17	25	31	3	
Dis. of Stom. and Liver	102	8	1	-	-	-	9	1	5	2	2	8	14	18	16	19	7	1	
Dis. of Kidneys	29	1	-	1	1	-	3	-	2	-	1	3	5	2	4	-	-	-	
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	
Dis. of Joints	6	-	-	-	-	-	-	1	-	-	-	4	-	1	-	-	-	-	
Dis. of Skin	6	2	-	-	-	-	2	1	-	-	-	-	2	-	1	-	-	-	
Childbirth and Metris	40	-	-	-	-	-	-	-	-	2	6	17	10	3	-	-	-	-	
Scalds	5	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	
Other Violent Deaths	20	9	3	4	2	1	19	1	-	-	-	1	2	1	1	1	3	1	
Other Causes	291	141	8	8	-	1	153	2	-	1	3	8	3	1	8	27	64	26	

45.—GODSTONE.

Mean Popul ⁿ , 1861-71		5760	178	149	140	170	151	788	736	588	437	462	846	675	542	340	236	91	19
TOTAL DEATHS—		832	151	46	50	32	10	269	32	25	33	31	51	48	57	56	98	102	30
Small-pox	-	4	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Measles	-	15	4	2	3	1	2	12	5	2	-	-	-	-	-	-	-	-	-
Scarlatina	-	22	-	4	3	8	1	16	6	-	-	-	-	-	1	-	-	-	-
Diphtheria	-	18	-	-	2	1	2	6	4	-	3	-	-	1	-	-	-	-	-
Whooping-cough	-	24	9	8	4	3	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	-	29	-	-	1	-	-	1	4	5	1	4	2	3	4	3	-	2	-
Diarrhoea & Dysentery	-	21	11	3	2	1	-	17	-	-	-	1	1	1	-	2	1	1	-
Cholera	-	5	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.	-	8	-	-	1	2	-	3	1	-	-	1	1	-	1	1	-	-	-
Cancer	-	26	-	-	-	-	-	1	1	-	-	-	1	2	9	3	7	2	-
Scrophula and Tuberc.	-	23	8	2	1	-	1	12	1	4	2	-	-	-	9	3	3	1	-
Phthisis	-	81	1	-	-	-	-	1	3	2	16	13	18	15	9	3	3	1	-
Hydrocephalus	-	14	4	1	2	3	1	11	-	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	-	107	25	8	2	2	2	40	1	2	1	1	5	3	6	5	21	18	4
Dis. of Heart & Dropsy	-	80	1	-	-	-	-	1	2	3	3	2	2	5	9	17	58	9	1
Dis. of Lungs	-	104	23	11	5	4	-	43	6	8	1	5	1	3	4	9	13	14	2
Dis. of Stom. and Liver	-	48	4	-	-	-	1	5	2	-	1	1	5	3	4	8	10	8	1
Dis. of Kidneys	-	10	-	-	-	-	-	-	-	-	-	-	1	-	1	5	2	3	-
Dis. of Genes. Organs	-	6	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-
Dis. of Joints	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Dis. of Skin	-	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metris	-	25	-	-	-	-	-	-	-	-	3	4	10	8	1	-	-	-	-
Scalds	-	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Other Violent Deaths	-	13	2	2	1	1	-	6	2	-	-	-	1	-	1	-	1	2	-
Other Causes	-	146	57	5	2	4	-	68	2	-	-	1	-	-	1	2	12	40	20

46.—CROYDON.

Mean Popul ⁿ , 1861-71		35645	930	857	865	847	823	4321	3850	3549	3424	3808	6070	4263	3850	1933	1132	392	53
TOTAL DEATHS—		6381	1341	459	267	143	132	2542	243	133	156	182	488	403	381	486	677	461	179
Small-pox	-	38	10	4	1	1	-	20	4	1	1	4	6	1	1	-	-	-	-
Measles	-	139	17	45	24	13	18	117	14	1	-	-	-	-	-	-	-	-	-
Scarlatina	-	291	21	40	48	36	32	277	67	23	5	6	11	2	-	-	-	-	-
Diphtheria	-	45	6	4	5	9	3	177	9	4	1	1	1	2	-	-	1	-	-
Whooping-cough	-	213	93	58	33	17	6	207	5	1	-	-	-	-	-	-	-	-	-
Typhus	-	198	4	4	12	8	7	85	24	23	28	19	22	13	5	14	11	2	-
Diarrhoea & Dysentery	-	276	180	27	7	2	2	218	4	-	-	1	6	2	8	6	13	11	7
Cholera	-	13	1	-	-	-	-	8	3	-	-	-	1	-	-	2	-	-	-
Other Zymotic Dis.	-	140	18	17	14	9	7	63	23	5	6	4	4	7	8	14	7	6	2
Cancer	-	177	-	-	2	-	-	2	-	1	1	1	10	29	41	52	28	10	1
Scrophula and Tuberc.	-	122	52	35	10	7	7	111	9	6	3	5	5	4	1	6	2	-	-
Phthisis	-	286	9	9	2	3	8	25	12	25	61	73	170	133	53	23	6	-	-
Hydrocephalus	-	107	47	26	10	4	7	94	9	8	-	-	1	-	-	-	-	-	-
Dis. of Brain	-	730	189	42	32	11	9	253	24	10	12	12	99	30	71	81	106	77	15
Dis. of Heart & Dropsy	-	273	4	1	-	-	-	5	6	5	11	11	28	34	20	77	98	45	3
Dis. of Lungs	-	863	206	99	43	17	15	280	14	5	5	10	23	34	46	53	137	103	25
Dis. of Stom. and Liver	-	343	23	4	5	2	2	86	6	5	5	6	33	43	45	60	63	33	6
Dis. of Kidneys	-	100	-	-	-	-	-	-	6	4	1	4	11	15	22	16	14	7	-
Dis. of Genes. Organs	-	45	-	-	-	-	-	-	-	-	-	-	6	12	7	13	6	1	-
Dis. of Joints	-	25	-	-	-	-	1	1	2	3	1	-	3	8	1	2	2	1	1
Dis. of Skin	-	21	8	-	-	-	-	8	-	1	-	-	1	2	-	-	-	-	-
Childbirth and Metris	-	92	-	-	-	-	-	-	-	-	4	18	44	26	2	-	-	-	-
Scalds	-	17	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-
Other Violent Deaths	-	37	15	3	6	2	7	35	10	5	2	2	6	3	5	4	8	6	3
Other Causes	-	229	408	28	13	5	1	623	2	2	3	3	4	8	10	23	69	158	110

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
		47.—KINGSTON.																	
Mean Popul ⁿ , 1861-71	20859	687	588	599	600	540	3014	2540	2098	1844	1717	3220	2481	1808	1207	679	327	24	
TOTAL DEATHS	4290	936	298	134	109	61	1601	190	74	88	129	284	351	371	407	390	334	71	
Small-pox	30	5	1	2	-	-	8	1	2	3	2	4	5	2	4	1	-	-	
Measles	88	15	36	13	9	6	79	6	3	-	-	-	-	-	-	-	-	-	
Scarlatina	201	17	21	20	20	18	102	70	12	6	1	3	-	1	-	-	-	-	
Diphtheria	16	-	4	2	2	4	12	2	-	-	1	-	-	1	-	-	-	-	
Whooping-cough	83	37	27	7	7	2	80	3	-	-	-	-	-	-	-	-	-	-	
Typhus	167	4	7	9	8	4	32	18	12	8	10	15	14	19	10	11	5	1	
Diarrhoea & Dysentery	132	96	16	1	-	-	113	-	-	-	1	-	1	4	3	2	4	4	
Cholera	19	2	2	1	-	-	5	1	-	2	-	1	1	3	3	1	2	-	
Other Zymotic Dis.	95	7	9	8	8	6	38	7	2	3	5	7	6	4	13	6	5	-	
Cancer	50	-	-	-	-	-	-	-	-	-	-	-	10	10	13	15	8	-	
Scrofula and Tuberc.	79	36	16	4	-	2	58	4	4	3	4	2	1	2	-	-	1	-	
Phthisis	578	6	6	2	2	-	16	6	6	15	50	129	145	110	63	28	10	-	
Hydrocephalus	100	36	24	12	11	9	92	7	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	505	164	27	12	9	5	217	15	6	8	6	20	35	36	80	84	75	15	
Dis. of Heart & Dropsy	285	1	-	1	-	-	2	5	6	4	6	15	34	39	63	59	43	9	
Dis. of Lungs	615	176	61	27	16	4	284	13	2	3	3	23	26	51	52	74	72	12	
Dis. of Stom. and Liver	208	22	3	1	3	-	29	5	3	6	6	19	18	20	41	54	16	1	
Dis. of Kidneys	129	3	-	1	-	-	4	3	-	1	4	10	18	25	13	32	16	3	
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	11	-	-	-	-	-	-	1	1	-	-	-	4	2	1	1	-	-	
Dis. of Skin	14	8	-	-	-	-	8	1	1	-	-	-	1	-	1	1	-	1	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	41	-	-	-	-	-	-	-	1	3	4	4	6	6	13	2	2	-	
Other Violent Deaths	194	20	7	2	6	0	38	12	9	21	20	27	19	17	19	9	8	-	
Other Causes	551	341	31	9	2	1	384	4	3	1	-	4	10	8	9	29	74	25	
48.—RICHMOND.																			
Mean Popul ⁿ , 1861-71	9768	284	267	272	233	252	1308	1120	1056	909	909	1499	1157	836	545	323	92	14	
TOTAL DEATHS	2187	502	144	71	45	26	788	89	52	57	69	140	192	184	213	195	169	39	
Small-pox	25	2	-	4	-	-	6	2	2	5	5	1	2	1	1	-	-	-	
Measles	49	6	17	10	8	2	43	4	2	-	-	-	-	-	-	-	-	-	
Scarlatina	82	6	12	6	13	10	47	22	6	2	2	-	1	2	-	-	-	-	
Diphtheria	18	2	-	1	1	1	5	9	1	-	1	1	-	-	-	1	-	-	
Whooping-cough	41	22	14	4	1	-	41	-	-	-	-	-	-	-	-	-	-	-	
Typhus	62	-	1	1	1	1	4	7	4	3	6	5	8	3	15	8	1	-	
Diarrhoea & Dysentery	79	56	9	1	2	-	68	2	-	-	-	1	2	-	-	4	2	-	
Cholera	22	12	1	-	-	-	13	-	1	-	-	-	-	-	1	2	1	-	
Other Zymotic Dis.	68	11	10	5	2	4	32	3	5	6	-	-	1	4	4	2	8	1	
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	2	5	6	4	2	-	
Scrofula and Tuberc.	59	23	10	7	3	2	45	5	2	1	1	3	-	1	-	1	-	-	
Phthisis	251	3	4	-	1	1	9	3	5	11	29	69	65	35	20	4	-	-	
Hydrocephalus	89	8	14	6	1	1	30	6	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain	261	72	12	7	2	-	96	5	7	4	1	11	20	33	29	32	25	1	
Dis. of Heart & Dropsy	190	3	1	1	2	-	7	1	2	4	2	8	17	11	57	26	15	-	
Dis. of Lungs	340	99	21	9	3	3	135	6	-	1	4	5	27	28	55	79	73	7	
Dis. of Stom. and Liver	121	16	1	3	1	-	21	2	2	-	1	7	15	21	25	16	11	-	
Dis. of Kidneys	54	-	-	1	-	-	1	2	-	1	1	5	5	10	10	10	7	2	
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
Dis. of Joints	10	-	-	-	-	-	-	3	2	1	-	-	2	1	-	-	-	-	
Dis. of Skin	9	8	1	1	-	-	5	-	-	-	-	-	-	-	1	3	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	25	-	-	-	-	-	-	-	-	1	2	4	4	5	7	2	-	-	
Other Violent Deaths	112	5	2	2	4	1	14	4	7	17	14	14	10	19	7	4	2	-	
Other Causes	319	153	14	1	-	-	168	3	1	-	-	3	5	4	9	21	63	27	
49.—BROMLEY.																			
Mean Popul ⁿ , 1861-71	12324	390	341	362	356	332	1781	1522	1213	1106	1001	1848	1396	1093	757	440	147	20	
TOTAL DEATHS	2225	531	148	71	41	40	831	105	44	49	59	117	156	153	184	269	205	53	
Small-pox	22	6	3	-	-	2	11	1	-	1	5	-	3	1	-	-	-	-	
Measles	21	5	8	2	1	-	16	4	-	-	1	-	-	-	-	-	-	-	
Scarlatina	64	3	11	6	14	8	42	17	3	-	1	1	-	-	-	-	-	-	
Diphtheria	43	2	8	3	8	7	28	11	-	1	1	1	-	-	-	-	-	-	
Whooping-cough	49	24	15	7	-	3	49	-	-	-	-	-	-	-	-	-	-	-	
Typhus	70	1	2	4	-	1	8	10	12	9	4	9	5	3	6	2	5	1	
Diarrhoea & Dysentery	104	71	9	5	1	2	83	-	-	-	1	-	2	-	-	1	5	-	
Cholera	5	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	62	9	6	5	3	3	25	7	1	3	3	-	1	6	3	8	5	-	
Cancer	26	-	-	-	-	-	-	1	-	-	-	-	4	5	8	7	-	1	
Scrofula and Tuberc.	28	10	5	2	-	-	17	5	1	1	-	3	1	-	-	-	-	-	
Phthisis	138	6	1	3	-	2	12	9	7	15	20	45	47	28	10	3	2	-	
Hydrocephalus	33	8	5	6	3	1	23	8	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	279	88	13	7	1	2	111	6	2	1	6	8	14	27	28	50	22	4	
Dis. of Heart & Dropsy	181	5	6	1	1	-	13	4	1	4	5	10	17	18	35	30	22	4	
Dis. of Lungs	319	74	21	11	3	3	112	8	1	1	6	14	15	21	41	56	40	4	
Dis. of Stom. and Liver	96	5	2	-	2	1	10	2	3	-	2	8	16	12	15	19	7	3	
Dis. of Kidneys	56	1	-	1	1	-	3	3	1	1	1	3	7	5	9	13	9	1	
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	6	-	-	1	-	-	1	-	1	-	-	-	2	1	-	-	-	-	
Dis. of Skin	6	2	1	-	1	1	5	-	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	14	-	-	-	-	-	-	-	-	2	2	1	4	1	2	1	1	-	
Other Violent Deaths	101	16	4	1	2	4	27	7	4	9	2	10	9	15	5	7	6	-	
Other Causes	442	195	28	5	-	-	228	2	3	1	1	2	7	11	20	85	83	33	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	25 upwards.		
47.—KINGSTON.																				
Mean Popul ⁿ , 1861-71	25345	647	583	654	599	557	3040	2594	2334	2371	2696	4370	3034	2161	1484	883	331	47		
TOTAL DEATHS	4045	768	268	130	120	65	1351	142	81	121	131	277	280	275	351	468	423	145		
Small pox	17	9	2	1	2	-	14	-	-	1	1	-	1	-	-	-	-	-		
Measles	85	17	32	17	9	4	79	5	1	-	-	-	-	-	-	-	-	-		
Scarlatina	185	3	20	24	53	22	107	50	14	4	3	5	1	1	-	-	-	-		
Diphtheria	56	3	4	1	4	-	16	9	3	1	2	-	2	1	1	-	1	-		
Whooping cough	29	39	30	11	9	6	95	4	-	-	-	-	-	-	-	-	-	-		
Typhus	161	5	7	9	10	5	36	15	15	18	13	16	13	13	8	5	8	1		
Diarrhoea & Dysentery	127	76	17	2	3	-	98	1	1	-	1	2	2	2	2	5	8	5		
Cholera	12	1	1	-	-	-	2	2	-	-	-	2	1	3	1	1	-	-		
Other Zymotic Dis.	103	8	10	4	13	5	40	11	4	8	5	6	4	5	8	9	5	3		
Cancer	179	-	1	-	-	-	1	-	1	-	-	5	21	40	55	83	14	4		
Scrophula and Tuberc.	52	18	8	4	3	2	35	2	4	1	3	3	1	-	1	2	-	-		
Phthisis	417	9	7	5	1	2	24	5	9	57	51	108	80	50	22	4	4	-		
Hydrocephalus	71	23	19	8	3	1	56	12	2	-	1	-	-	-	-	-	-	-		
Dis. of Brain	550	113	25	10	8	4	160	6	6	6	7	19	31	32	60	104	80	19		
Dis. of Heart & Dropsy	557	7	1	1	4	-	13	1	7	6	7	21	33	41	55	88	73	10		
Dis. of Lungs	586	90	48	22	10	5	184	7	5	5	8	18	32	34	65	103	97	25		
Dis. of Stom. and Liver	225	15	3	-	-	1	20	4	2	7	6	18	20	30	41	61	16	10		
Dis. of Kidneys	47	1	-	-	1	1	3	3	1	2	-	6	6	4	10	11	1	-		
Dis. of Genes. Organs	22	-	-	-	-	-	-	-	-	-	-	2	2	4	7	4	2	-		
Dis. of Joints	15	-	-	-	-	-	-	-	1	2	-	3	2	1	2	2	1	1		
Dis. of Skin	17	7	-	-	-	-	7	-	-	-	1	2	2	1	1	1	1	1		
Childbirth and Metris	62	-	-	-	-	-	-	-	-	2	13	34	13	-	-	-	-	-		
Suicide	10	-	-	-	-	-	-	-	-	3	2	1	-	-	3	1	-	-		
Other Violent Deaths	65	16	6	7	5	1	33	4	3	3	2	2	3	4	2	3	5	2		
Other Causes	564	292	27	4	5	2	328	1	2	-	2	4	10	7	9	36	104	61		

48.—RICHMOND.

Mean Popul ⁿ , 1861-71	-	12706	294	241	258	248	252	1293	1171	1109	1330	1424	2187	1557	1150	786	497	175	27
TOTAL DEATHS	-	2103	384	140	79	48	39	690	78	40	47	52	130	142	137	185	302	227	73
Small-pox	-	14	4	3	2	1	-	10	1	2	1	-	-	-	-	-	-	-	-
Measles	-	48	12	21	6	4	2	45	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	63	3	6	16	10	16	51	20	7	-	2	2	1	-	-	-	-	-
Diphtheria	-	23	3	-	-	3	5	9	5	3	-	3	1	-	-	-	2	-	-
Whooping-cough	-	52	20	12	13	-	2	47	5	-	-	-	-	-	-	-	-	-	-
Typhus	-	65	-	2	2	2	4	10	12	3	7	5	4	7	10	2	4	1	-
Diarrhoea & Dysentery	-	77	41	8	1	-	-	50	-	-	-	4	4	2	1	2	6	9	1
Cholera	-	17	4	1	-	-	-	5	2	1	-	-	2	2	1	2	1	-	-
Other Zymotic Dis.	-	42	6	4	-	2	-	19	2	2	1	1	4	1	2	4	4	2	-
Cancer	-	64	-	-	-	-	-	-	-	-	-	-	2	12	14	20	32	4	-
Scrophula and Tuberc.	-	39	14	3	5	3	1	26	5	5	-	-	2	1	1	1	-	-	-
Phthisis	-	200	3	2	5	-	-	13	6	9	19	20	37	39	26	8	3	-	-
Hydrocephalus	-	57	10	3	4	5	1	23	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	-	294	59	10	7	4	4	84	6	3	1	6	13	15	9	20	60	32	7
Dis. of Heart & Dropsy	-	119	-	-	-	-	-	1	-	-	3	3	7	6	16	23	38	18	2
Dis. of Lungs	-	550	84	33	9	7	1	194	1	2	-	3	4	18	16	49	75	41	7
Dis. of Stom. and Liver	-	335	12	2	-	1	1	16	2	-	3	1	8	20	18	28	21	15	5
Dis. of Kidneys	-	35	-	1	1	-	1	3	-	-	1	1	1	3	7	6	8	2	1
Dis. of Genes. Organs	-	20	-	-	-	-	-	-	-	-	-	1	3	2	2	3	8	1	-
Dis. of Joints	-	8	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-
Dis. of Skin	-	7	3	1	2	-	-	6	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris	-	25	-	-	-	-	-	-	-	-	2	2	11	9	1	-	-	-	-
Suicide	-	12	-	-	-	-	-	-	-	-	2	1	4	2	2	1	-	-	-
Other Violent Deaths	-	28	0	3	-	1	1	11	1	-	1	1	-	1	3	4	4	1	1
Other Causes	-	331	100	21	5	2	-	128	1	1	3	-	2	1	7	21	100	51	51

49.—BROMLEY.

Mean Popul ⁿ , 1861-71	-	13952	382	342	359	363	349	1795	1524	1299	1290	1375	2348	1634	1200	822	472	165	28
TOTAL DEATHS	-	2085	419	119	60	56	42	696	93	42	59	69	131	147	139	177	247	214	71
Small-pox	-	13	5	-	-	1	3	7	-	-	-	1	3	-	-	2	-	-	-
Measles	-	19	3	5	4	2	1	18	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	61	4	5	10	8	10	37	18	1	1	1	1	-	1	-	-	-	-
Diphtheria	-	45	2	2	5	6	11	26	12	5	-	1	-	-	1	-	-	-	-
Whooping-cough	-	54	27	16	5	4	1	53	1	-	-	-	-	-	-	-	-	-	-
Typhus	-	73	2	4	2	4	2	14	18	7	5	5	6	11	3	-	4	-	-
Diarrhoea & Dysentery	-	74	45	6	-	1	-	52	2	-	2	2	1	1	1	4	2	5	2
Cholera	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Zymotic Dis.	-	53	7	4	4	2	6	23	7	3	1	2	1	3	1	4	3	4	1
Cancer	-	55	-	-	-	-	-	-	-	1	-	-	1	7	13	10	16	5	2
Scrophula and Tuberc.	-	21	11	-	-	3	-	14	1	-	2	1	-	-	1	2	-	-	-
Phthisis	-	233	2	2	-	1	-	5	5	7	20	26	63	45	22	19	3	-	-
Hydrocephalus	-	54	6	6	4	3	2	21	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	-	245	53	13	7	5	2	78	7	4	5	2	3	10	17	34	43	37	5
Dis. of Heart & Dropsy	-	219	4	2	3	0	1	15	4	2	6	12	7	14	22	37	55	49	28
Dis. of Lungs	-	293	64	29	8	11	1	118	5	2	2	3	6	11	17	23	53	33	9
Dis. of Stom. and Liver	-	95	7	1	-	1	-	9	2	1	4	-	7	11	11	22	19	9	1
Dis. of Kidneys	-	16	-	-	-	-	-	-	-	-	1	-	2	2	3	5	2	-	1
Dis. of Genes. Organs	-	13	-	-	-	-	-	-	-	3	-	-	2	1	2	6	-	-	-
Dis. of Joints	-	9	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
Dis. of Skin	-	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	26	-	-	-	-	-	-	-	-	1	3	13	9	1	-	-	-	-
Suicide	-	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other Violent Deaths	-	31	4	3	2	1	1	10	4	2	-	-	2	2	3	4	1	3	1
Other Causes	-	415	172	19	5	3	1	190	3	3	1	-	1	7	10	15	44	90	42

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	as upwards.	
		50.—DARTFORD.																		
Mean Popul ⁿ , 1861-71 - }	18485	585	473	531	497	505	2591	2367	2100	1729	1443	2545	2113	1607	1102	640	217	31		
TOTAL DEATHS -	3830	928	301	142	91	70	1532	135	66	99	116	220	206	302	322	385	292	59		
Small-pox - - -	22	11	2	3	1	1	18	-	1	-	2	1	-	-	-	-	-	-	-	
Measles - - -	81	13	31	15	7	6	75	6	4	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	160	13	30	22	21	19	105	47	4	2	-	1	-	-	1	-	-	-	-	
Diphtheria - - -	22	2	2	4	2	3	13	4	2	2	-	-	-	-	1	-	-	-	-	
Whooping-cough -	67	31	16	10	4	2	63	4	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	160	4	4	6	3	5	22	15	8	9	4	13	13	13	12	18	29	4	8	
Diarrhoea & Dysentery	153	90	30	3	1	1	125	2	-	-	-	-	3	2	2	7	6	6	6	
Cholera - - -	21	8	2	2	-	-	12	1	-	-	-	-	1	4	1	2	-	-	-	
Other Zymotic Dis.	117	11	9	17	13	8	68	9	4	5	3	8	7	6	8	4	2	3	3	
Cancer - - -	47	-	-	-	-	-	-	-	-	-	-	-	-	2	13	14	12	5	1	
Scrofula and Tabes -	83	44	10	8	2	1	65	-	2	8	1	2	5	2	3	-	-	-	-	
Phthisis - - -	349	7	9	5	2	-	23	4	8	20	46	90	61	60	18	12	1	-	-	
Hydrocephalus - -	64	27	13	11	5	3	59	4	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	517	164	32	8	9	5	218	13	6	4	4	18	28	39	60	67	52	8	8	
Dis. of Heart & Dropsy	238	4	-	-	2	-	6	3	4	5	4	13	37	27	47	67	23	4	8	
Dis. of Lungs - - -	521	135	71	10	12	6	294	4	5	9	10	12	21	37	62	70	40	8	8	
Dis. of Stom. and Liver	176	26	3	4	2	1	96	4	1	5	2	8	23	31	31	21	14	1	1	
Dis. of Kidneys - -	71	1	-	-	-	-	1	3	-	3	2	5	5	8	14	19	10	1	1	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	15	-	-	-	-	1	1	2	-	1	-	-	1	3	-	3	1	-	-	
Dis. of Skin - - -	7	1	-	1	-	-	2	-	-	-	1	-	-	-	1	2	1	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	34	-	-	-	-	-	-	-	-	3	4	7	6	5	5	1	-	-	-	
Other Violent Deaths -	251	9	5	2	4	7	27	7	18	28	29	65	47	34	11	10	4	1	1	
Other Causes - - -	654	327	82	8	1	1	369	3	1	1	3	13	7	12	28	61	104	63	8	

51.—GRAVESEND.

Mean Popul ⁿ , 1861-71 - }		9390	279	229	275	240	250	1273	1230	1055	853	793	1355	1093	788	524	305	109	12	
TOTAL DEATHS -		2233	518	135	85	64	44	846	105	38	55	82	166	196	179	192	227	162	35	
Small-pox - - -		25	4	2	1	1	1	9	5	5	-	2	2	-	-	-	-	-	-	
Measles - - -		24	9	5	3	2	2	21	2	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -		107	9	13	22	23	12	79	24	-	8	1	-	-	-	-	-	-	-	
Diphtheria - - -		17	2	2	1	3	1	9	7	1	-	-	-	-	-	-	-	-	-	
Whooping-cough -		46	22	13	6	3	-	44	2	-	-	-	-	-	-	-	-	-	-	
Typhus - - -		76	2	1	1	2	3	9	6	4	4	8	7	6	10	9	6	5	2	
Diarrhoea & Dysentery		128	71	9	3	1	2	85	1	-	1	2	11	6	3	5	5	8	2	
Cholera - - -		21	5	-	-	2	1	8	-	1	1	2	1	2	1	4	1	-	-	
Other Zymotic Dis.		67	9	7	6	6	5	33	9	2	3	2	3	2	1	4	3	2	1	
Cancer - - -		26	-	-	-	-	-	-	-	-	-	-	1	2	5	5	9	2	1	
Serofula and Tabes -		35	10	4	4	2	4	24	4	-	1	1	2	2	1	1	-	-	-	
Phthisis - - -		233	3	2	1	-	5	11	11	3	11	94	60	52	31	17	3	-	-	
Hydrocephalus - -		40	14	9	7	1	3	34	6	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -		280	70	17	8	7	3	105	8	4	-	-	11	20	20	33	42	23	5	
Dis. of Heart & Dropsy		142	2	1	-	2	-	5	2	2	1	3	16	23	1	20	23	34	15	
Dis. of Lungs - - -		375	93	33	10	3	1	140	8	-	9	4	16	22	32	44	64	60	8	
Dis. of Stom. and Liver		121	19	-	1	-	-	20	1	4	2	3	9	13	24	17	15	10	-	
Dis. of Kidneys - -		55	1	-	-	1	-	2	1	-	2	-	5	7	2	10	14	11	1	
Dis. of Gener. Organs -		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Joints - - -		10	-	-	2	-	-	2	2	-	-	-	-	2	1	2	-	-	-	
Dis. of Skin - - -		9	2	1	1	-	-	4	-	1	-	-	-	-	1	-	2	1	-	
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -		15	-	-	-	-	-	-	-	-	-	1	2	3	3	3	2	1	-	
Other Violent Deaths -		92	4	1	2	2	-	9	3	5	13	13	16	15	11	4	1	2	-	
Other Causes - - -		334	167	15	6	3	1	192	3	-	2	8	5	16	14	15	20	34	17	

52.—NORTH AYLESFORD.

Mean Popul ⁿ , 1861-71 - }		10371	340	294	291	290	269	1484	1311	1100	949	847	1483	1184	914	617	362	106	14	
TOTAL DEATHS -		2215	587	178	87	59	45	956	82	43	75	79	124	142	145	159	214	136	62	
Small-pox - - -		22	3	3	1	1	2	10	-	-	-	1	6	2	3	-	-	-	-	
Measles - - -		82	8	21	15	8	3	65	4	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -		109	7	6	21	21	11	16	25	7	6	2	2	-	-	1	-	-	-	
Diphtheria - - -		26	3	5	2	4	2	16	6	1	-	-	2	-	-	-	-	-	-	
Whooping-cough -		56	25	19	6	6	1	55	1	-	-	-	-	-	-	-	-	-	-	
Typhus - - -		141	29	13	6	7	6	61	12	5	11	5	7	9	9	8	10	2	3	
Diarrhoea & Dysentery		94	62	9	1	-	-	72	2	-	-	-	1	-	2	5	2	6	4	
Cholera - - -		19	9	1	1	1	-	12	-	-	-	1	2	2	1	1	1	-	-	
Other Zymotic Dis.		97	10	12	7	4	6	39	4	4	4	3	1	12	3	9	11	6	1	
Cancer - - -		25	-	-	-	-	-	-	-	-	1	-	8	1	4	4	5	4	5	
Serofula and Tabes -		81	7	8	2	2	1	20	3	-	2	8	-	2	-	1	-	-	-	
Phthisis - - -		160	3	4	2	-	2	9	6	2	7	21	20	33	20	15	5	-	-	
Hydrocephalus - -		26	9	6	4	2	2	23	3	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -		238	103	15	6	-	2	126	2	3	2	4	8	8	18	20	25	17	5	
Dis. of Heart & Dropsy		132	1	-	-	-	-	1	1	2	8	7	14	10	34	20	40	5	-	
Dis. of Lungs - - -		292	72	24	8	5	5	114	4	-	6	7	10	13	17	27	40	29	14	
Dis. of Stom. and Liver		122	41	11	2	1	1	56	1	1	1	1	3	13	9	16	11	9	1	
Dis. of Kidneys - -		34	-	1	-	-	1	2	-	1	-	-	-	2	5	5	12	7	-	
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -		5	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	
Dis. of Skin - - -		7	4	2	-	-	-	6	-	-	-	-	-	-	-	-	1	-	-	
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -		21	-	-	-	-	-	-	-	-	-	2	5	1	4	4	4	2	2	
Other Violent Deaths -		161	8	5	4	2	2	21	6	13	24	19	19	24	12	11	8	2	2	
Other Causes - - -		335	183	7	1	1	-	192	-	2	2	2	5	5	6	13	26	49	30	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																Total under 5 Years.	50.—DARTFORD.
		Total under 1 Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15		
Mean Popul ⁿ , 1861-71	18846	533	497	533	507	491	2561	2361	1995	1697	1638	2776	2178	1638	1099	633	231	39	
TOTAL DEATHS	3300	785	304	125	88	56	1318	107	61	90	83	187	221	198	260	354	273	89	
Small-pox	23	8	3	1	1	1	14	2	1	3	-	-	2	1	-	-	-	-	
Measles	77	18	20	16	7	9	63	14	-	-	-	-	-	-	-	-	-	-	
Scarlatina	170	10	16	35	19	22	102	63	9	-	2	1	2	-	-	-	1	-	
Diphtheria	17	-	2	2	2	1	7	5	1	1	-	-	1	-	-	-	-	-	
Whooping-cough	104	46	34	11	7	2	100	4	-	-	-	-	-	-	-	-	-	-	
Typhus	170	2	4	2	6	7	21	20	14	14	6	3	15	14	12	14	18	5	
Diarrhoea & Dysentery	149	88	17	4	-	-	109	1	-	1	5	3	5	2	2	11	7	5	
Cholera	17	7	2	1	1	-	11	1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	90	13	19	12	8	4	59	12	2	2	3	3	5	4	4	6	3	-	
Cancer	89	-	-	-	-	-	-	-	-	1	-	1	15	16	30	10	5	3	
Scrophula and Tuberc.	89	35	19	6	1	3	64	3	5	-	-	1	3	-	3	-	-	-	
Fatigue	214	7	2	-	-	-	11	7	1	36	45	80	69	30	18	5	2	1	
Hydrocephalus	54	14	9	4	3	-	50	3	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	294	121	23	7	10	4	185	9	7	7	3	14	19	28	38	57	42	5	
Dis. of Heart & Dropsy	257	6	2	2	1	13	2	3	7	7	5	15	14	22	48	62	40	5	
Dis. of Lungs	424	127	54	9	12	3	205	4	2	9	1	14	18	31	31	74	27	8	
Dis. of Stom. and Liver	147	18	2	1	2	1	24	4	1	1	3	13	10	20	35	27	9	-	
Dis. of Kidneys	26	2	-	-	-	-	2	-	-	1	-	2	7	5	2	6	1	-	
Dis. of Genet. Organs	19	-	-	-	-	-	-	-	-	-	-	4	1	6	4	3	1	-	
Dis. of Joints	18	1	-	1	-	-	2	4	3	1	-	-	3	1	2	2	-	-	
Dis. of Skin	8	3	-	-	-	-	5	-	-	-	1	-	-	-	1	2	-	1	
Childbirth and Metris	42	-	-	-	-	-	-	-	-	2	6	10	17	2	-	1	1	-	
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	
Other Violent Deaths	61	11	5	8	8	5	25	5	3	3	2	5	2	2	7	2	4	1	
Other Causes	578	248	37	7	3	2	297	7	2	1	6	8	12	22	38	111	53	53	

51.—GRAVESEND.

Mean Popul ⁿ , 1861-71	10633	279	233	247	259	275	1293	1192	1094	1123	990	1564	1195	941	671	394	147	20	
TOTAL DEATHS	2105	405	171	79	69	32	756	91	58	50	69	123	141	150	192	231	186	79	
Small-pox	18	4	1	4	1	1	11	1	1	1	1	2	1	-	-	-	-	-	
Measles	33	4	1	5	10	1	31	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina	98	5	12	10	18	17	62	27	6	-	2	1	-	-	-	-	-	-	
Diphtheria	23	3	2	4	2	2	13	6	1	1	-	1	-	1	-	-	-	-	
Whooping-cough	67	29	24	10	2	1	66	1	-	-	-	-	-	-	-	-	-	-	
Typhus	89	1	3	-	3	1	3	15	3	5	7	4	7	8	15	9	4	3	
Diarrhoea & Dysentery	114	64	20	5	1	-	99	-	-	-	1	1	3	4	2	2	7	5	
Cholera	9	3	-	-	-	-	3	2	1	-	-	-	1	1	1	-	-	-	
Other Zymotic Dis.	58	6	13	4	6	2	31	3	3	2	-	2	4	2	4	8	3	1	
Cancer	74	-	-	-	-	-	-	-	-	-	1	2	9	19	17	15	8	3	
Scrophula and Tuberc.	19	4	3	1	1	-	9	2	1	-	-	1	1	1	1	1	2	-	
Fatigue	218	3	4	-	2	2	11	10	11	21	33	53	41	27	10	1	-	-	
Hydrocephalus	24	12	6	2	4	-	24	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	273	62	21	6	10	-	99	8	1	8	4	6	13	22	36	45	30	6	
Dis. of Heart & Dropsy	129	-	-	-	-	-	2	2	1	5	3	7	13	16	27	50	31	4	
Dis. of Lungs	330	73	28	22	8	2	133	6	1	3	8	11	11	21	36	38	39	9	
Dis. of Stom. and Liver	146	10	1	-	-	-	11	2	3	3	5	10	16	21	29	31	13	4	
Dis. of Kidneys	22	-	-	-	-	-	-	-	1	-	1	5	2	2	4	3	2	2	
Dis. of Genet. Organs	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	9	1	-	-	1	-	2	1	3	1	-	-	1	1	-	1	1	-	
Dis. of Skin	8	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	
Childbirth and Metris	20	-	-	-	-	-	-	-	-	-	7	8	5	-	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Other Violent Deaths	25	7	2	1	-	1	11	1	-	2	-	1	3	-	1	3	3	1	
Other Causes	295	115	20	5	-	2	142	3	1	3	1	6	5	4	9	37	52	42	

52.—NORTH AYLESFORD.

Mean Popul ⁿ , 1861-71	9970	318	297	290	288	285	1478	1348	1054	829	815	1426	1107	869	583	328	117	16	
TOTAL DEATHS	1878	474	164	74	36	38	786	102	46	62	64	115	119	100	128	152	150	54	
Small-pox	7	2	-	-	-	-	2	1	-	1	-	3	-	-	-	-	-	-	
Measles	56	9	19	12	4	2	46	8	1	1	-	-	-	-	-	-	-	-	
Scarlatina	92	9	12	15	10	10	50	31	3	1	-	1	-	-	-	-	-	-	
Diphtheria	33	3	5	1	5	3	17	7	4	2	1	-	1	1	-	-	-	-	
Whooping-cough	48	17	13	5	5	2	42	1	-	-	-	8	3	5	5	10	8	2	
Typhus	119	21	11	7	1	4	46	13	11	8	2	4	3	3	2	5	6	2	
Diarrhoea & Dysentery	101	57	13	4	-	-	74	-	-	1	4	1	3	1	-	-	-	-	
Cholera	9	4	-	-	1	-	5	2	-	-	-	2	4	3	8	10	2	1	
Other Zymotic Dis.	59	5	7	2	3	1	18	6	3	3	4	2	4	3	4	6	4	-	
Cancer	59	-	-	-	-	-	-	-	-	-	-	3	12	10	13	8	4	-	
Scrophula and Tuberc.	24	7	3	-	-	1	11	2	4	1	2	1	1	1	-	1	-	-	
Fatigue	135	6	2	2	-	1	11	6	5	22	26	40	37	15	10	2	2	-	
Hydrocephalus	13	5	6	-	1	-	12	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	214	68	14	6	2	4	94	8	6	8	5	5	6	14	30	23	19	3	
Dis. of Heart & Dropsy	166	-	-	-	-	1	1	2	2	4	2	5	13	13	31	39	14	2	
Dis. of Lungs	211	58	32	14	3	8	115	6	3	1	3	2	10	10	15	23	18	3	
Dis. of Stom. and Liver	167	29	7	2	-	-	28	3	2	3	-	6	9	14	12	11	9	-	
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	1	-	2	5	4	6	1	-	-	
Dis. of Genet. Organs	10	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	-	-	
Dis. of Joints	4	-	-	1	-	-	1	-	1	-	-	1	1	1	-	2	1	-	
Dis. of Skin	7	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	
Childbirth and Metris	31	-	-	-	-	-	-	-	-	3	8	13	9	-	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	
Other Violent Deaths	21	8	8	1	-	-	17	6	-	-	1	4	-	1	2	3	2	1	
Other Causes	321	163	12	2	1	1	179	3	1	3	-	7	4	6	26	63	28	28	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
		1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	
53.—HOO.																			
Mean Popul ⁿ , 1861-71		1572	40	36	41	37	43	197	193	171	159	140	208	190	145	103	50	14	2
TOTAL DEATHS		395	96	30	14	10	8	158	12	13	6	18	27	30	30	31	44	21	5
Small-pox		2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Measles		2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Scarlatina		21	1	-	6	5	3	15	3	2	-	-	1	-	-	-	-	-	-
Diphtheria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough		2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Typhus		18	1	-	1	-	-	2	1	1	-	1	3	4	1	3	2	-	-
Diarrhoea & Dysentery		26	14	8	-	-	-	22	-	-	-	-	-	-	-	2	-	2	-
Cholera		6	2	-	-	1	-	3	-	-	1	-	-	-	2	3	-	-	-
Other Zymotic Dis.		12	-	-	-	1	2	3	1	1	-	1	-	1	1	3	-	1	-
Cancer		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Scrofula and Tubes		2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Phthisis		19	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Hydrocephalus		5	-	1	1	1	-	3	1	1	-	6	3	5	2	2	-	-	-
Dis. of Brain		47	17	3	2	1	-	23	2	2	-	-	2	-	5	2	5	3	-
Dis. of Heart & Dropsy		14	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	-
Dis. of Lungs		76	11	9	2	1	2	25	1	1	1	2	2	3	5	9	18	4	1
Dis. of Stom. and Liver		18	2	-	-	-	-	2	-	1	-	-	-	1	5	3	3	1	1
Dis. of Kidneys		12	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	5	1
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		22	3	-	1	-	-	4	1	1	3	-	8	6	3	-	-	1	3
Other Causes		81	43	5	1	-	1	53	2	-	-	5	3	3	2	1	10	4	3
54.—MEDWAY.																			
Mean Popul ⁿ , 1861-71		29578	796	681	736	692	683	3588	3091	2567	2970	3845	5456	3608	2168	1293	690	267	35
TOTAL DEATHS		6549	1695	543	260	154	102	2754	237	92	172	331	643	552	450	418	433	353	114
Small-pox		45	9	5	1	2	-	17	3	1	3	11	6	2	1	1	-	-	-
Measles		131	22	62	33	11	7	124	6	-	-	1	-	-	-	-	-	-	-
Scarlatina		260	16	38	45	42	36	177	58	12	4	6	4	-	-	-	-	-	-
Diphtheria		15	1	3	3	2	1	10	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough		110	52	33	14	6	3	108	2	-	-	-	-	-	-	-	-	-	-
Typhus		229	8	12	13	8	10	51	26	12	24	20	29	25	16	13	10	3	-
Diarrhoea & Dysentery		287	185	38	5	2	-	250	5	1	-	2	13	11	4	7	6	5	3
Cholera		37	17	3	1	1	-	22	5	1	1	-	2	2	3	1	1	1	1
Other Zymotic Dis.		175	26	23	13	19	9	90	12	2	8	7	9	13	10	7	5	9	3
Cancer		62	-	-	-	-	-	-	-	-	-	2	2	7	10	18	17	6	-
Scrofula and Tubes		127	75	35	11	6	3	130	11	3	6	11	8	2	2	5	1	-	-
Phthisis		848	17	13	13	6	5	54	22	9	62	127	240	168	102	48	13	4	-
Hydrocephalus		96	30	29	13	9	4	85	9	1	-	-	-	1	-	-	-	-	-
Dis. of Brain		777	276	57	22	11	6	372	26	10	8	15	39	42	61	64	83	49	8
Dis. of Heart & Dropsy		473	8	3	4	-	2	17	1	7	12	16	73	90	77	53	81	37	4
Dis. of Lungs		928	290	127	48	14	10	489	36	10	8	51	74	84	36	73	77	58	12
Dis. of Stom. and Liver		316	71	6	5	1	3	86	6	5	8	37	42	33	38	26	30	23	2
Dis. of Kidneys		149	4	1	2	1	-	8	2	2	3	8	18	19	19	18	29	17	6
Dis. of Gener. Organs		3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		36	4	3	1	1	2	11	4	3	2	1	1	1	2	5	1	-	1
Dis. of Skin		23	11	1	-	1	-	13	-	-	-	4	2	2	1	1	1	1	3
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		50	-	-	-	-	-	-	-	-	1	3	11	12	6	-	-	-	-
Other Violent Deaths		232	12	9	7	7	1	96	13	17	19	23	42	26	37	17	8	1	3
Other Causes		1021	560	52	7	4	-	623	6	5	3	7	29	14	17	42	67	129	69
55.—MALLING.																			
Mean Popul ⁿ , 1861-71		11398	332	325	331	317	313	1618	1500	1276	1073	891	1481	1227	995	728	435	155	19
TOTAL DEATHS		2338	508	193	67	41	36	905	89	50	64	75	152	123	137	215	273	198	57
Small-pox		13	3	-	1	-	1	5	-	-	1	2	3	1	-	1	-	-	-
Measles		28	10	10	3	2	1	26	2	-	-	-	-	-	-	-	-	-	-
Scarlatina		60	4	9	5	6	5	29	15	3	2	-	1	-	-	-	-	-	-
Diphtheria		32	1	7	3	6	5	22	15	9	3	-	-	1	-	1	-	-	-
Whooping-cough		44	18	19	5	-	2	42	2	-	-	-	-	-	-	-	-	-	-
Typhus		84	4	2	2	1	2	11	6	8	11	9	10	9	4	7	8	1	-
Diarrhoea & Dysentery		123	69	21	6	-	-	87	1	-	2	-	-	-	1	5	12	10	2
Cholera		18	4	3	-	1	-	8	2	-	-	1	3	1	1	2	-	-	-
Other Zymotic Dis.		80	8	11	4	7	2	32	8	2	3	2	2	7	2	8	8	6	-
Cancer		40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubes		66	32	12	6	-	1	51	4	1	-	1	4	1	5	4	13	11	5
Phthisis		224	4	5	4	3	1	17	1	5	15	37	63	32	22	24	7	1	-
Hydrocephalus		27	7	9	6	1	-	23	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain		340	124	20	9	6	4	163	12	1	5	4	9	9	16	26	54	38	3
Dis. of Heart & Dropsy		147	1	-	1	-	1	3	-	2	3	1	9	11	13	33	48	29	2
Dis. of Lungs		295	73	40	7	6	9	135	4	1	2	4	11	15	20	34	48	31	2
Dis. of Stom. and Liver		119	20	-	1	-	-	31	4	4	1	3	6	7	21	18	24	9	1
Dis. of Kidneys		32	-	-	-	-	-	-	-	-	1	-	2	4	2	7	6	7	3
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		9	-	-	1	-	-	1	-	1	-	-	1	2	1	2	-	-	-
Dis. of Skin		7	3	-	-	-	-	3	1	-	-	-	-	-	1	1	1	1	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		22	-	-	-	-	-	-	-	-	2	1	1	3	5	6	2	2	-
Other Violent Deaths		115	4	4	4	1	1	14	7	11	10	9	18	9	11	15	4	3	1
Other Causes		402	185	21	1	1	1	212	2	1	2	1	8	5	9	8	26	72	14

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		85 & up- wards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
Mean Populⁿ, 1861-71	1430	45	46	41	54	41	227	204	165	116	109	200	148	122	82	43	13	1		
TOTAL DEATHS	302	87	21	8	8	4	128	20	10	8	14	18	15	18	18	27	22	4		
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlatina	16	1	2	2	4	1	10	6	-	-	-	-	-	-	-	-	-	-		
Diphtheria	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-		
Whooping-cough	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus	27	1	2	-	1	-	4	1	5	2	3	3	1	3	3	2	-	-		
Diarrhoea & Dysentery	21	9	3	2	1	-	15	-	-	-	-	-	-	1	1	2	2	-		
Cholera	7	1	-	-	1	-	2	1	-	-	1	1	-	-	-	3	1	-		
Other Zymotic Dis.	8	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-		
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-		
Scrophula and Tuberc.	5	1	3	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-		
Phthisis	27	-	-	-	-	-	1	1	1	4	4	6	7	3	-	1	-	-		
Hydrocephalus	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	47	28	1	1	-	-	30	1	1	2	1	1	1	2	2	4	2	-		
Dis. of Heart & Dropsy	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Lungs	27	8	3	-	1	-	12	2	-	-	-	1	1	1	4	2	1	-		
Dis. of Stom. and Liver	9	-	-	-	-	-	1	-	-	-	-	1	-	3	3	-	1	-		
Dis. of Kidneys	4	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-		
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Childbirth and Metria	7	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-		
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths	4	1	1	-	-	1	8	-	-	-	-	-	1	-	-	-	-	-		
Other Causes	69	33	6	1	1	1	42	2	1	-	-	-	-	-	1	8	12	3		

53.—HOO.																		
Mean Populⁿ, 1861-71	25899	785	683	692	702	658	3520	3163	2589	2374	2424	4066	3074	2140	1372	810	313	54
TOTAL DEATHS	5707	1341	532	284	163	128	2448	240	114	126	200	435	391	349	390	463	399	132
Small-pox	30	9	2	6	2	1	20	5	1	1	7	2	-	-	-	-	-	-
Measles	148	31	54	29	20	7	141	6	-	-	-	1	-	-	-	-	-	-
Scarlatina	272	13	33	46	34	42	165	75	14	3	5	5	2	-	-	-	-	-
Diphtheria	35	2	5	4	9	4	24	8	2	-	-	-	-	-	1	-	-	-
Whooping-cough	138	44	49	24	11	6	134	4	-	-	-	-	-	-	-	-	-	-
Typhus	207	7	11	17	11	10	56	29	13	21	14	27	16	7	9	10	5	-
Diarrhoea & Dysentery	227	135	86	4	3	1	179	2	1	2	2	4	2	7	11	7	5	5
Cholera	89	19	5	-	2	-	26	3	1	-	-	1	1	2	3	1	1	-
Other Zymotic Dis.	175	29	25	25	16	11	97	17	7	8	3	2	9	3	7	8	8	8
Cancer	135	-	-	-	-	-	-	1	-	-	-	11	24	48	44	18	7	2
Scrophula and Tuberc.	172	66	32	18	6	9	131	6	11	3	6	6	2	3	-	1	-	-
Phthisis	639	15	16	10	4	2	47	18	22	49	89	187	119	70	30	6	2	-
Hydrocephalus	68	22	19	10	6	3	59	5	3	-	1	-	-	-	-	-	-	-
Dis. of Brain	671	214	82	25	11	8	310	17	10	8	7	31	31	25	58	87	60	18
Dis. of Heart & Dropsy	366	5	2	1	1	1	15	0	9	8	35	56	65	65	70	41	6	6
Dis. of Lungs	681	227	128	39	11	10	425	15	5	5	13	25	36	40	79	88	53	22
Dis. of Stom. and Liver	281	64	11	8	2	3	73	7	8	6	12	16	26	37	31	40	18	7
Dis. of Kidneys	82	1	1	2	-	1	5	1	-	-	3	10	17	15	9	8	10	4
Dis. of Genes. Organs	37	-	-	-	-	-	-	-	-	-	-	1	3	9	9	3	2	-
Dis. of Joints	20	-	-	-	-	2	2	1	4	-	3	2	8	-	5	3	2	-
Dis. of Skin	25	13	1	1	1	-	16	-	1	1	-	1	2	-	-	2	2	-
Childbirth and Metria	76	-	-	-	-	-	-	-	-	3	18	31	24	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	2	1	3	2	3	-	2	1	-
Other Violent Deaths	61	17	5	5	1	1	29	5	1	1	3	3	5	2	6	4	2	-
Other Causes	942	424	45	15	3	6	468	6	2	3	6	28	6	18	52	105	106	8

55.—MALLING.																		
Mean Populⁿ, 1861-71	11017	345	292	323	310	301	1571	1443	1311	903	893	1516	1210	931	681	403	134	21
TOTAL DEATHS	2061	490	157	66	54	37	804	84	55	72	75	145	115	115	144	196	189	67
Small-pox	8	1	-	1	-	-	2	1	-	2	1	2	-	-	-	-	-	-
Measles	22	5	7	3	2	1	18	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	64	5	6	9	9	5	34	13	5	-	-	2	-	-	-	-	-	-
Diphtheria	48	2	2	3	4	10	21	14	10	2	-	-	1	-	-	-	-	-
Whooping-cough	53	23	18	6	3	2	39	1	-	-	-	-	-	-	-	-	-	-
Typhus	78	3	3	1	3	3	13	14	6	8	7	9	5	5	6	5	-	-
Diarrhoea & Dysentery	103	56	18	4	1	1	59	1	1	-	1	-	1	3	1	-	-	-
Cholera	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	46	3	10	2	3	1	19	4	1	1	2	3	4	3	-	4	4	1
Cancer	33	-	-	-	-	-	-	-	-	-	-	4	7	5	18	15	3	1
Scrophula and Tuberc.	78	43	11	4	4	-	62	1	3	5	1	1	2	-	2	1	-	-
Phthisis	256	4	3	1	-	-	6	3	8	35	29	64	55	30	9	3	2	-
Hydrocephalus	15	2	4	-	3	-	9	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	294	100	16	8	8	4	136	11	5	3	6	9	4	14	21	36	36	13
Dis. of Heart & Dropsy	161	-	2	3	2	-	7	3	4	4	4	6	16	10	30	41	23	3
Dis. of Lungs	368	61	34	11	4	6	116	3	2	1	5	8	8	16	28	45	29	5
Dis. of Stom. and Liver	95	14	2	2	3	1	22	3	2	2	1	9	8	10	15	10	11	9
Dis. of Kidneys	17	-	-	-	-	-	-	1	-	-	-	6	3	-	2	5	-	-
Dis. of Genes. Organs	12	-	-	-	-	-	-	-	-	-	-	1	2	5	2	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-
Dis. of Skin	6	1	-	1	-	-	2	-	1	-	-	1	-	-	-	2	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	2	4	15	9	1	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-
Other Violent Deaths	30	2	6	4	2	3	17	2	-	1	-	2	3	9	6	23	63	4
Other Causes	544	165	13	3	5	-	186	-	2	3	1	1	3	3	6	23	63	4

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	50 Years.	55- 60- 65- 70- 75- 80- 85- 90- 95- 100- 105- 110- 115- 120- 125- 130- 135- 140- 145- 150- 155- 160- 165- 170- 175- 180- 185- 190- 195- 200- 205- 210- 215- 220- 225- 230- 235- 240- 245- 250- 255- 260- 265- 270- 275- 280- 285- 290- 295- 300- 305- 310- 315- 320- 325- 330- 335- 340- 345- 350- 355- 360- 365- 370- 375- 380- 385- 390- 395- 400- 405- 410- 415- 420- 425- 430- 435- 440- 445- 450- 455- 460- 465- 470- 475- 480- 485- 490- 495- 500- 505- 510- 515- 520- 525- 530- 535- 540- 545- 550- 555- 560- 565- 570- 575- 580- 585- 590- 595- 600- 605- 610- 615- 620- 625- 630- 635- 640- 645- 650- 655- 660- 665- 670- 675- 680- 685- 690- 695- 700- 705- 710- 715- 720- 725- 730- 735- 740- 745- 750- 755- 760- 765- 770- 775- 780- 785- 790- 795- 800- 805- 810- 815- 820- 825- 830- 835- 840- 845- 850- 855- 860- 865- 870- 875- 880- 885- 890- 895- 900- 905- 910- 915- 920- 925- 930- 935- 940- 945- 950- 955- 960- 965- 970- 975- 980- 985- 990- 995- 1000- 1005- 1010- 1015- 1020- 1025- 1030- 1035- 1040- 1045- 1050- 1055- 1060- 1065- 1070- 1075- 1080- 1085- 1090- 1095- 1100- 1105- 1110- 1115- 1120- 1125- 1130- 1135- 1140- 1145- 1150- 1155- 1160- 1165- 1170- 1175- 1180- 1185- 1190- 1195- 1200- 1205- 1210- 1215- 1220- 1225- 1230- 1235- 1240- 1245- 1250- 1255- 1260- 1265- 1270- 1275- 1280- 1285- 1290- 1295- 1300- 1305- 1310- 1315- 1320- 1325- 1330- 1335- 1340- 1345- 1350- 1355- 1360- 1365- 1370- 1375- 1380- 1385- 1390- 1395- 1400- 1405- 1410- 1415- 1420- 1425- 1430- 1435- 1440- 1445- 1450- 1455- 1460- 1465- 1470- 1475- 1480- 1485- 1490- 1495- 1500- 1505- 1510- 1515- 1520- 1525- 1530- 1535- 1540- 1545- 1550- 1555- 1560- 1565- 1570- 1575- 1580- 1585- 1590- 1595- 1600- 1605- 1610- 1615- 1620- 1625- 1630- 1635- 1640- 1645- 1650- 1655- 1660- 1665- 1670- 1675- 1680- 1685- 1690- 1695- 1700- 1705- 1710- 1715- 1720- 1725- 1730- 1735- 1740- 1745- 1750- 1755- 1760- 1765- 1770- 1775- 1780- 1785- 1790- 1795- 1800- 1805- 1810- 1815- 1820- 1825- 1830- 1835- 1840- 1845- 1850- 1855- 1860- 1865- 1870- 1875- 1880- 1885- 1890- 1895- 1900- 1905- 1910- 1915- 1920- 1925- 1930- 1935- 1940- 1945- 1950- 1955- 1960- 1965- 1970- 1975- 1980- 1985- 1990- 1995- 2000- 2005- 2010- 2015- 2020- 2025- 2030- 2035- 2040- 2045- 2050- 2055- 2060- 2065- 2070- 2075- 2080- 2085- 2090- 2095- 2100- 2105- 2110- 2115- 2120- 2125- 2130- 2135- 2140- 2145- 2150- 2155- 2160- 2165- 2170- 2175- 2180- 2185- 2190- 2195- 2200- 2205- 2210- 2215- 2220- 2225- 2230- 2235- 2240- 2245- 2250- 2255- 2260- 2265- 2270- 2275- 2280- 2285- 2290- 2295- 2300- 2305- 2310- 2315- 2320- 2325- 2330- 2335- 2340- 2345- 2350- 2355- 2360- 2365- 2370- 2375- 2380- 2385- 2390- 2395- 2400- 2405- 2410- 2415- 2420- 2425- 2430- 2435- 2440- 2445- 2450- 2455- 2460- 2465- 2470- 2475- 2480- 2485- 2490- 2495- 2500- 2505- 2510- 2515- 2520- 2525- 2530- 2535- 2540- 2545- 2550- 2555- 2560- 2565- 2570- 2575- 2580- 2585- 2590- 2595- 2600- 2605- 2610- 2615- 2620- 2625- 2630- 2635- 2640- 2645- 2650- 2655- 2660- 2665- 2670- 2675- 2680- 2685- 2690- 2695- 2700- 2705- 2710- 2715- 2720- 2725- 2730- 2735- 2740- 2745- 2750- 2755- 2760- 2765- 2770- 2775- 2780- 2785- 2790- 2795- 2800- 2805- 2810- 2815- 2820- 2825- 2830- 2835- 2840- 2845- 2850- 2855- 2860- 2865- 2870- 2875- 2880- 2885- 2890- 2895- 2900- 2905- 2910- 2915- 2920- 2925- 2930- 2935- 2940- 2945- 2950- 2955- 2960- 2965- 2970- 2975- 2980- 2985- 2990- 2995- 3000- 3005- 3010- 3015- 3020- 3025- 3030- 3035- 3040- 3045- 3050- 3055- 3060- 3065- 3070- 3075- 3080- 3085- 3090- 3095- 3100- 3105- 3110- 3115- 3120- 3125- 3130- 3135- 3140- 3145- 3150- 3155- 3160- 3165- 3170- 3175- 3180- 3185- 3190- 3195- 3200- 3205- 3210- 3215- 3220- 3225- 3230- 3235- 3240- 3245- 3250- 3255- 3260- 3265- 3270- 3275- 3280- 3285- 3290- 3295- 3300- 3305- 3310- 3315- 3320- 3325- 3330- 3335- 3340- 3345- 3350- 3355- 3360- 3365- 3370- 3375- 3380- 3385- 3390- 3395- 3400- 3405- 3410- 3415- 3420- 3425- 3430- 3435- 3440- 3445- 3450- 3455- 3460- 3465- 3470- 3475- 3480- 3485- 3490- 3495- 3500- 3505- 3510- 3515- 3520- 3525- 3530- 3535- 3540- 3545- 3550- 3555- 3560- 3565- 3570- 3575- 3580- 3585- 3590- 3595- 3600- 3605- 3610- 3615- 3620- 3625- 3630- 3635- 3640- 3645- 3650- 3655- 3660- 3665- 3670- 3675- 3680- 3685- 3690- 3695- 3700- 3705- 3710- 3715- 3720- 3725- 3730- 3735- 3740- 3745- 3750- 3755- 3760- 3765- 3770- 3775- 3780- 3785- 3790- 3795- 3800- 3805- 3810- 3815- 3820- 3825- 3830- 3835- 3840- 3845- 3850- 3855- 3860- 3865- 3870- 3875- 3880- 3885- 3890- 3895- 3900- 3905- 3910- 3915- 3920- 3925- 3930- 3935- 3940- 3945- 3950- 3955- 3960- 3965- 3970- 3975- 3980- 3985- 3990- 3995- 4000- 4005- 4010- 4015- 4020- 4025- 4030- 4035- 4040- 4045- 4050- 4055- 4060- 4065- 4070- 4075- 4080- 4085- 4090- 4095- 4100- 4105- 4110- 4115- 4120- 4125- 4130- 4135- 4140- 4145- 4150- 4155- 4160- 4165- 4170- 4175- 4180- 4185- 4190- 4195- 4200- 4205- 4210- 4215- 4220- 4225- 4230- 4235- 4240- 4245- 4250- 4255- 4260- 4265- 4270- 4275- 4280- 4285- 4290- 4295- 4300- 4305- 4310- 4315- 4320- 4325- 4330- 4335- 4340- 4345- 4350- 4355- 4360- 4365- 4370- 4375- 4380- 4385- 4390- 4395- 4400- 4405- 4410- 4415- 4420- 4425- 4430- 4435- 4440- 4445- 4450- 4455- 4460- 4465- 4470- 4475- 4480- 4485- 4490- 4495- 4500- 4505- 4510- 4515- 4520- 4525- 4530- 4535- 4540- 4545- 4550- 4555- 4560- 4565- 4570- 4575- 4580- 4585- 4590- 4595- 4600- 4605- 4610- 4615- 4620- 4625- 4630- 4635- 4640- 4645- 4650- 4655- 4660- 4665- 4670- 4675- 4680- 4685- 4690- 4695- 4700- 4705- 4710- 4715- 4720- 4725- 4730- 4735- 4740- 4745- 4750- 4755- 4760- 4765- 4770- 4775- 4780- 4785- 4790- 4795- 4800- 4805- 4810- 4815- 4820- 4825- 4830- 4835- 4840- 4845- 4850- 4855- 4860- 4865- 4870- 4875- 4880- 4885- 4890- 4895- 4900- 4905- 4910- 4915- 4920- 4925- 4930- 4935- 4940- 4945- 4950- 4955- 4960- 4965- 4970- 4975- 4980- 4985- 4990- 4995- 5000- 5005- 5010- 5015- 5020- 5025- 5030- 5035- 5040- 5045- 5050- 5055- 5060- 5065- 5070- 5075- 5080- 5085- 5090- 5095- 5100- 5105- 5110- 5115- 5120- 5125- 5130- 5135- 5140- 5145- 5150- 5155- 5160- 5165- 5170- 5175- 5180- 5185- 5190- 5195- 5200- 5205- 5210- 5215- 5220- 5225- 5230- 5235- 5240- 5245- 5250- 5255- 5260- 5265- 5270- 5275- 5280- 5285- 5290- 5295- 5300- 5305- 5310- 5315- 5320- 5325- 5330- 5335- 5340- 5345- 5350- 5355- 5360- 5365- 5370- 5375- 5380- 5385- 5390- 5395- 5400- 5405- 5410- 5415- 5420- 5425- 5430- 5435- 5440- 5445- 5450- 5455- 5460- 5465- 5470- 5475- 5480- 5485- 5490- 5495- 5500- 5505- 5510- 5515- 5520- 5525- 5530- 5535- 5540- 5545- 5550- 5555- 5560- 5565- 5570- 5575- 5580- 5585- 5590- 5595- 5600- 5605- 5610- 5615- 5620- 5625- 5630- 5635- 5640- 5645- 5650- 5655- 5660- 5665- 5670- 5675- 5680- 5685- 5690- 5695- 5700- 5705- 5710- 5715- 5720- 5725- 5730- 5735- 5740- 5745- 5750- 5755- 5760- 5765- 5770- 5775- 5780- 5785- 5790- 5795- 5800- 5805- 5810- 5815- 5820- 5825- 5830- 5835- 5840- 5845- 5850- 5855- 5860- 5865- 5870- 5875- 5880- 5885- 5890- 5895- 5900- 5905- 5910- 5915- 5920- 5925- 5930- 5935- 5940- 5945- 5950- 5955- 5960- 5965- 5970- 5975- 5980- 5985- 5990- 5995- 6000- 6005- 6010- 6015- 6020- 6025- 6030- 6035- 6040- 6045- 6050- 6055- 6060- 6065- 6070- 6075- 6080- 6085- 6090- 6095- 6100- 6105- 6110- 6115- 6120- 6125- 6130- 6135- 6140- 6145- 6150- 6155- 6160- 6165- 6170- 6175- 6180- 6185- 6190- 6195- 6200- 6205- 6210- 6215- 6220- 6225- 6230- 6235- 6240- 6245- 6250- 6255- 6260- 6265- 6270- 6275- 6280- 6285- 6290- 6295- 6300- 6305- 6310- 6315- 6320- 6325- 6330- 6335- 6340- 6345- 6350- 6355- 6360- 6365- 6370- 6375- 6380- 6385- 6390- 6395- 6400- 6405- 6410- 6415- 6420- 6425- 6430- 6435- 6440- 6445- 6450- 6455- 6460- 6465- 6470- 6475- 6480- 6485- 6490- 6495- 6500- 6505- 6510- 6515- 6520- 6525- 6530- 6535- 6540- 6545- 6550- 6555- 6560- 6565- 6570- 6575- 6580- 6585- 6590- 6595- 6600- 6605- 6610- 6615- 6620- 6625- 6630- 6635- 6640- 6645- 6650- 6655- 6660- 6665- 6670- 6675- 6680- 6685- 6690- 6695- 6700- 6705- 6710- 6715- 6720- 6725- 6730- 6735- 6740- 6745- 6750- 6755- 6760- 6765- 6770- 6775- 6780- 6785- 6790- 6795- 6800- 6805- 6810- 6815- 6820- 6825- 6830- 6835- 6840- 6845- 6850- 6855- 6860- 6865- 6870- 6875- 6880- 6885- 6890- 6895- 6900- 6905- 6910- 6915- 6920- 6925- 6930- 6935- 6940- 6945- 6950- 6955- 6960- 6965- 6970- 6975- 6980- 6985- 6990- 6995- 7000- 7005- 7010- 7015- 7020- 7025- 7030- 7035- 7040- 7045- 7050- 7055- 7060- 7065- 7070- 7075- 7080- 7085- 7090- 7095- 7100- 7105- 7110- 7115- 7120- 7125- 7130- 7135- 7140- 7145- 7150- 7155- 7160- 7165- 7170- 7175- 7180- 7185- 7190- 7195- 7200- 7205- 7210- 7215- 7220- 7225- 7230- 7235- 7240- 7245- 7250- 7255- 7260- 7265- 7270- 7275- 7280- 7285- 7290- 7295- 7300- 7305- 7310- 7315- 7320- 7325- 7330- 7335- 7340- 7345- 7350- 7355- 7360- 7365- 7370- 7375- 7380- 7385- 7390- 7395- 7400- 7405- 7410- 7415- 7420- 7425- 7430- 7435- 7440- 7445- 7450- 7455- 7460- 7465- 7470- 7475- 7480- 7485- 7490- 7495- 7500- 7505- 7510- 7515- 7520- 7525- 7530- 7535- 7540- 7545- 7550- 7555- 7560- 7565- 7570- 7575- 7580- 7585- 7590- 7595- 7600- 7605- 7610- 7615- 7620- 7625- 7630- 7635- 7640- 7645- 7650- 7655- 7660- 7665- 7670- 7675- 7680- 7685- 7690- 7695- 7700- 7705- 7710- 7715- 7720- 7725- 7730- 7735- 7740- 7745- 7750- 7755- 7760- 7765- 7770- 7775- 7780- 7785- 7790- 7795- 7800- 7805- 7810- 7815- 7820- 7825- 7830- 7835- 7840- 7845- 7850- 7855- 7860- 7865-<
---------------------	--------------	------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------------------------------	--------------	--

57.—TUNBRIDGE.

Mean Popul ⁿ , 1861-71	21079	542	532	535	537	401	2637	2380	2198	1987	1986	3262	2500	1859	1275	794	240	31		
TOTAL DEATHS	3566	722	230	116	74	59	1201	131	87	117	129	263	268	244	291	396	370	79		
Small-pox	31	5	1	-	-	-	7	1	-	1	2	6	2	-	1	2	1	-		
Measles	69	13	22	13	7	7	63	5	1	-	-	-	1	-	-	-	-	-		
Scarlatina	119	6	12	13	14	14	61	22	13	5	1	8	1	-	-	-	-	-		
Diphtheria	44	3	7	6	6	4	36	12	3	-	1	-	-	-	2	-	-	-		
Whooping-cough	119	62	35	9	4	3	115	6	-	-	-	-	-	-	-	-	-	-		
Typhus	117	-	2	5	4	1	12	14	16	15	5	11	19	10	8	4	3	-		
Diarrhoea & Dysentery	124	74	17	4	1	-	96	-	-	-	2	8	1	-	3	7	8	4		
Cholera	6	2	-	-	-	1	3	-	-	-	-	-	-	2	-	1	-	-		
Other Zymotic Dis.	76	9	4	6	7	5	31	8	6	5	2	2	5	2	4	7	6	-		
Cancer	136	-	-	-	-	-	-	-	-	-	1	7	22	33	45	23	4	1		
Scrophula and Tuberc.	83	27	17	4	2	1	51	6	7	4	2	3	5	2	1	1	-	-		
Phthisis	442	5	6	4	2	3	30	4	15	43	74	120	98	59	14	9	1	-		
Hydrocephalus	61	22	7	9	4	5	47	10	3	-	-	-	-	-	1	-	-	-		
Dis. of Brain	402	86	18	12	11	7	134	14	5	4	6	15	10	37	45	62	65	4		
Dis. of Heart & Dropsy	326	6	1	1	-	1	9	3	6	5	5	11	14	40	54	63	45	1		
Dis. of Lungs	450	102	49	13	7	4	175	10	9	3	3	6	16	24	45	55	69	11		
Dis. of Stom. and Liver	321	17	3	2	1	-	25	4	3	5	3	37	22	18	35	52	21	3		
Dis. of Kidneys	77	-	-	1	-	-	1	1	2	4	3	14	11	14	9	14	4	-		
Dis. of Genur. Organs	28	-	-	-	-	-	-	-	-	1	1	3	7	9	6	1	-	-		
Dis. of Joints	16	1	1	-	-	-	2	-	3	3	1	2	1	-	2	1	-	-		
Dis. of Skin	9	1	1	-	-	-	2	-	1	-	2	-	2	-	1	1	-	-		
Childbirth and Metria	92	-	-	-	-	-	-	-	-	6	5	14	19	2	-	-	-	-		
Scalds	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-		
Other Violent Deaths	39	8	1	3	-	1	13	1	-	3	2	1	4	3	1	4	5	1		
Other Causes	601	273	23	5	4	2	310	-	-	4	4	6	7	6	15	60	136	53		

58.—MAIDSTONE.

Mean Popul ⁿ , 1861-71	30463	513	527	502	522	495	2559	2380	2162	1839	1797	2915	2433	1889	1307	806	315	52		
TOTAL DEATHS	4455	886	302	161	82	63	1494	185	93	117	173	319	345	341	387	400	410	131		
Small-pox	25	9	1	3	-	-	13	2	1	1	1	1	5	-	-	1	-	-		
Measles	70	8	24	13	6	4	57	9	2	-	1	-	1	-	-	-	-	-		
Scarlatina	174	5	24	22	22	17	100	55	12	1	4	1	1	-	-	-	-	-		
Diphtheria	35	2	4	4	4	1	15	11	5	2	-	-	-	-	-	-	-	-		
Whooping-cough	82	31	24	13	7	4	79	9	1	-	-	-	-	-	-	-	-	-		
Typhus	137	1	2	3	6	1	13	13	12	20	16	11	10	11	10	19	7	3		
Diarrhoea & Dysentery	170	103	16	5	2	2	128	-	-	-	1	4	2	3	5	11	10	5		
Cholera	31	5	3	1	-	-	9	4	2	1	1	2	4	1	1	1	-	-		
Other Zymotic Dis.	82	10	7	12	2	3	34	6	2	1	4	2	6	5	9	9	8	-		
Cancer	109	-	-	-	-	-	-	-	-	-	-	7	19	23	23	22	8	-		
Scrophula and Tuberc.	72	26	11	3	1	3	44	5	6	5	1	8	5	5	2	1	-	-		
Phthisis	544	9	10	5	3	4	51	10	21	53	86	137	103	65	30	7	1	-		
Hydrocephalus	78	24	23	10	4	3	68	10	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	670	116	19	14	10	3	166	12	10	9	15	49	71	60	77	112	72	11		
Dis. of Heart & Dropsy	592	15	1	-	1	1	18	4	6	6	14	15	35	55	70	76	20	3		
Dis. of Lungs	614	116	62	23	7	10	218	18	3	3	12	17	28	46	80	101	77	11		
Dis. of Stom. and Liver	178	24	8	4	-	1	34	10	2	5	5	15	19	19	27	20	14	2		
Dis. of Kidneys	59	2	1	1	-	-	4	-	1	2	2	8	6	4	6	3	3	-		
Dis. of Genur. Organs	35	-	-	-	-	-	-	-	-	-	-	5	3	12	9	4	2	-		
Dis. of Joints	10	-	1	1	-	1	3	1	1	-	1	1	1	1	1	1	-	-		
Dis. of Skin	22	5	4	-	-	1	19	2	-	-	-	1	2	3	2	1	1	-		
Childbirth and Metria	61	-	-	-	-	-	-	-	-	4	5	23	18	1	-	-	-	-		
Scalds	12	-	-	-	-	-	-	-	-	2	-	2	1	5	2	-	-	-		
Other Violent Deaths	70	8	4	5	3	2	22	5	5	2	3	4	5	4	11	6	5	-		
Other Causes	551	273	46	7	2	-	423	6	1	-	2	6	4	14	26	91	177	94		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
59.—HOLLINGBOURN.																			
Mean Popul ⁿ , 1861-71	7053	193	201	192	188	199	973	923	793	659	514	878	760	603	474	335	129	12	
TOTAL DEATHS	1368	323	86	41	31	15	496	59	32	40	45	56	76	77	89	174	179	45	
Small-pox	3	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	
Measles	17	4	5	3	1	1	14	2	1	-	-	-	-	-	-	-	-	-	
Scarlatina	56	3	2	12	11	6	94	15	6	-	1	-	-	-	-	-	-	-	
Diphtheria	24	1	1	2	4	2	10	8	2	-	-	-	-	2	-	-	-	-	
Whooping-cough	23	13	7	2	-	-	22	1	-	-	-	-	-	-	-	-	-	-	
Typhus	27	2	2	-	-	-	4	4	2	4	2	2	2	1	1	4	1	-	
Diarrhoea & Dysentery	52	20	6	3	-	-	29	2	-	2	1	1	-	-	2	8	3	1	
Cholera	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	30	2	3	1	4	2	12	3	1	-	2	1	2	2	2	4	1	-	
Cancer	26	-	-	-	-	-	-	1	1	-	-	-	4	4	4	7	8	1	
Scrofula and Tuberc.	29	9	7	1	1	-	18	1	1	1	2	2	3	1	-	1	-	-	
Phthisis	123	1	1	-	2	-	4	-	3	16	13	19	24	20	15	2	2	-	
Hydrocephalus	11	4	3	-	-	2	9	1	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain	181	53	18	4	1	1	72	4	2	2	6	2	9	9	13	32	28	3	
Dis. of Heart & Dropsy	86	1	-	1	-	-	2	4	3	4	4	8	4	6	11	25	12	3	
Dis. of Lungs	206	55	18	5	5	-	83	5	-	3	3	7	8	11	16	27	40	6	
Dis. of Stom. and Liver	65	9	2	-	-	-	11	2	1	3	-	3	9	6	11	12	7	1	
Dis. of Kidneys	32	-	-	-	1	-	1	1	-	1	2	-	1	4	4	11	7	-	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	
Dis. of Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-	
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	12	-	-	-	-	-	-	-	-	-	1	1	3	2	2	2	1	1	
Other Violent Deaths	42	2	2	-	-	1	5	3	8	3	3	7	4	3	2	3	-	-	
Other Causes	311	138	14	7	1	-	160	3	1	1	-	1	5	4	5	55	72	23	

60.—CRANBROOK.

Mean Popul ⁿ , 1861-71		6871	199	167	180	176	197	919	869	827	678	548	851	712	599	473	278	103	15
TOTAL DEATHS		1148	245	64	25	33	16	374	47	24	29	40	59	50	56	116	180	156	37
Small-pox		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles		11	2	3	2	1	1	9	1	1	-	-	-	-	-	-	-	-	-
Scarlatina		21	1	1	1	1	3	7	10	1	3	-	-	-	-	-	-	-	-
Diphtheria		15	1	1	1	3	1	7	6	2	-	-	-	-	-	-	-	-	-
Whooping-cough		29	8	8	3	-	-	20	-	-	-	-	-	-	-	-	-	-	-
Typhus		41	1	2	-	1	-	4	6	7	3	5	3	3	1	4	4	2	-
Diarrhoea & Dysentery		19	5	-	1	-	1	7	1	-	-	-	-	-	1	-	5	4	1
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		32	1	2	3	3	4	13	4	-	1	-	1	-	2	2	3	5	1
Cancer		19	-	-	-	-	-	-	3	-	-	-	-	-	-	3	4	5	-
Scrofula and Tuberc.		27	7	6	-	-	-	13	3	2	2	1	3	1	2	2	5	-	-
Phthisis		99	2	-	1	-	-	3	1	-	-	-	26	17	13	5	8	-	-
Hydrocephalus		15	9	2	-	2	1	14	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain		161	43	12	-	5	2	62	3	2	1	7	7	8	11	16	21	23	-
Dis. of Heart & Dropsy		76	-	-	-	-	-	1	-	2	1	3	4	4	4	17	33	9	2
Dis. of Lungs		156	36	14	6	2	-	59	5	1	1	2	3	4	9	27	46	24	5
Dis. of Stom. and Liver		75	7	-	-	1	1	9	1	1	3	2	7	2	5	20	16	8	1
Dis. of Kidneys		44	-	-	1	1	-	2	-	1	-	-	1	4	5	7	16	7	1
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		4	-	1	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-
Childbirth and Metris.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-
Other Violent Deaths		38	-	5	4	3	-	12	3	8	3	1	2	1	3	1	5	3	3
Other Causes		210	122	7	8	-	-	132	2	1	-	-	2	-	-	10	21	46	23

61.—TENTERDEN.

Mean Popul ⁿ , 1861-71		5455	146	160	151	143	133	733	691	621	549	399	666	579	493	384	241	88	11
TOTAL DEATHS		891	225	37	18	14	13	307	41	21	19	20	42	47	51	87	117	112	27
Small-pox		1	1	-	-	-	-	6	1	-	1	-	-	-	-	-	-	-	-
Measles		8	2	2	1	-	1	5	3	1	-	-	-	-	-	-	-	-	-
Scarlatina		9	-	-	-	-	-	4	12	2	-	-	1	-	-	-	-	-	-
Diphtheria		19	1	1	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough		19	11	3	2	-	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus		22	1	-	-	2	-	4	23	4	2	1	-	2	-	2	6	1	-
Diarrhoea & Dysentery		15	7	1	-	1	1	10	-	-	1	1	-	-	-	2	1	-	-
Cholera		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		28	4	2	2	2	5	15	2	1	-	-	-	1	1	4	8	1	-
Cancer		7	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1
Scrofula and Tuberc.		10	1	2	-	-	-	3	-	2	1	-	-	-	-	4	-	-	-
Phthisis		127	7	2	-	-	-	9	3	6	10	12	27	20	17	16	6	1	-
Hydrocephalus		11	6	1	4	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		109	41	4	1	1	-	47	1	2	2	1	3	8	5	8	17	13	2
Dis. of Heart & Dropsy		65	2	-	-	-	-	2	1	-	1	-	1	4	6	17	29	12	1
Dis. of Lungs		91	29	5	2	-	1	37	2	1	2	-	3	3	5	10	20	6	2
Dis. of Stom. and Liver		65	16	2	2	-	1	21	8	-	-	1	-	3	7	7	6	7	-
Dis. of Kidneys		19	-	-	-	-	-	-	-	1	-	-	1	-	1	2	8	6	-
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		4	-	-	-	-	1	1	2	-	-	-	-	-	1	1	-	-	-
Dis. of Skin		7	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		5	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-
Other Violent Deaths		28	1	-	-	1	1	3	4	1	-	-	5	3	4	4	1	-	-
Other Causes		231	99	19	3	1	1	105	3	1	-	3	1	1	1	6	27	63	21

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- 99.
59.—HOLLINGBOURN.																		
Mean Popul ⁿ , 1861-71 - }	6762	189	191	197	194	186	957	890	770	584	543	882	733	566	434	372	113	18
TOTAL DEATHS -	1193	234	80	35	20	21	390	40	33	50	34	89	72	78	83	130	122	57
Small-pox - - -	3	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Measles - - -	15	1	6	3	-	2	12	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	41	1	2	2	4	7	16	9	-	3	1	3	2	-	-	-	-	-
Dysentery - - -	22	-	2	3	2	4	11	7	7	-	1	-	-	-	-	-	-	-
Whooping-cough -	25	13	9	1	1	1	25	-	-	-	-	-	-	-	-	-	-	-
Erysipels - - -	30	-	1	2	2	-	5	2	1	6	-	4	6	3	2	1	-	-
Diarrhoea & Dysentery	48	26	7	-	2	-	35	1	-	-	1	2	2	-	-	1	5	1
Cholera - - -	4	1	-	1	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Other Zymotic Dis. -	15	2	1	1	1	-	5	1	-	-	1	2	1	-	1	3	-	-
Cancer - - -	56	-	-	1	-	-	1	-	-	-	2	7	5	15	11	10	4	1
Scrofela and Tuberc.	82	12	5	1	2	-	20	3	-	5	-	2	2	-	1	-	1	-
Phthisis - - -	119	-	1	1	-	-	1	3	7	18	15	30	23	12	6	4	-	-
Llydrocephalus - -	12	4	2	1	1	-	8	3	1	-	-	-	-	-	-	-	-	-
Dia. of Brain - - -	151	39	11	5	2	2	69	5	6	3	3	9	8	9	12	18	14	5
Dia. of Heart & Dropsy	84	-	-	-	-	-	-	4	1	1	7	4	3	13	35	6	4	-
Dia. of Lungs - - -	133	27	15	8	2	2	54	4	1	-	4	3	19	18	25	17	4	-
Dia. of Stom. & Liver	80	3	2	1	-	1	7	3	-	3	5	5	3	10	15	18	11	-
Dia. of Kidneys - -	17	-	-	-	-	-	-	-	-	-	1	6	2	1	4	3	-	-
Dia. of Genur. Organs	5	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	-	-
Dia. of Joints - - -	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
Dia. of Skin - - -	6	2	1	-	-	-	3	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	1	3	7	4	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	15	3	1	-	-	1	5	3	-	3	-	-	1	2	-	-	-	-
Other Causes - - -	259	100	14	4	1	1	120	1	1	5	-	1	2	5	8	18	61	4

60.—CRANBROOK.

Mean Popul ⁿ , 1861-71	6837	193	198	195	184	187	957	850	746	620	563	946	749	596	426	274	99	11
TOTAL DEATHS -	1161	207	57	34	17	13	328	46	28	58	45	86	79	73	92	101	122	43
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	13	2	4	2	-	2	10	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -	24	-	1	4	3	1	9	8	-	-	-	-	-	-	-	-	-	-
Diphtheria -	21	-	1	2	2	3	8	9	4	2	1	-	-	-	-	-	-	-
Whooping-cough -	19	12	4	1	1	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus -	47	2	1	1	1	1	6	5	6	7	5	3	3	3	4	3	2	-
Dysentery & Cholera -	48	13	6	3	1	-	29	1	-	1	-	1	1	1	3	8	5	1
Other Zymotic Dis. -	23	2	2	4	1	-	9	3	1	-	-	2	1	1	1	1	4	-
Cancer -	40	-	-	-	-	-	-	-	-	2	-	-	13	11	6	7	1	-
Scrofula and Tuberc. -	30	9	3	1	-	-	13	-	-	5	1	5	3	2	1	-	-	-
Phthisis -	132	4	1	1	-	-	6	3	7	25	27	44	25	7	7	1	-	-
Myxocephalus -	15	3	5	2	1	1	14	-	1	-	-	-	-	-	-	-	-	-
Erys. of Brain -	139	25	5	1	3	1	35	4	1	7	3	11	7	9	13	20	25	4
Erys. of Heart & Dropsy -	95	4	-	-	-	-	4	1	-	1	3	5	8	15	14	23	16	-
Erys. of Lungs -	176	27	17	10	1	2	57	3	2	2	1	3	8	12	17	42	21	5
Erys. of Stom. and Liver -	48	5	-	1	1	7	1	1	1	4	-	1	3	6	11	10	4	-
Erys. of Kidneys -	13	-	-	-	-	-	-	-	-	1	1	2	-	-	5	5	-	1
Erys. of Genes. Organs -	6	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-
Erys. of Joints -	5	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-
Erys. of Skin -	8	1	-	-	-	-	1	1	1	-	-	1	-	-	2	1	1	-
Childbirth and Metritis -	10	-	-	-	-	-	-	-	-	-	1	4	4	1	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Other Violent Deaths -	10	1	2	-	-	-	3	-	-	-	1	-	-	1	2	2	2	1
Other Causes -	216	65	5	2	2	1	105	2	-	1	1	3	1	2	4	32	38	1

61.—TENTERDEN.

Mean Popul ⁿ , 1861-71	5453	161	139	154	138	156	748	689	608	514	435	689	589	487	362	221	94	17
TOTAL DEATHS -	954	179	52	18	27	12	288	30	23	35	37	74	65	56	67	114	103	46
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	17	-	4	6	3	-	14	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -	12	2	-	1	4	1	8	4	-	-	-	-	-	-	-	-	-	-
Epididymitis -	23	1	2	-	2	2	7	8	4	3	-	1	-	-	-	-	-	-
Whooping-cough -	50	16	7	1	1	1	26	3	1	-	-	-	-	-	-	-	-	-
Typhoid -	24	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-
Dysentery and Cholera -	21	8	2	1	1	1	13	1	4	5	3	2	2	1	2	2	3	1
Other Zymotic Dis. -	23	1	2	2	2	2	9	2	-	-	-	1	-	2	4	4	1	-
Cancer -	17	-	-	-	-	-	-	-	-	-	-	-	1	5	3	0	1	1
Scrophula and Tuberc. -	5	1	-	-	-	-	1	-	-	2	-	1	-	1	-	-	-	-
Phthisis -	177	4	5	-	-	-	11	4	9	17	31	44	30	16	9	6	-	-
Hydrocephalus -	6	1	1	-	5	-	5	1	-	-	-	-	-	-	-	-	-	-
Erys. of Brain -	119	22	10	1	1	3	87	2	-	2	-	3	6	11	12	22	30	4
Erys. of Heart & Dropsy -	78	2	-	-	-	-	2	3	4	1	-	6	8	9	24	11	1	1
Erys. of Lungs -	93	23	9	3	4	1	40	-	2	2	-	3	6	2	7	18	11	2
Erys. of Stom. and Liver -	40	11	-	-	1	1	13	1	1	1	-	1	1	5	5	10	2	-
Erys. of Kidneys -	4	1	-	1	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Erys. of Gen. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Erys. of Joints -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Erys. of Skin -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Met. & Suicide -	14	-	-	-	-	-	-	-	-	1	2	8	3	-	-	-	-	-
Other Violent Deaths -	11	1	1	2	-	-	4	1	-	-	1	-	1	-	4	-	2	1
Other Causes -	232	84	8	-	2	-	94	5	1	-	-	4	6	3	10	22	34	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		62.—WEST ASHFORD.																
Mean Popul ⁿ , 1861-71	8004	255	227	232	228	214	1156	994	906	789	658	1046	870	691	484	299	96	15
TOTAL DEATHS -	1519	400	128	59	44	21	652	63	41	38	52	77	84	84	105	141	141	41
Small-pox -	11	1	1	2	1	-	5	-	1	-	1	1	2	-	1	-	-	-
Measles -	32	9	6	4	7	1	29	2	-	-	-	-	1	-	-	-	-	-
Scarlatina -	73	1	8	11	10	5	35	23	11	2	-	-	2	-	-	-	-	-
Diphtheria -	16	1	1	3	4	4	13	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough -	25	20	10	1	2	1	34	1	-	-	-	-	-	-	-	-	-	-
Typhus -	73	3	4	2	6	1	16	11	6	7	6	0	4	5	5	6	1	-
Diarrhoea & Dysentery -	55	50	5	1	-	-	36	-	1	-	1	-	-	-	1	4	6	6
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	21	1	2	3	2	1	9	1	-	1	-	1	2	2	1	1	3	-
Cancer -	6	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-
Scrofula and Tubercles -	24	6	5	-	1	-	12	2	5	-	-	1	1	-	2	1	-	-
Phtisis -	157	7	3	1	-	1	12	2	2	12	32	37	31	13	8	8	-	-
Hydrocephalus -	38	15	14	4	1	-	34	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	178	61	20	10	3	2	95	3	4	4	-	2	7	11	17	20	13	1
Dis. of Heart & Dropsy -	72	5	-	-	-	-	6	-	1	-	1	1	6	9	13	24	12	-
Dis. of Lungs -	240	72	32	11	5	4	124	8	3	2	3	11	14	12	22	27	17	2
Dis. of Stom. and Liver -	69	7	-	2	-	-	9	2	1	8	3	3	1	13	11	13	16	-
Dis. of Kidneys -	81	1	-	-	-	-	1	2	1	2	1	4	1	5	3	5	6	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	11	1	-	-	1	-	2	-	-	-	3	1	1	1	2	1	-	-
Dis. of Skin -	5	2	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	1	-
Other Violent Deaths -	40	3	5	4	-	-	12	4	2	3	1	4	5	3	2	3	1	-
Other Causes -	321	154	10	-	1	1	168	2	-	1	-	2	4	8	10	25	73	31
63.—EAST ASHFORD.																		
Mean Popul ⁿ , 1861-71	6430	192	171	194	193	175	925	832	758	559	489	774	676	563	445	282	112	15
TOTAL DEATHS -	1128	302	80	21	14	16	433	44	15	36	29	51	58	58	76	142	141	45
Small-pox -	1	-	-	-	-	-	10	-	-	-	-	-	-	-	-	1	-	-
Measles -	13	2	6	1	-	1	23	3	1	-	-	-	-	-	-	-	-	-
Scarlatina -	32	5	6	6	3	3	39	7	-	1	-	-	-	-	-	-	-	-
Diphtheria -	18	1	2	-	3	3	9	6	3	-	-	-	-	-	-	-	-	-
Whooping-cough -	9	4	3	1	-	-	6	1	-	-	-	-	-	-	-	-	-	-
Typhus -	55	1	1	2	2	2	6	5	8	9	4	5	2	4	7	8	3	-
Diarrhoea & Dysentery -	36	27	2	1	-	-	30	-	-	-	-	-	-	-	1	2	2	1
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	26	3	5	1	-	-	9	4	-	-	-	2	1	1	2	3	4	-
Cancer -	11	-	-	-	-	-	-	-	-	-	-	-	-	3	6	2	-	-
Scrofula and Tubercles -	19	11	2	1	-	-	14	1	-	1	1	1	-	1	-	-	-	-
Phtisis -	107	2	3	-	-	-	5	3	-	9	17	23	29	11	6	4	-	-
Hydrocephalus -	19	7	7	-	1	1	16	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	125	43	9	2	-	1	53	3	2	6	1	4	4	3	7	25	15	-
Dis. of Heart & Dropsy -	81	3	-	-	-	-	3	-	3	-	-	5	6	10	17	17	19	1
Dis. of Lungs -	179	59	24	5	2	2	92	8	1	4	2	5	5	9	12	20	17	-
Dis. of Stom. and Liver -	49	4	1	-	1	-	6	3	1	2	2	2	2	7	6	14	5	-
Dis. of Kidneys -	23	-	1	-	-	-	1	2	-	-	1	-	2	1	4	0	3	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	2	-	-	-	-	2	-	-	1	-	-	1	-	-	2	-	-
Dis. of Skin -	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-
Other Violent Deaths -	21	1	-	-	-	2	3	-	1	1	-	2	2	1	3	4	3	1
Other Causes -	280	128	8	2	2	1	141	-	-	2	1	1	2	4	3	24	82	39
64.—BRIDGE.																		
Mean Popul ⁿ , 1861-71	5672	157	135	170	136	154	752	680	613	528	409	730	582	535	426	278	119	20
TOTAL DEATHS -	1046	248	89	25	14	11	357	45	22	25	24	50	60	62	87	133	127	54
Small-pox -	6	-	1	-	-	-	1	-	-	-	2	2	1	-	-	-	-	-
Measles -	5	2	3	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	26	1	8	2	2	3	16	7	1	-	-	1	-	-	1	-	-	-
Diphtheria -	14	1	2	-	1	1	5	5	-	2	-	-	-	1	1	-	-	-
Whooping-cough -	20	14	4	2	-	-	20	-	-	-	-	-	-	-	-	-	-	-
Typhus -	38	-	2	-	1	3	6	6	4	6	1	1	4	-	6	8	3	-
Diarrhoea & Dysentery -	32	14	4	2	1	-	21	1	-	-	-	1	-	-	1	4	-	-
Cholera -	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	23	1	2	4	4	1	12	3	3	-	-	2	2	1	-	1	2	-
Cancer -	11	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	-	-
Scrofula and Tubercles -	22	12	-	1	1	-	14	1	2	1	-	-	-	2	1	1	-	-
Phtisis -	97	3	1	1	1	-	6	3	3	5	14	29	21	10	8	4	-	-
Hydrocephalus -	17	9	2	1	-	1	14	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	106	22	9	3	1	-	35	6	-	1	1	5	6	4	9	24	14	1
Dis. of Heart & Dropsy -	84	1	-	-	1	-	2	-	2	4	-	3	7	4	15	31	13	-
Dis. of Lungs -	145	38	12	3	-	2	55	5	-	1	1	5	5	11	18	23	13	-
Dis. of Stom. and Liver -	67	7	-	-	-	-	7	-	2	3	-	3	6	11	9	8	7	1
Dis. of Kidneys -	19	-	-	-	-	-	-	-	-	-	-	1	-	4	-	7	5	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Dis. of Joints -	11	1	-	-	-	-	1	-	-	1	2	2	2	2	1	-	-	-
Dis. of Skin -	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	9	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	1	-
Other Violent Deaths -	20	1	1	1	-	1	4	4	2	1	-	1	1	4	-	1	1	-
Other Causes -	272	120	8	3	-	-	131	2	-	-	-	1	2	3	9	17	63	41

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 upwards.	
62.—WEST ASHFORD.																			
Mean Popul ⁿ , 1861-71	7929	225	213	232	218	232	1120	987	911	716	644	1093	881	670	488	292	109	18	
TOTAL DEATHS	1457	286	95	51	38	18	488	63	36	55	83	101	82	81	98	162	158	50	
Small-pox	5	2	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	
Measles	26	7	6	4	3	-	20	4	1	-	-	1	-	-	-	-	-	-	
Scarlatina	79	3	3	17	10	7	40	23	7	2	2	5	-	-	-	-	-	-	
Diphtheria	18	2	1	-	3	2	8	6	1	-	-	2	-	-	-	1	-	-	
Whooping-cough	41	21	11	6	1	-	39	1	1	-	-	-	-	-	-	-	-	-	
Typhus	71	3	2	1	3	2	11	6	7	12	12	5	3	5	1	6	3	-	
Diarrhoea & Dysentery	39	23	2	1	-	-	26	-	-	-	-	1	1	2	-	2	4	3	
Cholera	2	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	-	
Other Zymotic Dis.	24	5	2	1	2	1	11	3	-	1	-	-	3	3	1	2	-	-	
Cancer	40	-	-	-	-	-	-	-	-	-	1	1	6	7	10	7	7	1	
Scrophula and Tuberc.	25	7	2	4	-	-	13	1	2	2	3	1	1	-	-	2	-	-	
Phthisis	174	3	3	-	1	1	8	1	6	23	20	45	29	17	10	2	-	-	
Hydrocephalus	23	10	6	2	2	1	20	3	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	174	40	13	5	6	2	66	2	4	5	7	6	11	8	18	25	18	4	
Dis. of Heart & Dropsy	109	1	3	-	1	1	6	-	-	-	-	12	6	9	20	37	15	1	
Dis. of Lungs	194	29	31	9	4	-	83	8	4	3	7	6	6	13	14	27	19	4	
Dis. of Stom. and Liver	63	3	-	-	-	1	4	2	1	3	2	1	3	8	15	13	11	-	
Dis. of Kidneys	16	-	-	-	-	-	-	2	-	-	4	1	4	1	1	1	2	-	
Dis. of Genes. Organs	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	
Dis. of Joints	5	-	1	-	-	-	1	-	-	-	1	-	-	-	1	1	1	-	
Dis. of Skin	5	1	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-	
Childbirth and Metris.	21	-	-	-	-	-	-	-	-	1	6	6	6	-	-	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	
Other Violent Deaths	14	6	-	-	1	-	7	-	1	-	-	-	-	3	-	1	2	-	
Other Causes	231	110	10	1	1	-	122	-	-	-	3	2	3	1	5	33	56	37	

63.—EAST ASHFORD.

Mean Popul ⁿ , 1861-71	6321	197	167	190	163	184	901	854	708	518	463	798	646	533	421	254	106	19
TOTAL DEATHS	1070	177	71	28	24	14	314	56	33	35	48	87	76	60	82	111	114	54
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	11	2	3	2	-	2	9	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	3	4	1	7	1	16	10	2	1	-	1	-	-	-	-	-	-
Diphtheria	33	2	3	-	2	1	8	13	6	2	1	1	1	-	-	1	-	-
Whooping-cough	10	3	4	1	1	-	9	1	-	-	-	-	-	-	-	-	-	-
Typhus	46	2	5	1	1	1	10	6	3	-	4	6	-	3	4	4	1	-
Diarrhoea & Dysentery	35	15	1	1	-	-	17	-	-	2	-	2	-	1	-	2	7	4
Cholera	5	5	1	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	7	1	1	1	1	11	1	-	-	-	1	-	1	3	3	2	-
Cancer	35	-	-	-	-	-	2	-	-	-	1	-	3	8	10	3	2	-
Scrophula and Tuberc.	18	4	1	2	-	-	7	-	1	3	-	1	-	2	3	5	15	-
Phthisis	151	3	3	-	-	9	9	4	9	12	24	45	27	10	8	3	-	-
Hydrocephalus	18	6	3	3	2	-	14	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	131	26	13	4	3	2	50	4	4	2	4	4	8	9	12	22	11	1
Dis. of Heart & Dropsy	80	2	1	1	-	-	4	1	-	1	4	4	12	8	11	17	18	-
Dis. of Lungs	132	29	19	8	4	3	63	3	3	5	2	5	3	4	13	10	10	3
Dis. of Stom. and Liver	43	1	1	-	-	-	2	2	1	2	2	6	3	6	8	7	4	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
Dis. of Joints	4	-	-	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-
Dis. of Skin	6	1	-	-	1	-	2	-	-	-	-	-	-	1	1	1	-	-
Childbirth and Metris.	16	-	-	-	-	-	-	-	-	1	2	6	7	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	19	1	2	1	-	-	4	3	3	1	1	-	1	-	3	1	2	2
Other Causes	218	64	6	-	-	-	70	1	-	2	-	4	4	3	6	23	56	44

64.—BRIDGE.

Mean Popul ⁿ , 1861-71	5556	151	151	149	138	135	724	689	592	442	424	726	616	540	401	272	113	17
TOTAL DEATHS	928	177	37	26	17	13	264	34	31	26	35	53	64	61	68	120	129	43
Small-pox	4	-	1	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-
Measles	12	4	3	1	3	-	11	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	20	1	1	0	1	3	13	4	3	1	-	-	-	-	-	-	-	-
Diphtheria	17	1	1	2	1	1	6	5	3	1	-	-	1	-	1	-	-	-
Whooping-cough	9	4	2	2	-	1	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	20	-	1	1	-	2	4	4	5	-	3	2	1	4	1	3	-	-
Diarrhoea & Dysentery	35	18	4	-	1	-	23	1	-	1	-	1	1	3	-	3	1	1
Cholera	4	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	21	2	2	1	2	1	8	1	1	-	1	-	-	2	3	2	3	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	2	5	6	6	5	3	1
Scrophula and Tuberc.	16	8	1	-	1	-	10	1	2	-	1	1	1	-	-	1	-	-
Phthisis	115	1	-	-	-	-	1	1	6	-	12	22	27	21	11	3	4	-
Hydrocephalus	7	3	2	1	-	-	6	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	98	18	5	4	2	-	27	2	3	1	1	3	8	7	6	24	16	1
Dis. of Heart & Dropsy	83	1	-	-	1	-	2	1	1	2	-	3	9	6	19	23	16	1
Dis. of Lungs	168	20	6	1	3	2	32	6	1	4	3	1	7	5	9	19	15	0
Dis. of Stom. and Liver	49	3	2	-	2	1	8	2	-	-	-	2	4	7	8	10	8	-
Dis. of Kidneys	6	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-
Dis. of Genes. Organs	4	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	-	-
Dis. of Joints	4	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
Dis. of Skin	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	11	-	-	-	-	-	-	-	-	-	2	4	4	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	7	-	-	-	-	2	2	2	-	-	-	1	-	-	-	1	1	1
Other Causes	220	93	5	1	-	-	99	-	2	-	-	3	1	6	4	22	61	39

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
65.—CANTERBURY.																			
Mean Popul ⁿ , 1861-71	8319	192	173	191	175	184	915	799	759	1002	1031	1323	934	652	481	295	114	14	
TOTAL DEATHS -	2067	445	118	68	42	38	711	74	40	55	87	173	188	145	155	214	187	38	
Small-pox -	33	5	1	5	2	2	15	7	-	2	1	3	4	1	-	-	-	-	
Measles -	34	6	16	6	3	1	32	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	50	-	5	10	6	9	30	17	2	-	-	1	-	-	-	-	-	-	
Diphtheria -	9	-	2	1	-	1	4	4	-	-	-	-	-	-	-	1	-	-	
Whooping-cough -	23	10	5	5	2	-	22	1	-	-	-	-	-	-	-	-	-	-	
Typhus -	69	-	1	5	2	3	11	6	8	5	13	8	6	2	2	6	2	-	
Diarrhoea & Dysentery -	77	50	6	1	-	1	38	-	-	-	1	-	1	3	-	7	6	1	
Cholera -	3	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	45	3	3	1	3	5	15	6	2	1	3	6	2	2	4	3	1	-	
Cancer -	27	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Serofula and Tabes -	63	41	3	3	-	2	49	3	-	2	2	5	1	-	1	-	-	-	
Phthisis -	242	-	1	-	-	-	1	3	5	23	35	69	58	31	21	6	-	-	
Hydrocephalus -	27	7	7	5	4	1	24	-	2	1	-	-	-	-	-	-	-	-	
Dis. of Brain -	225	57	17	2	1	6	83	4	3	4	6	10	21	11	16	34	33	-	
Dis. of Heart & Dropsy -	148	-	-	1	-	1	2	6	3	5	5	16	14	20	23	30	14	1	
Dis. of Lungs -	274	60	31	11	13	2	117	6	4	1	4	17	19	14	27	24	27	4	
Dis. of Stom. and Liver -	125	5	1	2	-	1	9	-	2	-	6	14	21	19	20	21	15	-	
Dis. of Kidneys -	63	-	-	-	2	1	3	-	-	3	2	3	9	8	13	14	6	2	
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	16	-	-	-	1	-	1	1	3	-	1	3	2	2	3	-	-	-	
Dis. of Skin -	5	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	18	-	-	-	-	-	-	-	-	-	2	4	3	4	2	3	-	-	
Other Violent Deaths -	36	9	3	1	-	2	8	5	5	4	1	11	6	7	6	5	1	-	
Other Causes -	431	198	14	7	3	-	222	2	1	3	5	8	17	14	13	35	61	29	
66.—BLEAN.																			
Mean Popul ⁿ , 1861-71	8311	254	230	244	240	229	1197	1153	1070	733	545	989	907	703	543	334	122	15	
TOTAL DEATHS -	1761	475	116	77	42	39	749	82	41	34	54	96	105	97	139	163	158	44	
Small-pox -	8	3	-	-	-	1	4	-	-	-	1	2	1	-	-	-	-	-	
Measles -	25	2	11	4	6	2	25	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	73	8	9	12	8	11	48	20	3	2	-	-	-	-	-	-	-	-	
Diphtheria -	11	4	-	1	1	-	6	1	3	-	-	1	-	-	-	-	-	-	
Whooping-cough -	52	26	14	8	2	-	50	2	-	-	-	-	-	-	-	-	-	-	
Typhus -	101	5	5	9	4	7	28	17	12	8	4	6	5	-	2	11	7	1	
Diarrhoea & Dysentery -	93	60	13	3	2	-	78	2	-	2	-	1	-	1	1	4	3	1	
Cholera -	8	3	-	-	-	-	3	1	-	-	1	-	-	-	1	-	1	-	
Other Zymotic Dis. -	58	8	4	6	4	4	26	5	3	1	-	3	-	3	3	7	5	2	
Cancer -	26	-	-	-	1	-	1	-	-	-	-	1	1	3	6	7	7	-	
Serofula and Tabes -	43	17	7	7	-	-	31	5	2	-	1	1	1	2	-	-	-	-	
Phthisis -	174	2	3	-	1	-	6	4	2	12	32	36	29	28	16	8	1	-	
Hydrocephalus -	31	7	12	2	3	1	25	4	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	216	59	13	7	4	5	88	5	2	1	3	12	9	15	21	22	35	3	
Dis. of Heart & Dropsy -	107	5	-	-	-	-	5	3	1	-	1	5	5	7	31	23	17	4	
Dis. of Lungs -	236	62	18	11	4	4	99	5	4	4	4	11	18	14	18	30	33	3	
Dis. of Stom. and Liver -	94	11	-	1	-	1	13	4	2	-	1	5	14	13	17	17	6	2	
Dis. of Kidneys -	35	-	-	-	-	1	1	-	-	-	1	2	4	3	9	6	7	2	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin -	7	2	-	-	-	-	2	-	-	-	-	-	1	1	1	-	9	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	
Other Violent Deaths -	60	3	-	3	2	2	10	3	5	4	4	9	11	3	5	3	1	2	
Other Causes -	296	188	9	2	-	-	199	1	-	-	1	1	4	2	6	19	39	24	
67.—FAVERSHAM.																			
Mean Popul ⁿ , 1861-71	10446	315	306	319	270	305	1515	1346	1274	945	777	1406	1114	850	618	413	164	24	
TOTAL DEATHS -	2059	539	159	65	52	44	859	76	40	46	47	136	113	120	123	232	199	68	
Small-pox -	18	2	1	-	-	-	3	1	-	-	2	2	4	1	3	-	1	-	
Measles -	22	4	8	1	4	1	18	4	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	54	6	5	4	9	10	34	12	5	-	1	2	-	-	-	-	-	-	
Diphtheria -	33	2	5	4	8	3	22	5	3	1	2	-	-	-	-	-	-	-	
Whooping-cough -	62	27	15	10	8	-	60	1	-	-	-	-	-	-	1	-	-	-	
Typhus -	91	2	3	4	-	3	12	8	8	7	2	9	9	10	8	14	3	1	
Diarrhoea & Dysentery -	77	53	13	3	-	-	69	-	-	-	-	-	-	-	2	4	2	-	
Cholera -	13	1	2	1	-	-	4	1	-	1	1	1	1	3	2	1	-	-	
Other Zymotic Dis. -	55	4	5	2	6	7	24	7	2	1	1	3	1	5	2	5	4	-	
Cancer -	27	-	-	-	-	-	-	-	-	1	-	3	-	5	6	10	2	-	
Serofula and Tabes -	35	13	8	-	3	3	27	-	4	-	1	1	1	1	-	-	-	-	
Phthisis -	190	7	6	1	1	1	16	4	2	20	18	29	24	24	15	8	-	-	
Hydrocephalus -	30	14	6	4	2	-	36	4	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	238	81	18	10	4	2	115	8	5	2	2	4	9	12	16	33	28	4	
Dis. of Heart & Dropsy -	139	1	3	1	-	4	9	5	4	1	1	8	11	15	28	49	25	3	
Dis. of Lungs -	212	75	30	10	1	1	117	6	-	2	5	8	9	11	13	28	11	2	
Dis. of Stom. and Liver -	75	7	-	1	1	1	10	1	2	3	1	3	12	5	20	31	22	2	
Dis. of Kidneys -	45	2	1	-	1	1	5	1	-	-	-	4	3	6	5	10	10	1	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	7	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	
Dis. of Skin -	10	3	1	1	-	-	5	-	1	-	-	-	-	2	-	-	1	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	12	-	-	-	-	-	-	-	-	-	-	1	2	3	4	2	-	-	
Other Violent Deaths -	108	5	2	2	4	5	18	5	3	6	9	23	21	8	8	3	3	3	
Other Causes -	486	230	27	6	-	2	265	2	-	1	-	4	5	9	7	43	59	31	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & up.
65.—CANTERBURY.																		
Mean Popul., 1861-71	8257	191	193	183	198	168	933	843	764	805	787	1210	955	786	586	388	164	36
TOTAL DEATHS -	1944	389	120	71	38	30	648	72	47	58	82	121	182	107	153	200	219	85
Small-pox -	29	6	5	3	1	2	19	1	3	2	1	1	-	1	1	-	-	-
Measles -	26	6	10	6	2	-	24	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	41	2	5	8	6	7	32	6	5	-	1	-	1	-	-	-	-	-
Diphtheria -	15	1	1	3	2	1	8	6	-	-	1	-	-	-	-	-	-	-
Whooping-cough -	39	14	10	8	1	3	36	3	-	-	-	-	-	-	-	-	-	-
Typhus -	94	2	-	3	3	2	10	14	9	11	14	10	4	10	6	4	1	1
Diarrhoea & Dysentery -	67	40	7	2	-	-	49	3	-	3	-	1	1	1	1	3	3	3
Cholera -	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	42	8	3	6	4	2	23	7	1	1	1	1	2	-	3	1	2	-
Cancer -	83	-	-	-	-	-	-	-	1	-	-	1	14	9	12	9	5	2
Scrofula and Tuberc. -	64	27	13	1	2	1	44	5	1	3	4	-	4	-	2	1	-	-
Phtisis -	189	4	-	1	-	1	6	2	3	22	34	53	40	16	7	6	-	-
Hydrocephalus -	34	8	8	2	1	1	20	3	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	213	38	11	4	1	4	58	2	2	4	2	10	16	14	22	36	41	6
Dis. of Heart & Dropsy -	189	5	-	2	-	1	8	2	10	4	5	12	19	19	33	43	31	3
Dis. of Lungs -	240	65	30	12	9	4	110	4	3	-	3	12	7	20	40	29	9	3
Dis. of Stom. and Liver -	131	9	-	-	1	-	10	3	1	2	2	8	21	18	27	15	11	3
Dis. of Kidneys -	17	-	-	-	1	-	1	1	-	-	1	2	4	1	2	4	1	-
Dis. of Genes. Organs -	18	-	-	-	-	-	-	-	-	1	1	1	2	4	4	4	2	-
Dis. of Joints -	8	-	-	-	-	-	-	-	3	1	-	1	-	1	1	1	-	-
Dis. of Skin -	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	20	-	-	-	-	-	-	-	-	2	6	9	3	-	-	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
Other Violent Deaths -	24	1	3	4	-	-	8	4	3	1	-	1	-	2	1	-	5	-
Other Causes -	401	160	14	6	4	1	185	4	1	1	4	7	7	4	3	33	88	58
66.—BLEAN.																		
Mean Popul., 1861-71	8903	260	243	249	243	236	1231	1134	985	760	680	1196	1029	795	579	360	134	20
TOTAL DEATHS -	1632	325	194	66	42	33	600	82	41	57	63	105	86	99	119	177	158	45
Small-pox -	7	1	-	1	-	1	3	-	-	2	1	-	1	-	-	-	-	-
Measles -	26	3	12	6	1	1	23	5	-	-	-	-	-	-	-	-	-	-
Scarlatina -	74	5	8	14	11	7	45	19	5	-	3	2	-	-	-	-	-	-
Diphtheria -	14	1	1	-	2	-	4	9	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	47	18	17	8	2	1	46	1	-	-	-	-	-	-	-	-	-	-
Typhus -	99	3	4	3	2	9	21	15	8	14	5	5	4	8	4	9	5	4
Diarrhoea & Dysentery -	65	39	14	1	1	-	65	1	-	1	-	-	1	1	-	1	5	-
Cholera -	12	1	1	-	3	-	5	1	-	-	1	2	2	1	1	1	-	-
Other Zymotic Dis. -	41	4	6	5	5	1	21	6	-	-	1	-	1	1	-	9	1	1
Cancer -	39	-	-	-	-	-	-	-	-	-	1	-	8	6	8	12	3	1
Scrofula and Tuberc. -	39	14	7	5	4	1	31	3	1	-	-	2	1	1	1	-	-	-
Phtisis -	193	1	2	-	1	1	5	3	9	29	29	57	25	20	6	9	1	-
Hydrocephalus -	17	5	8	1	-	-	14	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	206	42	9	6	3	3	63	2	4	4	4	9	10	13	26	35	31	5
Dis. of Heart & Dropsy -	98	3	-	1	-	-	3	2	2	3	4	1	9	14	20	27	11	2
Dis. of Lungs -	290	45	27	9	4	7	90	4	2	1	4	4	6	12	25	28	22	2
Dis. of Stom. and Liver -	86	11	1	2	-	-	14	3	2	-	-	8	2	13	18	16	6	4
Dis. of Kidneys -	13	1	-	-	-	-	1	-	-	-	1	1	1	3	2	4	-	-
Dis. of Genes. Organs -	11	-	-	-	-	-	1	-	-	-	-	1	3	3	-	3	1	-
Dis. of Joints -	5	-	1	-	-	-	1	1	-	-	-	-	1	-	2	-	-	-
Dis. of Skin -	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metris -	18	-	-	-	-	-	-	-	-	-	4	6	8	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	26	2	1	2	2	1	8	4	2	2	1	-	1	1	1	3	4	-
Other Causes -	291	123	15	2	1	-	146	2	4	1	4	6	3	3	3	20	66	26
67.—FAVERSHAM.																		
Mean Popul., 1861-71	10161	316	292	297	280	270	1455	1327	1123	861	834	1412	1124	851	592	381	172	29
TOTAL DEATHS -	1874	416	141	77	50	28	742	74	40	61	54	113	100	95	136	188	193	70
Small-pox -	11	3	-	-	2	-	5	1	-	2	1	-	-	1	-	-	1	-
Measles -	31	5	9	3	4	5	26	5	-	-	-	-	-	-	-	-	-	-
Scarlatina -	62	1	8	13	6	5	33	17	6	2	2	1	-	2	-	-	-	-
Diphtheria -	23	-	5	3	4	1	13	6	4	-	-	-	-	-	-	-	-	-
Whooping-cough -	55	27	14	8	2	-	51	3	1	-	-	-	-	-	-	-	-	-
Typhus -	99	3	4	6	2	2	21	12	11	10	5	8	5	6	7	7	6	1
Diarrhoea & Dysentery -	75	42	12	-	3	3	61	3	-	-	-	1	-	2	4	2	3	1
Cholera -	16	2	2	4	-	-	8	-	-	-	-	-	2	-	-	-	-	-
Other Zymotic Dis. -	59	7	5	6	4	3	24	5	4	3	1	1	-	4	1	3	3	-
Cancer -	48	-	-	-	-	-	-	-	-	-	-	2	4	11	19	7	5	-
Scrofula and Tuberc. -	30	14	6	1	-	-	21	1	-	2	-	2	3	2	1	-	-	-
Phtisis -	200	6	4	2	3	2	17	4	5	27	26	56	55	16	10	4	-	-
Hydrocephalus -	22	9	4	5	1	-	19	2	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	294	60	19	6	4	-	79	4	5	3	4	6	6	11	18	28	35	5
Dis. of Heart & Dropsy -	142	2	-	-	-	-	2	1	1	4	1	0	10	10	30	31	25	1
Dis. of Lungs -	185	24	27	11	5	2	99	4	1	2	2	7	9	3	17	24	23	2
Dis. of Stom. and Liver -	102	12	-	3	2	1	18	4	2	1	3	4	5	17	14	22	11	1
Dis. of Kidneys -	11	-	-	1	-	1	2	-	1	-	-	1	4	3	-	-	-	-
Dis. of Genes. Organs -	12	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	1	-
Dis. of Joints -	5	-	1	-	-	1	2	-	-	1	-	-	-	1	1	1	-	-
Dis. of Skin -	7	3	-	-	-	-	3	-	-	-	1	1	-	1	1	-	-	-
Childbirth and Metris -	31	-	-	-	-	-	-	-	-	1	5	9	15	1	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Other Violent Deaths -	29	9	3	2	1	-	15	2	-	2	-	-	-	3	2	2	2	3
Other Causes -	423	197	17	4	3	2	223	1	-	2	1	5	2	2	8	32	90	38

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		68.—MILTON.																
Mean Popul ⁿ , 1861-71	8617	296	257	261	272	249	1335	1163	943	787	695	1199	955	683	485	261	96	15
TOTAL DEATHS -	1857	625	162	88	44	35	954	71	36	47	56	90	110	89	102	135	131	36
Small-pox -	14	-	-	1	-	-	1	1	-	-	1	3	2	3	-	-	-	-
Measles -	40	10	15	8	3	1	37	8	-	-	-	-	-	-	-	-	-	-
Scarlatina -	113	11	18	23	15	14	81	20	8	1	1	2	-	-	-	-	-	-
Diphtheria -	11	1	-	1	2	1	5	4	-	1	1	1	-	-	-	-	-	-
Whooping-cough -	45	25	13	4	1	2	45	-	-	-	-	-	-	-	-	-	-	-
Typhus -	133	5	6	4	7	5	20	13	12	8	8	6	14	10	16	14	5	1
Diarrhoea & Dysentery -	114	76	18	2	2	1	99	1	-	-	-	-	-	1	7	4	1	1
Cholera -	28	9	6	2	-	-	17	1	-	1	1	1	3	3	1	-	-	-
Other Zymotic Dis. -	42	6	4	7	2	2	21	7	-	-	3	2	2	3	2	-	2	-
Cancer -	15	-	-	-	1	-	1	-	-	-	1	1	1	2	5	2	1	1
Scrofula and Tabes -	59	31	10	7	-	1	49	1	1	1	2	-	1	2	-	1	1	-
Phthisis -	119	2	1	1	-	-	4	1	3	12	14	33	28	16	5	3	-	-
Hydrocephalus -	21	13	4	2	-	1	20	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	217	109	16	3	6	3	137	5	2	8	2	6	10	8	10	16	17	1
Dis. of Heart & Dropsy -	78	3	1	-	-	-	4	2	1	5	1	13	12	6	12	14	7	1
Dis. of Lungs -	242	90	36	13	3	2	144	3	1	1	3	6	15	11	11	26	18	3
Dis. of Stom. and Liver -	53	7	1	2	-	-	10	1	1	2	-	4	6	7	8	8	7	-
Dis. of Kidneys -	29	-	-	-	-	1	1	-	-	-	2	1	4	3	4	10	4	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints -	6	-	1	-	-	-	1	-	-	2	1	-	1	1	-	-	-	-
Dis. of Skin -	2	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Selficide -	8	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	1
Other Violent Deaths -	85	10	4	3	1	-	18	7	7	9	12	7	7	6	9	9	2	4
Other Causes -	382	217	9	4	1	-	231	1	-	-	1	4	2	4	14	54	63	26
69.—SHEPPEY.																		
Mean Popul ⁿ , 1861-71	10279	288	265	238	234	228	1253	1039	865	1111	1311	1929	1254	818	431	193	64	11
TOTAL DEATHS -	1928	580	178	111	76	40	985	93	30	47	57	148	115	100	129	108	95	21
Small-pox -	20	2	1	1	1	2	7	2	1	2	3	7	2	2	-	-	-	-
Measles -	38	5	13	11	5	1	35	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -	99	5	17	17	13	10	62	28	7	1	-	1	-	-	-	-	-	-
Diphtheria -	82	1	5	6	9	5	26	5	-	-	-	1	-	-	-	-	-	-
Whooping-cough -	68	36	15	12	3	2	68	-	-	-	-	-	-	-	-	-	-	-
Typhus -	58	1	6	6	1	3	16	12	5	4	1	7	5	3	5	-	-	-
Diarrhoea & Dysentery -	122	83	15	6	1	2	107	1	-	-	-	3	7	3	1	3	4	-
Cholera -	22	1	1	3	1	1	7	3	-	-	-	2	5	2	1	2	1	-
Other Zymotic Dis. -	59	9	11	5	7	3	35	5	1	-	2	5	2	2	2	4	1	-
Cancer -	12	1	-	-	-	-	1	-	-	1	-	1	-	4	2	1	2	-
Scrofula and Tabes -	62	22	13	2	3	1	41	5	3	1	1	2	-	1	-	-	-	-
Phthisis -	145	3	3	3	3	-	12	5	2	10	18	45	27	14	13	1	-	-
Hydrocephalus -	51	23	18	6	1	-	49	2	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	232	101	14	8	10	1	134	8	-	4	2	8	10	8	26	16	14	2
Dis. of Heart & Dropsy -	110	2	-	1	3	1	7	4	1	1	3	16	15	18	21	29	3	1
Dis. of Lungs -	246	83	25	16	6	3	133	5	1	6	3	9	22	16	25	21	8	-
Dis. of Stom. and Liver -	53	11	1	2	3	-	17	1	2	1	2	5	4	4	10	4	3	-
Dis. of Kidneys -	28	1	-	-	1	-	2	-	1	-	2	4	3	3	7	3	-	-
Dis. of Gener. Organs -	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	1	-	1	-	2	-	1	-	1	-	-	-	1	-	-	-
Dis. of Skin -	6	2	-	-	-	-	2	-	-	-	-	-	-	1	-	1	1	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Selficide -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Violent Deaths -	117	19	2	2	3	3	20	5	4	11	18	23	18	11	4	1	2	-
Other Causes -	341	178	17	4	1	2	202	1	1	2	-	6	5	8	13	28	57	18
70.—THANET.																		
Mean Popul ⁿ , 1861-71	16743	482	423	458	407	408	2178	2217	2322	1571	1219	2060	1654	1476	1111	660	238	37
TOTAL DEATHS -	3871	846	201	113	76	61	1297	173	112	134	121	247	258	311	370	407	333	108
Small-pox -	28	11	-	4	1	3	19	-	-	2	2	3	1	-	-	1	-	-
Measles -	39	9	6	12	5	4	36	2	-	1	-	-	-	-	-	-	-	-
Scarlatina -	111	8	14	19	13	10	69	32	6	2	1	-	-	-	1	-	-	-
Diphtheria -	24	2	4	3	5	4	18	4	1	-	-	-	-	-	-	1	-	-
Whooping-cough -	70	42	19	5	2	2	70	-	-	-	-	-	-	-	-	-	-	-
Typhus -	96	5	6	3	3	3	29	19	7	9	9	10	9	8	7	1	3	1
Diarrhoea & Dysentery -	196	155	17	1	1	1	175	2	-	2	-	-	-	3	2	6	4	2
Cholera -	34	2	3	1	1	1	8	4	1	2	1	2	5	4	1	5	1	-
Other Zymotic Dis. -	57	13	9	11	5	7	45	10	4	5	-	5	5	7	7	5	3	1
Cancer -	43	-	-	-	-	-	-	1	-	1	-	1	1	12	20	6	3	-
Scrofula and Tabes -	104	25	12	1	4	3	45	8	22	5	4	7	6	3	3	1	-	-
Phthisis -	417	15	10	2	2	2	31	11	13	40	46	86	70	57	39	9	6	-
Hydrocephalus -	72	29	14	9	7	4	54	10	7	1	-	-	-	-	-	-	-	-
Dis. of Brain -	414	89	10	9	4	3	115	13	5	15	4	21	29	41	63	64	39	3
Dis. of Heart & Dropsy -	275	8	-	1	1	3	13	1	6	3	6	19	28	36	50	72	66	3
Dis. of Lungs -	447	89	42	15	11	3	160	19	6	1	8	17	19	34	59	63	47	14
Dis. of Stom. and Liver -	210	26	6	4	-	-	35	7	5	5	7	19	19	29	35	57	19	-
Dis. of Kidneys -	142	-	1	1	1	2	5	4	3	5	8	10	14	18	30	26	18	1
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Joints -	87	2	-	2	1	-	5	7	14	9	5	10	3	1	3	-	-	-
Dis. of Skin -	13	2	-	-	-	-	2	-	1	2	1	-	1	1	3	1	1	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Selficide -	24	-	-	-	-	-	-	-	-	-	1	2	5	6	6	4	-	-
Other Violent Deaths -	137	17	6	3	2	3	31	10	5	22	15	25	27	24	11	16	4	3
Other Causes -	768	306	23	7	2	3	341	9	5	2	3	10	14	27	39	94	132	78

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 upwards.	
68.—MILTON.																			
Mean Popul ⁿ , 1861-71	8379	283	266	264	263	249	1325	1154	938	689	724	1183	902	652	447	251	95	19	
TOTAL DEATHS	1582	458	158	73	42	37	768	63	33	31	44	121	101	59	88	133	100	41	
Small-pox	10	2	1	-	1	1	5	1	-	-	2	1	-	1	-	-	-	-	
Measles	24	8	8	9	3	-	21	1	-	2	-	-	-	-	-	-	-	-	
Scarlatina	104	7	17	19	13	17	73	14	11	1	1	3	-	1	-	-	-	-	
Diphtheria	14	2	2	1	1	1	7	4	1	1	1	-	-	-	-	-	-	-	
Whooping-cough	59	27	19	8	2	1	57	2	-	-	-	-	-	-	-	-	-	-	
Typhus	109	4	6	6	6	7	29	12	18	6	3	21	8	5	8	0	3	-	
Diarrhoea & Dysentery	85	54	15	3	1	-	73	1	-	-	-	1	1	1	2	2	2	1	
Cholera	28	11	7	2	-	-	20	3	-	-	2	1	1	-	1	2	4	1	
Other Zymotic Dis.	56	5	6	1	7	2	21	1	1	-	1	-	2	1	2	4	1	2	
Cancer	35	-	-	-	-	-	-	-	1	-	-	-	3	10	6	11	4	-	
Scrophula and Tuberc.	42	23	10	1	-	-	34	4	-	-	1	2	1	-	-	-	-	-	
Phthisis	148	7	4	-	2	1	14	2	-	11	18	46	31	15	8	3	-	-	
Hydrocephalus	16	4	10	-	1	1	16	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	153	63	7	4	2	2	79	4	2	1	3	7	6	6	10	24	12	-	
Dis. of Heart & Dropsy	72	1	-	-	-	1	2	2	-	3	3	1	8	9	12	21	3	1	
Dis. of Lungs	169	49	26	17	-	2	94	3	1	-	3	1	3	8	12	15	18	2	
Dis. of Stom. and Liver	64	9	2	-	-	-	11	1	-	3	3	4	8	6	9	15	4	-	
Dis. of Kidneys	18	-	-	-	1	-	1	-	-	-	-	2	7	-	2	4	2	-	
Dis. of Gen. Organs	10	-	-	-	-	-	-	-	-	-	-	2	3	-	3	1	-	-	
Dis. of Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
Dis. of Skin	7	1	3	-	-	-	4	-	1	-	-	-	-	-	-	1	1	-	
Childbirth and Metris	35	-	-	-	-	-	-	-	-	-	6	21	8	-	-	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	
Other Violent Deaths	24	3	4	3	2	-	12	3	-	2	-	-	1	-	2	2	2	2	
Other Causes	327	178	11	6	-	-	195	4	-	-	1	2	3	4	9	28	48	83	

69.—SHEPPEY.

Mean Popul ⁿ . 1861-71		8251	277	260	251	262	253	1303	1049	863	708	741	1316	965	672	363	194	67	10
TOTAL DEATHS -		1641	419	180	111	67	57	834	69	36	36	52	98	87	109	79	123	88	30
Small-pox -		22	5	5	2	-	3	18	1	2	1	3	-	2	-	-	-	-	-
Measles -		35	5	11	10	4	3	32	1	-	-	1	-	-	-	-	-	-	-
Scarlatina -		99	3	10	23	18	11	65	24	7	2	1	-	-	-	-	-	-	-
Diphtheria -		19	2	5	1	5	1	14	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough -		66	22	29	7	4	2	64	2	-	-	-	-	-	-	-	-	-	-
Typhus -		24	1	4	3	1	4	15	8	6	3	2	6	3	6	5	2	-	-
Diarrhoea & Dysentery -		116	64	24	6	-	3	97	1	-	-	1	2	2	4	4	5	1	1
Cholera -		12	3	1	2	-	-	6	1	-	-	-	1	2	2	-	-	-	-
Other Zymotic Dis. -		43	4	5	4	4	3	20	6	-	2	-	3	2	2	5	2	1	-
Cancer -		25	-	-	-	-	1	1	1	-	-	-	1	4	10	4	4	-	-
Scrophula and Tuberc. -		34	19	10	2	-	2	83	-	-	-	-	-	-	1	-	-	-	-
Phthisis -		146	3	-	3	2	4	12	3	10	13	20	33	26	20	7	2	-	-
Hydrocephalus -		29	20	6	5	2	3	36	1	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -		197	59	23	10	9	7	108	3	3	2	5	6	7	11	8	31	19	3
Dis. of Heart & Dropsy -		107	4	-	-	-	1	10	3	3	3	4	12	14	19	19	14	6	-
Dis. of Lungs -		178	64	25	18	11	8	127	-	-	-	1	8	6	6	12	8	10	-
Dis. of Stom. and Liver -		67	8	3	4	1	1	17	2	-	1	1	5	3	9	6	11	2	-
Dis. of Kidneys -		16	-	-	1	-	-	1	1	1	-	-	3	6	4	-	-	-	-
Dis. of Gen. Organs -		7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-
Dis. of Joints -		4	-	2	-	-	-	2	-	-	1	-	-	-	3	-	-	-	-
Dis. of Skin -		4	1	-	-	1	1	3	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metris -		27	-	-	-	-	-	-	-	-	1	9	9	8	-	-	-	-	-
Suicide -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Other Violent Deaths -		24	2	2	1	5	-	10	2	3	3	-	2	1	2	-	1	1	-
Other Causes -		306	130	16	4	-	-	150	3	-	2	4	6	2	7	9	40	57	26

70.—THANET.

Mean Popul ⁿ . 1861-71		20253	511	415	448	404	437	2215	2160	2104	2038	1936	2855	2292	1915	1426	877	373	61
TOTAL DEATHS -		3707	660	200	105	82	70	1117	143	118	127	115	269	220	278	314	413	429	164
Small-pox -		19	4	1	1	4	1	11	3	1	1	1	-	1	1	-	-	-	-
Measles -		46	8	24	7	5	1	45	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -		112	3	18	23	12	10	66	26	10	3	2	3	1	1	1	-	-	-
Diphtheria -		24	2	2	2	3	3	12	4	3	2	1	1	1	-	-	-	-	-
Whooping-cough -		66	35	33	14	4	5	91	2	-	-	-	-	-	-	-	-	-	-
Typhus -		129	3	1	6	4	12	26	10	17	13	11	11	9	11	6	8	1	-
Diarrhoea & Dysentery -		199	126	24	5	3	1	139	2	-	1	1	4	3	4	7	5	9	4
Cholera -		34	3	1	1	1	-	6	1	2	1	2	4	3	0	1	5	3	-
Other Zymotic Dis. -		86	10	6	5	4	9	34	8	4	3	1	6	1	8	9	6	9	2
Cancer -		141	-	-	-	-	-	-	-	-	1	1	3	11	40	26	35	19	5
Scrophula and Tuberc. -		87	22	5	3	3	3	39	9	15	8	4	6	2	3	1	-	-	-
Phthisis -		408	11	5	4	2	1	23	8	18	47	66	125	63	40	20	7	1	-
Hydrocephalus -		62	18	6	9	7	7	47	9	6	-	-	-	-	-	-	-	-	-
Dis. of Brain -		393	58	15	3	8	6	87	16	9	10	7	14	18	41	64	63	84	10
Dis. of Heart & Dropsy -		262	3	2	1	3	2	11	6	4	5	3	16	23	33	55	77	46	5
Dis. of Lungs -		406	96	32	10	6	3	146	12	8	5	5	23	27	26	28	67	13	2
Dis. of Stom. and Liver -		313	15	1	1	2	3	22	6	6	6	-	16	22	28	44	30	12	2
Dis. of Kidneys -		39	1	-	1	-	-	2	2	2	3	-	6	5	3	9	5	2	-
Dis. of Gen. Organs -		38	-	-	-	-	-	-	-	-	-	1	4	5	11	6	5	2	-
Dis. of Joints -		49	-	-	1	2	-	3	9	8	-	6	3	-	-	-	2	-	-
Dis. of Skin -		23	6	-	-	-	-	6	-	-	-	-	-	-	-	-	2	1	-
Childbirth and Metris -		44	-	-	-	-	-	-	-	-	2	9	24	9	1	-	-	-	-
Suicide -		21	-	-	-	-	-	-	-	-	-	-	3	4	2	2	2	1	-
Other Violent Deaths -		51	6	2	2	4	3	17	2	4	-	3	8	4	1	6	6	4	-
Other Causes -		724	293	20	6	2	1	202	2	5	8	1	9	10	11	23	89	196	130

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-

		72.—DOVER.																		
Mean Popul ⁿ , } 1861-71 -}	16920	436	391	394	385	378	1984	1742	1624	1776	1949	2012	1913	1320	943	535	198	24		
TOTAL DEATHS -	3529	887	250	129	64	51	1331	136	53	72	130	298	287	263	274	331	273	81		
Small-pox - - -	58	10	2	8	5	1	26	9	-	2	5	11	2	2	1	-	-	-		
Measles - - -	60	14	17	15	6	5	57	3	-	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	127	5	21	16	14	16	72	34	11	4	1	3	1	-	-	-	1	-		
Diphtheria - - -	24	1	4	4	4	3	16	6	1	-	-	-	-	1	-	-	-	-		
Whooping-cough -	70	35	23	6	4	-	68	2	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	127	2	9	6	6	5	28	26	6	7	6	16	10	11	10	5	2	-		
Diarrhoea & Dysentery	137	88	11	3	1	-	103	-	-	-	4	3	4	3	5	9	5	1		
Cholera - - -	13	2	2	1	-	1	6	-	-	-	-	-	2	3	1	-	1	-		
Other Zymotic Dis.	76	13	9	5	2	-	29	7	2	-	-	7	6	7	6	8	3	1		
Cancer - - -	59	-	-	-	-	-	-	-	-	-	-	2	2	6	5	12	8	2		
Scrofala and Tabes -	67	34	11	6	-	1	52	5	-	2	1	1	1	3	1	1	-	-		
Phthisis - - -	370	3	5	3	-	1	12	1	9	29	48	83	78	77	26	7	-	-		
Hydrocephalus - - -	70	29	21	7	3	3	63	6	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	442	133	23	9	9	6	180	9	3	2	7	19	29	31	34	66	49	13		
Dis. of Heart & Dropsy	201	4	1	-	-	1	6	-	4	3	5	27	25	22	41	45	22	-		
Dis. of Lungs - - -	593	129	49	28	3	6	215	8	1	4	16	32	37	41	67	87	72	12		
Dis. of Stom. and Liver	146	21	4	1	-	-	26	2	4	4	4	17	18	13	25	21	10	2		
Dis. of Kidneys - - -	79	-	-	-	1	-	1	3	-	1	1	6	14	7	13	15	16	2		
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
Dis. of Joints - - -	8	-	-	1	-	-	1	-	1	-	1	1	1	1	-	2	-	-		
Dis. of Skin - - -	10	3	-	-	-	-	3	-	-	1	-	-	-	1	1	1	3	-		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	30	5	4	4	3	1	17	14	0	12	23	46	33	15	14	4	2	-		
Other Violent Deaths -	189	5	4	4	3	1	17	14	0	12	23	46	33	15	14	4	2	-		
Other Causes - - -	592	306	34	6	3	1	350	1	0	1	5	16	15	11	23	45	78	46		

		73.—ELHAM.																	
Mean Popul ⁿ , } 1861-71 - }	15295	395	366	336	341	335	1773	1518	1273	1768	2463	2677	1546	989	690	425	154	19	
TOTAL DEATHS -	2534	627	181	88	44	39	972	102	40	58	95	238	191	154	103	227	224	67	
Small-pox - - -	50	5	1	-	1	3	10	4	4	1	3	2	3	1	1	1	-	-	
Measles - - - -	38	10	13	8	1	1	35	5	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	104	7	13	18	12	15	63	30	3	3	4	1	-	-	-	-	-	-	
Diphtheria - - -	10	-	-	-	1	1	2	5	1	-	-	-	1	-	-	1	-	-	
Whooping-cough -	52	26	18	3	3	-	5	2	-	-	-	-	-	-	-	-	2	-	
Typhus - - - - -	67	1	1	2	1	2	8	7	0	7	9	10	6	3	5	4	3	2	
Dysentery & Dysentery	103	62	19	5	1	-	81	3	1	1	2	2	1	2	1	4	3	2	
Cholera - - - - -	11	4	1	-	-	-	5	2	1	-	-	-	1	1	1	-	-	-	
Other Zymotic Dis.	66	8	7	7	4	1	27	5	2	3	1	7	6	2	2	4	6	1	
Cancer - - - - -	18	-	-	-	-	-	-	1	-	-	-	-	1	3	5	5	3	-	
Scrophulous and Tuberc.	53	24	15	3	-	-	42	2	-	2	2	2	2	-	1	-	-	-	
Phthisis - - - -	261	4	5	1	-	2	12	1	4	18	37	95	52	29	8	4	1	-	
Hydrocephalus - -	43	12	11	10	5	2	40	2	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	330	106	16	10	3	5	140	10	3	2	6	18	20	16	31	41	24	8	
Dis. of Heart & Dropsy	207	3	3	1	-	-	7	5	3	3	4	20	19	25	37	48	28	6	
Dis. of Lungs - - -	405	124	39	17	7	1	158	7	3	4	14	32	22	16	26	48	30	8	
Dis. of Stom. and Liver	135	21	2	-	-	-	23	7	1	4	3	11	13	16	24	21	13	-	
Dis. of Kidneys - -	64	-	-	-	1	-	1	3	3	1	2	7	7	10	6	14	6	4	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Joints - - -	10	-	-	-	-	-	-	-	-	1	-	4	-	2	1	1	-	-	
Dis. of Skin - - -	4	1	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	18	-	-	-	-	-	-	-	-	2	1	4	3	5	2	-	1	-	
Other Violent Deaths	76	4	4	1	3	-	12	3	4	5	4	11	18	8	4	2	4	1	
Other Causes - - -	438	205	17	1	1	1	223	-	-	1	4	12	19	13	8	28	88	21	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- & upwards.
		71.—EASTRY.																
Mean Popul ⁿ , 1861-71	13339	377	322	345	360	301	1705	1544	1388	1145	1052	1774	1501	1260	946	657	305	62
TOTAL DEATHS -	2434	378	139	74	56	41	688	102	54	66	93	174	141	141	206	314	323	132
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	31	-	16	4	7	2	29	3	1	-	-	-	-	-	-	-	-	-
Scarlatina - -	91	2	15	6	17	14	64	23	7	1	4	2	-	-	-	-	-	-
Diphtheria - -	37	1	4	3	6	6	20	12	3	1	-	-	1	-	-	-	-	-
Whooping-cough -	119	25	12	11	3	4	55	4	-	-	-	-	-	-	-	-	-	-
Typhus - - -	113	2	4	5	4	-	15	13	15	9	12	15	12	3	9	4	6	-
Diarrhoea & Dysentery	73	42	6	1	1	1	51	1	-	-	-	1	2	2	-	7	5	4
Cholera - - -	9	-	1	-	-	-	1	1	-	-	1	1	1	-	1	2	1	-
Other Zymotic Dis.	46	1	4	5	3	2	17	7	1	-	2	3	4	-	3	7	2	-
Cancer - - -	72	-	-	-	-	-	-	-	-	-	-	-	6	19	20	16	7	2
Scrofula and Tuberc.	43	16	3	7	1	2	23	6	4	1	2	3	1	1	1	1	-	-
Fistula - - -	273	4	2	2	1	2	11	4	10	29	47	74	53	27	9	9	-	-
Hydrocephalus -	24	13	6	3	-	-	22	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - -	302	39	16	11	4	-	70	4	2	10	4	14	6	20	41	65	53	13
Dis. of Heart & Dropsy	223	3	-	1	-	-	4	4	5	8	3	15	10	19	41	75	37	2
Dis. of Lungs - -	301	60	23	11	3	4	101	6	1	1	2	11	11	19	23	60	58	19
Dis. of Stom. and Liver	130	10	1	1	2	-	14	3	2	2	5	10	7	12	18	25	19	3
Dis. of Kidneys -	41	-	1	-	1	1	3	-	1	-	-	2	5	5	12	6	6	1
Dis. of Genes. Organs -	17	-	-	-	-	-	-	-	-	-	-	1	4	7	3	1	1	-
Dis. of Joints - -	7	1	-	-	-	-	1	2	-	1	-	2	1	-	-	-	-	-
Dis. of Skin - -	11	1	-	-	-	-	1	1	-	1	2	-	-	-	2	3	1	-
Childbirth and Metris	29	-	-	-	-	-	-	-	-	1	6	13	9	-	-	-	-	-
Suicide - - -	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-
Other Violent Deaths -	31	2	3	1	-	2	8	3	-	-	1	-	3	1	4	4	2	5
Other Causes - -	474	162	22	2	1	1	188	3	2	1	2	5	5	5	13	26	125	8

72.—DOVER.

Mean Popul ⁿ , 1861-71	16493	447	393	426	388	390	2044	1702	1623	1514	1626	2541	1882	1495	1099	674	252
TOTAL DEATHS -	3136	664	215	110	88	49	1126	119	66	111	108	228	190	214	240	349	288
Small-pox -	42	11	5	4	3	2	25	4	1	4	-	3	3	2	-	-	-
Measles -	67	7	24	15	10	1	37	2	-	2	-	-	-	-	-	-	-
Scarlatina -	102	11	10	15	14	14	64	21	4	5	1	-	-	-	1	-	-
Diphtheria -	27	1	4	3	4	4	16	6	3	-	-	-	-	1	-	1	-
Whooping-cough -	65	29	17	12	5	1	64	2	-	-	-	-	-	-	-	-	-
Typhus -	136	2	11	3	6	7	29	19	18	19	9	16	8	5	5	5	3
Diarrhoea & Dysentery -	137	64	17	4	2	-	87	2	2	-	1	4	3	4	5	11	16
Cholera -	4	-	-	-	-	1	1	-	-	-	-	1	1	1	1	-	-
Other Zymotic Dis. -	85	15	4	11	6	3	39	11	2	2	1	5	3	2	5	10	4
Cancer -	85	-	-	-	-	-	-	-	-	-	2	3	14	22	20	15	6
Scrofula and Tuberc. -	70	26	11	2	1	1	41	7	6	3	2	6	1	2	2	-	-
Fistula -	327	3	2	-	-	1	6	6	15	46	58	87	69	38	12	2	-
Hydrocephalus -	38	14	8	5	4	1	32	3	1	-	-	-	-	-	-	-	-
Dis. of Brain -	429	98	22	12	9	-	141	6	4	6	4	19	18	31	45	78	51
Dis. of Heart & Dropsy -	188	3	-	1	-	-	4	4	2	5	5	12	18	24	42	49	22
Dis. of Lungs -	478	118	41	16	14	6	195	8	2	6	3	12	20	23	43	78	71
Dis. of Stom. and Liver -	167	9	3	1	1	3	17	4	-	7	2	13	11	28	30	38	17
Dis. of Kidneys -	42	1	-	-	-	1	2	-	1	1	2	3	4	7	10	7	4
Dis. of Genes. Organs -	19	-	-	-	-	-	-	-	-	-	-	2	4	4	4	3	2
Dis. of Joints -	5	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
Dis. of Skin -	9	3	-	1	-	-	4	-	-	-	-	-	-	2	2	1	-
Childbirth and Metris -	58	-	-	-	-	-	-	-	-	5	8	29	14	2	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Deaths -	37	6	7	-	1	1	15	5	-	1	4	4	1	1	2	2	1
Other Causes -	325	243	29	5	7	2	286	4	2	-	2	6	8	13	10	49	91

73.—ELHAM.

Mean Popul ⁿ , 1861-71	13041	364	343	375	334	307	1723	1442	1334	1235	1357	2040	1469	1084	718	429	182
TOTAL DEATHS -	2290	437	157	103	71	35	823	103	51	57	90	174	115	132	195	229	231
Small-pox -	12	8	-	5	-	-	8	2	-	1	-	1	-	-	-	-	-
Measles -	37	8	19	5	-	2	34	3	-	-	-	-	-	-	-	-	-
Scarlatina -	108	5	14	15	22	9	65	29	6	-	1	5	2	-	-	-	-
Diphtheria -	24	-	4	2	1	4	11	9	2	1	1	-	-	-	-	-	-
Whooping-cough -	73	31	15	16	7	3	72	1	-	-	-	-	-	-	-	-	-
Typhus -	74	2	2	5	5	6	20	9	10	7	7	8	3	2	4	4	3
Diarrhoea & Dysentery -	91	51	14	4	2	1	72	2	-	1	-	5	2	-	4	1	1
Cholera -	5	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis. -	61	4	7	7	9	-	27	4	1	4	3	3	2	3	7	3	1
Cancer -	87	-	-	-	-	-	-	-	-	-	-	2	6	21	34	13	9
Scrofula and Tuberc. -	67	25	11	5	5	2	48	5	-	2	1	6	1	2	2	-	-
Fistula -	229	3	2	2	1	-	8	4	7	21	37	74	38	22	12	5	1
Hydrocephalus -	27	6	8	6	-	1	21	5	1	2	-	-	-	-	-	-	-
Dis. of Brain -	284	72	11	10	10	1	104	8	3	3	6	5	13	17	34	41	44
Dis. of Heart & Dropsy -	211	3	1	2	1	-	7	1	6	4	8	15	5	21	46	52	33
Dis. of Lungs -	280	72	28	13	5	4	122	9	6	3	7	4	8	9	15	48	38
Dis. of Stom. and Liver -	122	12	-	-	2	1	15	3	2	1	4	8	13	29	27	19	12
Dis. of Kidneys -	38	-	-	-	-	-	-	2	-	-	4	8	6	4	4	5	3
Dis. of Genes. Organs -	23	-	-	-	-	-	-	-	-	-	1	2	5	5	5	2	-
Dis. of Joints -	9	-	-	1	-	-	1	1	2	-	-	-	-	-	1	1	-
Dis. of Skin -	14	4	2	1	-	-	7	-	-	-	1	-	-	-	3	2	1
Childbirth and Metris -	31	-	-	-	-	-	-	-	-	1	5	17	7	1	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-
Other Violent Deaths -	31	3	2	2	1	-	8	4	2	2	1	2	-	1	1	4	3
Other Causes -	253	146	17	7	-	1	171	2	-	2	2	4	3	4	6	23	75

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
		74.—ROMNEY MARSH.																	
Mean Popul ⁿ , 1861-71	3093	94	92	87	83	81	437	402	317	299	240	435	375	267	175	102	41	3	
TOTAL DEATHS -	553	112	35	27	7	13	194	26	13	21	16	27	40	40	48	68	46	14	
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles -	8	-	2	3	-	1	6	-	2	-	-	-	-	-	-	-	-	-	
Scarlatina -	22	-	1	1	2	5	9	10	1	-	-	1	-	-	-	-	-	-	
Diphtheria -	4	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	
Whooping-cough -	9	2	3	2	1	-	8	1	-	-	-	-	-	-	-	-	-	-	
Typhus -	27	1	-	2	-	-	3	1	-	3	1	3	2	1	2	8	3	1	
Diarrhoea & Dysentery -	9	3	1	-	-	-	4	-	-	-	-	1	2	1	1	-	-	-	
Cholera -	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	18	-	-	1	-	-	1	1	1	1	-	-	2	1	4	4	3	-	
Cancer -	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	
Scrofula and Tubercles -	19	9	3	3	-	-	15	2	-	-	2	-	-	-	-	-	-	-	
Phthisis -	49	1	-	-	-	-	1	-	-	-	5	13	11	9	4	-	-	-	
Hydrocephalus -	7	3	1	-	-	1	6	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	68	19	8	3	1	-	31	2	1	2	2	1	1	3	8	7	9	1	
Dis. of Heart & Dropsy -	29	-	-	1	-	1	2	1	1	2	2	1	3	4	3	8	3	1	
Dis. of Lungs -	167	15	7	7	-	2	31	1	2	1	3	2	6	12	14	15	13	1	
Dis. of Stom. and Liver -	37	4	-	-	1	1	6	2	1	-	-	2	3	3	5	13	-	1	
Dis. of Kidneys -	8	-	-	-	-	-	-	1	-	-	1	-	-	1	3	2	-	-	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Dis. of Skin -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide -	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	
Other Violent Deaths -	23	2	1	2	-	1	6	1	3	1	1	1	5	3	2	2	3	1	
Other Causes -	96	53	8	2	1	-	64	-	-	-	-	2	1	2	1	9	11	6	
75.—RYE.																			
Mean Popul ⁿ , 1861-71	6000	179	153	158	181	151	822	721	698	562	446	702	653	563	455	278	90	10	
TOTAL DEATHS -	1131	256	69	29	21	19	394	36	20	24	42	60	64	64	106	155	128	38	
Small-pox -	4	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	
Measles -	7	2	1	2	1	-	6	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	19	1	2	4	1	3	11	4	3	1	-	-	-	-	-	-	-	-	
Diphtheria -	7	-	-	1	1	2	4	1	-	2	-	-	-	-	-	-	-	-	
Whooping-cough -	22	11	6	2	1	1	21	1	-	-	-	-	-	-	-	-	-	-	
Typhus -	30	1	-	-	-	-	1	-	3	4	6	1	1	2	5	3	3	-	
Diarrhoea & Dysentery -	32	12	2	1	1	1	17	1	-	1	-	3	-	2	-	2	5	1	
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	27	3	3	1	3	3	13	6	2	2	-	-	-	-	1	3	-	-	
Cancer -	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tubercles -	18	3	6	2	-	-	11	-	1	-	4	1	1	2	5	9	5	-	
Phthisis -	116	2	1	1	1	2	7	1	3	-	18	29	16	15	17	4	-	-	
Hydrocephalus -	61	13	9	2	4	-	28	3	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	180	32	8	3	2	2	47	4	2	1	3	7	9	6	6	23	19	3	
Dis. of Heart & Dropsy -	89	-	2	-	-	-	2	1	-	2	2	2	3	10	18	30	17	2	
Dis. of Lungs -	166	33	14	7	4	3	61	3	-	-	1	5	13	8	24	29	15	4	
Dis. of Stom. and Liver -	61	11	1	-	1	-	15	2	2	1	4	3	4	6	14	8	4	-	
Dis. of Kidneys -	27	-	-	-	-	-	-	1	1	1	1	-	3	1	2	10	6	-	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	4	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	
Dis. of Skin -	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	9	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	1	1	
Other Violent Deaths -	49	6	2	2	1	2	12	2	3	3	2	7	7	3	3	3	1	1	
Other Causes -	256	125	12	1	-	-	158	-	-	-	-	1	1	6	7	29	49	25	
76.—HASTINGS.																			
Mean Popul ⁿ , 1861-71	13309	422	367	385	364	381	1919	1664	1422	1217	1083	1927	1489	1154	805	455	158	16	
TOTAL DEATHS -	3087	705	219	121	78	64	1187	95	87	74	116	269	276	252	255	271	200	55	
Small-pox -	23	4	5	3	1	-	13	2	-	-	-	2	2	1	-	2	1	-	
Measles -	54	11	19	10	9	2	51	2	1	-	-	-	-	-	-	-	-	-	
Scarlatina -	120	8	15	20	17	19	89	28	7	-	-	2	-	-	-	1	-	-	
Diphtheria -	20	1	2	4	4	1	12	2	3	-	2	1	-	-	-	-	-	-	
Whooping-cough -	64	32	19	4	4	2	61	3	-	-	-	-	-	-	-	-	-	-	
Typhus -	65	3	2	4	2	2	13	4	4	6	5	9	5	6	7	2	2	-	
Diarrhoea & Dysentery -	118	75	6	2	-	1	67	2	-	-	4	1	2	4	6	6	4	1	
Cholera -	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	84	8	6	10	14	10	45	6	1	5	-	6	6	8	5	1	3	-	
Cancer -	39	-	-	-	-	-	-	-	-	-	-	1	1	7	11	11	6	-	
Scrofula and Tubercles -	67	22	12	7	-	2	43	-	4	2	1	3	1	1	2	1	-	-	
Phthisis -	519	10	10	3	-	-	20	6	4	-	31	76	151	116	68	31	8	3	
Hydrocephalus -	91	34	15	17	8	11	85	4	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	373	103	23	8	5	2	141	10	3	7	3	13	29	46	42	62	51	4	
Dis. of Heart & Dropsy -	179	4	3	-	1	1	19	2	2	4	6	13	20	22	43	36	21	1	
Dis. of Lungs -	416	132	62	15	5	6	210	5	-	2	4	22	27	39	41	44	19	3	
Dis. of Stom. and Liver -	140	19	1	4	2	2	28	4	2	1	1	9	23	16	21	24	8	3	
Dis. of Kidneys -	98	3	-	2	-	-	5	3	1	3	-	12	15	12	13	26	8	-	
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Joints -	10	-	-	-	-	1	1	-	1	4	-	1	-	1	-	1	-	-	
Dis. of Skin -	7	2	1	1	1	-	5	-	-	-	-	-	-	-	2	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	25	-	-	-	-	-	-	-	-	-	-	3	7	5	5	4	-	-	
Other Violent Deaths -	107	12	3	2	2	1	20	7	-	3	10	16	19	12	6	4	2	1	
Other Causes -	406	217	22	5	-	1	245	-	-	-	1	2	6	7	9	19	46	29	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.	85 & upwards.
		1	2	3	4	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-					
		74.—ROMNEY MARSH.																			
Mean Popul ⁿ , 1861-71	2801	80	71	88	86	87	412	381	316	233	218	370	320	243	164	94	44	6			
TOTAL DEATHS -	502	107	31	16	17	9	180	22	13	12	21	40	36	28	37	47	49	17			
Small-pox - - -	8	-	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	
Measles - - -	7	-	2	2	1	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina - -	17	2	1	1	3	1	8	5	1	-	2	1	-	-	-	-	-	-	-	-	
Diphtheria - -	13	-	1	3	1	-	6	2	2	1	1	-	1	-	-	-	-	-	-	-	
Whooping-cough -	8	3	3	1	1	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	17	2	-	-	-	-	2	3	2	2	1	3	-	2	2	-	-	-	-	-	
Diarrhoea & Dysentery	13	6	1	1	-	-	8	-	-	-	-	1	1	-	1	-	-	-	-	-	
Cholera - - -	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	23	-	3	-	1	1	5	3	-	1	2	1	3	1	-	4	1	2	-	-	
Cancer - - -	11	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	3	-	-	-	
Scrofula and Tuberc.	10	6	-	1	-	-	7	-	-	-	1	-	-	2	-	-	-	-	-	-	
Phthisis - - -	43	1	-	1	-	-	2	-	-	4	7	14	12	2	1	1	-	-	-	-	
Hydrocephalus - -	10	1	3	1	2	2	9	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - -	74	28	5	2	4	-	39	1	1	3	2	1	5	2	8	6	5	1	-	-	
Dis. of Heart & Dropsy	24	-	-	-	-	-	1	1	1	-	3	4	4	2	3	3	3	-	-	-	
Dis. of Lungs - -	80	13	5	2	4	2	26	3	1	-	-	4	2	6	10	14	10	4	-	-	
Dis. of Stom. and Liver	39	1	-	-	-	1	2	-	2	-	-	1	4	4	7	13	6	-	-	-	
Dis. of Kidneys - -	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Dis. of Joints - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Dis. of Skin - - -	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
Childbirth and Metris	8	-	-	-	-	-	-	-	-	-	1	5	2	-	-	-	-	-	-	-	
Suicide - - -	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
Other Violent Deaths -	10	2	-	1	-	-	3	1	2	1	-	1	-	-	-	-	-	-	-	-	
Other Causes - - -	82	42	4	-	-	-	46	-	-	-	-	-	1	4	-	4	17	10	-	-	

75.—RYE.

Mean Popul ⁿ , 1861-71	5962	164	152	149	143	167	775	741	640	505	463	803	677	565	409	267	95	13		
TOTAL DEATHS -	1090	184	46	24	16	12	282	48	30	35	36	76	96	85	92	140	138	32		
Small-pox -	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles -	8	1	1	-	2	1	5	2	-	-	-	1	-	-	-	-	-	-	-	-
Scarlatina -	23	2	3	3	1	2	11	6	4	1	-	1	-	-	-	-	-	-	-	-
Diphtheria -	12	1	1	-	-	-	2	5	2	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough -	24	14	7	5	-	-	26	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	41	2	-	1	-	-	3	5	3	4	1	5	6	3	5	4	1	1	-	-
Diarrhoea & Dysentery -	23	10	4	3	-	1	18	1	-	1	-	-	-	3	8	1	1	-	-	-
Cholera -	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	27	1	1	-	3	3	8	4	3	-	1	-	2	3	4	1	1	-	-	-
Cancer -	30	-	-	-	-	-	-	-	-	-	-	1	5	8	7	3	5	1	-	-
Scrofula and Tuberc. -	30	7	3	-	-	-	10	4	1	1	-	2	2	2	-	-	-	-	-	-
Phthisis -	145	1	1	1	1	-	4	4	8	12	25	37	29	21	5	3	-	-	-	-
Hydrocephalus -	12	4	6	1	-	1	12	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	132	26	3	3	2	1	35	5	3	4	1	4	9	4	18	20	21	2	-	-
Dis. of Heart & Dropsy -	106	2	-	1	1	2	6	-	1	2	1	7	10	10	13	33	12	2	-	-
Dis. of Lungs -	118	27	7	4	2	-	40	5	1	2	2	6	6	8	10	13	8	-	-	-
Dis. of Stom. and Liver -	69	4	-	-	1	-	5	3	1	2	2	4	3	6	10	13	8	-	-	-
Dis. of Kidneys -	8	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	1	-	-	-
Dis. of Genes. Organs -	12	-	-	-	-	-	-	-	-	-	1	1	-	3	1	3	1	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	16	3	1	-	2	-	6	2	1	1	-	-	3	1	1	-	1	-	-	-
Other Causes -	237	76	8	1	1	1	87	1	1	-	1	-	12	5	9	27	68	26	-	-

76.—HASTINGS.

Mean Popul ⁿ , 1861-71	17828	389	350	350	352	1797	1649	1581	1861	2011	3101	2233	1591	1121	650	215	18			
TOTAL DEATHS -	3058	568	202	99	68	57	994	116	68	111	110	256	260	245	265	319	254	60		
Small-pox -	17	6	2	1	1	-	10	2	-	-	1	1	1	-	1	-	1	-	-	-
Measles -	34	4	14	9	1	2	30	1	1	3	-	2	-	1	-	-	-	-	-	-
Scarlatina -	104	9	9	14	9	18	50	37	6	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	17	1	1	1	4	1	8	4	2	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	87	30	31	7	6	5	78	4	2	1	1	1	-	-	-	-	-	-	-	-
Typhus -	91	-	5	3	4	2	14	12	7	13	4	16	2	2	2	2	2	2	-	-
Diarrhoea & Dysentery -	114	75	16	3	-	-	93	1	1	-	-	-	-	-	-	-	-	-	-	-
Cholera -	7	2	1	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	74	5	4	8	13	5	35	3	2	5	-	5	7	4	3	5	2	2	-	-
Cancer -	122	-	-	1	-	-	1	-	-	-	-	2	19	34	31	26	6	2	-	-
Scrofula and Tuberc. -	73	28	14	6	-	2	45	7	6	2	4	7	5	1	1	-	-	-	-	-
Phthisis -	500	4	3	3	1	-	11	3	16	61	72	134	119	55	23	6	1	-	-	-
Hydrocephalus -	87	33	22	9	6	4	74	6	7	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	320	70	13	13	5	6	107	10	3	6	4	12	10	28	26	48	30	6	-	-
Dis. of Heart & Dropsy -	221	7	1	1	2	-	8	2	2	3	7	6	27	36	47	60	23	-	-	-
Dis. of Lungs -	360	78	20	11	5	5	141	10	2	4	-	12	22	25	38	58	44	4	-	-
Dis. of Stom. and Liver -	180	13	2	-	2	1	20	6	5	5	1	14	12	24	35	57	20	1	-	-
Dis. of Kidneys -	24	-	-	-	-	1	1	1	-	-	3	8	5	4	5	6	-	-	-	-
Dis. of Genes. Organs -	24	-	-	-	-	-	-	-	-	-	-	5	3	5	3	5	1	-	-	-
Dis. of Joints -	11	-	1	-	-	-	1	1	-	-	-	1	1	5	-	-	-	-	-	-
Dis. of Skin -	9	2	-	-	-	-	2	-	1	-	-	3	1	-	2	-	-	-	-	-
Childbirth and Metris -	41	-	-	-	-	-	-	-	-	1	6	17	11	4	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-
Other Violent Deaths -	41	7	2	3	3	4	19	2	3	1	1	4	1	2	2	2	2	2	-	-
Other Causes -	478	231	22	7	3	1	204	4	-	2	2	8	1	8	11	51	114	69	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		77.—BATTLE.																
Mean Popul ⁿ , 1861-71 -	6732	184	188	200	173	203	948	829	815	657	505	809	722	590	446	281	115	15
TOTAL DEATHS -	1101	223	65	29	25	20	362	39	21	24	40	60	55	68	83	148	164	37
Small-pox -	3	-	-	-	-	-	10	1	-	-	-	1	-	1	-	-	1	-
Measles -	12	3	5	1	-	1	14	9	-	1	-	-	-	-	-	-	-	-
Scarlatina -	27	2	1	4	1	6	14	9	1	2	-	1	-	-	-	-	-	-
Diphtheria -	9	-	2	3	2	-	7	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	19	10	2	3	3	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus -	38	-	2	-	3	3	8	2	2	3	6	3	5	3	1	4	1	-
Diarrhoea & Dysentery -	21	9	3	-	1	-	13	-	1	-	-	-	1	1	1	2	-	-
Cholera -	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	28	-	1	5	2	3	11	4	2	-	-	-	-	2	2	4	3	-
Cancer -	11	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	-
Scrofula and Tubercles -	20	6	3	-	-	-	9	-	2	1	1	3	-	1	2	1	-	-
Phthisis -	76	2	1	-	-	-	3	2	1	4	12	21	16	6	5	5	1	-
Hydrocephalus -	28	12	5	3	2	1	23	2	2	1	-	-	-	-	-	-	-	-
Dis. of Brain -	133	27	4	2	1	1	35	5	2	1	3	8	7	7	7	29	25	4
Dis. of Heart & Dropsy -	115	-	-	-	-	-	5	5	-	-	-	10	5	15	22	28	27	3
Dis. of Lungs -	181	37	20	3	5	2	67	7	2	4	5	3	11	12	9	29	25	7
Dis. of Stom. and Liver -	64	6	-	2	1	1	10	-	-	1	4	2	3	7	12	10	5	-
Dis. of Kidneys -	27	-	-	-	-	-	-	-	-	2	-	3	1	5	5	4	4	3
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Dis. of Skin -	8	3	1	1	-	-	5	-	-	-	-	1	-	-	-	-	2	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-	-
Other Violent Deaths -	37	6	1	1	2	2	12	-	3	4	5	1	3	1	3	4	2	-
Other Causes -	241	100	14	1	2	-	117	-	-	-	2	2	2	4	7	24	43	39
78.—EASTBOURNE.																		
Mean Popul ⁿ , 1861-71 -	6337	203	169	175	175	191	913	816	735	565	514	864	703	547	372	213	80	15
TOTAL DEATHS -	1157	263	79	37	29	24	432	55	33	37	44	76	74	76	89	113	104	24
Small-pox -	3	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
Measles -	15	4	8	2	-	-	14	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	70	5	10	5	11	8	39	23	6	1	1	-	-	-	-	-	-	-
Diphtheria -	18	1	-	4	2	2	9	4	4	1	-	-	-	-	-	-	-	-
Whooping-cough -	29	10	13	4	-	-	27	2	-	-	-	-	-	-	-	-	-	-
Typhus -	60	-	1	1	3	-	5	10	3	3	3	7	4	7	3	4	1	-
Diarrhoea & Dysentery -	44	29	2	2	-	-	33	-	-	-	-	-	-	-	-	-	-	-
Cholera -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	34	3	2	1	4	3	13	-	1	3	1	3	3	2	2	3	2	1
Cancer -	10	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	1	-
Scrofula and Tubercles -	44	17	3	2	-	1	28	3	1	1	3	2	2	3	-	1	-	-
Phthisis -	139	5	2	-	-	-	4	4	3	10	23	39	23	15	10	6	-	-
Hydrocephalus -	23	8	5	5	1	2	21	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	120	36	4	3	2	1	46	2	1	2	1	5	9	9	11	19	11	4
Dis. of Heart & Dropsy -	82	2	1	-	-	-	4	2	3	4	-	4	9	9	14	19	17	1
Dis. of Lungs -	122	38	12	3	3	3	59	3	2	1	1	2	5	8	10	13	17	1
Dis. of Stom. and Liver -	70	13	4	1	-	-	18	-	1	1	-	3	5	7	10	14	9	2
Dis. of Kidneys -	34	-	1	-	-	1	2	-	1	1	-	1	4	6	7	7	5	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	-	-	-	1	-	1	-	2	-	1	-	1	1	-	-	-	-
Dis. of Skin -	3	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	-	-
Other Violent Deaths -	47	2	1	1	-	1	5	-	2	7	9	6	7	2	4	5	-	-
Other Causes -	179	91	4	3	1	-	99	-	2	1	-	1	1	1	8	14	37	15
79.—HAILSHAM.																		
Mean Popul ⁿ , 1861-71 -	6674	189	188	195	201	173	946	846	815	627	511	775	658	597	468	293	121	17
TOTAL DEATHS -	1098	224	64	19	18	15	330	51	30	32	33	50	63	61	104	124	164	56
Small-pox -	11	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles -	11	3	5	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	28	1	1	3	2	4	11	11	6	1	2	1	-	-	-	-	-	-
Diphtheria -	19	1	1	1	-	3	6	6	5	1	-	-	-	-	-	1	-	-
Whooping-cough -	16	10	6	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus -	33	2	2	2	2	1	9	2	-	6	-	3	3	2	5	2	1	-
Diarrhoea & Dysentery -	31	15	3	1	-	-	17	2	-	1	-	-	1	1	2	1	5	1
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	28	3	4	1	2	2	12	2	1	-	-	-	2	1	3	3	2	2
Cancer -	12	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	3	-
Scrofula and Tubercles -	29	4	3	3	1	1	12	2	3	2	2	2	4	17	22	1	1	-
Phthisis -	133	1	-	-	1	-	2	1	8	10	19	27	24	17	22	1	2	-
Hydrocephalus -	29	15	8	1	2	-	26	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	112	32	3	1	3	2	41	6	3	2	2	4	5	4	7	15	22	1
Dis. of Heart & Dropsy -	97	-	-	1	-	-	1	2	1	1	-	1	6	9	17	28	27	4
Dis. of Lungs -	109	25	10	1	2	2	40	5	1	4	4	4	4	11	7	10	18	1
Dis. of Stom. and Liver -	75	7	-	1	2	-	10	3	2	2	1	2	6	4	18	18	9	1
Dis. of Kidneys -	23	-	-	-	-	-	-	-	1	-	-	1	1	1	4	7	4	4
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-
Other Violent Deaths -	59	1	3	-	1	-	5	5	2	-	2	4	4	3	8	4	1	1
Other Causes -	262	103	5	1	-	-	111	2	-	1	-	1	1	2	3	29	79	40

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 & upwds.
77.—BATTLE.																		
Mean Popul ⁿ , 1861-71	6490	197	184	197	180	177	935	846	777	549	478	838	708	597	401	253	93	15
TOTAL DEATHS	1121	171	56	30	20	18	295	68	34	50	39	80	64	76	84	140	155	36
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	10	3	2	3	-	1	9	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	25	-	-	2	3	4	9	10	3	-	-	-	2	1	-	-	-	-
Diphtheria	23	1	1	-	1	5	8	9	4	1	-	1	-	-	-	-	-	-
Whooping-cough	29	11	8	3	3	-	25	3	-	1	-	-	-	-	-	-	-	-
Typhus	54	1	2	2	2	1	8	10	7	7	2	6	4	5	3	2	-	-
Diarrhoea & Dysentery	27	8	5	2	-	-	13	-	-	-	-	2	-	-	-	4	4	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	29	1	1	-	4	2	8	8	1	-	1	-	-	4	3	4	-	-
Cancer	33	-	-	-	-	-	-	-	-	-	-	-	6	7	8	7	3	-
Scrofula and Tuberc.	15	3	-	7	-	1	11	1	-	4	-	1	-	1	-	-	-	-
Pathosis	138	2	-	-	1	-	3	4	5	18	25	32	23	16	9	3	-	-
Hydrocephalus	24	7	7	1	1	-	16	4	3	-	-	-	1	-	-	-	-	-
Dis. of Brain	125	18	3	2	-	1	24	2	2	6	2	3	3	12	14	27	25	5
Dis. of Heart & Dropsy	104	4	1	-	-	-	5	1	3	2	2	5	10	5	16	25	23	-
Dis. of Lungs	165	28	16	6	2	2	54	4	4	4	2	9	3	12	11	32	24	6
Dis. of Stom. and Liver	43	5	-	-	2	-	7	5	-	3	1	4	1	2	9	7	4	-
Dis. of Kidneys	10	1	-	-	-	-	1	-	1	-	-	-	-	1	2	5	-	-
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	-	1	-	2	-	1	1	2	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Childbirth and Metris	17	-	-	-	-	-	-	-	-	1	1	9	5	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-
Other Violent Deaths	16	5	2	-	1	-	6	2	-	-	1	2	1	-	-	1	2	1
Other Causes	208	75	8	2	-	1	80	3	1	2	-	4	4	2	5	16	63	11

78.—EASTBOURNE.																	
Mean Popul ⁿ , 1861-71	6886	210	173	187	177	172	919	813	703	678	625	1005	811	588	404	235	88
TOTAL DEATHS	1092	201	69	44	32	15	361	47	34	31	40	96	80	69	78	114	111
Small-pox	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Measles	14	3	4	2	2	-	11	3	-	-	-	-	-	-	-	-	-
Scarlatina	67	4	8	12	10	5	39	13	7	3	1	1	1	1	1	-	-
Diphtheria	18	1	2	3	-	-	6	6	3	-	-	2	1	-	-	-	-
Whooping-cough	19	11	3	4	1	-	19	-	-	-	-	-	-	-	-	-	-
Typhus	49	-	1	1	4	2	8	6	4	3	7	6	6	3	2	1	3
Diarrhoea & Dysentery	35	18	8	-	-	-	26	2	-	-	-	1	-	-	-	2	4
Cholera	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	40	3	5	4	4	4	20	3	1	1	1	4	1	1	4	2	2
Cancer	31	-	-	-	-	-	-	-	-	-	-	2	4	6	7	8	3
Scrofula and Tuberc.	37	15	11	-	-	-	26	3	2	1	1	2	-	1	1	-	-
Pathosis	125	3	2	1	-	-	6	1	4	14	16	44	23	10	4	3	-
Hydrocephalus	24	9	5	4	2	2	22	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	130	22	4	5	2	-	33	4	5	5	2	8	8	15	8	22	18
Dis. of Heart & Dropsy	88	-	-	-	-	-	5	1	2	-	3	7	11	8	19	27	12
Dis. of Lungs	115	21	7	7	3	2	50	2	-	1	1	3	3	3	10	22	15
Dis. of Stom. and Liver	65	12	1	-	3	-	16	1	1	1	-	5	7	9	10	11	4
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	1	-	4	2	3	5	1
Dis. of Gen. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-
Dis. of Joints	4	-	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-
Dis. of Skin	6	3	-	-	-	-	3	-	-	-	1	-	-	-	-	2	-
Childbirth and Metris	19	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-
Suicide	3	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
Other Violent Deaths	11	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	4
Other Causes	165	66	6	1	1	-	74	-	-	2	3	2	2	2	4	13	41

79.—HAILSHAM.																	
Mean Popul ⁿ , 1861-71	6170	187	184	176	175	182	904	848	723	505	464	781	661	546	396	224	105
TOTAL DEATHS	1079	174	51	30	21	9	285	40	32	32	50	76	76	65	93	147	130
Small-pox	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Measles	8	-	2	3	1	-	6	2	-	-	-	-	-	-	-	-	-
Scarlatina	27	1	3	2	3	2	11	7	6	2	1	-	-	-	-	-	-
Diphtheria	28	1	1	2	1	2	7	10	8	-	-	-	-	-	-	-	-
Whooping-cough	16	10	5	1	-	-	16	-	-	-	-	-	-	-	-	-	-
Typhus	28	-	-	-	2	-	2	9	-	3	-	2	5	-	2	-	1
Diarrhoea & Dysentery	28	12	1	2	1	-	16	1	-	-	-	1	1	1	-	5	2
Cholera	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	25	1	1	3	4	-	9	2	-	-	1	3	2	1	-	4	3
Cancer	25	-	-	-	-	-	-	-	-	-	-	-	1	9	7	5	3
Scrofula and Tuberc.	32	3	6	2	2	-	13	1	2	4	1	2	2	5	1	1	-
Pathosis	170	-	2	2	-	-	4	3	4	27	29	40	56	12	13	5	3
Hydrocephalus	11	5	4	1	1	-	11	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	111	23	7	4	-	-	37	2	3	3	1	4	2	8	15	21	17
Dis. of Heart & Dropsy	102	1	-	-	-	-	1	2	-	3	3	3	3	8	17	37	23
Dis. of Lungs	108	23	13	4	1	3	49	-	2	2	1	2	4	5	9	22	10
Dis. of Stom. and Liver	84	4	-	-	2	-	6	-	-	4	4	8	7	13	18	17	6
Dis. of Kidneys	7	-	-	-	-	-	-	1	-	1	-	1	-	-	3	-	-
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Dis. of Joints	3	-	1	-	-	1	2	-	-	-	-	-	-	-	-	1	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Childbirth and Metris	22	-	-	-	-	-	-	-	-	-	6	5	10	1	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Other Violent Deaths	16	7	-	2	1	1	11	-	-	-	-	-	-	1	1	3	2
Other Causes	206	73	5	2	1	-	81	-	1	3	1	1	1	2	6	26	57

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
		80.—TICEHURST.																	
Mean Popul ⁿ , 1861-71	7858	239	225	234	231	205	1134	1024	905	764	589	942	793	702	545	318	125	17	
TOTAL DEATHS	1394	313	102	41	26	16	498	70	24	47	40	73	77	86	128	167	136	39	
Small-pox	1	-	-	-	-	-	15	3	-	-	-	1	-	-	-	-	-	-	
Measles	18	6	6	3	-	-	17	10	4	3	-	-	-	-	-	-	-	-	
Scarlatina	43	2	3	6	2	4	17	7	-	1	1	-	-	-	-	-	-	-	
Diphtheria	21	1	2	2	3	4	12	9	-	1	-	-	-	-	-	-	-	-	
Whooping-cough	17	6	9	1	1	-	17	-	-	-	-	-	-	-	-	-	-	-	
Typhus	54	2	1	-	-	-	3	3	3	6	5	2	4	9	7	5	8	3	
Diarrhoea & Dysentery	46	21	5	1	3	-	30	2	-	1	-	1	-	1	4	5	1	1	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	30	3	4	-	4	8	14	3	1	-	2	1	-	3	3	2	1	-	
Cancer	32	1	-	1	-	-	2	-	-	-	-	2	2	3	9	10	4	-	
Scrophula and Tuberc	31	10	5	3	-	-	18	3	2	-	1	2	2	-	-	1	-	-	
Phthisis	150	1	2	2	-	-	5	2	2	12	23	41	31	16	11	5	2	-	
Hydrocephalus	32	8	13	2	4	1	28	4	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	178	40	9	3	-	2	54	3	4	2	3	4	6	15	23	20	25	3	
Dis. of Heart & Dropsy	82	8	-	1	-	-	9	1	2	2	3	4	6	12	12	20	11	-	
Dis. of Lungs	201	46	22	5	1	2	76	8	3	6	3	1	8	4	19	29	26	6	
Dis. of Stom. and Liver	109	23	7	3	3	-	36	5	-	3	3	6	9	9	22	13	1	2	
Dis. of Kidneys	41	-	-	-	-	-	-	2	-	-	-	4	9	3	9	12	9	-	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Dis. of Joints	5	-	-	1	-	-	1	-	-	-	1	1	-	1	1	-	-	-	
Dis. of Skin	4	1	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	14	-	-	-	-	-	-	-	-	1	1	-	3	4	1	3	1	-	
Other Violent Deaths	47	5	4	3	3	-	15	4	3	6	2	2	3	5	2	8	3	-	
Other Causes	236	129	10	3	1	-	143	1	-	-	1	1	1	1	3	22	29	23	

81.—UCKFIELD.

Mean Popul ⁿ , 1861-71	9463	247	265	267	263	258	1300	1244	1112	953	732	1153	968	828	605	389	156	23
TOTAL DEATHS -	1662	394	91	39	51	19	574	56	37	39	64	84	89	110	130	217	211	51
Small-pox -	9	1	-	-	-	-	1	-	-	-	3	2	-	2	1	-	-	-
Measles -	7	1	3	1	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	49	2	6	5	9	2	24	13	6	3	2	-	1	-	-	-	-	-
Diphtheria -	26	1	3	2	4	2	12	8	3	2	-	-	1	-	-	-	-	-
Whooping-cough -	36	15	6	2	1	1	25	1	-	-	-	-	-	-	-	-	-	-
Typhus -	57	1	3	1	-	-	5	3	2	7	5	8	5	7	5	8	2	-
Diarrhoea & Dysentery -	21	6	2	2	1	-	11	-	-	-	-	-	-	-	-	4	2	-
Cholera -	39	10	3	2	3	2	20	2	1	-	-	2	1	1	2	6	2	3
Other Zymotic Dis. -	39	10	3	2	3	2	20	2	1	-	-	2	1	1	2	6	2	3
Cancer -	22	-	-	-	-	-	-	-	-	-	-	-	1	3	9	6	3	-
Scrophula and Tubercles -	37	42	10	5	8	3	62	1	4	3	4	-	1	1	5	2	-	-
Phthisis -	176	-	-	1	-	-	1	2	4	9	-	34	43	27	23	17	6	-
Hydrocephalus -	38	12	8	4	3	1	28	7	2	-	-	1	-	-	-	-	-	-
Dis. of Brain -	184	61	6	2	-	2	71	2	4	2	5	5	8	5	15	31	22	3
Dis. of Heart & Dropsy -	152	3	1	-	-	-	4	2	2	3	1	5	6	14	20	43	34	4
Dis. of Lungs -	221	57	21	4	1	2	85	5	1	2	3	7	6	14	20	43	34	4
Dis. of Stom. and Liver -	97	9	5	1	-	2	17	2	-	2	3	1	9	17	18	18	8	-
Dis. of Kidneys -	37	1	-	-	-	-	1	-	1	1	-	2	3	4	5	11	7	2
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-
Dis. of Skin -	5	1	1	-	-	-	2	-	1	-	-	1	-	-	-	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	12	-	-	-	-	-	-	-	-	-	1	3	2	2	2	2	-	-
Other Violent Deaths -	54	2	3	3	3	3	14	1	6	5	4	3	4	5	4	3	3	3
Other Causes -	336	169	10	4	2	-	185	1	-	-	1	1	1	3	4	27	62	31

82.—EAST GRINSTEAD.

Mean Popul ⁿ , 1861-71	7816	237	213	221	219	236	1126	986	900	732	646	999	830	647	501	312	123	14
TOTAL DEATHS -	1256	282	69	29	24	16	420	42	30	33	30	60	78	74	106	149	179	46
Small-pox -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles -	20	6	9	1	-	-	16	2	1	-	-	-	-	-	-	-	-	-
Scarlatina -	15	1	1	2	3	2	9	4	9	1	1	-	-	-	-	-	-	-
Diphtheria -	19	-	3	1	2	2	7	5	7	-	-	-	-	-	-	-	-	-
Whooping-cough -	23	12	5	1	2	1	21	2	-	-	-	-	-	-	-	-	-	-
Typhus -	29	-	-	1	1	1	3	4	-	2	2	-	2	6	1	5	4	-
Diarrhoea & Dysentery -	39	9	4	3	1	1	18	1	-	-	-	1	1	-	3	8	3	-
Cholera -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	43	7	5	2	4	-	18	5	2	3	-	2	1	2	3	4	3	-
Cancer -	19	-	-	-	1	-	1	-	-	-	-	1	-	-	1	6	4	-
Scrophula and Tubercles -	32	7	5	1	1	-	14	2	1	2	2	2	2	4	-	1	1	-
Phthisis -	131	1	1	1	-	-	3	2	1	10	15	23	20	18	19	3	2	-
Hydrocephalus -	37	14	9	6	4	3	36	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	163	42	3	5	-	1	51	3	1	5	3	3	7	12	17	26	23	4
Dis. of Heart & Dropsy -	80	1	-	-	-	-	1	3	2	-	2	4	4	9	12	24	17	3
Dis. of Lungs -	219	55	14	3	2	3	78	2	2	3	4	4	11	8	23	38	32	3
Dis. of Stom. and Liver -	64	9	2	-	-	-	11	1	-	1	-	6	3	6	11	8	6	1
Dis. of Kidneys -	37	-	1	-	-	-	1	-	2	1	1	-	-	2	3	13	13	2
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	-	-	-	-	-	-	1	5	1	-	-	-	-
Dis. of Skin -	2	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	38	2	1	-	2	1	6	1	5	4	1	1	3	1	2	1	1	-
Other Causes -	228	114	7	2	1	1	125	1	1	-	5	6	7	1	7	15	49	21

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			Total under 5 Years.	Total under 1 Year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85	95	105	115	125			135	145	155	165	175	185	195	205	215	225	235	245	255	265	275	285	295	305	315	325	335	345	355	365	375	385	395	405	415	425	435	445	455	465	475	485	495	505	515	525	535	545	555	565	575	585	595	605	615	625	635	645	655	665	675	685	695	705	715	725	735	745	755	765	775	785	795	805	815	825	835	845	855	865	875	885	895	905	915	925	935	945	955	965	975	985	995	1005	1015	1025	1035	1045	1055	1065	1075	1085	1095	1105	1115	1125	1135	1145	1155	1165	1175	1185	1195	1205	1215	1225	1235	1245	1255	1265	1275	1285	1295	1305	1315	1325	1335	1345	1355	1365	1375	1385	1395	1405	1415	1425	1435	1445	1455	1465	1475	1485	1495	1505	1515	1525	1535	1545	1555	1565	1575	1585	1595	1605	1615	1625	1635	1645	1655	1665	1675	1685	1695	1705	1715	1725	1735	1745	1755	1765	1775	1785	1795	1805	1815	1825	1835	1845	1855	1865	1875	1885	1895	1905	1915	1925	1935	1945	1955	1965	1975	1985	1995	2005	2015	2025	2035	2045	2055	2065	2075	2085	2095	2105	2115	2125	2135	2145	2155	2165	2175	2185	2195	2205	2215	2225	2235	2245	2255	2265	2275	2285	2295	2305	2315	2325	2335	2345	2355	2365	2375	2385	2395	2405	2415	2425	2435	2445	2455	2465	2475	2485	2495	2505	2515	2525	2535	2545	2555	2565	2575	2585	2595	2605	2615	2625	2635	2645	2655	2665	2675	2685	2695	2705	2715	2725	2735	2745	2755	2765	2775	2785	2795	2805	2815	2825	2835	2845	2855	2865	2875	2885	2895	2905	2915	2925	2935	2945	2955	2965	2975	2985	2995	3005	3015	3025	3035	3045	3055	3065	3075	3085	3095	3105	3115	3125	3135	3145	3155	3165	3175	3185	3195	3205	3215	3225	3235	3245	3255	3265	3275	3285	3295	3305	3315	3325	3335	3345	3355	3365	3375	3385	3395	3405	3415	3425	3435	3445	3455	3465	3475	3485	3495	3505	3515	3525	3535	3545	3555	3565	3575	3585	3595	3605	3615	3625	3635	3645	3655	3665	3675	3685	3695	3705	3715	3725	3735	3745	3755	3765	3775	3785	3795	3805	3815	3825	3835	3845	3855	3865	3875	3885	3895	3905	3915	3925	3935	3945	3955	3965	3975	3985	3995	4005	4015	4025	4035	4045	4055	4065	4075	4085	4095	4105	4115	4125	4135	4145	4155	4165	4175	4185	4195	4205	4215	4225	4235	4245	4255	4265	4275	4285	4295	4305	4315	4325	4335	4345	4355	4365	4375	4385	4395	4405	4415	4425	4435	4445	4455	4465	4475	4485	4495	4505	4515	4525	4535	4545	4555	4565	4575	4585	4595	4605	4615	4625	4635	4645	4655	4665	4675	4685	4695	4705	4715	4725	4735	4745	4755	4765	4775	4785	4795	4805	4815	4825	4835	4845	4855	4865	4875	4885	4895	4905	4915	4925	4935	4945	4955	4965	4975	4985	4995	5005	5015	5025	5035	5045	5055	5065	5075	5085	5095	5105	5115	5125	5135	5145	5155	5165	5175	5185	5195	5205	5215	5225	5235	5245	5255	5265	5275	5285	5295	5305	5315	5325	5335	5345	5355	5365	5375	5385	5395	5405	5415	5425	5435	5445	5455	5465	5475	5485	5495	5505	5515	5525	5535	5545	5555	5565	5575	5585	5595	5605	5615	5625	5635	5645	5655	5665	5675	5685	5695	5705	5715	5725	5735	5745	5755	5765	5775	5785	5795	5805	5815	5825	5835	5845	5855	5865	5875	5885	5895	5905	5915	5925	5935	5945	5955	5965	5975	5985	5995	6005	6015	6025	6035	6045	6055	6065	6075	6085	6095	6105	6115	6125	6135	6145	6155	6165	6175	6185	6195	6205	6215	6225	6235	6245	6255	6265	6275	6285	6295	6305	6315	6325	6335	6345	6355	6365	6375	6385	6395	6405	6415	6425	6435	6445	6455	6465	6475	6485	6495	6505	6515	6525	6535	6545	6555	6565	6575	6585	6595	6605	6615	6625	6635	6645	6655	6665	6675	6685	6695	6705	6715	6725	6735	6745	6755	6765	6775	6785	6795	6805	6815	6825	6835	6845	6855	6865	6875	6885	6895	6905	6915	6925	6935	6945	6955	6965	6975	6985	6995	7005	7015	7025	7035	7045	7055	7065	7075	7085	7095	7105	7115	7125	7135	7145	7155	7165	7175	7185	7195	7205	7215	7225	7235	7245	7255	7265	7275	7285	7295	7305	7315	7325	7335	7345	7355	7365	7375	7385	7395	7405	7415	7425	7435	7445	7455	7465	7475	7485	7495	7505	7515	7525	7535	7545	7555	7565	7575	7585	7595	7605	7615	7625	7635	7645	7655	7665	7675	7685	7695	7705	7715	7725	7735	7745	7755	7765	7775	7785	7795	7805	7815	7825	7835	7845	7855	7865	7875	7885	7895	7905	7915	7925	7935	7945	7955	7965	7975	7985	7995	8005	8015	8025	8035	8045	8055	8065	8075	8085	8095	8105	8115	8125	8135	8145	8155	8165	8175	8185	8195	8205	8215	8225	8235	8245	8255	8265	8275	8285	8295	8305	8315	8325	8335	8345	8355	8365	8375	8385	8395	8405	8415	8425	8435	8445	8455	8465	8475	8485	8495	8505	8515	8525	8535	8545	8555	8565	8575	8585	8595	8605	8615	8625	8635	8645	8655	8665	8675	8685	8695	8705	8715	8725	8735	8745	8755	8765	8775	8785	8795	8805	8815	8825	8835	8845	8855	8865	8875	8885	8895	8905	8915	8925	8935	8945	8955	8965	8975	8985	8995	9005	9015	9025	9035	9045	9055	9065	9075	9085	9095	9105	9115	9125	9135	9145	9155	9165	9175	9185	9195	9205	9215	9225	9235	9245	9255	9265	9275	9285	9295	9305	9315	9325	9335	9345	9355	9365	9375	9385	9395	9405	9415	9425	9435	9445	9455	9465	9475	9485	9495	9505	9515	9525	9535	9545	9555	9565	9575	9585	9595	9605	9615	9625	9635	9645	9655	9665	9675	9685	9695	9705	9715	9725	9735	9745	9755	9765	9775	9785	9795	9805	9815	9825	9835	9845	9855	9865	9875	9885	9895	9905	9915	9925	9935	9945	9955	9965	9975	9985	9995	10005	10015	10025	10035	10045	10055	10065	10075	10085	10095	10105	10115	10125	10135	10145	10155	10165	10175	10185	10195	10205	10215	10225	10235	10245	10255	10265	10275	10285	10295	10305	10315	10325	10335	10345	10355	10365	10375	10385	10395	10405	10415	10425	10435	10445	10455	10465	10475	10485	10495	10505	10515	10525	10535	10545	10555	10565	10575	10585	10595	10605	10615	10625	10635	10645	10655	10665	10675	10685	10695	10705	10715	10725	10735	10745	10755	10765	10775	10785	10795	10805	10815	10825	10835	10845	10855	10865	10875	10885	10895	10905	10915	10925	10935	10945	10955	10965	10975	10985	10995	11005	11015	11025	11035	11045	11055	11065	11075	11085	11095	11105	11115	11125	11135	11145	11155	11165	11175	11185	11195	11205	11215	11225	11235	11245	11255	11265	11275	11285	11295	11305	11315	11325	11335	11345	11355	11365	11375	11385	11395	11405	11415	11425	11435	11445	11455	11465	11475	11485	11495	11505	11515	11525	11535	11545	11555	11565	11575	11585	11595	11605	11615	11625	11635	11645	11655	11665	11675	11685	11695	11705	11715	11725	11735	11745	11755	11765	11775	11785	11795	11805	11815	11825	11835	11845	11855	11865	11875	11885	11895	11905	11915	11925	11935	11945	11955	11965	11975	11985	11995	12005	12015	12025	12035	12045	12055	12065	12075	12085	12095	12105	12115	12125	12135	12145	12155	12165	12175	12185	12195	12205	12215	12225	12235	12245	12255	12265	12275	12285	12295	12305	12315	12325	12335	12345	12355	12365	12375	12385	12395	12405	12415	12425	12435	12445	12455	12465	12475	12485	12495	12505	12515	12525	12535	12545	12555	12565	12575	12585	12595	12605	12615	12625	12635	12645	12655	12665	12675	12685	12695	12705	12715	12725	12735	12745	12755	12765	12775	12785	12795	12805	12815	12825	12835	12845	12855	12865	12875	12885	12895	12905	12915	12925	12935	12945	12955	12965	12975	12985	12995	13005	13015	13025	13035	13045	13055	13065	13075	13085	13095	13105	13115	13125	13135	13145	13155	13165	13175	13185	13195	13205	13215	13225	13235	13245	13255	13265	13275	13285	13295	13305	13315	13325	13335	13345	13355	13365	1

81.—UCKFIELD.

Mean Popul ⁿ , 1861-71		8824	287	266	279	265	274	1371	1195	1052	718	670	1130	946	784	526	305	109	18			
TOTAL DEATHS -		1493	279	69	37	26	17	428	66	41	82	67	115	114	92	138	162	143	45			
Small-pox -		4	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-			
Measles -		15	4	3	3	2	-	12	1	-	-	-	-	-	-	-	-	-	-			
Scarlatina -		37	2	6	5	6	0	23	16	7	4	2	3	2	-	-	-	-	-			
Diphtheria -		56	-	3	-	2	4	9	14	8	3	2	-	-	-	-	-	-	-			
Whooping-cough -		25	11	6	5	3	-	25	9	-	7	3	5	4	3	6	7	3	-			
Typhus -		46	1	-	1	-	-	9	-	8	-	-	-	-	-	-	-	-	-			
Diarrhoea & Dysentery -		24	12	3	3	-	-	18	1	-	1	1	-	-	1	1	1	3	2			
Cholera -		5	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-			
Other Zymotic Dis. -		36	10	1	4	2	0	20	1	2	1	2	2	1	3	-	0	1	-			
Cancer -		36	-	-	-	-	-	-	-	-	1	-	2	6	9	7	7	4	-			
Scrophula and Tuberc. -		72	20	14	5	1	1	41	7	-	7	4	4	1	2	4	2	-	-			
Pneumonia -		215	1	-	1	-	-	1	18	36	35	47	41	37	10	1	-	-	-			
Hydrocephalus -		24	12	1	2	2	-	17	7	-	-	-	-	-	-	-	-	-	-			
Dis. of Brain -		137	22	6	1	2	-	31	6	2	6	3	5	7	14	15	23	17	8			
Dis. of Heart & Dropsy -		165	-	1	-	-	-	1	-	-	6	2	14	11	12	31	48	28	9			
Dis. of Lungs -		178	37	19	7	2	2	67	6	1	4	4	6	6	7	25	36	21	5			
Dis. of Stom. and Liver -		101	7	-	-	1	-	8	1	2	3	3	10	4	10	23	25	11	1			
Dis. of Kidneys -		11	-	-	-	-	-	-	-	1	-	1	1	3	-	2	2	1	-			
Dis. of Genes. Organs -		15	-	-	-	-	-	-	-	-	1	-	2	2	-	3	-	-	-			
Dis. of Joints -		2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-			
Dis. of Skin -		3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
Childbirth and Metris -		26	-	-	-	-	-	-	-	-	2	4	11	19	-	4	-	-	-			
Suicide -		5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-			
Other Violent Deaths -		19	6	2	2	1	-	11	1	1	-	-	1	-	1	1	2	1	-			
Other Causes -		253	131	4	2	-	-	107	-	1	1	-	1	5	1	2	9	54	27			

82.—EAST GRINSTEAD.

Mean Popul ⁿ , 1861-71		7384	230	203	227	224	205	1089	991	847	634	568	1010	825	602	433	258	109	18			
TOTAL DEATHS -		1227	233	65	39	26	21	384	58	31	50	54	95	86	65	91	152	128	39			
Small-pox -		4	1	-	-	-	1	2	-	-	-	-	-	1	1	-	-	-	-			
Measles -		17	2	9	-	-	1	15	-	-	1	-	-	-	1	-	-	-	-			
Scarlatina -		22	1	2	2	3	2	10	15	2	-	-	2	-	-	-	-	-	-			
Diphtheria -		25	1	5	1	1	3	11	7	8	2	-	-	1	-	1	-	-	-			
Whooping-cough -		35	13	7	3	2	-	25	-	-	-	-	-	-	-	-	-	-	-			
Typhus -		45	-	1	-	1	1	8	2	6	6	12	3	5	2	2	3	1	-			
Diarrhoea & Dysentery -		37	15	2	3	1	-	21	3	-	-	-	3	3	1	-	3	2	1			
Cholera -		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Zymotic Dis. -		34	2	1	2	1	3	9	2	1	-	-	1	-	2	4	5	6	4			
Cancer -		34	-	-	-	-	-	-	-	-	-	-	5	4	7	11	7	-	-			
Scrophula and Tuberc. -		46	10	6	3	1	1	21	3	2	3	5	6	2	1	3	-	-	-			
Pneumonia -		174	5	-	1	-	1	7	7	8	27	25	43	35	11	6	3	1	1			
Hydrocephalus -		18	6	2	2	4	-	14	8	-	1	-	-	-	-	-	-	-	-			
Dis. of Brain -		144	35	6	7	3	1	29	1	4	8	1	5	8	6	13	23	25	5			
Dis. of Heart & Dropsy -		91	-	-	-	1	1	2	-	3	-	1	2	6	3	7	13	24	2			
Dis. of Lungs -		184	49	13	8	3	-	73	1	-	3	-	2	6	7	11	16	5	-			
Dis. of Stom. and Liver -		59	4	-	-	1	2	8	1	-	-	-	-	-	1	2	3	2	-			
Dis. of Kidneys -		9	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	-	-			
Dis. of Genes. Organs -		7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1			
Dis. of Joints -		10	-	-	-	-	-	-	-	1	-	-	2	-	3	1	-	-	-			
Dis. of Skin -		2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
Childbirth and Metris -		34	-	-	-	-	-	-	-	-	1	6	12	4	1	-	-	-	-			
Suicide -		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
Other Violent Deaths -		25	3	3	3	2	2	13	1	1	1	-	-	2	1	-	1	5	15			
Other Causes -		179	88	6	3	2	2	101	1	-	1	2	-	1	1	5	15	23	13			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		83.—CUCKFIELD.																
Mean Popul ⁿ , 1861-71	9634	259	245	245	245	266	1260	1232	1340	999	725	1181	957	801	626	356	138	19
TOTAL DEATHS	1555	351	67	45	24	40	527	55	37	29	58	93	85	101	136	200	180	54
Small-pox	5	2	-	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-
Measles	17	5	6	3	-	-	14	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	-	4	9	6	9	28	9	6	2	1	-	-	-	-	-	-	-
Diphtheria	30	4	3	5	3	6	21	8	-	1	-	-	-	-	-	-	-	-
Whooping-cough	18	12	4	1	1	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	1	-	1	-	1	3	2	8	2	2	5	2	5	6	4	1	-
Diarrhoea & Dysentery	44	21	-	-	-	2	24	1	-	1	-	2	1	1	3	2	6	3
Cholera	4	-	1	-	-	-	1	1	-	-	1	-	-	-	-	1	1	-
Other Zymotic Dis.	56	8	3	5	2	4	22	8	1	-	3	-	6	2	3	7	3	1
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	-	1	7	5	-	-
Scrofula and Tuberc.	33	17	6	2	2	-	27	2	-	-	-	-	-	1	1	1	1	-
Phthisis	200	2	3	-	-	1	6	3	5	8	31	62	31	22	18	13	1	-
Hydrocephalus	36	19	5	3	2	2	31	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	186	54	4	5	1	1	65	-	1	3	4	3	8	14	19	44	18	7
Dis. of Heart & Dropsy	123	-	-	-	-	2	2	2	3	1	1	5	8	18	26	21	6	-
Dis. of Lungs	179	56	18	3	2	4	83	4	2	1	3	3	9	10	14	29	26	4
Dis. of Stom. and Liver	77	8	1	3	1	1	14	3	2	2	2	5	6	9	14	17	3	-
Dis. of Kidneys	34	-	-	-	1	-	1	-	2	3	3	1	5	-	5	6	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	1	-	-	-	-	1	-	2	-	1	1	-	-	-	-	1	-
Dis. of Skin	6	1	-	-	-	-	1	-	2	-	1	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	-	1	-	1	1	5	5	3	-	-
Other Violent Deaths	72	8	4	3	2	3	20	2	3	3	3	3	6	11	8	10	3	1
Other Causes	213	132	4	2	1	4	143	1	-	-	1	1	2	2	5	33	88	27
84.—LEWES.																		
Mean Popul ⁿ , 1861-71	14325	427	382	404	337	380	1930	1768	1705	1347	1118	1821	1579	1300	930	583	222	22
TOTAL DEATHS	2963	552	158	81	58	36	885	98	65	92	125	234	242	247	251	361	284	79
Small-pox	7	1	-	-	-	-	1	-	-	-	-	2	2	1	1	-	-	-
Measles	24	3	7	4	4	1	19	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	60	2	9	6	6	5	28	23	7	1	1	-	-	-	-	-	-	-
Diphtheria	32	3	2	2	5	4	16	10	1	2	-	1	-	1	1	-	-	-
Whooping-cough	55	26	17	9	2	1	53	-	-	-	-	-	-	-	-	-	-	-
Typhus	100	1	1	3	4	4	13	7	10	12	11	13	12	5	6	8	3	-
Diarrhoea & Dysentery	91	45	10	3	3	-	61	1	-	-	1	3	2	4	2	6	8	3
Cholera	8	-	1	-	-	-	1	-	-	-	1	1	-	3	-	3	-	-
Other Zymotic Dis.	78	9	5	10	2	4	30	4	3	8	1	6	3	5	2	6	4	4
Cancer	50	-	-	1	-	-	1	-	-	1	2	3	3	6	13	10	10	1
Scrofula and Tuberc.	94	36	11	7	4	2	60	6	8	4	3	2	5	1	4	1	-	-
Phthisis	389	8	4	-	2	1	15	6	9	26	68	91	62	63	25	21	3	-
Hydrocephalus	56	12	15	6	4	1	38	14	3	-	-	-	-	-	-	1	-	-
Dis. of Brain	607	102	24	10	7	4	147	6	3	7	16	47	67	65	76	98	61	14
Dis. of Heart & Dropsy	245	4	1	-	-	-	5	5	4	6	1	11	24	26	52	60	45	6
Dis. of Lungs	342	80	30	18	12	4	144	5	3	5	7	10	20	16	28	29	42	8
Dis. of Stom. and Liver	114	16	1	-	1	-	18	4	3	2	2	11	12	20	14	22	6	-
Dis. of Kidneys	55	-	-	-	-	1	1	-	1	-	1	6	4	4	2	22	10	4
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Joints	8	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	-
Dis. of Skin	7	2	-	-	-	-	2	1	-	-	-	-	-	-	-	2	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	29	-	-	-	-	-	-	-	-	2	1	4	5	5	10	2	-	-
Other Violent Deaths	124	5	5	2	1	4	17	5	8	13	9	19	16	19	6	8	4	-
Other Causes	588	197	15	3	1	-	213	1	1	2	1	4	5	1	6	30	85	29
85.—BRIGHTON.																		
Mean Popul ⁿ , 1861-71	36147	1111	941	966	918	907	4843	4404	4212	3395	2971	5159	4318	3188	2063	1170	386	38
TOTAL DEATHS	9256	2387	822	561	251	154	3975	320	158	179	281	553	748	722	812	843	559	106
Small-pox	163	19	9	6	6	5	45	24	5	2	6	8	7	3	2	-	1	-
Measles	163	20	68	39	17	4	154	6	3	-	-	-	-	-	-	-	-	-
Scarlatina	270	15	43	34	50	28	170	63	20	7	4	4	1	1	-	-	-	-
Diphtheria	94	4	7	12	17	12	52	24	7	2	2	4	1	2	-	-	-	-
Whooping-cough	230	103	90	28	16	7	244	5	-	-	-	-	-	-	-	-	-	-
Typhus	298	7	3	8	7	14	39	27	12	18	13	20	28	18	15	16	2	-
Diarrhoea & Dysentery	508	374	82	8	3	2	469	2	-	-	-	1	2	1	2	1	2	3
Cholera	16	4	1	-	1	1	7	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	206	21	24	22	21	14	102	19	8	-	4	14	9	14	11	19	5	1
Cancer	159	-	-	-	2	-	3	-	-	-	2	3	14	28	41	38	10	-
Scrofula and Tuberc.	185	57	54	19	6	7	123	19	6	6	6	9	1	6	6	3	-	-
Phthisis	1254	22	22	26	8	5	100	18	20	77	147	261	208	209	97	26	3	-
Hydrocephalus	230	89	65	20	20	16	216	28	4	-	-	-	-	-	1	1	-	-
Dis. of Brain	1084	340	86	29	15	13	480	20	10	15	15	49	66	78	122	153	68	3
Dis. of Heart & Dropsy	568	7	3	2	3	2	17	6	13	15	17	31	65	90	123	130	43	6
Dis. of Lungs	1391	552	151	69	56	13	611	24	12	5	14	35	76	95	153	167	82	23
Dis. of Stom. and Liver	394	45	6	3	2	-	50	3	9	8	8	29	66	64	80	49	17	3
Dis. of Kidneys	221	2	4	1	1	1	9	5	3	4	6	11	21	28	47	48	31	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Dis. of Joints	53	-	1	-	1	-	2	6	9	3	5	7	8	4	5	4	-	-
Dis. of Skin	38	15	-	-	2	1	18	1	-	-	2	2	2	5	5	6	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	58	-	-	-	-	-	-	-	-	3	1	7	14	13	8	12	3	-
Other Violent Deaths	238	31	10	8	6	4	59	13	11	13	23	26	31	34	22	14	10	2
Other Causes	1028	849	102	31	11	3	987	7	5	1	5	16	36	21	58	137	275	60

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			2 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--				
83.—CUCKFIELD.																					
Mean Popul ⁿ , 1861-71	9038	271	259	273	249	256	1308	1161	1021	784	745	1296	989	759	543	308	105	19			
TOTAL DEATHS	1378	255	80	34	35	15	419	60	38	63	53	111	109	87	94	154	136	49			
Small-pox	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-			
Measles	14	-	5	3	2	-	9	4	1	-	-	-	-	-	-	-	-	-			
Scarlatina	37	-	8	5	5	5	23	12	1	-	-	1	-	-	-	-	-	-			
Diphtheria	33	1	3	3	2	1	10	7	7	2	1	2	3	1	-	-	-	-			
Whooping-cough	25	13	5	3	-	1	22	2	1	-	-	-	-	-	-	-	-	-			
Typhus	47	-	2	2	3	-	7	7	5	9	4	3	2	3	2	5	3	4	2		
Dysentery & Cholera	29	12	2	1	1	-	16	1	-	-	1	2	-	-	-	1	-	-			
Other Zymotic Dis.	51	6	4	-	7	2	19	5	-	3	1	2	3	2	5	8	3	-			
Cancer	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Scrophulous and Tuberc.	31	11	4	1	1	-	17	3	2	1	1	3	3	1	1	7	2	1			
Phthisis	207	3	5	2	1	2	13	5	10	35	29	45	47	14	7	2	-	-			
Hydrocephalus	24	5	8	2	4	1	29	2	1	1	-	-	-	-	-	-	-	-			
Dis. of Brain	165	29	6	5	1	-	41	4	3	3	4	11	10	16	19	24	25	5			
Dis. of Heart & Dropsy	116	2	-	-	-	-	2	1	-	3	2	4	6	10	11	27	39	16	1		
Dis. of Lungs	139	38	13	5	3	2	61	1	-	3	2	9	4	5	3	9	28	19	4		
Dis. of Stom. and Liver	63	7	4	-	-	-	11	2	3	1	2	9	6	9	5	9	6	-			
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	-	-	3	4	2	1	-			
Dis. of Genes. Organs	11	-	1	-	-	-	1	-	-	1	-	-	5	2	-	2	-	-			
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-			
Dis. of Skin	7	1	-	-	-	-	1	1	-	1	-	1	-	-	-	1	2	-			
Childbirth and Metris	28	-	-	-	-	-	-	-	-	2	3	15	9	1	-	-	-	-			
Suicide	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-			
Other Violent Deaths	29	2	-	-	3	1	6	1	1	2	3	2	2	3	3	5	1	1			
Other Causes	234	124	10	2	2	-	138	2	2	1	1	2	3	3	3	17	57	25			

84.—LEWES.

Mean Popul ⁿ , 1861-71	14143	414	346	368	360	383	1871	1739	1565	1216	1167	1920	1655	1272	926	574	211	27														
TOTAL DEATHS	2743	469	141	85	63	32	790	87	61	97	112	240	232	182	223	320	316	83														
Small-pox	12	3	-	1	-	-	4	-	1	-	2	2	2	-	-	-	-	-														
Measles	26	4	7	5	4	2	22	15	3	3	3	2	1	-	-	-	-	-														
Scarlatina	60	2	5	16	7	2	32	13	7	2	-	2	1	-	-	-	-	-														
Diphtheria	43	3	2	6	2	7	20	13	7	2	-	1	-	-	-	-	-	-														
Whooping-cough	72	35	20	7	7	1	70	2	-	10	3	6	7	6	4	7	2	-														
Typhus	77	1	2	4	1	1	9	14	1	9	3	1	1	2	4	8	7	6														
Dysentery & Cholera	79	37	7	-	-	-	45	1	1	-	-	3	3	-	-	1	-	-														
Other Zymotic Dis.	68	8	1	6	10	6	31	3	2	1	1	2	2	1	4	8	10	3														
Cancer	80	-	-	-	-	-	-	-	1	-	-	5	15	17	20	18	4	-														
Scrophulous and Tuberc.	87	23	21	5	2	3	56	4	4	4	4	3	4	4	2	2	-	-														
Pathosis	414	8	5	1	6	1	21	4	19	60	58	117	70	33	27	8	1	-														
Hydrocephalus	38	12	3	11	4	-	30	3	4	-	-	-	-	-	-	-	-	-														
Dis. of Brain	441	78	24	13	5	2	122	7	2	12	10	25	35	40	43	70	63	12														
Dis. of Heart & Dropsy	261	1	2	-	-	1	4	4	4	2	6	15	30	29	62	73	26	6														
Dis. of Lungs	297	55	23	7	7	1	93	9	3	1	3	11	14	12	24	52	61	14														
Dis. of Stom. and Liver	133	13	2	1	1	1	17	3	1	5	7	13	13	23	19	24	7	1														
Dis. of Kidneys	22	-	-	-	-	-	-	-	-	1	1	3	5	1	6	4	2	-														
Dis. of Genes. Organs	17	-	-	-	-	-	-	-	-	-	2	2	3	3	3	3	1	-														
Dis. of Joints	13	-	-	-	-	-	-	1	-	-	1	2	3	1	2	2	1	-														
Dis. of Skin	3	1	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-														
Childbirth and Metris	34	-	-	-	-	-	-	-	-	2	6	17	9	-	-	-	-	-														
Suicide	10	-	-	-	-	-	-	-	-	-	1	2	2	2	3	-	-	-														
Other Violent Deaths	39	5	3	-	2	4	14	1	-	1	-	2	2	2	3	3	3	-														
Other Causes	421	179	14	1	3	-	197	2	-	1	-	6	5	5	10	28	116	41														

85.—BRIGHTON.

Mean Popul ⁿ , } 1861-71 - }	47705	1085	955	966	939	936	4881	4459	4440	5065	5099	7834	5986	4540	3042	1700	578	81																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
--	-------	------	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	-----	----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	upwards.	
86.—STEYNING.*																				
Mean Popul ⁿ , } 1861-71 - }	12542	331	310	319	326	302	1588	1515	1600	1296	1089	1725	1369	1049	728	414	153	16		
TOTAL DEATHS -	2200	521	163	68	45	41	838	84	62	60	72	113	132	155	173	200	190	52		
Small-pox - - -	14	4	-	-	-	1	5	-	1	1	2	-	1	2	1	-	1	-		
Measles - - - -	42	3	17	6	3	5	84	5	3	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	80	9	13	13	9	6	50	19	7	1	2	1	-	-	-	-	-	-		
Diphtheria - - -	49	4	6	2	3	9	24	13	6	1	1	3	-	1	-	-	-	-		
Whooping-cough -	57	24	20	7	3	1	55	-	-	1	1	-	-	-	-	-	-	-		
Typhus - - - - -	71	2	3	2	5	2	12	4	8	4	10	6	10	5	4	6	3	-		
Diarrhoea & Dysentery	110	79	13	1	1	2	96	2	-	-	-	-	-	-	2	4	5	1		
Cholera - - - - -	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	47	4	4	2	4	1	15	2	1	4	1	-	5	4	6	6	1	2		
Cancer - - - - -	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scrophula and Tuberc.	41	5	6	8	2	1	17	7	4	2	1	5	3	5	8	12	6	1		
Phthisis - - - -	240	7	1	3	3	1	16	5	6	25	32	54	44	83	17	8	1	-		
Hydrocephalus - -	60	25	20	8	3	2	53	1	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	283	99	11	6	4	2	122	9	7	5	5	3	12	15	29	37	26	2		
Dis. of Heart & Dropsy	135	-	1	-	-	-	1	-	2	8	1	6	9	20	26	50	16	1		
Dis. of Lungs - - -	279	61	25	8	4	5	103	6	1	5	4	11	14	23	29	50	32	4		
Dis. of Stom. and Liver	90	12	-	2	-	-	14	3	4	2	2	2	8	14	15	34	8	-		
Dis. of Kidneys - -	67	-	2	-	-	-	2	2	-	1	-	3	1	11	15	16	3	2		
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	14	-	-	-	-	1	1	1	2	-	1	2	-	5	1	1	-	-		
Dis. of Skin - - - -	4	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	22	5	5	1	1	1	18	-	-	1	1	4	4	4	4	2	2	-		
Other Violent Deaths	83	5	5	1	1	1	18	4	8	12	5	10	8	7	5	7	4	-		
Other Causes - - -	573	174	16	4	2	1	197	-	1	1	3	3	8	8	10	55	73	37		

87.—HORSHAM.*

Mean Popul ⁿ , 1861-71	8219	238	209	202	210	212	1071	1041	911	786	665	1096	917	744	523	326	125	14	
TOTAL DEATHS	1508	284	80	44	35	20	472	76	33	41	35	79	92	97	137	200	196	50	
Small-pox	8	1	—	—	—	—	1	—	1	1	—	—	1	1	—	2	1	—	
Measles	9	3	1	3	1	—	8	—	1	—	—	—	—	—	—	—	—	—	
Scarlatina	70	—	12	6	12	10	40	22	3	2	1	1	1	—	—	—	—	—	
Diphtheria	25	1	—	2	3	1	7	12	1	3	1	—	—	—	—	1	—	—	
Whooping-cough	16	4	10	1	—	1	16	—	—	—	—	—	—	—	—	—	—	—	
Typhus	53	1	—	3	3	—	7	3	5	2	7	8	4	7	5	3	2	—	
Diarrhoea & Dysentery	37	6	4	—	—	—	10	1	—	—	—	1	2	—	4	6	9	4	
Cholera	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	40	8	1	3	5	1	18	3	1	1	1	1	2	2	5	4	2	—	
Cancer	24	—	1	—	—	—	1	—	—	—	—	1	1	5	7	7	2	—	
Scrophula and Tuberc.	23	6	4	—	8	1	14	8	—	—	—	3	3	—	—	1	—	—	
Phthisis	145	2	1	3	—	1	7	5	8	10	13	28	34	13	11	8	—	—	
Hydrocephalus	21	9	15	2	—	—	17	4	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain	195	45	14	—	2	1	62	6	3	3	2	6	8	7	19	41	32	5	
Dis. of Heart & Dropsy	95	—	—	—	—	—	2	2	3	3	4	6	10	9	16	28	17	—	
Dis. of Lungs	288	65	20	12	4	2	103	6	0	2	9	4	12	21	35	50	25	11	
Dis. of Stom. and Liver	92	7	4	1	—	—	12	4	2	1	1	8	6	13	15	18	8	1	
Dis. of Kidneys	37	—	—	—	1	—	1	1	—	1	1	—	4	3	7	7	8	2	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	4	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	1	—	
Dis. of Skin	7	—	—	—	—	—	—	1	—	—	1	—	—	—	—	3	2	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	7	—	—	—	—	—	—	—	—	1	—	2	—	1	1	1	1	—	
Other Violent Deaths	46	3	2	5	—	—	10	—	2	3	2	9	2	6	5	2	2	—	
Other Causes	234	123	10	3	1	1	138	1	1	1	1	1	3	4	4	20	51	27	

88.—PETWORTH.*

Mean Popul ⁿ , 1861-71	4964	136	128	129	121	123	637	574	537	502	427	633	525	446	355	235	84	9	
TOTAL DEATHS	943	108	59	20	18	22	287	45	30	20	44	64	43	58	72	121	120	30	
Small-pox	2	—	—	1	—	—	—	1	—	—	1	1	—	—	—	—	—	—	
Measles	11	2	2	—	2	1	8	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	26	—	2	5	3	3	17	10	8	1	1	2	—	—	—	—	—	—	
Diphtheria	20	—	1	—	3	2	6	6	4	—	—	1	2	—	—	—	—	—	
Whooping-cough	21	6	8	3	1	—	18	3	—	—	—	—	—	—	—	—	—	—	
Typhus	10	—	2	—	—	—	2	—	1	—	2	2	—	1	—	1	10	2	
Diarrhoea & Dysentery	31	5	5	1	—	8	14	—	1	—	1	1	—	—	—	5	—	—	
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	24	4	1	1	1	—	7	2	1	2	1	1	1	—	3	5	1	—	
Cancer	18	—	1	—	—	—	1	—	—	—	—	—	2	—	2	6	8	2	
Scrophula and Tuberc.	14	5	1	—	—	—	6	2	1	—	1	1	—	2	—	1	—	—	
Phthisis	91	—	—	—	—	—	—	—	4	—	23	30	—	12	6	3	1	—	
Hydrocephalus	23	3	6	2	3	2	15	6	2	—	—	—	—	—	—	—	—	—	
Dis. of Brain	154	41	9	2	1	8	50	3	2	1	3	2	7	7	14	24	19	6	
Dis. of Heart & Dropsy	65	1	—	—	—	—	1	1	—	1	4	4	4	5	13	20	13	—	
Dis. of Lungs	117	15	16	2	2	1	86	5	2	1	3	2	8	7	9	17	23	4	
Dis. of Stom. and Liver	59	4	1	—	—	1	6	—	1	2	3	5	2	6	13	14	7	—	
Dis. of Kidneys	17	—	—	—	1	—	1	—	—	1	—	2	—	1	2	4	6	—	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	
Dis. of Skin	4	1	1	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	11	—	—	—	—	—	—	—	—	—	1	2	2	4	1	1	—	—	
Other Violent Deaths	34	1	—	4	1	1	7	2	8	2	2	1	1	5	3	5	3	1	
Other Causes	172	79	4	1	—	—	84	2	1	8	1	1	5	6	5	13	41	15	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
86.—STEYNING.*																			
Mean Popul ⁿ , 1861-71	14087	325	318	305	311	285	1544	1504	1416	1560	1569	2394	1774	1345	877	499	177	28	
TOTAL DEATHS	2196	483	150	77	43	36	739	95	51	62	83	151	100	170	199	204	214	68	
Small-pox	4	1	1	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	
Measles	34	6	8	8	1	4	27	6	-	-	1	-	-	-	-	-	-	-	
Scarlatina	78	7	14	8	15	5	49	18	3	1	2	8	2	-	-	-	-	-	
Erythemia	66	1	6	10	7	10	34	23	4	3	-	-	-	1	-	1	-	-	
Whooping-cough	55	20	19	5	5	-	49	4	-	-	-	-	-	-	-	-	-	-	
Typhus	92	1	4	6	5	4	20	12	16	9	5	12	6	7	2	2	3	3	
Dysentery & Cholera	97	63	10	3	1	1	78	1	-	-	-	-	3	3	4	5	1	2	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	35	4	2	5	1	2	14	3	2	2	-	2	1	2	4	4	1	-	
Cancer	82	-	-	-	-	-	-	-	-	-	-	6	5	21	21	23	6	-	
Scrophula and Tuberc.	83	11	7	4	-	1	23	1	-	3	3	1	1	1	-	1	-	-	
Pathosis	307	3	5	3	1	-	12	3	9	32	47	85	60	45	13	3	-	-	
Hydrocephalus	46	21	13	4	3	-	41	5	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	285	79	14	5	8	3	104	7	7	3	2	7	15	19	29	35	32	5	
Dis. of Heart & Dropsy	171	1	2	-	-	-	3	3	4	2	3	5	19	16	47	81	31	4	
Dis. of Lungs	246	54	27	7	1	-	89	3	1	1	2	5	9	17	30	48	35	11	
Dis. of Stom. and Liver	131	9	-	-	-	2	12	3	4	2	5	6	16	20	28	17	15	4	
Dis. of Kidneys	32	-	-	1	-	1	2	-	-	-	2	3	8	5	11	-	1	-	
Dis. of Genes. Organs	16	-	-	-	-	-	-	-	-	-	1	2	5	4	1	3	-	-	
Dis. of Joints	5	-	-	-	-	1	1	-	-	1	-	1	-	-	1	1	-	-	
Dis. of Skin	6	4	-	1	-	-	5	-	-	-	-	-	-	-	-	-	1	-	
Childbirth and Metris	20	-	-	-	-	-	-	-	-	-	5	6	7	2	-	-	-	-	
Fevers	7	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	-	-	
Other Violent Deaths	29	6	-	2	-	1	9	1	1	1	3	2	-	1	1	4	6	-	
Other Causes	341	142	18	4	-	1	165	2	-	1	2	1	8	4	6	31	84	49	
87.—HORSHAM.*																			
Mean Popul ⁿ , 1861-71	7780	237	215	218	213	214	1097	1010	890	706	608	1038	862	687	474	282	114	12	
TOTAL DEATHS	1318	225	65	40	23	25	378	70	38	45	61	98	57	84	106	158	155	38	
Small-pox	1	-	-	-	-	-	8	2	1	-	-	-	1	1	-	-	-	-	
Measles	13	3	2	2	-	1	25	21	1	-	-	1	2	1	-	-	-	-	
Scarlatina	53	1	5	3	9	7	16	10	4	-	2	1	-	1	1	-	-	-	
Erythemia	84	3	2	4	5	2	23	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	23	11	7	4	-	1	23	-	-	-	-	-	-	-	-	-	-	-	
Typhus	40	-	-	1	1	2	4	6	8	4	3	3	4	2	3	5	-	-	
Dysentery & Cholera	32	11	2	1	1	-	15	-	1	-	-	1	-	1	2	2	8	2	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	25	2	-	-	-	1	5	5	3	1	-	3	1	1	2	4	2	-	
Cancer	30	-	-	-	-	-	-	-	-	-	-	4	7	6	1	9	3	-	
Scrophula and Tuberc.	27	8	4	1	-	-	13	4	1	-	-	1	2	2	2	-	-	-	
Pathosis	195	1	2	-	-	-	8	3	11	80	94	60	35	12	8	8	-	-	
Hydrocephalus	16	6	3	2	-	3	14	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	145	51	7	3	3	1	45	3	2	-	2	7	6	8	21	23	23	5	
Dis. of Heart & Dropsy	83	-	-	-	1	-	1	1	-	1	4	4	7	7	19	29	11	2	
Dis. of Lungs	254	61	23	11	2	6	93	6	1	2	1	5	6	13	21	46	36	5	
Dis. of Stom. and Liver	88	7	-	-	-	1	8	1	1	4	4	2	8	20	16	12	12	-	
Dis. of Kidneys	14	-	-	-	-	-	-	2	1	2	-	2	1	-	2	3	1	-	
Dis. of Genes. Organs	13	-	-	-	-	-	-	-	-	-	-	-	2	5	1	2	1	-	
Dis. of Joints	5	-	-	-	-	-	2	2	1	-	-	-	-	-	-	1	-	-	
Dis. of Skin	4	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	12	-	-	-	-	-	-	-	-	-	6	4	2	-	-	-	-	-	
Fevers	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Violent Deaths	17	4	1	4	-	-	9	1	-	1	-	-	1	-	-	1	3	1	
Other Causes	210	85	6	4	1	-	96	2	1	-	1	2	1	1	6	22	55	23	
88.—PETWORTH.*																			
Mean Popul ⁿ , 1861-71	4554	124	125	133	111	122	615	606	502	393	345	572	517	399	317	198	80	10	
TOTAL DEATHS	897	141	28	18	21	16	224	50	31	43	36	61	57	62	75	118	108	37	
Small-pox	4	-	-	-	-	-	6	1	1	-	1	1	-	1	1	-	-	-	
Measles	8	1	1	1	2	1	17	13	2	5	1	2	-	-	-	-	-	-	
Scarlatina	40	2	1	8	6	5	9	11	7	-	-	-	1	-	-	-	-	-	
Erythemia	28	1	-	2	4	2	12	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	12	8	3	1	-	-	12	-	-	-	-	-	-	-	-	-	-	-	
Typhus	13	-	-	-	-	2	2	1	2	2	1	1	1	1	-	2	-	-	
Dysentery & Cholera	19	5	-	1	1	2	9	1	1	-	-	-	-	-	1	4	1	1	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	21	7	3	-	-	1	12	1	1	1	1	-	1	1	9	-	1	-	
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	
Scrophula and Tuberc.	21	8	3	-	-	-	6	2	3	4	-	2	3	3	-	-	-	-	
Pathosis	124	-	-	1	1	-	3	-	4	21	22	30	24	12	7	1	-	-	
Hydrocephalus	20	6	3	1	2	1	13	3	1	-	1	1	1	-	-	-	-	-	
Dis. of Brain	113	17	3	2	-	1	23	3	4	2	4	5	4	12	8	26	18	3	
Dis. of Heart & Dropsy	73	2	-	-	-	-	2	1	3	3	-	5	5	5	15	22	10	2	
Dis. of Lungs	102	15	5	3	2	1	30	4	2	2	2	5	5	6	11	19	17	8	
Dis. of Stom. and Liver	59	3	-	-	-	-	3	1	-	2	1	3	5	7	12	14	4	-	
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	
Dis. of Genes. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	7	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-	
Fevers	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	17	1	1	2	1	-	5	4	-	-	1	-	1	-	1	3	2	2	
Other Causes	190	70	4	1	1	-	76	2	-	1	-	-	1	5	5	19	52	28	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	& upwards.	
		89.—THAKEHAM.*																		
Mean Popul ⁿ , 1861-71	3917	103	102	104	95	99	503	504	445	380	296	481	424	370	262	172	73	7		
TOTAL DEATHS -	645	118	36	15	10	12	191	31	16	14	28	42	39	37	49	79	99	20		
Small-pox - - -	1	-	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	
Measles - - -	5	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	16	-	2	-	1	1	4	7	2	1	-	1	-	1	-	-	-	-	-	
Diphtheria - - -	17	-	1	2	2	3	8	5	2	1	-	1	-	-	-	-	-	-	-	
Whooping-cough -	10	4	4	2	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	11	-	-	-	-	-	-	1	2	-	3	-	1	-	2	1	-	-	-	
Diarrhoea & Dysentery	31	8	4	-	1	2	15	2	-	-	-	-	1	1	1	4	6	1	-	
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	21	3	2	1	1	-	7	1	-	-	-	1	1	-	-	5	3	7	-	
Cancer - - -	15	-	-	-	-	-	-	-	-	-	-	-	2	1	1	8	3	-	-	
Scrophula and Tabes -	11	2	3	1	-	-	6	1	-	1	1	-	-	1	1	-	-	-	-	
Phthisis - - -	83	-	4	-	-	-	4	3	2	7	15	26	11	6	8	-	1	-	-	
Hydrocephalus - -	15	5	3	1	2	1	12	2	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	73	23	3	2	-	1	29	4	-	2	2	2	1	1	10	8	13	1	-	
Dis. of Heart & Dropsy	45	1	-	-	-	-	-	-	1	-	-	-	1	3	7	12	13	1	-	
Dis. of Lungs - - -	83	21	5	3	2	-	31	1	-	-	3	3	3	6	9	10	14	5	-	
Dis. of Stom. and Liver	90	6	2	-	1	1	10	-	-	-	-	1	6	3	2	4	4	-	-	
Dis. of Kidneys - -	20	-	-	-	-	-	-	-	-	-	1	-	-	2	2	7	8	-	-	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	6	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	-	
Dis. of Skin - - -	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	10	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	1	-	-	
Other Violent Deaths -	27	5	-	2	-	1	8	-	3	-	2	4	2	2	2	2	2	3	-	
Other Causes - - -	112	40	1	-	-	-	41	2	-	-	-	1	6	3	1	16	20	12	-	
90.—EAST PRESTON LATE WORTHING.*																				
Mean Popul ⁿ , 1861-71	10126	295	251	273	277	236	1332	1271	1247	938	754	1262	1101	924	699	417	164	17		
TOTAL DEATHS -	1968	355	125	55	48	26	609	86	37	55	76	136	122	160	182	245	203	53		
Small-pox - - -	18	1	-	-	1	-	2	2	-	-	3	2	1	4	2	1	1	-	-	
Measles - - -	24	3	10	3	2	1	19	5	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	74	6	4	8	12	8	38	21	10	1	2	1	-	1	-	-	-	-	-	
Diphtheria - - -	18	1	-	4	1	3	9	7	1	-	-	-	-	-	1	-	-	-	-	
Whooping-cough -	26	10	8	4	2	1	25	1	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	60	1	-	3	2	1	7	5	9	-	5	9	7	3	3	2	5	5	-	
Diarrhoea & Dysentery	48	26	5	1	2	-	34	2	-	-	-	-	-	1	1	2	1	6	-	
Cholera - - -	12	-	1	2	-	-	3	3	-	1	-	3	4	1	1	1	-	-	-	
Other Zymotic Dis. -	46	6	4	1	6	-	16	4	-	2	-	-	3	4	3	9	9	-	-	
Cancer - - -	26	-	-	-	-	-	-	1	-	-	-	-	2	3	14	10	8	-	-	
Scrophula and Tabes -	41	14	8	6	-	-	28	6	-	2	2	2	1	1	-	-	-	-	-	
Phthisis - - -	269	5	5	-	-	-	11	5	4	21	39	64	47	49	19	9	1	-	-	
Hydrocephalus - -	32	12	9	4	2	-	27	4	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	277	63	13	7	2	1	66	6	4	4	5	11	14	17	39	53	20	8	-	
Dis. of Heart & Dropsy	142	2	-	-	-	1	3	-	1	4	2	7	12	24	27	47	14	1	-	
Dis. of Lungs - - -	252	67	33	8	5	4	117	4	1	4	2	7	9	15	21	40	25	5	-	
Dis. of Stom. & Liver -	103	11	1	3	2	1	18	4	1	2	1	8	6	12	18	18	14	1	-	
Dis. of Kidneys - -	54	-	-	-	-	1	1	2	-	1	-	5	4	5	10	17	6	3	-	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	6	-	-	-	1	-	1	-	1	-	-	1	1	1	1	-	-	-	-	
Dis. of Skin - - -	9	2	-	-	-	-	2	-	-	-	1	-	2	1	1	1	1	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	21	-	-	-	-	-	-	-	-	-	1	3	3	4	6	2	1	1	-	
Other Violent Deaths -	76	3	3	1	8	3	13	3	4	8	8	13	8	9	2	5	3	-	-	
Other Causes - - -	324	122	21	2	3	1	149	2	1	-	1	1	4	6	13	27	86	34	-	
91.—WESTHAMNETT.*																				
Mean Popul ⁿ , 1861-71	7684	195	196	213	213	207	1024	946	886	665	544	903	838	744	590	371	150	23		
TOTAL DEATHS -	1374	237	65	31	22	18	373	67	34	38	46	85	80	104	123	191	171	72		
Small-pox - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	3	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	33	-	4	4	4	4	16	9	4	2	-	1	-	-	-	1	-	-	-	
Diphtheria - - -	11	-	-	-	1	1	2	5	2	-	-	-	1	1	-	-	-	-	-	
Whooping-cough -	33	15	11	4	1	-	31	2	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	25	1	-	1	1	2	5	4	2	1	1	2	2	2	1	4	1	-	-	
Diarrhoea & Dysentery	46	21	4	1	1	1	28	1	1	1	1	1	1	1	-	5	6	1	-	
Cholera - - -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	42	2	3	2	1	1	9	4	-	1	1	1	1	1	3	8	6	-	-	
Cancer - - -	20	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	5	4	-	
Scrophula and Tabes -	35	9	6	3	-	-	18	6	2	2	2	1	2	2	-	1	-	-	-	
Phthisis - - -	190	4	4	-	-	1	9	5	6	18	27	41	26	28	12	7	1	-	-	
Hydrocephalus - -	14	3	4	1	3	-	11	1	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	183	68	5	6	2	3	84	4	-	4	1	3	10	11	14	22	24	6	-	
Dis. of Heart & Dropsy	120	2	-	1	-	-	3	4	2	2	1	8	11	19	22	33	18	1	-	
Dis. of Lungs - - -	132	22	11	4	5	1	43	2	1	2	3	8	4	6	20	33	24	3	-	
Dis. of Stom. and Liver	61	5	1	-	-	-	6	1	1	1	2	6	4	6	14	16	4	-	-	
Dis. of Kidneys - -	23	-	-	-	-	-	-	1	-	1	-	-	3	-	7	7	4	-	-	
Dis. of Gener. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Joints - - -	9	-	-	-	-	-	-	1	-	-	-	2	1	2	3	-	-	-	-	
Dis. of Skin - - -	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	10	-	-	-	-	-	-	-	-	-	-	2	1	1	4	3	-	-	-	
Other Violent Deaths -	63	2	5	-	1	2	10	3	10	2	4	5	4	10	4	6	3	-	-	
Other Causes - - -	296	83	4	3	2	2	94	3	1	1	1	1	3	4	6	10	40	76	57	

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and upwards.	
89.—THAKEHAM.*																			
Mean Popul ⁿ , 1861-71	3742	108	109	111	110	111	549	481	442	284	271	483	403	345	240	159	68	9	
TOTAL DEATHS -	618	88	32	20	11	7	158	32	12	28	23	39	40	57	53	71	77	23	
Small-pox - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
Measles - - -	4	1	2	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	12	2	1	1	-	2	6	5	-	1	-	-	-	-	-	-	-	-	
Diphtheria - - -	20	-	1	4	3	-	8	6	1	3	1	-	1	-	-	-	-	-	
Whooping-cough -	17	6	7	2	1	1	17	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	22	-	-	-	-	-	-	1	3	4	1	5	1	3	1	3	-	-	
Diarrhoea & Dysentery	12	3	1	1	1	-	6	-	-	-	-	-	1	-	3	1	1	-	
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	25	5	4	1	1	-	11	2	-	-	-	1	1	1	-	4	3	-	
Cancer - - -	24	-	-	-	-	-	-	-	-	-	-	1	1	-	7	4	4	1	
Scrophula and Tuberc	12	1	-	-	-	-	-	-	-	3	1	1	2	7	7	1	-	-	
Fistula - - -	98	4	2	2	1	-	7	4	1	7	8	22	14	17	6	-	-	-	
Hydrocephalus - -	8	2	2	-	-	-	6	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	73	18	5	3	-	1	27	2	4	3	6	-	3	7	6	9	6	-	
Dis. of Heart & Dropsy	52	-	-	-	-	-	1	2	1	-	-	1	3	7	7	17	10	1	
Dis. of Lungs - - -	68	14	3	1	1	-	18	5	-	3	1	1	1	2	5	11	17	4	
Dis. of Stom. and Liver	42	-	1	1	1	1	4	1	-	-	-	3	3	8	10	8	3	1	
Dis. of Kidneys - -	8	-	-	-	-	-	-	-	2	-	-	-	1	-	1	1	-	1	
Dis. of Gen. Organs -	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	9	-	-	-	-	-	-	-	-	1	3	1	3	1	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Violent Deaths -	14	2	2	1	1	1	7	1	-	-	-	-	-	-	1	2	3	-	
Other Causes - - -	100	30	2	2	-	-	35	-	-	-	-	2	4	2	7	8	50	15	

90.—EAST PRESTON LATE WORTHING.*																			
Mean Popul ⁿ , 1861-71	10999	263	247	259	277	258	1304	1188	1130	1014	977	1556	1259	1072	784	476	208	33	
TOTAL DEATHS -	1882	260	107	56	18	27	468	76	62	71	70	141	139	163	153	220	230	99	
Small-pox -	11	1	1	-	-	1	3	-	3	1	-	1	-	2	-	-	1	-	
Measles -	27	2	11	2	3	4	22	5	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	67	2	12	8	4	9	35	29	8	1	1	2	-	-	-	-	-	-	
Diphtheria -	14	-	1	1	-	1	3	7	-	-	-	2	-	1	1	-	-	-	
Whooping-cough -	48	20	14	8	-	3	45	3	-	-	-	-	-	-	-	-	-	-	
Typhus -	71	-	-	3	-	3	6	9	8	14	6	3	5	13	2	5	2	-	
Diarrhoea & Dysentery -	46	20	7	2	1	-	39	-	-	-	-	-	1	1	1	4	5	5	
Cholera -	9	-	-	-	1	1	2	1	-	-	-	1	1	2	1	-	1	-	
Other Zymotic Dis. -	34	4	2	-	-	1	7	3	2	2	-	5	5	3	2	1	5	1	
Cancer -	70	-	-	-	-	-	-	-	-	-	-	-	12	21	18	11	5	3	
Scrophula and Tuberc -	49	11	11	3	3	-	36	3	1	-	3	6	5	13	18	11	5	3	
Fistula -	278	5	2	1	1	-	30	7	13	34	59	67	52	59	7	11	-	-	
Hydrocephalus -	35	8	5	3	2	1	19	4	1	-	-	-	-	-	1	-	-	-	
Dis. of Brain -	232	46	10	4	1	1	64	5	3	7	-	12	7	16	31	42	39	6	
Dis. of Heart & Dropsy -	127	-	1	1	-	-	2	2	3	3	5	4	13	19	39	45	27	4	
Dis. of Lungs -	216	37	20	10	1	2	79	4	4	2	-	4	9	13	20	35	42	12	
Dis. of Stom. and Liver -	93	3	-	2	1	-	6	2	1	2	5	6	9	13	19	14	13	3	
Dis. of Kidneys -	51	1	-	-	-	-	-	-	2	1	2	1	4	5	5	8	9	-	
Dis. of Gen. Organs -	12	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	-	-	
Dis. of Joints -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Skin -	7	1	-	1	-	-	2	-	-	-	1	-	-	-	1	2	1	-	
Childbirth and Metris -	35	-	-	-	-	-	-	-	-	1	6	18	10	-	-	-	-	-	
Suicide -	7	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	1	1	
Other Violent Deaths -	21	6	2	3	1	-	12	-	1	1	1	3	-	-	1	-	1	1	
Other Causes -	321	93	8	3	-	-	104	1	2	2	1	4	7	7	6	37	80	64	

91.—WESTHAMPTON.*																			
Mean Popul ⁿ , 1861-71	7472	212	200	205	180	209	1006	928	804	580	552	973	848	705	543	362	141	30	
TOTAL DEATHS -	1244	189	49	23	21	8	295	41	35	47	57	93	86	81	112	161	170	66	
Small-pox -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Measles -	6	1	2	1	1	-	5	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	20	-	1	-	2	-	3	5	4	2	2	1	2	-	-	1	-	-	
Diphtheria -	20	-	-	1	4	-	5	6	7	1	-	-	-	-	1	-	-	-	
Whooping-cough -	24	12	7	2	1	-	22	2	-	-	-	-	-	-	-	-	-	-	
Typhus -	36	-	-	2	1	1	4	5	6	3	6	4	2	1	2	1	1	1	
Diarrhoea & Dysentery -	22	7	4	-	1	-	12	-	-	-	-	1	1	-	1	4	2	1	
Cholera -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	
Other Zymotic Dis. -	26	4	3	-	2	1	10	-	2	3	1	-	-	-	2	5	3	-	
Cancer -	40	-	-	-	-	-	-	-	-	-	-	1	5	9	18	3	4	-	
Scrophula and Tuberc -	31	8	3	4	1	1	17	3	2	2	1	1	1	1	2	1	-	-	
Fistula -	218	1	-	2	2	-	5	6	6	26	36	28	36	22	16	7	-	-	
Hydrocephalus -	16	8	4	1	-	1	14	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	141	40	3	2	2	-	56	4	3	4	2	4	9	7	11	19	19	3	
Dis. of Heart & Dropsy -	99	-	-	-	-	1	1	-	1	2	2	2	6	12	25	37	13	-	
Dis. of Lungs -	100	20	9	7	-	-	36	1	2	2	2	5	5	5	9	17	19	-	
Dis. of Stom. and Liver -	79	3	2	2	-	-	7	1	-	-	2	8	5	12	15	10	9	1	
Dis. of Kidneys -	10	-	-	-	-	-	-	-	1	-	1	-	2	2	1	-	3	-	
Dis. of Gen. Organs -	12	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	-	-	
Dis. of Joints -	5	1	-	1	-	-	2	-	-	-	-	1	2	-	-	-	-	-	
Dis. of Skin -	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	
Childbirth and Metris -	17	-	-	-	-	-	-	-	-	1	2	8	6	-	-	-	-	-	
Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Other Violent Deaths -	23	2	-	1	2	1	6	4	1	-	-	1	-	3	-	3	4	1	
Other Causes -	209	72	11	2	2	2	89	1	-	1	-	1	2	3	5	48	84	59	

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
		92.—CHICHESTER.*																	
Mean Popul ⁿ , 1861-71	6984	171	152	189	155	174	841	778	752	778	636	928	752	614	468	303	117	17	
TOTAL DEATHS	1460	215	50	32	39	20	356	39	29	43	60	104	120	125	180	163	187	54	
Small-pox	3	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	
Measles	11	-	6	3	1	-	10	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	23	2	1	1	3	2	11	6	3	-	1	1	1	-	-	-	-	-	
Diphtheria	17	4	-	4	2	4	14	2	1	-	-	-	-	-	-	-	-	-	
Whooping-cough	23	9	3	5	4	2	23	-	-	-	-	-	-	-	-	-	-	-	
Typhus	51	1	-	1	5	3	10	4	2	6	6	3	0	3	5	3	3	3	
Diarrhoea & Dysentery	45	18	3	1	1	-	23	-	-	-	-	1	1	2	2	2	9	13	
Cholera	8	-	-	1	-	1	2	-	-	-	-	1	1	5	4	2	6	5	
Other Zymotic Dis.	42	5	2	2	4	-	13	-	-	2	2	1	-	4	4	5	5	5	
Cancer	32	-	-	-	1	-	1	-	-	-	-	2	2	5	14	2	6	1	
Serofula and Tubes	31	10	3	-	3	-	16	3	5	4	1	2	2	1	1	2	6	1	
Phthisis	231	2	-	-	-	-	4	3	2	18	26	55	51	39	22	6	2	-	
Hydrocephalus	54	10	7	3	7	2	29	2	3	1	-	-	-	-	-	-	-	-	
Dis. of Brain	175	38	5	2	2	3	50	5	5	2	5	7	11	10	22	21	23	2	
Dis. of Heart & Dropsy	107	1	-	-	-	-	1	-	-	-	1	2	5	8	15	31	23	15	
Dis. of Lungs	180	35	12	6	1	1	55	2	-	3	3	3	6	10	20	24	32	11	
Dis. of Stom. and Liver	68	6	-	1	-	-	7	1	2	3	2	3	6	8	13	13	5	-	
Dis. of Kidneys	42	-	-	-	1	-	1	-	1	-	1	4	4	2	6	12	9	1	
Dis. of Gener. Organs	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	8	1	-	-	-	-	1	3	-	1	-	-	-	-	1	-	-	-	
Dis. of Skin	6	3	-	-	-	-	3	-	1	-	-	-	2	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	11	-	-	-	-	-	-	-	-	-	1	2	2	4	1	-	1	-	
Other Violent Deaths	67	5	-	1	-	2	8	5	6	4	8	7	5	10	10	3	1	-	
Other Causes	244	64	6	1	1	-	72	-	-	1	-	6	12	7	15	29	71	21	
93.—MIDHURST.*																			
Mean Popul ⁿ , 1861-71	6024	165	163	191	176	178	873	773	735	644	545	819	679	617	489	309	122	19	
TOTAL DEATHS	1170	200	59	29	18	13	319	68	23	50	59	59	66	61	113	182	138	61	
Small-pox	4	1	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	
Measles	7	0	1	-	-	1	5	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	43	1	2	6	2	3	14	26	3	-	-	-	-	-	-	-	-	-	
Diphtheria	22	-	2	-	2	1	5	9	1	4	-	1	1	1	-	-	-	-	
Whooping-cough	12	9	2	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-	
Typhus	28	-	-	2	1	-	3	5	3	2	3	3	-	1	1	4	2	1	
Diarrhoea & Dysentery	23	5	1	1	-	1	8	1	-	-	-	1	-	-	5	4	5	1	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	28	2	4	2	1	-	9	3	1	1	4	1	-	-	3	4	2	-	
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	1	
Serofula and Tubes	22	5	3	1	2	-	11	4	1	3	-	-	-	1	1	1	-	-	
Phthisis	125	1	-	-	-	-	1	1	2	9	24	26	21	15	8	9	1	-	
Hydrocephalus	19	3	5	1	-	1	10	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	160	49	8	5	4	4	70	4	1	1	3	2	5	9	21	28	14	2	
Dis. of Heart & Dropsy	125	-	-	1	1	1	3	2	1	4	4	2	13	5	27	28	23	1	
Dis. of Lungs	143	23	11	3	2	-	44	3	3	3	2	2	8	11	21	34	12	3	
Dis. of Stom. and Liver	52	6	2	-	-	-	8	2	2	2	3	1	3	10	7	9	5	-	
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	1	1	1	3	2	3	10	5	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	9	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	-	
Other Violent Deaths	38	2	1	2	-	1	6	2	3	1	5	7	4	1	4	3	1	1	
Other Causes	268	83	17	5	2	-	167	5	2	-	1	-	2	2	8	29	61	59	
94.—WESTBOURNE.																			
Mean Popul ⁿ , 1861-71	3556	104	85	87	95	97	463	450	377	332	224	455	393	317	280	170	69	12	
TOTAL DEATHS	725	131	53	22	16	10	217	23	23	18	21	51	50	50	57	86	85	41	
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Measles	6	1	5	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	39	3	4	8	3	2	20	10	5	-	-	2	-	-	-	-	-	-	
Diphtheria	16	-	3	2	3	1	9	4	1	1	-	-	1	-	-	-	-	-	
Whooping-cough	15	12	-	3	-	-	15	-	-	-	-	-	-	-	-	-	-	-	
Typhus	14	-	-	-	2	1	3	-	-	1	-	-	-	2	4	3	-	-	
Diarrhoea & Dysentery	31	13	6	2	1	1	23	1	1	-	-	1	1	1	2	1	2	1	
Cholera	12	-	2	1	-	-	4	1	-	-	-	-	-	1	2	1	2	1	
Other Zymotic Dis.	19	2	2	2	1	1	6	1	-	1	-	1	-	3	2	2	-	-	
Cancer	14	-	-	-	-	-	-	-	-	1	-	1	-	3	3	3	2	1	
Serofula and Tubes	7	-	2	-	-	1	3	1	1	-	1	-	-	1	-	-	-	-	
Phthisis	85	-	-	-	-	-	-	2	5	6	13	25	20	6	8	-	-	-	
Hydrocephalus	3	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	84	27	5	-	1	1	34	2	1	1	1	4	4	6	3	12	11	3	
Dis. of Heart & Dropsy	67	2	-	-	-	-	2	-	2	2	1	3	5	17	16	7	4	4	
Dis. of Lungs	84	21	3	1	1	1	27	1	-	-	2	4	2	4	5	17	10	3	
Dis. of Stom. and Liver	23	2	-	-	-	-	2	-	2	1	-	2	3	4	3	4	2	-	
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	-	1	5	4	2	4	2	-	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Joints	7	-	-	-	-	-	-	1	3	-	-	1	-	-	2	-	-	-	
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	
Other Violent Deaths	20	2	-	1	3	-	6	2	2	1	1	5	1	4	2	2	1	1	
Other Causes	147	46	5	2	-	-	58	-	-	1	1	1	4	3	4	18	27	23	

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
		92.—CHICHESTER.*																
Mean Popul ⁿ , 1861-71	7769	192	174	165	163	175	869	782	802	824	737	1074	853	754	561	353	137	23
TOTAL DEATHS -	1396	169	64	29	28	16	300	38	31	70	61	128	111	101	128	192	170	62
Small-pox - - -	6	1	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-
Measles - - -	20	3	11	3	2	-	19	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	24	1	4	5	2	3	15	5	-	2	-	2	-	-	-	-	-	-
Diphtheria - - -	19	1	-	-	4	2	7	8	2	2	-	-	-	-	-	-	-	-
Whooping-cough -	25	13	8	1	1	-	23	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	75	-	1	1	5	3	10	6	6	8	6	10	11	6	2	7	3	-
Dysentery & Dysentery	29	24	5	-	-	-	29	1	-	1	-	-	2	1	-	1	2	2
Cholera - - -	5	-	1	1	1	1	2	-	-	-	-	1	-	1	-	1	-	-
Other Zymotic Dis.	28	2	1	-	1	1	5	-	-	1	2	3	1	2	4	6	4	-
Cancer - - -	64	-	-	-	-	-	-	-	-	1	1	4	13	12	14	14	5	-
Scrofula and Tubercles	28	4	2	-	-	-	6	1	-	5	7	5	1	3	-	-	-	-
Phthisis - - -	224	3	2	1	-	-	6	4	15	31	33	66	29	20	12	5	2	-
Hydrocephalus - - -	16	5	4	1	2	1	13	2	-	-	-	-	1	-	-	-	-	-
Dis. of Brain - - -	174	24	5	5	7	2	43	1	4	4	2	4	11	11	19	38	32	4
Dis. of Heart & Dropsy	91	-	-	-	-	-	1	1	2	2	2	6	6	9	22	25	16	2
Dis. of Lungs - - -	112	19	12	6	2	1	40	4	2	4	2	11	12	29	30	29	16	-
Dis. of Stom. and Liver	101	7	-	2	-	2	11	1	1	5	2	8	10	16	16	24	7	-
Dis. of Kidneys - - -	14	-	-	-	-	-	-	-	-	-	-	1	5	1	4	4	-	1
Dis. of Genes. Organs -	5	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	-	-
Dis. of Joints - - -	10	-	-	-	-	-	-	1	1	1	-	1	2	1	2	1	1	-
Dis. of Skin - - -	6	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Childbirth and Metris	11	-	-	-	-	-	-	-	-	2	6	3	-	-	-	-	-	-
Violent Deaths - - -	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-
Other Causes - - -	94	6	3	2	-	1	12	2	-	1	-	1	1	-	3	4	-	-
	210	53	6	1	1	-	61	1	1	-	-	7	5	4	6	25	64	30

93.—MIDHURST.*																		
Mean Popul ⁿ , 1861-71	6182	179	163	161	149	162	814	791	698	496	432	785	693	594	465	281	120	13
TOTAL DEATHS -	1085	173	47	31	15	12	278	31	29	46	44	90	67	71	110	142	150	51
Small-pox -	1	-	-	-	-	-	6	1	1	1	-	-	-	-	-	-	-	-
Measles -	8	-	3	2	1	-	11	7	7	2	-	2	-	-	-	-	-	-
Scarlatina -	29	1	1	2	2	5	7	4	3	2	-	-	-	-	-	-	-	-
Diphtheria -	10	1	-	1	2	3	7	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	24	10	8	3	1	-	22	2	-	-	-	1	-	2	4	2	1	-
Typhus -	28	1	1	-	-	-	2	4	3	3	-	1	4	2	3	2	1	-
Dysentery & Cholera -	15	4	2	1	-	-	7	-	-	-	2	-	-	-	-	-	1	-
Other Zymotic Dis. -	23	2	1	4	1	-	8	1	1	1	-	1	1	2	4	2	2	-
Cancer -	28	-	-	-	-	-	-	-	-	1	1	1	4	1	8	8	5	-
Scrofula and Tubercles -	16	1	3	4	1	-	9	-	1	1	1	-	-	2	2	-	-	-
Phthisis -	151	1	1	1	1	-	6	2	5	23	37	32	21	19	14	5	-	-
Hydrocephalus -	10	1	1	2	1	1	6	3	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	142	33	8	1	1	2	45	-	2	4	4	3	6	10	20	25	21	2
Dis. of Heart & Dropsy -	110	2	1	-	-	-	3	2	1	3	1	4	8	13	19	32	31	2
Dis. of Lungs -	100	26	8	6	2	1	49	2	1	1	1	5	6	14	17	14	2	-
Dis. of Stom. and Liver -	73	6	1	-	-	-	7	-	1	3	1	4	6	8	17	17	9	-
Dis. of Kidneys -	10	-	-	-	-	-	-	-	-	-	-	1	-	5	1	2	-	1
Dis. of Genes. Organs -	10	-	-	-	-	-	-	-	-	-	-	1	3	2	1	3	-	-
Dis. of Joints -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Skin -	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	13	-	-	-	-	-	-	-	-	2	4	7	-	1	-	-	-	-
Violent Deaths -	5	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-
Other Causes -	13	1	-	3	-	-	4	2	-	-	-	1	1	-	2	1	1	-
	252	83	9	-	2	-	94	1	2	-	1	3	1	1	6	27	75	41

94.—WESTBOURNE.																		
Mean Popul ⁿ , 1861-71	3532	109	101	106	101	93	510	449	394	251	266	483	380	317	237	158	70	13
TOTAL DEATHS -	501	83	34	15	11	20	163	27	16	12	18	37	31	42	60	77	66	37
Small-pox -	7	2	1	1	-	2	6	-	1	-	-	-	-	-	-	-	-	-
Measles -	29	3	6	3	2	9	22	12	3	-	1	1	-	-	-	-	-	-
Scarlatina -	7	-	-	1	-	2	3	2	1	-	-	-	-	1	-	-	-	-
Diphtheria -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	7	3	-	2	1	1	7	-	-	-	-	-	-	-	-	-	-	-
Typhus -	15	1	1	1	1	-	4	3	1	-	1	2	-	1	2	1	-	-
Dysentery & Cholera -	22	11	7	-	-	-	18	1	-	-	-	1	1	-	1	1	-	-
Other Zymotic Dis. -	6	-	-	-	1	-	1	2	-	-	-	-	-	-	-	1	3	-
Cancer -	9	1	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-
Scrofula and Tubercles -	20	-	-	-	-	-	-	-	-	-	-	1	1	3	6	6	2	1
Phthisis -	5	2	-	-	-	-	2	-	1	-	1	-	-	1	1	-	-	-
Hydrocephalus -	60	-	-	1	1	1	3	2	3	10	12	20	15	14	2	1	-	-
Dis. of Brain -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Heart & Dropsy -	67	13	6	2	2	1	24	1	3	-	1	2	3	4	6	14	5	4
Dis. of Lungs -	71	-	-	-	-	-	1	-	2	-	1	2	4	10	23	19	7	1
Dis. of Stom. and Liver -	51	0	3	2	1	1	16	-	-	1	-	1	1	1	6	15	8	3
Dis. of Kidneys -	29	1	-	-	1	1	5	2	-	-	1	1	3	3	6	6	3	-
Dis. of Genes. Organs -	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Dis. of Skin -	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metris -	4	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
Violent Deaths -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Causes -	5	2	2	1	1	-	5	-	-	-	-	-	-	-	3	12	25	19

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		95.—HAVANT.																
Mean Popul ⁿ , 1861-71	3661	110	106	116	86	85	503	458	426	339	248	443	406	332	260	162	71	13
TOTAL DEATHS	740	126	59	17	20	18	220	28	22	21	25	37	55	52	67	102	89	31
Small-pox	3	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-
Measles	7	2	2	2	-	1	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	40	2	5	6	3	8	24	7	5	1	1	-	1	-	-	-	-	-
Diphtheria	10	-	1	1	1	-	3	5	-	-	-	-	-	-	-	-	1	-
Whooping-cough	11	4	3	1	2	1	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	16	1	-	-	-	1	2	1	1	2	-	1	-	-	2	3	4	1
Diarrhoea & Dysentery	25	15	-	-	-	-	15	1	-	-	1	-	-	-	-	1	1	-
Cholera	7	-	2	-	1	1	4	-	-	-	-	-	2	-	1	2	1	1
Other Zymotic Dis.	14	2	1	1	2	1	7	-	-	-	1	-	1	-	1	4	-	1
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	11	2	4	-	1	-	7	2	1	-	-	-	-	-	1	4	-	1
Phthisis	91	-	-	-	-	-	8	2	1	12	15	14	21	17	5	4	1	-
Hydrocephalus	12	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	102	30	9	3	2	2	46	2	3	1	2	4	1	4	10	16	13	-
Dis. of Heart & Dropsy	56	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Lungs	114	19	7	1	4	-	31	2	-	-	2	7	7	4	13	24	13	-
Dis. of Stom. and Liver	39	5	-	-	-	-	5	2	-	2	-	2	-	-	5	6	9	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	1	-	-	-	-	-	2	5	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
Dis. of Skin	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	39	2	1	1	1	2	7	2	5	-	5	5	7	4	3	1	-	-
Other Causes	121	30	1	-	1	-	38	1	-	-	-	1	3	2	2	16	27	21
96.—PORTSEA ISLAND.																		
Mean Popul ⁿ , 1861-71	52953	1530	1394	1329	1331	1295	6879	5764	5000	5420	5999	9413	6329	4109	2304	1210	467	59
TOTAL DEATHS	11239	2802	1067	501	359	212	4941	462	172	236	335	858	897	818	783	823	714	308
Small-pox	120	26	13	8	9	11	67	14	4	4	7	15	8	1	-	-	-	-
Measles	217	51	74	44	36	14	202	12	1	1	1	-	-	-	-	-	-	-
Scarlatina	407	28	68	79	92	68	325	108	22	6	3	4	1	-	-	-	-	-
Diphtheria	70	4	14	8	13	4	45	20	2	1	1	1	-	1	-	-	-	-
Whooping-cough	176	78	61	16	9	4	168	8	-	-	-	-	-	-	-	-	-	-
Typhus	445	22	47	42	39	21	171	72	28	29	22	26	23	29	28	14	3	-
Diarrhoea & Dysentery	730	385	123	33	13	10	554	16	5	3	6	16	14	10	10	9	4	-
Cholera	96	12	5	4	2	3	24	10	6	3	2	13	10	10	9	3	4	-
Other Zymotic Dis.	208	28	20	23	23	8	108	15	7	5	6	16	18	11	12	8	2	-
Cancer	110	-	-	-	-	1	1	-	-	-	2	3	7	21	31	33	13	-
Scrofula and Tuberc.	216	77	50	27	8	4	166	18	5	7	5	6	5	2	-	-	-	-
Phthisis	1316	36	13	8	8	2	67	28	23	82	152	369	298	188	78	30	1	-
Hydrocephalus	225	89	53	33	14	10	199	21	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	1440	501	105	58	24	11	669	38	11	14	28	53	91	88	172	162	120	18
Dis. of Heart & Dropsy	661	13	4	4	3	3	27	9	17	14	18	86	130	111	109	95	56	-
Dis. of Lungs	1821	474	258	79	41	27	859	28	6	12	20	92	123	133	184	197	137	-
Dis. of Stom. and Liver	385	53	7	3	3	2	68	7	6	5	14	28	48	64	61	55	25	-
Dis. of Kidneys	233	-	1	2	5	1	9	4	3	9	7	21	29	36	44	45	25	-
Dis. of Gener. Organs	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	55	1	2	1	2	-	6	7	7	7	4	2	4	9	2	4	3	-
Dis. of Skin	20	9	1	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	55	-	-	-	-	-	-	-	-	-	-	11	11	17	7	7	1	-
Other Violent Deaths	360	39	12	9	9	15	84	50	13	29	24	64	82	23	18	7	6	-
Other Causes	1802	893	150	20	5	3	1071	9	3	1	7	27	32	29	47	144	293	123
97.—ALVERSTOKE.																		
Mean Popul ⁿ , 1861-71	12398	348	308	314	273	264	1507	1221	1034	1194	1679	2514	1486	828	513	289	108	13
TOTAL DEATHS	3078	565	222	106	58	39	990	84	36	133	239	478	346	230	187	168	151	48
Small-pox	34	4	1	3	4	2	14	4	2	1	2	4	4	2	-	1	-	-
Measles	60	9	23	15	6	4	57	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	61	6	4	11	10	5	35	15	1	6	3	-	-	-	1	-	-	-
Diphtheria	29	-	10	5	2	2	19	6	1	1	-	1	-	-	-	-	-	-
Whooping-cough	28	14	8	5	1	-	28	-	-	-	-	-	-	-	-	-	-	-
Typhus	166	3	8	7	10	5	33	13	7	22	26	33	10	12	3	6	1	-
Diarrhoea & Dysentery	106	82	13	1	1	2	69	1	1	-	2	1	2	2	-	-	-	-
Cholera	31	15	3	2	1	-	21	2	-	2	1	9	8	10	4	5	2	-
Other Zymotic Dis.	74	5	7	10	3	4	29	2	1	4	2	9	6	7	10	7	3	-
Cancer	41	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	51	9	11	4	2	-	26	7	3	3	2	6	2	1	-	-	-	-
Phthisis	607	14	6	-	-	1	21	6	4	46	112	190	141	53	20	7	2	-
Hydrocephalus	38	15	14	3	2	-	34	2	-	-	-	1	-	-	-	-	-	-
Dis. of Brain	555	98	26	5	6	4	189	8	3	5	10	22	30	29	37	35	53	-
Dis. of Heart & Dropsy	230	1	1	-	1	-	9	3	-	4	13	70	40	20	31	27	11	-
Dis. of Lungs	404	100	42	18	3	6	175	2	-	9	16	48	30	23	28	33	32	-
Dis. of Stom. & Liver	155	18	1	5	2	1	27	3	4	2	12	23	22	25	16	11	19	-
Dis. of Kidneys	48	-	1	1	1	-	3	-	-	3	4	7	6	4	3	6	3	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	18	-	-	-	-	-	3	2	-	2	1	3	1	1	1	1	-	-
Dis. of Skin	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	119	11	6	4	2	1	24	6	2	9	19	23	19	9	6	2	1	-
Other Causes	122	34	7	1	2	-	225	2	-	4	5	22	15	20	14	21	47	27

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 years.					
		95.—HAVANT.																			
Mean Popul ⁿ , 1861-71	4017	91	94	103	97	104	489	478	410	382	343	535	465	359	278	193	75	10			
TOTAL DEATHS	725	100	42	23	16	14	195	27	15	32	40	46	58	40	55	104	85	28			
Small-pox	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-			
Measles	11	1	5	1	1	2	10	1	-	-	-	-	-	-	-	-	-	-			
Scarlatina	49	-	5	4	6	7	22	13	2	1	-	2	-	-	-	-	-	-			
Diphtheria	6	-	2	-	-	1	3	2	-	-	-	-	-	-	1	-	-	-			
Whooping-cough	11	6	3	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-			
Typhus	24	1	1	1	2	-	5	5	2	4	3	1	3	-	3	1	-	-			
Diarrhoea & Dysentery	17	6	2	3	-	-	11	-	-	-	1	-	-	-	-	2	1	2			
Cholera	5	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-			
Other Zymotic Dis.	12	2	-	1	3	1	7	2	-	-	-	-	-	-	1	-	2	-			
Cancer	17	-	-	-	-	-	-	-	-	-	1	-	2	1	3	8	2	-			
Scrophula and Tuberc.	9	3	1	-	-	-	4	-	1	1	1	-	2	-	-	-	-	-			
Phthisis	114	1	1	4	-	-	6	-	1	15	19	24	24	12	8	8	2	-			
Hydrocephalus	11	1	6	1	-	-	8	1	1	-	1	-	-	-	-	-	-	-			
Dis. of Brain	74	17	4	4	-	-	25	-	2	2	1	1	4	3	6	20	9	1			
Dis. of Heart & Dropsy	54	-	-	-	-	-	-	-	-	1	1	1	6	7	6	20	8	1			
Dis. of Lungs	120	20	6	3	3	3	35	1	-	3	5	7	8	9	23	20	3	3			
Dis. of Stom. and Liver	45	4	-	-	1	-	5	2	2	1	2	2	4	1	9	7	8	2			
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-			
Dis. of Genes. Organs	12	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	1	-			
Dis. of Joints	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-			
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
Childbirth and Metris	4	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-			
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
Other Violent Deaths	8	-	-	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-			
Other Causes	118	85	6	-	-	-	41	-	-	1	1	3	1	2	5	15	30	19			

96.—PORTSEA ISLAND.

Mean Popul ⁿ , 1861-71	51258	1531	1312	1361	1330	1298	6822	5802	5027	4529	4882	8330	6402	4419	2707	1620	622	96
TOTAL DEATHS	10855	2297	1022	496	319	231	4365	474	186	265	389	844	827	715	708	944	863	273
Small-pox	137	25	21	15	13	5	79	17	5	3	8	11	4	-	-	-	-	-
Measles	198	34	75	50	17	9	185	8	2	1	-	1	-	1	-	-	-	-
Scarlatina	605	30	65	72	76	66	309	146	29	7	6	3	5	-	-	-	-	-
Diphtheria	86	5	14	12	11	9	61	26	5	2	1	-	-	-	-	1	-	-
Whooping-cough	203	75	66	35	11	6	196	7	-	-	-	-	-	-	-	-	-	-
Typhus	471	15	45	49	34	35	176	78	27	24	26	33	35	35	21	21	4	1
Diarrhoea & Dysentery	639	303	133	19	9	9	475	14	2	2	9	21	10	18	15	33	32	10
Cholera	99	12	6	5	6	3	32	6	2	3	5	8	15	9	7	5	6	1
Other Zymotic Dis.	150	39	14	20	24	7	95	11	5	4	6	7	14	13	10	10	13	3
Cancer	286	-	-	-	1	-	1	-	-	-	-	22	49	79	50	60	13	3
Scrophula and Tuberc.	211	74	56	18	5	7	160	13	7	10	5	7	2	4	3	1	1	-
Phthisis	1243	39	13	6	5	10	64	35	46	135	200	378	275	126	62	19	3	-
Hydrocephalus	181	68	29	19	12	5	154	16	9	-	-	2	-	-	-	-	-	-
Dis. of Brain	1343	412	94	55	26	16	603	36	15	10	16	69	72	107	97	163	151	29
Dis. of Heart & Dropsy	639	9	5	2	2	2	20	12	9	19	20	49	50	57	150	135	69	9
Dis. of Lungs	1310	344	201	65	41	28	679	29	11	7	13	59	68	87	169	215	162	29
Dis. of Stom. and Liver	474	33	5	5	3	2	45	10	5	14	21	43	53	61	56	56	34	6
Dis. of Kidneys	112	1	-	-	2	2	5	-	2	3	4	16	25	28	17	8	7	2
Dis. of Genes. Organs	71	-	-	-	1	-	1	-	-	-	4	5	20	22	6	5	2	-
Dis. of Joints	22	1	1	-	-	-	2	3	1	8	-	1	2	2	3	1	1	1
Dis. of Skin	24	4	2	1	-	-	7	1	-	-	1	4	2	2	1	1	5	-
Childbirth and Metris	169	-	-	-	-	-	-	-	-	9	29	75	32	4	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	-	1	-	3	3	9	1	1	-	-
Other Violent Deaths	147	29	7	13	6	6	61	16	3	2	3	8	11	13	8	8	11	3
Other Causes	1787	769	151	33	14	4	964	9	1	6	14	23	21	21	33	163	365	107

97.—ALVERSTOKE.

Mean Popul ⁿ , 1861-71	10263	330	295	298	275	286	1484	1198	973	845	965	1710	1236	837	555	321	116	23
TOTAL DEATHS	2035	470	194	83	47	42	836	84	40	56	62	158	173	110	123	190	141	62
Small-pox	18	2	1	1	3	3	10	3	1	1	-	1	2	-	-	-	-	-
Measles	49	5	25	5	7	4	46	5	-	-	-	1	-	-	-	-	-	-
Scarlatina	66	6	9	6	11	7	39	13	2	-	-	1	-	-	-	-	-	-
Diphtheria	22	2	2	3	1	5	15	5	1	-	2	-	1	-	-	-	-	-
Whooping-cough	41	19	16	8	-	1	37	4	-	-	-	-	-	-	-	-	-	-
Typhus	99	1	4	5	10	5	35	13	8	11	4	7	9	2	5	4	4	-
Diarrhoea & Dysentery	119	63	20	5	1	1	99	13	-	-	-	2	6	2	5	3	5	8
Cholera	42	7	4	6	4	-	14	3	1	-	-	3	3	1	1	1	1	-
Other Zymotic Dis.	62	-	-	-	-	-	21	3	3	3	1	6	2	4	4	3	-	-
Cancer	35	16	9	2	-	1	1	-	-	-	1	5	9	17	10	13	6	-
Scrophula and Tuberc.	223	9	8	4	2	3	23	4	5	23	27	61	59	19	7	2	-	-
Phthisis	45	7	11	2	1	1	22	3	1	-	-	-	-	-	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	243	64	14	9	3	4	94	9	7	8	4	12	17	13	21	38	18	4
Dis. of Heart & Dropsy	138	4	-	1	-	1	6	3	5	1	3	15	14	15	29	34	12	4
Dis. of Lungs	279	66	43	11	3	2	125	5	3	1	2	7	16	10	16	44	33	9
Dis. of Stom. and Liver	95	10	1	-	-	-	12	4	2	1	2	8	14	11	13	15	13	1
Dis. of Kidneys	14	-	-	1	-	-	1	2	-	-	1	3	2	2	2	1	-	-
Dis. of Genes. Organs	12	-	-	-	-	-	-	-	-	-	1	1	3	3	1	2	1	-
Dis. of Joints	22	-	-	-	-	1	1	2	1	2	-	-	-	2	1	1	-	-
Dis. of Skin	15	10	2	-	-	-	12	-	-	-	-	1	-	-	2	-	-	-
Childbirth and Metris	29	-	-	-	-	-	-	-	-	1	3	16	9	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-
Other Violent Deaths	37	11	3	6	-	2	21	4	1	2	-	1	3	1	1	1	3	8
Other Causes	845	162	25	7	1	1	194	-	-	-	-	9	13	4	10	25	43	29

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upward.	
98.—FAREHAM.																			
Mean Popul ⁿ , 1861-71	7940	218	186	192	179	184	950	904	836	751	695	1146	898	720	541	336	133	21	
TOTAL DEATHS -	1829	200	81	40	32	21	473	52	30	42	66	153	178	192	160	233	189	61	
Small-pox - - -	25	2	1	-	1	1	5	-	-	2	1	7	3	2	2	1	-	-	
Measles - - -	19	4	7	1	2	-	14	4	-	-	-	-	-	1	-	-	-	-	
Scarlatina - - -	38	2	1	5	6	1	15	13	9	1	-	-	-	-	-	-	-	-	
Diphtheria - - -	9	1	1	1	-	1	4	1	-	-	1	1	-	2	-	-	-	-	
Whooping-cough -	10	7	1	-	1	1	10	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	53	3	2	6	4	2	17	4	2	6	2	10	5	4	4	1	-	-	
Diarrhoea & Dysentery	39	22	5	4	-	-	31	1	-	2	1	-	7	2	5	3	4	3	
Cholera - - -	4	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	
Other Zymotic Dis. -	25	3	2	4	2	1	12	3	1	1	-	-	2	3	1	1	-	1	
Cancer - - -	22	-	-	-	-	-	-	-	-	1	-	1	1	3	5	4	7	-	
Serofula and Tabes -	27	7	6	3	1	1	18	2	2	3	-	-	-	1	1	-	-	-	
Phthisis - - -	205	3	4	1	-	-	4	-	5	13	33	39	33	39	15	6	-	-	
Hydrocephalus - -	23	10	4	3	2	1	20	2	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	400	32	22	8	4	4	99	5	3	4	10	31	69	69	48	55	24	1	
Dis. of Heart & Dropsy	112	-	1	1	-	1	3	3	1	3	2	6	14	16	14	39	17	3	
Dis. of Lungs - - -	216	48	17	6	6	2	73	2	2	-	4	16	9	39	22	31	33	8	
Dis. of Stom. and Liver	106	8	1	-	-	1	10	1	-	-	5	6	14	17	20	35	8	-	
Dis. of Kidneys - -	28	-	-	-	-	1	1	2	-	1	-	-	2	4	5	9	4	-	
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Dis. of Joints - - -	8	1	-	-	-	1	2	1	-	2	-	1	-	2	-	-	-	-	
Dis. of Skin - - -	4	1	2	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	10	-	-	-	-	-	-	-	-	-	-	3	2	2	3	-	-	-	
Other Violent Deaths -	38	4	3	-	-	-	7	5	3	-	7	7	9	8	4	4	1	1	
Other Causes - - -	269	112	8	3	2	2	127	1	-	3	-	5	8	9	10	67	101	3	

99.—ISLE OF WIGHT.

Mean Popul ⁿ , 1861-71	29339	846	726	766	756	744	3838	3444	3063	2895	2496	4293	3410	2556	1782	1073	416	53
TOTAL DEATHS-	5368	1031	334	142	118	101	1729	207	124	159	221	458	429	362	451	534	524	167
Small-pox - - -	23	6	-	1	2	1	30	1	1	1	1	5	1	2	-	-	1	-
Measles - - -	65	14	28	14	10	2	10	2	1	-	-	-	-	-	-	-	-	-
Scarlatina - - -	214	7	25	24	27	32	115	66	20	4	3	2	3	-	-	-	-	-
Diphtheria - - -	55	4	2	3	8	7	24	21	7	-	1	1	1	-	-	-	-	-
Whooping-cough -	76	35	25	9	4	2	75	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	257	12	6	10	9	43	22	11	1	23	30	23	13	18	28	8	9	-
Dysentery & Dysentery	144	76	17	6	3	2	104	6	1	1	-	3	2	5	-	11	10	4
Cholera - - -	32	5	2	3	1	2	13	6	5	-	1	3	7	6	5	1	1	-
Other Zymotic Dis.	111	12	9	11	6	8	46	12	6	4	4	9	9	5	4	9	2	1
Cancer - - -	64	-	-	-	-	-	-	-	-	-	1	-	5	8	18	22	9	1
Scrofula and Tuberc.	95	39	14	8	5	9	66	5	6	2	2	6	8	1	1	-	-	-
Phthisis - - -	705	9	8	1	2	2	22	7	17	50	108	216	151	69	48	14	1	-
Hydrocephalus - -	83	29	20	6	9	5	69	11	5	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	620	166	49	12	11	9	247	12	10	7	9	17	35	44	69	86	74	16
Dis. of Heart & Dropsy	579	1	1	-	2	-	4	11	6	10	10	26	49	35	77	91	60	16
Dis. of Lungs - - -	711	188	72	18	8	5	291	9	2	13	11	37	36	43	65	92	80	23
Dis. of Stom. and Liver	268	24	6	3	-	1	34	6	4	15	2	21	32	32	63	44	23	2
Dis. of Kidneys - -	145	-	1	3	-	2	6	2	-	5	4	15	13	22	16	55	35	5
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-
Dis. of Joints - - -	24	-	1	-	1	-	2	-	3	5	4	3	1	1	3	3	1	-
Dis. of Skin - - -	28	12	-	-	-	-	12	-	2	2	1	1	1	3	2	2	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	28	-	-	-	-	-	-	-	-	-	3	3	1	10	10	-	1	-
Other Violent Deaths	242	18	6	4	8	4	40	15	13	14	20	40	35	39	18	9	5	5
Other Causes - - -	1000	583	42	10	3	6	444	5	3	5	6	21	25	28	42	105	211	106

109.—LYMINGTON.

Mean Popu^lo. 1861-71	5894	168	165	165	155	168	821	721	721	551	410	680	624	541	414	284	109	18
TOTAL DEATHS	1613	189	59	17	20	13	208	31	29	19	27	58	63	78	95	135	136	44
Small-pox	11	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	11	3	-	6	1	-	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	2	-	-	1	2	18	7	5	-	-	1	-	-	-	-	-	-
Diphtheria	6	-	-	1	1	-	2	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	12	10	1	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery	18	9	2	-	-	2	11	3	5	3	4	1	2	3	5	2	-	-
Cholera	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	5	1
Other Zymotic Dis.	34	4	4	1	6	2	17	1	-	1	2	3	1	1	3	1	4	-
Cancer	21	-	-	-	-	-	-	1	1	-	-	1	1	2	-	9	4	1
Cerebrols and Tabes	13	2	2	1	-	-	5	1	1	-	-	2	-	1	1	-	-	-
Phthisis	163	1	-	-	-	-	1	-	2	12	10	20	13	17	10	2	1	-
Hydrocephalus	9	2	5	-	-	-	7	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	133	32	6	4	4	-	46	5	2	-	4	5	5	15	12	18	73	-
Dis. of Heart & Dropsy	103	1	1	-	-	-	2	1	2	-	-	3	14	9	19	30	19	1
Dis. of Lungs	109	30	14	4	2	3	53	1	-	-	3	5	3	5	10	22	9	4
Dis. of Stom. and Liver	32	12	-	1	-	-	13	1	1	1	-	5	3	10	5	10	4	1
Dis. of Kidneys	29	-	1	-	-	-	1	-	-	-	2	2	4	5	8	5	2	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
suicide	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Other Violent Deaths	43	4	1	-	2	2	9	1	6	2	-	4	8	5	0	-	-	-
Other Causes	250	76	9	1	2	2	99	1	1	1	1	-	1	5	13	53	67	30

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Upwards		
98.—FAREHAM.																				
Mean Popul ⁿ , 1861-71	7893	184	188	189	178	217	956	886	783	639	679	1116	924	767	591	377	166	29		
TOTAL DEATHS—	1756	243	75	86	41	23	418	46	29	41	65	154	164	147	181	220	225	65		
Small-pox	8	1	—	1	2	—	4	1	1	—	—	—	2	—	—	—	—	—		
Measles	12	—	7	2	3	—	12	—	—	—	—	—	—	—	—	—	—	—		
Scarlatina	42	1	2	4	8	6	21	13	3	—	1	2	—	—	—	—	—	—		
Diphtheria	10	2	2	2	1	1	6	1	1	—	—	—	—	—	—	—	—	—		
Whooping-cough	17	10	5	1	—	1	17	—	—	—	—	—	—	—	—	—	—	—		
Typhus	46	—	1	4	5	3	11	7	6	4	2	6	4	1	2	3	—	—		
Diarrhoea & Dysentery	44	12	6	1	2	1	22	—	—	1	2	1	1	1	1	4	5	1		
Cholera	6	—	—	—	—	—	—	—	1	—	1	1	—	1	1	—	—	—		
Other Zymotic Dis.	19	2	1	—	2	—	5	1	1	1	—	—	1	2	1	6	1	—		
Cancer	48	—	—	—	—	—	—	—	—	1	—	3	4	16	8	10	6	—		
Scrophula and Tuberc.	21	5	3	1	—	1	10	2	1	—	1	3	1	1	1	—	1	—		
Fistula	255	10	3	2	1	2	18	3	6	19	29	68	42	32	24	6	1	—		
Hydrocephalus	16	5	2	2	4	2	15	1	—	—	—	—	—	—	—	—	—	—		
Dis. of Brain	320	53	17	6	4	3	83	6	4	6	6	27	28	27	41	49	29	4		
Dis. of Heart & Dropsy	133	1	2	—	1	—	4	—	1	2	9	7	16	17	27	29	17	4		
Dis. of Lungs	179	25	10	6	6	2	49	5	1	3	8	8	12	13	32	28	27	1		
Dis. of Stom. and Liver	105	4	1	1	3	1	10	1	1	2	4	11	14	14	15	21	12	1		
Dis. of Kidneys	22	1	—	—	—	—	1	1	—	—	1	1	1	4	4	6	3	—		
Dis. of Gener. Organs	16	—	—	—	—	—	—	—	1	—	—	1	2	6	5	2	—	—		
Dis. of Joints	5	—	—	—	—	—	—	1	—	—	—	—	—	1	1	1	—	—		
Dis. of Skin	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
Childbirth and Metris	38	—	—	—	—	—	—	—	—	1	6	13	16	2	—	—	—	—		
Suicide	5	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—		
Other Violent Deaths	16	4	1	1	—	—	6	1	—	—	—	—	—	—	—	3	5	1		
Other Causes	871	106	12	2	1	—	121	2	1	2	—	1	1	8	14	51	118	52		

99.—ISLE OF WIGHT.

Mean Popul ⁿ , 1861-71	31451	803	752	808	601	703	3767	3501	3070	2979	2958	4875	3699	2851	2018	1195	427	71		
TOTAL DEATHS—	5073	829	304	154	125	95	1509	212	134	172	235	384	350	334	410	281	557	195		
Small-pox	12	5	1	1	—	1	8	—	—	1	1	1	1	—	1	—	—	—	—	—
Measles	14	9	28	10	9	3	69	—	1	1	1	1	1	—	—	—	—	—	—	—
Scarlatina	236	20	28	32	37	29	146	55	18	8	5	4	—	—	—	—	—	—	—	—
Diphtheria	86	6	3	11	6	10	56	32	13	—	1	3	1	—	—	—	—	—	—	—
Whooping-cough	81	33	25	6	8	3	81	2	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	246	9	9	7	8	7	40	27	29	32	21	23	18	16	21	11	4	1	—	—
Diarrhoea & Dysentery	132	66	15	4	2	—	87	1	1	1	1	4	—	—	4	14	15	5	—	—
Cholera	65	1	1	1	3	1	7	9	5	1	7	3	6	6	8	10	2	1	—	—
Other Zymotic Dis.	117	6	9	6	6	13	40	19	6	3	3	5	5	7	8	12	5	4	—	—
Cancer	146	—	—	—	—	—	—	—	—	2	—	9	22	30	41	30	12	—	—	—
Scrophula and Tuberc.	91	25	14	7	7	2	55	6	7	5	5	7	1	2	—	3	—	—	—	—
Fistula	698	6	7	7	3	2	25	9	20	80	121	184	121	69	25	20	3	—	—	—
Hydrocephalus	61	10	13	7	6	1	37	11	2	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	565	126	39	20	10	6	201	8	13	11	8	17	31	35	53	94	81	15	—	—
Dis. of Heart & Dropsy	410	1	3	1	1	—	6	2	6	5	3	18	34	61	65	122	76	22	—	—
Dis. of Lungs	309	133	58	25	9	7	238	16	2	6	5	16	28	22	65	90	53	18	—	—
Dis. of Stom. and Liver	227	16	1	1	—	—	18	3	3	6	8	12	30	39	50	45	28	4	—	—
Dis. of Kidneys	90	—	3	—	1	1	5	1	3	1	2	11	9	18	22	12	3	5	—	—
Dis. of Genes. Organs	25	—	—	—	—	—	—	—	—	—	—	2	5	5	5	3	2	—	—	—
Dis. of Joints	14	—	—	—	1	1	2	1	2	—	2	2	3	2	—	—	—	—	—	—
Dis. of Skin	12	4	1	—	—	—	5	—	2	—	—	1	—	—	1	1	1	—	—	—
Childbirth and Metris	94	—	—	—	—	—	—	—	—	3	25	39	27	2	—	—	—	—	—	—
Suicide	6	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
Other Violent Deaths	70	39	3	2	1	5	31	4	—	1	2	5	2	8	5	5	10	1	—	—
Other Causes	954	322	35	5	7	3	372	6	2	4	12	18	16	15	39	108	231	131	—	—

100.—LYMINGTON.

Mean Popul ⁿ , 1861-71	6351	159	157	162	154	157	789	767	729	559	486	849	724	580	461	297	95	15
TOTAL DEATHS—	1049	133	51	21	21	9	235	36	24	44	45	80	70	70	86	169	142	48
Small-pox	7	—	—	2	2	1	5	—	1	1	—	—	—	—	—	—	—	—
Measles	22	3	4	2	3	3	15	6	1	1	—	—	—	—	—	—	—	—
Scarlatina	6	—	—	—	—	—	—	2	2	1	2	—	—	1	—	—	—	—
Diphtheria	11	6	2	2	—	—	10	1	—	—	—	—	—	—	—	—	—	—
Whooping-cough	28	—	—	—	1	—	1	4	2	4	4	6	—	2	1	3	1	—
Typhus	26	5	3	—	—	—	8	2	—	1	—	—	—	—	1	3	7	1
Diarrhoea & Dysentery	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cholera	23	5	5	2	—	—	12	1	—	—	—	1	—	1	3	5	2	—
Other Zymotic Dis.	35	—	—	1	—	—	7	—	—	—	—	—	4	10	12	7	1	—
Cancer	14	2	3	1	1	—	7	—	—	—	2	2	—	3	—	—	—	—
Scrophula and Tuberc.	139	1	—	1	3	4	8	5	27	26	47	28	12	6	1	—	—	—
Fistula	10	1	—	1	1	2	4	3	3	—	—	—	—	—	—	—	—	—
Hydrocephalus	115	13	10	3	3	—	29	3	2	5	1	4	6	5	10	29	17	4
Dis. of Heart & Dropsy	121	1	—	1	2	—	4	—	—	2	2	3	11	14	18	45	18	1
Dis. of Lungs	57	29	14	5	1	2	51	5	1	1	—	3	3	5	3	8	12	9
Dis. of Stom. and Liver	47	3	—	—	2	—	5	2	2	—	3	2	5	10	8	6	4	—
Dis. of Kidneys	7	—	—	—	—	—	—	1	—	—	—	—	—	2	—	3	1	—
Dis. of Genes. Organs	6	—	—	—	—	—	—	—	—	—	—	1	2	1	1	1	—	—
Dis. of Joints	3	—	1	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—
Dis. of Skin	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	19	—	—	—	—	—	—	—	—	—	3	9	7	—	—	—	—	—
Suicide	12	2	2	1	1	1	7	1	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	271	69	7	1	1	—	71	2	—	2	2	—	4	5	7	28	32	69

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		101.—CHRISTCHURCH.																
Mean Popul ⁿ , 1861-71	6109	174	146	155	166	149	790	754	668	607	498	848	690	551	360	243	91	9
TOTAL DEATHS -	1180	226	66	25	27	11	355	46	33	34	64	128	72	82	95	140	99	32
Small-pox -	5	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Measles -	5	-	1	1	3	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	44	2	7	4	4	3	20	13	5	3	2	2	-	1	-	-	-	-
Diphtheria -	10	2	1	-	2	2	7	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	21	12	4	4	-	-	20	1	-	-	-	-	-	-	-	-	-	-
Typhus -	23	-	-	1	1	-	2	4	4	-	4	-	1	1	1	5	1	-
Diarrhoea & Dysentery -	19	8	1	2	-	-	11	2	-	-	1	3	-	-	1	1	-	-
Cholera -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	23	3	3	2	3	2	13	2	1	1	1	2	1	1	4	2	-	-
Cancer -	25	-	-	-	-	-	-	1	-	-	-	-	2	5	3	10	4	-
Serofula and Tabes -	22	7	4	5	-	-	16	1	1	2	1	-	1	-	-	-	-	-
Phthisis -	211	2	3	-	2	-	7	5	2	10	41	61	34	19	8	4	-	-
Hydrocephalus -	16	5	5	1	2	1	14	-	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -	129	27	9	1	3	1	41	5	3	2	2	4	1	8	17	24	19	5
Dis. of Heart & Dropsy -	77	1	-	-	1	-	2	1	3	-	-	5	6	9	12	26	11	2
Dis. of Lungs -	166	33	15	2	3	2	55	4	-	3	3	14	6	15	16	39	18	3
Dis. of Stom. and Liver -	68	11	2	1	-	-	14	2	2	1	1	6	6	9	11	12	4	-
Dis. of Kidneys -	39	-	-	-	-	-	-	-	-	2	1	2	5	4	6	12	6	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	5	-	1	-	-	-	1	-	-	-	-	-	1	-	1	2	-	-
Dis. of Skin -	9	3	-	-	-	-	3	-	-	-	-	-	1	1	2	-	2	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Other Violent Deaths -	56	2	2	-	1	-	5	3	10	8	6	7	4	3	7	2	1	-
Other Causes -	200	106	8	1	2	-	117	-	1	1	1	1	3	6	3	10	33	24

102.—RINGWOOD.																		
Mean Popul ⁿ , 1861-71	2706	62	63	73	69	62	329	318	328	261	207	313	282	262	205	142	53	6
TOTAL DEATHS -	461	72	23	13	10	6	124	18	5	12	19	27	21	30	50	56	84	15
Small-pox -	1	-	-	-	-	-	5	1	-	-	-	-	-	-	1	-	-	-
Measles -	6	-	1	2	1	1	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	16	-	5	1	2	2	10	4	1	-	1	-	-	-	-	-	-	-
Diphtheria -	4	-	-	1	1	-	2	1	-	-	-	-	-	-	1	-	-	-
Whooping-cough -	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Typhus -	11	-	-	-	-	-	-	-	-	2	3	1	1	1	-	1	2	-
Diarrhoea & Dysentery -	6	3	-	-	-	-	3	1	-	-	-	1	-	-	-	1	-	-
Cholera -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	12	-	2	3	1	-	6	1	-	-	1	-	-	-	2	-	2	-
Cancer -	10	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	1	-
Serofula and Tabes -	6	1	-	-	1	-	2	-	2	-	-	1	-	-	-	-	-	-
Phthisis -	50	1	-	-	2	-	3	-	-	8	6	15	5	5	7	1	-	-
Hydrocephalus -	7	2	3	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	61	9	2	1	1	2	15	2	-	-	-	5	2	7	9	8	11	3
Dis. of Heart & Dropsy -	49	1	-	-	-	-	1	1	1	-	2	3	1	3	9	17	11	-
Dis. of Lungs -	69	20	2	5	-	1	26	3	-	1	-	-	4	3	7	12	11	2
Dis. of Stom. and Liver -	19	3	-	1	-	-	4	-	-	-	1	1	1	3	3	4	2	-
Dis. of Kidneys -	12	-	-	-	-	-	-	1	-	-	-	1	1	2	3	-	4	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	5	-	2	-	-	-	2	-	-	1	1	-	-	-	-	1	-	-
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
Other Violent Deaths -	109	2	3	1	1	-	35	1	1	-	1	-	1	2	1	3	29	11
Other Causes -	100	30	3	1	-	-	-	-	-	-	-	-	-	3	3	6	39	11

103.—FORDINGBRIDGE.																		
Mean Popul ⁿ , 1861-71	3252	93	81	102	91	98	465	414	379	327	219	366	314	313	249	137	63	6
TOTAL DEATHS -	628	128	35	14	23	8	208	29	11	15	14	26	28	46	54	77	88	32
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	11	2	7	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	38	4	2	9	8	3	20	12	3	2	-	1	-	-	-	-	-	-
Diphtheria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	7	4	-	1	2	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus -	11	-	1	-	1	1	3	-	1	1	-	1	2	-	1	2	-	-
Diarrhoea & Dysentery -	13	-	-	1	-	1	4	1	1	-	-	-	-	-	1	1	3	2
Cholera -	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	13	2	1	2	2	1	8	3	-	-	-	-	-	1	1	-	-	-
Cancer -	9	-	-	-	-	-	-	-	-	-	-	-	-	5	2	2	-	-
Serofula and Tabes -	22	3	1	-	3	-	7	2	1	1	2	1	2	2	2	3	1	-
Phthisis -	64	-	3	-	-	1	4	-	1	6	6	15	12	13	4	3	-	-
Hydrocephalus -	17	7	6	2	1	-	16	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	80	31	4	2	-	1	40	-	1	1	-	1	2	3	9	12	11	-
Dis. of Heart & Dropsy -	46	2	1	-	-	-	3	1	-	1	-	-	-	5	8	15	13	-
Dis. of Lungs -	74	21	6	1	2	-	20	2	-	1	1	4	5	7	6	7	5	-
Dis. of Stom. and Liver -	32	6	-	-	-	-	6	1	-	1	-	1	3	5	5	3	2	-
Dis. of Kidneys -	10	1	-	-	-	-	1	-	1	-	-	-	-	-	3	4	1	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Skin -	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Other Violent Deaths -	23	2	-	-	2	-	4	3	1	1	5	1	-	2	3	3	-	-
Other Causes -	148	29	3	-	-	-	42	1	1	-	-	1	1	3	4	12	29	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.	
104.—NEW FOREST.																			
Mean Popul ⁿ , 1861-71		6713	177	172	170	165	166	850	805	758	563	529	882	772	648	476	300	114	16
TOTAL DEATHS		1096	169	50	28	21	12	280	37	32	28	58	74	75	59	53	164	153	55
Small-pox		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles		5	-	1	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-
Scarlatina		22	2	2	3	3	4	14	5	9	-	1	-	-	-	-	-	-	-
Diphtheria		18	-	1	-	-	1	2	8	2	-	-	-	-	1	-	-	-	-
Whooping-cough		9	5	2	1	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Typhus		35	-	-	-	-	2	4	1	8	3	3	3	3	1	1	5	1	-
Dysentery & Cholera		10	3	1	4	-	-	8	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer		23	2	4	1	4	-	11	2	1	-	-	-	-	1	2	1	3	-
Scrophula and Tubercles		35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis		5	-	1	-	-	-	1	-	2	-	1	2	2	8	9	11	3	-
Hydrocephalus		143	1	1	-	1	1	4	-	4	12	34	32	31	17	6	3	-	-
Dis. of Brain		14	3	6	1	1	1	12	1	1	-	-	-	-	-	-	-	-	-
Dis. of Heart & Dropsy		132	36	9	3	2	-	50	3	5	6	5	8	3	7	10	19	23	3
Dis. of Lungs		103	1	-	-	-	-	1	1	1	2	1	7	8	11	17	42	11	1
Dis. of Stom. and Liver		119	25	8	6	6	-	45	4	-	1	1	4	6	2	18	20	15	3
Dis. of Kidneys		50	2	-	-	-	1	3	4	-	-	3	4	6	9	4	15	2	-
Dis. of Genes. Organs		7	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	2	1
Dis. of Joints		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		8	1	-	-	-	-	1	1	1	-	1	1	-	1	3	2	1	-
Childbirth and Metris		2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metris		22	-	-	-	-	-	-	-	-	1	4	9	8	-	-	-	-	-
Suicide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other Violent Deaths		17	3	-	2	-	1	6	-	1	1	2	2	1	1	1	-	-	1
Other Causes		512	83	14	6	1	1	105	3	3	-	-	2	1	-	10	43	59	46

105.—SOUTHAMPTON.																			
Mean Popul ⁿ , 1861-71		24300	687	606	593	593	582	2661	2633	2373	2290	2340	4018	3053	2116	1356	744	283	33
TOTAL DEATHS		4963	1006	377	206	141	91	1821	201	104	117	179	422	428	392	379	424	373	123
Small-pox		30	5	1	2	-	2	10	1	2	1	1	3	1	-	1	-	-	-
Measles		116	19	42	27	17	6	111	5	-	-	-	-	-	-	-	-	-	-
Scarlatina		184	15	18	24	28	25	108	32	16	1	2	3	-	2	-	-	-	-
Diphtheria		19	1	1	3	3	1	8	7	2	-	-	-	-	-	-	-	-	-
Whooping-cough		129	58	38	15	11	3	125	4	-	-	-	-	-	-	-	-	-	-
Typhus		247	2	10	7	21	11	61	37	21	22	19	30	20	13	20	11	3	-
Dysentery & Cholera		241	134	32	6	3	3	178	8	2	1	2	6	7	7	5	8	14	3
Other Zymotic Dis.		72	5	4	3	2	-	14	7	5	1	3	7	19	11	4	1	-	-
Cancer		120	20	12	18	11	4	65	7	6	1	6	5	5	5	7	9	4	-
Scrophula and Tubercles		143	-	-	-	-	-	1	1	-	-	-	6	23	45	28	22	8	1
Phthisis		77	21	17	5	4	3	50	4	4	4	-	6	3	3	-	2	1	-
Hydrocephalus		688	39	22	11	4	3	79	9	19	43	70	193	157	68	34	13	3	-
Dis. of Brain		75	27	18	10	7	4	66	6	3	-	-	-	-	-	-	-	-	-
Dis. of Heart & Dropsy		530	103	27	24	5	-	139	16	7	10	8	29	35	54	65	84	53	19
Dis. of Lungs		370	4	1	3	-	1	9	11	5	12	9	33	43	60	57	82	42	7
Dis. of Stom. and Liver		644	140	83	31	19	15	288	10	3	8	7	19	31	48	63	86	65	16
Dis. of Kidneys		238	21	1	2	3	2	29	7	3	2	16	16	39	42	41	28	13	2
Dis. of Genes. Organs		56	-	2	-	-	2	4	-	1	1	7	7	10	11	10	4	3	-
Dis. of Joints		30	-	-	-	-	-	-	-	1	-	1	3	4	6	3	-	1	-
Dis. of Skin		25	1	1	1	-	-	3	4	2	3	1	1	2	3	4	2	1	-
Childbirth and Metris		20	6	-	-	-	1	8	1	-	-	1	1	1	3	3	-	1	-
Childbirth and Metris		69	-	-	-	-	-	-	-	-	4	9	40	16	-	-	-	-	-
Childbirth and Metris		8	-	-	-	-	-	-	-	-	-	2	1	2	1	2	-	-	-
Other Violent Deaths		71	17	5	8	4	4	54	2	2	-	7	3	6	3	5	8	1	-
Other Causes		779	370	42	5	5	1	421	2	-	2	7	10	10	9	19	64	154	51

106.—SOUTH STONEHAM.																			
Mean Popul ⁿ , 1861-71		15127	422	387	408	402	375	1994	1803	1583	1391	1319	2324	1832	1320	858	519	161	23
TOTAL DEATHS		2374	479	157	86	40	39	801	93	50	87	68	192	175	186	187	276	208	53
Small-pox		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles		45	7	11	13	3	4	38	3	2	2	-	-	-	-	-	-	-	-
Scarlatina		56	2	6	7	6	4	25	18	8	1	2	2	-	-	-	-	-	-
Diphtheria		12	2	-	1	2	1	6	2	1	2	-	-	1	-	-	-	-	-
Whooping-cough		31	15	9	4	1	1	30	1	-	-	-	-	-	-	-	-	-	-
Typhus		87	-	2	3	2	2	11	14	11	10	7	13	3	10	2	5	1	-
Dysentery & Cholera		80	40	9	4	-	1	54	2	-	2	1	-	5	2	2	6	5	1
Other Zymotic Dis.		9	-	-	-	-	2	2	1	1	1	-	2	1	-	-	-	-	-
Cancer		68	6	5	11	2	8	32	7	2	3	-	2	3	4	5	6	4	-
Scrophula and Tubercles		75	-	-	-	-	-	1	-	-	-	-	2	11	18	22	15	3	1
Phthisis		54	9	7	4	3	-	23	1	-	1	-	2	3	4	-	-	-	-
Hydrocephalus		398	4	7	1	2	-	14	5	9	35	26	87	68	41	11	2	-	-
Dis. of Brain		39	16	9	5	2	2	32	7	-	-	-	-	-	-	-	-	-	-
Dis. of Heart & Dropsy		324	75	23	12	3	1	114	9	4	8	2	11	15	23	34	56	26	8
Dis. of Lungs		253	3	4	1	1	1	10	4	7	4	5	12	22	32	49	50	28	3
Dis. of Stom. and Liver		264	78	32	13	8	6	167	8	4	7	3	9	8	9	13	45	18	5
Dis. of Kidneys		115	5	2	-	1	1	9	2	-	6	4	10	7	16	23	24	11	1
Dis. of Genes. Organs		30	-	-	1	1	-	2	-	1	-	-	4	4	2	6	4	1	3
Dis. of Joints		31	-	-	-	-	-	-	-	-	-	-	1	4	6	4	5	1	-
Dis. of Skin		9	-	1	-	-	1	9	-	-	-	-	1	1	3	-	1	-	-
Childbirth and Metris		13	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		50	-	-	-	-	-	-	-	-	2	5	27	14	2	-	-	-	-
Childbirth and Metris		3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Other Violent Deaths		49	10	6	1	2	1	20	4	1	-	2	4	2	2	4	4	10	5

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
107.—ROMSEY.																			
Mean Popul ⁿ , 1861-71	5382	151	162	142	150	147	752	693	645	496	376	650	612	488	340	232	88	10	
TOTAL DEATHS	1064	216	69	32	27	22	366	62	56	30	30	61	53	70	82	129	129	23	
Small-pox	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-	-	-	-	
Measles	77	2	-	-	1	1	35	30	9	2	1	-	-	-	-	-	-	-	
Scarlatina	17	2	10	6	10	6	9	7	1	-	-	-	-	-	-	-	-	-	
Diphtheria	14	5	3	2	1	-	14	-	6	1	2	1	-	-	-	-	-	-	
Whooping-cough	20	1	-	1	-	-	2	1	-	-	-	1	-	-	-	4	2	1	
Typhus	28	18	4	1	-	-	23	-	-	-	-	1	-	-	-	1	2	1	
Diarrhoea & Dysentery	13	2	-	-	-	1	3	4	1	1	-	-	-	1	-	-	-	-	
Cholera	22	7	-	3	2	1	18	-	2	-	-	1	-	-	-	1	1	5	
Other Zymotic Dis.	12	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	3	1	
Cancer	13	4	3	2	-	-	9	1	-	1	-	-	-	1	1	-	-	-	
Scrofula and Tuberc.	111	1	4	2	-	-	7	-	-	-	18	-	1	-	-	-	-	-	
Phthisis	19	8	5	2	3	-	16	-	4	1	-	30	23	11	8	-	-	-	
Hydrocephalus	151	29	5	4	2	5	45	4	1	5	2	5	7	14	19	27	21	2	
Dis. of Brain	81	-	-	-	-	1	1	4	1	-	-	5	4	11	8	27	15	1	
Dis. of Heart & Dropsy	147	37	12	6	2	2	60	1	1	2	2	7	5	11	18	23	18	3	
Dis. of Lungs	47	6	1	-	-	-	7	1	1	4	2	4	3	4	8	9	-	-	
Dis. of Stom. and Liver	24	-	-	-	-	-	1	1	2	-	1	1	-	4	5	5	4	-	
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	41	2	5	-	3	1	11	7	2	1	2	2	5	5	2	4	1	1	
Other Causes	210	85	14	2	-	1	102	2	1	2	1	-	4	4	5	14	59	16	
108.—STOCKBRIDGE.																			
Mean Popul ⁿ , 1861-71	3765	108	86	97	88	99	478	437	454	374	250	457	413	350	290	186	71	5	
TOTAL DEATHS	662	115	36	17	7	7	182	15	19	15	15	41	31	49	79	99	99	27	
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Measles	6	2	3	-	1	-	6	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	14	1	3	2	1	2	9	4	1	-	-	-	-	-	-	-	-	-	
Diphtheria	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Whooping-cough	8	6	-	1	1	-	8	-	-	-	-	-	-	-	-	-	-	-	
Typhus	16	-	-	-	-	-	-	1	5	-	1	2	-	1	3	1	-	-	
Diarrhoea & Dysentery	17	8	1	1	-	1	11	1	-	-	-	2	1	-	-	2	1	1	
Cholera	14	2	1	2	-	-	5	1	-	-	-	-	-	2	3	1	-	-	
Other Zymotic Dis.	12	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	1	-	
Scrofula and Tuberc.	11	3	4	1	1	-	9	-	1	-	-	-	-	1	4	1	-	-	
Phthisis	64	-	2	-	-	-	2	-	2	4	11	20	9	10	3	3	-	-	
Hydrocephalus	8	1	4	1	-	-	6	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	163	23	4	1	-	1	29	-	3	2	-	6	2	6	15	24	16	2	
Dis. of Heart & Dropsy	72	-	-	-	-	-	-	1	1	1	2	1	3	9	17	18	16	2	
Dis. of Lungs	118	18	7	4	1	3	33	1	-	2	1	4	3	8	17	29	23	3	
Dis. of Stom. and Liver	47	4	-	1	1	-	6	-	-	2	-	3	6	6	9	9	-	-	
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	4	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	4	-	1	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	20	-	1	2	-	-	3	1	3	2	-	-	-	1	5	5	1	1	
Other Causes	108	47	5	1	1	-	54	2	-	3	-	-	4	2	6	5	20	11	
109.—WINCHESTER.																			
Mean Popul ⁿ , 1861-71	14176	355	314	362	315	322	1668	1499	1550	1616	1366	2093	1614	1230	845	486	183	26	
TOTAL DEATHS	2712	477	170	76	58	44	825	109	46	53	95	225	239	211	262	296	267	84	
Small-pox	9	1	-	2	-	-	3	2	-	1	-	2	1	-	-	-	-	-	
Measles	45	12	15	5	5	5	42	2	1	-	-	-	-	-	-	-	-	-	
Scarlatina	147	2	12	21	24	19	78	60	12	2	2	2	-	1	-	-	-	-	
Diphtheria	14	2	1	3	-	1	7	2	2	-	-	-	2	-	1	-	-	-	
Whooping-cough	49	20	19	4	3	2	48	1	-	-	-	-	-	-	-	-	-	-	
Typhus	72	1	4	-	5	3	13	10	3	7	5	8	7	4	6	8	2	1	
Diarrhoea & Dysentery	97	32	12	1	1	-	66	3	-	2	-	1	-	4	4	10	4	2	
Cholera	7	3	-	-	-	-	9	-	-	-	-	1	-	-	-	-	-	-	
Other Zymotic Dis.	45	5	3	4	2	4	18	6	1	1	2	1	2	4	5	2	2	1	
Cancer	49	-	1	-	-	-	1	-	-	-	-	2	9	6	14	9	8	-	
Scrofula and Tuberc.	29	12	6	2	-	1	21	1	2	1	1	3	-	-	-	-	-	-	
Phthisis	203	3	1	5	-	-	8	4	2	15	39	84	82	37	28	5	1	-	
Hydrocephalus	23	8	7	2	-	-	19	2	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	377	99	26	9	4	4	183	13	2	4	7	22	20	25	40	57	45	9	
Dis. of Heart & Dropsy	229	1	-	-	1	-	2	2	4	3	5	27	29	30	44	60	28	3	
Dis. of Lungs	451	87	30	9	7	3	136	5	3	3	10	22	27	47	48	67	47	16	
Dis. of Stom. and Liver	152	15	4	3	-	1	53	-	3	4	5	15	17	21	58	50	10	4	
Dis. of Kidneys	70	-	-	-	1	-	1	-	1	2	-	8	15	9	10	17	7	-	
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
Dis. of Joints	18	-	-	-	-	-	-	-	2	-	-	4	-	4	-	-	-	-	
Dis. of Skin	4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	19	-	-	-	-	-	29	-	-	7	2	9	-	1	5	2	-	-	
Other Violent Deaths	114	9	4	4	2	1	123	6	6	7	16	18	9	11	16	4	5	1	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			Total under 5 Years.	Total under 1 Year.	1	2	3	4	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— & upwards.
107.—ROMSEY.																																					
Mean Popul ⁿ , 1861-71	5449	146	146	145	138	146	721	669	622	478	404	791	646	498	348	235	94	13																			
TOTAL DEATHS -	1689	163	52	36	37	25	313	59	29	36	41	66	73	79	78	132	120	44																			
Small-pox -	5	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-																			
Measles -	6	3	-	-	-	1	5	1	-	-	-	-	-	-	-	-	-	-																			
Scarlatina -	73	3	6	7	15	9	40	19	-	-	-	-	1	-	-	-	-	-																			
Diphtheria -	16	1	1	-	1	1	4	6	5	2	1	-	-	-	-	-	-	-																			
Whooping-cough -	13	7	2	3	1	-	15	-	-	-	3	6	3	2	1	-	1	-																			
Typhus -	31	-	-	-	2	2	4	5	4	2	-	-	3	1	2	1	-	-																			
Diarrhoea & Dysentery -	39	13	6	3	1	1	25	-	1	1	-	1	-	1	-	-	1	-																			
Cholera -	9	1	1	1	2	-	12	4	1	-	-	-	1	-	4	1	-	-																			
Other Zymotic Dis. -	23	2	3	3	3	2	1	-	-	1	-	2	4	6	7	6	1	-																			
Cancer -	28	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-																			
Scrofula and Tuberc. -	9	3	2	-	1	1	6	-	1	1	1	20	26	19	10	2	1	-																			
Fthisis -	110	1	1	2	-	-	11	4	-	21	-	-	-	-	1	-	-	-																			
Hydrocephalus -	16	5	3	-	1	2	11	-	-	-	-	-	-	-	-	-	-	-																			
Dis. of Brain -	143	21	5	5	2	3	53	9	1	2	6	5	9	18	11	26	25	4																			
Dis. of Heart & Dropsy -	83	2	-	1	-	-	3	1	2	2	1	6	7	4	18	25	12	2																			
Dis. of Lungs -	136	29	13	4	5	2	51	6	-	1	2	4	5	10	17	23	16	1																			
Dis. of Stom. and Liver -	51	3	-	-	-	-	3	1	1	-	-	2	6	12	7	13	6	-																			
Dis. of Kidneys -	14	1	1	-	-	-	2	1	-	-	-	1	4	1	4	1	-	-																			
Dis. of Genes. Organs -	10	-	-	-	-	-	-	-	-	-	-	2	-	4	-	4	-	-																			
Dis. of Joints -	6	-	-	-	-	-	-	1	2	1	-	-	1	-	-	1	-	-																			
Dis. of Skin -	4	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-																			
Childbirth and Metris -	18	-	-	-	-	-	-	-	-	-	3	7	8	-	-	-	-	-																			
Swindle -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-																			
Other Violent Deaths -	20	4	-	1	1	1	7	3	-	1	2	1	1	3	-	3	-	-																			
Other Causes -	235	63	8	4	1	-	76	2	1	-	2	-	1	4	5	27	69	37																			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
113.—ALRESFORD.																			
Mean Popul ⁿ , 1861-71	3669	88	97	87	82	104	458	462	406	349	281	429	399	355	268	180	72	10	
TOTAL DEATHS	639	115	23	16	14	6	174	21	12	16	18	42	45	37	53	89	101	31	
Small-pox	3	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	
Measles	4	1	1	1	1	—	4	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	26	3	2	2	—	2	9	10	4	3	—	—	—	—	—	—	—	—	
Diphtheria	2	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	
Whooping-cough	6	3	3	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	
Typhus	16	—	—	1	1	—	2	—	1	3	2	2	2	—	—	2	3	—	
Diarrhoea & Dysentery	5	1	—	1	—	—	2	—	—	—	—	—	1	—	—	1	1	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	14	2	2	2	2	—	8	—	—	—	—	2	—	—	1	—	2	1	
Cancer	11	—	—	—	—	—	—	—	—	—	—	—	1	1	2	6	3	—	
Scrofula and Tuberc.	5	3	—	—	1	—	4	—	—	—	—	—	—	—	1	—	—	—	
Phthisis	80	4	1	—	2	—	7	—	1	6	8	22	18	8	7	1	—	—	
Hydrocephalus	6	2	1	2	—	—	5	1	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain	84	22	6	1	1	1	31	1	—	1	1	4	10	5	4	9	16	2	
Dis. of Heart & Dropsy	68	2	—	—	1	1	4	3	—	—	1	1	4	3	15	19	17	—	
Dis. of Lungs	68	16	4	4	—	1	25	2	—	1	2	4	2	7	7	11	6	1	
Dis. of Stom. and Liver	30	4	—	—	1	—	5	1	1	—	1	1	1	3	6	9	1	1	
Dis. of Kidneys	6	—	—	—	—	—	—	—	—	1	—	—	1	2	1	1	—	—	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	
Dis. of Skin	2	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	7	—	—	—	—	—	—	—	1	—	—	—	1	—	1	3	—	4	
Other Violent Deaths	18	1	—	—	1	—	2	—	3	1	1	3	2	4	1	1	—	—	
Other Causes	176	50	3	2	2	1	68	1	1	—	—	2	—	4	7	26	33	24	

Mean Populⁿ, 1861-71	6273	177	167	171	161	172	848	739	728	610	491	800	670	569	416	277	110	15
TOTAL DEATHS	1229	253	79	38	15	21	406	41	32	40	34	60	69	83	122	150	143	49
Small-pox	10	—	—	—	—	—	—	—	—	1	2	1	2	1	—	1	2	—
Measles	14	2	4	2	—	2	10	3	1	1	—	—	—	—	—	—	—	—
Scarlatina	46	3	7	4	6	4	24	13	9	—	—	—	—	—	—	—	—	—
Diphtheria	7	—	—	1	—	2	3	2	1	1	—	—	—	—	—	—	—	—
Whooping-cough	18	9	6	2	—	—	17	1	—	—	—	—	—	—	—	—	—	—
Typhus	37	2	—	—	2	2	6	2	5	7	1	2	3	1	5	3	1	—
Diarrhoea & Dysentery	34	15	1	5	—	—	21	3	—	—	—	—	1	1	3	3	2	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	22	2	1	2	1	2	8	1	—	1	1	2	—	1	4	3	—	1
Cancer	24	—	—	—	—	—	—	—	—	—	—	1	1	4	9	2	5	2
Scrofula and Tuberc.	35	14	8	3	1	1	27	1	2	2	2	—	1	1	—	—	—	—
Phthisis	125	5	1	—	—	—	4	1	1	14	15	34	50	14	7	3	—	—
Hydrocephalus	17	7	4	3	—	3	17	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	139	31	8	2	—	2	43	3	3	4	2	2	7	14	15	20	13	5
Dis. of Heart & Dropsy	83	—	—	—	1	—	1	2	1	1	—	3	7	11	17	20	14	4
Dis. of Lungs	228	48	25	6	2	2	83	1	1	3	3	3	12	14	22	42	32	11
Dis. of Stom. and Liver	62	6	1	—	—	—	8	1	3	1	5	2	3	4	14	14	7	—
Dis. of Kidneys	30	2	—	—	—	—	2	—	—	—	—	1	1	5	5	10	6	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	7	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	1	—
Dis. of Skin	5	—	1	1	—	—	2	—	—	—	—	—	—	1	1	—	1	—
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	8	—	—	—	—	—	—	—	—	—	1	—	1	1	2	5	—	—
Other Violent Deaths	39	1	—	3	1	1	6	3	5	3	1	7	—	7	7	10	17	23
Other Causes	229	108	12	4	—	—	124	2	—	1	—	—	1	3	10	17	56	23

Mean Populⁿ, 1861-71	5940	159	156	162	156	164	797	779	708	554	413	705	630	537	407	278	118	14
TOTAL DEATHS	1072	213	60	28	19	14	334	50	21	17	29	60	62	77	83	148	139	40
Small-pox	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Measles	9	1	4	1	3	—	9	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	39	4	5	3	5	6	23	11	3	2	—	—	—	—	—	—	—	—
Diphtheria	7	—	—	1	1	2	4	1	1	1	—	—	—	—	—	—	—	—
Whooping-cough	15	6	5	2	—	—	13	—	—	—	—	—	—	—	—	—	—	—
Typhus	30	1	—	1	—	2	4	7	—	1	1	2	—	2	—	—	—	—
Diarrhoea & Dysentery	27	13	3	1	—	—	17	1	1	—	—	—	—	—	1	3	2	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	26	6	3	—	1	1	10	6	1	—	—	—	—	4	1	1	2	1
Cancer	25	—	—	—	—	—	—	—	—	—	—	—	1	9	6	7	2	1
Scrofula and Tuberc.	26	12	4	4	—	—	20	—	1	1	—	2	—	1	1	—	—	—
Phthisis	98	1	3	—	—	—	4	—	4	7	13	30	19	9	7	5	—	—
Hydrocephalus	25	12	7	4	1	1	25	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	171	38	6	4	3	2	53	7	3	1	5	8	10	9	18	34	30	8
Dis. of Heart & Dropsy	89	2	1	—	—	—	3	1	2	2	1	3	5	15	11	22	12	—
Dis. of Lungs	143	32	9	5	2	—	48	4	2	1	2	4	12	9	12	24	27	—
Dis. of Stom. and Liver	55	6	1	1	1	—	9	4	—	—	1	3	5	8	10	11	4	—
Dis. of Kidneys	29	—	—	—	—	—	—	—	—	—	—	2	—	3	11	9	4	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	6	—	—	—	1	—	1	1	—	—	1	1	—	—	—	2	—	—
Dis. of Skin	5	2	—	—	—	—	2	—	—	—	—	—	—	2	—	—	1	—
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Other Violent Deaths	32	3	1	—	—	—	4	1	2	1	3	4	6	4	5	—	3	—
Other Causes	220	75	8	1	1	—	85	5	1	—	1	1	4	2	3	16	66	54

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		113.—ALRESFORD.																
Mean Popul ⁿ , 1861-71	3557	98	88	99	91	85	461	424	423	297	282	469	404	329	234	154	70	10
TOTAL DEATHS	597	92	28	17	8	8	153	15	14	18	26	45	49	47	51	81	75	23
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles	6	1	2	2	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	20	1	1	4	3	3	12	4	3	-	1	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	8	4	2	1	1	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	-	-	-	2	2	1	3	1	3	3	5	3	1	1	-	-
Barrenness & Dysentery	6	1	-	-	-	-	1	-	-	-	-	1	1	-	2	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	7	1	-	-	-	-	1	-	1	-	-	-	-	1	1	1	1	-
Cancer	18	1	-	-	-	-	1	-	-	-	-	2	1	4	6	2	2	-
Scrophula and Tuberc.	8	1	-	1	-	-	2	1	-	-	-	-	1	1	1	-	-	-
Phtisis	97	1	-	-	-	-	1	3	5	8	16	23	20	18	1	2	-	-
Hydrocephalus	19	-	4	4	1	1	10	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	72	18	7	-	-	-	25	4	-	4	3	-	4	3	12	9	8	-
Dis. of Heart & Dropsy	75	-	1	1	1	-	3	-	1	1	-	-	11	8	11	20	12	2
Dis. of Lungs	229	18	-	-	-	-	14	1	1	-	-	1	-	1	2	6	3	-
Dis. of Stom. and Liver	26	1	-	-	1	1	3	-	-	1	1	-	2	4	6	7	2	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	11	3	3	-	-	1	7	1	-	-	-	1	1	1	-	-	-	-
Other Causes	170	46	6	4	-	-	50	-	-	2	-	8	1	2	7	20	47	21

114.—ALTON.*																		
Mean Popul ⁿ , 1861-71	6244	178	167	180	172	151	848	777	726	540	515	822	678	555	410	264	94	15
TOTAL DEATHS	1172	228	53	33	32	20	366	50	35	47	53	83	75	65	90	149	122	31
Small-pox	5	1	-	1	-	-	2	-	-	2	-	-	1	-	-	-	-	-
Measles	20	3	5	6	6	-	14	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	38	-	2	7	7	7	23	13	1	1	-	-	-	-	-	-	-	-
Diphtheria	19	-	2	1	4	1	8	4	5	-	-	-	2	-	-	-	-	-
Whooping-cough	17	11	5	1	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	63	-	1	1	1	1	4	7	11	6	3	5	9	3	1	2	2	-
Barrenness & Dysentery	22	14	2	-	-	-	16	3	-	-	-	-	-	-	2	3	4	1
Cholera	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	29	3	-	2	3	4	12	4	2	1	1	1	-	1	2	3	2	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	28	14	2	-	-	-	23	-	1	1	-	2	4	6	11	9	7	-
Phtisis	149	2	-	5	1	1	6	1	3	29	31	46	21	13	6	2	-	-
Hydrocephalus	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	122	25	5	-	3	-	33	6	6	4	3	2	6	8	18	23	19	4
Dis. of Heart & Dropsy	81	-	2	-	-	-	2	9	1	2	2	2	8	9	16	25	8	2
Dis. of Lungs	188	41	11	4	3	3	62	7	3	-	6	6	6	7	19	41	26	7
Dis. of Stom. and Liver	61	7	2	1	-	1	11	-	-	1	-	2	4	11	13	12	7	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	-	3	-	4	1	2	-
Dis. of Genes. Organs	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	-	-
Dis. of Skin	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	28	-	-	-	-	-	-	-	-	1	7	14	4	2	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Deaths	14	3	1	2	1	-	9	1	-	-	1	-	-	1	-	-	2	-
Other Causes	208	96	13	5	2	1	117	1	1	1	1	-	3	-	1	24	42	17

114.—ALTON.*																		
Mean Popul ⁿ , 1861-71	6244	178	167	180	172	151	848	777	726	540	515	822	678	555	410	264	94	15
TOTAL DEATHS	1172	228	53	33	32	20	366	50	35	47	53	83	75	65	96	149	122	31
Small-pox	5	1	-	1	-	-	2	-	-	2	-	-	1	-	-	-	-	-
Measles	20	3	5	6	7	7	14	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	38	-	2	7	7	7	23	13	1	1	-	-	-	-	-	-	-	-
Diphtheria	19	-	2	1	4	1	8	4	5	-	-	-	2	-	-	-	-	-
Whooping-cough	17	11	6	1	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	65	-	1	1	1	1	4	7	11	6	3	5	9	8	1	2	2	-
Barrenness & Dysentery	29	14	2	-	-	-	16	3	-	-	-	-	-	-	2	3	4	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	3	-	2	3	4	12	4	2	1	1	1	-	1	2	3	2	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	2	4	6	11	9	7	-
Scrophula and Tuberc.	25	14	2	-	1	1	23	-	1	1	1	2	2	6	11	9	7	-
Phtisis	149	2	-	5	1	1	5	1	3	20	31	46	21	13	6	2	-	-
Hydrocephalus	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	122	25	5	-	3	-	33	6	6	4	2	2	6	8	18	23	19	4
Dis. of Heart & Dropsy	81	-	2	-	-	-	2	2	1	2	3	4	8	9	16	25	8	2
Dis. of Lungs	188	41	11	4	8	3	62	3	3	6	2	6	6	7	19	41	26	7
Dis. of Stom. and Liver	61	7	2	1	-	1	11	-	-	1	-	2	4	11	13	12	7	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	-	3	-	4	1	2	-
Dis. of Genes. Organs	11	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Dis. of Skin	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	28	-	-	-	-	-	-	-	-	1	7	14	4	2	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Deaths	14	3	1	2	1	-	9	1	-	-	1	-	-	1	-	-	2	-
Other Causes	208	96	13	5	2	1	117	1	1	1	1	-	3	-	1	24	42	17

115.—HARTLEY WINTNEY.*																		
Mean Popul ⁿ , 1861-71	5794	147	158	163	149	145	762	736	668	472	450	741	664	545	369	251	117	19
TOTAL DEATHS	1061	171	53	34	28	10	296	47	38	23	36	78	52	70	71	164	139	47
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	-	3	-	-	4	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	45	1	2	6	8	3	20	16	7	-	-	-	-	-	-	-	-	-
Diphtheria	16	1	1	-	3	2	7	5	2	-	-	1	1	-	-	-	-	-
Whooping-cough	11	6	2	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	22	1	-	-	-	-	2	3	-	4	2	2	1	1	1	2	1	-
Barrenness & Dysentery	31	14	3	1	-	-	18	-	-	-	-	-	-	-	3	1	4	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	23	5	0	3	1	2	17	2	-	1	1	-	-	1	1	2	3	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	1	4	11	13	2	1
Scrophula and Tuberc.	28	11	5	1	1	1	19	4	2	-	-	2	1	1	-	-	-	-
Phtisis	131	-	1	2	-	-	3	-	10	10	23	40	25	17	2	1	-	-
Hydrocephalus	13	2	4	3	2	-	11	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	154	29	9	4	5	1	48	6	6	-	1	6	1	12	11	37	22	4
Dis. of Heart & Dropsy	96	-	-	-	2	-	2	1	1	1	-	2	5	15	21	21	15	2
Dis. of Lungs	115	29	10	2	1	-	39	-	2	1	4	4	3	4	8	29	17	3
Dis. of Stom. and Liver	64	7	-	-	2	1	10	2	1	1	3	2	5	6	8	15	9	2
Dis. of Kidneys	12	-	-	1	-	-	1	1	-	-	-	2	2	1	1	3	1	-
Dis. of Genes. Organs	10	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	-
Dis. of Joints	7	-	-	-	-	-	-	1	-	2	-	1	-	-	1	1	-	-
Dis. of Skin	3	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	16	-	-	-	-	-	-	-	-	1	1	8	6	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Other Violent Deaths	17	2	-	1	2	-	5	1	2	-	-	-	2	-	-	2	3	2
Other Causes	204	70	2	4	1	-	77	2	-	2	-	2	2	4	1	23	60	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	80 & upwards.	
116.—BASINGSTOKE.																			
Mean Popul ⁿ , 1861-71		9090	239	254	259	233	245	1230	1132	1029	905	716	1097	932	829	635	419	152	14
TOTAL DEATHS		1772	353	102	50	40	29	574	74	30	44	39	107	104	123	166	218	232	61
Small-pox		2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Measles		21	3	6	2	5	1	17	2	2	-	-	-	-	-	-	-	-	-
Scarlatina		66	-	5	13	7	3	28	24	6	3	-	-	1	1	-	-	-	-
Diphtheria		13	1	1	2	4	2	10	2	-	-	1	2	-	-	-	-	-	-
Whooping-cough		17	5	6	3	1	1	16	1	-	-	-	-	-	-	-	-	-	-
Typhus		46	1	-	-	2	1	4	2	7	5	1	6	3	6	6	5	1	-
Diarrhoea & Dysentery		38	21	4	2	1	-	28	1	-	-	-	-	-	1	1	2	2	-
Cholera		2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.		55	5	4	6	3	3	21	9	-	1	-	2	1	3	7	7	4	-
Cancer		30	-	-	-	-	1	1	-	-	1	1	-	3	4	7	11	2	-
Scrofula and Tubercles		44	21	3	3	-	1	28	7	2	-	1	-	-	1	4	10	-	-
Phthisis		216	7	6	1	1	-	15	4	1	19	23	52	23	54	23	-	-	-
Hydrocephalus		30	6	8	2	4	6	26	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		193	54	5	3	4	2	68	1	6	5	5	10	9	10	25	39	21	5
Dis. of Heart & Dropsy		170	2	2	-	-	-	4	1	-	1	-	9	10	12	33	55	41	4
Dis. of Lungs		270	67	34	7	5	4	117	2	1	1	2	5	14	16	20	26	42	7
Dis. of Stomach and Liver		68	9	-	1	-	-	19	5	3	2	1	6	6	9	8	11	7	-
Dis. of Kidneys		49	1	-	-	1	1	3	-	-	1	1	5	5	7	7	11	6	1
Dis. of Gen. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		5	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
Dis. of Skin		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		10	-	-	-	-	-	-	-	-	2	-	1	3	1	2	1	-	-
Other Violent Deaths		69	5	7	1	2	1	16	5	1	3	2	6	10	8	6	2	2	-
Other Causes		356	144	10	4	-	2	160	3	-	-	-	2	6	5	8	31	100	41

117.—WHITCHURCH.																			
Mean Popul ⁿ , 1861-71	2835	69	70	70	74	76	359	360	322	305	198	333	298	258	213	193	52	9	
TOTAL DEATHS -	539	133	26	20	8	6	193	14	8	11	14	28	31	41	41	73	62	23	
Small-pox	4	1	1	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	
Measles	5	1	3	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	9	-	1	2	1	2	6	3	-	-	-	-	-	-	-	-	-	-	
Diphtheria	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	
Whooping-cough	12	9	2	1	-	1	13	-	-	-	-	-	-	-	-	-	-	-	
Typhs	20	-	2	3	1	-	7	1	1	-	2	1	1	3	3	1	1	-	
Diarrhœa & Dysentery	11	3	-	4	-	-	7	-	-	-	-	-	-	-	-	-	-	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Zymotic Dis.	12	4	1	1	-	-	6	1	-	-	-	-	-	1	2	2	-	-	
Cancer	7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	-	-	
Scrofula and Tuberc.	13	4	3	-	1	1	9	-	1	2	-	-	-	-	1	-	-	-	
Phthisis	46	2	1	1	-	-	4	1	-	4	6	14	9	3	4	1	-	-	
Hydrocephalus	5	2	1	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	72	25	4	3	2	-	34	-	-	-	2	-	1	5	6	17	7	4	
Dis. of Heart & Dropsy	40	-	-	-	-	-	-	-	-	3	-	6	5	4	3	14	4	1	
Dis. of Lungs	71	9	5	3	2	-	19	1	-	-	-	4	1	9	11	19	6	1	
Dis. of Stom. and Liver	35	7	1	-	-	-	8	2	1	1	-	-	4	7	5	4	3	-	
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	-	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	18	-	-	-	-	1	1	2	2	-	1	2	-	3	-	1	2	2	
Other Causes	140	65	1	1	-	-	67	2	3	1	-	-	2	2	4	7	35	19	

118.—ANDOVER.																			
Mean Popul ⁿ , 1861-71	8741	226	240	221	240	228	1155	1055	990	845	643	1047	989	825	611	407	160	14	
TOTAL DEATHS -	1587	291	84	40	26	15	456	44	38	40	43	82	90	110	173	242	217	52	
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Measles	21	5	10	4	-	-	19	-	-	1	-	1	-	-	-	-	-	-	
Scarlatina	27	1	4	4	2	3	14	5	5	1	1	-	1	-	-	-	-	-	
Diphtheria	14	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
Whooping-cough	22	10	10	-	1	1	22	-	-	-	-	-	-	-	-	-	-	-	
Typhus	50	-	-	2	4	2	8	10	6	6	5	5	1	3	5	1	-	-	
Diarrhoea & Dysentery	28	19	1	1	-	-	21	1	-	-	-	1	-	1	-	1	2	1	
Cholera	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Other Zymotic Dis.	42	8	1	2	1	2	14	3	1	2	1	1	-	1	6	7	5	1	
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	2	4	9	2	4	-	
Scrofula and Tuberc.	15	3	1	1	1	-	6	2	4	-	-	1	1	1	-	-	-	-	
Phthisis	151	-	-	-	-	-	2	2	4	15	19	35	39	22	10	4	1	-	
Hydrocephalus	23	9	7	2	2	1	21	1	-	-	-	-	-	-	-	1	-	-	
Dis. of Brain	201	41	7	1	5	1	55	2	-	3	5	7	6	16	27	43	26	7	
Dis. of Heart & Dropsy	191	9	2	1	-	-	12	1	-	-	3	8	13	18	47	61	24	4	
Dis. of Lungs	195	43	17	6	4	1	71	6	1	5	1	3	6	15	24	32	32	4	
Dis. of Stom. and Liver	73	7	1	-	1	-	9	1	4	5	1	5	3	11	16	13	7	-	
Dis. of Kidneys	41	-	-	1	-	-	1	-	-	1	2	6	4	3	5	11	6	3	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	8	-	-	-	2	-	2	1	-	-	-	1	1	1	1	-	1	-	
Dis. of Skin	8	2	-	-	-	-	2	-	-	-	1	-	1	1	-	3	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	5	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	
Other Violent Deaths	64	5	1	8	1	3	18	3	9	1	3	6	6	6	5	5	1	-	
Other Causes	394	128	22	6	2	1	169	5	2	1	-	1	5	6	13	54	115	33	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upw.
		116.—BASINGSTOKE.																
Mean Popul ⁿ , 1861-71	8677	251	208	240	232	210	1141	1080	982	723	724	1162	940	778	606	370	146	25
TOTAL DEATHS	1623	277	104	56	42	27	506	33	43	51	69	100	92	120	137	210	102	73
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	27	2	10	5	3	2	22	3	1	1	-	-	-	-	-	-	-	-
Scarlatina	64	1	5	0	13	9	34	13	10	1	3	1	-	2	-	-	-	-
Diphtheria	11	-	4	1	1	-	6	2	2	-	-	1	-	-	-	-	-	-
Whooping-cough	26	11	7	3	1	3	25	1	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	1	1	-	2	4	4	6	3	6	1	6	4	3	4	-	-
Dysentery & Cholera	31	12	3	2	-	-	17	-	-	-	-	-	1	1	1	9	2	-
Other Zymotic Dis.	36	2	2	4	7	1	16	3	1	-	1	-	1	2	7	1	3	1
Cancer	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	37	15	7	4	2	1	29	2	-	2	-	1	1	1	1	6	1	-
Fibrosis	243	7	3	3	1	-	14	4	7	28	30	50	39	28	20	7	-	-
Hydrocephalus	31	15	9	2	1	2	27	1	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	176	40	10	5	6	1	62	5	2	4	2	4	5	12	25	35	16	4
Dis. of Heart & Dropsy	146	2	-	-	-	-	3	1	2	6	2	5	5	16	30	47	27	2
Dis. of Lungs	229	51	30	11	3	1	96	6	1	2	4	5	10	15	14	38	30	8
Dis. of Stom. and Liver	68	6	-	3	1	1	11	3	1	3	2	3	4	9	15	8	7	-
Dis. of Kidneys	19	1	-	-	-	-	1	-	2	-	1	3	-	6	1	5	-	-
Dis. of Genes. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-	-
Childbirth and Metris	28	-	-	-	-	-	-	-	-	1	5	10	10	2	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other Violent Deaths	36	5	1	3	3	3	15	1	3	-	-	3	3	3	2	2	3	1
Other Causes	307	103	12	2	-	1	120	4	1	-	2	2	3	2	5	44	68	26

117.—WHITCHURCH.																		
Mean Popul ⁿ , 1861-71	2729	81	72	71	75	69	368	307	307	227	185	334	327	279	197	135	54	9
TOTAL DEATHS	405	86	14	8	5	4	117	17	11	13	18	35	37	36	51	67	68	25
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	1	1	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	9	-	2	2	1	-	5	2	1	-	1	-	-	-	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	7	3	2	-	2	7	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	24	-	1	-	1	1	3	4	1	1	2	3	3	2	1	3	-	-
Dysentery & Cholera	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	8	2	1	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	-
Scrophula and Tuberc.	7	4	1	-	-	-	5	1	1	-	-	-	-	-	-	-	-	-
Fibrosis	37	1	2	-	-	-	3	2	-	8	7	14	12	7	3	-	-	-
Hydrocephalus	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	69	15	1	1	-	1	18	1	3	1	2	5	5	6	6	11	11	-
Dis. of Heart & Dropsy	53	-	-	-	-	-	1	1	1	-	-	1	7	5	18	15	7	-
Dis. of Lungs	58	8	-	2	2	-	12	2	1	-	1	2	2	5	7	12	12	2
Dis. of Stom. and Liver	32	2	-	-	1	-	3	1	-	-	-	4	2	6	8	6	1	1
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
Dis. of Genes. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Dis. of Joints	5	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metris	9	-	-	-	-	-	-	-	-	-	2	3	4	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	4	-	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-
Other Causes	120	47	2	-	-	-	40	-	-	-	-	1	-	-	2	13	33	22

118.—ANDOVER.																		
Mean Popul ⁿ , 1861-71	8620	223	235	231	221	216	1126	1066	968	716	616	1119	1012	808	594	412	165	18
TOTAL DEATHS	1494	230	75	81	34	19	389	40	27	40	57	81	125	97	140	231	210	57
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	18	5	7	2	1	1	16	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	30	1	1	2	5	4	13	9	3	1	-	2	1	1	-	-	-	-
Diphtheria	3	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	29	12	8	1	5	1	27	2	-	-	-	-	-	-	-	-	-	-
Typhus	49	3	2	1	3	-	9	5	6	4	6	5	5	6	2	1	-	-
Dysentery & Cholera	15	6	2	-	-	-	8	-	-	-	-	1	1	2	1	2	-	-
Other Zymotic Dis.	56	6	2	1	5	-	14	1	1	1	1	1	2	5	5	1	1	-
Cancer	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	12	1	-	-	-	-	1	1	1	1	1	1	1	1	5	-	-	-
Fibrosis	174	2	2	1	1	-	6	3	9	21	29	36	40	15	9	6	2	-
Hydrocephalus	14	3	5	3	-	3	14	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	188	29	5	5	5	2	46	5	1	3	5	6	15	15	20	48	22	2
Dis. of Heart & Dropsy	201	10	2	2	2	-	16	2	2	3	4	4	15	18	69	65	31	2
Dis. of Lungs	141	31	15	3	1	-	50	6	-	1	5	3	4	6	21	22	31	2
Dis. of Stom. and Liver	65	1	-	2	1	3	7	-	1	1	2	6	11	7	9	17	6	-
Dis. of Kidneys	8	-	-	-	1	-	1	-	-	1	-	1	1	1	2	-	1	-
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	3	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris	29	-	-	-	-	-	-	-	-	-	4	9	15	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	14	-	-	1	1	3	7	2	-	2	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & over.
119.—KINGSCLERE.																		
Mean Popul ⁿ , 1861-71	4342	112	104	137	109	114	576	548	491	417	322	518	451	395	309	220	86	9
TOTAL DEATHS	868	195	42	21	18	14	290	41	24	20	32	39	43	43	68	103	135	3
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Measles	11	4	2	1	1	1	9	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	28	-	5	2	4	5	16	6	6	-	-	-	-	-	-	-	-	-
Diphtheria	25	1	2	3	3	2	11	8	4	2	-	-	-	-	-	-	-	-
Whooping-cough	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Typhus	24	1	-	-	-	-	1	4	3	3	2	1	2	3	2	2	2	-
Diarrhoea & Dysentery	18	10	2	-	2	1	15	1	-	-	-	-	-	-	1	1	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	2	-	-	1	-	3	1	1	-	2	-	-	4	5	3	2	-
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-	3	5	3	3	-
Serofula and Tabes	28	12	2	3	-	1	18	3	-	2	2	-	1	3	1	1	1	-
Phthisis	72	1	-	-	1	-	2	1	3	4	16	19	13	6	8	1	-	-
Hydrocephalus	10	3	2	1	-	1	7	-	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	109	42	4	1	-	1	48	4	1	2	-	2	5	4	8	17	16	2
Dis. of Heart & Dropsy	59	1	-	-	-	-	1	3	-	-	1	3	2	7	10	17	13	2
Dis. of Lungs	159	47	13	7	3	1	71	4	1	3	6	4	10	5	9	21	20	2
Dis. of Stom. and Liver	32	3	-	-	-	1	4	3	-	-	7	2	6	6	16	8	-	-
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	2	2	1	2	1	6	3	1	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Dis. of Skin	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-
Other Violent Deaths	30	4	-	2	1	-	7	2	2	1	-	1	4	3	4	1	4	1
Other Causes	178	60	8	-	2	-	70	1	-	-	1	-	2	6	13	14	21	-
120.—NEWBURY.																		
Mean Popul ⁿ , 1861-71	9843	274	267	279	255	265	1340	1258	1216	877	678	1138	1066	919	694	462	172	23
TOTAL DEATHS	2126	470	136	47	45	37	725	71	46	46	63	113	124	143	190	293	2	59
Small-pox	8	2	2	-	-	-	4	1	1	-	-	-	1	-	-	1	-	-
Measles	31	7	12	2	4	2	27	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	60	1	12	3	7	9	32	17	8	2	-	-	-	1	-	-	-	-
Diphtheria	12	1	2	-	-	1	4	6	1	1	-	-	-	-	-	-	-	-
Whooping-cough	25	18	2	2	1	1	24	1	-	-	-	-	-	-	-	-	-	-
Typhus	63	3	4	5	1	-	13	11	6	7	3	4	8	4	1	4	3	-
Diarrhoea & Dysentery	51	18	6	2	3	-	29	-	-	-	-	-	2	2	2	5	6	4
Cholera	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	41	3	5	1	-	4	13	-	2	1	1	1	2	3	3	11	3	1
Cancer	30	-	-	-	-	1	-	-	-	-	-	-	4	3	6	15	2	-
Serofula and Tabes	20	6	1	-	2	1	10	-	2	2	2	2	4	3	1	1	-	-
Phthisis	241	2	3	3	1	-	10	2	6	18	45	52	49	34	18	7	-	-
Hydrocephalus	27	9	6	4	3	2	24	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	258	80	16	4	4	1	103	2	5	-	4	6	8	21	23	43	31	5
Dis. of Heart & Dropsy	136	2	-	-	-	-	3	2	2	1	3	8	4	17	29	38	28	1
Dis. of Lungs	311	74	17	4	9	1	105	7	3	4	3	14	18	22	45	51	38	2
Dis. of Stom. and Liver	107	6	1	1	-	-	8	3	2	2	2	5	13	21	24	11	1	2
Dis. of Kidneys	43	-	2	-	1	-	3	-	-	1	1	6	2	2	6	11	11	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
Dis. of Skin	10	2	-	-	-	-	2	-	-	-	-	1	1	2	3	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	1	-
Other Violent Deaths	63	4	1	5	4	1	15	6	3	5	2	9	4	5	6	6	1	1
Other Causes	575	231	44	11	5	3	294	6	4	1	1	2	7	9	20	75	114	45

		121.—HUNGERFORD.																	
Mean Popul ⁿ , } 1861-71 - }	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71
TOTAL DEATHS -	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71
Small-pox - - -	10	2	-	-	-	-	2	-	1	-	2	1	-	2	2	-	-	-	-
Measles - - -	33	4	12	5	2	3	26	5	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	83	1	4	2	5	5	17	8	4	1	1	-	1	1	-	-	-	-	-
Diphtheria - - -	10	3	1	-	-	-	5	1	2	-	-	1	-	-	1	-	-	-	-
Whooping-cough -	23	15	7	-	1	-	23	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	42	-	1	1	-	4	6	6	3	8	2	2	2	7	2	2	1	1	1
Dysentery & Dysentery	48	16	5	3	4	-	28	1	1	-	-	-	-	6	2	8	1	1	1
Cholera - - -	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	54	12	3	5	5	2	27	4	-	2	-	1	3	4	4	8	1	1	1
ancient - - -	23	-	-	-	-	-	-	-	-	-	-	-	1	4	6	6	5	1	1
Scrofula and Tabes -	40	18	7	1	1	-	27	3	5	-	-	2	-	2	1	-	-	-	-
Phthisis - - -	174	6	2	-	1	1	10	3	5	14	24	26	27	17	14	4	-	-	-
Hydrocephalus - - -	14	5	2	-	-	-	12	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	226	68	12	9	5	4	98	3	4	4	2	9	14	14	38	24	7	7	7
Dis. of Heart & Dropsy	180	3	1	-	-	-	4	3	2	1	6	11	11	32	64	22	-	-	-
Dis. of Lungs - - -	341	93	27	6	4	5	135	5	2	3	5	11	10	29	43	55	30	4	4
Dis. of Stom. and Liver	101	11	1	-	-	1	13	2	1	1	-	5	13	17	19	20	10	1	1
Dis. of Kidneys - - -	58	-	-	1	-	-	1	-	-	-	1	2	4	6	7	14	19	4	4
Dis. of Gen. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Joints - - -	4	-	1	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -	9	3	1	-	-	-	4	-	-	1	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	5	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	-	-	-
Other Violent Deaths -	82	12	3	4	3	1	23	10	5	4	3	10	6	4	10	7	7	7	7
Other Causes - - -	419	166	24	9	-	2	201	1	-	2	1	2	2	6	15	30	106	30	30

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 unw.	
		119.—KINGSCLERE.																	
Mean Popul ⁿ , 1861-71	4205	132	115	107	120	111	585	549	510	319	297	536	464	384	289	192	69	11	
TOTAL DEATHS	818	142	45	21	15	12	235	50	22	26	23	71	50	46	75	85	105	30	
Small-pox	-	-	-	-	-	-	7	3	-	-	-	-	-	-	-	-	-	-	
Measles	11	2	3	2	-	-	7	3	-	-	-	-	-	1	-	-	-	-	
Scarlatina	24	-	1	4	1	3	9	11	2	1	-	1	-	-	-	-	-	-	
Diphtheria	23	-	-	-	2	4	6	9	1	3	2	1	1	-	-	-	-	-	
Whooping-cough	11	4	4	-	2	1	11	-	-	-	-	-	-	-	-	-	-	-	
Typhus	27	-	1	-	-	1	2	2	4	2	1	4	3	1	6	1	1	-	
Diarrhoea & Dysentery	14	5	2	1	-	-	8	1	-	-	-	-	-	-	1	2	2	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	19	1	2	1	-	1	5	3	-	-	-	2	3	2	1	1	2	-	
Cancer	21	-	-	-	-	-	-	-	-	-	-	1	1	6	9	3	1	-	
Scrofula and Tuberc.	30	12	5	1	1	-	19	2	3	2	1	1	2	1	2	1	1	-	
Phtisis	77	-	-	-	-	-	2	2	3	-	9	32	13	11	3	2	-	-	
Hydrocephalus	10	1	2	-	1	-	4	3	-	1	-	2	-	-	-	-	-	-	
Dis. of Brain	69	17	5	2	2	1	27	-	-	2	1	3	4	4	17	19	20	2	
Dis. of Heart & Dropsy	65	2	-	2	-	-	4	-	-	2	-	1	2	4	16	14	11	1	
Dis. of Lungs	135	30	13	5	3	-	57	10	3	5	2	10	5	6	9	15	13	-	
Dis. of Stom. and Liver	45	2	1	1	-	-	4	-	2	1	1	4	4	3	8	11	7	-	
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	
Dis. of Gen. Organs	6	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	
Dis. of Joints	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	18	-	-	-	-	-	-	-	-	1	3	6	8	-	-	-	-	-	
Suicide	5	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	
Other Violent Deaths	17	3	2	-	2	-	7	2	2	-	1	1	-	1	1	1	1	-	
Other Causes	162	50	4	2	1	1	64	2	1	1	1	3	1	3	2	12	45	27	

120.—NEWBURY.

Mean Popul ⁿ , 1861-71	10478	282	252	269	263	244	1310	1242	1101	968	853	1400	1177	967	751	461	221	27		
TOTAL DEATHS	2012	355	97	54	34	35	675	75	33	78	77	137	134	137	166	240	271	89		
Small-pox	7	1	-	-	-	1	2	-	-	1	2	2	-	-	-	-	-	-		
Measles	25	2	9	6	2	2	21	3	1	-	-	-	-	-	-	-	-	-		
Scarlatina	54	4	7	5	5	5	29	17	2	2	2	-	1	-	2	-	-	-		
Diphtheria	14	1	2	2	1	1	7	4	1	-	-	1	-	-	-	-	1	-		
Whooping-cough	33	9	12	8	2	4	35	5	-	-	-	9	6	8	5	8	3	-		
Typhus	84	1	3	1	1	2	8	10	4	15	8	9	2	3	3	6	5	2		
Diarrhoea & Dysentery	45	15	2	-	-	-	19	2	-	-	-	1	2	-	-	-	-	-		
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	38	1	-	2	4	2	9	4	4	2	1	-	4	7	3	1	3	-		
Cancer	67	-	-	-	-	-	-	-	1	-	-	2	7	14	15	18	8	2		
Scrofula and Tuberc.	24	6	5	1	2	-	14	-	-	2	-	3	1	1	1	2	-	-		
Phtisis	262	3	2	1	1	1	8	6	8	33	44	65	48	50	15	4	1	-		
Hydrocephalus	15	5	2	2	1	3	13	-	1	1	-	-	-	-	-	-	-	-		
Dis. of Brain	222	59	10	4	5	4	82	5	2	4	3	1	12	15	19	38	32	9		
Dis. of Heart & Dropsy	158	1	2	1	-	1	5	3	3	3	2	5	13	19	31	38	34	2		
Dis. of Lungs	215	53	15	7	4	5	84	6	3	3	5	14	7	9	35	37	35	7		
Dis. of Stom. and Liver	101	3	3	1	-	-	7	-	2	4	3	7	10	14	16	24	11	3		
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	3	-	2	3	2	-	2	3	1		
Dis. of Gen. Organs	16	-	-	-	-	-	-	-	-	-	-	3	3	7	2	-	1	-		
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-		
Dis. of Skin	9	3	-	-	-	-	3	-	-	-	-	-	-	-	1	4	1	-		
Childbirth and Metris	23	-	-	-	-	-	-	-	-	2	6	15	10	-	-	-	-	-		
Suicide	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-		
Other Violent Deaths	41	8	3	5	1	5	20	2	-	-	-	1	2	2	3	5	4	2		
Other Causes	493	180	20	6	5	1	212	10	1	2	1	3	3	4	14	53	129	61		

121.—HUNGERFORD.

Mean Popul ⁿ , 1861-71	9799	241	279	270	263	259	1312	1274	1122	807	683	1249	1097	911	684	450	186	24		
TOTAL DEATHS	1793	312	92	42	25	22	493	73	45	52	66	137	109	103	164	261	212	78		
Small-pox	6	-	-	-	1	-	1	-	1	1	-	1	1	-	1	-	-	-		
Measles	29	7	8	2	5	2	24	11	1	-	-	2	-	-	-	-	-	-		
Scarlatina	55	3	4	4	4	3	18	11	5	1	-	-	-	-	-	-	-	-		
Diphtheria	12	2	-	1	1	-	4	7	1	-	-	-	-	-	-	-	-	-		
Whooping-cough	32	16	9	2	5	-	30	2	-	-	-	-	-	-	-	-	-	-		
Typhus	47	-	4	1	1	1	7	7	6	4	4	6	4	5	1	3	-	-		
Diarrhoea & Dysentery	51	11	3	0	-	1	21	5	1	1	-	4	-	-	3	6	8	2		
Cholera	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	36	4	3	2	2	-	11	3	-	-	-	5	-	3	6	4	3	1		
Cancer	45	-	-	-	-	-	-	-	-	-	-	1	6	8	12	9	5	2		
Scrofula and Tuberc.	30	6	2	2	-	2	12	2	3	2	2	4	2	1	-	2	-	-		
Phtisis	207	1	1	1	-	2	5	3	13	32	33	56	42	15	7	1	-	-		
Hydrocephalus	12	5	4	1	1	1	12	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	207	46	4	6	3	2	61	6	2	2	5	6	10	15	31	45	19	5		
Dis. of Heart & Dropsy	166	2	1	-	-	-	3	3	2	2	8	12	12	17	29	50	22	6		
Dis. of Lungs	265	59	27	7	3	4	100	4	3	1	4	11	5	15	34	61	50	8		
Dis. of Stom. and Liver	92	7	2	1	-	2	12	-	4	-	3	7	9	10	18	22	7	-		
Dis. of Kidneys	50	-	1	-	-	-	1	-	-	-	-	3	2	4	5	4	1	-		
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-		
Dis. of Joints	8	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-		
Dis. of Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	22	-	-	-	-	-	-	-	-	3	2	10	6	1	-	-	-	-		
Suicide	5	6	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-		
Other Violent Deaths	22	6	-	1	-	-	8	3	-	-	-	1	2	1	2	3	2	1		
Other Causes	418	135	19	8	-	2	161	5	2	1	-	3	5	7	13	33	113	33		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	90- & upwards.
		122.—FARINGDON.																	
Mean Popul ⁿ , 1861-71	7719	207	200	217	209	201	1034	928	887	747	615	942	803	715	571	338	126	13	
TOTAL DEATHS -	1686	409	100	38	33	22	602	78	36	54	54	83	86	113	145	184	188	63	
Small-pox - - -	12	1	-	1	-	-	2	-	-	1	-	-	2	1	2	3	1	-	
Measles - - -	14	6	3	3	-	1	13	-	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	74	7	9	7	9	9	41	27	5	-	1	-	-	-	-	-	-	-	
Diphtheria - - -	6	-	-	1	-	1	2	3	1	-	-	-	-	-	-	-	-	-	
Whooping-cough -	14	10	3	1	-	-	14	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	63	1	1	1	1	3	7	14	6	7	4	4	2	3	4	10	2	-	
Diarrhoea & Dysentery -	23	11	-	-	-	1	12	-	1	-	2	-	-	1	1	5	3	-	
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	35	3	6	2	3	1	15	3	-	1	-	2	1	1	6	2	4	-	
Cancer - - -	16	-	-	-	-	-	-	-	-	-	-	-	-	5	5	5	5	-	
Scrofula and Tubes -	34	7	6	2	2	-	17	5	2	1	2	2	3	1	-	-	1	-	
Phthisis - - -	237	37	9	3	2	-	51	6	5	24	24	44	24	32	23	5	-	-	
Hydrocephalus - -	11	3	2	2	-	-	9	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	147	44	3	2	1	1	51	5	2	4	3	4	11	8	17	17	20	5	
Dis. of Heart & Dropsy -	159	2	-	-	-	-	2	1	6	5	6	5	13	10	36	29	29	3	
Dis. of Lungs - - -	269	90	33	9	8	2	142	6	1	2	3	4	7	17	19	34	24	6	
Dis. of Stom. and Liver -	65	10	2	-	-	1	13	1	1	3	-	2	7	8	19	16	3	1	
Dis. of Kidneys - -	37	-	-	-	-	-	-	-	1	-	-	1	4	5	7	14	3	1	
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Dis. of Joints - - -	5	-	1	-	-	-	1	-	-	-	1	-	1	-	-	2	-	-	
Dis. of Skin - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	13	-	-	-	-	-	-	-	-	1	-	-	-	4	2	3	1	-	
Other Violent Deaths -	63	1	6	2	3	2	13	5	3	5	7	8	6	5	8	3	3	-	
Other Causes - - -	386	176	16	2	3	-	197	1	1	-	-	4	6	5	8	24	24	63	

123.—ABINGDON.																			
Mean Popul ⁿ , 1861-71		10306	293	267	262	254	262	1338	1292	1233	1026	775	1219	1115	941	729	460	162	16
TOTAL DEATHS -		2372	504	140	61	33	44	782	73	50	51	75	139	167	175	251	269	261	79
Small-pox -		8	1	-	1	-	-	2	1	1	-	2	-	-	1	1	-	-	-
Measles -		12	2	6	1	1	-	10	2	-	1	-	-	-	-	-	-	-	-
Scarlatina -		63	5	15	6	7	9	42	14	5	1	-	-	-	-	-	-	1	-
Diphtheria -		10	1	2	1	-	3	7	1	-	1	-	1	-	-	-	-	-	-
Whooping-cough -		20	11	4	3	1	1	20	-	-	-	-	-	-	-	-	-	-	-
Typhus -		76	2	1	5	4	4	16	12	10	5	6	6	4	4	9	2	2	-
Diarrhoea & Dysentery -		87	50	12	3	1	1	67	-	-	-	1	1	-	1	3	8	4	2
Cholera -		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis. -		37	7	1	5	1	3	17	1	1	1	-	-	4	7	1	3	1	1
Cancer -		14	-	-	-	-	-	-	-	-	-	-	1	-	2	9	1	1	-
Scrofula and Tubes -		48	17	5	3	-	1	36	6	6	2	3	1	-	2	1	-	-	-
Phthisis -		233	2	3	2	-	1	8	3	5	10	39	61	39	31	20	8	-	-
Hydrocephalus -		39	14	7	5	2	2	30	8	-	-	1	-	-	-	-	-	-	-
Dis. of Brain -		427	67	17	6	4	2	96	6	9	7	8	58	65	41	55	48	46	7
Dis. of Heart & Dropsy -		183	4	-	1	1	-	6	2	1	4	-	6	15	23	35	22	33	4
Dis. of Lungs -		407	90	47	13	8	10	168	2	1	1	4	10	12	28	46	70	53	12
Dis. of Stom. and Liver -		94	10	-	-	-	-	11	3	3	2	1	5	12	9	22	16	8	2
Dis. of Kidneys -		53	1	-	-	-	-	1	1	1	-	1	2	2	12	12	16	9	1
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		9	1	-	-	1	-	2	-	1	-	-	1	2	-	2	-	-	-
Dis. of Skin -		6	3	1	-	-	-	4	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Suicide -		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		80	3	3	3	2	3	14	8	6	6	8	5	6	3	18	7	5	-
Other Causes -		453	213	16	3	-	3	235	3	-	-	1	1	6	10	19	50	14	40

124.—WANTAGE.																			
Mean Popul ⁿ , 1861-71		8803	259	245	245	242	236	1227	1106	1038	888	664	980	923	814	621	389	140	13
TOTAL DEATHS -		1723	393	119	53	38	22	625	58	39	40	60	84	86	108	141	245	196	41
Small-pox -		3	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
Measles -		16	6	4	3	1	-	14	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -		47	6	9	6	6	2	29	12	3	1	-	1	1	-	-	-	-	-
Diphtheria -		5	-	1	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough -		24	12	8	2	1	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus -		73	8	4	1	5	3	16	6	7	8	10	5	5	3	5	6	4	-
Diarrhoea & Dysentery -		62	33	9	1	-	-	43	-	-	1	-	-	-	2	2	6	10	-
Cholera -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		20	5	8	4	5	4	26	5	1	-	-	-	2	1	3	8	4	-
Cancer -		30	-	-	-	-	-	-	-	-	-	-	2	-	7	9	7	4	-
Scrofula and Tubes -		26	4	6	1	1	4	16	8	3	-	1	-	2	3	-	-	-	-
Phthisis -		219	11	7	4	2	2	20	8	5	13	81	49	26	28	21	11	1	-
Hydrocephalus -		39	10	7	6	1	1	25	2	1	-	1	-	-	-	-	-	-	-
Dis. of Brain -		210	57	3	7	3	1	71	4	2	6	5	3	9	13	15	43	34	5
Dis. of Heart & Dropsy -		114	1	-	-	-	-	1	1	3	1	3	3	6	14	21	41	20	-
Dis. of Lungs -		268	68	23	6	5	2	104	3	1	-	-	5	15	18	23	45	41	8
Dis. of Stom. and Liver -		77	13	1	1	-	1	16	2	1	1	-	7	6	11	11	18	4	-
Dis. of Kidneys -		45	1	-	-	-	-	1	1	1	-	2	2	2	4	9	13	9	1
Dis. of Gener. Organs -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		10	1	-	-	-	-	1	1	1	-	-	1	1	-	1	-	-	-
Dis. of Skin -		17	5	2	2	1	-	10	-	-	-	-	1	1	-	3	4	2	-
Childbirth and Metria -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Other Violent Deaths -		75	5	2	4	4	1	16	5	8	7	-	2	3	1	6	7	8	-
Other Causes -		311	151	23	5	2	1	134	1	1	-	4	1	4	1	11	20	52	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
122.—FARINGDON.																			
Mean Popul ⁿ , 1861-71	7670	209	205	212	183	207	1016	972	805	693	594	1019	848	726	523	317	141	16	
TOTAL DEATHS -	1600	352	94	53	23	28	550	60	42	59	43	102	103	83	128	182	182	66	
Small-pox	3	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	
Measles	13	5	5	2	-	-	12	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	61	5	13	12	7	6	43	12	4	-	1	-	1	-	-	-	-	-	
Diphtheria	10	2	1	-	1	-	4	5	1	-	-	-	-	-	-	-	-	-	
Whooping-cough	17	4	4	5	-	2	15	2	-	-	-	-	-	-	-	-	-	-	
Typhus	83	4	3	3	1	4	15	9	11	7	3	11	7	8	2	7	3	-	
Diarrhoea & Dysentery	21	10	3	1	-	1	15	-	-	1	1	-	-	-	1	3	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	26	3	4	4	2	4	17	4	-	-	1	-	-	-	4	-	-	-	
Cancer	34	-	-	-	-	-	-	-	-	1	-	1	4	6	10	10	2	-	
Scrophula and Tuberc.	18	2	1	-	-	-	3	2	2	4	3	3	1	-	-	2	1	-	
Phtisis	271	45	8	2	1	6	62	6	10	32	30	56	38	21	15	1	-	-	
Hydrocephalus	9	4	2	-	-	1	9	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	148	25	11	2	3	2	43	4	5	5	3	6	7	4	19	27	22	3	
Dis. of Heart & Dropsy	164	1	-	-	-	-	1	2	4	-	-	5	12	15	37	48	32	5	
Dis. of Lungs	226	74	23	14	4	1	116	7	-	-	-	1	5	18	11	25	29	6	
Dis. of Stom. and Liver	66	7	-	1	1	-	9	-	1	3	1	2	6	9	14	12	8	1	
Dis. of Kidneys	14	-	-	-	1	1	2	-	-	1	1	-	2	-	3	2	1	-	
Dis. of Genes. Organs	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
Dis. of Joints	7	1	-	-	-	-	1	-	-	1	-	1	-	2	-	-	2	-	
Dis. of Skin	6	1	-	-	-	-	1	-	-	1	-	-	1	-	-	5	-	-	
Childbirth and Metris	18	-	-	-	-	-	-	-	-	2	1	7	8	-	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Other Violent Deaths	110	-	1	1	1	-	3	4	2	1	-	2	1	1	-	1	1	-	
Other Causes	361	150	15	4	1	-	179	2	2	-	-	1	-	3	7	54	82	51	

123.—ABINGDON.

Mean Popul'n, 1861-71	10905	286	263	300	271	279	1399	1259	1203	1021	928	1454	1192	1062	755	433	172	27
TOTAL DEATHS	2361	394	124	49	38	26	631	78	43	71	91	179	179	181	240	280	270	91
Small-pox	6	1	-	-	1	-	2	1	-	1	2	-	-	-	-	-	-	-
Measles	27	3	8	5	1	1	18	5	3	-	-	-	-	-	1	-	-	-
Scarlatina	29	3	5	9	8	34	18	2	-	-	-	4	1	-	-	-	-	-
Diphtheria	10	1	1	-	2	2	6	2	1	-	-	-	-	-	-	-	1	-
Whooping-cough	20	7	8	5	-	-	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	98	-	4	4	2	2	12	17	10	11	10	9	13	8	5	1	2	-
Diarrhoea & Dysentery	66	20	12	-	1	1	44	1	-	-	-	1	1	3	3	3	6	2
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	44	6	5	2	3	1	17	8	-	-	2	1	3	8	5	2	-	-
Cancer	69	-	-	-	-	-	-	1	-	-	-	-	1	8	17	15	4	1
Scrophula and Tuberc.	31	8	3	3	1	1	16	1	3	-	3	2	2	1	1	2	-	-
Phtisis	295	3	1	1	1	-	6	2	12	26	48	94	49	83	29	4	1	-
Hydrocephalus	24	10	4	2	1	2	19	4	-	-	-	1	-	-	-	-	-	-
Dis. of Brain	362	53	8	-	4	1	65	4	5	11	14	24	38	39	58	32	45	8
Dis. of Heart & Dropsy	232	7	1	-	-	-	9	2	2	5	1	6	16	31	65	69	32	5
Dis. of Lungs	320	79	33	11	7	5	140	6	1	4	-	5	12	16	30	49	44	13
Dis. of Stom. and Liver	113	7	-	1	-	-	8	5	3	4	2	6	19	14	29	29	6	-
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	1	-
Dis. of Genes. Organs	13	-	-	-	-	-	-	-	-	-	-	1	3	5	1	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	1	1	-	-	2	1	-	2	2	-	-
Dis. of Skin	5	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metris	36	-	-	-	-	-	-	-	-	3	7	14	12	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Other Violent Deaths	39	2	5	3	1	2	13	3	1	-	-	2	1	3	2	2	3	-
Other Causes	487	174	20	3	3	-	200	2	1	-	-	3	4	5	15	64	126	62

124.—WANTAGE.

Mean Popul'n, 1861-71	8530	254	227	246	244	246	1217	1134	1000	730	612	1040	938	765	575	357	139	23
TOTAL DEATHS	1042	297	114	42	24	23	500	72	33	55	56	111	115	94	119	215	126	76
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	24	5	9	4	2	2	20	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	40	4	5	7	3	4	23	12	2	-	1	-	1	1	-	-	-	-
Diphtheria	8	-	-	1	1	1	3	2	-	-	-	-	-	-	-	1	-	-
Whooping-cough	23	13	9	5	5	2	32	1	-	12	5	6	7	5	5	4	4	1
Typhus	78	2	3	3	3	3	14	9	6	-	-	-	1	1	2	5	5	6
Diarrhoea & Dysentery	66	24	9	2	-	-	45	1	-	-	-	-	-	-	-	-	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	43	3	5	3	4	5	20	8	2	1	-	1	1	1	3	1	1	-
Cancer	49	-	-	-	-	-	-	1	-	-	-	-	-	5	13	14	12	3
Scrophula and Tuberc.	27	9	5	1	1	-	15	1	-	-	3	-	-	-	-	-	-	-
Phtisis	248	5	11	4	-	1	31	2	14	30	32	49	47	24	15	6	1	-
Hydrocephalus	20	15	3	2	-	-	22	7	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	109	29	15	2	2	2	51	3	4	2	3	13	10	8	14	20	23	5
Dis. of Heart & Dropsy	135	1	-	-	-	-	1	1	-	1	9	10	16	26	61	33	5	-
Dis. of Lungs	173	39	23	3	2	3	70	4	1	2	1	7	6	6	11	31	24	10
Dis. of Stom. and Liver	86	8	-	-	-	-	8	5	1	2	-	4	8	10	17	21	9	1
Dis. of Kidneys	17	1	-	1	-	-	2	-	-	-	1	3	1	2	3	3	2	-
Dis. of Genes. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metris	35	-	-	-	-	-	-	-	-	1	7	13	14	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	29	6	3	1	-	-	10	3	-	-	-	-	-	-	3	2	1	1
Other Causes	211	124	14	3	1	-	143	2	1	-	-	2	-	4	8	26	71	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		122.—FARINGDON.																
Mean Popul ⁿ , 1861-71 -	7719	207	200	217	209	201	1034	928	887	747	615	942	803	715	571	338	126	13
TOTAL DEATHS -	1686	409	100	38	33	22	602	78	36	54	54	83	86	113	145	184	188	63
Small-pox - - -	12	1	-	1	-	-	2	-	-	1	-	-	2	1	2	3	1	-
Measles - - - -	14	6	3	3	-	1	13	-	1	-	-	-	-	-	-	-	-	-
Scarlatina - - -	74	7	9	7	9	9	41	27	5	-	1	-	-	-	-	-	-	-
Diphtheria - - -	6	-	-	1	-	1	2	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	14	10	3	1	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	63	1	1	1	1	3	7	14	6	7	4	4	2	3	4	16	2	-
Diarrhoea & Dysentery	23	11	-	-	-	1	12	-	1	-	2	-	-	1	1	3	3	-
Cholera - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	35	3	6	2	3	1	15	3	-	1	-	2	1	1	0	2	4	-
Cancer - - - - -	16	-	-	-	-	-	-	-	-	-	-	-	-	5	5	3	3	-
Scrofula and Tuberc -	34	7	6	2	2	-	17	5	2	1	2	2	3	1	-	-	1	-
Phthisis - - - - -	237	37	9	3	2	-	51	5	3	24	24	44	24	32	23	5	-	-
Hydrocephalus - -	11	3	2	2	-	-	9	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	147	44	3	2	1	1	51	5	2	4	5	4	11	8	17	17	20	3
Dis. of Heart & Dropsy	139	2	-	-	-	-	2	1	6	5	6	5	13	16	36	39	23	1
Dis. of Lungs - - -	269	90	53	9	8	2	142	6	1	2	3	4	7	17	19	58	24	6
Dis. of Stom. and Liver	65	10	2	-	-	1	13	1	1	3	-	2	7	8	10	10	3	1
Dis. of Kidneys - -	37	-	-	-	-	-	-	-	1	-	1	4	1	5	7	14	3	1
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints - - -	5	-	1	-	-	-	1	-	-	-	1	-	1	-	-	2	-	-
Dis. of Skin - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	13	-	-	-	-	-	-	-	-	1	-	-	2	4	2	3	1	-
Other Violent Deaths -	63	1	6	2	2	2	13	5	3	5	7	8	6	5	8	5	3	-
Other Causes - - -	386	176	16	2	3	-	197	1	1	-	-	4	6	5	5	24	24	49

123.—ABINGDON.																		
Mean Popul ⁿ , 1861-71 -	10306	293	267	262	254	262	1338	1292	1233	1026	775	1219	1115	941	729	460	162	16
TOTAL DEATHS -	2372	504	140	61	33	44	782	73	50	51	75	139	167	175	251	269	261	79
Small-pox -	8	1	-	1	-	-	2	1	1	-	2	-	-	1	1	-	-	-
Measles -	13	2	6	1	1	-	10	2	-	1	-	-	-	-	-	-	-	-
Scarlatina -	63	5	15	5	7	9	42	14	5	1	-	-	-	-	-	-	1	-
Diphtheria -	10	1	2	1	-	3	7	-	-	1	-	1	-	-	-	-	-	-
Whooping-cough -	20	11	4	3	1	1	20	-	-	-	-	-	-	-	-	-	-	-
Typhus -	73	2	1	5	4	1	16	12	10	6	6	6	4	4	9	3	8	2
Diarrhoea & Dysentery -	87	50	12	3	1	1	67	-	-	1	1	1	-	1	-	3	3	2
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	37	7	1	5	1	3	17	1	1	1	-	-	4	7	1	3	1	1
Cancer -	14	-	-	-	-	-	-	-	-	-	-	1	-	2	0	1	1	-
Scrofula and Tuberc. -	48	17	5	3	-	1	26	6	6	2	3	1	-	2	1	-	-	-
Phthisis -	233	2	3	2	-	1	8	3	5	19	39	61	39	31	20	6	-	-
Hydrocephalus -	39	14	7	5	2	2	30	8	-	-	1	-	-	-	-	-	-	-
Dis. of Brain -	427	67	17	6	4	2	96	6	9	7	8	38	63	41	56	48	46	7
Dis. of Heart & Dropsy -	183	4	-	1	1	-	6	2	1	4	-	6	18	23	35	32	33	4
Dis. of Lungs -	407	90	47	13	8	10	168	2	1	1	4	10	12	28	46	70	33	13
Dis. of Stom. and Liver -	94	10	-	-	-	1	11	3	3	2	1	5	12	9	22	16	8	3
Dis. of Kidneys -	58	1	-	-	-	-	1	1	1	-	1	2	2	12	12	16	9	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	9	1	-	-	1	-	2	-	-	1	-	-	2	-	-	2	-	-
Dis. of Skin -	6	3	1	-	-	-	4	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Other Violent Deaths -	85	3	3	3	2	3	14	8	6	6	8	5	6	3	14	7	8	-
Other Causes -	453	213	16	3	-	3	235	3	-	1	-	1	6	10	19	33	24	49

124.—WANTAGE.																		
Mean Popul ⁿ , 1861-71 -	8803	259	245	245	242	236	1227	1106	1038	888	664	980	923	814	621	389	140	13
TOTAL DEATHS -	1723	393	119	53	38	22	625	58	39	40	60	84	86	108	141	245	196	41
Small-pox -	5	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
Measles -	16	6	4	3	1	-	14	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	47	6	9	6	6	2	29	12	3	1	-	-	1	-	-	-	-	-
Diphtheria -	5	-	1	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough -	24	12	8	2	1	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus -	73	6	4	1	5	3	16	6	7	8	10	5	5	3	8	6	4	-
Diarrhoea & Dysentery -	62	33	9	1	-	-	43	-	-	1	-	-	-	-	2	6	10	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	50	5	8	4	5	4	26	5	1	-	-	-	2	1	3	8	4	-
Cancer -	30	-	-	-	-	-	-	-	-	-	1	2	-	7	9	7	4	-
Scrofula and Tuberc. -	20	4	6	1	1	4	16	-	5	-	2	-	2	3	-	-	-	-
Phthisis -	219	11	7	4	2	2	26	8	5	13	31	49	20	28	21	11	1	-
Hydrocephalus -	30	10	7	6	1	1	25	2	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -	210	57	3	7	3	1	71	4	2	6	5	3	9	13	15	43	34	5
Dis. of Heart & Dropsy -	114	1	-	-	-	-	1	1	3	1	3	3	3	14	21	41	20	-
Dis. of Lungs -	268	68	23	6	5	2	104	3	1	-	-	5	15	18	23	48	41	8
Dis. of Stom. and Liver -	77	13	1	1	-	1	16	2	1	1	-	7	6	11	11	15	4	-
Dis. of Kidneys -	45	1	-	-	-	-	1	1	1	-	2	2	2	4	9	13	9	1
Dis. of Gener. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints -	10	1	-	-	-	-	1	1	1	-	-	1	1	-	1	3	1	-
Dis. of Skin -	17	5	2	2	1	-	10	-	-	-	-	1	-	-	4	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	8	-	-	-	-	-	-	-	-	-	-	-	4	1	1	2	-	-
Other Violent Deaths -	75	5	2	4	4	1	16	6	8	7	4	2	3	4	4	3	3	-
Other Causes -	311	151	25	5	2	1	134	1	1	-	-	1	4	1	11	26	37	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.
		122.—FARINGDON.																
Mean Popul ⁿ , 1861-71	7670	209	205	212	183	207	1016	972	805	693	594	1019	848	726	523	317	141	16
TOTAL DEATHS	1600	352	94	53	23	28	550	60	42	59	43	102	103	83	128	182	182	66
Small-pox	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-
Measles	13	5	5	2	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	5	13	12	7	6	43	12	4	-	1	-	1	-	-	-	-	-
Diphtheria	10	2	1	-	1	-	4	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	17	4	4	5	-	2	15	2	-	-	-	-	-	-	-	-	-	-
Typhus	83	4	3	3	1	4	15	9	11	7	3	11	7	8	2	7	3	-
Diarrhoea & Dysentery	21	10	3	1	-	1	15	-	-	1	1	-	-	-	1	3	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	3	4	4	2	4	17	4	-	-	1	-	-	-	4	-	-	-
Cancer	34	-	-	-	-	-	-	-	-	1	-	1	4	6	10	10	2	-
Scrophula and Tuberc.	18	2	1	-	-	-	3	2	2	4	-	3	1	-	-	2	1	-
Phthisis	271	45	8	2	1	6	62	6	10	32	30	36	38	21	13	1	-	-
Hydrocephalus	9	4	2	2	-	1	9	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	148	25	11	2	3	2	43	4	5	5	3	6	7	4	19	27	22	3
Dis. of Heart & Dropsy	164	1	-	-	-	-	1	2	4	-	-	5	12	18	37	48	52	5
Dis. of Lungs	226	74	23	14	4	1	116	7	-	-	1	5	13	11	15	26	25	5
Dis. of Stom. and Liver	66	7	-	1	1	-	9	-	1	3	1	2	6	9	14	12	8	1
Dis. of Kidneys	14	-	-	-	1	1	2	-	-	1	1	-	2	-	3	2	1	-
Dis. of Genur. Organs	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Dis. of Joints	7	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	-
Dis. of Skin	6	1	-	-	-	-	1	-	-	1	-	-	1	-	-	5	-	-
Childbirth and Metris	13	-	-	-	-	-	-	-	-	2	1	7	8	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Other Violent Deaths	16	-	1	1	1	-	3	4	2	1	-	2	1	1	-	1	1	-
Other Causes	361	159	15	4	1	-	179	2	2	-	-	1	-	3	7	54	82	51

123.—ABINGDON.

Mean Popul ⁿ , 1861-71	10905	286	263	300	271	279	1399	1259	1203	1021	928	1454	1192	1062	755	433	172	27
TOTAL DEATHS	2361	394	124	49	38	26	631	78	43	71	91	179	179	181	240	289	279	91
Small-pox	6	1	-	-	1	-	2	1	-	1	2	-	-	-	-	-	-	-
Measles	27	3	8	5	1	1	18	5	3	-	-	-	-	-	1	-	-	-
Scarlatina	59	3	5	9	9	8	34	18	2	-	-	4	1	-	-	-	-	-
Diphtheria	10	1	1	-	2	2	6	2	1	-	-	-	-	-	-	-	1	-
Whooping-cough	29	7	8	5	-	-	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	98	-	4	4	2	2	12	17	10	11	10	9	13	8	5	1	2	-
Diarrhoea & Dysentery	66	30	12	-	1	1	44	1	-	-	-	1	1	3	3	3	8	2
Cholera	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-
Other Zymotic Dis.	44	6	5	2	3	1	17	8	-	-	2	1	3	3	8	5	2	-
Cancer	69	-	-	-	-	-	-	1	-	-	-	-	1	6	17	13	15	4
Scrophula and Tuberc.	31	8	3	3	1	1	16	1	5	3	2	2	1	1	2	-	-	-
Phthisis	225	10	1	1	1	-	6	2	12	20	48	94	49	53	20	4	1	-
Hydrocephalus	24	10	4	2	1	2	19	4	-	-	-	1	-	-	-	-	-	-
Dis. of Brain	362	53	8	-	4	1	65	4	3	11	14	24	38	39	58	52	45	8
Dis. of Heart & Dropsy	332	7	1	-	1	-	9	2	2	5	1	6	16	31	63	69	32	5
Dis. of Lungs	329	79	38	11	7	3	140	6	1	4	-	5	12	16	30	49	44	13
Dis. of Stom. and Liver	115	7	-	1	-	-	8	5	3	4	2	6	12	14	22	29	8	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	2	-	1	1	2	2	-	1	-
Dis. of Genur. Organs	13	-	-	-	-	-	-	-	-	-	-	1	3	5	1	2	-	-
Dis. of Joints	9	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-
Dis. of Skin	5	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metris	36	-	-	-	-	-	-	-	-	3	7	14	12	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	30	2	5	3	1	2	13	3	1	-	-	2	1	3	2	2	3	-
Other Causes	487	174	20	3	3	-	200	2	1	-	3	4	5	3	15	64	126	62

124.—WANTAGE.

Mean Popul ⁿ , 1861-71	8530	254	227	246	244	246	1217	1134	1000	730	612	1040	938	765	575	357	139	23
TOTAL DEATHS	1642	297	114	42	24	23	500	72	33	55	56	111	115	94	119	215	196	76
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	24	3	9	4	2	2	20	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	40	4	5	7	3	4	23	12	2	-	-	1	1	1	-	-	-	-
Diphtheria	8	-	-	1	1	1	3	2	-	-	-	-	-	-	-	1	-	-
Whooping-cough	33	15	9	5	3	3	32	1	-	-	-	-	-	-	-	-	-	-
Typhus	76	2	3	3	3	3	14	9	6	12	5	6	7	5	3	4	4	1
Diarrhoea & Dysentery	66	34	9	2	-	-	45	1	-	-	-	-	1	1	2	5	5	6
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	43	3	5	2	4	5	30	8	2	1	-	1	1	1	3	1	4	1
Cancer	49	-	-	-	-	-	-	1	-	-	-	-	-	5	13	14	12	3
Scrophula and Tuberc.	37	8	5	1	1	-	11	2	1	3	3	-	-	2	1	-	-	-
Phthisis	245	5	11	4	-	1	31	3	11	30	32	49	47	21	15	6	1	-
Hydrocephalus	39	15	5	2	-	-	22	7	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	169	39	15	2	2	2	51	3	4	2	3	13	10	8	14	20	26	3
Dis. of Heart & Dropsy	165	1	-	-	-	-	1	1	-	1	-	9	10	16	26	61	33	5
Dis. of Lungs	172	59	23	3	2	3	70	4	1	2	1	7	6	6	11	21	24	10
Dis. of Stom. and Liver	86	8	-	-	-	-	8	5	1	2	-	4	6	10	17	21	9	1
Dis. of Kidneys	17	1	-	1	-	-	2	-	-	-	1	6	1	9	5	3	2	-
Dis. of Genur. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	9
Childbirth and Metris	35	-	-	-	-	-	-	-	-	1	7	13	14	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths	23	6	3	1	-	-	10	3	-	-	-	2	-	-	-	3	7	1
Other Causes	311	134	14	3	1	-	122	3	1	-	-	2	-	4	8	36	71	43

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 & upward.
125.—WALLINGFORD.																		
Mean Popul ⁿ , 1861-71	7097	197	179	189	190	193	948	907	856	654	523	854	733	629	532	328	121	12
TOTAL DEATHS	1350	282	83	41	23	15	444	40	35	30	40	61	104	85	124	175	176	42
Small-pox	21	4	0	7	2	-	19	4	-	-	-	-	-	-	-	-	-	-
Measles	29	1	1	7	3	8	15	8	8	1	-	2	-	-	-	-	-	-
Scarlatina	12	1	2	1	2	-	6	3	2	-	-	-	-	-	1	-	-	-
Diphtheria	22	18	6	2	-	-	21	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	36	1	1	3	1	-	60	-	2	3	2	5	6	2	4	5	2	1
Typhus	42	18	8	2	1	1	90	-	-	-	-	1	-	-	-	7	4	1
Diarrhea & Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	44	7	2	5	2	1	17	3	-	-	2	-	7	1	2	5	7	2
Other Zymotic Dis.	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	33	8	3	1	1	-	13	1	3	1	1	2	2	4	5	9	1	1
Serofula and Tabes	147	5	6	1	1	1	14	-	6	11	17	32	36	21	6	4	-	-
Phthisis	24	9	5	3	2	1	20	4	-	-	-	-	-	-	-	-	-	-
Hydrocephalus	132	25	7	-	5	-	37	5	4	1	3	1	4	9	17	28	19	4
Dis. of Brain	132	6	2	-	-	-	8	1	1	5	3	3	9	13	25	54	25	5
Dis. of Heart & Dropsy	191	40	19	9	1	5	74	1	2	6	4	8	8	8	20	28	28	2
Dis. of Lungs	60	8	-	1	-	-	9	5	2	-	1	3	10	7	9	9	5	-
Dis. of Stom. and Liver	42	1	-	-	-	-	1	-	1	1	-	4	6	5	3	11	16	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	3	1	-	-	-	4	1	-	-	-	-	2	1	1	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	59	4	3	1	-	1	9	2	9	6	4	3	2	6	6	4	4	-
Other Violent Deaths	299	129	11	-	-	1	141	1	-	1	1	1	5	8	13	31	70	27
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126.—BRADFIELD.																		
Mean Popul ⁿ , 1861-71	7990	197	211	227	213	189	1037	986	910	726	581	950	885	753	594	396	154	18
TOTAL DEATHS	1416	293	65	44	21	25	448	48	29	24	47	82	82	100	117	135	180	54
Small-pox	5	1	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-
Measles	5	2	1	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	39	4	3	7	4	8	26	10	1	-	1	1	-	-	-	-	-	-
Diphtheria	21	1	-	4	2	2	9	4	5	1	1	-	-	-	1	-	-	-
Whooping-cough	17	11	4	2	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	34	-	1	1	1	1	4	4	6	-	3	5	4	2	2	4	2	-
Diarrhea & Dysentery	40	16	7	4	1	-	28	-	-	-	-	-	1	3	3	3	3	-
Cholera	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-
Other Zymotic Dis.	52	3	3	3	1	-	10	2	1	2	-	1	1	6	2	3	3	1
Cancer	20	-	-	-	-	-	-	-	-	-	-	1	2	3	3	8	3	1
Serofula and Tabes	34	10	5	3	1	2	21	-	2	2	5	1	1	-	1	1	-	-
Phthisis	137	4	1	3	-	-	8	2	2	5	19	43	26	13	13	6	-	-
Hydrocephalus	9	3	1	1	-	1	6	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	165	38	6	7	2	1	54	4	4	2	1	3	9	17	14	29	25	3
Dis. of Heart & Dropsy	117	1	-	-	1	-	2	1	-	3	4	4	8	14	24	53	29	2
Dis. of Lungs	222	50	22	5	5	5	85	5	1	4	5	11	9	16	21	29	29	7
Dis. of Stom. and Liver	61	14	-	1	1	-	16	7	3	1	4	2	7	8	11	16	5	1
Dis. of Kidneys	34	-	-	-	-	-	-	-	1	-	1	2	3	4	11	8	3	1
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	10	1	-	-	-	-	1	-	-	1	-	1	-	-	1	7	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-
Other Violent Deaths	47	2	-	3	2	4	11	2	5	2	2	7	4	4	6	4	4	-
Other Causes	334	132	11	-	2	1	146	3	-	2	1	1	2	6	4	34	97	28
127.—READING.																		
Mean Popul ⁿ , 1861-71	13919	445	384	389	374	381	1973	1649	1500	1361	1310	2099	1591	1148	729	409	135	15
TOTAL DEATHS	3343	820	288	142	84	58	1392	148	63	85	116	225	220	242	253	309	221	60
Small-pox	21	4	1	-	1	-	6	1	1	1	2	5	2	5	-	-	-	-
Measles	80	29	24	14	7	4	69	10	1	-	-	-	-	-	-	-	-	-
Scarlatina	298	12	36	20	30	18	122	64	6	8	3	4	-	1	-	-	-	-
Diphtheria	13	4	-	-	2	4	10	1	1	-	1	-	-	-	-	-	-	-
Whooping-cough	71	26	24	15	6	-	71	-	-	-	-	-	-	-	-	-	-	-
Typhus	90	3	9	1	5	4	22	13	6	7	8	10	7	6	7	2	2	-
Diarrhea & Dysentery	182	119	26	7	2	2	156	3	-	-	-	2	-	3	4	3	9	2
Cholera	15	7	1	1	-	-	9	-	-	-	1	-	1	1	1	1	1	-
Other Zymotic Dis.	83	13	14	12	5	5	49	4	5	2	2	6	5	3	4	2	1	-
Cancer	59	-	-	-	-	-	-	-	-	1	-	3	4	12	11	16	2	-
Serofula and Tabes	57	19	8	8	2	2	39	6	2	2	1	4	1	1	1	-	-	-
Phthisis	383	10	6	6	1	3	26	5	5	19	52	86	83	58	50	16	3	-
Hydrocephalus	77	31	26	4	8	4	68	4	3	1	-	-	1	-	-	-	-	-
Dis. of Brain	520	91	25	8	2	6	182	12	6	5	4	11	10	19	34	75	56	6
Dis. of Heart & Dropsy	254	3	3	1	-	-	7	1	4	3	6	21	33	40	46	57	23	3
Dis. of Lungs	482	145	64	22	8	2	241	3	1	8	6	15	21	22	43	62	44	15
Dis. of Stom. and Liver	147	29	2	2	2	2	37	4	5	4	2	5	18	19	19	23	11	1
Dis. of Kidneys	139	-	1	2	1	-	4	4	2	4	7	13	12	20	19	21	16	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	21	-	1	-	-	-	1	1	2	2	1	4	-	3	2	4	-	-
Dis. of Skin	23	6	2	-	-	-	8	-	2	-	1	-	2	3	2	3	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	2	5	3	1	-	2	-
Other Violent Deaths	176	15	4	10	7	2	38	11	10	18	14	26	19	14	17	3	4	2
Other Causes	425	263	11	3	-	-	277	1	1	-	5	8	4	8	12	22	61	24

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 upwards.	

125.—WALLINGFORD.																			
Mean Popul ⁿ , 1861-71	7235	217	188	210	185	182	982	890	808	591	570	945	793	651	517	342	130	16	
TOTAL DEATHS	1273	198	67	32	22	18	337	35	37	32	55	86	79	74	121	174	188	55	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	18	1	6	4	3	-	14	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	32	3	2	4	3	3	15	9	3	2	2	-	-	-	1	-	-	-	-
Diphtheria	11	-	2	-	3	2	7	1	1	-	-	1	1	-	-	-	-	-	-
Whooping-cough	16	4	4	3	-	1	12	3	1	-	-	-	-	-	-	-	-	-	-
Typhus	31	2	-	-	1	-	3	3	4	5	5	3	3	1	2	2	-	-	-
Diarrhoea & Dysentery	29	11	0	-	-	-	17	-	-	-	1	2	1	1	1	1	3	3	-
Cholera	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	37	5	2	-	3	2	12	1	4	1	3	-	3	-	7	3	3	-	-
Cancer	41	1	-	-	-	-	1	-	-	-	1	1	6	7	12	11	2	-	-
Scrophula and Tuberc.	80	4	6	1	1	1	13	4	2	2	1	4	1	1	1	1	-	-	-
Epilepsy	185	2	9	3	-	2	16	2	7	13	31	47	39	20	6	4	-	-	-
Hydrocephalus	14	1	4	1	2	2	10	2	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	170	26	3	7	-	2	38	2	6	2	2	4	7	13	20	26	42	8	-
Dis. of Heart & Dropsy	138	5	1	1	2	-	9	-	1	1	2	1	4	9	30	45	84	2	-
Dis. of Lungs	128	34	11	7	2	2	56	2	1	1	1	4	3	11	16	31	26	6	-
Dis. of Stom. and Liver	61	4	1	-	-	1	6	-	2	1	1	4	2	7	11	13	12	2	-
Dis. of Kidneys	13	-	-	-	1	-	1	-	-	-	1	3	-	-	4	4	-	-	-
Dis. of Genes. Organs	6	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metris	16	-	-	-	-	-	-	-	-	-	2	9	5	-	-	-	-	-	-
Selficide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	27	5	3	1	-	-	9	1	2	-	-	2	-	2	5	1	5	-	-
Other Causes	232	90	5	-	1	-	96	1	1	2	2	1	3	3	3	27	59	34	-

126.—BRADFELD.																			
Mean Popul ⁿ , 1861-71		7822	227	212	232	199	218	1088	995	867	599	596	1015	886	735	529	357	133	22
TOTAL DEATHS		1370	232	78	37	13	15	375	48	30	42	54	98	110	87	103	173	178	72
Small-pox		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Measles		17	2	5	1	1	2	11	4	1	-	-	1	-	-	-	-	-	-
Scarlatina		59	3	13	5	3	3	27	13	5	2	1	2	-	-	-	-	-	-
Diphtheria		15	-	-	2	2	3	7	5	3	1	-	-	-	-	-	-	-	-
Whooping-cough		17	10	6	1	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus		48	-	1	-	3	-	4	11	4	5	5	4	3	5	5	2	-	-
Diarrhoea & Dysentery		43	23	2	1	1	-	29	-	-	-	-	1	-	1	1	6	3	2
Cholera		24	1	3	5	-	2	11	2	-	2	-	-	2	1	1	4	-	-
Other Zymotic Dis.		24	1	3	5	-	2	11	2	-	2	-	-	1	2	1	1	-	-
Cancer		40	-	-	-	-	-	-	-	-	-	-	-	2	14	11	11	2	-
Scrophula and Tuberc.		17	7	3	3	-	-	13	1	-	1	-	-	1	-	-	-	-	-
Epilepsy		158	3	4	1	1	-	9	9	-	13	29	46	37	10	4	3	-	-
Hydrocephalus		12	5	3	1	-	1	10	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		132	18	9	1	-	-	28	3	1	1	3	5	7	9	25	20	27	3
Dis. of Heart & Dropsy		123	1	-	1	-	1	3	-	1	-	2	4	12	5	24	40	31	1
Dis. of Lungs		197	34	16	10	1	2	63	3	11	6	11	10	15	14	13	53	23	4
Dis. of Stom. and Liver		63	5	-	3	1	-	9	1	2	2	3	4	9	8	9	16	5	-
Dis. of Kidneys		16	-	-	-	-	-	-	-	1	-	-	1	2	3	3	4	-	-
Dis. of Genes. Organs		10	-	-	-	-	-	-	-	-	-	-	1	1	5	2	1	-	-
Dis. of Joints		4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin		8	2	-	-	-	-	2	-	-	1	-	1	1	2	-	-	1	1
Childbirth and Metris		31	-	-	-	-	-	-	-	-	3	5	9	15	1	-	-	-	-
Selficide		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		14	2	1	2	-	-	5	1	1	-	-	1	1	1	1	2	1	-
Other Causes		320	114	12	-	-	1	127	1	3	-	-	3	1	5	4	33	63	69

127.—READING.																			
Mean Popul ⁿ , 1861-71		15690	452	393	386	364	372	1972	1680	1549	1536	1506	2452	1863	1381	949	560	214	28
TOTAL DEATHS		3296	634	271	132	87	59	1183	131	69	78	119	207	208	218	257	343	298	95
Small-pox		21	4	3	1	-	1	9	2	2	2	3	2	-	-	1	-	-	-
Measles		79	11	35	20	8	4	78	-	1	-	-	-	-	-	-	-	-	-
Scarlatina		195	12	27	34	27	23	123	48	15	2	5	2	-	-	-	-	-	-
Diphtheria		26	2	5	2	1	4	14	9	-	1	1	-	-	-	-	1	-	-
Whooping-cough		31	39	27	17	4	1	88	3	-	-	-	-	-	-	-	-	-	-
Typhus		84	2	3	2	6	3	16	13	4	8	9	6	4	10	5	7	1	1
Diarrhoea & Dysentery		153	80	21	1	-	-	102	-	-	-	1	2	2	2	4	11	6	3
Cholera		11	6	-	1	-	-	6	-	-	-	-	-	-	-	2	2	-	-
Other Zymotic Dis.		178	14	8	4	7	4	37	6	3	1	2	6	4	3	2	3	9	2
Cancer		157	-	-	-	-	-	-	1	-	1	1	3	28	34	54	23	10	-
Scrophula and Tuberc.		53	19	8	5	-	4	35	7	1	11	2	3	2	1	-	-	-	-
Epilepsy		359	7	7	5	3	-	22	7	21	34	51	93	77	32	12	7	-	-
Hydrocephalus		66	22	16	8	7	9	55	9	1	-	-	-	-	1	-	-	-	-
Dis. of Brain		391	64	16	11	4	5	109	7	4	3	5	9	10	21	41	62	35	7
Dis. of Heart & Dropsy		244	-	-	-	-	-	-	2	5	4	7	13	18	30	56	64	28	7
Dis. of Lungs		459	101	61	13	19	4	192	3	1	5	2	8	10	29	49	80	39	21
Dis. of Stom. and Liver		178	29	6	2	3	2	33	7	2	-	3	12	15	25	24	24	21	2
Dis. of Kidneys		63	-	4	-	2	1	7	-	3	3	4	8	11	8	8	7	3	-
Dis. of Genes. Organs		20	-	-	-	-	-	-	-	-	-	-	1	2	1	9	2	3	3
Dis. of Joints		17	1	-	1	1	-	5	-	3	2	1	2	-	2	2	2	-	-
Dis. of Skin		16	5	-	-	-	-	-	-	-	1	1	-	1	1	4	1	2	-
Childbirth and Metris		61	-	-	-	-	-	-	-	-	2	12	29	17	1	-	-	-	-
Selficide		2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4	7	7
Other Violent Deaths		60	11	6	2	1	1	21	6	3	4	2	4	2	1	5	7	21	42
Other Causes		428	213	13	3	3	-	236	1	1	1	3	3	6	6	7	31	63	62

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 5 Years.	80 & upwards.
		Total under 1 Year.	1	2	3	4	5	10	15	20	25	35	45	55	65	75	85				
		128.—WOKINGHAM.																			
Mean Popul ⁿ , 1861-71	7694	215	215	202	212	202	1046	951	860	714	587	991	837	703	511	328	151	15			
TOTAL DEATHS	1441	274	79	40	31	27	451	63	28	37	45	80	83	112	129	185	179	40			
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-			
Measles	14	2	4	4	3	-	13	1	-	-	-	-	-	-	-	-	-	-			
Scarlatina	61	5	6	2	13	8	84	17	5	3	2	-	-	-	-	-	-	-			
Diphtheria	21	-	1	3	2	6	12	7	2	-	-	-	-	-	-	-	-	-			
Whooping-cough	22	11	4	2	3	-	20	2	-	-	-	-	-	-	-	-	-	-			
Typhus	44	1	1	2	1	-	5	7	6	1	6	9	5	4	1	-	-	-			
Diarrhoea & Dysentery	63	29	10	1	2	1	43	-	1	1	1	2	2	1	4	4	3	2			
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Zymotic Dis.	22	1	2	2	-	3	8	2	1	1	-	3	1	1	2	1	2	-			
Cancer	23	-	-	-	-	-	-	-	-	-	1	-	6	5	3	6	2	-			
Scrophula and Tuberc.	26	6	7	1	-	-	14	7	-	3	-	-	-	2	-	-	-	-			
Phthisis	129	3	2	-	2	-	7	1	5	7	19	33	26	12	11	8	-	-			
Hydrocephalus	16	5	2	1	2	1	11	1	1	1	1	1	-	-	-	-	-	-			
Dis. of Brain	158	51	5	2	1	-	89	5	2	4	3	7	8	15	15	31	28	1			
Dis. of Heart & Dropsy	95	2	-	-	-	1	3	1	2	2	1	5	10	12	24	29	9	-			
Dis. of Lungs	266	82	26	14	-	2	144	5	2	2	6	10	10	25	27	47	32	6			
Dis. of Stom. and Liver	82	15	-	-	-	1	16	2	1	2	1	2	3	12	11	19	13	-			
Dis. of Kidneys	35	1	-	1	-	-	2	1	-	1	1	-	2	7	7	10	4	-			
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints	10	-	-	-	-	-	-	-	-	-	2	-	3	1	2	1	1	-			
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-			
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Suicide	13	-	-	-	-	-	-	-	-	-	-	-	-	4	8	1	2	-			
Other Violent Deaths	55	4	3	5	2	3	17	4	-	6	1	3	5	7	4	5	2	1			
Other Causes	278	105	6	-	-	1	112	-	-	1	-	2	3	2	9	27	83	39			

129.—COOKHAM.

Mean Popul ⁿ , 1861-71	6889	192	192	191	180	189	944	854	885	631	501	889	760	629	424	273	88	11	
TOTAL DEATHS	1271	286	72	45	33	23	459	54	27	28	37	64	90	105	109	142	125	51	
Small-pox	5	1	-	-	-	1	2	-	-	-	2	1	-	-	-	-	-	-	
Measles	18	2	2	4	1	1	10	6	-	1	-	1	-	-	-	-	-	-	
Scarlatina	37	1	5	4	5	5	29	8	6	1	-	1	-	-	-	1	-	-	
Diphtheria	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	31	14	18	2	2	-	31	-	-	-	-	-	-	-	-	-	-	-	
Typhus	30	2	1	3	3	2	11	4	2	3	1	3	4	-	2	-	-	-	
Diarrhoea & Dysentery	52	35	9	2	-	-	46	-	-	-	-	-	-	-	1	4	1	-	
Cholera	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	42	4	1	4	7	1	17	2	3	2	2	2	-	1	5	2	5	1	
Cancer	12	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	1	-	
Scrophula and Tuberc.	19	4	2	-	2	-	8	3	-	1	1	3	2	2	3	3	1	-	
Phthisis	149	3	4	1	-	-	6	4	2	11	14	29	30	20	14	5	2	-	
Hydrocephalus	16	6	2	2	1	2	15	3	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	174	40	8	3	2	2	64	6	2	2	3	2	10	12	21	31	19	2	
Dis. of Heart & Dropsy	77	-	-	1	-	-	1	-	-	1	1	6	8	12	17	21	9	1	
Dis. of Lungs	186	29	12	7	4	4	65	4	1	2	4	5	13	21	18	28	25	1	
Dis. of Stom. and Liver	65	10	-	3	1	2	16	1	1	-	1	2	8	10	9	11	6	-	
Dis. of Kidneys	29	-	-	-	-	1	1	-	-	1	1	1	4	7	7	2	5	-	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	7	-	-	-	-	-	-	1	1	-	-	1	-	-	-	3	-	-	
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	6	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	-	-	
Other Violent Deaths	52	10	2	2	2	1	17	8	7	2	3	4	4	2	3	2	1	-	
Other Causes	258	105	11	6	3	1	120	4	1	-	2	3	5	6	7	25	53	26	

130.—EASTHAMPTSTEAD.

Mean Popul ⁿ , 1861-71	4765	126	130	129	121	129	635	507	558	544	361	671	577	413	271	166	53	9	
TOTAL DEATHS	815	146	40	26	15	12	239	42	17	24	25	55	75	61	70	102	81	24	
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	3	-	-	1	-	-	4	2	1	-	1	-	-	1	-	-	-	-	
Scarlatina	36	11	6	1	4	4	17	15	5	1	-	-	-	-	-	-	-	-	
Diphtheria	22	3	-	4	2	-	9	10	2	1	-	-	-	-	-	-	-	-	
Whooping-cough	17	9	5	1	-	1	16	1	-	-	-	-	-	-	-	-	-	-	
Typhus	21	-	-	2	-	-	4	2	-	2	2	2	5	1	2	-	1	4	
Diarrhoea & Dysentery	23	12	3	1	1	1	15	-	1	1	1	-	-	-	-	-	-	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	36	6	3	4	1	1	15	5	1	3	-	1	3	2	2	5	1	-	
Cancer	12	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	1	-	
Scrophula and Tuberc.	10	4	2	1	-	-	7	-	1	-	1	-	2	2	4	2	1	-	
Phthisis	111	-	1	2	-	-	3	-	3	7	9	24	25	17	13	10	-	-	
Hydrocephalus	6	3	3	-	1	-	7	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	95	12	3	2	-	-	29	-	1	4	4	5	12	4	5	13	20	11	
Dis. of Heart & Dropsy	67	-	-	1	-	-	1	-	1	1	1	5	8	8	12	19	10	1	
Dis. of Lungs	107	29	9	2	3	3	46	2	-	1	2	5	2	11	11	15	9	2	
Dis. of Stom. and Liver	43	2	1	-	-	-	3	-	-	-	-	4	6	5	11	12	7	-	
Dis. of Kidneys	25	-	1	-	-	-	1	-	-	-	-	2	3	2	3	10	4	-	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	1	-	-	1	-	-	-	-	2	1	-	-	-	-	-	
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	12	-	-	-	-	-	-	-	-	1	2	1	3	1	3	1	1	-	
Other Violent Deaths	30	3	-	1	1	-	5	6	1	2	2	3	2	1	2	3	1	1	
Other Causes	127	39	3	1	-	2	63	-	-	-	-	3	2	4	2	29	11	1	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 & over.	
128.—WOKINGHAM.																			
Mean Popul ⁿ , 1861-71	7635	202	179	204	183	186	954	962	817	603	610	1086	893	695	527	347	127	14	
TOTAL DEATHS	1296	228	64	47	25	22	386	71	35	37	39	75	77	79	98	170	163	64	
Small-pox	9	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Measles	19	1	2	1	1	1	6	4	-	-	-	-	-	-	-	-	-	-	
Scarlatina	61	2	7	9	5	7	30	25	9	-	2	-	-	-	-	-	-	-	
Diphtheria	23	-	1	3	5	3	12	5	3	2	-	-	-	-	1	-	-	-	
Whooping-cough	21	9	7	4	1	-	21	-	-	-	-	-	-	-	-	-	-	-	
Typhus	42	1	1	4	2	3	11	6	6	4	1	3	3	2	2	3	1	-	
Diarrhoea & Dysentery	39	11	5	1	1	1	19	-	-	-	2	1	1	1	-	2	3	1	
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	
Other Zymotic Dis.	20	2	3	1	-	1	7	1	1	1	1	4	1	1	-	3	-	-	
Cancer	51	-	-	-	-	-	-	1	-	-	-	1	4	13	15	10	7	-	
Scrophula and Tuberc.	27	8	1	-	1	-	10	7	1	1	-	-	2	4	1	1	-	-	
Phthisis	111	4	-	-	-	-	4	3	3	14	17	36	17	10	5	4	-	-	
Hydrocephalus	6	1	1	1	1	-	4	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	143	23	8	12	1	2	46	8	4	1	2	3	8	11	21	24	23	2	
Dis. of Heart & Dropsy	79	1	-	1	-	-	2	2	1	5	1	2	6	5	16	25	14	-	
Dis. of Lungs	189	32	29	8	3	1	61	7	2	2	5	12	7	12	11	46	17	6	
Dis. of Stom. and Liver	69	6	3	1	2	1	13	1	2	2	-	3	11	6	15	7	11	-	
Dis. of Kidneys	15	1	1	-	-	-	2	-	-	-	1	2	3	2	2	1	1	-	
Dis. of Genes. Organs	8	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	1	-	
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	
Dis. of Skin	6	3	-	-	-	-	3	-	1	-	-	-	-	-	-	1	1	-	
Childbirth and Metris suicide	26 6	- -	- -	- -	- -	- -	- -	- -	- -	5 -	7 -	5 1	8 1	1 2	2 -	- -	- -	- -	
Other Violent Deaths	20	2	1	1	1	2	7	3	1	-	-	-	1	-	1	3	4	-	
Other Causes	314	119	3	-	1	-	123	1	-	-	1	2	2	4	9	38	89	4	

129.—COOKHAM.																	
Mean Popul ⁿ , 1861-71	7063	196	174	195	196	188	949	876	763	578	585	1005	834	654	451	250	103
TOTAL DEATHS	1216	214	78	43	24	23	380	37	39	37	39	59	91	71	106	100	57
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	2	2	5	1	-	10	2	-	-	-	-	-	-	-	-	-
Scarlatina	33	-	5	4	3	3	15	9	7	2	-	-	-	-	-	-	-
Diphtheria	15	-	2	1	1	3	7	2	3	-	-	3	-	-	-	-	-
Whooping-cough	32	13	9	5	1	4	32	-	-	-	-	-	-	-	-	-	-
Typhus	50	1	1	1	-	2	5	4	5	3	5	2	3	1	2	-	-
Diarrhoea & Dysentery	44	31	8	1	-	-	40	-	-	-	-	1	-	1	-	1	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	23	1	-	2	3	3	9	2	1	3	-	2	-	1	1	1	3
Cancer	40	-	-	-	-	-	-	-	-	-	-	-	2	3	10	12	9
Scrophula and Tuberc.	17	2	4	-	2	-	8	2	3	3	-	-	1	-	-	-	4
Phthisis	125	1	2	1	1	3	8	-	9	14	21	20	36	8	5	4	-
Hydrocephalus	15	4	2	2	2	1	11	4	-	-	-	-	-	-	-	-	-
Dis. of Brain	153	32	7	2	3	3	47	5	3	4	4	1	3	7	24	28	21
Dis. of Heart & Dropsy	95	-	1	1	-	-	2	1	3	2	1	4	11	9	16	31	14
Dis. of Lungs	196	22	19	8	4	1	64	3	-	2	-	4	7	10	15	21	16
Dis. of Stom. and Liver	108	5	1	1	1	-	8	-	3	1	3	9	9	13	20	20	13
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	1	-	1	4	1	1	3	3
Dis. of Genes. Organs	10	-	-	-	-	-	-	-	-	-	1	1	-	3	1	4	-
Dis. of Joints	4	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
Dis. of Skin	5	1	-	1	-	-	2	-	-	-	-	-	-	-	2	1	-
Childbirth and Metris.	16	-	-	-	-	-	-	-	-	-	1	7	7	1	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	25	5	3	3	-	-	11	1	2	-	1	-	-	-	3	4	1
Other Causes	263	94	10	5	2	-	111	1	-	1	1	1	7	5	6	26	63

130.—EASTHAMPTSTEAD.																	
Mean Popul ⁿ , 1861-71	4269	115	114	120	116	117	582	511	454	351	365	699	516	355	223	137	65
TOTAL DEATHS	656	115	41	19	13	14	202	32	15	29	18	40	41	43	55	87	64
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	8	1	4	1	-	-	6	2	-	-	-	-	-	-	-	-	-
Scarlatina	14	-	1	1	3	1	6	6	-	1	-	-	1	-	-	-	-
Diphtheria	14	1	1	1	-	2	5	5	2	1	-	-	-	1	-	-	-
Whooping-cough	15	7	3	5	-	-	15	-	-	-	-	-	-	-	-	-	-
Typhus	21	-	-	1	1	1	3	5	2	5	-	5	1	-	-	-	-
Diarrhoea & Dysentery	16	10	2	-	-	-	12	-	1	-	-	-	-	-	-	2	1
Cholera	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	2	-	-	3	3	8	3	-	-	1	1	-	-	3	3	1
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	1	11	6	3	1
Scrophula and Tuberc.	4	-	1	1	-	-	2	1	-	-	1	-	-	-	-	-	-
Phthisis	85	1	3	-	-	1	3	1	4	9	7	24	22	5	7	3	-
Hydrocephalus	4	-	2	1	-	-	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	63	7	4	2	-	1	14	1	3	1	-	2	4	9	12	12	9
Dis. of Heart & Dropsy	70	-	-	-	-	-	1	-	-	-	-	4	3	6	12	31	10
Dis. of Lungs	68	19	8	3	3	1	24	2	1	-	2	1	2	5	3	13	6
Dis. of Stom. and Liver	32	1	-	-	-	1	2	-	1	1	1	1	4	6	4	6	5
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin	5	1	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	9	-	-	-	-	-	-	-	-	-	3	1	4	1	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Other Violent Deaths	8	1	1	1	-	3	5	1	-	-	-	-	-	-	1	1	2
Other Causes	103	11	3	2	-	-	22	3	-	-	-	-	1	5	3	27	20

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		131.—WINDSOR.																
Mean Popul ⁿ , 1861-71	11836	353	272	274	290	266	1455	1257	1231	1035	1226	1979	1441	996	675	392	132	17
TOTAL DEATHS -	2432	465	149	83	48	28	773	73	36	51	71	196	251	199	263	277	187	55
Small-pox - - -	81	2	-	1	2	-	5	3	3	2	1	7	7	3	-	-	-	-
Measles - - -	33	6	10	4	5	2	27	4	1	-	-	1	-	-	-	-	-	-
Scarlatina - - -	45	1	3	8	8	3	23	11	4	1	3	-	1	2	-	-	-	-
Diphtheria - - -	13	2	1	2	2	1	8	3	-	-	-	1	-	1	-	-	-	-
Whooping-cough -	42	20	13	8	1	-	42	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	63	1	-	2	1	-	4	15	7	3	7	9	6	5	6	1	-	-
Diarrhœa & Dysentery	87	50	11	2	-	-	72	-	-	-	1	-	1	1	1	7	3	1
Cholera - - -	6	2	-	2	-	1	5	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	60	6	5	9	6	4	30	3	2	3	-	6	1	3	5	4	3	-
Cancer - - -	34	-	-	-	-	-	-	-	-	-	-	1	1	5	9	14	4	-
Scrofula and Tubercles	44	13	8	6	1	1	29	2	1	4	2	1	1	1	1	3	4	-
Phthisis - - -	354	3	5	6	1	3	18	7	3	19	27	82	102	50	40	4	2	-
Hydrocephalus - - -	52	14	18	8	7	1	48	2	2	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	313	64	8	4	6	1	83	4	2	-	3	11	22	21	44	63	43	17
Dis. of Heart & Dropsy	206	-	-	1	1	-	2	-	2	6	3	13	26	30	51	39	31	7
Dis. of Lungs - - -	388	97	38	13	6	7	161	3	-	1	9	20	25	27	43	61	81	7
Dis. of Stom. and Liver	116	12	1	1	-	-	14	2	1	1	4	10	16	16	17	26	8	1
Dis. of Kidneys - - -	53	-	-	-	-	1	1	1	2	3	-	5	8	6	12	11	4	-
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints - - -	7	-	-	-	-	-	-	2	-	1	-	1	-	-	1	1	1	-
Dis. of Skin - - -	7	5	-	-	-	-	5	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metrisa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	18	-	-	-	-	-	-	-	-	-	-	2	5	2	5	4	-	-
Other Violent Deaths -	119	3	1	3	-	2	9	9	4	7	11	18	17	14	17	6	1	1
Other Causes - - -	349	155	27	8	1	1	187	2	1	-	-	8	12	12	19	23	50	25

132.—STAINES.																	
Mean Popul ⁿ , 1861-71		9246	251	234	240	247	231	1203	1116	1494	831	685	1179	985	761	543	315
TOTAL DEATHS -		1667	407	129	58	36	26	656	67	44	45	46	87	104	103	157	158
Small-pox -		16	1	-	1	3	-	5	1	-	4	1	2	1	1	1	-
Measles -		30	4	12	7	3	2	28	2	-	-	-	-	-	-	-	-
Scarlatina -		58	-	10	11	4	10	35	18	1	1	-	1	2	-	-	-
Diphtheria -		7	-	1	2	-	-	3	2	-	-	-	-	2	-	-	-
Whooping-cough -		29	15	8	3	3	-	29	-	-	-	-	-	-	-	-	-
Typhus -		54	2	-	1	1	1	5	7	10	5	3	3	4	5	6	1
Diarrhœa & Dysentery -		83	52	15	3	1	-	71	1	1	-	-	-	1	3	3	1
Cholera -		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis. -		32	5	2	2	4	1	14	2	2	3	2	1	-	2	4	-
Cancer -		27	-	-	-	-	-	-	-	-	-	-	1	-	4	7	12
Scrofula and Tubercles -		45	22	6	9	4	1	41	2	-	-	2	-	-	-	-	-
Phthisis -		184	3	3	-	-	1	7	1	7	13	18	43	31	15	19	5
Hydrocephalus -		23	5	6	3	1	3	18	3	1	-	1	-	-	-	-	-
Dis. of Brain -		214	84	15	4	2	1	106	5	4	4	2	4	10	7	25	33
Dis. of Heart & Dropsy -		199	9	5	-	2	-	16	3	3	2	4	8	12	23	23	10
Dis. of Lungs -		245	70	21	8	5	5	107	5	2	2	2	2	14	15	33	36
Dis. of Stom. and Liver -		71	4	2	-	1	-	7	3	2	1	1	6	4	9	20	10
Dis. of Kidneys -		20	1	-	-	-	1	2	1	2	3	1	2	4	5	4	4
Dis. of Genes. Organs -		14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		10	3	1	-	-	-	4	1	2	-	1	2	1	1	1	2
Dis. of Skin -		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metrisa -		7	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-
Suicide -		7	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-
Other Violent Deaths -		77	3	2	4	4	1	14	7	5	6	8	8	12	5	9	1
Other Causes -		391	124	20	-	-	-	144	3	-	-	-	3	5	6	8	22

133.—UXBRIDGE.																	
Mean Popul ⁿ , 1861-71		11899	342	291	316	300	299	1548	1568	1390	997	917	1589	1417	1131	759	409
TOTAL DEATHS -		3101	575	188	78	51	40	932	105	47	65	89	271	391	329	348	305
Small-pox -		35	9	2	-	2	-	13	-	1	5	6	2	4	4	-	-
Measles -		36	5	17	7	3	2	34	2	-	-	-	-	-	-	-	-
Scarlatina -		57	2	6	8	11	10	37	16	4	-	-	-	-	-	-	-
Diphtheria -		9	1	-	-	1	1	3	5	-	-	-	1	-	-	-	-
Whooping-cough -		40	17	15	4	1	2	39	1	-	-	-	-	-	-	-	-
Typhus -		108	1	4	6	4	5	20	20	8	11	10	9	6	7	8	4
Diarrhœa & Dysentery -		119	70	21	3	2	-	96	2	-	1	2	1	1	5	3	3
Cholera -		6	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		66	10	7	5	4	2	28	3	2	3	3	4	2	3	6	7
Cancer -		31	-	-	-	-	-	-	-	-	-	-	-	-	5	11	12
Scrofula and Tubercles -		45	15	5	4	3	2	29	7	2	3	-	-	-	5	11	12
Phthisis -		331	3	1	1	-	-	4	8	6	16	36	80	99	49	35	7
Hydrocephalus -		33	15	12	5	-	1	23	5	-	-	-	-	-	-	-	-
Dis. of Brain -		838	110	11	9	2	3	135	10	5	6	14	64	208	130	123	89
Dis. of Heart & Dropsy -		221	5	2	1	3	-	11	4	4	3	2	13	14	33	43	73
Dis. of Lungs -		355	75	43	15	9	4	146	6	4	5	6	25	31	38	38	26
Dis. of Stom. and Liver -		116	11	3	3	-	2	19	3	3	2	1	8	6	21	27	19
Dis. of Kidneys -		43	1	-	-	2	-	3	1	-	-	-	4	5	3	9	11
Dis. of Genes. Organs -		17	2	1	-	-	-	3	1	2	-	-	-	-	-	9	1
Dis. of Joints -		4	-	-	1	-	-	1	-	-	1	-	-	1	-	1	1
Dis. of Skin -		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metrisa -		16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		146	9	10	3	4	5	31	7	5	5	9	22	1	5	3	3
Other Violent Deaths -		146	9	10	3	4	5	31	7	5	5	9	22	1	5	3	3
Other Causes -		444	211	58	3	-	1	243	4	1	2	1	9	10	18	14	47

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
131.—WINDSOR.																			
Mean Popul ⁿ , 1861-71		12178	321	289	287	285	269	1451	1270	1151	1093	1104	1980	1555	1129	782	477	159	27
TOTAL DEATHS		2277	394	160	82	73	33	742	99	42	62	89	146	155	153	195	300	210	84
Small-pox		26	6	3	1	-	2	12	2	1	2	2	4	2	1	-	-	-	-
Measles		40	2	15	10	6	3	36	3	-	-	-	-	-	1	-	-	-	-
Scarlatina		68	1	4	14	9	5	33	23	6	1	-	4	1	-	-	-	-	-
Diphtheria		11	-	-	-	3	3	6	1	-	1	-	1	-	1	-	1	-	-
Whooping-cough		56	24	7	8	4	1	44	6	-	-	-	-	-	-	-	-	-	-
Typhus		69	-	3	1	5	2	11	8	6	4	5	7	7	2	3	7	-	-
Diarrhoea & Dysentery		95	57	18	2	2	-	79	-	-	-	-	1	1	1	7	2	3	1
Cholera		3	1	-	1	-	-	2	1	-	-	-	-	-	4	5	5	3	1
Other Zymotic Dis.		51	5	3	4	4	1	17	7	1	3	1	3	1	-	-	-	-	-
Cancer		92	-	-	-	-	-	-	1	-	-	-	6	12	19	21	21	11	1
Scrophula and Tuberc.		36	11	12	1	2	-	26	7	-	1	-	2	2	1	-	1	-	-
Phthisis		297	5	3	3	5	1	17	7	5	26	51	65	63	27	25	10	1	-
Hydrocephalus		42	15	11	5	3	4	38	2	2	-	-	-	-	-	-	-	-	-
Dis. of Brain		236	44	13	7	9	4	77	12	6	4	6	5	11	22	28	54	50	16
Dis. of Heart & Dropsy		197	-	1	-	-	-	1	6	3	2	5	5	10	21	23	63	37	5
Dis. of Lungs		326	72	37	14	15	1	140	7	1	5	2	8	15	14	21	34	4	2
Dis. of Stom. and Liver		119	8	1	1	1	1	12	1	1	1	1	2	2	5	2	6	-	1
Dis. of Kidneys		22	-	-	-	-	-	-	1	1	1	1	2	2	4	1	2	-	-
Dis. of Gener. Organs		18	-	-	-	-	-	-	1	2	3	2	1	-	3	1	-	-	1
Dis. of Joints		16	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-
Dis. of Skin		9	3	-	-	-	-	3	-	-	-	-	-	-	-	6	-	-	-
Childbirth and Metris		22	-	-	-	-	-	-	-	-	1	5	10	4	2	-	-	-	-
Suicide		6	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-
Other Violent Deaths		28	4	-	3	1	2	10	6	1	-	2	2	3	1	1	-	2	-
Other Causes		348	180	29	7	2	3	177	2	-	1	1	-	3	5	10	30	60	53

132.—STAINES.																			
Mean Populⁿ, 1861-71		8341	267	227	233	251	213	1191	1095	922	701	733	1327	1037	785	568	334	127	21
TOTAL DEATHS		1514	203	129	46	40	26	534	60	22	40	49	109	85	102	117	174	163	59
Small-pox		73	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
Measles		22	2	11	2	2	3	20	2	-	-	-	-	-	-	-	-	-	-
Scarlatina		54	1	13	9	7	8	38	11	4	-	-	-	1	-	-	-	-	-
Diphtheria		14	-	2	2	3	-	7	3	1	1	-	1	-	1	-	-	-	-
Whooping-cough		32	16	12	2	1	-	31	1	-	-	-	-	-	-	-	-	-	-
Typhus		70	1	4	2	6	3	16	9	5	1	5	6	5	6	8	5	4	-
Diarrhoea & Dysentery		75	35	19	1	1	-	56	-	-	-	-	4	1	-	4	3	4	3
Cholera		4	1	2	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		32	4	3	4	3	1	15	1	-	1	-	1	3	1	3	3	1	1
Cancer		49	-	-	-	-	-	-	-	-	-	-	3	5	13	10	14	4	-
Scrophula and Tuberc.		38	14	10	2	-	1	27	1	-	1	-	2	4	1	1	-	-	-
Phthisis		162	1	2	1	1	-	5	5	5	24	36	47	22	18	9	1	-	-
Hydrocephalus		10	4	-	1	1	1	7	2	-	1	-	-	-	-	-	-	-	-
Dis. of Brain		187	57	13	6	3	2	81	7	-	1	2	6	5	16	13	24	20	3
Dis. of Heart & Dropsy		125	3	3	1	1	2	10	3	4	-	2	5	9	15	21	34	21	1
Dis. of Lungs		188	48	22	7	6	3	86	6	-	2	1	5	6	10	17	26	25	4
Dis. of Stom. and Liver		71	9	1	-	-	1	11	2	-	2	1	5	6	14	10	13	6	1
Dis. of Kidneys		21	1	-	-	-	-	1	1	-	2	-	4	2	3	4	3	1	-
Dis. of Gener. Organs		6	-	-	-	1	-	1	-	-	-	-	-	-	1	2	-	-	-
Dis. of Joints		5	1	-	-	-	-	1	-	-	-	-	3	2	1	1	1	-	-
Dis. of Skin		9	4	1	-	1	-	6	-	-	-	-	-	-	1	2	-	-	-
Childbirth and Metris		32	-	-	-	-	-	-	-	-	2	7	13	10	-	-	-	-	-
Suicide		2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Other Violent Deaths		20	3	3	3	2	-	11	2	-	1	-	1	2	1	-	2	-	-
Other Causes		279	88	8	3	-	1	100	3	2	-	-	1	4	-	12	44	68	45

133.—UXBRIDGE.																			
Mean Populⁿ, 1861-71		12448	345	279	314	301	314	1553	1471	1311	954	989	1813	1527	1225	870	515	189	31
TOTAL DEATHS		3026	446	166	79	59	45	795	197	54	84	73	270	295	292	309	369	288	90
Small-pox		17	5	2	3	2	1	13	1	-	1	1	-	-	1	-	-	-	-
Measles		26	-	11	8	2	2	23	1	-	1	1	-	-	-	-	-	-	-
Scarlatina		96	2	10	6	12	15	43	83	13	3	-	2	2	1	-	1	-	-
Diphtheria		8	-	1	2	1	-	4	3	-	-	1	-	-	-	-	-	-	-
Whooping-cough		50	24	13	8	3	1	49	1	-	-	-	-	-	-	-	-	-	-
Typhus		109	4	2	3	2	3	14	20	13	10	6	8	13	6	10	3	6	-
Diarrhoea & Dysentery		97	40	13	8	1	-	63	-	-	-	1	5	1	5	5	7	8	3
Cholera		10	1	2	-	-	-	3	-	-	-	-	-	-	4	1	-	-	-
Other Zymotic Dis.		36	3	6	3	1	3	16	3	2	1	2	1	-	2	6	2	1	-
Cancer		81	-	-	-	-	-	-	-	-	-	-	1	9	11	24	20	16	5
Scrophula and Tuberc.		41	20	2	2	3	-	27	3	1	-	2	1	1	2	2	-	2	-
Phthisis		494	1	3	1	2	2	9	13	28	34	110	72	68	68	39	8	4	1
Hydrocephalus		28	16	9	4	4	-	35	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain		679	76	21	9	6	5	117	6	2	12	13	71	97	90	60	91	77	13
Dis. of Heart & Dropsy		227	2	-	1	-	1	4	2	1	2	2	13	18	26	45	50	42	6
Dis. of Lungs		401	79	28	14	14	8	143	14	2	7	4	16	26	25	41	68	46	9
Dis. of Stom. and Liver		138	7	5	1	1	-	14	3	3	1	-	10	22	16	24	25	5	2
Dis. of Kidneys		33	-	-	-	-	-	-	-	-	1	-	1	6	4	11	9	-	1
Dis. of Gener. Organs		15	-	-	-	-	-	-	-	-	-	-	1	4	-	4	1	-	-
Dis. of Joints		5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
Dis. of Skin		9	5	-	-	-	-	5	-	-	-	-	-	-	1	-	2	1	-
Childbirth and Metris		33	-	-	-	-	-	-	-	-	1	4	15	10	3	-	-	-	-
Suicide		10	-	-	-	-	-	-	-	-	-	-	2	2	3	2	1	-	-
Other Violent Deaths		22	8	3	2	2	2	17	4	3	4	-	6	5	2	4	5	7	22
Other Causes		412	123	35	4	3	2	197	4	-	-	-	4	5	2	6	61	87	53

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
		134.—BRENTFORD.																	
Mean Popul ⁿ , 1861-71	28868	886	744	788	798	775	3991	3824	3652	2603	2342	4043	3210	2385	1588	887	314	29	
TOTAL DEATHS—	6329	1371	486	234	163	101	2555	234	139	102	179	363	475	516	558	622	463	194	
Small-pox	54	11	3	4	6	1	25	3	1	4	1	10	3	2	2	2	1	—	
Measles	105	19	42	21	12	5	19	6	—	—	—	—	—	—	—	—	—	—	
Scarlatina	216	14	20	37	24	13	57	20	18	3	4	1	2	1	—	—	—	—	
Diphtheria	29	4	—	2	3	4	13	10	1	—	1	1	1	1	1	—	—	—	
Whooping-cough	115	46	28	21	9	4	108	6	1	—	—	—	—	—	—	—	—	—	
Typhus	161	3	5	10	9	7	64	19	17	10	8	15	15	15	11	14	3	—	
Diarrhoea & Dysentery	385	265	63	8	3	—	339	5	1	—	—	2	3	3	4	13	11	4	
Cholera	34	20	1	1	2	1	25	1	—	—	1	1	4	2	—	—	—	—	
Other Zymotic Dis.	151	21	14	11	12	6	64	14	6	1	3	5	12	14	11	16	5	—	
Cancer	71	—	—	—	—	—	—	—	1	1	—	1	6	8	23	18	7	1	
Scrofula and Tuberc.	145	59	33	15	4	3	111	15	2	5	3	6	8	—	—	—	—	—	
Phthisis	698	12	8	3	3	1	27	9	25	41	93	158	149	96	56	13	1	—	
Hydrocephalus	139	58	31	13	14	9	125	9	5	—	—	—	—	—	—	—	—	—	
Dis. of Brain	800	217	49	17	13	8	304	19	10	7	12	27	50	84	95	110	72	10	
Dis. of Heart & Dropsy	494	23	6	7	1	4	41	11	12	2	12	37	49	68	103	100	63	6	
Dis. of Lungs	1040	256	99	43	20	13	431	19	6	3	13	37	71	98	111	142	97	12	
Dis. of Stom. and Liver	275	35	10	2	3	3	63	9	6	2	6	10	27	42	57	40	22	1	
Dis. of Kidneys	133	—	2	3	4	—	9	2	—	1	3	9	15	14	22	40	14	4	
Dis. of Genes. Organs	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	38	1	1	—	2	—	4	1	6	3	—	2	4	5	4	4	5	—	
Dis. of Skin	50	15	1	—	—	—	16	—	—	—	—	2	1	2	3	4	2	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	46	—	—	—	—	—	—	—	1	1	1	8	11	12	6	5	1	—	
Other Violent Deaths	226	27	8	6	2	5	48	21	14	17	15	22	58	32	19	11	19	—	
Other Causes	992	463	56	10	5	3	542	5	6	1	3	9	16	19	29	88	128	93	

135.—HENDON.																			
Mean Popul ⁿ , 1861-71	13488	399	401	381	374	371	1926	1724	1610	1339	1080	1894	1564	1189	688	341	116	17	
TOTAL DEATHS—	2763	763	230	116	68	42	1219	98	63	64	70	174	191	200	240	215	181	42	
Small-pox	12	4	2	—	3	1	10	1	—	—	—	—	—	—	1	—	—	—	
Measles	58	13	23	11	5	2	64	2	2	—	—	—	—	—	—	—	—	—	
Scarlatina	102	8	16	15	10	7	56	30	11	4	1	—	—	—	—	—	—	—	
Diphtheria	39	1	9	7	7	4	28	6	2	1	1	—	1	—	—	—	—	—	
Whooping-cough	64	32	20	4	6	—	62	2	—	—	—	—	—	—	—	—	—	—	
Typhus	74	6	—	2	4	2	14	9	7	7	3	9	7	7	4	6	1	—	
Diarrhoea & Dysentery	150	103	18	4	1	—	126	—	—	—	—	3	3	2	3	4	7	2	
Cholera	8	2	2	—	—	—	4	1	—	—	—	—	—	—	1	2	—	—	
Other Zymotic Dis.	89	14	7	12	3	5	41	2	4	2	1	5	4	4	8	7	11	—	
Cancer	34	—	—	—	—	1	1	—	—	—	—	—	2	4	14	10	3	—	
Scrofula and Tuberc.	48	14	11	6	2	—	35	3	5	3	1	—	—	1	1	—	—	—	
Phthisis	299	8	8	4	2	2	24	4	2	11	29	77	60	56	21	13	2	—	
Hydrocephalus	62	28	13	10	8	2	56	4	1	1	—	—	—	—	—	—	—	—	
Dis. of Brain	341	125	22	6	7	5	165	9	6	1	7	10	16	19	42	38	24	4	
Dis. of Heart & Dropsy	166	4	3	—	—	1	8	5	6	5	3	11	19	23	38	27	18	3	
Dis. of Lungs	435	144	50	19	12	7	232	4	4	4	7	11	27	25	41	42	32	6	
Dis. of Stom. & Liver	135	23	1	3	1	—	28	4	1	7	2	11	10	17	25	14	5	1	
Dis. of Kidneys	68	2	—	1	—	—	3	1	2	3	1	9	9	7	8	13	12	—	
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	11	2	—	—	—	—	2	1	2	—	1	—	—	1	—	3	1	—	
Dis. of Skin	19	4	2	1	1	—	8	—	1	—	1	—	1	2	1	3	1	1	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	15	—	—	—	—	—	—	—	—	1	—	2	2	5	5	—	—	—	
Other Violent Deaths	172	17	8	8	—	2	55	9	6	14	11	24	30	19	15	10	6	—	
Other Causes	872	209	15	3	1	1	229	1	1	—	1	2	10	8	15	28	57	25	

136.—BARNET.																			
Mean Popul ⁿ , 1861-71	10524	280	243	243	262	251	1279	1249	1251	884	787	1563	1336	1019	633	376	133	14	
TOTAL DEATHS—	2840	343	113	78	34	29	597	88	48	48	111	329	420	368	318	283	193	37	
Small-pox	7	1	—	—	—	—	1	1	—	1	—	—	2	1	—	1	—	—	
Measles	26	4	10	6	3	2	25	1	—	—	—	—	—	—	—	—	—	—	
Scarlatina	93	4	13	21	7	12	57	29	4	2	—	1	—	—	—	—	—	—	
Diphtheria	10	1	1	2	1	1	6	2	1	—	—	—	—	—	1	—	—	—	
Whooping-cough	22	8	7	3	—	—	21	1	—	—	—	—	—	—	—	—	—	—	
Typhus	51	—	1	2	2	1	6	8	5	3	3	6	3	3	5	5	4	—	
Diarrhoea & Dysentery	77	42	9	5	1	—	57	—	—	1	—	2	5	2	1	1	7	1	
Cholera	6	1	1	—	—	—	2	—	—	—	—	—	—	—	1	2	—	—	
Other Zymotic Dis.	56	3	7	5	4	1	20	4	—	1	3	6	6	3	7	4	9	—	
Cancer	50	—	—	—	—	—	—	—	—	—	—	1	1	9	8	9	2	—	
Scrofula and Tuberc.	33	16	4	3	—	—	23	1	3	—	—	2	—	1	2	—	—	—	
Phthisis	279	6	1	—	1	3	11	4	2	11	33	82	60	54	19	14	—	—	
Hydrocephalus	40	15	11	3	2	2	33	6	1	—	—	—	—	—	—	—	—	—	
Dis. of Brain	1043	49	4	6	2	4	65	6	11	15	41	168	272	219	124	81	57	4	
Dis. of Heart & Dropsy	158	—	1	—	1	—	2	3	3	3	5	14	12	20	43	31	19	3	
Dis. of Lungs	297	83	17	12	6	—	88	11	1	6	11	15	21	28	37	50	37	8	
Dis. of Stom. and Liver	125	15	2	2	—	—	19	1	3	—	3	3	3	16	31	25	6	—	
Dis. of Kidneys	55	—	—	—	—	—	—	2	2	—	3	5	4	8	10	12	8	1	
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	5	—	—	1	—	—	1	2	—	—	—	—	—	1	—	1	—	—	
Dis. of Skin	3	2	3	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
Other Violent Deaths	100	2	4	4	1	2	13	5	11	5	8	15	10	11	19	7	3	—	
Other Causes	314	121	17	3	—	1	142	—	1	1	1	7	8	9	12	39	76	23	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 5 Years.	Total under 1 Year.	18 years & upwards.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85						
137.—EDMONTON.																						
Mean Popul ⁿ , 1861-71	33990	1088	948	966	898	942	4842	4298	3975	3126	2761	4901	3921	2858	1821	1067	378	42				
TOTAL DEATHS	6830	1680	521	262	179	138	2780	299	131	126	172	417	450	517	611	658	539	136				
Small-pox	68	18	1	4	2	4	29	3	1	6	2	13	4	9	1	-	-	-	-			
Measles	135	26	51	23	19	6	125	9	1	-	-	-	-	-	-	-	-	-	-			
Scarlatina	334	29	57	35	45	80	207	98	25	2	2	3	2	-	-	-	-	-	-			
Diphtheria	47	2	7	5	4	6	24	13	2	2	2	-	1	2	1	-	-	-	-			
Whooping-cough	161	78	43	18	8	6	153	8	-	-	-	-	-	-	-	-	-	-	-			
Typhus	200	3	4	12	5	8	32	27	14	20	15	50	13	13	17	14	4	1	1			
Diarrhoea & Dysentery	338	218	39	9	5	4	275	2	4	-	2	2	3	3	6	14	22	7	1			
Cholera	24	8	1	1	-	-	10	1	1	2	1	2	2	2	-	-	-	-	-			
Other Zymotic Dis.	206	15	26	14	23	15	93	22	10	8	5	8	18	13	13	11	2	2	2			
Cancer	97	-	-	-	-	-	-	-	-	-	1	3	14	19	59	17	15	1	1			
Scrofula and Tuberc.	159	70	39	5	11	7	123	11	10	1	4	4	2	2	-	-	-	-	-			
Phthisis	689	23	11	6	1	2	43	7	17	32	65	177	143	102	69	20	2	1	1			
Hydrocephalus	181	89	49	23	10	8	170	7	4	-	-	-	-	-	-	-	-	-	-			
Dis. of Brain	869	247	40	17	11	17	332	13	7	4	8	26	41	68	113	147	61	17	17			
Dis. of Heart & Dropsy	461	6	3	2	-	4	15	9	9	7	7	19	43	72	97	118	52	14	14			
Dis. of Lungs	966	265	89	41	19	12	423	26	6	5	14	43	42	62	110	137	51	14	14			
Dis. of Stom. and Liver	314	41	4	2	6	2	55	4	4	9	7	22	29	67	59	48	18	2	2			
Dis. of Kidneys	138	1	1	1	-	1	4	3	3	1	2	7	12	22	26	27	20	1	1			
Dis. of Gen. Organs	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints	27	-	-	1	1	-	2	5	1	5	2	3	1	2	3	4	-	-	-			
Dis. of Skin	24	11	-	1	-	-	12	2	2	-	1	1	-	1	1	1	3	-	-			
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Suicide	49	-	-	-	-	-	-	-	-	1	6	4	13	14	19	-	1	-	-			
Other Violent Deaths	307	31	13	7	5	3	59	29	9	20	24	43	45	37	24	12	5	-	-			
Other Causes	1053	516	82	15	6	3	592	5	1	1	2	7	20	17	28	38	394	78	-			

138.—WARE.																				
Mean Popul ⁿ , 1861-71	8514	223	215	226	217	235	1106	1071	1065	928	661	1010	891	784	557	317	111	13		
TOTAL DEATHS	1567	253	94	60	38	19	464	66	43	40	54	94	108	130	153	211	167	37		
Small-pox	11	1	-	1	-	-	2	2	1	-	4	2	-	-	-	-	-	-	-	
Measles	30	2	7	1	1	-	17	3	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	73	2	10	10	14	6	42	17	10	3	-	-	1	-	-	-	-	-	-	
Diphtheria	10	3	-	-	1	1	6	2	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	15	7	4	4	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	70	-	5	3	2	2	32	8	4	3	9	9	8	9	4	3	1	-	-	
Diarrhoea & Dysentery	56	25	9	-	1	2	37	-	-	-	-	-	-	-	2	10	4	2	-	
Cholera	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	47	-	3	8	2	3	16	5	1	1	1	4	1	6	4	6	2	-	-	
Cancer	30	-	-	-	-	-	-	-	1	-	-	-	6	1	10	5	7	-	-	
Scrofula and Tuberc.	15	4	2	2	-	-	8	1	2	-	1	1	1	1	-	-	-	-	-	
Phthisis	149	1	4	-	-	-	5	1	2	13	21	50	33	27	12	3	2	-	-	
Hydrocephalus	7	3	2	-	-	-	5	1	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	257	67	11	1	10	2	91	7	2	4	4	10	6	25	27	32	29	-	-	
Dis. of Heart & Dropsy	87	-	1	2	1	-	4	3	6	-	1	9	9	5	18	29	12	-	-	
Dis. of Lungs	233	43	20	11	5	1	80	1	5	2	1	4	13	20	38	47	19	3	-	
Dis. of Stom. and Liver	69	6	1	-	-	-	8	2	-	2	1	4	11	13	8	8	10	2	-	
Dis. of Kidneys	24	-	-	-	-	-	-	1	-	2	-	2	-	3	4	6	6	-	-	
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	13	-	-	-	-	-	-	-	-	-	-	3	4	3	1	2	-	-	-	
Other Violent Deaths	98	2	4	4	-	1	11	8	5	8	9	13	12	9	13	8	2	-	-	
Other Causes	272	85	11	5	1	1	103	4	1	1	1	3	3	5	11	49	72	28	-	

139.—BISHOP STORTFORD.																				
Mean Popul ⁿ , 1861-71	10437	299	275	294	286	282	1436	1294	1181	1036	785	1284	1110	941	738	460	159	13		
TOTAL DEATHS	2111	435	126	64	41	33	699	90	44	59	67	101	126	155	207	281	215	67		
Small-pox	11	2	1	-	-	-	3	-	-	3	1	2	-	2	-	-	-	-	-	
Measles	22	2	7	4	3	1	17	4	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	99	3	14	15	12	10	54	31	7	4	1	-	1	-	1	-	-	-	-	
Diphtheria	20	-	4	2	5	2	13	5	-	1	-	1	-	-	-	-	-	-	-	
Whooping-cough	41	25	5	6	4	1	41	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	72	3	2	2	2	1	10	8	9	10	3	10	5	4	8	5	2	2	2	
Diarrhoea & Dysentery	68	25	6	3	1	-	45	1	-	1	-	-	3	1	2	3	2	2	2	
Cholera	18	7	-	1	-	-	8	-	-	-	-	3	-	2	2	3	2	-	-	
Other Zymotic Dis.	69	6	2	6	1	2	17	9	7	2	-	5	2	2	5	14	6	-	-	
Cancer	32	-	-	-	-	1	1	-	-	1	-	1	2	8	5	10	4	-	-	
Scrofula and Tuberc.	39	13	7	-	1	-	21	3	1	3	1	1	3	1	2	1	2	-	-	
Phthisis	218	3	3	-	1	1	8	2	5	17	40	45	38	37	20	6	-	-	-	
Hydrocephalus	33	16	8	1	-	3	28	2	2	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	274	63	11	8	2	4	88	3	5	5	7	1	12	15	24	61	47	6	-	
Dis. of Heart & Dropsy	135	2	2	-	1	1	6	2	2	3	-	8	13	18	22	38	29	3	-	
Dis. of Lungs	291	89	35	9	2	4	139	6	1	2	4	6	11	27	35	73	23	11	-	
Dis. of Stom. and Liver	106	9	1	-	1	1	12	2	1	3	1	2	10	10	26	24	13	2	-	
Dis. of Kidneys	44	-	-	-	-	-	-	1	-	-	-	2	8	4	4	10	9	2	-	
Dis. of Gen. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
Dis. of Skin	10	4	1	1	-	-	6	1	-	-	1	-	1	-	1	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	8	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	1	-	-	
Other Violent Deaths	88	2	4	4	3	-	13	5	3	3	5	8	16	13	8	10	2	1	-	
Other Causes	310	150	13	2	2	1	168	5	-	-	1	3	3	12	12	77	26	2	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & up.		
137.—EDMONTON.																				
Mean Popul ⁿ , 1861-71		38094	1063	955	1000	952	909	4879	4293	3780	3629	3595	6060	4448	3228	2234	1352	517	79	
TOTAL DEATHS		6537	1372	497	288	183	157	2407	286	119	132	211	416	384	405	542	693	616	236	
Small-pox		59	16	4	4	4	2	90	4	-	1	8	8	5	3	-	-	-	-	
Measles		131	22	37	29	16	12	116	14	-	-	-	-	-	-	-	-	-	-	
Scarlatina		368	15	35	53	53	57	215	96	33	6	6	8	2	-	2	-	-	-	
Diphtheria		61	4	6	8	13	12	43	13	3	-	1	-	1	1	1	1	-	-	
Whooping-cough		202	80	71	27	12	7	197	5	-	-	-	-	-	-	-	-	-	-	
Typhus		208	2	6	6	8	6	28	34	19	19	24	29	23	9	9	9	4	1	
Diarrhea & Dysentery		311	192	38	7	2	4	243	3	1	2	1	2	1	3	8	20	19	8	
Cholera		17	4	3	1	-	1	9	-	1	-	-	-	3	-	2	2	-	-	
Other Zymotic Dis.		162	19	15	27	12	11	84	16	1	6	8	3	9	9	16	10	4	1	
Cancer		211	-	-	-	1	-	1	3	1	1	-	6	24	53	52	44	24	2	
Scrophula and Tuberc.		140	50	22	17	6	4	108	12	1	4	3	5	2	1	4	-	-	-	
Phtisis		662	17	16	9	3	2	47	14	17	52	98	181	112	74	47	16	3	1	
Hydrocephalus		129	54	37	14	7	5	117	11	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain		823	190	48	16	13	8	284	24	6	14	12	37	40	47	115	131	88	25	
Dis. of Heart & Dropsy		600	9	1	2	2	3	17	6	13	5	13	28	49	67	90	129	72	11	
Dis. of Lungs		856	202	94	46	15	11	368	18	3	6	8	17	15	49	76	139	104	33	
Dis. of Stom. and Liver		307	24	5	4	2	2	37	3	4	2	6	20	34	48	51	62	34	6	
Dis. of Kidneys		82	1	3	-	-	2	6	1	5	5	1	11	10	6	17	9	11	-	
Dis. of Genes. Organs		39	-	-	-	-	-	-	-	-	-	-	9	10	10	7	8	-	-	
Dis. of Joints		22	1	-	1	1	1	4	2	2	2	1	3	1	2	3	1	1	-	
Dis. of Skin		33	7	-	1	1	-	9	1	1	-	1	1	4	2	1	1	2	-	
Childbirth and Metris		31	-	-	-	-	-	-	-	-	2	18	35	23	3	-	-	-	-	
Selficide		16	-	-	-	-	-	-	-	1	1	2	3	2	3	3	1	7	6	
Other Violent Deaths		106	29	7	2	4	5	47	5	4	4	4	5	5	5	10	4	7	6	
Other Causes		1038	416	49	12	8	2	457	1	2	-	1	4	9	10	25	111	243	146	

138.—WARE.																			
Mean Popul ⁿ , 1861-71		8474	246	207	223	231	227	1134	1010	970	700	660	1114	971	786	594	356	144	26
TOTAL DEATHS		1496	254	96	52	42	24	468	69	32	41	40	94	89	82	134	177	188	82
Small-pox		8	2	—	1	2	—	5	1	—	—	—	2	—	—	—	—	—	—
Measles		34	5	10	7	5	4	31	3	—	—	—	—	—	—	—	—	—	—
Scarlatina		74	5	10	10	10	7	42	27	4	—	1	—	—	—	—	—	—	—
Diphtheria		5	—	1	1	—	—	2	2	—	1	—	—	—	—	—	—	—	—
Whooping-cough		34	16	8	4	2	2	32	2	—	—	—	—	—	—	—	—	—	—
Typhus		83	—	1	1	4	3	9	15	8	9	5	7	11	6	8	4	1	—
Diarrhea & Dysentery		57	29	8	2	—	—	39	—	—	1	—	2	2	3	—	3	5	2
Cholera		4	2	1	1	—	—	4	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		44	5	1	8	3	3	29	5	1	—	—	2	2	2	6	2	4	—
Cancer		56	—	—	—	—	—	—	—	—	1	—	1	4	16	7	17	9	1
Scrophula and Tuberc.		6	1	1	—	—	—	2	—	5	—	—	—	—	—	—	—	—	—
Phtisis		154	3	—	1	1	2	7	1	5	17	16	45	33	16	19	4	—	—
Hydrocephalus		7	2	2	—	1	—	5	1	1	—	—	—	—	—	—	—	—	—
Dis. of Brain		262	48	10	6	5	1	79	—	5	3	4	4	3	9	27	56	37	4
Dis. of Heart & Dropsy		115	1	1	—	—	—	2	5	4	2	4	9	9	6	21	24	19	4
Dis. of Lungs		162	26	20	6	4	2	68	3	—	3	1	7	3	6	19	37	17	8
Dis. of Stom. and Liver		61	5	—	—	—	—	5	2	1	3	1	6	2	6	18	14	4	—
Dis. of Kidneys		7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Genes. Organs		11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		7	—	1	2	—	—	3	—	—	—	—	1	1	2	6	1	—	—
Dis. of Skin		5	2	—	—	—	—	2	—	—	—	—	1	1	1	—	—	—	—
Childbirth and Metris		26	—	—	—	—	—	—	—	—	—	—	6	3	16	1	—	—	—
Selficide		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		17	3	1	—	4	—	8	1	—	—	—	1	1	—	2	1	2	1
Other Causes		316	99	20	2	1	—	122	2	—	1	1	3	—	2	5	31	67	62

139.—BISHOP STORTFORD.																			
Mean Popul ⁿ , 1861-71		10479	295	278	296	264	281	1414	1313	1172	694	855	1392	1144	963	689	445	168	30
TOTAL DEATHS		1856	347	109	42	55	28	581	82	54	54	63	104	124	95	150	230	236	83
Small-pox		10	1	2	—	3	—	6	1	1	—	1	—	—	—	—	—	1	—
Measles		27	2	11	2	3	4	22	4	1	—	—	—	—	—	—	—	—	—
Scarlatina		79	6	9	8	10	9	42	26	8	2	—	1	—	—	—	—	—	—
Diphtheria		18	2	1	—	1	1	5	8	5	—	—	—	—	—	—	—	—	—
Whooping-cough		48	19	17	7	2	1	40	2	—	—	—	—	—	—	—	—	—	—
Typhus		61	1	1	—	1	2	5	9	11	8	4	7	7	5	3	4	—	—
Diarrhea & Dysentery		35	26	5	1	1	—	33	—	—	—	—	1	1	—	8	10	1	—
Cholera		13	8	1	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		59	4	4	3	4	2	19	3	2	5	2	5	2	2	5	10	7	1
Cancer		46	—	—	—	—	—	—	—	—	—	—	1	8	8	11	12	3	1
Scrophula and Tuberc.		43	11	5	5	—	1	20	3	3	—	—	1	1	4	3	1	—	—
Phtisis		172	4	4	2	1	—	11	2	5	20	25	59	59	16	12	5	—	—
Hydrocephalus		11	6	5	—	—	—	9	2	—	—	—	—	—	—	—	—	—	—
Dis. of Brain		227	46	9	2	5	2	64	2	2	5	9	11	13	13	17	44	41	4
Dis. of Heart & Dropsy		142	2	1	1	—	—	4	2	4	2	2	6	11	11	21	37	29	3
Dis. of Lungs		274	58	26	4	11	2	101	6	3	7	2	8	10	10	20	48	28	21
Dis. of Stom. and Liver		119	10	2	—	3	—	15	5	1	3	1	4	10	12	24	29	14	1
Dis. of Kidneys		18	—	—	—	—	1	1	1	—	2	1	1	4	1	3	2	1	1
Dis. of Genes. Organs		16	—	—	—	—	—	—	—	—	—	—	1	1	4	3	7	—	—
Dis. of Joints		13	—	—	—	—	—	—	—	2	—	—	2	2	—	4	1	—	—
Dis. of Skin		15	3	—	—	1	—	4	—	—	—	—	—	—	—	3	3	3	1
Childbirth and Metris		34	—	—	—	—	—	—	—	—	1	5	16	11	1	—	—	—	—
Selficide		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		28	3	1	4	4	2	14	2	1	—	—	—	1	1	—	2	4	3
Other Causes		236	135	9	3	5	1	153	4	4	—	4	3	5	3	12	17	77	40

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--	95--	
140.—ROYSTON.																				
Mean Popul ⁿ , 1861-71		13098	355	363	332	365	370	1785	1652	1520	1341	1010	1601	1337	1156	905	573	196	22	
TOTAL DEATHS -		2397	608	173	51	50	24	906	84	41	55	62	109	119	164	203	302	287	65	
Small-pox - - -		5	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	
Measles - - - -		26	2	16	4	8	1	26	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -		71	4	11	11	11	9	46	23	1	-	-	1	-	-	-	-	-	-	
Diphtheria - - -		14	4	-	1	4	2	11	3	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -		37	21	9	2	-	1	33	4	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -		89	2	2	1	2	2	9	6	10	9	6	17	7	6	11	7	1	1	
Diarrhoea & Dysentery		104	60	18	1	-	-	79	1	-	-	-	-	2	1	2	10	9	2	
Cholera - - - - -		9	2	-	-	1	-	8	-	-	1	-	-	-	2	1	1	1	1	
Other Zymotic Dis.		48	4	2	7	6	3	22	6	-	5	1	2	2	2	2	5	2	1	
Cancer - - - - -		46	-	1	-	-	1	2	-	-	-	-	3	7	5	11	13	5	-	
Scrofula and Tuberc.		39	16	7	1	9	1	28	3	2	-	1	1	3	1	1	-	-	-	
Phthisis - - - -		223	2	3	3	1	-	9	4	1	22	34	40	34	36	27	7	-	-	
Hydrocephalus - -		44	11	17	3	2	-	33	10	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -		294	77	12	4	2	2	97	9	2	6	2	6	9	16	43	69	60	2	
Dis. of Heart & Dropsy		165	2	1	-	-	-	6	2	2	3	3	8	10	24	32	44	32	2	
Dis. of Lungs - - -		321	98	44	8	8	1	139	2	2	1	2	5	15	26	24	36	27	4	
Dis. of Stom. and Liver		120	17	-	1	-	1	19	2	4	4	3	5	10	26	18	36	35	-	
Dis. of Kidneys - -		55	1	1	-	-	-	2	-	1	1	1	2	6	5	9	14	12	2	
Dis. of Gener. Organs		7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	
Dis. of Joints - - -		7	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	
Dis. of Skin - - - -		8	6	-	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -		10	-	-	-	-	-	-	-	-	-	1	-	4	-	1	4	-	-	
Other Violent Deaths -		97	8	3	2	6	-	19	6	14	4	-	8	6	7	12	11	4	-	
Other Causes - - - -		665	271	26	1	1	-	299	2	-	-	1	1	6	8	42	143	52	-	

141.—HITCHIN.																			
Mean Popul ⁿ , 1861-71		12636	383	355	349	351	368	1806	1647	1534	1202	932	1549	1390	1123	805	482	152	14
TOTAL DEATHS -		2596	728	185	105	45	34	1097	98	59	53	57	110	138	167	217	368	232	60
Small-pox -		13	3	1	-	-	-	4	-	2	-	1	5	2	3	1	2	-	-
Measles -		57	12	14	20	3	3	42	12	1	-	-	1	1	-	-	-	-	-
Scarlatina -		137	10	22	12	16	13	83	33	18	5	2	-	1	-	-	-	-	-
Diphtheria -		6	-	-	-	1	1	2	1	1	1	-	-	-	-	1	-	-	-
Whooping-cough -		56	29	11	7	4	5	56	-	-	-	-	-	-	-	-	-	-	-
Typhus -		54	1	8	1	2	5	12	9	5	6	4	6	4	1	4	2	1	-
Diarrhoea & Dysentery -		145	96	20	6	-	-	122	1	-	-	-	2	2	1	6	5	5	1
Cholera -		2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis. -		79	20	10	7	2	1	40	6	8	3	-	4	3	3	10	8	2	-
Cancer -		18	-	-	-	-	-	-	-	-	-	-	3	1	1	5	6	2	-
Scrofula and Tubercles -		51	18	8	6	2	-	34	3	3	3	2	3	1	1	1	-	-	-
Phthisis -		217	4	2	-	-	-	6	4	6	17	28	45	48	40	21	2	-	-
Hydrocephalus -		28	5	9	7	2	1	24	8	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -		333	140	9	7	-	3	189	10	8	2	-	5	14	17	39	57	32	4
Dis. of Heart & Dropsy -		203	4	2	1	-	-	7	3	7	1	4	9	11	24	45	62	39	1
Dis. of Lungs -		294	60	22	12	8	2	104	6	1	2	6	11	11	22	39	53	32	7
Dis. of Stom. and Liver -		106	7	1	1	2	-	11	1	6	3	3	6	8	19	19	23	8	-
Dis. of Kidneys -		48	-	1	1	-	-	2	-	-	2	1	-	11	6	6	15	4	1
Dis. of Gen. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin -		8	1	1	1	-	-	3	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		14	-	-	-	-	-	-	-	-	1	-	-	-	7	4	1	-	-
Other Violent Deaths -		70	1	3	3	2	-	9	2	4	7	3	9	13	10	6	7	-	-
Other Causes -		639	316	46	18	1	-	376	4	3	-	2	3	4	13	18	68	117	46

142.—HERTFORD.																			
Mean Popul ⁿ , 1861-71		7946	215	186	204	200	180	985	1118	1038	752	605	950	846	696	522	318	104	14
TOTAL DEATHS -		1487	280	98	46	42	28	494	65	33	30	45	83	107	105	143	171	170	32
Small-pox -		29	3	4	-	2	1	10	5	2	1	3	2	5	1	-	-	-	-
Measles -		40	9	10	4	7	2	32	6	1	-	1	-	-	-	-	-	-	-
Scarlatina -		74	4	9	10	12	6	41	19	8	2	-	2	-	-	-	-	-	-
Diphtheria -		4	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-
Whooping-cough -		21	9	5	1	3	3	21	-	-	-	-	-	-	-	-	-	-	-
Typhus -		63	-	1	4	5	3	13	7	7	9	6	1	2	3	5	4	1	1
Diarrhoea & Dysentery -		72	32	15	2	1	1	51	-	-	-	-	2	2	2	1	9	5	1
Cholera -		5	3	-	-	-	-	8	-	-	-	-	-	-	-	1	3	-	-
Other Zymotic Dis. -		37	4	1	6	2	2	15	5	9	1	3	1	1	-	4	5	-	-
Cancer -		19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles -		14	5	2	-	-	-	11	1	-	1	-	1	-	5	9	4	-	-
Phthisis -		132	2	-	-	1	-	5	7	-	11	17	38	42	27	11	1	-	-
Hydrocephalus -		8	1	3	1	2	-	7	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		321	69	10	8	2	-	84	7	1	1	3	7	5	6	19	28	17	5
Dis. of Heart & Dropsy -		111	2	-	1	-	-	3	-	-	-	2	5	11	19	25	38	17	4
Dis. of Lungs -		195	36	15	4	4	4	63	7	1	-	2	7	6	17	31	35	27	4
Dis. of Stom. and Liver -		69	3	1	1	1	-	6	5	2	-	2	3	8	7	12	11	3	-
Dis. of Kidneys -		20	-	-	-	-	-	-	1	-	-	1	2	3	1	3	5	4	-
Dis. of Gen. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin -		3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-
Other Violent Deaths -		64	5	2	2	-	3	12	4	7	1	3	8	5	10	7	9	3	-
Other Causes -		310	98	20	8	-	2	118	2	-	1	1	2	2	7	15	37	94	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	supra.

140.—ROYSTON.

Mean Popu ^l , 1861-71	12499	357	355	333	351	333	1729	1604	1469	1015	911	1566	1387	1156	848	555	228	31		
TOTAL DEATHS—	2320	483	137	66	47	34	767	81	60	68	84	139	120	147	199	275	279	101		
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	26	9	10	2	2	—	23	3	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	77	8	12	16	9	—	53	17	—	1	—	1	—	—	—	—	—	—	—	—
Diphtheria	21	—	3	2	4	2	11	7	2	—	1	—	—	—	—	—	—	—	—	—
Whooping-cough	38	18	16	2	1	—	87	1	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	87	2	2	2	1	2	9	13	18	8	4	9	7	7	2	5	5	—	—	—
Diarrhoea & Dysentery	100	50	20	7	—	—	77	—	—	—	2	—	1	—	—	8	10	2	—	—
Cholera	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	50	3	6	4	5	6	24	4	1	1	1	3	2	1	2	6	3	2	—	—
Cancer	94	—	—	—	—	1	1	—	—	1	—	1	6	21	39	19	6	—	—	—
Scrofula and Tuberc.	45	10	9	3	—	2	24	4	1	3	3	3	5	5	2	—	—	—	—	—
Phtisis	249	—	3	1	—	1	5	9	—	37	44	61	36	32	12	4	—	—	—	—
Hydrocephalus	22	18	1	—	—	—	19	1	2	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	238	55	12	7	2	1	77	7	4	3	7	8	10	15	40	47	36	4	—	—
Dis. of Heart & Dropsy	191	1	2	—	—	—	3	4	2	4	7	5	12	26	41	53	26	3	—	—
Dis. of Lungs	278	82	31	14	8	7	142	4	9	5	1	5	8	14	18	43	28	3	—	—
Dis. of Stomach and Liver	114	11	1	—	3	—	15	2	2	1	2	11	10	10	27	21	13	—	—	—
Dis. of Kidneys	21	—	1	—	—	—	1	1	2	1	2	3	2	3	5	1	—	—	—	—
Dis. of Genes. Organs	16	—	—	—	—	—	—	—	—	1	1	4	2	4	—	3	2	—	—	—
Dis. of Joints	6	—	—	1	—	—	1	—	—	1	—	1	1	1	—	1	1	—	—	—
Dis. of Skin	10	4	1	1	—	—	6	—	1	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	43	—	—	—	—	—	—	—	—	2	8	20	15	—	—	—	—	—	—	—
Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	25	6	1	3	3	—	13	—	1	—	1	2	2	—	—	2	4	—	—	—
Other Causes	547	205	10	6	1	3	225	4	1	2	—	2	3	10	13	55	145	87	—	—

141.—HITCHIN.

Mean Popu ^l , 1861-71	13994	394	374	349	360	347	1824	1675	1540	1401	1248	1926	1538	1189	895	534	196	28		
TOTAL DEATHS—	2903	574	170	91	63	44	942	105	80	85	111	171	139	127	204	311	246	82		
Small-pox	12	1	—	—	1	2	4	1	3	1	—	3	—	—	—	—	—	—	—	—
Measles	40	7	11	8	5	4	85	4	—	—	1	—	—	—	—	—	—	—	—	—
Scarlatina	167	13	25	25	19	17	99	42	23	2	—	1	—	—	—	—	—	—	—	—
Diphtheria	19	—	—	2	—	—	2	6	9	—	—	—	1	—	—	—	—	—	—	—
Whooping-cough	54	23	13	9	4	1	50	4	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	71	—	—	—	4	5	10	7	7	15	6	13	2	4	5	1	1	—	—	—
Diarrhoea & Dysentery	140	66	25	8	2	3	104	—	1	1	1	1	1	1	6	10	9	5	—	—
Cholera	5	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	62	8	6	7	4	2	27	5	2	2	4	5	1	1	4	11	3	—	—	—
Cancer	57	—	—	—	—	—	—	—	—	—	—	—	12	16	9	13	1	—	—	—
Scrofula and Tuberc.	31	9	4	1	4	2	20	2	—	—	—	5	2	2	1	1	—	—	—	—
Phtisis	298	6	4	—	1	1	12	5	16	36	55	85	44	27	10	4	—	—	—	—
Hydrocephalus	21	9	4	2	1	1	17	2	1	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	233	80	14	11	2	2	109	5	4	6	6	6	5	14	35	60	29	4	—	—
Dis. of Heart & Dropsy	205	—	—	—	1	—	1	5	6	5	7	12	20	16	51	59	22	—	—	—
Dis. of Lungs	263	62	23	7	7	3	162	5	3	4	5	6	14	14	26	55	29	3	—	—
Dis. of Stomach and Liver	169	8	—	—	2	—	10	4	1	4	6	6	8	13	23	20	7	2	—	—
Dis. of Kidneys	16	1	—	—	—	—	1	—	—	—	—	2	2	3	3	3	—	—	—	—
Dis. of Genes. Organs	20	—	—	—	—	—	—	—	—	—	1	3	3	2	3	—	—	—	—	—
Dis. of Joints	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Dis. of Skin	8	1	—	—	—	—	1	—	—	—	—	—	—	1	2	3	1	—	—	—
Childbirth and Metris	54	—	—	—	—	—	—	—	—	3	11	19	20	1	—	—	—	—	—	—
Scrofula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	25	3	5	1	3	—	12	3	1	1	1	1	1	1	—	2	3	—	—	—
Other Causes	634	275	35	10	3	11	324	7	3	2	3	—	4	6	14	65	138	68	—	—

142.—HERTFORD.

Mean Popu ^l , 1861-71	7709	208	179	196	189	200	972	922	830	671	637	1041	889	720	551	330	132	14
TOTAL DEATHS—	1433	234	109	53	37	26	459	54	27	39	31	86	92	90	136	179	178	53
Small-pox	24	6	5	2	1	1	15	1	1	—	—	4	8	—	—	—	—	—
Measles	33	2	12	6	4	4	30	4	1	—	—	—	—	—	—	—	—	—
Scarlatina	62	2	7	12	8	5	34	18	5	1	—	2	—	—	1	—	—	—
Diphtheria	10	—	—	—	2	4	6	3	—	—	1	—	—	—	—	—	—	—
Whooping-cough	31	13	13	3	2	—	31	—	—	—	—	6	6	4	5	3	4	—
Typhus	69	2	2	5	3	4	16	6	7	4	8	2	5	2	1	6	6	1
Diarrhoea & Dysentery	65	29	6	1	—	—	38	2	—	—	1	—	—	—	1	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	23	2	—	3	3	2	10	—	2	—	—	1	3	13	15	10	5	1
Cancer	48	—	—	—	—	—	—	—	—	2	1	—	—	2	—	—	—	—
Scrofula and Tuberc.	11	2	2	1	—	—	5	1	—	—	—	—	—	—	—	—	—	—
Phtisis	127	1	3	—	—	—	6	1	3	16	4	40	27	17	10	2	1	—
Hydrocephalus	8	1	—	1	2	—	7	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	180	55	9	2	2	1	69	4	2	3	3	4	5	9	24	28	26	5
Dis. of Heart & Dropsy	104	—	1	1	—	—	2	1	2	—	4	9	10	12	23	38	11	—
Dis. of Lungs	181	25	29	8	5	4	71	5	—	—	3	2	18	8	21	28	20	7
Dis. of Stomach and Liver	82	6	1	—	1	—	8	—	1	5	2	4	5	19	18	17	3	—
Dis. of Kidneys	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—
Dis. of Genes. Organs	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Dis. of Joints	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	7	—	—	—	—	—	—	—	—	1	—	—	1	3	2	1	—	—
Childbirth and Metris	22	—	—	—	—	—	—	—	—	2	3	8	8	1	—	—	—	—
Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	21	3	1	1	2	—	7	3	—	1	—	—	2	1	1	1	5	—
Other Causes	215	83	15	7	—	—	105	5	1	—	—	3	—	3	15	69	20	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
143.—HATFIELD.																				
Mean Popul ⁿ , 1861-71	4279	117	123	126	106	111	583	529	488	413	320	519	486	404	304	170	55	8	2	1
TOTAL DEATHS	794	161	36	24	13	9	243	23	18	14	26	46	55	76	55	122	87	29	11	5
Small-pox	5	-	1	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-
Measles	14	2	2	3	3	1	11	3	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	17	-	1	3	1	3	8	5	2	-	1	-	1	-	-	-	-	-	-	-
Diphtheria	5	-	-	1	2	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough	8	3	5	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	31	3	-	2	2	-	7	2	4	1	1	5	4	-	-	3	4	-	-	-
Diarrhœa & Dysentery	24	11	2	3	-	-	16	1	-	-	-	1	1	1	-	2	1	-	-	-
Cholera	3	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	26	5	1	2	1	1	10	-	-	2	2	1	2	4	2	1	2	-	-	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-
Scrofula and Tabes	6	2	1	1	1	-	5	-	-	-	-	1	-	2	2	3	1	-	-	-
Phthisis	74	-	-	-	-	-	-	-	4	6	14	14	18	13	3	2	-	-	-	-
Hydrocephalus	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	95	27	3	1	-	1	32	1	2	1	-	2	3	5	7	30	9	-	-	-
Dis. of Heart & Dropsy	55	2	-	-	-	-	3	1	2	-	-	2	3	14	11	15	5	-	-	-
Dis. of Lungs	125	27	11	4	3	1	46	1	-	2	2	5	9	11	15	21	14	1	-	-
Dis. of Stom. and Liver	44	5	1	-	-	1	7	4	-	-	-	6	1	4	5	18	7	-	-	-
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	-	-	1	3	5	3	2	6	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Other Violent Deaths	43	3	1	1	-	-	5	2	2	2	4	5	4	9	2	6	2	-	-	-
Other Causes	172	66	6	1	-	-	73	-	2	-	-	-	6	3	4	26	36	22	-	-
144.—ST. ALBANS.																				
Mean Popul ⁿ , 1861-71	9320	273	254	258	250	229	1264	1181	1045	897	713	1227	1018	892	601	349	122	11	-	-
TOTAL DEATHS	1935	538	109	49	33	14	743	39	21	51	52	113	126	147	174	219	205	45	-	-
Small-pox	12	3	-	-	-	-	3	1	-	2	2	4	-	-	-	-	-	-	-	-
Measles	33	-	16	3	8	1	28	4	-	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	33	5	5	4	4	3	21	7	1	4	-	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	46	25	11	5	2	1	44	2	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	65	4	-	-	3	4	11	1	1	6	8	11	8	7	7	4	1	-	-	-
Diarrhœa & Dysentery	88	62	8	-	1	-	71	-	-	-	-	1	1	1	3	3	7	2	-	-
Cholera	8	3	-	1	-	-	4	-	1	-	-	3	2	1	2	6	7	2	-	-
Other Zymotic Dis.	46	7	7	3	3	-	20	6	-	2	1	3	2	1	3	2	6	-	-	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Scrofula and Tabes	31	23	7	4	-	-	34	3	2	3	4	1	2	2	6	7	2	-	-	-
Phthisis	190	5	2	3	1	-	11	4	2	12	17	48	40	31	15	6	4	-	-	-
Hydrocephalus	19	9	3	4	2	-	18	1	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	208	110	9	5	1	1	126	2	3	4	2	11	12	28	24	44	45	9	-	-
Dis. of Heart & Dropsy	135	2	-	1	-	-	4	-	-	5	4	12	12	21	29	39	21	2	-	-
Dis. of Lungs	285	64	19	9	6	-	98	4	5	4	2	8	15	22	35	41	41	8	-	-
Dis. of Stom. and Liver	89	14	4	1	-	-	19	1	1	1	2	2	8	10	19	19	7	-	-	-
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	-	-	1	3	1	6	7	9	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	15	2	2	-	-	-	4	-	1	-	-	-	2	1	2	5	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	1	-	1	-	4	5	3	-	-	-	-
Other Violent Deaths	72	1	6	2	1	3	13	1	1	5	9	6	12	9	5	6	4	1	-	-
Other Causes	351	198	10	2	-	1	211	-	-	2	-	3	8	7	10	20	37	23	-	-
145.—WATFORD.																				
Mean Popul ⁿ , 1861-71	11554	311	295	297	312	284	1499	1408	1341	1077	889	1595	1324	1044	776	437	146	18	-	-
TOTAL DEATHS	2316	563	160	73	41	39	876	81	55	43	42	130	176	174	207	294	197	51	-	-
Small-pox	9	3	-	1	1	-	5	-	2	-	-	1	1	-	-	-	-	-	-	-
Measles	30	6	9	3	1	5	24	5	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	55	1	10	9	6	4	30	15	6	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	27	2	6	2	2	3	15	6	2	-	-	2	1	-	-	-	-	-	-	-
Whooping-cough	56	31	16	7	1	-	35	1	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	80	6	3	2	3	3	17	9	8	7	3	5	9	6	11	3	2	-	-	-
Diarrhœa & Dysentery	68	51	8	-	-	-	59	-	-	-	-	-	-	-	1	2	2	-	-	-
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	72	7	6	5	6	10	34	6	3	2	3	4	7	2	1	5	5	-	-	-
Cancer	30	-	-	-	-	-	-	-	1	-	-	1	4	2	10	7	5	-	-	-
Scrofula and Tabes	24	8	6	2	2	-	18	-	-	1	-	2	-	-	1	1	1	-	-	-
Phthisis	268	10	5	1	1	1	18	6	7	14	13	52	64	50	53	9	-	-	-	-
Hydrocephalus	42	19	11	4	4	1	39	2	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	376	108	17	10	1	4	140	5	5	2	2	10	14	16	32	43	29	8	-	-
Dis. of Heart & Dropsy	137	2	3	-	-	-	5	2	1	3	7	6	16	25	31	45	16	-	-	-
Dis. of Lungs	349	95	33	18	8	4	158	9	6	1	2	12	20	23	31	32	30	2	-	-
Dis. of Stom. and Liver	83	13	1	-	-	-	14	3	2	1	1	1	12	14	17	15	7	-	-	-
Dis. of Kidneys	59	-	-	-	1	1	2	-	1	-	-	6	4	6	16	15	7	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	-	-	-	-	-	-	2	1	1	-	1	1	1	2	1	-	-	-	-
Dis. of Skin	10	3	1	-	-	-	4	-	1	-	1	-	-	1	-	3	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	-	-	2	3	2	4	1	2	-	-	-
Other Violent Deaths	91	2	1	1	1	2	7	6	6	5	7	13	12	19	9	5	5	-	-	-
Other Causes	451	195	24	8	3	1	231	4	1	4	-	2	7	5	7	26	37	23	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.

143.—HATFIELD.

Mean Popul ⁿ , 1861-71	4236	109	101	101	108	117	536	527	465	363	341	601	476	385	279	183	70	10
TOTAL DEATHS	745	130	41	20	12	7	219	24	13	23	26	45	63	41	59	104	102	26
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	17	5	5	-	-	3	13	2	1	-	-	1	-	-	-	-	-	-
Scarlatina	22	2	1	0	4	-	13	6	2	-	-	1	-	-	-	-	-	-
Diphtheria	3	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough	9	3	5	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	34	1	-	1	-	-	2	4	2	5	5	3	5	2	2	3	1	-
Barrhea & Dysentery	28	14	6	-	-	-	20	1	-	-	-	1	-	-	1	-	4	1
Cholera	3	2	1	-	-	-	3	-	2	-	-	-	-	-	-	2	1	-
Other Zymotic Dis.	15	1	1	3	1	2	8	1	-	1	-	1	-	-	1	-	-	-
Cancer	25	-	-	-	-	-	-	-	-	-	1	-	5	6	3	6	4	-
Scrophula and Tuberc.	4	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Phthisis	70	1	1	-	-	-	2	2	1	7	11	20	17	6	4	-	-	-
Encephalitis	10	5	1	-	2	-	8	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	95	18	4	2	-	1	25	1	-	3	-	3	5	4	12	19	19	4
Dis. of Heart & Dropsy	64	-	-	-	-	-	2	2	1	2	2	2	5	9	14	18	9	-
Dis. of Lungs	100	28	7	3	1	-	39	2	2	1	-	4	7	4	7	22	9	3
Dis. of Stom. and Liver	39	4	-	-	-	-	4	1	1	-	-	-	7	4	8	7	6	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	1	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metris	12	-	-	-	-	-	-	-	-	2	8	4	5	-	-	-	-	-
Accidents	4	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
Other Violent Deaths	15	2	1	1	2	-	6	-	-	-	-	-	-	2	-	4	2	1
Other Causes	159	51	7	3	2	-	63	-	-	1	2	2	1	4	2	22	46	16

144.—ST. ALBANS.

Mean Popul ⁿ , 1861-71	10683	266	238	257	254	261	1276	1181	1124	1025	1036	1544	1210	968	696	425	174	24
TOTAL DEATHS	1062	406	121	72	36	18	653	54	35	75	77	117	143	133	160	232	207	67
Small-pox	6	1	1	1	-	-	3	-	-	-	2	1	-	-	-	-	-	-
Measles	27	1	11	5	4	-	21	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	48	2	7	10	3	7	29	12	6	-	-	-	1	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	56	21	12	10	3	2	53	3	-	-	-	-	-	-	-	-	-	-
Typhus	96	2	2	5	3	5	17	6	7	15	12	6	8	-	9	6	2	-
Barrhea & Dysentery	89	20	9	4	-	-	61	-	-	-	-	1	-	4	1	9	9	1
Cholera	4	1	-	-	-	-	1	-	-	-	-	1	-	2	1	4	3	-
Other Zymotic Dis.	34	5	4	-	3	-	12	3	3	2	1	3	-	-	-	-	-	-
Cancer	63	-	-	-	-	-	-	-	-	-	-	-	14	16	15	11	6	1
Scrophula and Tuberc.	44	21	12	2	-	1	36	2	2	2	-	1	-	1	-	-	-	-
Phthisis	214	3	-	-	1	1	5	3	6	33	35	44	39	21	10	5	9	2
Encephalitis	19	6	6	1	3	-	16	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	317	93	15	11	4	1	124	6	4	7	4	10	8	16	28	47	29	15
Dis. of Heart & Dropsy	173	2	1	-	-	-	3	4	3	3	6	6	14	21	32	58	22	1
Dis. of Lungs	275	47	26	11	8	1	93	2	1	2	7	13	11	19	31	44	37	15
Dis. of Stom. and Liver	94	5	-	2	2	-	9	-	-	2	4	5	7	13	26	16	10	2
Dis. of Kidneys	11	-	-	-	-	-	-	-	1	-	-	2	2	1	2	3	-	-
Dis. of Genes. Organs	17	-	-	-	-	-	-	-	-	-	-	2	5	4	4	-	-	-
Dis. of Joints	5	-	2	-	-	-	2	-	-	-	-	2	1	-	-	1	-	-
Dis. of Skin	19	4	-	1	-	-	5	-	-	-	-	2	-	1	1	1	-	-
Childbirth and Metris	52	-	-	-	-	-	-	-	-	6	5	16	25	-	-	-	-	-
Accidents	6	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-
Other Violent Deaths	22	2	4	2	1	-	10	4	-	1	-	-	2	1	2	2	-	-
Other Causes	263	135	9	6	1	-	151	2	-	-	1	3	2	3	6	22	39	34

145.—WATFORD.

Mean Popul ⁿ , 1861-71	12210	317	272	301	293	285	1468	1482	1254	1048	1022	1799	1452	1139	831	505	182	28
TOTAL DEATHS	2113	466	139	72	56	36	760	81	51	54	54	133	116	136	101	255	194	70
Small-pox	12	2	3	2	1	-	8	1	-	-	1	-	1	-	1	-	-	-
Measles	23	3	8	2	3	4	20	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	67	4	10	10	14	5	41	19	7	-	-	-	-	-	-	-	-	-
Diphtheria	19	-	2	-	7	2	11	5	2	-	-	1	-	-	-	-	-	-
Whooping-cough	58	23	23	7	4	-	57	1	-	-	-	-	-	-	-	-	-	-
Typhus	76	2	1	6	2	3	14	9	7	10	2	5	8	10	7	2	2	-
Barrhea & Dysentery	75	35	10	-	1	-	66	-	-	-	-	1	-	-	1	-	5	1
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	54	8	6	6	5	3	28	4	2	2	2	2	2	4	2	5	1	-
Cancer	53	-	-	-	-	-	-	-	-	-	-	2	1	11	7	16	12	3
Scrophula and Tuberc.	15	7	2	-	-	-	10	1	3	-	-	-	-	1	-	-	-	-
Phthisis	247	12	4	5	3	1	25	5	13	31	28	70	54	29	10	-	-	-
Encephalitis	31	15	2	0	1	2	23	5	2	-	-	-	1	-	-	-	-	-
Dis. of Brain	283	90	13	7	2	5	117	5	-	4	3	8	7	17	34	52	29	7
Dis. of Heart & Dropsy	182	2	1	4	1	3	11	2	5	1	3	8	12	19	47	46	22	6
Dis. of Lungs	509	76	38	15	6	4	127	9	4	2	-	8	5	23	33	57	35	8
Dis. of Stom. and Liver	86	11	-	1	1	2	15	-	-	1	4	5	10	10	15	17	7	2
Dis. of Kidneys	15	-	-	-	1	-	1	-	1	-	-	1	3	1	2	5	-	-
Dis. of Genes. Organs	15	-	-	-	-	-	-	-	-	1	1	-	1	6	3	3	-	-
Dis. of Joints	14	1	-	-	-	-	1	3	2	1	-	2	1	2	-	2	-	-
Dis. of Skin	6	4	-	-	-	-	4	-	-	1	-	-	-	-	1	-	-	-
Childbirth and Metris	38	-	-	-	-	-	-	-	-	-	8	14	15	1	-	-	-	-
Accidents	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Other Violent Deaths	51	1	3	2	1	2	9	7	2	-	-	2	1	2	3	2	3	1
Other Causes	400	120	23	4	2	2	181	2	1	-	-	4	4	3	13	50	66	54

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
		146.—HEMEL HEMPSTEAD.																	
Mean Popul ⁿ , 1861-71	6792	209	182	196	181	181	949	878	785	706	549	841	718	623	415	238	81	9	
TOTAL DEATHS	1479	304	101	58	37	20	610	66	24	32	42	90	91	110	122	131	129	82	
Small-pox	19	4	-	1	-	1	6	1	2	1	2	1	1	3	1	1	-	-	
Measles	12	2	6	1	1	1	11	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	64	2	7	10	12	7	38	21	3	2	-	-	-	-	-	-	-	-	
Diphtheria	14	-	3	4	2	1	10	3	-	-	-	1	-	-	-	-	-	-	
Whooping-cough	24	8	10	2	2	1	23	1	-	-	-	-	-	-	-	-	-	-	
Typhus	54	2	1	3	3	1	10	7	4	2	2	7	8	4	3	1	4	-	
Diarrhoea & Dysentery	63	87	12	-	-	1	59	-	-	-	1	1	1	-	2	4	2	2	
Cholera	2	2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	
Other Zymotic Dis.	28	2	4	4	4	1	15	3	-	-	2	1	2	1	2	3	-	-	
Cancer	30	-	-	-	-	-	-	-	-	-	2	-	-	7	8	2	1	-	
Serofula and Tabes	31	12	7	2	1	1	25	1	1	1	2	-	-	1	2	-	-	-	
Phthisis	132	1	-	2	1	-	4	4	1	5	15	41	25	22	10	3	2	-	
Hydrocephalus	16	0	1	4	2	2	15	-	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain	166	62	8	5	1	1	77	5	4	2	4	6	13	12	35	22	23	1	
Dis. of Heart & Dropsy	92	-	-	-	1	-	1	-	-	2	2	4	5	16	20	28	13	1	
Dis. of Lungs	217	63	24	13	4	-	104	6	1	4	2	9	9	20	20	26	16	-	
Dis. of Stom. and Liver	61	12	3	2	1	-	18	1	3	1	1	6	9	8	4	5	5	-	
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	1	2	-	4	4	5	2	3	-	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Dis. of Joints	10	-	1	-	-	-	1	-	1	3	-	1	-	1	3	-	-	-	
Dis. of Skin	5	1	-	-	-	-	1	-	-	2	-	1	-	-	-	-	1	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Violent Deaths	86	7	3	4	2	1	17	11	3	5	6	10	9	8	6	6	5	-	
Other Causes	310	171	11	1	-	1	184	1	1	-	-	1	4	3	11	23	32	28	

147.—BERKHAMPSTEAD.																		
Mean Popul ⁿ , 1861-71	6392	193	187	168	185	170	903	843	773	634	483	802	681	552	407	236	71	7
TOTAL DEATHS	1362	407	97	63	38	28	633	40	20	20	21	60	75	78	109	144	118	26
Small-pox	7	1	1	—	—	—	2	—	2	—	—	—	2	—	1	—	—	—
Measles	7	1	3	1	2	—	7	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	76	5	7	11	14	14	51	19	3	—	1	2	—	—	—	—	—	—
Diphtheria	8	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—
Whooping-cough	32	13	8	4	5	1	31	1	—	—	—	—	—	—	—	—	—	—
Typhus	41	—	3	2	1	1	7	0	1	—	4	4	6	1	3	3	1	1
Diarrhoea & Dysentery	75	45	15	6	2	—	66	—	—	1	—	—	1	1	1	5	3	—
Cholera	10	6	1	—	—	—	6	—	—	—	—	—	—	1	1	—	—	—
Other Zymotic Dis.	33	6	3	4	2	4	19	4	—	—	1	—	—	2	6	1	—	—
Cancer	13	—	—	—	—	—	—	—	—	1	—	—	1	1	3	2	1	1
Serofula and Tabes	21	5	4	3	1	2	15	2	2	—	—	—	—	1	1	—	—	—
Phthisis	104	2	1	1	—	—	4	1	5	10	8	27	20	15	9	3	2	—
Hydrocephalus	31	14	7	3	—	1	25	4	2	—	—	—	—	—	—	—	—	—
Dis. of Brain	162	47	7	7	4	2	67	—	3	2	2	6	13	15	14	27	13	—
Dis. of Heart & Dropsy	88	3	1	—	—	—	4	—	1	1	1	4	4	13	16	33	8	1
Dis. of Lungs	196	64	22	15	3	1	105	1	3	2	—	2	9	11	16	20	17	4
Dis. of Stom. and Liver	45	8	—	—	1	—	9	1	1	—	2	2	4	8	12	6	5	—
Dis. of Kidneys	96	—	—	—	—	—	—	2	1	—	—	—	1	6	9	7	4	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Dis. of Skin	5	3	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	5	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—
Other Violent Deaths	50	3	8	2	2	1	11	3	4	3	1	8	5	3	8	4	4	—
Other Causes	318	181	12	3	1	1	198	1	—	—	—	1	2	3	4	26	62	18

148.—AMERSHAM.																		
Mean Popul ⁿ , 1861-71	8974	268	246	255	253	240	1262	1131	1092	846	676	1102	941	799	601	376	134	14
TOTAL DEATHS	1941	543	166	58	48	17	832	62	32	31	47	86	93	104	153	224	216	50
Small-pox	6	2	—	—	—	—	2	—	—	—	—	—	1	1	1	—	—	—
Measles	34	5	14	7	3	1	30	4	—	—	—	—	—	—	—	—	—	—
Scarlatina	50	4	4	2	9	4	23	19	6	2	—	—	—	—	—	—	—	—
Diphtheria	13	—	—	1	4	3	8	3	—	—	—	—	1	—	—	1	—	—
Whooping-cough	33	22	15	9	2	1	49	3	—	—	—	1	—	—	—	—	—	—
Typhus	50	8	1	—	1	—	5	—	3	2	6	6	9	2	8	3	1	—
Diarrhoea & Dysentery	70	36	14	3	1	1	55	1	—	—	—	—	1	—	2	3	6	—
Cholera	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	58	5	12	4	6	1	28	8	3	2	—	1	2	2	3	7	2	1
Cancer	30	—	—	—	—	1	1	—	—	—	—	—	—	2	3	12	6	2
Serofula and Tabes	37	28	12	2	2	1	45	2	1	3	—	1	2	2	1	—	—	—
Phthisis	162	3	1	2	1	—	7	5	3	10	25	35	23	28	17	6	1	—
Hydrocephalus	62	31	20	5	3	—	69	3	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	220	68	10	2	4	1	85	—	3	1	2	4	4	10	21	43	40	7
Dis. of Heart & Dropsy	139	—	2	—	—	—	2	1	—	1	1	3	4	13	27	44	27	4
Dis. of Lungs	284	85	32	13	7	1	138	2	3	2	4	13	12	11	29	35	32	4
Dis. of Stom. and Liver	201	23	1	2	1	—	27	1	4	2	3	5	11	16	11	14	6	3
Dis. of Kidneys	40	—	—	—	—	—	—	1	1	—	—	—	2	5	2	14	7	5
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	11	—	1	—	—	—	1	—	—	2	—	—	1	—	—	—	—	—
Dis. of Skin	10	3	2	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	6	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—
Other Violent Deaths	55	8	4	1	—	1	14	1	4	—	2	9	6	2	5	8	4	—
Other Causes	427	217	20	5	4	1	247	3	1	—	1	2	3	9	11	36	74	18

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 upwards.
		146.—HEMEL HEMPSTEAD.																
Mean Popul ⁿ , 1861-71	7522	190	186	187	197	194	954	873	821	709	663	1126	876	674	463	251	99	13
TOTAL DEATHS -	1365	310	80	41	45	17	502	43	24	42	63	91	105	100	100	148	121	20
Small-pox - - -	15	2	2	-	-	-	4	1	-	3	-	2	-	4	1	-	-	-
Measles - - - -	12	1	6	2	3	-	12	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	53	5	5	12	10	3	55	15	3	-	-	-	-	-	-	-	-	-
Diphtheria - - -	11	3	3	-	1	1	8	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	23	11	8	2	3	-	24	2	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	60	-	-	1	6	6	13	5	3	7	4	5	11	4	2	1	2	1
Diarrhoea & Dysentery	55	34	10	4	1	-	49	-	-	1	-	-	1	-	-	2	1	1
Cholera - - - - -	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	99	7	3	-	5	-	15	2	1	-	1	-	2	1	3	3	2	-
Cancer - - - - -	88	-	-	-	-	-	-	-	-	-	-	3	6	4	13	8	4	-
Serofula and Tuberc.	29	7	7	1	-	1	16	2	-	-	-	2	-	-	-	-	-	-
Phthisis - - - -	164	1	-	1	-	1	3	-	6	15	29	51	32	14	6	6	2	-
Hydrocephalus - -	15	6	4	-	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	142	31	6	4	2	2	45	4	3	1	2	4	6	13	19	31	11	3
Dis. of Heart & Dropsy	110	1	-	-	1	-	2	1	1	2	6	3	9	22	21	20	10	3
Dis. of Lungs - - -	93	53	21	10	10	1	95	2	3	3	6	3	8	17	19	24	21	2
Dis. of Stom. and Liver	72	12	1	2	-	1	16	2	3	3	2	5	6	9	8	14	5	-
Dis. of Kidneys - -	18	-	-	-	-	-	-	-	-	2	3	1	2	5	2	1	2	-
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	2	3	1	1	1	-	-
Dis. of Joints - - -	7	-	-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-
Dis. of Skin - - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metris	25	-	-	-	-	-	-	-	-	1	7	7	10	-	-	-	-	-
Suicide - - - - -	4	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
Other Violent Deaths	19	7	1	2	1	1	12	2	-	1	-	1	1	1	1	-	-	1
Other Causes - - -	256	128	10	-	1	-	139	-	1	-	2	1	6	3	4	24	60	16

147.—BERKHAMSTEAD.																		
Mean Popul ⁿ , 1861-71	7259	193	204	166	189	171	923	840	798	722	646	1057	834	644	440	259	84	12
TOTAL DEATHS -	1420	316	100	63	34	18	531	52	30	35	57	93	85	74	133	167	121	42
Small-pox -	3	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
Measles -	11	3	6	1	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	71	5	10	14	8	4	41	18	8	-	-	3	-	1	-	-	-	-
Diphtheria -	3	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough -	44	15	11	10	4	2	42	2	-	-	-	-	-	-	-	-	-	-
Typhus -	48	-	1	-	1	1	3	3	7	11	4	6	6	5	3	5	4	1
Diarrhoea & Dysentery -	80	46	14	2	1	1	64	-	-	-	1	-	1	3	3	-	-	-
Cholera -	11	6	2	-	-	-	8	-	-	-	-	-	1	-	1	1	-	-
Other Zymotic Dis. -	35	4	-	4	-	1	9	1	-	-	-	3	-	-	3	2	-	-
Cancer -	36	-	-	-	-	-	-	1	-	-	-	4	-	4	10	3	9	-
Serofula and Tuberc. -	26	10	4	4	1	-	19	1	-	4	-	-	-	-	8	1	-	-
Phthisis -	150	-	-	2	3	-	7	5	5	15	35	88	29	11	12	9	-	-
Hydrocephalus -	22	7	5	4	2	2	20	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	145	35	3	5	1	2	46	7	4	-	4	5	3	12	19	27	14	3
Dis. of Heart & Dropsy -	136	-	-	1	1	-	2	4	-	1	5	8	9	11	39	37	19	1
Dis. of Lungs -	181	49	22	6	9	4	90	4	3	-	3	2	7	7	16	32	15	2
Dis. of Stom. and Liver -	72	3	-	2	-	-	5	1	1	-	5	3	10	6	17	18	5	1
Dis. of Kidneys -	28	-	1	-	-	-	1	1	-	1	2	4	3	4	5	1	1	-
Dis. of Genes. Organs -	8	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-
Dis. of Joints -	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
Dis. of Skin -	3	-	2	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metris -	29	-	-	-	-	-	-	-	-	1	7	11	19	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths -	15	4	2	1	-	-	7	-	1	-	-	1	-	-	-	1	2	1
Other Causes -	285	129	14	7	1	-	151	1	1	-	-	1	-	2	4	31	60	24

148.—AMERSHAM.																		
Mean Popul ⁿ , 1861-71	9401	292	244	257	249	252	1294	1118	1084	797	775	1214	1015	889	654	405	140	16
TOTAL DEATHS -	1928	302	151	91	47	27	708	69	45	39	65	113	116	105	169	247	197	55
Small-pox -	3	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-
Measles -	45	2	17	13	6	5	41	4	-	-	-	-	-	-	-	-	-	-
Scarlatina -	60	3	5	15	9	5	37	19	4	-	-	-	-	-	-	-	-	-
Diphtheria -	19	-	-	3	2	2	7	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough -	56	24	19	9	3	1	56	-	-	-	-	-	-	-	-	-	-	-
Typhus -	55	1	-	3	3	1	10	5	8	-	7	6	7	3	5	1	-	-
Diarrhoea & Dysentery -	69	24	12	3	1	-	40	2	1	-	-	3	-	3	1	4	6	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	55	6	9	0	5	1	30	5	-	2	1	-	-	1	6	5	4	-
Cancer -	69	-	-	-	-	-	-	-	-	-	-	3	13	14	13	17	9	-
Serofula and Tuberc. -	46	11	5	3	1	2	29	4	3	-	3	4	3	2	2	2	-	-
Phthisis -	198	2	3	1	2	-	8	5	14	18	27	52	32	15	17	7	3	-
Hydrocephalus -	46	22	9	5	1	3	40	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	212	36	9	3	4	2	54	3	3	5	7	9	9	12	23	54	24	7
Dis. of Heart & Dropsy -	129	-	1	-	1	1	3	-	1	1	2	4	13	13	25	37	28	2
Dis. of Lungs -	249	65	32	9	6	3	115	6	2	1	2	2	3	6	26	40	35	6
Dis. of Stom. and Liver -	111	7	2	1	2	-	12	6	1	1	2	5	9	18	29	24	4	-
Dis. of Kidneys -	24	-	-	-	-	-	-	-	1	-	1	4	3	6	2	6	1	-
Dis. of Genes. Organs -	18	-	-	-	-	-	-	-	1	-	1	1	6	4	5	-	-	-
Dis. of Joints -	3	-	-	-	-	1	1	-	1	-	1	-	-	1	5	1	-	-
Dis. of Skin -	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metris -	35	-	-	-	-	-	-	-	-	2	6	15	12	-	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1
Other Violent Deaths -	29	4	3	2	-	1	10	2	1	-	-	-	1	-	1	1	1	1
Other Causes -	413	184	25	9	1	-	219	1	2	1	4	4	4	6	15	43	73	29

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85					
149.—ETON.																					
Mean Popul ⁿ , 1861-71	11540	325	293	315	303	293	1529	1438	1424	1126	913	1515	1266	1007	736	430	138	18			
TOTAL DEATHS	2282	530	129	66	40	27	792	86	45	50	76	128	150	179	233	274	212	57			
Small-pox	18	3	1	—	—	—	4	—	2	—	3	6	3	—	—	—	—	—			
Measles	36	7	12	7	3	—	29	7	—	—	—	—	—	—	—	—	—	—			
Scarlatina	76	3	12	10	11	7	43	20	4	—	3	—	—	—	—	—	—	—			
Diphtheria	7	1	1	2	—	—	4	1	1	1	—	—	—	—	—	—	—	—			
Whooping-cough	23	14	6	—	2	1	23	—	—	—	—	—	—	—	—	—	—	—			
Typhus	80	2	2	—	1	2	7	10	7	10	9	7	6	5	7	9	2	1			
Diarrhoea & Dysentery	78	33	10	3	1	—	67	—	—	—	—	—	—	1	1	2	6	1			
Cholera	4	3	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—			
Other Zymotic Dis.	61	9	4	2	7	4	26	4	1	—	2	2	4	4	8	8	3	—			
Cancer	30	—	—	—	—	—	—	—	1	—	1	—	2	3	7	9	6	1			
Serofula and Tabes	34	10	5	2	1	—	24	1	1	1	1	1	1	1	3	—	—	—			
Phthisis	279	7	—	5	2	—	14	4	4	13	53	63	70	45	28	5	1	—			
Hydrocephalus	31	8	10	5	1	3	27	3	1	—	—	—	—	—	—	—	—	—			
Dis. of Brain	244	39	11	5	1	2	78	3	1	6	6	10	10	15	36	30	24	5			
Dis. of Heart & Dropsy	154	9	—	1	—	1	11	2	2	5	4	6	14	20	39	32	17	2			
Dis. of Lungs	351	82	30	11	4	2	129	14	4	2	4	12	10	32	37	55	43	19			
Dis. of Stom. and Liver	127	14	4	3	—	—	21	2	7	1	1	6	9	19	27	30	12	2			
Dis. of Kidneys	51	—	—	—	1	1	2	1	1	1	1	5	1	5	12	16	6	—			
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Dis. of Joints	8	1	—	—	—	—	1	—	—	2	1	1	—	1	1	1	—	—			
Dis. of Skin	3	1	—	1	—	—	2	—	—	—	—	—	—	—	1	—	—	—			
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violent Deaths	95	9	9	4	4	2	38	5	7	8	5	6	11	12	7	4	1	1			
Other Causes	477	229	11	5	1	2	248	3	1	—	1	4	8	10	16	61	21	34			
150.—WYCOMBE.																					
Mean Popul ⁿ , 1861-71	18205	586	525	512	510	493	2626	2335	2130	1843	1425	2361	1913	1475	1139	696	236	26			
TOTAL DEATHS	3787	1009	306	170	89	50	1714	140	71	86	91	164	162	215	277	405	359	103			
Small-pox	24	5	2	1	—	—	8	2	2	1	2	4	2	2	1	—	—	—			
Measles	62	6	25	15	8	1	66	5	1	—	—	—	—	—	—	—	—	—			
Scarlatina	136	12	18	24	20	10	84	38	8	2	—	3	—	1	—	—	—	—			
Diphtheria	23	3	—	2	3	2	10	5	2	2	1	1	—	1	1	—	—	—			
Whooping-cough	72	38	20	9	1	1	69	3	—	—	—	—	—	—	—	—	—	—			
Typhus	132	3	5	9	5	4	26	16	15	18	12	13	7	5	6	10	4	—			
Diarrhoea & Dysentery	140	80	21	8	1	2	112	—	1	—	—	—	—	6	2	10	9	—			
Cholera	8	2	—	—	—	—	12	1	—	1	—	—	1	1	—	2	—	—			
Other Zymotic Dis.	105	10	13	12	11	6	52	15	2	5	2	2	2	5	7	8	3	2			
Cancer	42	—	—	—	—	1	1	—	—	1	—	—	2	14	5	13	5	1			
Serofula and Tabes	103	45	26	5	1	1	78	5	1	5	2	4	5	1	3	1	—	—			
Phthisis	298	16	12	3	4	2	37	5	4	16	46	69	60	37	18	5	1	—			
Hydrocephalus	36	23	9	14	2	2	50	5	1	—	—	—	—	—	—	—	—	—			
Dis. of Brain	413	119	41	12	8	3	183	7	7	5	7	15	15	16	54	63	34	7			
Dis. of Heart & Dropsy	207	4	4	1	1	—	10	3	4	6	2	11	15	22	40	63	21	8			
Dis. of Lungs	502	148	47	28	8	5	236	12	2	6	4	13	19	45	53	63	29	8			
Dis. of Stom. and Liver	151	19	3	5	4	2	33	3	1	3	2	4	11	18	26	40	8	2			
Dis. of Kidneys	58	—	1	1	—	—	2	—	—	3	3	3	7	4	13	7	12	4			
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Dis. of Joints	12	—	—	—	1	—	1	1	1	1	1	3	2	—	2	—	—	—			
Dis. of Skin	15	4	—	—	—	—	4	—	1	—	—	—	—	—	3	2	—	—			
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violent Deaths	125	16	5	7	2	3	33	6	16	10	5	9	5	16	14	7	6	—			
Other Causes	1092	546	53	14	9	5	627	8	5	—	4	7	8	16	29	104	235	71			
151.—AYLESBURY.																					
Mean Popul ⁿ , 1861-71	11750	346	322	311	303	321	1603	1429	1332	1144	879	1416	1208	1099	849	559	211	21			
TOTAL DEATHS	2681	648	155	93	55	47	998	97	53	60	93	135	155	149	246	330	294	71			
Small-pox	10	1	—	—	—	—	1	1	—	1	3	1	—	1	1	1	—	—			
Measles	20	5	9	4	—	2	20	—	—	—	—	—	—	—	—	—	—	—			
Scarlatina	149	11	16	21	26	23	97	40	6	4	1	—	1	—	—	—	—	—			
Diphtheria	11	6	—	—	1	—	7	2	—	2	—	—	—	—	—	—	—	—			
Whooping-cough	45	28	10	3	3	1	45	—	—	—	—	—	—	—	—	—	—	—			
Typhus	92	3	3	8	3	1	18	12	9	12	8	7	6	6	10	4	—	—			
Diarrhoea & Dysentery	131	72	19	3	1	—	95	3	—	1	—	1	1	2	6	9	13	1			
Cholera	14	7	1	—	—	1	9	—	—	—	—	—	—	2	1	—	—	—			
Other Zymotic Dis.	68	9	1	7	5	5	27	1	3	3	2	3	1	2	12	10	4	—			
Cancer	30	—	—	—	—	—	—	—	1	1	1	1	2	4	8	7	5	—			
Serofula and Tabes	58	31	2	2	1	—	36	7	4	—	—	3	5	—	4	1	—	—			
Phthisis	244	15	5	2	—	1	19	2	5	16	44	63	44	28	15	7	1	—			
Hydrocephalus	27	4	8	5	2	4	23	2	1	—	1	—	—	—	—	—	—	—			
Dis. of Brain	325	60	3	2	3	4	72	7	1	6	11	22	32	22	32	66	60	4			
Dis. of Heart & Dropsy	132	3	2	—	1	—	6	1	1	2	1	5	8	14	26	43	21	4			
Dis. of Lungs	445	118	39	18	4	4	183	4	4	5	6	9	20	33	38	55	12	—			
Dis. of Stom. & Liver	141	14	1	3	1	—	19	3	4	3	5	5	8	12	32	32	15	2			
Dis. of Kidneys	71	—	—	—	2	—	2	—	—	1	2	2	4	4	11	24	17	8			
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Dis. of Joints	12	—	—	—	1	—	1	—	2	—	1	2	—	1	1	1	1	—			
Dis. of Skin	4	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—			
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violent Deaths	66	3	1	4	1	—	9	7	7	2	5	9	12	6	10	2	4	—			
Other Causes	580	259	57	11	—	1	398	5	5	1	1	9	12								

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
149.—ETON.																			
Mean Popul ⁿ , 1861-71		12101	329	289	299	307	298	1522	1408	1291	1029	1068	1793	1426	1117	787	464	172	24
TOTAL DEATHS -		2088	389	129	78	47	29	672	87	26	60	65	136	122	134	180	280	233	75
Small-pox - - -		12	4	-	-	-	3	4	-	-	3	1	3	1	-	-	-	-	-
Measles - - - -		38	2	20	9	2	3	36	1	-	-	-	-	1	-	-	-	-	-
Scarlatina - - -		65	3	7	9	8	6	33	22	1	6	2	1	-	-	-	-	-	-
Diphtheria - - -		19	1	-	2	2	1	6	2	-	-	-	1	-	-	1	-	-	-
Whooping-cough -		38	14	10	7	5	2	38	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -		89	1	4	6	4	3	18	9	7	9	7	9	8	6	7	4	5	-
Diarrhoea & Dysentery		81	49	12	4	-	-	65	2	-	-	-	1	1	-	1	4	6	1
Cholera - - - - -		5	2	-	-	1	-	3	-	-	-	-	1	1	-	-	-	-	-
Other Zymotic Dis.		57	6	5	3	5	5	24	6	2	-	2	3	2	2	-	7	4	5
Cancer - - - - -		71	-	-	1	-	-	1	-	-	-	-	3	11	20	15	17	2	2
Scrofula and Tabes -		32	4	5	2	3	-	14	4	3	4	-	2	1	-	2	2	-	-
Phthisis - - - -		214	4	5	1	-	-	19	3	4	19	56	54	39	22	17	9	-	1
Hydrocephalus - -		25	9	4	7	1	-	21	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -		259	61	17	7	2	1	88	9	1	5	3	4	12	17	25	49	32	5
Dis. of Heart & Dropsy		181	2	-	-	-	-	2	2	2	5	3	12	12	14	47	51	29	2
Dis. of Lungs - - -		291	51	23	11	11	4	100	7	1	4	1	9	2	22	32	68	33	12
Dis. of Stom. and Liver		119	12	1	2	-	1	16	4	2	2	2	8	12	15	74	27	6	1
Dis. of Kidneys - -		13	-	-	-	-	-	-	-	-	-	-	3	1	1	3	3	1	1
Dis. of Gen. Organs -		21	-	-	-	-	-	-	-	-	-	-	3	3	5	4	2	2	-
Dis. of Joints - - -		8	1	-	-	-	-	1	-	-	1	-	3	-	2	-	1	-	-
Dis. of Skin - - - -		8	2	1	-	-	-	3	-	-	-	-	-	-	1	-	2	2	-
Childbirth and Metris		30	-	-	-	-	-	-	-	-	1	6	12	11	-	-	-	-	-
Suicide - - - - -		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths -		41	4	2	5	1	2	14	9	1	-	-	2	2	3	1	5	3	1
Other Causes - - -		388	187	13	2	2	1	175	4	1	1	2	1	2	3	10	38	107	44

150.—WYCOMBE.																			
Mean Popul ⁿ , 1861-71		18547	578	537	551	537	509	2712	2333	2081	1673	1528	2551	1988	1555	1156	693	248	29
TOTAL DEATHS -		3621	762	305	176	100	59	1402	124	63	105	105	205	207	208	295	435	365	107
Small-pox -		21	2	2	3	2	-	9	2	1	4	5	2	-	-	-	-	-	-
Measles -		48	7	11	14	7	4	43	4	1	-	-	-	-	-	-	-	-	-
Scarlatina -		144	7	28	24	23	19	101	28	9	2	2	2	-	-	-	-	-	-
Diphtheria -		16	3	-	1	2	1	7	6	1	-	-	1	-	1	-	-	-	-
Whooping-cough -		43	30	20	8	3	-	61	2	-	-	-	-	-	-	-	-	-	-
Typhus -		126	3	10	7	4	3	27	11	15	18	10	12	8	7	6	4	6	-
Diarrhoea & Dysentery -		117	47	26	9	1	-	83	2	-	-	-	-	4	1	5	11	9	2
Cholera -		13	3	2	1	-	1	7	-	-	-	-	-	1	3	2	-	-	-
Other Zymotic Dis. -		98	14	9	15	13	13	62	11	4	-	-	1	2	2	6	6	4	-
Cancer -		89	-	-	1	-	-	1	-	-	-	1	1	10	17	25	18	14	2
Serofula and Tabes -		96	38	27	12	6	1	84	3	-	4	1	1	1	1	-	-	-	-
Phthisis -		386	15	11	5	1	1	31	13	8	45	46	108	67	43	19	6	-	-
Hydrocephalus -		89	10	10	7	2	2	31	5	1	2	-	-	-	-	-	-	-	-
Dis. of Brain -		373	79	28	14	11	2	134	6	7	3	6	10	21	23	32	63	29	7
Dis. of Heart & Dropsy -		512	5	4	1	1	3	14	2	4	6	7	17	20	34	60	104	39	5
Dis. of Lungs -		414	95	43	25	9	5	175	16	2	6	2	12	16	19	44	72	42	8
Dis. of Stom. and Liver -		161	9	8	5	1	1	24	2	1	7	2	11	14	27	50	27	15	1
Dis. of Kidneys -		19	2	2	-	-	-	4	-	-	-	-	1	2	2	4	3	1	2
Dis. of Gen. Organs -		12	-	-	-	-	-	-	-	-	-	-	4	2	2	4	1	-	-
Dis. of Joints -		10	-	-	-	-	-	-	-	1	1	-	1	3	2	1	1	-	-
Dis. of Skin -		8	2	2	-	-	-	4	-	-	-	-	-	-	1	1	-	1	-
Childbirth and Metris -		53	-	-	-	-	-	-	-	-	3	16	15	19	-	-	-	-	-
Suicide -		4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
Other Violent Deaths -		37	8	7	8	3	3	29	6	4	2	1	1	2	1	-	3	7	1
Other Causes -		942	385	55	29	11	-	471	5	4	2	7	3	14	21	36	113	188	79

151.—AYLESBURY.																			
Mean Popul ⁿ , 1861-71		12359	338	325	340	302	324	1629	1539	1320	1094	980	1638	1365	1156	869	541	200	28
TOTAL DEATHS -		2736	485	173	89	52	51	850	122	75	96	85	188	153	175	235	353	315	89
Small-pox -		5	-	-	-	-	-	27	2	-	1	-	-	1	-	2	2	-	-
Measles -		30	8	7	9	3	-	27	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -		154	4	37	18	14	20	93	46	8	2	2	1	1	-	1	-	-	-
Diphtheria -		12	-	2	-	3	1	6	2	2	-	-	-	1	-	1	-	-	-
Whooping-cough -		63	25	18	13	5	1	62	1	-	-	-	-	-	-	-	-	-	-
Typhus -		126	3	3	5	3	7	23	20	16	19	11	14	9	2	6	5	1	5
Diarrhoea & Dysentery -		119	47	19	4	-	1	71	-	-	-	-	-	2	1	8	15	17	5
Cholera -		14	7	3	-	-	-	10	-	-	-	-	-	1	-	1	-	-	-
Other Zymotic Dis. -		51	4	4	2	3	2	15	12	3	1	4	1	3	4	5	1	2	-
Cancer -		58	-	-	-	-	-	-	-	-	-	-	1	2	24	11	15	5	2
Serofula and Tabes -		60	22	10	4	1	2	39	5	2	3	3	1	1	-	3	1	2	-
Phthisis -		392	4	4	2	-	-	10	5	22	45	89	85	48	25	16	6	-	-
Hydrocephalus -		29	12	4	4	2	1	23	3	4	-	-	-	-	-	-	-	-	-
Dis. of Brain -		229	43	8	6	3	4	64	6	10	7	6	24	18	35	43	67	48	6
Dis. of Heart & Dropsy -		192	3	-	-	-	1	4	3	1	2	5	9	13	41	68	85	4	-
Dis. of Lungs -		365	74	29	11	8	5	127	3	3	2	1	13	15	19	58	78	60	11
Dis. of Stom. and Liver -		146	19	-	2	1	1	23	5	1	4	4	10	12	25	18	31	11	2
Dis. of Kidneys -		33	1	1	-	-	-	2	8	-	1	1	7	6	2	7	2	2	-
Dis. of Gen. Organs -		30	-	-	-	-	-	-	-	-	-	-	2	4	5	6	3	-	-
Dis. of Joints -		9	-	1	-	1	-	2	-	1	-	-	1	-	-	2	-	1	-
Dis. of Skin -		6	1	-	1	-	-	2	1	-	-	-	-	-	-	1	1	1	-
Childbirth and Metris -		46	-	-	-	-	-	-	-	-	2	11	17	13	3	-	-	-	-
Suicide -		4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Other Violent Deaths -		51	5	2	2	3	1	16	1	1	-	-	4	-	2	-	3	4	1
Other Causes -		252	390	91	6	-	4	231	3	2	4	-	1	7	8	26	64	128	58

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		152.—WINSLOW.																
Mean Popul ⁿ , 1861-71	4518	119	137	127	117	125	625	578	577	427	332	404	467	413	317	198	85	5
TOTAL DEATHS -	900	242	68	20	26	14	370	38	23	20	35	28	34	42	78	113	100	19
Small-pox - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Measles - - - -	7	2	3	-	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	33	2	6	5	8	5	26	6	5	-	-	1	-	-	-	-	-	-
Diphtheria - - -	9	-	2	1	1	-	4	2	1	-	-	-	-	1	-	1	-	-
Whooping-cough -	8	3	-	1	2	1	7	1	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	27	-	3	1	1	-	5	3	2	1	4	2	2	2	2	3	-	-
Diarrhoea & Dysentery	12	4	2	-	-	-	6	-	-	-	-	-	-	-	-	1	4	-
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	30	6	4	2	2	1	15	2	-	1	-	1	1	-	3	4	2	1
Cancer - - - - -	10	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	4	-
Scrofula and Tubercs	12	3	4	1	1	-	9	1	-	2	-	-	-	-	-	-	-	-
Phthisis - - - -	99	5	1	-	-	1	7	6	4	9	22	14	17	12	6	1	1	-
Hydrocephalus - -	12	4	2	1	1	1	9	-	3	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	107	28	7	5	1	3	44	4	2	2	4	2	3	6	14	18	8	-
Dis. of Heart & Dropsy	68	-	1	-	-	-	1	2	1	-	-	2	3	5	20	17	6	1
Dis. of Lungs - - -	111	34	21	-	5	1	61	3	1	-	2	2	3	5	16	17	7	-
Dis. of Stom. and Liver	31	2	1	-	-	-	3	2	1	1	-	1	3	6	2	11	1	-
Dis. of Kidneys - -	13	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	4	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-
Dis. of Skin - - - -	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths -	23	4	2	-	1	-	7	4	2	2	1	2	1	1	1	2	-	-
Other Causes - - -	284	144	9	3	1	1	158	1	-	1	1	1	1	-	10	52	63	16

153.—NEWPORT PAGNELL.

Mean Popul ⁿ , 1861-71	12489	383	352	356	326	346	1763	1589	1398	1162	996	1601	1335	1092	845	528	169	11
TOTAL DEATHS -	2517	630	211	108	47	43	1039	87	41	60	67	118	116	125	199	334	273	58
Small-pox -	9	2	1	-	-	-	3	-	1	1	-	1	-	2	-	-	1	-
Measles -	56	11	27	11	4	3	56	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	39	3	10	5	5	4	27	9	3	-	-	-	-	-	-	-	-	-
Diphtheria -	5	1	-	1	-	1	3	-	-	-	-	-	1	-	-	1	-	-
Whooping-cough -	26	9	10	6	-	1	26	-	-	-	-	-	-	-	-	-	-	-
Typhus -	87	2	4	7	5	4	32	10	5	10	9	10	3	4	4	8	2	-
Diarrhoea & Dysentery -	77	28	22	2	-	-	32	-	-	1	-	-	-	2	6	9	7	-
Cholera -	4	-	1	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-
Other Zymotic Dis. -	58	8	5	7	4	2	26	9	2	4	2	-	4	4	2	8	3	-
Cancer -	24	-	-	-	-	-	-	-	-	-	-	1	1	3	8	7	3	1
Scrofula and Tubercles -	70	29	11	5	4	3	52	5	7	2	2	1	-	-	-	1	-	-
Phthisis -	205	6	2	4	1	1	14	2	6	17	33	51	56	21	17	6	-	-
Hydrocephalus -	41	12	8	9	3	4	36	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	337	93	18	12	5	4	132	7	3	8	4	10	7	16	41	66	29	4
Dis. of Heart & Dropsy -	149	2	1	2	1	1	7	1	1	1	3	5	13	16	30	48	24	1
Dis. of Lungs -	303	138	46	24	8	6	222	12	1	6	4	8	16	23	38	39	21	3
Dis. of Stom. and Liver -	146	15	1	5	-	1	39	7	1	2	1	9	13	15	29	32	16	1
Dis. of Kidneys -	53	-	-	-	1	-	1	1	2	1	1	4	3	7	7	16	15	2
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	4	3	-	-	-	-	3	-	-	2	-	-	1	-	1	1	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	-
Other Violent Deaths -	109	9	7	3	2	4	25	15	8	5	4	19	9	7	13	5	4	1
Other Causes -	602	261	57	5	4	4	311	4	1	-	2	1	8	3	12	55	150	45

154.—BUCKINGHAM.

Mean Popul ⁿ , 1861-71	6662	194	180	193	167	164	898	835	769	611	510	787	678	614	497	320	128	15
TOTAL DEATHS -	1304	350	98	52	17	15	533	44	26	28	26	53	59	63	98	171	154	59
Small-pox -	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Measles -	18	6	7	3	-	1	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	45	5	5	7	7	4	28	8	4	1	-	-	2	-	-	-	-	-
Diphtheria -	5	1	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	22	10	9	1	1	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus -	30	2	1	4	-	2	9	5	2	2	3	2	1	1	2	3	1	-
Diarrhoea & Dysentery -	36	17	4	1	-	-	22	-	1	-	-	-	-	1	1	6	2	2
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	38	7	5	2	1	-	15	3	1	3	-	4	4	1	4	1	2	-
Cancer -	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles -	30	7	6	6	1	-	20	4	-	1	1	-	3	2	4	11	2	1
Phthisis -	104	1	1	-	-	-	2	-	-	14	15	26	20	19	9	-	-	-
Hydrocephalus -	39	9	12	8	1	3	33	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	98	24	4	4	-	1	33	5	3	1	1	4	6	9	10	19	9	1
Dis. of Heart & Dropsy -	96	4	-	-	-	-	4	-	4	1	1	3	7	12	27	21	13	3
Dis. of Lungs -	169	56	22	8	3	2	91	4	1	1	2	4	5	7	16	22	11	3
Dis. of Stom. and Liver -	46	11	5	-	-	-	16	-	-	1	1	5	5	5	6	9	2	-
Dis. of Kidneys -	29	1	-	-	-	1	2	1	2	1	2	4	2	2	5	5	3	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	5	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
Dis. of Skin -	4	2	-	-	1	-	3	-	-	1	-	-	1	-	-	-	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths -	31	8	-	5	-	-	13	2	2	1	1	1	2	2	2	5	1	-
Other Causes -	432	179	16	3	2	1	291	4	-	-	-	1	1	2	7	68	100	43

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--

152.—WINSLOW.

Mean Popul ⁿ , 1861-71	4655	134	123	135	111	120	623	584	516	441	398	579	520	413	295	300	76	10
TOTAL DEATHS -	907	146	70	30	18	24	288	34	30	37	42	60	52	69	69	95	95	10
Small-pox -	4	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-
Measles -	9	1	5	2	1	-	9	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	35	4	4	7	2	5	22	7	3	-	-	-	-	1	-	-	-	-
Diphtheria -	10	1	-	-	-	-	8	1	2	1	2	1	-	-	-	-	-	-
Whooping-cough -	15	6	3	3	2	1	15	-	-	-	-	-	-	-	-	-	-	-
Typhus -	43	1	1	-	-	-	7	6	4	6	4	-	3	2	5	2	-	-
Diarrhoea & Dysentery -	25	6	4	3	-	1	14	2	-	-	-	1	1	1	1	3	3	-
Cholera -	22	3	4	-	2	1	10	3	-	-	-	-	1	-	2	2	4	-
Other Zymotic Dis. -	14	-	-	-	-	1	1	-	-	-	-	1	-	4	2	4	1	1
Cancer -	15	3	3	1	-	-	9	3	3	-	2	-	-	-	-	-	-	-
Scrophula and Tuberc -	146	1	2	-	-	-	3	11	22	20	34	10	20	4	4	-	-	-
Fatality -	5	3	1	2	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Hydrocephalus -	99	15	8	2	3	3	31	2	1	4	2	2	5	8	17	11	14	2
Dis. of Brain -	38	-	-	-	-	-	2	1	-	-	1	2	6	12	12	15	6	1
Dis. of Heart & Dropsy -	84	25	17	5	4	3	54	1	2	1	-	1	1	1	5	14	4	-
Dis. of Lungs -	33	2	-	-	-	1	3	1	-	-	-	3	4	8	6	8	-	-
Dis. of Stom. and Liver -	11	-	-	-	-	-	-	1	1	1	3	-	-	4	1	-	-	-
Dis. of Kidneys -	6	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-
Dis. of Genes. Organs -	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Dis. of Joints -	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Skin -	12	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	14	2	-	-	-	-	6	-	-	-	1	5	5	-	-	-	-	-
Other Violent Deaths -	238	71	18	3	2	-	94	1	1	-	1	-	2	2	18	31	60	32

153.—NEWPORT PAGNELL.

Mean Popul ⁿ , 1861-71	12872	359	336	340	354	343	1732	1546	1381	1137	1089	1759	1383	1142	873	571	229	30
TOTAL DEATHS -	2527	531	176	90	59	32	888	78	55	95	89	153	127	120	182	332	309	90
Small-pox -	12	1	-	-	-	-	1	3	-	-	3	1	1	1	2	-	-	-
Measles -	49	11	13	7	10	5	46	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -	43	1	7	8	11	4	31	10	-	1	1	-	-	-	-	-	-	-
Diphtheria -	6	1	-	1	-	2	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	44	17	11	8	5	3	44	-	-	-	-	-	-	-	-	-	-	-
Typhus -	89	1	2	5	1	3	12	13	15	13	10	6	4	3	6	5	1	1
Diarrhoea & Dysentery -	75	35	3	6	-	-	44	2	-	-	-	4	-	2	3	9	8	3
Cholera -	7	2	1	1	-	-	4	-	-	-	-	-	1	2	2	-	-	-
Other Zymotic Dis. -	49	5	2	4	4	2	24	7	1	1	-	1	1	2	6	4	2	1
Cancer -	61	-	-	-	-	-	-	1	-	-	-	1	4	4	15	16	14	8
Scrophula and Tuberc -	94	22	12	3	5	-	42	3	5	5	2	1	1	3	1	1	1	-
Fatality -	292	5	6	4	1	-	16	3	13	48	50	76	41	24	15	5	1	-
Hydrocephalus -	32	9	9	3	5	-	26	3	3	-	-	-	-	-	-	-	-	-
Dis. of Brain -	295	78	14	11	3	3	109	4	2	11	4	10	14	16	21	39	44	2
Dis. of Heart & Dropsy -	185	3	2	1	1	1	7	3	3	3	-	12	17	25	34	53	21	4
Dis. of Lungs -	364	53	14	7	5	-	189	9	9	3	2	7	10	13	24	64	23	10
Dis. of Stom. and Liver -	167	13	1	2	1	-	17	4	1	2	6	7	7	9	20	36	8	-
Dis. of Kidneys -	23	-	-	-	-	-	-	1	-	-	-	1	4	5	4	7	1	-
Dis. of Genes. Organs -	12	-	-	-	-	-	-	-	-	1	-	2	1	2	4	1	-	-
Dis. of Joints -	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-
Dis. of Skin -	8	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	41	-	-	-	-	-	-	-	2	-	6	10	13	1	-	-	-	-
Other Violent Deaths -	32	4	-	3	1	3	11	6	-	-	-	-	1	1	3	2	3	3
Other Causes -	648	222	32	9	3	1	267	2	2	2	3	2	7	5	20	88	185	65

154.—BUCKINGHAM.

Mean Popul ⁿ , 1861-71	7033	189	178	194	164	179	904	831	754	623	588	923	772	656	518	328	124	12
TOTAL DEATHS -	1412	285	82	45	30	9	451	48	31	61	55	94	91	88	127	163	156	47
Small-pox -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles -	21	3	6	9	-	-	18	2	1	-	-	-	-	-	-	-	-	-
Scarlatina -	39	3	4	7	11	1	26	10	2	1	-	-	-	-	-	-	-	-
Diphtheria -	7	-	1	-	1	-	2	4	-	-	-	1	-	-	-	-	-	-
Whooping-cough -	16	4	7	3	1	1	16	-	-	-	-	-	-	-	-	-	-	-
Typhus -	49	3	3	1	-	2	9	7	1	7	1	9	6	3	4	1	1	-
Diarrhoea & Dysentery -	42	15	8	-	-	-	23	-	-	1	1	-	2	1	2	10	1	1
Cholera -	31	8	5	3	2	-	21	3	1	-	-	-	-	1	2	2	-	-
Other Zymotic Dis. -	40	-	-	-	-	-	-	-	-	-	-	1	5	10	13	7	2	3
Cancer -	35	4	0	7	-	-	20	1	3	2	2	1	3	1	1	1	-	-
Scrophula and Tuberc -	149	-	-	2	-	-	2	3	12	31	35	42	33	19	7	5	-	-
Fatality -	24	11	2	-	3	1	17	6	1	-	-	-	-	-	-	-	-	-
Hydrocephalus -	124	29	3	1	1	-	31	-	1	8	3	12	7	11	16	16	18	1
Dis. of Brain -	108	1	-	-	-	-	11	-	-	3	4	6	9	19	32	22	8	2
Dis. of Heart & Dropsy -	129	45	13	8	7	-	73	4	-	3	2	-	4	11	13	8	1	-
Dis. of Lungs -	70	6	4	-	2	1	13	2	5	2	-	-	11	11	13	8	1	-
Dis. of Stom. and Liver -	16	1	-	-	-	-	1	1	1	1	-	2	-	2	4	2	1	-
Dis. of Kidneys -	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Dis. of Genes. Organs -	6	1	2	-	-	-	3	-	-	1	-	-	-	-	1	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	26	-	-	-	-	-	-	-	-	5	13	9	-	-	-	-	-	-
Childbirth and Metris -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	15	5	-	2	1	-	8	2	-	1	-	-	1	1	2	1	2	1
Other Causes -	427	143	15	2	1	-	162	3	1	-	-	1	1	2	19	18	137	41

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 5 Years.	85 & upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85			
		155.—HENLEY.																			
Mean Popul ⁿ , 1861-71 -	9146	250	228	241	219	267	1205	1178	1130	904	671	1110	932	820	619	391	167	19			
TOTAL DEATHS -	1774	344	111	53	41	27	576	68	37	35	49	87	97	112	155	264	219	75			
Small-pox -	5	1	-	-	-	-	1	1	-	-	-	1	-	-	2	-	-	-			
Measles -	33	5	11	6	5	3	30	2	1	-	-	-	-	-	-	-	-	-			
Scarlatina -	85	5	11	12	11	7	46	26	7	3	1	-	2	-	-	-	-	-			
Diphtheria -	9	1	1	-	-	1	3	6	-	-	-	-	-	-	-	-	-	-			
Whooping-cough -	33	13	9	6	1	2	31	2	-	-	-	-	-	-	-	-	-	-			
Typhus -	39	-	2	2	1	1	6	2	-	3	4	7	3	3	1	1	4	3			
Diarrhoea & Dysentery -	71	31	15	2	1	1	50	-	-	-	-	2	1	1	1	7	3	2			
Cholera -	6	2	-	-	-	-	2	-	-	-	-	-	-	1	1	2	-	-			
Other Zymotic Dis. -	84	5	6	5	9	4	29	5	3	-	2	1	5	3	2	15	16	5			
Cancer -	30	-	-	-	-	-	-	-	-	-	-	2	2	4	5	11	6	-			
Scrophula and Tuberc -	27	8	1	1	-	-	10	3	1	2	3	2	2	2	1	1	2	-			
Phthisis -	181	3	2	1	1	-	7	3	6	12	11	37	44	27	18	13	2	1			
Hydrocephalus -	20	5	6	1	2	-	14	3	2	-	-	1	-	-	-	-	-	-			
Dis. of Brain -	216	49	14	5	3	2	73	3	3	1	1	4	3	10	25	43	36	8			
Dis. of Heart & Dropsy -	137	2	-	-	-	-	2	-	3	4	2	3	5	12	32	57	32	5			
Dis. of Lungs -	271	63	24	8	3	1	99	5	-	5	3	6	15	23	29	45	44	6			
Dis. of Stom. and Liver -	92	11	1	-	-	2	14	1	2	2	2	4	4	8	19	24	7	5			
Dis. of Kidneys -	27	1	-	-	-	-	1	-	-	1	2	4	1	4	6	3	4	1			
Dis. of Gener. Organs -	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints -	7	-	-	-	-	-	-	-	2	1	-	-	2	-	-	1	1	1			
Dis. of Skin -	9	2	1	-	-	-	3	2	-	-	-	-	-	-	1	-	-	1			
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Suicide -	6	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-			
Other Violent Deaths -	85	5	2	3	3	1	14	3	4	-	11	12	10	11	10	8	2	-			
Other Causes -	287	132	5	1	-	-	138	3	-	-	2	5	3	5	7	29	54	41			

156.—THAME.																				
Mean Popul ⁿ , 1861-71 -	7539	204	199	217	197	207	1024	953	953	744	535	836	787	682	518	361	130	16		
TOTAL DEATHS -	1449	349	85	48	28	18	528	50	32	34	35	71	51	80	135	185	203	45		
Small-pox -	5	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-		
Measles -	17	2	3	3	3	4	15	2	-	-	-	-	-	-	-	-	-	-		
Scarlatina -	40	3	5	9	5	3	25	11	2	1	1	-	-	-	-	-	-	-		
Diphtheria -	5	3	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-		
Whooping-cough -	24	14	4	2	3	-	23	1	-	-	-	-	-	-	-	-	-	-		
Typhus -	50	1	1	4	-	-	6	12	6	7	4	4	3	-	5	2	1	-		
Diarrhoea & Dysentery -	23	15	2	1	3	-	19	-	-	-	-	1	1	-	1	1	1	-		
Cholera -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis. -	30	8	2	4	2	2	18	4	-	-	-	-	2	2	-	1	3	-		
Cancer -	9	-	-	-	-	-	-	-	-	-	-	1	-	-	6	1	-	1		
Scrophula and Tuberc -	47	18	10	2	1	-	31	3	-	1	2	6	-	-	1	-	-	-		
Phthisis -	149	6	4	3	1	-	14	2	2	13	16	33	20	29	18	2	1	-		
Hydrocephalus -	16	6	2	3	-	2	13	2	-	1	-	-	-	-	-	-	-	-		
Dis. of Brain -	135	36	6	2	3	1	48	4	3	2	2	5	5	8	12	26	14	-		
Dis. of Heart & Dropsy -	71	-	1	-	-	-	1	1	-	1	2	3	3	6	12	30	14	-		
Dis. of Lungs -	201	38	24	8	2	2	74	3	2	2	1	5	6	8	26	42	30	2		
Dis. of Stom. and Liver -	69	7	1	1	-	2	11	3	5	-	2	4	2	5	18	16	3	-		
Dis. of Kidneys -	37	-	-	1	-	1	2	-	-	1	-	5	-	2	7	10	10	-		
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	7	-	-	-	1	-	1	-	1	2	-	1	-	-	1	1	-	-		
Dis. of Skin -	7	4	-	1	-	-	5	-	-	-	-	-	-	-	-	2	-	-		
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	6	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-		
Other Violent Deaths -	49	1	3	1	3	1	9	1	5	2	4	-	4	10	8	6	-	-		
Other Causes -	451	189	17	3	1	-	210	2	1	-	-	6	3	6	14	41	126	41		

157.—HEADINGTON.																				
Mean Popul ⁿ , 1861-71 -	9270	264	271	261	266	231	1293	1155	1185	873	681	1160	974	801	615	391	123	19		
TOTAL DEATHS -	2315	491	138	60	47	27	766	79	52	63	63	152	187	190	213	283	217	50		
Small-pox -	11	2	-	-	-	-	3	1	-	-	2	4	-	1	-	-	-	-		
Measles -	30	7	11	2	5	2	27	3	-	-	-	-	-	-	-	-	-	-		
Scarlatina -	69	6	9	11	10	9	45	18	3	2	-	1	-	-	-	-	-	-		
Diphtheria -	9	1	1	1	3	-	6	2	-	-	-	-	1	-	-	-	-	-		
Whooping-cough -	21	11	3	5	1	-	20	1	-	-	-	-	-	-	-	-	-	-		
Typhus -	179	5	3	3	2	3	14	5	11	-	6	12	4	10	3	10	-	2		
Diarrhoea & Dysentery -	117	78	15	4	-	-	97	1	1	-	-	1	-	1	3	6	6	1		
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis. -	45	4	3	2	3	1	13	3	2	2	1	5	2	3	7	6	1	-		
Cancer -	40	-	-	-	-	-	-	-	1	-	-	2	6	11	10	7	2	1		
Scrophula and Tuberc -	81	34	18	3	5	2	62	5	4	3	-	5	1	-	1	-	-	-		
Phthisis -	322	5	1	-	1	-	7	6	8	19	26	70	81	58	31	15	1	-		
Hydrocephalus -	26	6	3	4	2	1	16	8	1	1	-	-	-	-	-	-	-	-		
Dis. of Brain -	231	49	9	6	3	-	67	2	5	5	2	4	15	14	27	48	40	2		
Dis. of Heart & Dropsy -	141	2	-	-	-	1	3	2	2	4	3	7	13	16	28	46	13	2		
Dis. of Lungs -	273	62	38	9	6	4	119	6	2	1	2	7	16	23	25	30	34	2		
Dis. of Stom. and Liver -	122	9	2	2	-	1	14	4	3	8	-	7	13	17	28	23	5	-		
Dis. of Kidneys -	66	-	1	-	1	-	2	-	1	1	3	5	7	14	14	5	-	-		
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	15	2	-	1	-	-	3	2	-	1	2	1	1	-	3	1	1	-		
Dis. of Skin -	12	5	-	-	-	1	6	-	1	-	-	-	-	2	1	1	-	-		
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	16	-	-	-	-	-	-	-	-	2	1	-	4	3	4	2	-	-		
Other Violent Deaths -	151	5	1	5	4	1	16	7	7	12	15	17	17	10	13	12	4	1		
Other Causes -	456	203	20	2	-	-	225	3	-	-	-	4	4	8	14	35	104	38		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.

155.—HENLEY.

Mean Popul ⁿ , 1861-71	9412	253	226	262	246	269	1256	1109	1099	759	730	1254	1063	883	649	420	164	26
TOTAL DEATHS	1641	264	87	39	33	23	446	65	48	57	51	106	119	114	126	222	203	84
Small-pox	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
Measles	21	5	5	4	3	1	18	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	81	2	13	6	8	9	38	22	12	1	1	5	2	-	-	-	-	-
Diphtheria	5	-	-	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	46	16	16	5	1	2	40	4	2	-	-	-	-	-	-	-	-	-
Typhus	48	-	-	-	4	1	5	1	7	13	5	4	4	2	2	4	1	-
Diarrhoea & Dysentery	47	14	9	3	-	1	27	-	1	-	1	2	4	1	2	4	3	2
Cholera	75	2	6	5	3	3	19	11	-	4	-	3	4	1	4	14	12	3
Other Zymotic Dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	53	-	-	-	-	-	-	-	-	1	-	2	7	12	16	11	4	-
Scrophula and Tuberc.	204	3	3	1	-	1	8	4	2	1	2	1	4	-	-	-	-	-
Phthisis	54	4	2	-	1	-	7	3	5	23	29	48	43	29	9	5	3	-
Hydrocephalus	18	6	3	1	3	1	14	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	269	24	3	2	3	1	33	5	5	5	4	9	10	14	24	57	37	6
Dis. of Heart & Dropsy	163	8	-	-	-	-	3	-	1	4	-	5	9	14	31	54	26	6
Dis. of Lungs	193	50	11	5	1	1	68	-	8	-	2	6	9	11	14	30	32	18
Dis. of Stom. and Liver	91	5	1	-	2	-	8	2	-	2	2	5	7	21	14	20	6	4
Dis. of Kidneys	17	1	-	-	-	-	1	-	-	-	1	3	3	2	1	3	2	1
Dis. of Gen. Organs	7	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	7	3	-	-	1	-	4	1	-	-	-	1	-	-	3	1	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	1	7	10	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	26	2	3	1	1	1	8	2	1	-	1	2	1	2	3	-	4	2
Other Causes	279	124	12	6	1	1	144	2	1	1	1	1	1	2	2	10	62	46

156.—THAME.

Mean Popul ⁿ , 1861-71	7616	224	195	211	197	198	1025	966	896	656	567	968	835	715	511	330	129	18
TOTAL DEATHS	1469	272	80	47	30	25	457	42	25	47	64	90	86	104	120	192	186	56
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	12	6	3	2	-	-	11	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	48	2	5	6	3	7	23	13	2	2	2	1	-	-	-	-	-	-
Diphtheria	8	1	1	3	1	-	6	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough	26	8	10	3	1	1	23	3	-	-	-	-	-	-	-	-	-	-
Typhus	49	1	-	2	2	4	9	7	7	8	2	7	1	4	1	1	1	1
Diarrhoea & Dysentery	26	6	4	1	1	1	13	-	-	-	1	-	3	-	3	3	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	29	3	6	-	1	3	13	5	1	2	1	1	1	1	-	8	1	-
Cancer	55	-	-	-	-	-	-	-	-	-	2	1	4	16	9	17	5	1
Scrophula and Tuberc.	34	19	6	7	7	-	59	-	1	5	1	3	2	1	2	1	1	-
Phthisis	212	3	4	1	1	1	10	2	7	24	43	45	39	32	9	-	-	-
Hydrocephalus	8	1	-	1	1	3	6	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	136	24	4	5	8	-	36	4	-	2	-	5	6	9	21	39	21	-
Dis. of Heart & Dropsy	116	2	1	-	-	-	3	1	3	2	1	8	7	13	27	36	10	3
Dis. of Lungs	192	52	14	9	2	5	82	2	1	2	2	5	1	15	19	40	24	3
Dis. of Stom. and Liver	65	3	1	1	1	2	8	-	1	-	4	4	10	7	16	11	4	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-
Dis. of Gen. Organs	8	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	-	-
Dis. of Joints	4	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	1	-
Dis. of Skin	4	-	1	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	3	4	4	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-
Other Violent Deaths	14	-	3	-	3	1	7	1	-	-	-	1	-	-	-	4	1	-
Other Causes	386	141	17	4	3	-	165	1	-	2	1	1	4	5	8	44	108	47

157.—HEADINGTON.

Mean Popul ⁿ , 1861-71	10166	250	244	244	248	240	1226	1173	1100	1021	905	1465	1118	908	644	410	167	29
TOTAL DEATHS	2121	390	141	69	39	37	676	82	58	55	75	142	154	117	193	262	226	81
Small-pox	4	1	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Measles	26	5	8	8	3	3	25	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	74	8	9	11	7	10	45	23	4	1	1	1	-	-	-	-	-	-
Diphtheria	18	-	2	1	3	1	7	7	-	-	-	-	-	-	-	-	-	-
Whooping-cough	30	9	8	1	1	1	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	83	-	3	2	-	4	9	11	14	11	9	4	7	3	6	5	3	1
Diarrhoea & Dysentery	86	64	11	3	1	-	69	-	-	-	-	-	3	-	-	3	7	4
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	42	3	6	2	4	2	17	1	1	1	3	2	2	3	7	8	2	-
Cancer	64	-	-	-	-	-	-	-	-	1	-	2	8	20	16	14	2	1
Scrophula and Tuberc.	84	25	14	9	2	4	57	6	4	2	2	3	5	2	2	1	-	-
Phthisis	260	2	1	2	1	1	7	6	14	19	29	70	60	24	21	10	-	-
Hydrocephalus	26	6	7	7	1	3	24	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	211	32	11	10	2	3	58	3	5	3	2	10	9	7	38	46	29	1
Dis. of Heart & Dropsy	169	2	1	1	-	-	4	3	1	5	3	9	18	16	32	52	23	3
Dis. of Lungs	243	49	34	7	7	1	98	4	4	2	4	8	7	8	19	50	32	6
Dis. of Stom. and Liver	111	5	5	1	-	-	11	3	3	2	5	6	8	19	24	23	5	2
Dis. of Kidneys	29	1	1	-	1	-	3	-	1	1	1	2	4	4	4	7	2	-
Dis. of Gen. Organs	19	-	-	-	-	-	-	-	-	-	2	1	3	4	8	1	-	-
Dis. of Joints	7	-	-	-	1	-	1	1	1	1	-	-	2	-	1	-	-	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	-	1	-	-	-	1	-	-
Childbirth and Metria	41	-	-	-	-	-	-	-	-	2	10	18	11	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	6	4
Other Violent Deaths	50	4	5	1	5	3	18	6	1	1	9	2	1	-	5	4	6	4
Other Causes	445	180	15	3	-	1	199	4	1	2	1	2	4	6	10	47	113	39

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	Total under 5 Years.	5- 10-	10- 15-	15- 20-	20- 25-	25- 35-	35- 45-	45- 55-	55- 65-	65- 75-	75- 85	85 upwards.					
		Total under 1 Year.	1	2	3	4																													
158.—OXFORD.																																			
Mean Popul ⁿ , 1861-71	9823	289	247	267	247	250	1300	1126	1102	998	1030	1387	1112	822	584	273	81	8																	
TOTAL DEATHS -	2000	504	180	60	54	27	825	92	40	37	74	140	147	168	160	188	111	18																	
Small-pox - - -	10	5	1	-	-	-	6	2	-	1	-	1	-	-	-	-	-	-	-	-															
Measles - - -	32	13	10	4	3	-	30	2	-	-	-	-	-	-	-	-	-	-	-	-															
Scarlatina - -	75	4	16	6	12	8	46	22	4	1	-	2	-	-	-	-	-	-	-	-															
Diphtheria - -	19	3	2	5	2	1	13	3	1	1	-	1	-	-	-	-	-	-	-	-															
Whooping-cough -	22	9	7	3	2	-	21	1	-	-	-	-	-	-	-	-	-	-	-	-															
Typhus - - -	66	1	5	5	3	-	14	15	8	3	-	5	7	2	1	3	1	-	-	-															
Diarrhoea & Dysentery	112	79	23	2	-	-	103	1	-	-	-	1	-	-	-	6	1	-	-	-															
Cholera - - -	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-															
Other Zymotic Dis.	89	6	4	3	4	4	21	2	-	1	2	3	2	1	3	4	1	-	-	-															
Cancer - - -	26	-	-	-	-	-	-	1	-	-	-	1	2	6	5	7	4	-	-	-															
Scrofula and Tuberc.	38	10	11	2	-	1	24	4	5	-	2	2	2	1	2	1	-	-	-	-															
Phthisis - - -	317	2	8	1	1	-	12	3	8	15	39	71	74	54	26	18	2	-	-	-															
Hydrocephalus - -	45	13	13	5	3	2	39	8	1	-	-	-	-	-	-	-	-	-	-	-															
Dis. of Brain - -	153	58	15	4	7	3	87	2	2	3	3	9	5	11	23	24	12	2	-	-															
Dis. of Heart & Dropsy	98	-	-	-	-	1	1	2	-	1	2	8	8	21	23	23	9	-	-	-															
Dis. of Lungs - -	309	79	40	14	11	3	147	6	3	2	4	10	13	23	27	44	26	3	-	-															
Dis. of Stom. and Liver	87	13	-	-	1	1	15	5	2	2	2	3	11	14	16	8	9	-	-	-															
Dis. of Kidneys - -	62	1	1	-	-	-	2	-	-	1	1	5	5	11	19	12	5	-	-	-															
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-															
Dis. of Joints - -	12	1	-	-	-	-	1	2	2	2	1	1	-	2	-	1	-	-	-	-															
Dis. of Skin - - -	8	1	-	-	-	-	1	-	-	1	-	-	1	1	-	3	-	-	-	-															
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-															
Suicide - - -	17	-	-	-	-	-	-	-	-	-	2	4	4	2	2	2	1	-	-	-															
Other Violent Deaths -	55	3	2	-	2	2	9	9	4	3	7	6	4	4	4	4	1	-	-	-															
Other Causes - - -	372	200	23	6	3	-	232	2	2	-	-	7	10	16	15	35	40	13	-	-															

159.—BICESTER.

Mean Popul ⁿ , 1861-71.		7823	224	219	233	201	215	1092	990	907	743	545	921	861	699	560	358	134	13											
TOTAL DEATHS -		1621	423	96	42	28	23	612	54	28	36	43	76	76	92	128	212	206	58											
Small-pox -		8	-	7	1	1	-	2	-	-	-	2	-	1	-	2	1	-	-											
Measles -		22	5	2	2	2	5	18	4	-	-	-	-	-	-	-	-	-	-											
Scarlatina -		39	3	6	5	4	5	23	11	2	-	2	1	-	-	-	-	-	-											
Diphtheria -		7	-	1	1	1	1	4	1	-	1	-	-	-	-	-	-	-	-											
Whooping-cough -		29	23	8	5	1	-	57	2	-	-	-	-	-	-	-	-	-	-											
Typhus -		53	1	-	-	1	1	4	7	7	8	-	8	2	4	4	5	2	1											
Diarrhoea & Dysentery -		71	39	10	4	-	-	87	2	-	1	-	-	-	-	-	-	-	-											
Cholera -		1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-											
Other Zymotic Dis. -		34	9	2	2	5	1	19	4	1	-	1	-	1	1	2	3	2	-											
Cancer -		15	-	-	-	-	1	1	-	-	-	-	-	1	1	6	2	4	-											
Scrofula and Tuberc. -		38	16	8	3	3	1	50	2	1	1	1	1	-	1	1	1	-	-											
Phthisis -		127	-	2	-	-	1	3	6	4	13	20	33	18	13	10	7	-	-											
Hydrocephalus -		16	5	5	-	1	1	12	3	1	-	-	-	-	-	-	-	-	-											
Dis. of Brain -		202	41	11	5	2	3	62	3	1	1	3	5	12	10	21	37	28	9											
Dis. of Heart & Dropsy -		112	1	1	-	-	-	2	1	1	1	2	5	14	25	36	30	3	-											
Dis. of Lungs -		245	73	19	6	3	3	104	1	2	1	1	9	12	18	20	35	35	7											
Dis. of Stom. and Liver -		90	15	-	1	1	-	17	2	2	1	3	6	3	8	10	29	0	-											
Dis. of Kidneys -		48	-	-	1	1	-	2	1	1	-	1	5	5	5	6	12	11	1											
Dis. of Gen. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
Dis. of Joints -		6	1	1	-	-	-	2	-	-	1	-	1	-	-	-	1	-	-											
Dis. of Skin -		3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-											
Childbirth and Metria -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
Suicide -		7	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-											
Other Violent Deaths -		56	3	2	4	2	1	12	4	4	4	1	3	7	6	7	3	4	1											
Other Causes -		376	186	10	2	1	2	201	2	1	1	-	3	8	9	10	35	73	23											

160.—WOODSTOCK.

Mean Popul ⁿ , 1861-71	6978	215	200	207	183	187	992	897	784	639	507	866	747	630	493	307	103	13
TOTAL DEATHS -	1452	366	100	52	29	15	562	40	22	21	37	74	69	85	138	199	157	48
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles -	33	6	11	10	2	2	31	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	39	5	4	10	4	-	23	4	2	1	-	-	-	-	-	-	-	-
Diphtheria -	14	1	2	1	3	1	8	4	-	-	1	-	1	-	-	-	-	-
Whooping-cough -	27	13	3	8	1	1	26	1	-	-	-	-	-	-	-	-	-	-
Typhus -	45	2	1	3	1	2	9	5	7	4	-	6	2	3	7	4	1	-
Diarrhoea & Dysentery -	67	32	8	2	1	-	43	-	-	-	-	-	-	1	3	5	5	-
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Zymotic Dis. -	29	7	3	1	2	2	15	3	-	-	3	-	1	1	2	1	3	-
Cancer -	78	1	-	-	-	-	1	-	-	-	-	-	3	3	3	5	3	-
Scrofula and Tubes -	28	11	7	2	1	-	21	1	1	-	-	-	1	-	2	2	-	-
Phtisis -	139	3	4	1	1	-	9	2	5	7	20	33	23	17	16	2	-	-
Hydrocephalus -	14	3	4	4	-	-	11	2	-	-	1	-	-	-	-	-	-	-
Dis. of Brain -	127	41	8	-	3	2	54	2	2	1	3	4	3	16	22	22	21	6
Dis. of Heart & Dropsy -	99	1	-	-	-	-	1	-	2	3	3	4	3	6	25	35	17	-
Dis. of Lungs -	265	85	50	4	7	-	126	5	-	1	1	6	3	15	22	33	28	-
Dis. of Stom. and Liver -	61	9	-	-	1	2	12	5	1	1	2	5	5	9	11	8	1	1
Dis. of Kidneys -	34	-	-	-	1	-	1	-	-	-	-	2	3	7	2	11	7	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	5	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-
Dis. of Skin -	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-
Other Violent Deaths -	42	3	2	2	-	1	8	3	2	3	-	3	3	3	7	-	-	-
Other Causes -	338	142	13	4	1	2	162	1	-	-	2	3	4	1	14	42	71	25

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	Total under 5 Years.	85 upwards.	
		Total under 1 Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17				18
158.—OXFORD.																							
Mean Popul ⁿ , 1861-71		10703	260	229	235	252	241	1217	1097	1055	1213	1094	1047	1259	974	644	364	123	16				
TOTAL DEATHS		2072	446	187	91	56	30	810	73	40	47	57	138	153	130	164	233	169	53				
Small-pox		13	5	1	-	1	-	7	2	1	1	1	-	1	-	-	-	-	-				
Measles		20	3	9	8	4	1	23	5	-	-	-	1	-	-	-	-	-	-				
Scarlatina		74	7	13	11	15	5	49	18	4	-	-	2	1	-	-	-	-	-				
Diphtheria		15	-	1	1	4	1	7	3	2	-	1	1	1	-	-	-	-	-				
Whooping-cough		33	9	9	9	2	2	32	1	-	-	-	-	-	-	-	-	-	-				
Typhus		72	2	6	5	4	2	19	10	10	2	8	7	3	4	0	4	4	4				
Diarrhoea & Dysentery		121	70	27	6	1	-	104	-	-	-	1	-	-	-	1	3	9	3				
Cholera		3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-				
Other Zymotic Dis.		43	7	5	7	1	5	25	2	-	1	1	2	2	3	2	3	2	2				
Cancer		68	-	-	-	-	-	-	-	1	1	1	-	10	17	15	18	5	-				
Scrofula and Tuberc.		29	8	5	3	2	1	19	3	1	1	1	2	-	-	2	-	-	-				
Phthisis		318	6	6	-	2	1	15	9	12	29	30	83	77	88	20	4	1	-				
Hydrocephalus		34	8	15	2	3	1	29	4	1	-	-	-	-	-	-	-	-	-				
Dis. of Brain		132	46	13	3	4	5	71	3	1	1	2	5	6	12	28	31	17	5				
Dis. of Heart & Dropsy		129	-	1	1	2	-	4	1	2	1	3	4	11	16	16	27	33	13				
Dis. of Lungs		316	74	51	26	8	5	164	7	1	3	1	3	5	14	24	54	29	8				
Dis. of Stom. and Liver		87	5	3	2	-	-	10	-	3	1	1	3	12	14	16	18	8	1				
Dis. of Kidneys		20	-	-	-	-	-	-	-	-	1	2	1	3	3	9	1	-	-				
Dis. of Gen. Organs		18	-	-	-	-	-	-	-	-	-	-	3	2	4	6	4	-	-				
Dis. of Joints		6	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-				
Dis. of Skin		3	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-				
Childbirth and Metris		25	-	-	-	-	-	-	-	-	1	6	9	9	-	-	-	-	-				
Suicide		4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-				
Other Violent Deaths		26	5	2	1	2	-	10	4	-	2	1	1	2	-	-	2	3	1				
Other Causes		404	191	19	4	3	-	217	3	1	-	-	1	7	5	13	46	76	25				

159.—BICESTER.																				
Mean Popul ⁿ , 1861-71		7746	233	192	215	208	220	1068	1000	833	613	584	1034	885	699	527	354	129	20	
TOTAL DEATHS		1547	351	105	43	30	22	551	58	36	38	55	86	95	82	112	212	175	47	
Small-pox		8	3	-	-	-	-	3	-	-	-	-	2	1	2	-	-	-	-	
Measles		25	10	9	1	3	-	23	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina		34	3	4	3	4	4	18	11	3	2	-	-	-	-	-	-	-	-	
Diphtheria		4	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	
Whooping-cough		35	13	15	3	2	1	34	1	-	-	-	-	3	2	4	3	2	-	
Typhus		63	1	1	2	2	2	8	9	10	9	8	5	3	2	4	3	2	-	
Barrhea & Dysentery		56	29	5	2	-	-	56	-	-	-	-	-	1	2	1	8	7	1	
Cholera		1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.		39	4	2	7	5	3	21	3	-	-	1	1	5	-	2	3	2	1	
Cancer		35	-	-	-	-	-	-	-	-	-	-	-	3	8	11	8	3	2	
Scrofula and Tuberc.		48	23	5	2	1	2	33	3	3	2	1	3	1	1	1	1	-	-	
Phthisis		151	3	1	2	-	1	7	3	9	17	28	45	30	20	15	6	1	-	
Hydrocephalus		10	3	2	3	-	1	9	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain		187	55	17	3	3	3	61	4	6	3	3	-	4	8	15	49	26	5	
Dis. of Heart & Dropsy		137	2	-	1	-	-	3	2	2	1	3	2	9	13	20	47	31	4	
Dis. of Lungs		197	48	23	9	8	2	90	3	1	-	1	10	10	9	10	32	21	4	
Dis. of Stom. and Liver		70	15	1	1	-	1	18	3	-	1	3	4	10	10	6	11	4	-	
Dis. of Kidneys		7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	
Dis. of Gen. Organs		5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	
Dis. of Joints		5	-	-	1	-	-	1	-	1	-	-	1	1	-	-	-	-	-	
Dis. of Skin		5	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	
Childbirth and Metris		20	-	-	-	-	-	-	-	-	-	4	8	8	-	-	-	-	-	
Suicide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Violent Deaths		26	4	3	2	-	-	9	7	-	-	-	1	1	1	-	2	5	-	
Other Causes		348	153	15	1	2	2	173	3	1	3	1	2	6	4	15	49	62	29	

160.—WOODSTOCK.																				
Mean Popul ⁿ , 1861-71		7175	198	192	195	193	206	984	863	751	613	569	997	808	655	491	308	119	17	
TOTAL DEATHS		1346	270	75	36	23	20	424	40	29	40	47	82	79	89	126	184	170	36	
Small-pox		2	-	-	-	-	-	16	4	1	-	-	-	1	-	-	1	-	-	
Measles		22	3	3	5	2	3	16	1	1	-	-	1	-	-	-	-	-	-	
Scarlatina		28	4	2	7	1	1	15	3	-	1	-	1	1	-	-	-	-	-	
Diphtheria		8	-	-	-	2	-	2	-	-	-	-	-	-	2	1	-	-	-	
Whooping-cough		26	9	8	4	3	2	26	-	4	4	-	2	5	3	2	3	5	1	
Typhus		44	1	4	3	1	-	9	6	-	-	-	2	-	2	2	0	3	1	
Barrhea & Dysentery		42	19	2	1	1	-	23	-	1	1	-	-	-	-	-	-	-	-	
Cholera		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.		58	2	3	3	3	1	25	-	1	-	1	-	3	3	3	3	3	-	
Cancer		23	-	-	-	-	-	-	-	-	-	-	5	3	7	12	4	2	-	
Scrofula and Tuberc.		31	9	7	2	-	-	18	3	1	3	-	2	1	2	-	1	-	-	
Phthisis		159	3	2	-	-	1	6	1	7	19	27	41	25	17	6	1	-	-	
Hydrocephalus		6	2	3	-	-	1	6	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain		162	22	7	3	3	5	40	5	3	2	2	5	6	15	20	41	23	-	
Dis. of Heart & Dropsy		111	1	-	1	-	-	2	-	2	4	-	5	11	13	26	35	12	1	
Dis. of Lungs		205	59	21	6	3	3	92	4	3	-	2	6	6	8	20	27	32	5	
Dis. of Stom. and Liver		61	9	1	1	-	-	11	1	-	1	2	2	4	6	21	9	4	-	
Dis. of Kidneys		13	-	-	1	-	-	1	1	1	-	1	1	3	1	1	3	-	-	
Dis. of Gen. Organs		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	
Dis. of Joints		7	3	-	-	-	-	3	-	-	-	-	1	-	-	1	1	-	-	
Dis. of Skin		7	4	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris		19	-	-	-	-	-	-	-	-	1	6	7	3	-	-	-	-	-	
Suicide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Violent Deaths		11	2	-	-	1	1	4	1	-	1	-	1	1	1	1	-	-	-	
Other Causes		294	118	11	2	1	1	133	1	2	3	2	1	2	6	10	45	60	39	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
161.—WITNEY.																			
Mean Popul ⁿ , 1861-71		11523	348	302	307	315	316	1588	1470	1336	1101	817	1341	1182	1069	852	536	205	26
TOTAL DEATHS -		2238	564	123	60	38	33	818	75	36	47	54	93	105	129	209	285	296	88
Small-pox -		4	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Measles -		26	5	4	7	2	1	19	6	1	-	-	-	-	-	-	-	-	-
Scarlatina -		67	8	9	9	10	8	44	14	5	1	-	2	-	1	-	-	-	-
Diphtheria -		10	-	1	1	1	1	4	1	-	-	1	-	-	-	1	3	-	-
Whooping-cough -		26	11	9	2	1	1	24	2	-	-	-	-	-	-	-	-	-	-
Typhus -		75	1	2	3	1	6	13	10	14	8	3	4	7	7	3	3	3	1
Diarrhoea & Dysentery -		52	21	10	2	-	-	33	-	-	-	-	1	1	1	3	7	6	-
Cholera -		1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		43	7	5	2	1	1	16	1	-	4	-	3	3	3	3	4	5	1
Cancer -		46	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Serofoia and Tubercs -		25	7	-	1	2	-	10	4	1	3	1	1	2	2	15	14	4	1
Phthisis -		194	2	1	-	1	-	4	6	4	16	31	26	31	25	18	3	-	-
Hydrocephalus -		33	13	10	2	3	-	28	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -		206	58	12	7	2	1	80	3	3	4	5	7	10	13	34	62	48	7
Dis. of Heart & Dropsy -		150	3	-	-	-	-	3	2	2	-	-	7	7	11	36	69	21	2
Dis. of Lungs -		346	101	34	13	6	6	160	4	-	4	4	6	14	13	28	47	46	10
Dis. of Stom. and Liver -		118	15	1	1	1	1	19	4	2	1	-	3	13	21	24	27	4	-
Dis. of Kidneys -		58	1	-	-	-	-	1	-	-	2	1	-	5	10	11	15	14	1
Dis. of Gen. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		7	-	1	-	1	-	2	2	-	-	-	-	1	1	-	1	-	-
Dis. of Skin -		5	-	1	-	-	-	1	-	-	1	-	-	-	-	2	1	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		7	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	2	-
Other Violent Deaths -		69	9	3	6	2	3	23	8	2	2	5	4	3	10	6	3	3	-
Other Causes -		609	300	20	4	3	4	831	3	1	1	2	1	5	-	12	40	139	65

162.—CHIPPING NORTON.

Mean Popul'n, 1861-71		8858	262	232	260	226	236	1216	1075	1007	890	624	1100	939	803	650	384	151	19
TOTAL DEATHS -		1712	459	96	44	32	25	656	69	36	35	40	76	98	94	142	206	206	54
Small-pox -		4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-
Measles -		11	2	4	2	2	1	11	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -		43	2	4	5	11	2	24	16	1	1	-	-	-	-	-	1	-	-
Diphtheria -		4	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough -		26	19	4	2	-	-	25	1	-	-	-	-	-	-	2	2	-	-
Typhus -		64	1	3	-	2	7	13	10	6	3	4	4	6	4	2	4	5	1
Diarrhoea & Dysentery -		41	18	4	1	-	-	23	-	-	1	1	-	-	1	5	4	-	-
Cholera -		2	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-
Other Zymotic Dis. -		33	6	3	4	2	2	17	2	1	2	-	-	1	1	2	5	1	-
Cancer -		28	-	-	-	-	-	-	-	-	-	-	-	4	3	7	9	4	1
Scrofula and Tubercles -		30	0	2	2	3	3	16	6	-	2	2	1	1	2	2	-	-	-
Phthisis -		162	4	4	1	-	-	9	5	7	13	23	39	30	19	13	4	-	-
Hydrocephalus -		23	13	4	-	1	1	19	2	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -		169	54	9	1	4	3	71	8	2	2	1	7	6	14	14	22	21	1
Dis. of Heart & Dropsy -		126	3	1	-	-	-	4	1	3	1	3	6	13	10	28	39	16	2
Dis. of Lungs -		237	77	26	12	3	3	121	6	1	3	1	4	8	9	17	37	26	4
Dis. of Stom. and Liver -		82	12	1	1	1	-	15	1	-	4	-	1	11	14	17	15	6	-
Dis. of Kidneys -		30	-	-	1	-	-	1	-	-	-	1	3	7	2	6	5	4	1
Dis. of Gen. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		7	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-
Dis. of Skin -		2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths -		59	4	3	3	1	1	11	5	10	2	1	7	3	6	4	6	4	-
Other Causes -		536	236	24	8	3	1	272	4	2	1	2	3	4	8	21	58	117	44

163.—BANBURY.

Mean Popul'n, 1861-71		15272	454	395	414	400	408	2071	1915	1770	1465	1075	1938	1687	1386	1018	663	260	24
TOTAL DEATHS -		3070	752	217	101	56	40	1166	120	54	58	56	152	159	189	266	398	364	88
Small-pox -		10	2	-	-	-	-	2	-	-	1	-	2	1	1	2	1	-	-
Measles -		48	10	20	7	2	3	42	6	-	-	-	-	-	-	-	-	-	-
Scarlatina -		48	3	3	8	5	3	22	19	3	1	-	2	-	1	-	-	-	-
Diphtheria -		41	2	5	6	1	9	23	11	3	2	-	-	1	-	-	1	-	-
Whooping-cough -		43	23	10	7	1	1	42	1	-	-	-	-	-	-	-	-	-	-
Typhus -		107	4	6	6	3	6	25	24	7	9	5	8	8	11	8	2	4	1
Diarrhoea & Dysentery -		95	48	17	4	3	1	73	1	-	1	-	-	2	3	4	5	6	-
Cholera -		1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		78	10	7	9	9	4	39	6	2	2	2	5	3	4	4	8	3	-
Cancer -		56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles -		70	30	3	6	2	1	44	5	2	7	1	1	2	7	10	10	4	1
Phthisis -		235	18	5	2	1	-	21	7	6	12	35	52	50	33	23	13	3	-
Hydrocephalus -		49	9	17	5	7	-	38	6	2	2	-	-	-	-	-	-	-	-
Dis. of Brain -		888	117	28	12	5	4	166	7	7	4	2	11	11	26	24	72	22	6
Dis. of Heart & Dropsy -		216	3	4	1	4	-	12	3	4	4	2	11	13	30	48	61	24	4
Dis. of Lungs -		440	105	24	20	3	4	186	9	3	4	1	19	16	27	49	81	37	8
Dis. of Stom. and Liver -		188	18	3	2	1	1	25	4	4	5	-	12	16	21	44	41	13	1
Dis. of Kidneys -		53	-	-	1	-	-	1	-	-	-	-	5	6	6	7	16	11	-
Dis. of Gen. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		7	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-
Dis. of Skin -		11	2	-	-	-	-	2	-	-	-	-	1	1	1	1	2	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		10	-	-	-	-	-	-	-	-	-	-	-	2	4	8	1	-	-
Other Violent Deaths -		103	4	3	3	6	2	18	7	8	8	3	8	17	14	12	10	3	-
Other Causes -		774	349	29	2	3	1	384	3	2	1	1	10	6	9	23	74	193	85

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		25 and upward.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
		161.—WITNEY.																		
Mean Popul ⁿ , 1861-71	11551	343	320	292	330	280	1565	1427	1248	998	874	1507	1268	1078	815	527	213	31		
TOTAL DEATHS -	2264	403	180	70	40	38	681	89	55	66	87	130	141	137	100	243	325	100		
Small-pox -	5	-	-	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-		
Measles -	22	4	7	4	2	-	17	3	1	-	-	-	-	-	-	-	-	-		
Scarlatina -	55	-	6	11	5	11	33	18	4	-	-	-	-	-	-	-	-	-		
Diphtheria -	11	1	2	-	1	1	5	4	-	-	1	-	-	1	-	-	-	-		
Whooping-cough -	44	23	11	4	3	1	42	1	1	-	-	-	-	-	-	-	-	-		
Typhus -	105	4	-	5	2	7	18	18	13	11	8	6	7	4	5	10	4	1		
Diarrhoea & Dysentery -	66	29	5	2	1	1	38	-	-	-	1	2	-	-	5	9	11	-		
Cholera -	7	1	-	2	-	-	3	-	-	-	-	-	-	1	2	1	-	-		
Other Zymotic Dis. -	34	3	2	3	4	1	13	7	2	-	2	-	-	2	3	4	1	-		
Cancer -	56	-	-	-	-	-	-	-	-	-	-	1	10	14	10	8	5	2		
Scrofula and Tubercles -	55	3	3	-	4	1	11	2	2	3	3	5	4	3	1	-	1	-		
Phthisis -	278	-	3	7	-	1	11	6	17	29	48	69	44	32	19	3	-	-		
Hydrocephalus -	23	10	4	4	-	1	19	9	2	-	-	-	-	-	-	-	-	-		
Dis. of Brain -	236	46	12	2	7	4	71	6	1	4	4	5	10	14	32	45	34	10		
Dis. of Heart & Dropsy -	207	3	1	2	-	1	7	4	6	3	2	12	17	27	45	51	32	3		
Dis. of Lungs -	299	71	36	10	7	2	126	4	2	5	2	1	11	20	22	43	45	9		
Dis. of Stom. and Liver -	112	5	3	1	-	-	9	2	3	2	4	5	13	18	28	15	13	-		
Dis. of Kidneys -	24	9	-	-	1	-	3	1	1	1	6	5	2	2	1	1	-	-		
Dis. of Genes. Organs -	19	-	-	-	-	-	-	-	-	-	3	3	7	3	3	-	-	-		
Dis. of Joints -	7	-	-	-	-	-	-	1	-	1	2	-	2	1	1	-	-	-		
Dis. of Skin -	4	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-		
Childbirth and Metris suicide -	35 4	- -	- -	- -	- -	- -	- -	- -	- -	4 -	7 -	13 -	11 -	- -	1 -	2 -	1 -	-		
Other Violent Deaths -	34	7	3	4	2	2	18	5	-	-	-	-	2	1	-	1	4	3		
Other Causes -	553	191	51	7	1	4	234	5	-	3	2	1	2	7	7	47	173	72		

162.—CHIPPING NORTON.																				
Mean Popul ⁿ , 1861-71	8762	263	233	269	229	229	1223	1087	963	766	691	1156	954	803	590	376	130	23		
TOTAL DEATHS -	1600	307	91	54	34	20	506	70	45	58	66	124	84	87	119	186	192	63		
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	14	3	4	2	-	2	11	3	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	40	4	3	6	5	2	20	13	3	1	-	2	1	-	-	-	-	-	-	-
Diphtheria -	3	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough -	25	5	10	5	2	1	23	9	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	67	1	3	2	1	-	7	13	-	5	9	5	4	1	2	-	-	-	-	-
Diarrhoea & Dysentery -	28	9	1	1	2	-	13	1	1	1	1	2	1	1	4	5	-	-	-	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	32	9	1	4	3	3	20	2	-	2	-	1	2	-	2	1	-	-	-	-
Cancer -	49	-	-	-	-	-	-	-	-	1	2	5	8	11	11	6	5	-	-	-
Scrofula and Tubercles -	28	7	4	2	1	-	14	5	2	1	1	1	-	1	1	-	1	-	-	-
Phthisis -	210	1	3	4	2	2	12	4	17	28	39	57	23	18	11	1	-	-	-	-
Hydrocephalus -	12	5	2	2	-	-	11	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	149	22	7	2	4	3	33	3	1	2	4	5	4	9	22	28	20	4	-	-
Dis. of Heart & Dropsy -	146	3	-	-	-	1	4	4	2	3	-	9	10	16	31	42	21	4	-	-
Dis. of Lungs -	200	64	25	13	5	2	109	5	3	2	3	7	3	6	16	28	16	2	-	-
Dis. of Stom. and Liver -	86	6	-	2	1	-	9	5	-	6	3	4	10	12	12	12	9	4	-	-
Dis. of Kidneys -	10	-	1	-	-	-	1	1	-	-	-	1	3	1	1	2	-	-	-	-
Dis. of Genes. Organs -	9	-	-	-	-	-	-	-	-	1	-	1	-	1	4	1	-	-	-	-
Dis. of Joints -	7	1	-	-	1	1	3	1	1	-	-	-	1	1	-	-	-	-	-	-
Dis. of Skin -	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metris -	32	-	-	-	-	-	-	-	-	5	10	8	-	-	-	-	-	-	-	-
Infanticide -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths -	15	2	2	1	2	-	7	1	1	-	-	-	-	-	-	2	-	2	-	-
Other Causes -	446	164	25	8	2	3	262	3	1	4	1	3	3	3	8	55	115	47	-	-

163.—BANBURY.																				
Mean Popul ⁿ , 1861-71	15418	470	404	418	405	389	2086	1866	1728	1315	1189	2072	1760	1429	1041	651	250	31		
TOTAL DEATHS -	2980	595	185	106	70	67	1023	102	62	92	79	194	177	175	255	374	300	87		
Small-pox -	9	2	1	-	1	-	4	1	-	2	-	-	2	-	-	-	-	-	-	-
Measles -	72	10	23	17	5	3	63	6	1	-	-	2	-	-	-	-	-	-	-	-
Scarlatina -	57	4	5	6	6	14	35	16	2	-	-	1	1	-	-	-	-	-	-	-
Diphtheria -	53	3	5	11	8	7	34	8	3	1	2	3	1	1	-	-	-	-	-	-
Whooping-cough -	52	18	14	7	7	4	50	1	1	-	-	-	-	-	-	-	-	-	-	-
Typhus -	115	4	3	5	1	2	15	17	18	17	12	12	8	5	5	4	2	-	-	-
Diarrhoea & Dysentery -	73	34	6	7	1	-	48	3	2	1	-	1	3	1	4	3	6	1	-	-
Cholera -	3	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
Other Zymotic Dis. -	61	5	2	4	8	6	25	8	1	3	2	1	3	5	3	7	2	1	-	-
Cancer -	76	-	-	-	-	-	-	-	-	-	-	1	8	8	21	16	30	7	-	-
Scrofula and Tubercles -	35	18	10	-	7	1	34	3	3	4	2	-	1	-	4	2	-	-	-	-
Phthisis -	599	8	11	4	1	2	20	4	8	37	31	64	60	29	17	8	-	-	-	-
Hydrocephalus -	38	13	7	2	-	3	25	6	4	1	-	-	1	-	-	-	-	-	-	-
Dis. of Brain -	343	77	18	11	7	2	115	7	-	3	3	12	18	25	39	69	48	9	-	-
Dis. of Heart & Dropsy -	214	6	4	4	1	-	15	3	6	4	3	12	22	37	67	61	22	3	-	-
Dis. of Lungs -	375	83	46	17	5	12	163	10	1	2	8	12	11	12	46	63	39	5	-	-
Dis. of Stom. and Liver -	161	10	1	2	1	-	14	5	6	5	3	13	18	22	40	25	3	-	-	-
Dis. of Kidneys -	17	-	-	-	2	-	2	-	-	1	-	2	2	3	4	2	-	-	-	-
Dis. of Genes. Organs -	11	-	-	-	-	-	-	-	-	-	-	1	4	1	2	8	-	-	-	-
Dis. of Joints -	13	-	-	-	1	-	1	-	-	2	1	2	2	1	1	3	-	-	-	-
Dis. of Skin -	8	-	2	-	-	-	2	-	-	-	-	2	-	1	-	2	1	-	-	-
Childbirth and Metris -	46	-	-	-	-	-	-	-	-	3	3	20	13	1	-	-	-	-	-	-
Infanticide -	3	-	-	-	-	-	-	-	-	-	-	1	2	2	4	3	1	-	-	-
Other Violent Deaths -	39	7	1	2	5	4	19	1	3	2	1	1	-	-	-	2	1	2	-	-
Other Causes -	553	191	51	7	1	4	234	5	-	3	2	1	2	7	7	47	173	72	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--	90--	
164.—BRACKLEY.																				
Mean Popul ⁿ , 1861-71 - }	6634	191	180	188	160	177	896	817	719	630	481	835	708	609	483	322	119	15		
TOTAL DEATHS -	1324	326	76	44	24	23	403	42	37	22	35	64	57	67	109	179	174	45		
Small-pox - - -	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	24	8	11	3	2	1	25	1	-	1	-	1	-	-	-	-	-	-	-	-
Scarlatina - - -	39	5	4	4	8	5	26	8	2	1	-	1	-	-	-	1	-	-	-	-
Diphtheria - - -	7	-	1	1	1	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	10	5	1	2	-	-	8	1	1	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	80	1	1	2	2	6	12	10	12	5	5	10	4	6	7	6	2	1	-	-
Diarrhea & Dysentery	22	5	3	1	-	-	9	-	-	-	-	-	-	2	4	1	4	1	-	-
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	7	2	4	2	-	15	2	1	3	-	1	-	1	2	1	2	-	-	-
Cancer - - -	10	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	-	-	-
Serofula and Tabes -	33	18	3	3	-	1	25	2	1	-	-	1	-	2	1	1	-	-	-	-
Phthisis - - -	96	-	2	-	-	-	3	2	7	-	2	24	18	13	5	1	-	-	-	-
Hydrocephalus - -	35	13	7	5	3	2	30	4	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	185	37	5	7	4	1	54	-	2	3	3	5	6	7	17	44	40	6	-	-
Dis. of Heart & Dropsy	98	1	-	-	-	2	3	1	-	1	1	6	7	5	22	29	15	3	-	-
Dis. of Lungs - - -	185	54	20	6	-	-	83	4	1	1	1	4	7	13	15	36	13	4	-	-
Dis. of Stom. and Liver	76	14	-	-	-	-	14	3	1	1	-	2	9	7	15	18	6	-	-	-
Dis. of Kidneys - -	14	-	-	-	-	-	-	-	-	-	2	-	1	-	2	3	6	-	-	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints - - -	6	-	-	-	-	-	-	-	1	-	1	2	-	-	1	1	-	-	-	-
Dis. of Skin - - -	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	7	-	-	-	-	-	-	-	-	1	-	1	-	2	3	3	1	-	-	-
Other Violent Deaths -	26	1	-	2	-	-	3	2	3	2	2	3	2	3	3	3	1	-	-	-
Other Causes - - -	332	155	15	4	2	-	176	-	-	1	-	2	2	3	7	29	82	30	-	-

		165.—TOWCESTER.																	
Mean Popul ⁿ , } 1861-71 - }	6373	180	171	159	158	155	823	778	721	605	459	828	714	566	458	306	102	13	
TOTAL DEATHS -	1343	390	106	49	25	19	589	43	24	27	37	56	52	55	101	165	151	43	
Small-pox - - -	23	4	-	2	-	-	6	1	-	-	4	5	1	4	1	-	1	-	
Measles - - -	34	8	12	9	1	2	32	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	25	2	4	6	5	8	20	4	1	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	9	4	-	1	3	-	8	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -	21	15	5	-	1	-	21	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	21	-	1	1	-	1	3	-	2	-	2	-	3	-	1	3	2	2	
Dysentery & Dysentery	49	83	5	1	-	-	59	-	-	-	-	-	-	-	3	5	4	1	
Cholera - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	80	4	1	4	5	2	16	3	2	-	-	-	-	2	1	4	2	-	
Cancer - - -	13	-	-	-	-	-	-	-	1	-	-	-	-	2	4	5	1	-	
Scrofula and Tuberc.	23	8	5	-	-	-	13	5	1	-	2	2	-	-	1	1	-	-	
Phthisis - - -	99	6	7	1	-	1	15	1	3	12	15	25	16	6	5	1	-	-	
Hydrocephalus - -	24	7	8	1	1	-	17	6	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain - -	173	89	11	3	3	2	58	5	1	1	3	4	6	4	19	34	33	6	
Dis. of Heart & Dropsy	168	3	2	2	-	-	7	1	2	1	2	2	7	13	19	26	24	2	
Dis. of Lungs - -	218	78	27	7	3	8	118	2	-	-	5	4	5	6	17	32	26	2	
Dis. of Stom. and Liver	96	15	6	4	-	-	25	3	3	2	2	5	5	6	12	22	7	4	
Dis. of Kidneys -	28	-	-	-	-	-	-	-	-	-	-	1	-	3	6	10	7	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - -	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	
Dis. of Skin - - -	5	1	-	-	1	-	2	-	-	-	-	-	1	-	-	1	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	5	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	1	1	
Other Violent Deaths	50	3	1	2	1	3	10	-	7	4	2	7	7	5	3	-	-	-	
Other Causes - - -	282	160	11	5	1	2	179	4	-	-	-	-	1	3	5	21	43	2	

		166.—POTTERS PURY.																		
Mean Popul ⁿ , 1861-71	1866	184	143	147	157	150	781	688	685	645	578	804	618	504	368	219	67	9		
TOTAL DEATHS	1087	334	94	42	22	10	502	38	17	27	32	42	52	69	79	113	90	26		
Small-pox	2	-	-	-	-	2	-	2	2	-	-	1	-	-	1	-	-	-		
Measles	40	19	17	5	-	-	56	-	2	-	-	-	-	-	-	-	-	-		
Scarlatina	27	4	7	6	3	-	19	7	1	-	-	-	-	-	-	-	-	-		
Diphtheria	5	1	-	-	1	-	2	2	-	-	-	1	-	-	-	-	-	-		
Whooping-cough	20	11	4	1	1	1	20	-	-	-	-	-	-	-	-	-	-	-		
Typhus	37	1	3	3	2	2	11	7	-	3	-	2	4	-	3	2	1	-		
Diarrhoea & Dysentery	30	12	10	-	1	-	23	-	4	-	-	1	-	-	2	2	2	-		
Cholera	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	24	5	6	1	3	-	15	1	-	-	-	2	-	2	1	2	1	-		
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	3	-		
Serofula and Tabes	20	10	3	-	-	-	15	1	-	2	1	1	-	-	1	1	-	-		
Phthisis	98	3	1	2	-	-	6	2	2	9	22	15	21	12	7	2	-	-		
Hydrocephalus	21	13	4	1	-	2	20	1	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	118	23	8	5	4	-	45	3	3	5	2	2	4	10	13	14	13	4		
Dis. of Heart & Dropsy	50	2	1	-	-	1	4	-	1	3	-	-	4	7	8	11	7	-		
Dis. of Lungs	159	66	21	10	3	-	90	2	-	1	-	3	5	10	15	20	12	1		
Dis. of Stom. and Liver	64	9	1	1	-	-	11	1	1	1	2	4	6	13	8	9	3	-		
Dis. of Kidneys	19	-	-	1	-	-	1	-	1	1	-	2	2	1	1	7	3	-		
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	6	-	-	-	-	-	-	2	-	1	-	-	-	2	1	-	-	-		
Dis. of Skin	7	2	-	-	-	-	2	1	-	-	-	-	1	1	-	1	1	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-		
Other Violent Deaths	45	4	-	2	4	-	10	4	2	4	2	7	3	5	4	3	1	-		
Other Causes	279	156	11	4	2	2	175	1	-	1	-	1	1	1	9	35	40	1		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and over.
164.—BRACKLEY.																		
Mean Popu ⁿ , 1861-71	6858	203	187	176	190	165	921	831	729	586	540	888	773	638	515	320	106	11
TOTAL DEATHS -	1317	247	80	42	25	18	412	39	85	45	47	80	95	64	126	106	167	35
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	32	8	10	4	5	4	26	2	-	2	-	-	2	-	-	-	-	-
Scarlatina - - -	25	2	7	3	7	2	21	4	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	8	-	-	2	1	-	3	4	-	1	-	-	-	-	-	-	-	-
Whooping-cough -	23	10	7	6	-	-	23	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	07	1	2	3	4	3	13	10	6	10	5	5	4	4	2	5	3	-
Diarrhoea & Dysentery	24	7	-	1	-	-	8	-	1	-	-	-	-	2	3	6	4	-
Cholera - - -	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	2	-	-
Other Zymotic Dis.	28	3	6	3	-	3	15	2	1	1	1	1	1	1	3	2	-	-
Cancer - - -	26	-	-	1	-	-	1	-	-	-	-	1	2	5	6	9	2	-
Scrofula and Tuberc.	32	14	5	3	-	1	23	-	2	2	1	1	1	1	1	1	-	-
Phthisis - - -	172	2	1	1	-	1	5	1	15	19	35	40	40	10	9	1	1	-
Hydrocephalus - -	81	11	11	3	2	-	27	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	152	19	5	1	1	-	26	3	4	2	4	6	6	9	27	42	18	5
Dis. of Heart & Dropsy	123	3	-	-	-	-	3	1	-	2	3	6	9	18	25	31	23	2
Dis. of Lungs - - -	135	37	17	7	2	1	64	4	-	3	1	2	5	4	13	15	20	1
Dis. of Stomach & Liver	77	5	1	1	-	2	9	1	3	2	-	8	9	9	20	12	4	-
Dis. of Kidneys - -	8	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	-
Dis. of Genes. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-
Dis. of Joints - - -	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-
Dis. of Skin - - -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
Childbirth and Metris	20	-	-	-	-	-	-	-	-	-	3	6	11	-	-	-	-	-
Suicide - - -	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Other Violent Deaths	8	1	1	1	-	-	3	2	-	-	-	-	-	-	3	-	-	-
Other Causes - - -	309	129	7	2	2	1	141	1	2	1	4	1	1	-	9	34	68	-

		165.—TOWCESTER.																	
Mean Popul ⁿ , } 1861-71 }	6622	180	172	168	172	167	859	776	697	563	532	905	767	628	481	301	100	13	
TOTAL DEATHS -	1312	270	94	42	25	24	455	34	29	43	37	83	90	82	116	172	133	38	
Small-pox - - -	7	1	1	1	-	-	3	-	1	1	-	-	-	1	1	-	-	-	
Measles - - - -	24	5	5	6	3	2	21	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	20	1	3	4	2	6	16	3	1	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	8	-	1	-	1	1	3	3	-	-	-	1	-	1	-	-	-	-	
Whooping-cough -	24	11	5	4	3	-	23	1	-	-	-	-	-	-	-	-	-	-	
Dysentery - - - -	40	-	1	1	4	1	4	5	7	7	1	2	9	2	-	1	2	-	
Diarrhœa & Dysentery	26	13	4	2	1	-	20	-	-	-	-	-	-	1	-	3	3	-	
Diarrhœa - - - -	31	5	6	5	2	1	19	8	-	1	-	-	-	1	1	3	3	-	
Other Zymotic Dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer - - - - -	28	-	-	-	-	-	-	-	-	-	-	2	2	6	9	7	1	1	
Scrophula and Tuberc.	29	5	6	1	2	2	16	-	2	4	1	2	1	1	2	-	-	-	
Phthisis - - - -	137	4	6	-	-	1	11	3	5	16	15	34	32	10	7	4	-	-	
Hydrocephalus - -	22	8	6	3	2	1	20	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	154	35	10	2	2	3	62	2	3	3	3	7	5	5	18	22	19	5	
Dis. of Heart & Dropsy	112	-	3	-	-	-	3	2	1	3	1	4	10	13	19	31	21	4	
Dis. of Lungs - - -	220	47	19	10	2	4	82	4	5	1	7	7	4	14	20	38	35	3	
Dis. of Stom. and Liver	115	12	4	1	2	-	19	2	1	3	4	10	7	18	23	17	10	1	
Dis. of Kidneys - -	11	1	-	-	-	-	1	1	-	-	1	2	1	2	-	3	-	-	
Dis. of Genes. Organs	12	-	-	-	-	-	-	-	-	-	-	1	3	3	1	1	-	-	
Dis. of Joints - - -	5	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	
Dis. of Skin - - -	4	2	-	-	-	-	2	-	-	-	-	-	-	1	2	-	-	-	
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	2	9	10	1	-	-	-	-	
Accidents - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
Other Violent Deaths	17	2	1	1	2	-	6	-	1	-	1	-	1	1	2	-	1	2	
Other Causes - - -	242	118	13	1	-	2	124	1	2	2	1	2	1	-	9	28	40	3	

		166.—POTTERSPURY.																		
Mean Popul ⁿ , } 1861-71 }	5708	179	147	160	139	131	756	702	590	525	496	806	645	535	350	217	69	11		
TOTAL DEATHS -	1111	269	73	35	27	16	420	30	21	29	40	66	70	70	98	131	101	35		
Small-pox - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-		
Measles - - -	24	5	4	6	3	3	21	1	1	-	-	1	-	-	-	-	-	-		
Scarlatina - - -	26	-	5	0	4	-	30	4	-	-	-	-	-	-	-	-	-	-		
Euphtheria - - -	8	-	2	1	1	-	4	3	1	-	-	-	-	-	-	-	-	-		
Whooping-cough -	23	14	5	1	1	1	22	1	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	44	9	6	2	2	1	13	9	3	3	3	3	2	1	5	2	-	-		
Dysentery & Dysentery	31	17	3	1	1	-	22	-	-	-	1	1	-	-	-	4	2	1		
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis. -	29	2	3	4	1	2	12	3	1	1	-	-	2	2	2	1	1	1		
Cancer - - -	32	-	-	-	1	-	1	-	-	-	1	1	4	5	12	3	-	-		
Scrofula and Tuberc.	25	7	2	1	-	1	11	2	-	2	1	1	5	3	1	-	-	-		
Phthisis - - -	129	10	3	-	1	-	7	2	-	8	16	19	31	21	16	7	2	-		
Hydrocephalus - -	21	10	6	2	2	1	24	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain - -	198	24	4	5	1	-	31	-	-	1	4	5	3	7	10	22	20	20		
Dis. of Heart & Dropsy	122	2	2	-	-	-	4	1	-	2	5	3	2	11	22	24	9	2		
Dis. of Lungs - -	129	44	16	2	4	1	67	1	-	-	4	4	4	6	16	21	9	1		
Dis. of Stom. and Liver	68	7	-	-	-	-	7	-	3	2	1	2	6	8	13	16	10	-		
Dis. of Kidneys - -	8	1	-	-	-	-	1	-	-	-	-	-	2	4	1	-	-	-		
Dis. of Genes. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-		
Dis. of Joints - -	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-		
Dis. of Skin - - -	6	3	-	-	-	-	3	-	-	-	-	1	1	-	1	-	-	-		
Childbirth and Metris.	21	-	-	-	-	-	-	-	-	1	5	8	7	-	-	-	-	-		
Accidents - - -	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-		
Other Violent Deaths -	12	2	2	1	1	1	7	1	2	-	-	-	-	-	-	1	-	1		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
		167.—HARDINGSTONE.																
Mean Popul ⁿ , 1861-71	5122	154	147	149	131	124	705	619	590	507	399	636	572	465	342	212	68	7
TOTAL DEATHS—	1008	302	87	39	24	19	471	38	14	31	26	38	38	59	78	100	91	24
Small-pox - - -	5	-	2	-	1	-	3	-	1	-	-	-	1	-	-	-	-	-
Measles - - -	24	5	11	9	-	5	23	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	47	4	6	5	6	5	26	11	3	1	-	-	-	-	2	1	1	-
Diphtheria - - -	6	-	1	-	1	-	2	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough - -	11	9	1	1	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	40	2	3	-	-	1	4	7	1	4	2	3	4	5	1	5	3	-
Diarrhoea & Dysentery	45	31	7	2	-	-	40	-	-	-	-	-	-	1	-	3	-	1
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	22	3	5	2	4	-	14	1	1	-	-	1	-	-	1	1	1	-
Cancer - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-
Scrofula and Tuberc -	11	4	2	1	-	-	7	-	1	-	-	-	-	-	-	-	-	-
Phthisis - - -	84	5	1	3	1	1	11	-	-	12	15	21	10	8	4	2	-	-
Hydrocephalus - - -	13	5	6	1	1	-	12	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	114	39	10	7	1	1	58	1	-	1	4	1	4	3	6	29	16	-
Dis. of Heart & Dropsy	65	4	1	1	1	-	7	2	1	1	1	2	10	13	8	12	6	1
Dis. of Lungs - - -	130	55	20	7	4	2	88	2	-	1	1	1	2	6	23	14	12	1
Dis. of Stom. and Liver	94	5	-	-	1	-	6	3	3	2	1	1	2	6	6	1	5	-
Dis. of Kidneys - - -	19	-	-	-	2	-	2	-	-	1	-	-	2	5	3	4	-	2
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Dis. of Skin - - -	4	8	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	9	-	-	-	-	1	3	-	-	-	-	-	-	1	1	1	-	1
Other Violent Deaths	32	2	-	-	-	-	3	4	1	5	1	3	1	6	4	3	-	1
Other Causes - - -	273	126	12	7	1	3	140	2	1	-	2	2	-	4	14	33	48	12

168.—NORTHAMPTON.																		
Mean Popul ⁿ , 1861-71	22689	736	644	618	545	630	3173	2658	2355	2265	2101	3496	2690	1922	1227	608	173	21
TOTAL DEATHS—	6109	1846	587	267	195	121	3016	269	113	121	187	371	346	368	482	477	296	61
Small-pox—	140	34	12	16	25	10	97	14	—	1	6	11	6	4	1	—	—	—
Measles—	184	41	83	38	13	7	182	2	—	—	—	—	—	—	—	—	—	—
Scarlatina—	393	26	63	49	56	42	236	116	25	4	3	2	4	2	1	—	—	—
Diphtheria—	43	9	7	8	6	6	36	6	—	1	—	—	—	—	—	—	—	—
Whooping-cough—	110	60	31	8	6	1	100	4	—	—	—	—	—	—	—	—	—	—
Typhus—	167	9	9	11	7	7	45	29	6	13	17	17	9	12	11	13	4	—
Diarrhoea & Dysentery—	421	277	65	10	3	4	339	4	—	2	1	7	3	5	10	21	9	—
Cholera—	4	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Other Zymotic Dis.—	123	19	18	11	10	6	64	5	0	4	9	2	6	9	11	4	5	1
Cancer—	39	—	—	—	—	—	—	1	1	—	—	3	3	5	10	25	9	—
Scrofula and Tuberc.—	83	36	13	9	1	—	59	1	—	—	—	6	5	3	2	—	—	—
Phthisis—	625	24	15	10	5	1	68	11	17	46	72	160	110	88	61	11	1	—
Hydrocephalus—	79	34	14	11	6	6	71	7	1	—	—	—	—	—	—	—	—	—
Dis. of Brain—	895	325	46	16	10	9	405	17	12	13	16	33	56	60	79	87	44	3
Dis. of Heart & Dropsy—	270	—	2	4	1	—	7	14	6	3	13	23	34	39	51	58	22	4
Dis. of Lungs—	833	255	120	45	23	11	424	17	7	8	10	34	30	44	56	89	39	4
Dis. of Stom. and Liver—	201	36	2	4	3	4	49	4	3	3	7	17	21	23	56	28	5	1
Dis. of Kidneys—	105	—	3	—	1	1	5	4	4	1	4	7	16	13	19	19	13	1
Dis. of Genes. Organs—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints—	26	—	—	—	1	—	1	3	3	4	1	2	4	3	3	2	—	—
Dis. of Skin—	19	1	—	1	2	—	4	—	—	2	—	—	—	1	2	1	—	—
Childbirth and Metria—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide—	32	—	—	—	—	—	—	—	—	—	2	7	3	7	8	5	—	—
Other Violent Deaths—	214	12	6	6	9	5	36	16	15	15	14	27	23	20	38	12	3	1
Other Causes—	1163	647	75	12	3	3	740	3	3	1	3	13	11	22	58	117	148	49

169.—DAVENTRY.																		
Mean Popul ⁿ , 1861-71	10183	270	266	248	232	260	1276	1184	1116	953	868	1349	1140	928	722	455	171	21
TOTAL DEATHS—	2004	497	117	60	43	24	741	74	38	39	53	99	111	167	186	245	253	56
Small-pox—	16	2	1	2	1	—	6	—	1	1	—	1	3	2	2	—	—	—
Measles—	24	5	8	2	5	—	20	3	1	—	—	—	—	—	—	—	—	—
Scarlatina—	51	2	6	12	9	2	31	17	—	—	1	2	—	—	—	—	—	—
Diphtheria—	13	1	1	2	4	2	10	6	—	1	—	—	—	1	—	—	—	—
Whooping-cough—	20	16	3	—	—	—	19	1	—	—	—	—	—	—	—	—	—	—
Typhus—	58	1	1	1	3	—	6	5	9	4	5	5	7	5	7	3	2	—
Diarrhoea & Dysentery—	49	21	5	2	1	—	29	—	—	—	—	2	—	1	5	4	7	1
Cholera—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.—	53	5	9	10	3	2	29	6	—	1	1	2	3	6	—	2	1	—
Cancer—	25	—	—	1	—	—	1	—	—	—	—	—	3	5	7	6	3	—
Scrofula and Tuberc.—	46	18	5	4	1	1	29	4	2	—	2	4	2	—	1	2	—	—
Phthisis—	131	—	1	1	3	1	5	5	3	13	23	44	27	15	10	6	—	—
Hydrocephalus—	46	25	12	2	1	1	41	4	1	—	—	—	—	—	—	—	—	—
Dis. of Brain—	234	54	9	1	3	5	73	4	6	2	4	3	4	18	32	51	46	4
Dis. of Heart & Dropsy—	165	20	2	—	2	2	24	5	11	3	5	11	10	16	36	41	19	1
Dis. of Lungs—	290	84	26	8	5	5	128	6	—	2	4	10	16	24	34	23	41	4
Dis. of Stom. and Liver—	108	16	4	3	1	2	26	7	4	3	2	2	7	11	23	18	5	3
Dis. of Kidneys—	57	—	—	—	—	—	—	1	1	—	—	2	2	3	7	14	5	1
Dis. of Genes. Organs—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints—	7	—	1	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—
Dis. of Skin—	11	6	—	—	—	—	6	—	1	—	—	—	—	1	—	1	—	—
Childbirth and Metria—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide—	12	—	—	—	—	—	—	—	—	1	1	1	3	2	2	1	3	—
Other Violent Deaths—	86	8	9	5	4	1	29	4	5	7	3	10	13	9	5	8	1	1
Other Causes—	495	213	21	4	—	—	238	—	2	1	1	1	4	3	13	64	126	40

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up.
		167.—HARDINGSTONE.																
Mean Popul ⁿ , 1861-71	5171	162	147	138	154	137	738	625	574	446	430	685	594	461	345	206	57	10
TOTAL DEATHS	1068	220	66	39	22	24	371	40	30	44	42	82	60	64	79	129	101	17
Small-pox	5	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
Measles	23	5	8	5	2	1	21	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	64	3	7	7	7	8	32	12	5	1	1	-	-	-	-	2	1	-
Diphtheria	6	-	-	-	-	3	3	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	12	8	2	2	-	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	39	3	1	3	1	2	10	5	3	2	7	3	3	4	2	-	-	-
Intermittent & Dysentery	35	21	6	1	-	-	28	-	1	-	1	-	1	1	-	-	3	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	18	3	1	4	2	-	10	2	-	1	-	-	1	1	2	1	-	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	1	2	6	4	2	1	-
Scrophulous and Tuberc.	15	7	3	1	-	-	11	2	-	1	-	-	-	1	-	-	-	-
Phthisis	181	8	3	1	3	2	17	3	13	27	26	41	29	11	8	5	1	-
Hydrocephalus	5	3	2	-	-	1	6	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	83	27	3	-	-	-	30	2	2	1	-	6	4	4	13	20	6	-
Dis. of Heart & Dropsy	105	2	1	2	1	-	6	1	2	1	-	7	7	10	21	37	13	-
Dis. of Lungs	137	46	16	9	5	2	78	1	1	1	1	4	5	7	6	11	10	2
Dis. of Stom. and Liver	41	2	-	-	-	2	4	1	-	1	1	6	3	5	10	7	3	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	4	2	2	1	1	-	-
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	-	1	-	1	5	1	1	-	-
Dis. of Joints	9	1	-	-	-	-	1	-	1	-	-	-	-	2	1	3	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris	18	-	-	-	-	-	-	-	-	3	3	5	7	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths	8	1	1	2	-	-	4	2	-	1	-	-	-	-	-	1	-	-
Other Causes	241	79	12	2	1	3	97	3	2	2	1	4	2	5	9	38	63	15

168.—NORTHAMPTON.																		
Mean Popul ⁿ , 1861-71	23263	737	636	597	578	582	3130	2650	2487	2463	2243	3531	2635	1905	1259	707	222	31
TOTAL DEATHS -	5465	1440	543	277	175	121	2556	254	103	171	178	362	324	285	381	442	324	83
Small-pox - - -	128	32	18	19	15	11	95	16	1	5	4	5	2	-	-	-	-	-
Measles - - - -	152	26	63	31	12	6	138	11	-	1	-	1	1	-	-	-	-	-
Scarlatina - - -	353	32	40	51	34	42	219	93	25	5	2	5	-	-	1	1	-	-
Diphtheria - - -	62	5	7	11	7	8	38	9	2	-	2	-	1	-	-	-	-	-
Whooping-cough -	158	66	50	15	6	3	138	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	182	9	19	11	7	5	51	28	11	17	7	18	10	6	11	10	11	-
Dysentery & Dysentery	385	23	67	21	8	2	335	5	2	1	1	5	5	4	9	11	16	1
Cholera - - - - -	5	1	1	-	-	-	2	-	-	-	-	-	-	1	-	1	2	1
Other Zymotic Dis.	98	17	17	9	14	7	64	3	4	-	1	5	4	5	9	-	-	-
Cancer - - - - -	112	-	-	-	1	-	1	-	-	1	-	10	26	23	30	17	4	-
Scrophula and Tuberc.	62	19	7	5	2	4	37	1	3	2	1	5	5	2	1	1	-	-
Phthisis - - - -	656	34	19	11	5	3	72	16	21	78	92	165	106	72	26	7	-	-
Hydrocephalus - -	50	15	18	2	4	1	40	5	5	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	605	197	41	24	11	5	281	18	5	8	17	23	35	41	63	64	41	10
Dis. of Heart & Dropsy	274	4	2	-	-	2	8	7	10	6	5	25	29	55	62	53	28	3
Dis. of Lungs - - -	683	182	97	48	23	13	363	11	3	6	14	25	28	30	68	89	44	6
Dis. of Stom. and Liver	130	17	2	-	1	2	22	8	3	11	6	19	16	28	27	43	7	3
Dis. of Kidneys - -	22	-	-	1	-	-	1	3	1	6	1	11	12	5	5	6	1	-
Dis. of Genes. Organs	19	-	-	-	-	-	-	-	-	1	2	2	4	2	6	2	-	-
Dis. of Joints - - -	19	-	1	-	-	-	1	2	2	2	2	1	3	3	1	2	-	-
Dis. of Skin - - - -	24	5	5	-	2	-	12	-	-	1	-	1	1	3	5	1	-	-
Childbirth and Metris	75	-	-	-	-	-	-	-	-	10	10	29	26	-	-	-	-	-
Suicide - - - - -	8	-	-	-	-	-	-	-	1	-	1	4	-	-	1	-	-	-
Other Violent Deaths	64	7	5	6	3	2	23	7	2	3	5	1	4	7	5	2	3	2
Other Causes - - -	1064	340	64	14	5	2	625	9	2	7	5	8	5	16	62	131	165	39

169.—DAVENTRY.																		
Mean Popul ⁿ , 1861-71 - }	9843	266	256	260	237	266	1285	1153	1068	836	757	1305	1103	970	720	455	172	19
TOTAL DEATHS -	1904	342	105	62	28	21	558	65	42	71	83	141	119	122	161	243	238	61
Small-pox - - -	9	1	-	1	1	1	4	-	-	-	1	1	-	2	-	-	-	1
Measles - - -	14	2	7	3	2	-	14	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	39	1	5	9	7	4	26	11	-	1	1	-	-	-	-	-	-	-
Diphtheria - - -	13	-	3	4	-	-	7	4	2	-	-	-	-	-	-	-	-	-
Whooping-cough -	29	18	4	3	1	-	26	3	-	-	-	-	-	-	-	-	-	-
Typhus - - -	76	-	2	2	1	3	8	11	12	12	7	8	5	1	5	4	3	-
Dysentery & Cholera -	43	14	6	-	-	-	29	-	-	1	1	2	3	-	3	3	2	1
Other Zymotic Dis. -	46	11	4	5	3	2	25	2	2	2	-	2	2	1	5	2	3	-
Cancer - - -	29	-	-	-	-	-	-	-	-	-	-	-	5	15	13	5	-	-
Scrophula and Tuberc. -	45	21	3	1	1	-	26	4	2	2	2	2	-	2	5	1	-	-
Phthisis - - -	215	5	2	-	-	2	9	7	5	28	38	62	40	17	8	1	-	-
Hydrocephalus - -	51	12	4	10	3	-	29	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	210	40	10	5	-	1	55	5	4	5	5	10	8	11	23	34	26	3
Dis. of Heart & Dropsy -	186	16	1	1	2	-	20	-	3	7	7	16	10	20	32	48	21	2
Dis. of Lungs - - -	246	62	34	9	4	4	168	11	3	4	5	7	11	15	19	28	29	4
Dis. of Stom. and Liver -	121	15	4	1	-	-	24	1	1	3	4	8	15	21	15	20	8	1
Dis. of Kidneys - -	14	-	-	-	-	1	1	-	1	-	1	-	2	1	3	2	2	1
Dis. of Genes. Organs -	21	-	-	-	-	-	-	-	-	2	1	1	3	2	6	6	1	-
Dis. of Joints - - -	6	-	1	-	-	-	1	-	-	-	1	2	-	1	-	1	-	-
Dis. of Skin - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris -	33	-	-	-	-	-	-	-	-	2	7	15	7	3	-	-	-	-
Suicide - - -	4	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
Other Violent Deaths -	20	1	1	2	2	1	7	2	3	-	-	2	1	1	1	1	2	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85		

170.—BRIXWORTH.

Mean Popul ⁿ , 1861-71	7352	216	195	200	199	187	997	954	860	680	491	842	815	697	549	335	121	11
TOTAL DEATHS	1433	378	94	53	35	22	582	47	25	20	31	53	67	73	135	169	178	44
Small-pox	5	3	1	1	1	1	4	3	1	1	1	1	1	1	1	1	1	1
Measles	26	1	12	4	6	1	23	3	1	1	1	1	1	1	1	1	1	1
Scarlatina	78	4	9	12	13	7	45	25	4	1	1	1	1	1	1	1	1	1
Diphtheria	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough	20	11	6	1	2	2	20	3	4	4	4	4	4	4	4	4	4	4
Typhus	72	4	5	7	4	4	24	3	4	4	4	4	4	4	4	4	4	4
Diarrhoea & Dysentery	47	23	6	4	1	1	34	1	1	1	1	1	1	1	1	1	1	1
Cholera	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	97	3	7	4	2	1	17	5	1	1	1	1	1	1	1	1	1	1
Cancer	22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tuberc.	37	13	2	1	1	1	14	2	2	1	1	1	1	1	1	1	1	1
Phthisis	107	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hydrocephalus	16	4	3	3	2	2	12	1	3	15	14	21	27	12	8	6	6	6
Dis. of Brain	185	48	7	3	2	1	61	1	1	3	3	2	2	6	18	27	28	3
Dis. of Heart & Dropsy	89	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Lungs	210	68	17	12	3	4	104	3	1	3	1	4	5	13	19	25	24	5
Dis. of Stom. and Liver	70	11	1	1	1	1	12	1	1	1	1	1	11	4	17	16	4	2
Dis. of Kidneys	36	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Genet. Organs	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	4	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metria	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	43	5	2	1	1	1	8	2	4	1	1	5	5	3	7	4	4	2
Other Violent Deaths	343	177	15	1	2	1	106	1	1	1	1	1	1	1	1	1	1	1

171.—WELLINGBOROUGH.

Mean Popul ⁿ , 1861-71	13138	433	377	364	370	352	1896	1604	1438	1240	1161	1769	1472	1141	782	468	157	10
TOTAL DEATHS	2855	947	240	132	56	53	1425	113	52	59	80	126	118	156	214	270	207	32
Small-pox	17	3	3	1	1	1	8	4	1	2	1	1	1	1	1	1	1	1
Measles	84	17	39	18	5	1	79	4	1	1	1	1	1	1	1	1	1	1
Scarlatina	104	4	20	19	10	14	67	25	6	3	1	2	1	1	1	1	1	1
Diphtheria	21	4	3	2	2	3	14	4	3	1	1	1	1	1	1	1	1	1
Whooping-cough	60	38	11	6	3	1	50	1	1	1	1	1	1	1	1	1	1	1
Typhus	114	2	3	7	6	5	23	18	9	12	9	12	5	7	10	6	3	1
Diarrhoea & Dysentery	121	81	19	2	2	1	104	1	1	1	1	1	1	1	1	1	1	1
Cholera	67	12	10	8	6	2	38	6	3	1	1	3	2	5	6	1	1	1
Other Zymotic Dis.	56	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cancer	41	13	5	8	1	2	30	3	2	1	1	3	7	10	19	14	3	1
Scrofula and Tuberc.	281	25	12	7	3	3	47	12	9	17	42	53	43	34	18	4	2	1
Phthisis	27	10	9	2	1	3	25	2	1	1	1	1	1	1	1	1	1	1
Hydrocephalus	360	159	17	9	3	11	190	12	3	5	4	12	5	14	33	46	25	2
Dis. of Brain	151	5	3	5	1	1	15	4	3	6	3	10	6	19	22	31	12	1
Dis. of Heart & Dropsy	438	160	60	27	11	3	251	5	3	4	2	12	15	18	41	49	36	2
Dis. of Lungs	124	16	4	3	1	1	25	1	1	3	7	4	15	18	24	18	9	1
Dis. of Stom. and Liver	41	1	1	1	1	1	2	3	1	1	1	6	5	7	9	3	3	1
Dis. of Kidneys	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Genet. Organs	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	8	3	1	1	1	1	4	2	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	8	3	1	1	1	1	4	2	1	1	1	1	1	1	1	1	1	1
Childbirth and Metria	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	82	7	5	2	3	3	20	6	7	6	4	3	8	10	9	8	1	1
Other Violent Deaths	642	385	27	4	1	1	418	1	1	1	1	2	5	7	14	63	108	23

172.—KETTERING.

Mean Popul ⁿ , 1861-71	9758	318	277	263	263	263	1384	1166	1126	934	782	1267	1061	888	625	381	134	10
TOTAL DEATHS	2054	635	194	76	46	35	986	67	45	49	44	74	94	87	140	251	173	35
Small-pox	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles	50	12	15	10	7	2	46	3	1	1	1	1	1	1	1	1	1	1
Scarlatina	108	18	22	18	8	12	73	25	9	1	1	1	1	1	1	1	1	1
Diphtheria	14	2	2	1	3	1	9	2	1	1	1	1	1	1	1	1	1	1
Whooping-cough	27	18	6	2	2	1	23	2	1	1	1	1	1	1	1	1	1	1
Typhus	89	5	6	3	4	5	23	6	5	8	12	7	11	4	6	5	2	1
Diarrhoea & Dysentery	78	43	15	2	1	1	60	1	1	1	1	1	1	1	1	1	1	1
Cholera	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	55	5	3	4	8	4	24	4	4	2	1	7	5	1	5	2	1	1
Cancer	38	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tuberc.	44	15	9	4	2	1	31	1	3	3	3	1	1	1	1	1	1	1
Phthisis	141	1	2	1	1	1	4	3	5	16	14	39	29	13	14	4	1	1
Hydrocephalus	64	24	23	8	3	2	60	3	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	223	73	7	3	1	1	85	5	2	3	1	8	7	13	18	40	34	5
Dis. of Heart & Dropsy	109	5	1	1	1	1	7	2	1	2	1	3	10	20	44	17	1	1
Dis. of Lungs	290	86	42	8	3	4	145	4	1	2	5	9	12	9	25	44	39	6
Dis. of Stom. and Liver	86	15	1	1	1	1	18	1	3	2	1	5	3	5	21	24	8	1
Dis. of Kidneys	34	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Dis. of Genet. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	7	3	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metria	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	57	3	2	4	1	1	12	1	5	4	4	4	7	4	9	4	1	2
Other Violent Deaths	513	318	89	6	1	2	300	9	1	1	1	1	2	4	8	43	66	24

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	5- 10- 15- 20- 25- 35- 45- 55- 65- 75- 85 and upwards.
		Total under 1 Year.	1	2	3	4															

170.—BRIXWORTH.

Mean Popul ⁿ , 1861-71	7260	189	190	204	176	188	947	927	792	577	529	944	870	706	513	323	122	10
TOTAL DEATHS	1371	261	78	37	29	26	431	67	34	43	45	66	92	80	111	181	181	40
Small-pox	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-
Measles	22	7	10	2	1	-	20	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	63	4	6	5	9	11	35	16	9	-	1	1	-	-	-	1	-	-
Diphtheria	12	1	-	-	2	4	7	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	32	13	11	4	2	-	30	2	-	-	-	-	-	-	-	-	-	-
Typhus	91	8	3	7	1	3	22	17	8	9	5	7	7	3	2	10	1	-
Diarrhœa & Dysentery	40	18	1	2	-	-	21	1	-	-	1	-	2	1	1	5	9	1
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	24	3	3	2	1	3	12	3	2	-	-	-	2	2	1	1	1	-
Cancer	38	-	-	-	-	-	-	-	-	1	-	1	4	14	7	8	3	-
Scrofula and Tuberc.	17	3	3	1	-	1	8	2	1	4	-	1	-	-	-	1	-	-
Phthisis	131	1	-	-	1	-	2	2	5	17	23	28	29	14	9	1	1	-
Hydrocephalus	17	7	2	-	3	1	13	2	-	1	1	-	-	-	-	-	-	-
Dis. of Brain	129	26	7	2	2	-	37	5	1	2	1	6	7	13	14	17	25	3
Dis. of Heart & Dropsy	136	2	-	-	-	-	2	3	-	-	4	3	15	14	29	44	18	4
Dis. of Lungs	192	50	18	9	3	2	82	7	-	2	5	4	7	15	33	32	2	-
Dis. of Stom. and Liver	55	4	-	-	-	1	5	-	-	1	-	1	7	5	17	11	7	1
Dis. of Kidneys	11	1	-	-	-	-	1	-	-	-	2	1	3	-	-	3	1	-
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	1	-	1	1	2	3	-	1	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metris	19	-	-	-	-	-	-	-	-	1	3	9	5	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Other Violent Deaths	15	1	-	-	-	-	1	3	-	3	-	-	1	-	-	2	4	1
Other Causes	304	109	14	3	4	-	190	1	4	1	2	2	3	3	10	44	76	23

171.—WELLINGBOROUGH.

Mean Popul ⁿ , 1861-71	13474	403	388	369	368	337	1865	1689	1481	1324	1188	1877	1493	1099	804	482	153	19	
TOTAL DEATHS	2761	681	244	98	64	52	1139	103	79	111	117	192	129	145	185	265	245	51	
Small-pox	15	2	5	-	2	1	10	-	1	-	1	2	-	-	1	-	-	-	
Measles	85	12	43	12	8	6	81	3	-	1	-	-	-	-	-	-	-	-	
Scarlatina	103	7	12	14	17	7	57	24	15	2	1	9	1	-	1	-	-	-	
Diphtheria	15	1	1	1	2	2	7	5	2	-	-	-	-	-	1	-	-	-	
Whooping-cough	64	26	25	8	2	3	64	-	-	-	-	-	-	-	-	-	-	-	
Typhus	124	1	6	7	5	6	25	15	15	10	11	26	9	2	3	6	1	1	
Diarrhœa & Dysentery	103	51	17	4	-	-	72	2	-	1	2	-	-	-	1	3	8	2	
Cholera	7	2	-	1	-	-	3	-	-	-	-	-	-	-	2	2	-	-	
Other Zymotic Dis.	56	12	13	5	4	3	37	2	1	3	1	3	-	2	2	4	1	-	
Cancer	36	-	-	-	-	-	-	-	1	-	-	7	11	21	23	17	4	-	
Scrofula and Tuberc.	42	9	5	2	2	1	19	4	2	6	2	2	3	3	1	-	-	-	
Fatalsia	382	27	11	5	4	5	32	16	21	26	70	71	43	31	19	3	-	-	
Hydrocephalus	24	12	4	2	-	-	18	3	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain	306	97	23	3	6	4	133	13	6	6	4	10	13	20	22	45	32	2	
Dis. of Heart & Dropsy	165	4	1	3	1	-	9	2	2	6	4	13	14	17	34	48	14	3	
Dis. of Lungs	340	94	34	21	11	10	170	8	4	7	4	17	6	10	28	43	40	3	
Dis. of Stom. and Liver	121	8	-	1	-	1	10	4	2	6	3	7	11	20	24	25	9	-	
Dis. of Kidneys	18	-	-	-	-	-	-	-	2	-	2	4	2	3	1	3	1	-	
Dis. of Gen. Organs	13	-	-	-	-	-	-	-	-	1	2	2	1	5	1	-	-	-	
Dis. of Joints	12	-	-	-	-	-	-	1	-	3	1	3	1	1	-	1	1	-	
Dis. of Skin	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	36	-	-	-	-	-	-	-	-	1	8	17	10	-	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
Other Violent Deaths	28	8	4	3	-	1	16	1	1	1	-	1	-	2	2	1	3	-	
Other Causes	610	304	40	6	-	2	332	-	1	1	1	2	2	5	17	29	132	38	

172.—KETTERING.

Mean Popul ⁿ , 1861-71	9796	290	278	277	258	248	1351	1156	1091	917	847	1206	1069	863	649	397	143	17	
TOTAL DEATHS	2020	462	147	73	48	43	773	79	36	80	60	117	114	105	144	234	216	62	
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Measles	37	6	14	18	6	7	51	21	-	-	-	-	-	-	-	-	-	-	
Scarlatina	87	6	11	13	14	9	33	3	8	4	-	1	-	-	1	-	-	-	
Diphtheria	18	3	1	4	2	3	13	3	-	-	-	-	-	-	-	1	-	-	
Whooping-cough	32	17	11	5	-	-	31	1	-	-	-	-	-	-	-	-	-	-	
Typhus	124	4	4	4	7	8	27	14	-	17	6	12	9	9	7	5	1	1	
Diarrhœa & Dysentery	65	34	9	-	-	-	43	1	-	1	-	-	-	1	1	2	9	5	
Cholera	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
Other Zymotic Dis.	52	5	6	4	4	5	24	6	2	1	3	1	2	2	1	9	1	-	
Cancer	56	1	-	-	-	-	1	-	-	-	-	2	6	12	13	17	5	-	
Scrofula and Tuberc.	44	19	8	2	3	-	32	2	1	4	1	1	-	-	1	1	1	-	
Fatalsia	229	2	4	1	-	1	8	2	9	33	33	62	47	26	7	3	-	-	
Hydrocephalus	33	14	8	3	3	1	29	3	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain	206	53	11	-	1	1	65	5	1	5	4	6	8	12	26	43	27	3	
Dis. of Heart & Dropsy	151	3	-	-	-	1	4	2	2	2	1	6	7	23	29	46	27	2	
Dis. of Lungs	242	49	33	13	6	3	104	3	2	2	1	9	10	4	23	35	43	6	
Dis. of Stom. and Liver	83	5	2	-	1	1	9	2	2	2	2	7	6	8	19	16	8	2	
Dis. of Kidneys	19	-	-	-	-	-	-	1	-	-	-	3	3	2	5	4	1	-	
Dis. of Gen. Organs	6	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
Dis. of Joints	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Dis. of Skin	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	
Childbirth and Metris	27	-	-	-	-	-	-	-	-	5	5	9	10	-	-	-	-	-	
Suicide	5	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	
Other Violent Deaths	20	3	3	2	-	1	9	3	2	-	-	1	1	1	3	6	43	43	
Other Causes	479	234	22	5	1	1	293	4	-	1	1	3	3	5	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.		
		173.—THRAPSTON.																		
Mean Popul ⁿ , 1861-71	7123	223	183	204	188	186	984	926	778	700	553	951	761	602	463	295	91	9		
TOTAL DEATHS	1465	404	119	48	35	21	687	52	25	25	43	59	62	63	133	155	136	23		
Small-pox	4	1	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-		
Measles	31	9	10	5	5	1	30	1	-	-	-	-	-	-	-	-	-	-		
Scarlatina	39	-	4	3	6	6	19	11	4	1	-	2	1	1	-	-	-	-		
Diphtheria	4	1	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-		
Whooping-cough	29	23	11	3	2	-	39	-	-	-	-	-	-	-	-	-	-	-		
Typhus	59	7	3	5	4	1	29	6	4	2	6	1	3	2	2	3	1	-		
Diarrhoea & Dysentery	55	25	14	1	1	-	42	-	-	-	-	-	-	-	-	6	3	-		
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-		
Other Zymotic Dis.	36	6	3	3	4	3	19	2	1	-	1	1	-	4	4	4	-	-		
Cancer	29	-	-	-	-	-	-	-	-	1	-	-	2	7	11	5	3	-		
Serofula and Tuberc.	19	5	4	1	1	1	12	3	-	1	3	1	-	-	-	-	-	-		
Phthisis	105	2	-	1	-	1	4	2	3	8	20	26	19	8	13	2	-	-		
Hydrocephalus	15	5	0	-	1	1	13	2	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	162	48	14	6	4	3	75	7	3	2	2	3	6	10	12	19	22	1		
Dis. of Heart & Dropsy	97	3	-	-	-	-	3	-	1	2	3	4	10	5	28	31	10	-		
Dis. of Lungs	225	63	25	11	3	1	108	7	2	2	2	13	9	10	13	34	34	1		
Dis. of Stom. and Liver	61	8	2	-	-	1	11	1	-	1	1	1	4	5	20	14	2	1		
Dis. of Kidneys	19	-	-	-	1	-	1	1	-	-	-	1	2	3	3	6	2	-		
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
Dis. of Joints	6	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-		
Dis. of Skin	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-		
Other Violent Deaths	42	2	1	1	-	-	4	5	2	2	2	6	5	3	5	4	4	-		
Other Causes	418	248	21	8	3	1	281	4	2	2	-	-	1	4	18	24	62	29		

174.—OUNDE.																				
Mean Popul ⁿ , 1861-71		7505	209	196	216	199	201	1021	921	917	741	537	872	802	691	536	330	124	13	
TOTAL DEATHS		1443	388	78	44	27	20	557	72	32	37	28	67	68	87	123	170	104	39	
Small-pox		2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Measles		22	7	6	3	2	-	18	4	-	-	-	-	-	-	-	-	-	-	
Scarlatina		48	3	3	4	3	7	29	20	5	5	-	-	-	-	-	-	-	-	
Diphtheria		7	-	1	1	-	2	4	1	1	-	1	-	-	-	-	-	-	-	
Whooping-cough		28	14	10	3	-	-	27	1	-	8	4	7	3	5	2	5	3	2	
Typhus		54	-	1	3	1	2	14	-	7	-	-	1	-	1	2	5	3	2	
Diarrhoea & Dysentery		29	12	1	-	1	-	14	-	1	-	-	-	-	-	-	-	-	-	
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.		37	8	1	2	4	-	15	6	1	2	-	1	-	5	3	4	-	-	
Cancer		15	-	-	-	-	-	-	-	-	-	-	-	-	3	7	3	2	-	
Scrofula and Tuberc.		11	1	1	-	-	-	2	3	-	1	-	2	1	1	1	-	-	-	
Phthisis		115	5	1	2	1	-	9	1	2	6	16	33	18	14	11	3	-	-	
Hydrocephalus		25	9	4	3	2	-	18	5	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain		163	63	6	3	2	3	77	4	3	3	1	2	6	10	15	22	22	-	
Dis. of Heart & Dropsy		126	7	-	-	-	-	7	3	1	2	3	5	17	19	27	27	14	1	
Dis. of Lungs		162	50	13	8	4	-	75	5	1	3	1	6	9	7	16	24	15	2	
Dis. of Stom. and Liver		67	10	2	1	-	1	14	5	4	1	-	2	3	7	13	15	7	-	
Dis. of Kidneys		18	-	-	-	1	-	1	1	2	-	-	1	1	2	3	6	-	1	
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Dis. of Skin		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		10	-	-	-	-	-	-	-	-	-	-	3	1	3	1	1	1	-	
Other Violent Deaths		52	3	-	2	2	3	10	6	4	5	2	3	5	8	6	6	3	-	
Other Causes		449	195	27	9	4	2	237	5	1	-	-	1	4	7	15	49	38	32	

175.—PETERBOROUGH.																				
Mean Popul ⁿ , 1861-71		17446	521	486	500	492	470	2469	2237	1899	1727	1416	2327	1943	1496	1051	634	234	23	
TOTAL DEATHS		3717	1082	240	124	99	74	1619	182	86	99	86	173	200	233	283	387	506	63	
Small-pox		51	6	-	-	-	4	19	6	1	3	3	8	2	1	-	2	-	-	
Measles		66	11	18	14	10	7	60	6	-	-	-	-	-	-	-	-	-	-	
Scarlatina		183	19	20	28	34	23	124	49	12	2	1	1	1	-	-	-	-	-	
Diphtheria		56	5	10	6	7	6	34	13	5	2	-	1	-	1	-	-	-	-	
Whooping-cough		55	32	15	4	3	1	55	-	-	-	-	-	-	-	-	-	-	-	
Typhus		142	9	5	7	6	4	31	18	18	15	9	10	15	13	6	4	2	1	
Diarrhoea & Dysentery		161	109	19	2	1	-	131	2	1	-	-	-	2	3	3	13	6	1	
Cholera		3	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	
Other Zymotic Dis.		73	16	3	8	6	6	29	8	3	2	-	3	-	5	4	5	4	-	
Cancer		58	-	-	-	-	-	-	1	1	-	-	2	4	14	15	15	3	1	
Scrofula and Tuberc.		64	29	8	5	2	-	25	6	3	3	1	4	3	2	2	4	1	-	
Phthisis		322	12	8	-	1	3	24	4	5	29	43	81	64	40	23	8	1	-	
Hydrocephalus		72	29	10	10	7	2	49	16	5	1	-	1	-	-	-	-	-	-	
Dis. of Brain		596	157	10	7	1	5	189	12	6	7	1	10	16	18	28	61	27	3	
Dis. of Heart & Dropsy		234	4	-	-	-	-	6	3	2	2	4	10	25	35	33	63	23	3	
Dis. of Lungs		477	146	60	23	7	6	242	10	5	4	5	11	11	25	33	61	42	8	
Dis. of Stom. and Liver		188	18	4	1	1	-	24	7	3	4	-	7	11	18	37	38	11	-	
Dis. of Kidneys		66	-	-	-	-	-	-	2	-	1	-	4	5	6	10	13	17	3	
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		23	1	-	-	1	1	3	6	1	2	2	3	1	2	2	1	-	-	
Dis. of Skin		12	9	1	-	-	-	10	-	-	-	-	-	-	-	-	2	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		30	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	
Other Violent Deaths		159	11	8	4	7	3	23	18	12	18	12	15	22	29	17	10	3	-	
Other Causes		544	477	32	5	2	3	519	4	2	5	3	4	13	15	15	74	131	63	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		173.—THRAPSTON.																
Mean Popul ⁿ , 1861-71	7084	225	194	209	204	207	1039	913	771	615	581	984	754	585	460	281	89	12
TOTAL DEATHS	1359	326	89	53	50	17	515	52	26	54	49	87	79	60	107	154	132	44
Small-pox	3	1	—	1	—	—	2	—	—	—	1	—	—	—	—	—	—	—
Measles	29	5	11	3	4	1	24	2	1	1	1	—	—	—	—	—	—	—
Scarlatina	39	3	3	8	6	3	23	9	3	2	1	—	1	—	—	—	—	—
Diphtheria	7	—	—	—	2	1	3	3	1	—	—	—	—	—	—	—	—	—
Whooping-cough	30	14	9	3	2	—	28	2	—	—	—	—	—	—	—	—	—	—
Typhus	59	1	3	3	1	4	12	12	8	8	8	4	6	2	4	2	2	1
Diarrhoea & Dysentery	39	14	3	—	2	—	19	1	—	—	—	—	1	1	4	9	4	—
Cholera	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	16	3	2	2	2	1	10	—	—	2	—	3	—	—	—	1	—	—
Cancer	55	—	—	—	—	—	—	—	—	1	—	2	8	9	18	12	8	2
Scrophula and Tuberc.	24	4	4	2	2	—	12	3	—	1	2	1	3	—	1	1	—	—
Phthisis	158	1	—	1	—	1	3	2	10	26	24	37	28	15	9	4	—	—
Hydrocephalus	7	1	1	2	—	—	4	2	—	—	—	—	—	1	—	—	—	—
Dis. of Brain	156	46	11	11	1	2	71	8	1	4	3	4	2	6	15	27	14	1
Dis. of Heart & Dropsy	94	1	—	1	—	—	2	1	2	1	1	9	8	9	16	29	16	—
Dis. of Lungs	172	56	17	9	4	1	87	6	1	1	4	11	8	11	12	21	13	3
Dis. of Stom. and Liver	38	10	—	—	1	—	11	1	1	2	—	1	1	3	8	7	3	—
Dis. of Kidneys	8	—	—	—	—	—	—	—	—	1	1	1	—	—	2	1	2	—
Dis. of Gener. Organs	7	—	—	—	—	—	—	—	—	1	—	1	—	—	3	—	—	—
Dis. of Joints	4	—	2	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—
Dis. of Skin	2	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	26	—	—	—	—	—	—	—	—	—	5	11	10	—	—	—	—	—
Infanticide	4	—	—	—	—	—	—	—	—	—	—	—	8	—	—	1	—	—
Other Violent Deaths	14	4	1	—	1	—	6	—	1	2	1	—	1	—	1	1	1	—
Other Causes	367	160	21	7	2	3	193	—	2	1	2	1	2	3	14	38	74	37

174.—OUNDLÉ.																		
Mean Popul ⁿ , 1861-71	7536	213	203	196	199	195	1006	971	870	669	532	935	818	705	510	366	136	18
TOTAL DEATHS	1368	276	65	53	27	22	423	52	41	44	43	92	85	80	100	109	182	87
Small-pox	4	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—
Measles	16	4	5	2	3	1	15	1	—	—	—	—	—	—	—	—	—	—
Scarlatina	60	4	11	5	8	7	33	19	3	1	2	—	—	—	—	—	—	—
Diphtheria	7	—	—	1	—	1	2	2	2	—	1	—	—	—	—	—	—	—
Whooping-cough	27	14	5	3	3	—	25	1	1	—	—	—	—	—	—	—	—	—
Typhus	45	—	3	4	—	3	10	6	—	3	1	5	3	2	2	3	—	—
Diarrhoea & Dysentery	84	7	2	1	—	1	11	—	—	2	2	2	2	2	2	4	5	2
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	28	3	1	2	—	1	7	4	2	2	1	1	2	2	1	3	2	1
Cancer	27	—	—	—	—	—	—	—	—	—	—	—	—	4	12	8	—	—
Scrophula and Tuberc.	7	1	—	—	—	—	1	1	1	1	1	2	—	—	—	—	—	—
Phthisis	158	3	2	1	—	1	7	4	11	17	25	48	26	14	4	2	—	—
Hydrocephalus	17	9	3	—	1	1	14	1	—	2	—	—	—	—	—	—	—	—
Dis. of Brain	128	35	6	4	3	3	51	2	3	3	2	6	5	2	11	24	18	1
Dis. of Heart & Dropsy	128	5	3	1	2	—	11	1	4	3	2	7	14	14	31	27	13	1
Dis. of Lungs	184	28	11	4	6	—	49	1	3	1	2	4	5	12	16	20	18	3
Dis. of Stom. and Liver	65	2	—	—	—	1	3	3	—	4	2	5	8	10	9	16	4	1
Dis. of Kidneys	9	—	—	—	—	—	—	—	—	—	—	—	2	1	2	3	1	—
Dis. of Gener. Organs	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Dis. of Joints	3	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—
Dis. of Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	12	—	—	—	—	—	—	—	—	2	—	3	7	—	—	—	—	—
Infanticide	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Violent Deaths	17	1	3	1	—	1	6	—	1	1	1	1	—	2	1	2	2	—
Other Causes	439	160	10	4	—	1	175	6	1	1	1	1	7	3	5	11	62	48

175.—PETERBOROUGH.																		
Mean Popul ⁿ , 1861-71	17753	544	481	509	484	483	2501	2243	1910	1642	1490	2478	1969	1472	1049	704	260	35
TOTAL DEATHS	3366	849	261	102	76	66	1354	176	84	109	119	206	172	185	207	324	335	95
Small-pox	15	4	2	1	—	2	9	2	—	1	—	—	—	—	—	1	—	—
Measles	61	11	27	11	7	1	57	4	—	—	—	—	—	—	—	—	—	—
Scarlatina	161	8	28	18	22	22	98	49	19	3	—	1	—	—	—	—	—	—
Diphtheria	79	10	6	4	7	11	37	25	8	2	5	—	1	1	—	—	—	—
Whooping-cough	22	32	13	3	3	—	51	1	—	—	—	—	—	—	—	—	—	—
Typhus	176	5	10	9	6	3	33	26	22	22	19	20	10	7	8	4	4	1
Diarrhoea & Dysentery	128	82	21	6	3	—	112	—	2	1	—	2	5	3	8	10	15	—
Cholera	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Other Zymotic Dis.	68	16	4	7	5	3	35	5	2	2	—	2	1	4	9	5	3	—
Cancer	88	—	1	—	—	—	1	—	—	—	—	—	5	13	21	27	4	2
Scrophula and Tuberc.	57	22	14	5	1	—	42	1	4	1	3	2	—	1	2	—	—	—
Phthisis	370	7	6	1	3	3	20	11	13	49	88	98	65	33	16	5	—	—
Hydrocephalus	66	19	15	3	4	4	45	16	3	1	—	1	—	—	—	—	—	—
Dis. of Brain	564	115	17	3	6	4	147	10	5	8	5	12	14	36	34	20	45	8
Dis. of Heart & Dropsy	212	2	—	—	—	—	2	1	6	3	1	16	10	29	36	62	45	1
Dis. of Lungs	374	106	63	20	4	7	190	8	2	5	3	7	9	18	27	60	44	11
Dis. of Stom. and Liver	189	18	—	1	—	2	18	3	1	1	—	6	5	10	21	28	25	13
Dis. of Kidneys	39	—	—	—	—	—	—	2	1	—	—	6	2	6	5	1	4	—
Dis. of Gener. Organs	18	—	—	—	—	—	—	—	—	—	—	1	5	4	3	1	2	—
Dis. of Joints	12	1	—	—	1	—	3	1	—	1	2	1	1	2	—	—	—	—
Dis. of Skin	6	3	2	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	35	—	—	—	—	—	—	—	—	1	6	18	9	1	—	—	—	—
Infanticide	8	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Other Violent Deaths	40	5	5	2	1	3	18	6	2	2	1	3	2	1	3	2	1	—
Other Causes	662	228	82	28	14	10	342	44	22	22	1	2	1	1	1	1	1	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
		176.—HUNTINGDON.																	
Mean Popul ⁿ , 1861-71	10146	302	286	273	291	272	1424	1246	1217	1051	801	1188	1072	879	698	412	139	19	
TOTAL DEATHS—	2136	584	129	69	38	20	840	77	41	60	75	111	130	157	171	232	180	53	
Small-pox - - -	7	1	-	1	1	-	3	-	-	1	1	1	-	1	-	-	-	-	
Measles - - - -	24	9	8	4	2	1	24	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	61	4	10	11	9	5	39	18	2	2	1	2	1	-	-	-	-	-	
Diphtheria - - -	22	2	-	2	3	1	10	3	5	1	-	-	-	-	-	-	-	-	
Whooping-cough -	42	23	13	5	-	-	41	1	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	96	5	8	4	2	2	16	15	6	11	5	5	6	8	12	9	5	5	
Diarrhœa & Dysentery	108	66	14	1	-	-	81	1	1	-	1	-	-	1	5	7	3	3	
Cholera - - - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	42	7	4	1	3	2	17	4	1	3	-	2	2	4	2	5	2	2	
Cancer - - - - -	68	-	-	-	-	-	-	-	-	2	-	1	5	9	17	24	9	1	
Scrofula and Tuberc. -	45	12	8	1	1	1	23	8	3	1	2	5	2	1	-	-	-	-	
Phthisis - - - - -	253	12	3	4	-	-	19	1	3	23	44	57	45	38	12	10	1	-	
Hydrocephalus - - -	17	6	3	1	2	-	12	3	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	212	63	7	8	3	4	85	3	1	5	1	6	6	17	22	34	26	4	
Dis. of Heart & Dropsy	106	2	1	1	1	-	5	1	1	2	-	6	11	12	25	27	13	3	
Dis. of Lungs - - -	297	85	28	10	4	2	129	8	1	3	6	6	17	23	27	40	33	5	
Dis. of Stom. and Liver	74	7	-	1	1	-	9	2	1	9	1	2	8	13	14	16	5	1	
Dis. of Kidneys - -	46	-	-	-	-	-	-	-	-	1	-	3	7	3	9	14	9	-	
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Joints - - -	11	-	-	-	-	-	-	-	1	-	1	-	3	-	1	-	2	-	
Dis. of Skin - - - -	9	3	-	-	1	-	4	-	-	-	-	-	-	1	-	1	2	1	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	10	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2	1	-	
Other Violent Deaths -	120	5	9	10	3	1	28	0	13	9	7	9	10	17	11	4	2	1	
Other Causes - - -	457	272	16	4	2	1	295	-	-	2	-	4	4	8	11	35	63	25	

177.—ST. IVES.																			
Mean Popul ⁿ , } 1861-71 -}	9522	280	246	262	236	248	1272	1199	1140	973	685	1131	1005	843	660	425	167	22	23
TOTAL DEATHS—	2000	525	125	59	46	24	779	104	53	53	67	102	109	142	144	205	224	48	
Small-pox - - -	4	1	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-
Measles - - -	21	7	10	1	1	1	20	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	37	3	5	6	8	3	25	7	4	-	1	-	-	-	-	-	-	-	-
Diphtheria - - -	54	4	8	8	7	3	30	12	9	1	-	1	-	-	-	1	-	-	-
Whooping-cough -	27	13	8	2	3	1	27	-	-	-	-	8	7	3	5	4	-	-	-
Typhus - - -	63	2	1	2	2	-	7	16	4	7	2	-	3	2	2	11	15	2	-
Diarrhoea & Dysentery	72	38	6	-	-	-	44	-	-	-	-	-	1	-	1	4	-	-	-
Cholera - - -	12	4	-	-	-	1	5	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	48	5	-	4	3	5	17	8	3	2	-	1	-	6	2	7	1	-	-
Cancer - - -	56	-	-	-	-	-	-	-	-	-	-	-	5	9	10	7	5	-	-
Scrofula and Tuberc.	49	26	4	2	1	1	34	4	6	3	1	-	1	-	-	-	-	-	-
Phthisis - - -	234	2	4	1	1	-	8	10	5	19	44	53	38	33	14	5	-	-	-
Hydrocephalus - -	35	16	4	3	1	4	28	6	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	231	61	14	4	6	2	87	11	4	7	2	6	9	12	19	42	29	5	-
Dis. of Heart & Dropsy	118	1	-	-	1	-	2	4	1	1	2	6	8	15	25	33	18	3	-
Dis. of Lungs - - -	288	62	24	15	4	1	107	7	2	3	3	9	9	22	28	51	43	4	-
Dis. of Stom. and Liver	108	15	-	-	1	-	16	1	3	2	4	7	7	13	16	34	5	-	-
Dis. of Kidneys - -	29	-	-	-	-	-	-	-	-	-	4	3	2	3	4	9	4	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	5	-	1	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-
Dis. of Skin - - -	8	1	-	-	-	-	1	1	-	-	-	-	1	-	3	1	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	8	-	-	-	-	-	-	-	-	-	-	-	2	3	-	2	1	-	-
Other Violent Deaths	85	2	4	6	3	1	16	12	7	6	3	4	8	8	6	10	4	1	-
Other Causes - - -	511	202	32	4	5	-	303	4	2	1	1	2	7	6	9	44	88	24	5

178.—ST. NEOTS.																			
Mean Popul ⁿ , } 1861-71 -}	9091	258	249	256	243	261	1267	1210	1103	883	655	1069	955	811	597	390	140	11	11
TOTAL DEATHS -	1801	489	106	61	39	34	729	72	48	44	50	67	89	99	160	229	168	46	46
Small-pox - - -	5	1	-	-	-	-	1	-	-	-	-	2	1	-	-	1	-	-	-
Measles - - -	31	6	11	3	7	2	29	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	54	5	3	8	6	5	27	18	6	1	-	2	-	-	-	-	-	-	-
Diphtheria - - -	33	1	1	4	2	2	10	17	7	3	-	-	1	-	-	-	-	-	-
Whooping-cough - -	38	14	9	9	4	2	38	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	54	-	1	1	3	3	8	7	2	9	2	4	7	9	1	4	-	-	1
Diarrhoea & Dysentery	89	56	14	-	1	1	72	-	-	1	-	-	-	-	8	7	6	-	-
Cholera - - -	6	3	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-	-
Other Zymotic Dis.	51	3	3	9	6	1	22	5	5	-	2	3	-	4	3	4	3	-	-
Cancer - - -	41	-	-	-	-	-	-	-	-	-	-	1	4	6	14	12	4	-	-
Scrofula and Tuberc.	42	23	6	3	1	-	33	4	3	2	2	3	-	1	1	3	-	-	-
Phthisis - - -	175	16	9	3	-	2	30	2	2	10	25	26	30	15	15	13	1	-	-
Hydrocephalus - - -	31	11	7	4	1	4	27	1	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	155	35	7	3	1	4	59	2	2	1	3	1	6	7	17	30	34	2	-
Dis. of Heart & Dropsy	102	1	-	1	-	1	3	1	3	2	2	6	8	13	21	33	8	2	-
Dis. of Lungs - - -	219	49	16	7	2	2	78	3	2	1	3	5	12	16	29	42	23	7	-
Dis. of Stom. and Liver	106	19	-	-	3	-	22	1	1	2	1	1	6	15	23	26	7	1	-
Dis. of Kidneys - - -	40	-	-	-	1	-	1	1	1	-	-	2	3	4	8	10	9	1	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	9	-	-	-	-	-	-	1	2	-	-	-	1	1	4	-	-	-	-
Dis. of Skin - - -	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	9	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	3	-	-
Other Violent Deaths -	77	3	1	2	-	3	9	5	7	4	9	-	7	4	10	8	3	-	-
Other Causes - - -	415	242	18	4	1	2	267	2	3	1	-	2	3	2	6	30	68	22	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
176.—HUNTINGDON.																			
Mean Popul ⁿ , 1861-71	10469	293	282	285	293	278	1431	1328	1190	992	849	1325	1124	905	688	455	162	20	
TOTAL DEATHS	2018	433	142	70	33	21	699	97	45	68	83	120	114	116	131	251	222	72	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	41	7	17	7	-	1	32	7	-	1	-	-	-	-	-	-	-	-	
Scarlatina	66	7	12	9	7	9	44	13	1	3	-	-	-	-	-	-	-	-	
Diphtheria	31	1	3	2	5	3	14	8	4	3	1	-	-	1	-	-	-	-	
Whooping-cough	40	20	12	4	1	1	38	2	-	-	-	-	-	-	-	-	-	-	
Typhus	100	4	3	5	3	1	16	16	10	10	9	8	9	5	5	5	3	2	
Diarrhoea & Dysentery	102	48	18	9	-	1	76	-	1	1	-	-	1	1	3	10	7	3	
Cholera	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Zymotic Dis.	42	6	2	4	3	1	16	3	1	1	1	2	4	-	6	6	1	1	
Cancer	100	-	-	-	-	-	-	-	1	-	1	3	16	21	21	26	10	1	
Scrofula and Tuberc.	32	7	5	1	2	-	15	6	2	2	2	5	5	-	-	-	-	-	
Typhoid	242	5	9	4	-	-	18	7	8	33	41	57	84	31	10	3	-	-	
Hydrocephalus	17	3	4	1	-	-	8	8	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	199	43	9	5	3	-	60	5	4	4	3	2	8	16	12	38	43	4	
Dis. of Heart & Dropsy	116	2	-	-	1	-	3	2	2	1	2	6	8	13	19	41	17	2	
Dis. of Lungs	281	64	26	11	4	1	106	8	4	3	6	9	8	6	22	52	48	9	
Dis. of Stom. and Liver	80	6	1	-	1	2	10	2	1	2	3	7	7	8	15	21	4	-	
Dis. of Kidneys	22	-	-	-	1	-	1	1	-	-	2	2	7	3	3	5	-	-	
Dis. of Genet. Organs	11	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	2	
Dis. of Joints	7	-	1	-	-	-	1	1	-	-	3	-	1	1	-	-	-	-	
Dis. of Skin	12	6	-	-	1	-	7	-	-	-	-	1	-	1	2	-	-	-	
Childbirth and Metria	50	-	-	-	-	-	-	-	-	2	6	13	9	-	-	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	
Other Violent Deaths	33	8	3	1	1	1	14	2	3	2	-	1	-	-	2	2	5	2	
Other Causes	409	196	17	6	-	-	219	1	2	-	1	4	-	4	11	39	81	47	

177.—ST. IVES.																		
Mean Popul ⁿ , 1861-71	9717	279	258	265	262	230	1294	1159	1116	889	793	1234	1037	877	659	447	188	24
TOTAL DEATHS	1957	408	134	69	44	45	700	85	57	72	78	129	96	115	143	204	209	69
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Measles	21	6	8	4	-	2	20	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	47	3	5	6	15	5	34	9	3	-	1	-	-	-	-	-	-	-
Diphtheria	61	4	4	9	5	12	34	17	7	2	-	1	-	-	-	-	-	-
Whooping-cough	34	13	14	4	-	3	34	-	-	-	-	-	-	-	-	-	-	-
Typhus	77	-	3	-	1	3	7	16	15	13	5	9	6	2	1	1	2	-
Diarrhoea & Dysentery	62	26	6	2	-	1	35	-	1	1	1	1	1	1	3	4	11	3
Cholera	7	4	1	-	-	-	5	-	-	-	-	1	-	-	-	-	1	-
Other Zymotic Dis.	51	7	7	2	4	7	27	4	3	-	-	1	4	3	4	3	2	-
Cancer	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tuberc.	50	22	2	3	3	-	30	2	2	6	3	5	4	25	19	10	6	-
Phtisis	271	6	3	2	1	-	11	9	11	85	48	73	88	30	11	5	-	-
Hydrocephalus	22	6	5	1	2	2	16	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	183	52	14	4	7	4	81	7	5	2	2	8	7	7	17	24	22	6
Dis. of Heart & Dropsy	129	2	1	-	-	-	3	2	2	3	3	2	7	15	27	40	22	1
Dis. of Lungs	229	48	25	15	2	4	87	5	2	2	3	7	7	14	27	28	37	10
Dis. of Stom. and Liver	86	4	1	2	1	1	9	3	1	5	4	2	6	8	17	25	7	1
Dis. of Kidneys	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Genet. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
Dis. of Joints	8	-	1	-	-	-	-	2	2	-	1	-	1	-	-	-	1	-
Dis. of Skin	6	1	1	-	-	-	2	-	-	-	-	-	-	1	1	1	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	1	3	9	8	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	28	5	2	1	2	1	11	1	-	-	1	1	-	1	3	2	6	2
Other Causes	472	205	33	14	1	-	253	2	1	1	-	5	3	4	8	49	100	46

178.—ST. NEOTS.																		
Mean Popul ⁿ , 1861-71	9646	266	262	274	266	271	1339	1179	1053	873	765	1221	1046	865	667	443	169	26
TOTAL DEATHS	1782	360	123	55	35	24	597	63	54	58	83	92	98	106	144	219	208	60
Small-pox	6	2	1	-	-	-	3	1	-	-	-	1	-	1	-	-	-	-
Measles	30	9	7	9	3	-	28	1	-	-	-	-	1	-	-	-	-	-
Scarlatina	53	4	6	7	7	4	28	19	5	1	-	-	-	-	-	-	-	-
Diphtheria	23	1	2	4	2	2	11	6	2	1	1	1	-	1	-	-	-	-
Whooping-cough	63	25	30	3	3	1	62	-	1	-	-	-	-	-	-	-	-	-
Typhus	78	-	2	3	2	4	11	12	18	4	8	8	6	5	2	6	-	-
Diarrhoea & Dysentery	85	30	18	3	-	-	51	-	1	1	1	-	3	1	1	9	14	4
Cholera	5	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	53	6	7	2	2	3	20	1	3	2	5	1	2	5	7	4	2	1
Cancer	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tuberc.	43	10	10	1	4	2	27	4	3	4	2	1	3	22	17	9	8	1
Phtisis	242	11	9	-	-	-	24	2	9	33	42	55	87	25	8	5	2	-
Hydrocephalus	17	5	4	1	2	-	13	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	147	24	2	1	2	1	30	5	3	4	3	2	3	7	27	28	31	4
Dis. of Heart & Dropsy	126	1	-	-	-	-	1	1	1	1	2	3	9	9	31	47	30	-
Dis. of Lungs	147	56	11	7	6	2	62	2	-	1	2	5	6	6	19	25	17	3
Dis. of Stom. and Liver	93	14	-	1	-	1	16	3	3	1	4	5	7	10	18	19	9	-
Dis. of Kidneys	22	-	1	1	-	-	2	1	-	-	-	1	4	4	2	7	1	-
Dis. of Genet. Organs	11	-	-	-	-	-	-	-	1	-	-	-	3	1	-	-	-	-
Dis. of Joints	5	-	-	2	-	-	2	-	1	-	-	-	1	-	-	-	-	-
Dis. of Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	2	4	6	6	1	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-
Other Violent Deaths	27	5	-	3	-	1	11	-	-	1	4	-	-	2	-	1	7	1
Other Causes	396	174	13	1	1	3	169	9	9	3	9	9	9	4	3	53	81	46

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 years.

179.—BEDFORD.

Mean Popul ⁿ , 1861-71	19287	540	532	518	501	534	2625	2425	2528	1959	1437	2335	2006	1677	1281	737	238	19
TOTAL DEATHS -	3827	1033	252	123	86	51	1545	130	81	104	130	106	229	230	305	440	351	77
Small-pox -	9	2	1	2	-	-	5	-	-	-	-	1	2	-	-	1	-	-
Measles -	60	12	18	15	4	7	50	4	-	-	-	-	-	-	-	-	-	-
Scarlatina -	122	7	15	22	15	7	66	35	13	7	-	-	1	-	-	-	-	-
Diphtheria -	19	2	3	1	4	2	12	4	2	-	-	1	-	-	-	-	-	-
Whooping-cough -	69	41	13	7	4	2	67	2	-	-	-	-	-	-	-	-	-	-
Typhus -	162	5	7	4	10	6	32	21	14	11	14	17	11	16	9	15	2	-
Diarrhoea & Dysentery -	182	99	20	7	-	2	128	1	-	1	-	1	1	5	12	15	15	5
Cholera -	6	1	-	2	-	-	3	-	-	-	-	-	-	2	1	-	-	-
Other Zymotic Dis. -	91	17	7	7	6	8	45	7	2	3	1	4	4	3	9	9	7	-
Cancer -	63	-	-	-	-	-	-	-	-	-	-	1	6	11	16	17	8	-
Serofula and Tabes -	85	37	13	2	3	2	57	4	5	1	5	3	4	1	5	2	-	-
Phthisis -	403	34	14	5	1	1	55	10	10	37	60	76	70	44	24	17	-	-
Hydrocephalus -	49	17	13	4	5	-	39	6	4	-	-	-	-	-	-	-	-	-
Dis. of Brain -	456	118	23	6	12	4	163	10	6	9	11	17	22	21	41	79	61	6
Dis. of Heart & Dropsy -	222	5	-	1	1	-	7	4	4	4	4	21	22	19	45	62	23	1
Dis. of Lungs -	514	150	59	22	11	6	243	11	2	1	8	19	23	24	57	63	45	8
Dis. of Stom. and Liver -	184	21	6	4	2	1	34	3	2	5	6	12	18	20	34	43	15	2
Dis. of Kidneys -	72	-	-	1	-	-	1	2	-	2	1	8	-	6	21	18	6	-
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-
Dis. of Skin -	15	5	1	-	1	-	7	2	-	-	-	-	-	-	2	-	3	1
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	1	1	2	1	6	4	1	-	-
Suicide -	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	165	11	6	4	2	1	24	7	14	18	15	15	23	17	14	11	6	1
Other Causes -	853	449	83	7	5	2	493	6	1	2	3	5	13	13	19	88	152	31

180.—BIGGLESWADE.

Mean Popul ⁿ , 1861-71	12957	408	366	372	372	367	1885	1655	1565	1230	981	1609	1394	1119	840	504	156	19
TOTAL DEATHS -	2902	864	216	101	52	44	1277	97	43	51	87	162	202	203	254	309	249	58
Small-pox -	7	2	-	-	1	-	3	-	-	2	-	-	-	-	1	-	-	-
Measles -	40	12	17	7	3	-	39	1	-	-	-	-	1	-	-	-	-	-
Scarlatina -	111	8	20	23	16	9	76	30	2	-	2	-	-	-	-	-	-	-
Diphtheria -	16	2	-	4	2	3	11	3	-	1	-	-	-	-	-	-	-	-
Whooping-cough -	50	30	12	3	3	2	59	-	-	-	-	-	-	-	-	-	-	-
Typhus -	97	6	5	4	2	6	23	14	8	9	7	6	11	2	5	6	3	2
Diarrhœa & Dysentery	212	143	31	5	3	1	183	-	-	-	-	-	-	-	-	-	-	-
Cholera -	18	5	4	-	-	1	10	-	1	-	-	1	1	1	1	1	1	1
Other Zymotic Dis. -	53	7	3	4	3	3	20	5	1	1	2	3	4	3	2	2	4	1
Cancer -	34	-	-	-	-	-	-	-	-	1	-	2	2	2	8	12	8	1
Scrophula and Tabes -	105	58	20	4	1	1	84	5	4	2	3	4	2	2	1	-	-	-
Phthisis -	279	5	5	1	2	-	13	5	4	18	41	65	59	42	19	12	-	-
Hydrocephalus -	37	11	10	4	3	3	31	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	515	116	15	8	4	2	145	12	4	6	13	39	53	56	61	70	52	4
Dis. of Heart & Dropsy	128	1	1	1	1	-	4	1	2	2	1	7	12	21	39	45	24	-
Dis. of Lungs -	888	102	50	19	6	8	185	1	-	2	2	8	17	14	39	53	56	6
Dis. of Stom. and Liver	145	13	1	2	-	1	17	3	1	-	3	6	12	20	32	35	13	3
Dis. of Kidneys -	35	-	-	-	-	1	1	-	1	1	2	1	4	6	3	7	7	2
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-
Dis. of Skin -	10	3	-	-	1	-	4	-	2	-	-	-	-	-	1	2	-	7
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	9	-	-	-	-	-	-	-	1	-	-	-	2	2	2	2	-	3
Other Violent Deaths -	106	10	2	3	-	3	18	7	6	5	7	11	15	14	11	5	3	3
Other Causes -	560	330	20	9	1	-	360	3	1	-	2	6	17	7	12	43	74	35

181.—AMPTHILL.

[illegible]

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
		179.—BEDFORD.																
Mean Popul ⁿ , 1861-71	20601	556	551	510	500	514	2631	2351	2265	2007	1840	2824	2291	1905	1337	814	298	38
TOTAL DEATHS	3903	821	266	149	87	66	1389	120	101	172	176	277	230	243	324	428	408	119
Small-pox	7	2	1	-	-	-	3	-	-	1	2	-	1	-	-	-	-	-
Measles	76	6	27	23	11	5	72	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	95	6	8	15	13	13	55	22	11	3	1	3	-	-	-	-	-	-
Diphtheria	33	-	2	4	4	4	14	11	6	1	1	-	-	-	-	-	-	-
Whooping-cough	88	48	25	10	7	1	88	1	-	1	-	-	-	-	-	-	-	-
Typhus	227	4	9	12	12	6	43	25	24	26	25	22	16	11	11	11	3	-
Diarrhoea & Dysentery	198	77	32	11	2	-	122	1	1	1	1	3	1	6	7	21	27	7
Cholera	6	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	1	-
Other Zymotic Dis.	92	13	7	11	9	7	47	10	1	4	1	4	2	3	4	8	8	-
Cancer	103	-	-	-	-	-	-	-	1	-	-	1	10	14	23	30	18	5
Scrophula and Tuberc.	61	22	7	5	1	2	37	2	6	2	3	4	3	1	2	2	-	-
Phthisis	615	45	18	4	4	2	73	13	23	80	80	152	92	63	25	7	1	-
Hydrocephalus	22	7	7	2	-	2	18	2	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	294	93	15	9	8	4	123	7	6	12	7	11	14	28	42	79	53	9
Dis. of Heart & Dropsy	251	3	2	-	-	-	5	6	5	8	3	17	15	40	60	62	28	2
Dis. of Lungs	461	105	64	24	10	12	215	7	5	7	9	6	16	15	50	74	40	17
Dis. of Stom. and Liver	193	9	5	3	-	1	18	4	4	6	12	14	18	29	43	34	14	-
Dis. of Kidneys	27	-	1	-	-	1	2	-	1	2	2	2	3	4	4	4	3	-
Dis. of Gener. Organs	22	-	-	-	-	-	-	-	-	-	-	1	3	10	6	-	2	-
Dis. of Joints	14	-	-	1	1	-	2	1	1	1	4	1	2	1	-	1	-	-
Dis. of Skin	8	1	-	1	-	-	2	-	-	-	-	-	-	1	-	2	3	-
Childbirth and Metris	64	-	-	-	-	-	-	-	-	5	13	21	25	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	1	1	-	-	1	3	-	-	-
Other Violent Deaths	62	8	2	4	3	3	20	7	3	1	2	4	1	2	3	6	11	2
Other Causes	567	377	34	10	2	3	436	2	2	-	2	2	4	7	33	99	209	81

180.—BIGGLESWADE.																		
Mean Popul ⁿ , 1861-71	13682	416	387	339	377	342	1861	1623	1567	1268	1200	1883	1538	1169	863	517	168	25
TOTAL DEATHS	2858	692	191	85	41	39	1048	123	56	80	100	180	183	184	241	338	240	71
Small-pox	6	2	-	-	2	-	4	1	1	-	-	-	-	-	-	-	-	-
Measles	37	8	11	9	2	2	32	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	109	3	15	16	14	10	58	63	7	-	2	-	-	-	-	-	-	-
Diphtheria	13	-	2	-	1	2	5	5	2	-	-	-	-	1	-	-	-	-
Whooping-cough	67	50	23	7	5	2	67	-	-	-	-	-	-	-	-	-	-	-
Typhus	133	5	7	9	2	4	27	31	11	10	10	15	4	7	8	6	4	-
Diarrhoea & Dysentery	174	96	24	7	1	2	159	3	-	-	2	1	2	6	4	12	13	1
Cholera	10	4	1	-	-	-	5	1	1	-	-	-	2	-	1	-	1	-
Other Zymotic Dis.	40	4	4	2	2	3	15	3	3	4	1	1	2	1	4	3	2	1
Cancer	73	-	-	-	-	-	-	-	-	-	-	1	2	4	16	34	9	7
Scrophula and Tuberc.	92	51	21	3	-	-	75	1	1	3	4	3	2	1	1	1	-	-
Phthisis	545	9	3	4	-	1	17	8	13	58	51	83	58	49	15	15	-	-
Hydrocephalus	22	10	5	1	-	-	16	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	449	81	11	3	4	1	100	6	4	9	8	17	48	33	65	90	65	14
Dis. of Heart & Dropsy	174	2	1	3	-	2	8	1	4	3	4	11	15	19	53	55	21	2
Dis. of Lungs	370	87	42	15	5	7	156	4	7	4	7	12	18	19	51	63	43	12
Dis. of Stom. and Liver	142	15	2	1	1	-	19	7	-	1	3	2	13	21	39	59	15	1
Dis. of Kidneys	19	1	1	-	-	1	3	-	-	-	-	1	1	3	5	6	2	-
Dis. of Gen. Organs	16	-	-	-	-	-	-	-	-	1	-	2	-	4	4	3	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-
Dis. of Skin	7	4	1	-	-	-	5	-	-	-	-	2	-	-	-	-	-	-
Childbirth and Metris	34	-	-	-	-	-	-	-	-	3	7	15	8	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	59	2	2	2	1	1	8	3	-	3	-	4	1	2	1	2	4	-
Other Causes	466	278	15	3	1	1	298	2	1	-	-	9	8	4	8	47	81	40

181.—AMPTHILL.																		
Mean Popul ⁿ , 1861-71	8065	265	254	225	253	239	1236	1099	983	851	796	1222	1000	758	549	341	115	15
TOTAL DEATHS	1900	462	144	57	46	24	733	66	52	61	74	125	106	90	156	212	173	62
Small-pox	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	28	9	5	6	4	1	25	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	8	10	5	10	4	32	10	4	-	-	-	-	-	-	-	-	-
Diphtheria	18	2	5	1	4	4	16	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	62	23	20	10	5	1	59	3	-	-	-	12	3	4	2	1	-	-
Typhus	77	9	3	1	2	1	9	12	12	13	9	12	3	2	3	5	8	3
Diarrhoea & Dysentery	70	25	17	3	-	1	46	-	1	-	-	1	1	1	1	2	-	-
Cholera	11	2	3	2	-	-	7	-	-	1	-	2	-	-	-	-	-	-
Other Zymotic Dis.	34	5	4	2	2	3	16	3	-	1	1	1	1	4	1	2	3	-
Cancer	49	-	-	-	-	-	-	1	1	-	-	1	2	2	9	15	12	6
Scrophula and Tuberc.	43	12	10	3	1	-	26	1	3	2	3	1	2	1	2	2	-	-
Phthisis	238	5	2	3	2	2	14	5	19	27	36	68	43	22	13	11	-	-
Hydrocephalus	16	5	3	2	3	-	13	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	192	65	9	4	1	1	89	7	2	3	4	9	13	6	24	31	12	2
Dis. of Heart & Dropsy	111	1	1	-	-	2	4	-	-	3	5	4	5	13	27	37	12	1
Dis. of Lungs	298	52	35	6	6	2	101	3	3	3	2	2	10	10	38	38	4	2
Dis. of Stom. and Liver	95	5	-	1	1	-	7	6	3	-	2	-	-	-	-	-	-	-
Dis. of Kidneys	15	1	1	-	-	-	2	-	-	-	-	1	4	-	2	2	-	1
Dis. of Gen. Organs	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	1	-	-	-	1	1	-	1	-	1	-	2	-	1	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	37	-	-	-	-	-	-	-	-	4	8	18	7	-	-	-	-	-
Suicide	18	2	-	-	1	2	8	2	-	-	-	1	-	-	1	6	4	-
Other Violent Deaths	48	6	14	3	4	9	68	2	2	-	-	2	5	5	18	45	97	59
Other Causes	466	278	15	3	1	1	298	2	1	-	-	9	8	4	8	47	81	40

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.		
		182.—WOBURN.																		
Mean Popul ⁿ , 1861-71	5523	157	150	149	149	163	768	718	680	528	396	617	574	504	392	247	93	6		
TOTAL DEATHS -	1144	327	66	42	27	19	481	48	26	38	26	56	41	53	91	130	128	26		
Small-pox - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
Measles - - -	9	4	-	4	1	-	9	-	-	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	36	-	3	6	6	6	21	10	3	-	1	-	-	-	-	-	-	-		
Diphtheria - - -	12	1	1	1	1	-	4	5	-	1	-	-	-	-	1	-	1	-		
Whooping-cough -	29	13	11	1	1	2	28	1	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	47	-	1	4	2	1	8	8	9	7	3	4	2	3	3	-	-	-		
Diarrhœa & Dysentery	35	18	2	-	-	-	20	2	-	-	-	-	1	-	2	4	5	1		
Cholera - - -	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis. -	28	3	-	-	2	1	6	1	2	2	1	3	1	1	1	6	3	1		
Cancer - - -	9	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	2		
Scrofula and Tubercles	29	7	3	1	1	2	14	1	-	-	-	1	1	1	1	1	-	-		
Phthisis - - -	94	4	1	-	1	-	6	-	1	-	14	13	28	16	5	10	-	-		
Hydrocephalus - - -	15	4	3	1	1	3	12	2	-	-	-	1	-	-	-	-	-	-		
Dis. of Brain - - -	140	50	7	3	3	1	64	4	4	3	1	1	4	6	11	18	22	2		
Dis. of Heart & Dropsy	75	-	1	1	-	-	2	2	-	4	2	6	3	7	17	21	9	2		
Dis. of Lungs - - -	155	35	13	10	6	-	64	4	-	-	-	1	4	7	12	29	28	6		
Dis. of Stom. and Liver	68	7	2	2	-	1	12	3	1	1	1	6	2	7	12	15	8	-		
Dis. of Kidneys - - -	21	-	-	-	-	-	-	-	-	-	-	1	1	6	5	6	1	1		
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	8	-	1	-	1	-	2	-	2	1	-	1	1	-	1	-	1	-		
Dis. of Skin - - -	6	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	6	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	-	-		
Other Violent Deaths -	24	2	1	2	-	1	6	2	1	2	1	-	3	3	2	2	2	-		
Other Causes - - -	304	177	15	6	1	1	200	3	3	2	1	1	1	2	9	25	45	13		

183.—LEIGHTON BUZZARD.																			
Mean Popul ⁿ , 1861-71	8740	281	250	246	253	260	1290	1121	1061	847	701	1050	893	789	527	335	113	13	
TOTAL DEATHS -	1839	571	124	63	41	25	824	76	47	49	50	81	76	109	135	164	190	38	
Small-pox -	33	6	-	1	-	-	7	1	1	3	1	3	3	5	4	3	1	1	
Measles -	18	2	7	3	1	1	14	4	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	66	4	10	11	15	3	43	16	4	1	1	1	-	-	-	-	-	-	
Diphtheria -	27	4	3	5	5	4	21	5	1	-	-	-	-	-	-	-	-	-	
Whooping-cough -	32	21	7	3	1	-	32	-	-	-	-	-	-	-	-	-	-	-	
Typhus -	102	8	8	3	2	1	22	18	10	9	9	12	3	8	3	2	3	1	
Diarrhœa & Dysentery -	63	46	9	2	-	-	57	2	-	-	-	-	-	1	2	1	1	-	
Cholera -	14	3	2	1	-	-	6	-	1	-	-	-	-	1	3	3	4	3	
Other Zymotic Dis. -	39	14	9	4	3	1	31	4	3	3	2	1	2	3	3	4	3	-	
Cancer -	17	-	-	-	-	-	-	-	-	1	-	1	1	4	4	1	3	-	
Scrofula and Tubercles -	37	13	7	3	-	1	24	1	4	1	2	3	1	-	1	-	-	-	
Phthisis -	139	3	1	-	-	-	4	-	4	11	24	35	22	22	14	3	-	-	
Hydrocephalus -	19	6	5	2	-	1	14	4	-	-	-	1	-	-	-	-	-	-	
Dis. of Brain -	234	68	12	7	2	4	93	6	5	2	1	4	6	13	21	48	30	5	
Dis. of Heart & Dropsy -	99	1	1	1	-	1	4	1	4	2	2	3	6	9	15	26	26	3	
Dis. of Lungs -	240	70	21	9	8	1	100	7	3	3	4	4	11	14	25	26	24	2	
Dis. of Stom. and Liver -	73	7	1	2	1	3	14	4	2	2	-	1	8	11	17	11	2	1	
Dis. of Kidneys -	37	1	-	-	-	-	1	2	-	-	-	8	1	5	4	10	11	2	
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	8	-	-	-	2	-	2	-	-	2	1	-	1	-	-	-	1	-	
Dis. of Skin -	9	4	1	-	-	-	5	-	-	-	-	-	-	1	2	-	1	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	6	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	
Other Violent Deaths -	61	5	4	1	-	1	11	5	4	8	3	5	9	4	7	2	3	-	
Other Causes -	445	285	16	5	1	3	310	2	1	1	-	3	1	8	7	23	68	23	

184.—LUTON.																			
Mean Popul ⁿ , 1861-71	14214	491	401	415	403	421	2131	1916	1675	1377	1096	1928	1593	1204	770	401	112	11	
TOTAL DEATHS -	3367	1235	312	128	78	50	1803	135	59	59	64	162	180	173	235	281	172	35	
Small-pox -	53	12	1	5	2	3	23	3	4	2	2	4	6	4	5	-	-	-	
Measles -	57	9	24	11	5	2	81	4	-	1	-	-	-	1	-	-	-	-	
Scarlatina -	145	17	19	21	23	15	95	34	10	3	-	1	-	-	-	-	-	-	
Diphtheria -	10	-	2	3	-	-	7	1	1	-	-	-	-	-	-	-	-	-	
Whooping-cough -	65	23	27	9	4	1	64	1	-	-	-	-	-	-	-	-	-	-	
Typhus -	151	2	7	5	3	3	20	20	8	12	11	13	16	10	14	6	1	-	
Diarrhœa & Dysentery -	235	182	83	4	-	-	219	-	-	-	-	-	-	1	4	2	5	2	
Cholera -	5	3	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	81	24	13	10	2	1	50	7	2	1	1	3	2	1	5	5	4	-	
Cancer -	38	-	1	-	-	-	1	-	-	-	-	-	3	1	8	6	1	-	
Scrofula and Tubercles -	33	12	10	2	1	1	26	2	-	-	1	1	1	1	1	-	-	-	
Phthisis -	236	41	28	13	3	1	86	6	5	14	27	75	68	27	26	12	-	-	
Hydrocephalus -	74	30	21	8	3	4	66	7	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	421	174	28	8	10	4	225	13	4	4	4	10	13	14	40	65	28	1	
Dis. of Heart & Dropsy -	184	9	5	-	2	-	16	7	1	4	7	27	17	37	47	16	-	-	
Dis. of Lungs -	423	161	58	20	11	6	256	12	5	4	1	11	14	32	27	40	29	1	
Dis. of Stom. and Liver -	150	36	4	-	1	-	41	3	1	5	1	11	12	12	50	36	6	2	
Dis. of Kidneys -	40	-	1	-	1	-	2	2	-	1	1	4	5	6	6	10	5	-	
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	5	1	1	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	
Dis. of Skin -	8	3	1	-	-	-	4	-	1	-	-	-	-	-	1	2	-	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Violent Deaths -	99	8	2	3	-	6	19	9	13	7	8	11	9	11	4	7	-	-	
Other Causes -	762	490	24	6	4	3	527	4	-	3	3	5	11	16	27	61	38	27	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85				
182.—WOBURN.																				
Mean Popul ⁿ , 1861-71	6083	146	140	140	153	140	719	736	649	604	531	836	687	532	397	279	101	12	31	
TOTAL DEATHS	1164	226	72	28	15	18	359	44	29	52	44	75	78	70	95	146	141	31	31	
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	7	2	3	-	-	1	6	1	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	20	1	2	5	3	4	15	10	2	2	1	-	-	-	-	-	-	-	-	
Diphtheria	8	-	1	1	1	2	5	3	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	33	14	11	3	2	2	32	1	-	-	-	-	-	-	-	-	-	-	-	
Typhus	48	-	1	-	-	2	3	13	6	6	3	6	4	4	3	8	6	1	1	
Diarrhoea & Dysentery	47	19	3	2	1	-	25	-	1	-	-	1	2	-	3	-	-	-	-	
Cholera	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Zymotic Dis.	19	4	1	1	-	1	7	3	1	1	-	-	1	2	-	3	1	-	-	
Cancer	32	-	-	-	-	-	-	-	-	-	-	1	4	7	11	4	4	1	1	
Scrofula and Tuberc.	18	2	5	-	1	1	9	2	2	1	1	-	1	2	-	-	-	-	-	
Epilepsy	152	1	1	1	-	-	3	1	8	36	22	41	33	14	4	-	-	-	-	
Hydrocephalus	5	-	3	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	118	31	6	5	1	-	43	2	2	-	2	1	5	10	14	23	15	1	1	
Dis. of Heart & Dropsy	105	1	-	-	1	-	2	1	2	-	4	6	12	7	24	31	13	3	3	
Dis. of Lungs	153	31	16	5	4	2	58	3	1	-	1	1	4	4	15	32	32	2	2	
Dis. of Stom. and Liver	51	1	-	-	1	-	2	-	-	2	1	1	3	9	10	15	6	-	-	
Dis. of Kidneys	14	-	-	-	-	-	-	-	2	1	2	3	1	2	1	2	-	-	-	
Dis. of Gen. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	-	
Dis. of Joints	5	-	1	-	-	-	1	-	-	1	-	2	-	-	-	-	1	-	-	
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	21	-	-	-	-	-	-	-	-	1	5	9	6	-	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	9	-	1	1	-	-	2	3	-	-	-	-	1	-	-	1	-	-	-	
Other Causes	276	117	16	4	-	2	139	-	2	1	2	3	9	6	9	24	21	20	20	

183.—LEIGHTON BUZZARD.																			
Mean Popul ⁿ , 1861-71	9417	284	245	248	249	241	1267	1156	1029	959	902	1318	1031	805	523	313	101	13	13
TOTAL DEATHS	1544	389	180	71	38	28	686	82	43	64	72	136	121	109	122	209	147	53	53
Small-pox	13	4	-	-	-	-	4	1	1	-	-	2	2	2	-	1	-	-	-
Measles	27	4	13	5	3	-	25	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	3	7	11	10	6	37	13	3	1	2	-	-	-	-	-	-	-	-
Diphtheria	24	1	6	2	1	1	11	11	-	-	-	1	1	-	-	-	-	-	-
Whooping-cough	31	9	16	2	1	1	29	2	-	-	-	-	-	-	-	-	-	-	-
Typhus	120	1	11	7	3	5	27	22	10	15	9	8	9	5	5	4	6	-	-
Diarrhoea & Dysentery	87	44	10	4	-	3	61	1	2	-	1	1	2	2	1	7	6	4	4
Cholera	15	3	1	-	1	-	5	1	1	2	1	1	3	1	1	1	-	-	-
Other Zymotic Dis.	61	12	9	6	5	2	54	3	1	2	2	2	5	-	4	2	6	-	-
Cancer	44	-	-	-	-	-	-	-	-	-	-	4	7	11	9	10	3	-	-
Scrofula and Tuberc.	37	14	0	3	-	1	24	4	3	1	-	5	7	1	1	-	-	-	-
Epilepsy	224	1	1	-	-	-	1	2	10	32	37	60	40	20	17	3	1	-	-
Hydrocephalus	9	3	5	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	208	46	21	2	1	3	73	3	-	2	4	3	5	11	20	49	28	10	10
Dis. of Heart & Dropsy	135	2	1	1	1	1	6	2	5	1	4	10	9	14	22	38	30	4	4
Dis. of Lungs	217	45	33	13	7	5	103	4	4	2	2	10	8	17	15	38	11	2	2
Dis. of Stom. and Liver	53	4	-	-	2	-	6	4	2	2	4	5	7	17	19	17	7	1	1
Dis. of Kidneys	-	-	-	-	-	-	-	1	-	-	1	3	2	1	1	4	2	-	-
Dis. of Gen. Organs	15	-	-	-	-	-	-	-	-	-	1	4	2	-	1	-	-	-	-
Dis. of Joints	8	-	1	-	1	-	2	-	-	2	-	1	-	-	1	1	1	-	-
Dis. of Skin	3	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	31	-	-	-	-	-	-	-	-	3	3	15	10	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Other Violent Deaths	18	4	-	3	1	-	8	1	1	-	-	-	-	2	-	4	1	1	1
Other Causes	358	187	19	11	1	-	218	4	-	-	-	4	8	7	4	28	55	1	1

183.—LEIGHTON BUZZARD.

Mean Popul ⁿ , 1861-71	9417	284	245	248	240	241	1267	1156	1029	959	902	1318	1031	805	523	313	101	13
TOTAL DEATHS	1844	389	160	71	38	28	686	82	43	64	72	136	121	109	122	209	147	53
Small-pox	13	4	-	-	-	-	4	1	-	-	-	2	2	2	-	1	-	-
Measles	27	4	13	5	3	-	25	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	56	3	7	11	10	6	87	13	3	1	2	-	-	-	-	-	-	-
Diphtheria	24	1	6	2	1	1	11	11	-	-	1	1	-	-	-	-	-	-
Whooping-cough	31	9	16	2	1	1	29	2	-	-	-	-	-	-	-	-	-	-
Typhus	120	1	11	7	3	5	27	22	10	15	9	8	9	5	5	4	6	-
Diarrhoea & Dysentery	87	44	10	4	-	3	61	1	2	-	1	-	2	2	1	7	6	4
Cholera	15	3	1	-	1	-	5	1	1	1	1	1	3	-	1	1	-	-
Other Zymotic Dis.	61	12	9	6	5	2	34	3	1	2	2	2	5	-	4	2	6	-
Cancer	44	-	-	-	-	-	-	-	-	-	-	4	7	11	9	10	3	-
Scrofula and Tuberc.	37	14	0	3	-	1	24	4	3	1	-	3	1	-	1	-	-	-
Epilepsy	224	1	1	-	-	-	2	2	10	32	37	60	40	20	17	3	1	-
Hydrocephalus	9	3	5	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	208	46	21	2	1	3	73	3	-	2	4	3	5	11	20	49	28	10
Dis. of Heart & Dropsy	135	2	1	1	1	1	6	2	5	1	4	10	9	14	22	38	29	4
Dis. of Lungs	217	45	33	13	7	5	103	4	4	2	2	10	8	17	15	38	11	3
Dis. of Stom. and Liver	93	4	-	-	2	-	6	4	2	2	4	5	7	17	19	19	7	1
Dis. of Kidneys	15	-	-	-	-	-	-	1	-	-	-	1	3	2	1	4	2	-
Dis. of Gen. Organs	8	-	-	-	-	-	-	-	-	-	-	4	2	-	1	-	-	-
Dis. of Joints	8	-	1	-	1	-	2	-	-	2	-	1	-	-	1	1	-	-
Dis. of Skin	3	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	31	-	-	-	-	-	-	-	-	3	3	15	10	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths	18	4	-	3	1	-	8	1	1	-	-	-	-	2	-	4	1	1
Other Causes	358	187	19	11	1	-	218	4	-	-	-	4	8	7	4	28	35	30

184.—LUTON.

Mean Popul ⁿ , 1861-71	18276	459	447	435	424	399	2164	1942	1911	2200	2087	2887	2077	1474	885	483	146	20
TOTAL DEATHS	3543	995	295	131	83	53	1557	133	67	139	141	240	233	215	242	293	228	46
Small-pox	53	15	7	3	2	1	28	6	1	4	5	2	3	3	-	1	-	-
Measles	61	10	22	14	6	3	65	5	-	-	-	1	-	-	-	-	-	-
Scarlatina	150	14	27	23	16	15	97	36	6	4	2	2	3	-	-	-	-	-
Diphtheria	20	3	3	1	1	1	9	4	2	1	-	4	-	-	-	-	-	-
Whooping-cough	89	41	25	11	7	2	86	3	-	-	-	-	-	-	-	-	-	-
Typhus	159	5	7	9	11	6	38	17	19	33	16	21	30	13	9	2	1	-
Diarrhoea & Dysentery	219	148	38	8	-	-	194	3	-	1	-	2	2	3	3	8	2	1
Cholera	3	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	69	14	4	10	3	3	34	7	2	2	1	4	3	5	4	4	3	-
Cancer	75	-	-	1	-	-	1	-	-	-	-	1	10	22	23	15	8	-
Scrofula and Tuberc.	30	12	6	3	1	1	23	-	-	-	-	2	1	1	2	-	-	-
Epilepsy	478	35	24	8	2	3	72	8	13	61	60	107	75	43	23	13	1	-
Hydrocephalus	53	28	15	3	3	-	40	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	419	122	32	8	6	2	170	9	5	9	8	7	24	31	41	77	37	1
Dis. of Heart & Dropsy	272	10	2	3	2	2	19	6	6	15	19	19	33	32	33	60	20	3
Dis. of Lungs	373	114	39	16	16	7	192	10	8	5	5	15	15	16	36	41	34	1
Dis. of Stom. and Liver	157	17	6	1	2	-	25	3	5	2	7	20	17	23	19	23	11	2
Dis. of Kidneys	13	-	1	-	-	-	1	-	-	-	-	1	-	5	1	3	-	-
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-
Dis. of Joints	9	-	-	-	-	1	1	-	1	1	2	1	1	-	-	-	-	-
Dis. of Skin	5	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris.	57	-	-	-	-	-	-	-	-	7	14	27	8	1	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	-	-
Other Violent Deaths	43	11	7	3	2	1	24	4	1	-	1	3	3	10	19	40	113	38

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.		
185.—CAXTON.																				
Mean Popul ⁿ , 1861-71 }	5825	174	174	169	184	163	864	705	728	573	470	693	595	480	375	241	89	12		
TOTAL DEATHS -	1101	322	68	86	16	16	456	37	26	30	23	54	39	42	86	130	131	38		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles - - -	8	1	2	2	-	2	7	1	-	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	33	7	7	4	5	2	25	7	1	-	-	-	-	-	-	-	-	-		
Diphtheria - - -	16	1	1	4	3	1	10	3	2	1	1	-	-	-	-	-	-	-		
Whooping-cough -	22	16	2	2	1	-	21	1	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	47	-	-	-	1	1	1	2	4	9	1	12	5	3	7	2	3	1		
Diarrhoea & Dysentery	77	45	13	2	1	1	62	1	-	-	-	-	1	-	2	5	3	1		
Cholera - - -	13	6	-	1	-	-	7	-	1	-	-	-	-	-	-	3	2	-		
Other Zymotic Dis.	16	-	1	-	2	2	5	-	1	1	1	1	-	-	2	4	1	-		
Cancer - - -	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	4	1		
Serofula and Tabes -	16	5	3	-	-	-	8	2	4	-	-	1	-	-	1	-	-	-		
Phthisis - - -	100	3	6	2	1	1	13	3	2	7	12	23	13	13	9	9	1	-		
Hydrocephalus - -	11	5	1	3	-	-	9	2	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	112	85	3	3	1	1	43	2	2	1	2	2	2	2	15	18	30	3		
Dis. of Heart & Dropsy	57	-	-	1	-	-	1	2	-	3	4	2	3	5	11	19	8	-		
Dis. of Lungs - - -	126	44	12	6	2	1	65	3	1	3	-	4	5	11	17	8	7	-		
Dis. of Stom. and Liver	60	12	-	1	-	-	13	1	-	3	-	1	2	3	18	15	5	-		
Dis. of Kidneys - -	20	-	-	-	-	-	-	-	1	-	-	-	1	2	3	7	6	-		
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin - - -	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-		
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths -	46	2	1	2	-	3	8	7	6	1	2	4	5	3	5	4	1	-		
Other Causes - - -	301	139	13	3	-	1	156	1	1	-	-	1	2	1	2	26	73	23		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
185.—CAXTON.																			
Mean Populu, 1861-71		5488	158	172	156	152	157	795	746	636	469	408	699	571	476	361	228	83	16
TOTAL DEATHS		993	233	69	33	11	6	352	28	30	34	30	57	56	45	77	114	124	46
Small-pox		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles		8	—	2	3	—	—	5	2	—	—	1	—	—	—	—	—	—	—
Scarlatina		31	6	9	6	—	2	23	4	3	—	—	—	—	—	—	—	—	—
Diphtheria		14	1	2	3	1	1	8	6	—	—	1	—	—	—	—	—	—	—
Whooping-cough		27	16	4	3	3	1	27	—	—	—	—	—	—	—	—	—	—	—
Erysiphus		45	—	2	—	—	1	3	6	10	7	2	4	4	2	4	2	1	—
Diarrhoea & Dysentery		42	21	8	1	—	—	30	—	—	—	—	—	1	2	5	1	2	1
Cholera		7	4	1	—	—	—	5	—	—	—	—	1	—	—	—	—	—	—
Other Zymotic Dis.		17	1	1	—	1	1	4	3	2	1	2	—	—	—	1	1	—	—
Cancer		23	—	—	—	—	—	—	—	—	—	—	1	3	4	10	3	2	—
Scrophula and Tuberc.		16	4	1	1	1	—	7	—	2	—	—	1	2	1	1	—	—	—
Phthisis		123	7	7	1	1	—	16	1	3	18	16	27	19	12	6	4	1	—
Hydrocephalus		7	4	1	1	—	—	6	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain		95	18	1	7	—	—	26	2	4	3	—	6	1	8	4	18	19	4
Dis. of Heart & Dropsy		58	—	—	—	—	—	—	1	1	—	—	—	8	5	10	18	9	4
Dis. of Lungs		92	30	11	4	1	—	46	1	3	2	1	2	1	3	6	15	11	1
Dis. of Stom. and Liver		71	8	2	—	—	—	10	—	—	—	—	6	5	4	21	15	10	—
Dis. of Kidneys		12	1	—	—	—	—	1	—	—	1	—	2	1	—	1	5	5	—
Dis. of Gen. Organs		9	—	—	—	—	—	—	—	—	—	—	—	2	—	3	—	—	—
Dis. of Joints		2	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	2	—
Dis. of Skin		2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris		13	—	—	—	—	—	—	—	2	3	5	—	3	—	—	—	—	—
Violence		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Other Violent Deaths		29	6	1	—	3	—	10	2	1	—	—	—	1	—	—	5	1	—
Other Causes		237	104	14	3	—	—	123	—	1	—	1	—	2	—	5	27	62	36

186.—CHESTERTON.																			
Mean Popul ⁿ , 1861-71		13143	398	356	377	369	346	1836	1624	1389	1052	1030	1761	1499	1167	901	594	247	43
TOTAL DEATHS		2593	558	189	70	55	53	925	126	60	99	91	155	169	148	173	265	276	106
Small-pox		4	—	—	—	1	—	1	—	—	3	—	—	—	—	—	—	—	—
Measles		35	6	8	6	6	2	28	5	—	—	—	—	—	—	—	—	—	—
Scarlatina		86	6	8	13	11	10	48	31	5	1	—	1	1	—	—	—	—	—
Diphtheria		90	14	4	2	11	10	41	31	7	4	1	1	1	1	2	1	—	—
Whooping-cough		82	32	14	3	2	1	52	—	1	—	—	—	—	—	—	—	—	—
Typhus		72	1	4	—	2	3	10	20	7	8	8	9	2	1	3	2	2	—
Diarrhoea & Dysentery		114	66	18	2	—	—	84	1	—	—	—	2	4	2	—	7	8	4
Cholera		9	5	—	—	—	—	5	—	—	—	—	1	—	—	1	2	1	—
Other Zymotic Dis.		54	6	5	4	5	4	24	6	5	5	1	—	—	1	2	3	6	1
Cancer		69	—	—	—	—	—	—	—	1	—	—	—	9	21	24	6	5	3
Scrophula and Tuberc.		49	10	12	5	—	2	29	4	1	1	1	9	1	2	—	1	—	—
Phthisis		582	20	9	2	1	1	85	9	16	47	46	85	52	47	20	20	7	—
Hydrocephalus		25	5	11	3	3	—	22	1	2	—	—	—	—	—	—	—	—	—
Dis. of Brain		273	35	6	7	2	2	52	4	3	9	4	12	33	25	37	51	34	6
Dis. of Heart & Dropsy		149	3	—	—	1	1	5	—	3	2	5	6	10	12	31	45	27	3
Dis. of Lungs		283	79	39	18	5	9	150	5	1	2	2	5	8	11	18	44	32	5
Dis. of Stom. and Liver		124	12	2	—	2	2	18	2	3	4	4	9	12	11	16	29	14	2
Dis. of Kidneys		21	—	1	—	—	—	1	—	1	2	—	—	5	4	4	3	1	—
Dis. of Gen. Organs		14	—	—	—	—	—	—	—	—	—	1	—	6	4	1	2	—	—
Dis. of Joints		5	—	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—
Dis. of Skin		5	2	—	—	1	—	3	—	—	—	—	—	—	—	2	—	—	—
Childbirth and Metris		31	—	—	—	—	—	—	—	—	5	13	13	20	—	—	—	—	—
Violence		4	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Other Violent Deaths		28	7	6	—	2	—	15	1	1	5	—	—	1	1	1	7	5	2
Other Causes		586	249	42	5	2	4	302	5	3	—	3	2	2	3	12	42	132	80

187.—CAMBRIDGE.																			
Mean Popul ⁿ , 1861-71		15199	374	327	317	335	326	1679	1485	1473	1748	1527	2268	1710	1349	1049	640	234	37
TOTAL DEATHS		2967	523	190	103	76	46	947	85	57	81	92	218	213	232	260	374	306	102
Small-pox		13	3	—	—	1	—	4	1	—	1	—	3	1	2	—	1	—	—
Measles		51	12	21	13	4	1	51	18	4	—	—	1	—	—	—	—	—	—
Scarlatina		87	4	18	19	12	10	63	17	4	—	1	1	—	—	—	—	—	—
Diphtheria		25	2	1	4	1	—	8	7	4	1	1	—	1	—	1	—	—	—
Whooping-cough		78	27	21	12	8	4	72	1	—	—	—	—	—	—	—	—	—	—
Typhus		73	1	2	2	6	3	14	7	14	11	3	8	4	6	3	1	2	—
Diarrhoea & Dysentery		132	85	18	3	2	—	106	—	1	—	—	2	4	2	3	5	8	1
Cholera		1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		79	3	6	5	7	5	26	5	3	—	3	9	7	5	5	5	1	1
Cancer		123	—	—	—	—	—	—	—	2	—	3	5	9	31	31	28	10	1
Scrophula and Tuberc.		77	20	14	8	4	2	48	5	6	6	2	4	2	1	—	2	1	—
Phthisis		369	7	10	2	2	1	22	6	7	37	49	106	89	52	21	10	—	—
Hydrocephalus		45	9	12	6	5	4	36	9	—	—	—	—	—	—	—	—	—	—
Dis. of Brain		273	37	11	6	3	4	61	3	7	6	9	9	11	26	35	62	40	4
Dis. of Heart & Dropsy		222	—	—	—	—	—	3	3	4	5	3	10	22	25	51	63	31	5
Dis. of Lungs		410	83	43	14	17	9	165	3	3	8	1	11	15	24	40	80	52	7
Dis. of Stom. and Liver		169	10	1	1	1	1	14	8	1	3	4	21	17	23	32	59	13	2
Dis. of Kidneys		43	—	—	1	—	—	1	2	—	1	5	5	7	6	10	5	1	—
Dis. of Gen. Organs		19	—	—	—	—	—	—	—	—	—	—	3	4	6	4	—	—	—
Dis. of Joints		9	—	—	—	—	—	—	—	1	—	—	1	1	1	1	1	—	—
Dis. of Skin		11	4	—	—	—	—	4	—	—	—	—	1	1	1	1	1	2	—
Childbirth and Metris		35	—	—	—	—	—	—	—	—	—	4	12	9	1	—	—	—	—
Violence		4	—	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—
Other Violent Deaths		43	12	—	1	2	—	15	6	—	—	2	5	3	1	5	2	3	—
Other Causes		43	12	—	1	2	—	15	6	—	—	2	5	3	1	5	2	3	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
		188.—LINTON.																	
Mean Popula, 1861-71	6748	189	188	199	181	188	945	876	808	683	511	746	661	585	471	325	124	13	
TOTAL DEATHS	1336	306	86	41	37	25	495	56	27	40	39	55	63	77	102	173	163	46	
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Measles	14	1	5	3	2	1	12	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina	59	4	10	8	14	6	42	14	-	1	-	-	2	-	-	-	-	-	
Diphtheria	9	-	2	-	1	3	6	1	1	-	-	-	-	-	-	1	-	-	
Whooping-cough	32	16	10	3	1	1	31	-	1	-	-	-	-	-	-	-	-	-	
Typhus	47	-	-	2	4	-	6	10	4	6	7	7	2	11	3	1	1	-	
Diarrhoea & Dysentery	40	20	7	2	-	1	30	-	2	1	1	-	-	-	-	2	1	2	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	35	4	5	1	4	-	14	4	-	1	1	1	-	2	2	4	4	-	
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	3	2	
Scrofula and Tubes	15	6	-	1	-	-	7	1	1	1	-	1	1	1	1	1	1	-	
Phthisis	184	3	2	4	2	2	10	-	3	15	22	24	25	11	16	6	2	-	
Hydrocephalus	22	4	6	4	2	2	18	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	170	38	7	5	4	1	55	3	1	4	1	2	4	8	15	38	23	4	
Dis. of Heart & Dropsy	111	3	3	-	-	1	7	2	2	3	3	3	2	12	24	39	14	3	
Dis. of Lungs	188	53	22	2	2	3	82	3	3	2	-	3	7	14	12	17	34	18	
Dis. of Stom. and Liver	60	6	-	-	-	2	8	3	3	3	-	3	7	7	8	10	8	-	
Dis. of Kidneys	40	-	-	1	-	-	1	1	1	2	-	5	2	6	4	9	8	1	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Joints	8	-	-	1	-	-	1	1	-	1	1	1	1	1	1	-	-	-	
Dis. of Skin	6	4	-	-	-	-	4	-	-	-	-	-	-	1	-	1	-	-	
Childbirth and Metrisia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
Other Violent Deaths	41	1	1	-	1	1	4	6	17	3	2	5	1	4	4	-	2	-	
Other Causes	289	143	6	6	1	1	157	1	-	-	-	1	-	5	-	24	63	29	

189.—NEWMARKET.

Mean Popul ⁿ , 1861-71	14576	393	389	406	381	396	1965	1802	1694	1518	1175	1763	1463	1244	1022	660	233	37
TOTAL DEATHS -	3021	736	246	87	45	52	1166	113	73	66	102	156	140	171	214	394	321	165
Small-pox -	3	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
Measles -	27	10	26	8	5	1	50	5	2	-	-	-	-	-	-	-	-	-
Scarlatina -	69	2	9	7	6	8	32	20	6	1	-	1	-	-	-	-	-	-
Diphtheria -	37	2	3	6	3	5	19	12	1	3	-	1	-	-	1	-	-	-
Whooping-cough -	43	20	16	4	1	1	42	1	-	-	-	-	-	-	-	-	-	-
Typhus -	103	3	6	3	-	8	20	17	11	9	7	8	5	5	10	9	2	-
Diarrhoea & Dysentery -	133	61	23	4	3	2	93	1	1	1	1	1	1	6	4	12	7	5
Cholera -	7	5	-	-	-	-	5	-	-	1	3	-	-	1	4	5	-	1
Other Zymotic Dis. -	44	7	3	3	3	1	17	5	4	1	3	-	3	1	4	5	-	-
Cancer -	67	-	-	-	-	-	-	-	-	-	-	2	7	9	17	23	8	1
Scrofula and Tubercles -	69	24	11	1	1	3	40	4	5	2	1	3	1	1	1	2	-	-
Phthisis -	572	10	10	4	-	3	27	11	10	20	69	81	69	48	21	16	-	-
Hydrocephalus -	33	19	13	3	1	1	28	3	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	316	58	16	12	8	4	98	10	6	5	6	8	11	16	32	65	54	4
Dis. of Heart & Dropsy -	193	6	3	1	-	2	12	3	6	2	7	5	22	30	50	63	37	7
Dis. of Lungs -	446	147	46	16	7	7	223	12	4	4	13	11	18	45	61	83	43	6
Dis. of Stom. and Liver -	122	17	1	-	1	-	19	1	6	-	1	10	15	18	27	33	18	2
Dis. of Kidneys -	25	1	3	1	-	-	5	1	1	-	2	5	7	4	7	14	12	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	8	-	-	-	-	-	-	-	1	1	1	2	-	1	1	-	-	-
Dis. of Skin -	8	5	1	-	-	-	6	-	1	-	-	-	-	1	-	-	-	-
Childbirth and Metrisia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-
Other Violent Deaths -	82	8	6	4	3	4	20	5	5	7	3	6	8	10	2	11	4	1
Other Causes -	731	345	49	10	8	2	409	2	1	-	1	7	7	8	13	72	133	78

190.—ELY.

Mean Popul ⁿ , 1861-71	10860	332	286	309	306	286	1519	1285	1296	1074	824	1330	1174	1011	712	454	162	19
TOTAL DEATHS -	2310	732	157	72	41	34	1036	93	48	78	66	111	103	124	154	212	224	61
Small-pox -	6	1	-	1	-	-	2	-	-	-	1	2	-	1	-	-	-	-
Measles -	28	8	9	7	1	-	25	2	1	-	-	-	-	-	-	-	-	-
Scarlatina -	53	5	6	9	7	7	34	14	4	-	-	-	-	1	-	-	-	-
Diphtheria -	21	1	-	2	2	1	6	10	-	3	-	-	-	-	-	1	1	-
Whooping-cough -	45	27	9	6	2	-	44	1	-	-	-	-	-	-	-	-	-	-
Typhus -	87	2	2	4	1	1	10	13	9	11	6	10	6	4	8	5	5	2
Diarrhoea & Dysentery -	86	48	9	3	2	1	63	-	-	2	-	1	2	2	3	6	6	1
Cholera -	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-
Other Zymotic Dis. -	64	7	7	1	3	8	26	7	2	3	-	2	3	1	5	4	1	-
Cancer -	42	-	-	-	-	-	-	-	-	-	-	-	2	3	16	9	9	1
Scrofula and Tubercles -	44	17	6	3	3	-	29	4	2	-	2	1	3	3	3	1	1	-
Phthisis -	231	17	9	-	2	1	29	7	11	22	36	51	24	27	15	8	1	-
Hydrocephalus -	26	11	6	4	2	2	23	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	195	58	14	8	7	2	89	3	5	8	1	5	13	10	13	24	21	3
Dis. of Heart & Dropsy -	116	3	1	-	1	1	6	1	4	1	-	9	11	15	20	23	27	1
Dis. of Lungs -	271	91	27	6	4	5	133	8	-	6	3	9	12	13	12	32	24	1
Dis. of Stom. and Liver -	102	17	-	1	1	-	19	-	1	3	-	3	11	8	24	21	11	1
Dis. of Kidneys -	47	-	1	1	-	-	2	-	1	-	-	4	4	8	5	15	6	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	19	1	-	-	-	-	1	2	-	2	-	2	1	-	-	1	1	-
Dis. of Skin -	8	3	3	-	-	-	6	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metrisia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	11	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	1	-
Other Violent Deaths -	112	6	7	6	2	3	24	13	5	12	15	10	6	12	8	5	4	-
Other Causes -	710	409	41	10	8	2	465	5	3	2	2	9	4	10	13	23	104	40

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																85 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	
188.—LINTON.																		
Mean Popul ⁿ , 1861-71	6891	195	211	219	193	193	1011	903	777	568	518	846	716	590	491	324	126	21
TOTAL DEATHS	1227	202	69	33	23	23	349	51	33	56	44	70	85	77	95	146	150	71
Small-pox	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Measles	9	1	3	1	-	3	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	60	6	7	9	10	8	40	10	3	-	4	2	-	-	1	-	-	-
Diphtheria	9	-	-	2	-	1	3	4	2	-	-	-	-	-	-	-	-	-
Whooping-cough	27	14	9	-	-	21	25	2	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	-	1	-	-	1	6	4	7	4	6	5	6	1	1	-	-
Diarrhoea & Dysentery	42	18	4	1	2	-	25	4	-	-	-	-	-	-	1	7	4	1
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-
Other Zymotic Dis.	31	2	3	3	1	1	10	2	3	2	-	-	-	3	3	4	4	-
Cancer	37	-	-	-	-	-	-	-	-	-	-	1	5	6	8	9	5	8
Scrofula and Tuberc.	18	5	1	-	-	-	6	1	1	3	1	-	3	2	-	1	-	-
Fthisis	210	2	5	3	1	2	13	6	9	94	26	34	39	24	15	9	1	-
Hydrocephalus	9	3	2	1	1	1	8	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	126	17	6	2	2	1	28	2	4	-	-	1	4	12	17	20	30	8
Dis. of Heart & Dropsy	98	3	3	-	-	-	6	-	2	3	-	8	6	6	17	26	19	5
Dis. of Lungs	161	38	13	4	4	3	62	5	-	4	3	8	4	5	39	39	21	4
Dis. of Stom. and Liver	53	8	-	-	-	-	8	1	-	-	2	-	4	6	8	18	7	-
Dis. of Kidneys	8	1	-	-	-	-	1	-	2	-	-	1	1	1	-	2	1	-
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	-	-
Dis. of Joints	7	1	1	-	-	-	2	-	-	-	-	1	-	1	2	-	1	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	23	-	-	-	-	-	-	-	-	1	3	8	11	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	21	6	1	3	2	1	12	3	-	1	-	-	-	1	1	-	3	-
Other Causes	221	79	11	2	-	1	93	3	1	-	-	-	1	-	4	17	54	-

		189.—NEWMARKET.																	
Mean Popul ⁿ , 1861-71	14511	424	386	386	381	394	1971	1793	1659	1287	1168	1869	1604	1258	967	635	255	45	
TOTAL DEATHS -	2758	559	207	76	67	45	954	125	77	113	98	177	176	151	191	289	284	123	
Small-pox -	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	
Measles -	49	5	17	10	5	2	89	7	9	-	-	-	1	-	-	-	-	-	
Scarlatina -	88	5	9	8	16	15	51	19	1	3	1	3	-	-	-	-	-	-	
Diphtheria -	33	-	3	1	6	4	14	15	8	1	-	-	-	-	-	-	-	-	
Whooping-cough -	52	23	17	5	5	1	51	1	-	-	-	-	-	-	-	-	-	-	
Typhus -	103	-	2	2	6	6	15	19	12	14	9	11	8	7	2	3	3	3	
Diarrhoea & Dysentery -	109	60	37	4	-	-	81	1	-	2	1	5	-	2	1	6	7	3	
Cholera -	5	4	-	-	-	-	4	-	1	1	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	49	2	2	5	3	2	14	1	5	2	1	1	4	6	7	8	3	2	
Cancer -	88	-	-	1	-	-	1	-	-	-	1	6	9	18	28	14	9	2	
Serofula and Tuberc -	61	17	8	1	1	1	28	3	5	5	5	4	6	3	1	1	-	-	
Phthisis -	400	13	5	5	1	-	24	12	14	57	59	95	65	43	21	10	-	-	
Hydrocephalus -	29	9	5	1	2	2	19	8	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	249	29	15	4	3	3	54	10	8	5	2	8	12	17	32	49	46	6	
Dis. of Heart & Dropsy -	150	2	4	2	-	-	8	3	6	8	2	6	12	18	33	36	32	3	
Dis. of Lungs -	330	98	52	14	8	4	176	9	2	4	4	9	9	7	14	37	33	12	
Dis. of Stom. and Liver -	134	4	1	2	4	1	12	5	4	5	2	7	15	20	30	20	12	2	
Dis. of Kidneys -	25	2	1	-	-	-	5	3	-	-	2	5	2	-	5	2	3	-	
Dis. of Genur. Organs -	15	-	-	-	-	-	-	-	-	-	2	1	6	3	1	2	-	-	
Dis. of Joints -	14	-	1	1	-	-	-	-	1	1	2	2	2	-	1	3	-	-	
Dis. of Skin -	12	3	2	-	1	-	6	-	1	-	-	-	1	1	-	2	1	-	
Childbirth and Metris -	81	-	-	-	-	-	-	-	-	1	2	12	18	-	-	-	-	-	
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Violent Deaths -	41	9	2	2	2	-	15	5	-	3	1	2	1	2	2	2	8	-	
Other Causes -	641	276	44	8	5	4	337	4	2	2	-	2	4	3	11	27	127	59	

		190.—ELY.																		
Mean Popul., 1861-71		11238	340	277	310	330	285	1542	1383	1263	1074	902	1396	1240	1012	703	489	197	37	
TOTAL DEATHS	-	2194	551	154	57	37	27	828	85	55	63	72	135	116	132	152	234	240	84	
Small-pox	-	4	2	-	-	-	-	2	-	2	-	1	-	-	-	-	-	-	-	
Measles	-	35	8	13	6	3	-	20	3	8	-	1	-	-	-	-	-	-	-	
Scarlatina	-	43	2	5	10	4	8	20	12	3	-	-	-	-	-	1	-	-	-	
Diphtheria	-	29	-	2	2	5	4	18	7	3	2	3	1	-	-	-	-	-	-	
Whooping-cough	-	49	33	8	6	1	1	49	-	-	-	-	-	-	-	-	-	-	-	
Typhus	-	97	-	2	1	6	3	12	12	18	6	7	11	10	2	3	12	4	-	
Diarrhoea & Dysentery	-	77	33	13	5	1	3	55	1	-	-	1	-	1	-	2	7	6	2	
Cholera	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Zymotic Dis.	-	57	9	4	2	1	2	18	4	-	1	-	1	1	1	8	2	4	2	
Cancer	-	64	-	-	-	1	1	2	-	-	-	1	4	6	20	16	13	2	-	
Scrophula and Tuberc.	-	44	12	5	-	1	1	19	7	1	-	8	5	4	3	-	-	-	-	
Phthisis	-	265	18	8	2	2	2	32	11	20	29	58	70	39	28	11	7	-	-	
Hydrocephalus	-	16	7	4	2	-	-	15	8	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	-	180	35	11	5	2	2	55	3	1	6	5	9	2	14	23	37	28	-	
Dis. of Heart & Dropsy	-	134	2	-	-	1	-	3	2	2	4	1	7	11	19	21	32	32	-	
Dis. of Lungs	-	251	61	30	4	4	1	100	10	-	4	2	2	11	10	30	40	56	0	
Dis. of Stom. and Liver	-	113	8	2	-	-	-	10	-	1	3	3	7	5	10	27	30	10	1	
Dis. of Kidneys	-	9	-	-	1	-	-	1	-	-	-	-	1	2	1	-	4	-	-	
Dis. of Genes. Organs	-	8	-	-	-	-	-	-	-	-	-	2	-	-	2	3	-	-	1	
Dis. of Joints	-	8	-	1	-	-	-	1	-	1	-	-	3	2	-	-	1	-	-	
Dis. of Skin	-	5	3	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	-	
Childbirth and Metris	-	27	-	-	-	-	-	-	-	-	-	3	10	11	1	-	-	-	-	
Infanticide	-	5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	
Other Violent Deaths	-	48	10	3	5	2	9	22	7	1	1	-	-	-	1	1	1	1	3	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 years.	

191.—NORTH WITCHEFORD.

Mean Popul ⁿ , 1861-71	7546	223	208	206	202	204	1043	946	852	778	585	892	784	682	525	323	121	15
TOTAL DEATHS—	1574	418	153	59	28	20	678	77	30	34	42	70	66	78	140	181	142	36
Small-pox - - -	10	1	-	2	-	-	5	-	2	-	1	2	-	2	-	-	-	-
Measles - - -	50	10	16	11	3	2	42	6	2	-	-	-	-	-	-	-	-	-
Scarlatina - - -	28	9	13	6	9	4	41	15	2	-	-	-	-	-	-	-	-	-
Diphtheria - - -	16	2	1	1	2	3	9	5	-	1	-	-	1	-	-	-	-	-
Whooping-cough -	17	9	7	1	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	28	2	2	-	1	2	7	8	3	4	1	4	-	4	5	10	8	3
Diarrhoea & Dysentery	77	47	7	2	-	-	56	-	-	-	-	-	-	2	2	4	6	19
Cholera - - -	10	3	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	40	3	2	4	1	2	12	11	-	1	-	1	3	-	4	3	3	2
Cancer - - -	29	-	-	-	-	-	-	-	-	-	1	-	3	3	7	13	2	-
Scrofula and Tuberc.	21	6	7	2	-	-	15	1	2	-	1	1	-	-	-	-	-	-
Phthisis - - -	121	4	4	-	-	-	8	5	-	11	20	25	21	15	10	3	1	-
Hydrocephalus - -	27	6	9	1	1	2	19	7	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	135	23	13	3	1	1	43	6	3	2	3	1	7	9	14	26	12	2
Dis. of Heart & Dropsy	89	1	3	-	-	-	4	1	2	1	1	9	7	10	23	17	14	-
Dis. of Lungs - - -	263	87	32	17	4	2	142	6	2	5	4	12	6	9	25	40	19	2
Dis. of Stom. and Liver	63	9	2	1	1	-	13	1	3	3	-	2	2	6	15	8	9	1
Dis. of Kidneys - -	36	-	1	1	-	-	2	-	-	-	2	1	3	5	6	13	6	-
Dis. of Gener. Organs -	7	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	7	-	-	1	-	-	1	-	1	3	1	-	1	-	-	-	-	-
Dis. of Skin - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	5	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-
Other Violent Deaths -	68	4	3	6	3	2	17	3	5	1	7	9	3	4	6	8	3	-
Other Causes - - -	370	190	80	1	1	-	222	2	2	-	-	2	3	9	11	33	39	27

192.—WHITTLESEY.

Mean Popul ⁿ , 1861-71	3389	109	92	101	93	97	492	439	417	317	235	364	369	303	246	154	55	8
TOTAL DEATHS—	766	214	60	19	13	11	317	26	23	26	24	41	39	46	48	93	68	15
Small-pox - - -	4	1	-	-	-	-	17	-	1	-	-	1	-	-	1	-	-	-
Measles - - -	29	5	6	4	2	-	12	11	1	-	-	1	-	-	-	-	-	-
Scarlatina - - -	24	1	3	4	2	2	4	2	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	6	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	18	9	7	2	-	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	33	1	1	3	1	-	6	3	-	4	1	3	1	3	2	4	1	-
Diarrhoea & Dysentery	40	53	2	-	-	-	35	-	1	-	-	-	-	-	-	4	-	-
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	12	3	3	-	-	-	6	-	-	-	-	-	-	-	2	1	2	1
Cancer - - -	14	-	-	-	-	-	-	-	-	-	-	-	-	5	4	2	3	-
Scrofula and Tuberc.	13	8	1	-	-	-	9	1	-	-	1	-	-	1	-	-	-	-
Phthisis - - -	91	3	1	-	1	1	6	1	2	13	16	21	13	11	4	3	1	-
Hydrocephalus - -	12	2	4	1	1	1	9	-	-	1	-	-	1	-	-	-	-	-
Dis. of Brain - - -	75	21	2	1	2	2	28	3	3	1	1	3	1	4	8	11	11	1
Dis. of Heart & Dropsy	41	2	-	-	-	-	2	-	2	-	1	2	1	6	6	9	12	-
Dis. of Lungs - - -	73	25	7	2	-	1	35	-	-	1	-	1	5	3	6	12	3	2
Dis. of Stom. and Liver	43	4	-	2	-	-	6	-	-	1	2	4	9	3	9	6	3	-
Dis. of Kidneys - -	11	-	-	-	-	-	-	-	1	-	-	-	-	1	-	4	4	1
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints - - -	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
Dis. of Skin - - -	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	7	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	-
Other Violent Deaths -	36	1	2	-	3	2	8	2	5	3	2	2	6	2	-	6	-	-
Other Causes - - -	186	95	19	-	-	1	115	1	-	1	-	1	1	4	4	26	25	19

193.—WISBECH.

Mean Popul ⁿ , 1861-71	16257	478	442	434	397	408	2159	1982	1865	1636	1253	1960	1698	1526	1174	711	259	34
TOTAL DEATHS—	3465	971	233	104	57	55	1420	144	77	90	89	169	161	219	246	466	342	162
Small-pox - - -	22	5	3	1	1	-	10	-	-	2	2	3	1	2	2	-	-	-
Measles - - -	51	6	17	11	3	8	45	4	1	-	-	1	-	-	-	-	-	-
Scarlatina - - -	69	5	15	9	9	5	43	14	6	1	-	2	1	2	-	-	-	-
Diphtheria - - -	60	3	1	3	8	7	22	25	3	6	-	1	1	-	-	-	-	-
Whooping-cough -	47	22	15	4	4	1	46	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	135	7	5	6	7	3	28	18	12	-	9	12	9	9	11	11	9	-
Diarrhoea & Dysentery	137	65	19	2	4	1	91	4	-	1	1	-	2	2	5	14	13	2
Cholera - - -	8	2	1	2	-	-	5	-	-	-	-	-	-	1	1	1	-	-
Other Zymotic Dis.	59	7	-	5	3	1	16	6	2	2	4	1	5	3	4	5	8	-
Cancer - - -	46	-	-	-	-	-	-	-	-	-	-	1	-	5	12	8	14	4
Scrofula and Tuberc.	60	27	5	-	1	1	34	5	5	2	2	1	4	3	1	2	1	-
Phthisis - - -	241	3	2	1	-	2	8	9	9	16	37	68	38	27	21	6	1	1
Hydrocephalus - -	45	17	16	4	1	-	38	4	1	-	2	-	-	-	-	-	-	-
Dis. of Brain - - -	385	132	29	8	1	7	177	6	8	6	1	9	12	18	29	55	53	9
Dis. of Heart & Dropsy	241	18	3	3	2	1	27	6	2	7	2	18	15	28	48	64	32	2
Dis. of Lungs - - -	529	134	44	23	5	7	213	5	4	6	8	21	24	46	42	99	44	8
Dis. of Stom. and Liver	126	12	1	-	-	-	14	6	3	4	2	4	13	16	29	33	11	1
Dis. of Kidneys - -	61	-	-	1	-	1	2	3	2	-	-	3	1	13	10	11	14	2
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints - - -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin - - -	10	5	-	-	1	-	6	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	20	-	-	-	-	-	-	-	-	-	1	1	8	4	5	5	-	-
Other Violent Deaths -	175	7	7	9	4	7	34	19	14	22	10	18	15	15	17	8	8	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
		191.—NORTH WITCHFORD.																	
Mean Popul ⁿ , 1861-71	7641	213	194	205	196	203	1011	937	809	762	638	992	825	705	494	331	119	18	
TOTAL DEATHS -	1531	356	121	55	30	22	584	62	33	64	57	92	108	67	108	156	157	43	
Small-pox - - -	3	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	
Measles - - -	45	8	16	13	4	2	43	2	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	48	-	8	9	8	7	32	12	2	1	-	-	-	-	-	-	-	-	
Diphtheria - - -	25	3	4	3	1	-	11	8	3	-	1	1	-	1	-	-	-	-	
Whooping-cough -	27	9	9	4	3	1	26	1	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	72	2	2	2	3	2	11	10	9	14	4	5	7	3	4	4	1	-	
Diarrhoea & Dysentery	66	31	12	-	-	-	43	-	-	-	1	3	2	-	-	8	6	3	
Cholera - - -	5	3	-	1	-	-	4	-	-	-	-	-	-	1	-	-	-	-	
Other Zymotic Dis. -	36	4	5	4	3	1	17	2	2	-	3	-	3	1	1	4	3	-	
Cancer - - -	50	-	-	-	-	-	-	-	-	-	1	2	9	7	11	13	6	1	
Scrofula and Tuberc	17	7	3	2	-	1	13	1	-	2	-	1	-	-	-	-	-	-	
Phthisis - - -	179	1	2	1	-	2	6	9	6	25	25	45	34	17	6	4	2	-	
Hydrocephalus - -	23	6	7	3	1	-	17	5	-	-	1	-	-	-	-	-	-	-	
Dis. of Brain - - -	94	16	6	1	-	1	24	3	1	5	1	-	6	3	15	18	17	1	
Dis. of Heart & Dropsy	97	5	-	-	-	-	5	-	2	4	2	5	9	8	22	25	12	3	
Dis. of Lungs - - -	242	79	27	7	3	4	120	2	2	6	9	11	8	6	13	30	31	4	
Dis. of Stom. & Liver	79	5	2	-	-	-	7	1	1	3	2	7	7	9	17	15	10	-	
Dis. of Kidneys - -	15	-	-	1	-	-	1	1	-	1	1	1	2	2	3	1	1	-	
Dis. of Gen. Organs -	12	-	-	-	-	-	-	-	-	-	-	1	6	-	3	1	1	-	
Dis. of Joints - - -	6	2	1	-	-	-	3	-	1	-	-	-	1	-	-	-	-	-	
Dis. of Skin - - -	6	1	2	1	-	-	4	-	-	-	-	-	2	-	-	-	-	-	
Childbirth and Metris	16	-	-	-	-	-	-	-	-	-	4	4	7	1	-	-	-	-	
Suicide - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	
Other Violent Deaths -	23	3	2	1	-	1	7	3	1	2	-	2	1	3	4	1	-	1	
Other Causes - - -	349	171	13	1	4	-	189	1	2	1	2	4	4	2	9	29	67	30	

192.—WHITTLESEY.																		
Mean Popul ⁿ , 1861-71	3594	106	97	98	96	91	488	422	413	319	269	440	386	341	254	179	74	9
TOTAL DEATHS -	716	140	46	23	13	9	231	30	25	30	25	40	45	32	49	84	85	31
Small-pox -	8	3	1	-	1	-	5	-	1	1	-	-	1	-	-	-	-	-
Measles -	12	3	3	2	1	2	11	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	18	-	1	1	3	5	8	8	2	-	-	-	-	-	-	-	-	-
Diphtheria -	7	-	-	-	-	-	-	4	2	-	-	1	-	-	-	-	-	-
Whooping-cough -	27	16	5	3	1	2	27	-	-	-	-	3	1	2	-	-	-	1
Typhus -	39	2	1	1	2	1	7	5	3	3	5	3	1	2	2	4	5	2
Diarrhoea & Dysentery -	42	14	5	2	2	-	23	-	1	-	-	1	2	-	2	-	-	-
Cholera -	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis. -	15	2	1	1	1	-	5	2	-	2	1	-	-	2	2	1	-	-
Cancer -	21	-	-	-	-	-	-	-	-	-	-	3	5	5	5	5	1	-
Scrofula and Tubercles -	11	4	3	-	-	-	7	-	1	3	-	-	-	-	-	-	-	-
Phthisis -	99	2	4	-	1	-	7	2	8	13	15	27	18	4	3	2	-	-
Hydrocephalus -	11	2	1	2	1	1	7	2	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -	73	15	2	-	-	-	17	2	2	4	1	1	3	3	5	19	14	4
Dis. of Heart & Dropsy -	45	-	-	-	-	-	-	2	1	-	-	1	5	9	10	13	2	2
Dis. of Lungs -	63	18	8	3	-	-	29	-	1	-	-	1	1	1	9	13	8	1
Dis. of Stomach & Liver -	27	1	-	-	-	-	1	1	1	-	1	1	1	2	8	6	3	2
Dis. of Kidneys -	5	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	1	-
Dis. of Gen. Organs -	5	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	-
Dis. of Joints -	5	-	-	-	-	-	-	-	-	2	-	2	-	-	-	1	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris -	7	-	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Other Violent Deaths -	15	1	-	2	-	-	3	-	-	-	-	2	3	-	1	2	5	1
Other Causes -	162	57	10	6	-	-	73	-	-	-	1	2	1	1	4	16	46	18

193.—WISBECH.																		
Mean Popul ⁿ , 1861-71	17509	450	436	466	432	426	2210	2057	1880	1643	1530	2274	1943	1631	1198	787	313	43
TOTAL DEATHS -	3284	778	236	110	66	55	1245	139	76	100	117	192	147	171	255	338	368	136
Small-pox -	16	3	1	1	2	-	7	1	1	-	-	5	1	-	1	-	-	-
Measles -	39	9	15	11	5	2	42	6	1	1	1	-	-	-	1	-	-	-
Scarlatina -	82	4	5	14	11	7	41	34	5	1	1	-	-	-	-	-	-	-
Diphtheria -	76	3	6	8	6	9	31	24	11	3	3	1	-	1	1	1	-	-
Whooping-cough -	73	31	29	6	3	2	71	2	-	-	-	-	-	-	-	-	-	-
Typhus -	118	5	6	5	5	5	26	13	17	6	6	12	7	4	9	10	8	-
Diarrhoea & Dysentery -	125	53	14	3	1	1	72	2	-	2	2	1	3	3	4	10	21	5
Cholera -	5	3	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis. -	61	4	4	6	1	2	17	7	7	7	5	7	-	3	4	4	1	1
Cancer -	167	-	-	-	-	-	-	-	-	1	1	4	15	27	30	24	4	1
Scrofula and Tubercles -	37	13	6	5	6	-	25	3	-	1	1	1	2	-	2	-	-	-
Phthisis -	267	5	2	3	-	-	10	3	10	45	67	72	46	23	9	1	1	-
Hydrocephalus -	37	10	12	1	3	2	38	6	-	-	1	2	-	-	-	-	-	-
Dis. of Brain -	226	88	29	10	5	7	137	6	5	4	5	4	8	29	37	47	48	7
Dis. of Heart & Dropsy -	229	13	2	3	1	-	19	2	3	7	4	13	21	24	54	34	18	1
Dis. of Lungs -	479	109	48	19	12	8	187	10	6	9	7	22	14	19	46	79	63	12
Dis. of Stomach & Liver -	113	13	2	3	1	1	29	6	2	6	2	9	3	16	21	19	8	1
Dis. of Kidneys -	39	-	-	-	-	-	-	2	1	1	2	2	1	1	4	4	1	1
Dis. of Gen. Organs -	25	-	-	-	-	-	-	-	-	-	-	2	8	4	-	-	-	-
Dis. of Joints -	8	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	8	2	1	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metris -	33	-	-	-	-	-	-	-	-	-	7	10	9	-	-	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
Other Violent Deaths -	64	10	3	5	5	7	30	7	3	1	2	2	2	4	3	3	3	3
Other Causes -	322	109	21	11	6	5	177	21	11	11	13	22	14	20	30	73	166	103

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	85 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-		
194.—WEST HAM.																			
Mean Popul ⁿ , 1861-71	38749	1286	1114	1152	1177	1111	5840	5336	4688	3246	3047	5848	4746	3200	1699	830	242	27	
TOTAL DEATHS -	8417	2260	882	403	289	204	4038	504	188	137	230	520	605	587	548	543	401	8	
Small-pox - - -	104	22	7	5	4	5	43	9	4	6	9	14	10	7	2	-	-	-	
Measles - - - -	173	32	55	36	20	15	158	14	-	1	-	-	-	-	-	-	-	-	
Scarlatina - - -	480	29	76	82	78	60	325	130	17	5	1	1	1	-	-	-	-	-	
Diphtheria - - -	42	6	5	8	3	3	25	10	1	-	1	2	1	1	-	-	-	-	
Whooping-cough -	197	79	61	25	15	8	188	9	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	301	5	12	8	16	13	54	52	37	27	21	29	29	22	19	8	11	8	
Diarrhœa & Dysentery	432	206	71	9	4	2	382	14	1	1	1	1	1	3	5	12	11	8	
Cholera - - - - -	222	26	17	11	9	6	69	30	7	6	7	27	33	21	14	6	2	1	
Other Zymotic Dis.	222	16	34	33	29	19	131	27	2	7	2	14	7	11	11	7	7	1	
Cancer - - - - -	86	-	-	-	-	-	-	-	-	-	-	-	11	16	27	31	11	-	
Serofula and Tabes	230	113	45	16	8	5	187	22	10	-	2	-	3	1	2	2	1	-	
Phthisis - - - -	832	30	17	7	5	3	52	15	19	88	91	219	209	144	47	15	9	1	
Hydrocephalus -	193	82	60	19	9	7	167	21	5	-	-	-	-	-	-	-	-	-	
Dis. of Brain - -	1025	326	75	34	22	18	475	29	14	9	13	33	41	76	92	128	162	14	
Dis. of Heart & Dropsy	377	6	10	6	1	7	30	30	8	10	7	38	44	37	69	65	88	5	
Dis. of Lungs - -	1423	368	230	67	39	20	734	40	11	6	19	40	81	90	135	147	114	21	
Dis. of Stom. and Liver	263	47	5	4	2	3	61	5	11	3	8	22	31	42	45	57	8	-	
Dis. of Kidneys -	167	1	1	1	3	-	6	3	2	-	-	8	13	16	23	25	11	1	
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	
Dis. of Joints - -	30	-	-	2	-	-	2	11	4	2	3	1	1	3	1	1	1	-	
Dis. of Skin - - -	24	10	4	-	1	1	16	-	-	1	1	1	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	93	-	-	-	-	-	-	-	-	1	2	4	4	7	5	4	1	-	
Other Violent Deaths	870	24	16	7	8	3	53	27	34	32	37	61	57	34	21	7	2	-	
Other Causes - - -	1233	752	91	23	13	6	883	16	2	2	7	13	28	35	29	68	103	45	
195.—EPPING.																			
Mean Popul ⁿ , 1861-71	9200	261	227	240	244	259	1231	1133	1109	862	665	1158	1044	840	615	374	154	15	
TOTAL DEATHS -	1704	340	111	51	38	37	577	71	36	47	57	85	101	129	135	231	180	55	
Small-pox - - - -	20	2	-	1	2	-	5	1	1	2	5	1	4	1	-	-	-	-	
Measles - - - - -	20	2	7	1	5	3	18	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - - -	62	5	10	8	6	8	37	18	5	-	1	1	-	-	-	-	-	-	
Diphtheria - - - -	19	-	2	3	3	4	12	5	1	-	-	-	1	-	-	-	-	-	
Whooping-cough -	30	12	13	1	1	1	23	2	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	55	-	2	3	-	3	8	7	3	7	6	3	5	6	4	4	3	1	
Diarrhœa & Dysentery	74	41	9	1	-	-	51	-	-	2	1	1	1	4	2	1	2	1	
Cholera - - - - -	15	3	-	1	-	1	5	-	-	1	-	1	1	1	2	1	1	-	
Other Zymotic Dis.	53	8	2	6	8	5	29	6	1	1	2	2	2	1	3	3	1	-	
Cancer - - - - -	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tabes	29	13	5	-	1	-	19	2	3	-	3	-	1	-	3	10	7	6	
Phthisis - - - - -	163	3	-	-	2	-	16	8	3	-	13	12	40	32	21	17	7	9	
Hydrocephalus - -	21	5	6	3	1	2	17	3	-	-	-	1	-	-	-	-	-	-	
Dis. of Brain - - -	225	38	14	7	3	2	84	6	5	4	3	5	13	15	22	39	24	5	
Dis. of Heart & Dropsy	127	3	-	-	-	1	4	2	2	4	4	4	10	24	17	41	22	8	
Dis. of Lungs - - -	210	54	23	11	4	3	97	4	2	1	2	3	5	11	17	43	23	1	
Dis. of Stom. and Liver	83	8	-	2	-	-	10	3	-	1	2	6	7	10	10	24	8	-	
Dis. of Kidneys - -	35	1	-	-	-	-	1	-	1	-	-	1	3	5	7	11	3	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	11	-	1	-	-	1	3	1	1	-	1	-	-	2	2	1	1	-	
Dis. of Skin - - - -	6	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	12	-	-	-	-	-	-	-	-	1	1	2	3	2	1	1	1	-	
Other Violent Deaths	75	2	2	-	2	3	9	6	6	7	5	11	6	12	9	27	22	4	
Other Causes - - -	324	120	11	3	-	1	135	2	1	-	1	5	7	11	9	37	72	44	

196.—ONGAR.																		
Mean Popula- 1861-71	5985	150	158	159	156	146	769	736	711	566	485	717	629	545	432	278	104	13
TOTAL DEATHS -	1078	237	40	27	22	13	339	44	26	35	28	67	59	65	90	159	133	31
Small-pox - - -	10	-	-	1	-	1	2	2	-	-	1	2	1	1	-	1	-	-
Measles - - -	10	3	1	1	-	2	7	7	1	-	-	-	-	-	-	-	-	-
Scarlatina - - -	37	3	2	1	3	3	12	9	4	2	-	-	-	-	-	-	-	-
Diphtheria - - -	15	2	1	1	2	-	6	3	2	-	1	-	-	1	-	-	-	-
Whooping-cough - -	22	9	7	3	2	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	41	2	-	1	3	3	9	4	4	5	3	2	2	2	2	2	4	2
Diarrhœa & Dysentery -	43	29	5	-	-	-	34	-	-	-	-	-	-	-	1	2	4	3
Cholera - - -	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis. -	37	1	3	1	1	2	8	5	2	8	1	1	3	4	1	7	2	-
Cancer - - -	16	-	-	-	-	-	-	-	-	-	-	-	1	-	5	8	3	-
Serofula and Tabes -	16	7	-	2	-	-	9	1	-	-	1	2	-	-	2	1	-	-
Phthisis - - -	97	4	-	-	-	-	4	3	-	7	11	29	15	10	12	2	1	-
Hydrocephalus - - -	10	5	3	-	1	-	9	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	114	29	1	2	1	1	34	6	3	3	2	3	7	7	10	11	25	4
Dis. of Heart & Dropsy -	70	1	-	1	1	-	3	1	1	5	3	2	5	5	21	15	9	-
Dis. of Lungs - - -	172	45	11	6	2	-	64	1	1	4	3	9	4	16	9	33	26	3
Dis. of Stom. and Liver -	44	3	-	-	-	-	3	2	-	2	-	2	3	7	10	7	5	-
Dis. of Kidneys - - -	18	1	-	-	-	-	1	-	1	1	-	1	-	1	5	6	2	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	6	1	-	-	-	-	1	-	1	-	-	2	2	-	-	-	-	-
Dis. of Skin - - -	6	2	-	-	-	-	2	-	-	-	-	-	-	1	1	2	-	-
Childbirth and Metria Sicula - - -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	47	1	2	3	4	-	10	1	3	1	2	3	5	7	3	3	4	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	50 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--		
194.—WEST HAM.																			
Mean Popula, 1861-71	40482	1240	1101	1145	1133	1074	5693	5377	4623	3498	3415	6280	4897	3237	1902	1103	396	61	
TOTAL DEATHS	7780	1880	788	419	265	204	3556	399	212	175	201	481	529	402	477	602	407	159	
Small-pox	80	26	10	5	1	1	42	8	1	0	4	11	3	1	1	1	1	1	
Measles	130	17	51	40	17	16	141	7	2	1	1	1	1	1	1	1	1	1	
Scarlatina	407	25	69	69	83	54	300	143	37	6	6	5	1	1	1	1	1	1	
Diphtheria	52	1	2	11	4	8	25	16	4	1	3	1	2	1	1	1	1	1	
Whooping-cough	235	61	85	34	14	8	222	13	1	1	1	1	1	1	1	1	1	1	
Typhus	320	9	12	22	12	16	71	41	39	21	19	37	83	20	14	18	6	1	
Diarrhoea & Dysentery	361	233	49	11	7	3	303	4	3	2	1	7	5	5	7	8	15	1	
Cholera	219	21	11	11	4	9	56	13	11	6	16	32	24	24	11	15	1	1	
Other Zymotic Dis.	214	25	44	28	25	24	146	15	6	3	2	4	5	7	4	11	8	3	
Cancer	225	1	1	1	1	2	1	1	1	1	1	16	41	70	42	44	11	1	
Serofula and Tuberc.	214	78	60	20	17	2	177	20	5	3	1	3	3	3	2	2	1	1	
Phthisis	722	24	15	8	2	7	56	12	40	66	85	196	147	85	30	7	1	1	
Hydrocephalus	135	69	27	20	10	6	132	2	1	1	1	1	1	1	1	1	1	1	
Dis. of Brain	912	257	66	42	19	11	395	29	13	9	12	24	33	49	81	118	124	25	
Dis. of Heart & Dropsy	427	8	4	2	1	6	21	14	15	12	8	33	60	58	77	80	43	6	
Dis. of Lungs	1940	337	182	65	32	23	639	33	13	13	11	24	27	67	95	174	105	29	
Dis. of Stom. and Liver	291	18	3	1	2	1	25	7	7	5	10	28	46	36	65	37	19	5	
Dis. of Kidneys	62	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Genes. Organs	42	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	29	6	2	1	1	1	9	1	1	1	1	1	1	1	1	1	1	1	
Childbirth and Metris	95	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Suicide	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other Violent Deaths	80	15	15	5	3	3	41	5	1	3	1	2	3	10	6	3	4	2	
Other Causes	1143	630	80	24	12	3	749	7	2	3	4	10	12	24	25	71	151	83	

195.—EPPING.

Mean Populn., 1861-71	9194	262	232	234	261	255	1244	1153	1000	764	719	1285	1034	823	597	402	146	27		
TOTAL DEATHS	1534	282	80	40	22	28	452	60	45	43	51	99	83	104	115	201	194	87		
Small-pox	17	5	2	1	1	1	9	1	1	1	1	1	1	1	1	1	1	1		
Measles	20	4	6	3	2	2	15	4	1	1	1	1	1	1	1	1	1	1		
Scarlatina	37	2	2	3	3	3	15	9	6	1	2	3	1	1	1	1	1	1		
Diphtheria	9	1	1	1	1	2	4	3	1	1	1	1	1	1	1	1	1	1		
Whooping-cough	35	15	10	2	1	5	23	1	1	1	1	1	1	1	1	1	1	1		
Typhus	49	1	1	3	1	1	6	7	5	3	4	5	4	4	6	3	2	1		
Diarrhoea & Dysentery	69	31	7	1	2	1	40	1	1	1	1	1	1	1	1	1	1	1		
Cholera	12	2	1	1	1	1	4	3	1	1	1	1	1	1	1	1	1	1		
Other Zymotic Dis.	42	7	3	7	2	1	29	6	2	1	2	1	1	1	2	5	1	1		
Cancer	65	1	1	1	1	1	1	1	1	1	1	3	4	15	20	12	9	1		
Serofula and Tuberc.	24	7	2	1	1	1	10	5	1	1	1	1	1	1	1	1	1	1		
Phthisis	155	2	1	1	1	1	4	4	7	19	20	40	25	15	4	6	2	1		
Hydrocephalus	26	7	6	5	3	3	24	1	1	1	1	1	1	1	1	1	1	1		
Dis. of Brain	180	39	12	3	1	1	56	4	6	3	5	11	5	14	14	24	25	3		
Dis. of Heart & Dropsy	165	7	1	1	1	1	19	1	2	1	5	5	14	19	22	31	25	12		
Dis. of Lungs	204	56	17	10	1	6	90	3	5	3	4	5	5	10	14	58	24	3		
Dis. of Stom. and Liver	87	7	2	1	1	1	10	2	2	1	1	3	7	13	17	20	11	1		
Dis. of Kidneys	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Dis. of Genes. Organs	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Dis. of Joints	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Dis. of Skin	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Childbirth and Metris	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Suicide	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Other Violent Deaths	14	2	2	1	1	1	5	4	1	1	1	1	1	1	1	1	1	1		
Other Causes	292	87	5	1	1	1	95	1	2	1	2	1	3	4	8	24	90	62		

196.—ONGAR.

Mean Populn., 1861-71	5436	147	148	161	143	152	751	706	598	434	391	686	603	508	375	257	111	16
TOTAL DEATHS	1093	182	49	37	22	25	315	27	27	46	37	53	42	61	76	130	138	51
Small-pox	5	3	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-
Measles	6	-	2	-	3	1	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	-	-	3	4	6	15	10	3	2	1	2	3	-	-	-	-	-
Diphtheria	21	1	-	4	3	3	11	5	2	1	-	-	1	-	-	1	-	-
Whooping-cough	19	7	6	4	1	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	2	-	1	1	1	5	1	7	5	3	2	4	2	6	2	1	-
Diarrhoea & Dysentery	27	17	2	-	-	-	19	-	1	-	-	1	-	1	1	4	-	-
Cholera	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
Other Zymotic Dis.	26	2	2	3	1	1	9	3	1	-	-	2	-	-	4	3	5	1
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	3	7	6	5	-	1
Serofula and Tuberc.	21	6	2	3	2	1	14	-	1	1	1	1	-	1	2	-	-	-
Phthisis	92	4	-	-	-	-	4	1	3	20	16	15	9	14	3	4	-	-
Hydrocephalus	16	8	2	1	1	1	13	-	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	106	18	6	2	3	1	36	1	1	4	3	5	-	7	12	27	16	-
Dis. of Heart & Dropsy	69	3	-	-	1	1	5	2	1	2	3	6	7	8	12	28	14	1
Dis. of Lungs	192	27	19	10	4	3	65	-	2	6	4	6	4	7	8	18	14	3
Dis. of Stom. and Liver	35	5	-	-	-	1	6	-	2	-	2	4	5	6	9	10	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
Dis. of Genes. Organs	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-
Dis. of Joints	4	1	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-
Dis. of Skin	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Childbirth and Metris	8	-	-	-	-	-	-	-	-	2	1	1	4	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2
Other Violent Deaths	12	2	2	1	-	2	8	-	1	-	-	-	-	3	10	23	29	44

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
Mean Populⁿ, 1861-71	14447	433	401	441	421	406	2102	1891	1668	1360	1130	1886	1593	1203	861	529	195	29
TOTAL DEATHS	3065	797	233	103	62	54	1249	115	51	63	86	173	170	200	261	336	281	80
Small-pox	21	4	2	1	-	-	7	-	2	-	5	4	1	2	-	-	-	-
Measles	48	14	18	9	2	1	44	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	106	6	16	18	18	12	70	28	5	1	-	-	-	1	-	-	-	-
Diphtheria	23	1	2	4	2	4	13	7	3	-	-	-	-	-	-	-	-	-
Whooping-cough	69	37	18	9	2	2	68	1	-	-	-	-	-	-	-	-	-	-
Typhus	92	1	4	3	2	6	16	11	13	10	9	10	6	5	6	6	12	4
Diarrhoea & Dysentery	186	114	29	4	3	1	151	2	-	-	-	1	-	5	3	-	-	-
Cholera	14	3	3	1	-	-	7	3	-	-	-	-	1	3	2	-	-	-
Other Zymotic Dis.	60	4	10	7	3	8	32	5	1	2	2	2	2	2	3	3	1	-
Cancer	35	-	-	-	-	-	-	-	-	-	-	-	3	5	6	11	8	-
Serofula and Tabes	75	35	16	3	2	1	57	5	3	-	1	3	1	1	2	1	-	-
Phthisis	277	3	-	-	3	-	11	3	5	18	33	67	62	36	32	9	1	-
Hydrocephalus	52	19	15	6	5	2	47	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	424	145	24	11	7	3	190	6	5	3	11	17	19	13	37	49	29	4
Dis. of Heart & Dropsy	210	-	2	1	-	-	3	9	-	1	4	8	14	31	45	58	34	3
Dis. of Lungs	433	107	40	13	5	6	176	10	1	5	15	17	31	48	70	80	39	3
Dis. of Stom. and Liver	145	19	2	3	2	-	30	3	1	8	3	7	15	21	26	24	11	-
Dis. of Kidneys	40	1	-	1	-	-	2	-	1	1	-	3	1	8	5	5	13	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	15	1	-	-	-	-	3	2	-	1	-	-	-	-	-	-	1	-
Dis. of Skin	10	2	-	-	-	-	2	1	-	1	-	1	8	-	2	3	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	180	7	2	-	3	5	17	8	9	15	11	19	11	11	11	10	6	2
Other Causes	577	274	27	3	2	1	307	5	-	-	-	7	8	16	25	70	85	24

197.—ROMFORD.

Mean Populⁿ, 1861-71	6891	168	161	173	169	160	831	783	865	832	544	919	795	591	409	231	81	10
TOTAL DEATHS	1200	300	72	37	20	19	448	55	25	43	38	63	87	92	102	128	92	27
Small-pox	10	5	-	-	1	-	5	-	-	-	-	-	1	2	1	1	-	-
Measles	8	3	3	-	-	1	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	45	-	10	7	6	2	25	17	1	2	-	-	-	-	-	-	-	-
Diphtheria	15	3	-	1	1	3	8	3	-	1	-	-	2	-	1	-	-	-
Whooping-cough	35	16	12	3	2	1	34	1	-	-	-	-	-	-	-	-	-	-
Typhus	54	2	2	4	1	2	11	7	-	3	5	3	5	6	2	3	6	-
Diarrhoea & Dysentery	69	45	8	2	-	-	65	-	1	-	-	1	1	1	2	3	6	-
Cholera	8	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	50	6	2	3	-	2	13	6	-	2	1	1	1	1	4	5	8	3
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes	22	6	2	-	-	2	10	1	1	3	-	-	1	5	4	6	5	-
Phthisis	105	9	3	-	1	3	14	1	2	11	9	23	20	12	10	3	-	-
Hydrocephalus	28	15	6	2	1	3	24	3	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	98	52	2	4	3	1	42	3	4	2	2	2	4	7	4	14	11	5
Dis. of Heart & Dropsy	79	1	-	-	-	-	2	-	1	2	4	1	7	7	15	28	11	1
Dis. of Lungs	191	43	16	6	4	2	71	3	1	5	3	8	12	21	24	27	12	4
Dis. of Stom. and Liver	56	5	-	1	-	-	6	3	4	1	3	2	7	7	11	10	2	-
Dis. of Kidneys	21	-	-	1	-	-	1	-	-	1	-	2	1	1	3	6	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	6	1	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	97	2	1	2	-	-	5	4	8	7	9	13	22	14	1	3	1	1
Other Causes	175	106	5	-	-	-	111	1	1	-	-	2	6	4	6	4	5	12

199.—BILLERICAY.

Mean Populⁿ, 1861-71	8527	201	185	194	189	190	959	1007	944	937	856	1106	960	769	521	329	123	17
TOTAL DEATHS	1719	301	94	43	26	29	493	61	23	44	68	141	170	137	173	198	163	46
Small-pox	4	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
Measles	20	2	6	4	3	3	18	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	31	2	3	8	7	7	29	14	6	1	-	-	-	-	-	-	-	-
Diphtheria	19	1	5	-	2	-	8	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	27	12	8	5	-	1	26	1	-	-	-	-	-	-	-	-	-	-
Typhus	38	1	4	1	1	2	9	5	3	7	4	12	6	3	2	4	8	-
Diarrhoea & Dysentery	62	37	8	-	-	-	45	2	-	-	-	1	-	3	2	3	5	1
Cholera	7	1	-	-	-	-	1	2	-	1	-	-	-	2	1	1	-	-
Other Zymotic Dis.	66	5	4	8	2	2	21	7	-	2	-	3	5	2	7	9	9	1
Cancer	24	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes	29	4	4	1	1	2	1	-	1	1	1	1	-	5	7	5	3	-
Phthisis	172	-	1	-	-	1	12	2	1	4	8	8	1	1	1	-	-	-
Hydrocephalus	21	5	5	2	1	2	15	6	3	8	22	42	37	26	20	5	1	-
Dis. of Brain	329	54	14	2	3	-	53	2	2	10	10	33	62	43	41	41	20	3
Dis. of Heart & Dropsy	109	3	-	1	-	-	4	2	-	4	5	10	10	11	24	23	1	1
Dis. of Lungs	251	60	18	5	2	3	88	4	3	1	8	7	17	18	25	41	23	6
Dis. of Stom. and Liver	57	6	2	-	-	-	8	-	-	4	2	5	4	4	11	16	2	1
Dis. of Kidneys	40	-	-	1	-	-	1	1	-	-	-	5	6	4	7	11	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	65	4	1	2	2	2	11	5	2	2	8	9	11	2	3	1	1	-
Other Causes	298	123	9	2	2	3	139	2	2	1	2	6	8	5	12	26	37	24

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
		197.—ROMFORD.																	
Mean Popul ⁿ , 1861-71	14530	463	407	396	411	416	2093	1900	1591	1206	1160	2005	1642	1255	888	547	211	32	
TOTAL DEATHS	2714	644	229	118	76	51	1118	116	58	76	80	143	146	154	217	260	258	88	
Small-pox	12	6	1	1	2	—	10	1	—	—	—	—	—	1	—	—	—	—	
Measles	46	6	16	12	6	3	43	2	1	—	—	—	—	—	—	—	—	—	
Scarlatina	122	10	16	21	19	14	89	27	10	4	—	—	—	1	—	—	—	—	
Diphtheria	39	4	4	7	6	4	25	10	3	1	—	—	—	—	—	—	—	—	
Whooping-cough	72	29	27	9	4	2	71	12	1	—	—	—	—	—	—	—	—	—	
Typhus	89	1	4	2	2	5	14	12	7	15	13	9	5	6	2	4	2	—	
Diarrhoea & Dysentery	189	101	48	5	3	—	157	11	—	—	—	2	—	2	3	8	13	1	
Cholera	27	6	2	2	2	2	14	4	2	1	1	2	1	1	1	—	—	—	
Other Zymotic Dis.	68	5	6	11	5	3	39	7	3	4	—	2	—	4	1	5	2	—	
Cancer	87	—	—	—	—	—	—	—	—	—	1	4	12	18	33	13	5	1	
Scrofula and Tuberc.	63	29	8	6	3	2	48	4	3	3	—	1	1	1	1	—	1	—	
Phthisis	243	3	2	3	2	—	10	7	7	28	33	62	83	29	10	4	—	—	
Hydrocephalus	39	17	10	2	1	1	31	4	4	—	—	—	—	—	—	—	—	—	
Dis. of Brain	317	99	15	12	5	2	124	8	6	3	4	10	13	16	40	51	30	12	
Dis. of Heart & Dropsy	163	3	2	1	—	—	6	4	3	3	4	11	12	19	31	44	24	2	
Dis. of Lungs	568	95	59	14	11	6	165	7	1	3	6	4	17	15	38	54	43	15	
Dis. of Stom. and Liver	132	13	2	4	2	2	23	3	5	3	5	7	9	17	32	18	8	2	
Dis. of Kidneys	16	—	—	—	—	—	—	—	—	3	—	2	1	4	1	4	1	—	
Dis. of Genes. Organs	15	—	—	—	—	—	—	—	—	1	1	4	1	4	3	1	—	—	
Dis. of Joints	8	—	—	—	—	—	—	—	—	1	1	1	—	1	2	1	1	—	
Dis. of Skin	8	—	2	—	—	1	3	—	—	—	—	—	1	1	1	3	—	—	
Childbirth and Metris	42	—	—	—	—	—	—	—	—	3	11	13	14	1	—	—	—	—	
Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	
Other Violent Deaths	30	10	5	2	1	1	19	8	1	—	—	3	1	2	2	1	1	1	
Other Causes	518	216	20	4	2	2	245	5	1	—	—	6	5	10	16	49	127	54	

198.—ORSETT.																		
Mean Popul ⁿ , 1861-71	5492	188	169	159	168	146	830	749	633	424	429	720	658	481	302	185	75	6
TOTAL DEATHS	1054	237	88	43	32	17	417	57	27	22	36	54	78	62	64	84	97	36
Small-pox	8	2	2	—	1	—	5	—	—	—	1	1	—	1	—	—	—	—
Measles	8	—	4	3	—	—	7	1	—	—	—	—	—	—	—	—	—	—
Scarlatina	36	3	4	5	6	4	22	9	4	1	—	—	—	—	—	—	—	—
Diphtheria	12	2	—	1	—	1	6	1	—	—	1	—	—	—	—	—	—	—
Whooping-cough	47	22	16	2	3	2	45	2	—	—	—	—	—	—	—	—	—	—
Typhus	50	1	3	3	3	1	11	9	4	3	5	2	3	6	4	1	2	—
Diarrhoea & Dysentery	60	33	10	3	1	1	48	2	—	1	—	—	—	—	—	2	4	2
Cholera	2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other Zymotic Dis.	46	2	2	3	4	3	14	4	1	1	1	4	4	2	1	4	7	3
Cancer	25	—	—	—	—	—	—	—	—	—	—	—	2	7	6	7	3	—
Scrofula and Tuberc.	19	4	3	1	1	2	11	2	3	—	—	1	1	1	—	—	—	—
Phthisis	139	10	5	2	—	—	28	3	9	10	13	27	25	5	6	3	1	—
Hydrocephalus	22	4	6	5	2	—	19	2	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	97	15	3	5	1	—	24	3	—	2	2	4	4	6	15	13	21	4
Dis. of Heart & Dropsy	73	1	—	1	—	—	2	—	2	—	1	3	8	10	9	18	19	1
Dis. of Lungs	123	36	12	3	3	1	65	4	—	—	1	1	9	6	10	15	16	6
Dis. of Stom. and Liver	43	—	1	—	—	1	2	3	—	—	3	1	5	11	6	11	2	1
Dis. of Kidneys	9	—	—	1	1	—	2	1	—	—	—	1	2	1	1	—	1	—
Dis. of Genes. Organs	4	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
Dis. of Joints	4	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—
Dis. of Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	25	—	—	—	—	—	—	—	—	2	8	4	11	—	—	—	—	—
Suicide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	20	8	3	2	2	1	11	5	—	1	—	—	—	1	2	—	1	—
Other Causes	168	89	12	4	1	—	106	1	1	—	—	3	1	3	4	11	19	10

199.—BILLERICAY.																		
Mean Popul ⁿ , 1861-71	7919	197	213	186	205	208	1009	971	941	641	644	1075	947	748	514	306	109	14
TOTAL DEATHS	1485	221	71	49	35	17	393	56	39	46	50	98	122	133	139	193	165	51
Small-pox	4	—	—	1	—	1	2	—	—	1	—	—	—	—	1	—	—	—
Measles	22	3	6	3	1	2	15	6	1	—	—	—	—	—	—	—	—	—
Scarlatina	45	2	2	5	6	4	19	16	4	1	1	3	1	—	—	—	—	—
Diphtheria	14	1	4	2	1	2	10	2	1	1	—	—	—	—	—	—	—	—
Whooping-cough	38	17	6	5	5	3	36	2	—	—	—	—	—	—	—	—	—	—
Typhus	81	—	2	—	2	—	4	5	4	5	5	2	5	6	8	5	2	1
Diarrhoea & Dysentery	54	32	5	1	3	—	41	2	—	—	2	—	—	—	1	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	33	1	3	3	8	2	12	3	2	—	—	2	4	3	2	3	1	1
Cancer	44	—	—	—	—	—	—	—	—	—	—	3	9	9	8	8	7	—
Scrofula and Tuberc.	20	5	1	1	2	—	9	—	4	1	—	—	1	1	8	—	1	—
Phthisis	132	1	2	1	—	—	4	3	8	11	23	35	23	15	7	3	—	—
Hydrocephalus	15	4	1	3	—	2	10	4	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	277	29	5	4	1	—	33	3	2	8	5	23	41	38	44	49	26	5
Dis. of Heart & Dropsy	109	1	2	2	1	—	6	2	3	4	2	6	4	16	23	35	9	3
Dis. of Lungs	175	28	15	8	5	1	87	4	5	2	2	4	7	13	15	33	23	10
Dis. of Stom. and Liver	63	6	2	2	—	—	10	1	2	2	3	5	8	6	7	8	11	1
Dis. of Kidneys	11	—	—	—	—	—	—	—	—	1	1	1	—	4	1	3	—	—
Dis. of Genes. Organs	3	—	—	—	—	—	—	—	—	—	—	1	—	4	—	1	—	—
Dis. of Joints	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	25	—	—	—	—	—	—	—	—	2	4	6	12	1	—	—	—	—
Suicide	5	—	—	—	—	—	—	—	—	2	—	—	—	1	1	1	1	1
Other Violent Deaths	17	2	1	2	2	—	7	—	—	2	—	1	1	2	1	1	1	1
Other Causes	323	94	14	6	3	—	117	2	2	2	2	6	3	12	16	20	31	20

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																			Total under 1 Year.	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— & upwards.
200.—CHELMSFORD.																																	
Mean Popul ⁿ , 1861-71	16608	467	429	445	432	457	2230	2091	1933	1615	1266	2029	1789	1543	1106	704	262	40															
TOTAL DEATHS—	3176	691	206	80	74	54	1105	148	72	72	91	168	188	232	268	401	342	89															
Small-pox	18	1	1	—	—	—	2	—	—	—	2	4	2	2	1	—	—	—															
Measles	20	4	8	2	3	—	17	3	—	—	—	—	—	—	—	—	—	—															
Scarlatina	25	7	8	8	11	13	47	34	10	1	2	—	—	—	—	—	—	—															
Diphtheria	86	5	16	8	12	8	49	25	2	4	2	—	—	—	—	—	—	—															
Whooping-cough	53	27	14	8	—	2	51	1	—	—	—	—	—	—	—	—	—	—															
Typhus	106	1	3	1	2	1	8	10	7	12	9	14	13	13	13	5	2	—															
Diarrhoea & Dysentery	96	45	14	6	6	1	72	2	1	—	—	—	2	1	4	10	4	—															
Cholera	11	7	2	—	—	—	9	1	—	—	—	—	—	—	—	—	—	—															
Other Zymotic Dis.	75	12	8	7	7	7	41	4	4	—	—	3	4	1	9	5	4	—															
Cancer	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
Scrofula and Tuberc.	56	20	12	3	1	1	37	5	3	4	2	3	2	8	7	10	5	1															
Phthisis	377	6	6	1	3	1	17	12	13	20	46	78	69	62	41	18	1	—															
Hydrocephalus	67	28	13	2	6	4	53	12	1	—	—	—	—	—	—	—	—	—															
Dis. of Brain	403	108	17	6	4	4	139	9	4	7	8	13	13	32	36	53	37	7															
Dis. of Heart & Dropsy	278	4	1	2	2	4	13	6	8	6	6	11	24	28	31	79	44	2															
Dis. of Lungs	408	114	43	12	10	3	182	5	3	4	5	16	13	22	41	61	15	—															
Dis. of Stom. and Liver	131	30	3	3	2	1	29	1	5	4	5	4	11	21	16	27	8	—															
Dis. of Kidneys	76	—	—	1	—	1	2	1	1	—	1	3	9	13	11	22	11	—															
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
Dis. of Joints	12	—	1	1	—	—	2	—	3	1	—	—	—	—	—	—	—	—															
Dis. of Skin	16	4	—	—	1	—	5	1	—	1	1	—	—	—	—	—	—	—															
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
Suicide	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
Other Violent Deaths	97	3	5	3	3	2	16	13	5	5	8	12	13	6	8	7	4	—															
Other Causes	636	275	31	6	1	1	314	3	2	3	2	5	8	11	25	69	132	65															

201.—ROCHFORD.																																	
Mean Popul ⁿ , 1861-71	10369	282	255	267	282	254	1340	1191	1087	1025	995	1506	1201	922	652	330	104	16															
TOTAL DEATHS—	1955	510	135	71	36	35	787	75	46	38	45	116	124	141	156	209	174	44															
Small-pox	12	1	2	—	—	1	4	—	1	—	—	3	1	2	—	—	—	—															
Measles	21	5	8	2	3	1	19	2	—	—	—	—	—	—	—	—	—	—															
Scarlatina	50	3	9	5	3	9	29	16	5	—	—	—	—	—	—	—	—	—															
Diphtheria	80	2	8	4	3	5	17	5	1	1	3	—	—	—	—	—	—	—															
Whooping-cough	51	34	9	5	3	—	51	—	—	—	—	—	—	—	—	—	—	—															
Typhus	83	3	3	4	2	1	19	6	8	5	4	13	10	10	9	3	2	—															
Diarrhoea & Dysentery	98	63	14	5	1	1	84	3	—	—	—	3	—	—	3	3	—	—															
Cholera	16	—	—	1	—	—	1	2	3	4	1	—	—	—	1	1	1	—															
Other Zymotic Dis.	63	6	2	4	5	5	22	5	4	3	1	1	2	5	4	5	1	—															
Cancer	16	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—															
Scrofula and Tuberc.	23	9	5	1	1	—	16	2	2	1	5	1	1	1	6	4	3	—															
Phthisis	160	4	5	2	—	1	13	2	4	8	13	36	36	30	13	5	—	—															
Hydrocephalus	22	11	3	2	3	—	19	2	1	—	—	—	—	—	—	—	—	—															
Dis. of Brain	232	81	21	14	5	2	123	9	2	—	1	7	19	11	15	30	14	1															
Dis. of Heart & Dropsy	245	1	2	1	—	1	12	5	3	1	3	8	15	18	20	40	23	—															
Dis. of Lungs	226	76	25	8	3	5	117	5	4	4	4	14	7	27	35	82	27	—															
Dis. of Stom. and Liver	93	11	3	4	—	1	19	1	2	2	—	7	4	29	14	17	9	—															
Dis. of Kidneys	34	—	—	1	—	—	1	1	—	—	1	3	2	2	5	11	6	—															
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
Dis. of Joints	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
Dis. of Skin	4	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—															
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
Suicide	6	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—															
Other Violent Deaths	29	3	4	2	2	1	12	8	4	8	6	17	16	8	9	7	4	—															
Other Causes	400	196	17	6	1	1	221	2	—	—	2	5	3	3	10	29	84	41															

201.—ROCHFORD.

Mean Popul ⁿ , 1861-71	10369	282	255	267	282	254	1340	1191	1087	1025	995	1506	1201	922	652	330	104	16														
TOTAL DEATHS	1955	510	135	71	36	35	787	75	46	38	45	116	124	141	156	209	174	44														
Small-pox	12	1	2	—	1	—	4	—	1	1	—	3	1	2	—	—	—	—														
Measles	21	5	8	2	3	1	19	2	—	—	—	—	—	—	—	—	—	—														
Scarlatina	50	3	9	5	3	9	29	16	5	—	—	—	—	—	—	—	—	—														
Diphtheria	80	2	8	4	3	5	17	5	1	1	3	—	—	—	1	2	—	—														
Whooping-cough	51	34	9	5	3	—	51	—	—	—	—	—	—	—	—	—	—	—														
Typhus	83	3	3	4	2	1	15	6	8	5	4	13	10	10	9	3	2	—														
Diarrhoea & Dysentery	98	63	14	5	1	1	84	3	—	—	—	—	—	—	—	—	—	—														
Cholera	16	—	1	—	—	—	1	2	3	4	1	—	—	—	—	—	—	—														
Other Zymotic Dis.	53	6	2	4	5	5	23	5	4	3	1	1	2	5	4	5	1	—														
Cancer	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
Scrofula and Tuberc.	29	9	5	1	1	—	16	2	2	1	5	1	1	1	6	4	3	—														
Phthisis	160	4	5	2	—	1	19	2	4	8	13	54	36	30	13	5	—	—														
Hydrocephalus	22	11	3	2	3	—	19	2	1	—	—	—	—	—	—	—	—	—														
Dis. of Brain	232	81	21	14	5	2	123	9	2	—	1	7	19	11	15	30	14	1														
Dis. of Heart & Dropsy	145	1	2	1	—	1	5	3	3	1	3	8	15	18	20	40	23	—														
Dis. of Lungs	296	76	25	8	3	5	117	5	4	4	4	14	7	27	35	82	27	—														
Dis. of Stom. and Liver	95	11	3	4	—	1	19	1	2	2	—	7	4	20	14	17	9	—														
Dis. of Kidneys	34	—	—	1	—	—	1	1	—	—	1	3	2	2	5	11	6	—														
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
Dis. of Joints	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
Dis. of Skin	4	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—														
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
Suicide	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
Other Violent Deaths	99	3	4	2	2	1	12	8	4	8	6	17	16	8	9	7	4	—														
Other Causes	400	196	17	6	1	1	221	2	—	—	2	5	3	3	10	29	54	41														

202.—MALDON.

Mean Popul ⁿ , 1861-71	11861	374	340	315	334	325	1688	1506	1377	1122	865	1395	1260	1133	838	490	170	17
TOTAL DEATHS	2249	536	159	74	55	53	847	79	55	63	54	110	124	100	108	285	219	55
Small-pox	15	8	2	1	-	-	6	1	-	1	2	1	3	-	-	-	-	1
Measles	25	3	9	5	3	2	22	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	3	2	3	10	7	25	15	6	2	-	1	-	-	-	-	-	-
Erysiphe	18	-	-	5	3	1	9	3	3	1	1	1	-	-	-	-	-	-
Whooping-cough	41	15	13	7	5	1	41	-	-	-	-	-	-	-	-	-	-	-
Typhus	90	2	2	5	-	5	12	4	11	11	9	6	10	7	14	5	1	-
Juan-Losa & Dysentery	82	54	12	4	-	2	72	-	1	-	-	-	-	-	-	-	-	-
Cholera	6	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-
Other Zymotic Dis.	49	5	8	2	4	6	25	5	2	1	-	1	-	3	4	5	2	-
Cancer	24	-	-	-	-	-	-	-	-	-	1	-	2	5	7	7	-	-
Scrophula and Tabes	65	31	8	4	-	1	44	2	2	4	1	2	5	2	2	2	1	-
Phthisis	217	9	2	4	1	2	18	8	8	15	27	45	32	33	18	24	2	-
Hydrocephalus	62	32	16	7	1	1	57	4	-	-	-	-	-	-	-	1	-	-
Dis. of Brain	253	57	33	7	7	2	96	7	3	4	-	8	11	26	32	40	34	2
Dis. of Heart & Dropsy	162	3	-	2	1	1	7	2	3	4	3	8	14	20	27	35	18	1
Dis. of Lungs	284	72	34	8	8	2	124	9	2	4	3	15	15	31	36	27	13	1
Dis. of Stom. and Liver	85	8	1	1	2	1	13	4	1	4	-	4	6	13	14	21	5	-
Dis. of Kidneys	37	-	-	1	-	-	1	1	-	-	1	2	5	3	7	14	2	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	6	1	1	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
Dis. of Skin	6	2	-	-	-	-	2	1	-	1	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	9	4	2	6	-	21	7	15	9	-	9	1	1	1	5	1	-
Other Violent Deaths	94	-	-	-	-	-	-	-	-	-	-	12	13	5	5	3	-	-
Other Causes	268	216	22	6	4	1	249	3	-	-	1	2	3	8	24	86	144	4

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71
200.—CHELMSFORD.																		
Mean Popul ⁿ , 1861-71	16661	452	454	445	419	427	2197	2102	1900	1433	1284	2161	1857	1521	1105	726	322	53
TOTAL DEATHS—	3185	532	184	105	62	40	923	140	82	110	120	187	186	193	275	389	405	155
Small-pox - - -	9	1	1	-	-	-	2	-	3	-	2	1	1	-	-	-	-	-
Measles - - - -	30	2	10	6	5	2	25	4	-	-	-	-	-	-	-	1	-	-
Scarlatina - - -	105	5	13	13	9	8	48	34	14	3	2	1	1	1	-	1	-	-
Diphtheria - - -	84	2	12	9	12	6	41	28	10	3	-	1	-	1	-	-	-	-
Whooping-cough -	87	44	23	12	5	2	86	1	-	-	-	-	-	-	-	-	-	-
Erysip - - - - -	112	4	1	7	4	3	19	13	11	15	7	12	6	11	12	4	2	-
Diarrhoea & Dysentery	68	28	8	1	3	1	41	2	-	-	1	1	1	3	2	6	6	5
Cholera - - - - -	15	8	3	2	-	-	13	1	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	40	2	4	1	5	2	14	6	1	-	2	2	2	-	8	5	1	-
Cancer - - - - -	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	58	20	8	6	1	1	26	7	1	4	3	5	13	25	26	22	9	4
Phthisis - - - -	408	8	2	3	3	2	18	6	19	62	67	91	67	45	24	9	-	-
Hydrocephalus - -	44	19	5	4	6	2	36	5	2	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	362	74	23	10	1	4	112	7	3	4	7	8	17	23	50	67	59	5
Dis. of Heart & Dropsy	302	4	3	3	1	-	11	2	5	3	7	10	22	27	62	101	47	5
Dis. of Lungs - - -	323	76	41	14	6	3	140	5	1	2	1	5	9	15	26	51	36	12
Dis. of Stom. and Liver	152	16	1	-	-	1	18	6	7	3	5	6	17	19	28	23	17	3
Dis. of Kidneys - -	33	-	-	-	-	-	-	2	2	2	2	1	5	7	2	6	4	1
Dis. of Gen. Organs	16	-	-	-	-	-	-	-	-	-	-	1	2	5	5	2	1	-
Dis. of Joints - - -	13	-	-	-	-	1	1	2	-	3	-	-	1	1	1	1	-	-
Dis. of Skin - - -	11	4	-	-	-	-	4	-	2	-	-	3	-	-	2	-	-	-
Childbirth and Metris	60	-	-	-	-	-	-	-	-	1	13	31	13	2	-	-	-	-
Suicide - - - - -	5	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-
Other Violent Deaths	39	7	5	4	-	-	10	2	-	1	-	4	1	1	1	3	8	2
Other Causes - - -	684	208	21	10	1	2	212	7	1	2	2	-	6	5	21	85	195	118

201.—ROCHFORD.

Mean Popul ⁿ , 1861-71	9062	282	275	269	248	241	1315	1164	984	814	764	1273	1003	755	547	306	118	19
TOTAL DEATHS—	1664	398	119	68	55	34	674	74	39	45	52	89	117	103	115	160	150	48
Small-pox	9	3	—	1	2	—	6	—	1	—	1	1	1	—	—	—	—	—
Measles	24	2	7	4	3	2	18	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	54	3	10	5	11	5	24	11	6	—	—	1	—	—	—	—	—	—
Diphtheria	51	1	1	3	5	5	15	11	1	2	1	—	—	—	1	—	—	—
Whooping-cough	48	25	14	1	5	2	47	1	—	—	—	—	—	—	—	—	—	—
Typhus	82	1	1	5	2	3	12	10	—	6	5	8	4	10	12	7	2	—
Diarrhoea & Dysentery	95	54	15	5	2	3	77	3	1	1	2	2	2	1	2	4	3	1
Cholera	17	1	1	1	1	1	5	2	—	1	1	—	2	2	2	2	1	1
Other Zymotic Dis.	45	6	2	4	4	2	18	4	3	2	—	1	4	2	6	4	1	—
Cancer	51	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.	27	14	4	3	—	—	21	1	—	—	—	—	—	—	—	—	—	—
Phthisis	138	3	4	2	—	1	10	4	6	17	22	33	24	12	7	3	—	—
Hydrocephalus	25	2	7	9	3	3	24	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	182	43	10	8	6	1	68	7	6	3	1	5	13	12	18	25	21	3
Dis. of Heart & Dropsy	110	4	—	1	2	—	7	—	2	2	3	8	18	12	22	35	10	1
Dis. of Lungs	200	47	25	9	7	2	90	8	2	1	4	4	8	11	15	35	21	5
Dis. of Stom. and Liver	66	4	—	—	2	—	6	2	1	1	5	4	10	13	10	11	1	2
Dis. of Kidneys	14	—	—	1	1	—	2	1	—	—	1	4	1	1	—	3	1	—
Dis. of Gen. Organs	12	—	—	—	—	—	—	—	—	—	—	—	3	7	—	1	—	—
Dis. of Joints	3	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—
Dis. of Skin	8	2	—	—	—	—	2	—	1	—	—	—	2	—	1	2	—	—
Childbirth and Metris	26	—	—	—	—	—	—	—	—	—	3	14	9	—	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Other Violent Deaths	23	7	1	3	—	—	11	4	1	—	—	—	—	—	2	1	2	2
Other Causes	571	176	17	5	1	2	201	2	3	1	2	3	6	2	9	29	78	35

202.—MALDON.

Mean Popul ⁿ , 1861-71	11283	345	299	320	335	314	1613	1483	1270	996	871	1456	1265	1034	692	430	152	21
TOTAL DEATHS—	2052	353	140	78	55	34	690	63	52	73	90	127	116	159	167	239	201	60
Small-pox	6	1	—	—	—	1	1	—	—	1	—	2	2	—	—	—	—	—
Measles	17	5	—	—	—	—	16	1	—	—	—	—	—	—	—	—	—	—
Scarlatina	27	5	2	5	5	2	17	4	3	1	2	—	—	—	—	—	—	—
Diphtheria	50	—	—	4	8	6	18	9	2	—	—	—	1	—	—	—	—	—
Whooping-cough	31	17	13	10	6	3	49	2	—	—	—	—	—	—	—	—	—	—
Typhus	77	—	3	4	5	4	14	9	10	11	5	7	7	5	3	3	1	—
Diarrhoea & Dysentery	46	20	8	3	1	1	36	—	—	—	—	1	1	—	2	3	2	1
Cholera	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Other Zymotic Dis.	38	4	8	5	5	2	24	3	—	1	—	—	—	—	1	5	3	—
Cancer	28	—	—	—	—	—	—	—	—	—	2	3	3	4	12	12	2	—
Scrofula and Tuberc.	44	18	7	2	2	2	31	1	1	2	2	3	1	4	1	6	—	—
Phthisis	288	7	3	3	1	—	14	6	10	20	49	70	40	35	10	6	—	—
Hydrocephalus	31	14	7	5	1	1	28	2	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	225	61	22	13	3	3	92	10	3	6	4	5	13	16	28	29	14	5
Dis. of Heart & Dropsy	161	4	—	1	1	—	6	2	4	4	4	6	15	23	31	51	14	1
Dis. of Lungs	257	62	39	11	10	5	117	5	7	5	5	6	7	21	25	30	23	4
Dis. of Stom. and Liver	104	7	1	—	—	—	8	2	4	2	6	9	9	13	24	23	4	—
Dis. of Kidneys	9	—	—	—	—	—	—	1	—	—	—	2	1	1	1	1	2	—
Dis. of Gen. Organs	15	—	—	—	—	—	—	—	—	—	—	1	3	6	—	—	—	—
Dis. of Joints	4	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—
Dis. of Skin	5	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	25	—	—	—	—	—	—	—	—	—	7	8	—	—	1	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	1	—	—	—	—	1	3	1	—
Other Violent Deaths	19	3	—	1	1	2	7	3	1	—	—	—	—	—	1	3	1	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.		
		203.—TENDRING.																		
Mean Popul ⁿ , 1861-71	14222	407	381	387	358	372	1905	1772	1695	1315	1003	1719	1558	1360	977	634	248	36		
TOTAL DEATHS—	2726	643	170	82	52	36	983	97	44	77	91	156	139	166	216	330	327	100		
Small-pox	13	2	1	1	1	1	6	2	1	—	1	2	—	1	—	—	—	—		
Measles	26	6	11	6	1	—	23	—	—	—	—	—	—	—	—	—	—	—		
Scarlatina	50	6	7	6	9	4	32	10	5	1	—	2	—	—	—	—	—	—		
Diphtheria	22	1	—	5	2	4	12	5	1	2	—	—	—	—	—	—	—	—		
Whooping-cough	42	23	11	3	2	2	41	1	—	—	—	—	—	—	—	—	—	—		
Typhus	89	1	4	5	7	4	21	14	1	13	9	11	7	3	5	4	1	—		
Diarrhoea & Dysentery	140	58	11	2	3	2	76	3	—	2	1	1	3	3	3	17	25	6		
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Zymotic Dis.	57	7	5	6	6	6	30	4	1	2	2	4	1	6	2	4	1	—		
Cancer	35	—	—	—	—	—	1	—	—	—	1	2	2	4	8	10	6	1		
Scrofula and Tuberc.	51	21	8	5	2	2	38	1	3	—	—	2	2	3	3	1	—	—		
Phthisis	284	7	6	1	—	—	14	11	5	32	43	75	56	41	24	4	1	—		
Hydrocephalus	34	19	7	2	—	—	23	2	4	—	—	—	—	—	—	—	—	—		
Dis. of Brain	346	90	19	13	7	3	132	9	6	2	6	13	18	26	29	50	47	8		
Dis. of Heart & Dropsy	175	1	—	—	1	1	3	4	3	1	—	6	12	17	43	55	26	5		
Dis. of Lungs	404	102	44	19	10	6	181	15	1	4	4	10	15	20	39	57	50	8		
Dis. of Stom. and Liver	131	16	1	1	—	—	18	4	3	2	3	7	17	12	19	32	13	1		
Dis. of Kidneys	66	1	—	—	—	—	1	2	2	2	2	2	7	5	12	17	12	2		
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Dis. of Joints	6	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—		
Dis. of Skin	7	1	1	—	—	—	2	—	—	—	1	—	—	—	1	2	1	—		
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Suicide	12	—	—	—	—	—	—	—	—	—	—	1	1	4	1	5	—	—		
Other Violent Deaths	110	6	3	1	—	1	11	4	6	14	11	16	11	20	8	5	2	—		
Other Causes	625	275	31	7	—	—	313	5	1	—	4	4	6	3	15	60	141	97		
204.—COLCHESTER.																				
Mean Popul ⁿ , 1861-71	12710	341	295	289	298	280	1503	1351	1182	1665	1380	2072	1457	919	646	392	125	18		
TOTAL DEATHS—	2759	673	225	106	55	50	1109	108	52	100	82	207	218	167	216	248	202	50		
Small-pox	22	5	—	4	1	—	10	1	2	2	—	2	2	2	1	—	—	—		
Measles	44	9	16	12	3	1	41	2	—	—	—	—	1	—	—	—	—	—		
Scarlatina	102	5	12	17	7	15	36	32	10	2	1	—	—	—	—	—	—	—		
Diphtheria	32	—	5	6	7	5	23	6	1	—	1	—	1	—	—	—	—	—		
Whooping-cough	55	30	14	6	2	2	54	—	1	—	—	—	—	—	—	—	—	—		
Typhus	103	1	1	8	5	2	17	11	7	16	7	13	7	7	8	8	1	1		
Diarrhoea & Dysentery	109	53	23	2	4	—	82	2	—	—	—	2	4	1	3	6	9	—		
Cholera	3	1	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—		
Other Zymotic Dis.	61	12	9	3	5	5	34	4	1	4	1	4	4	2	3	3	1	—		
Cancer	20	—	—	—	—	—	—	—	—	—	—	—	3	2	8	4	3	—		
Scrofula and Tuberc.	41	19	7	5	—	—	51	2	2	2	—	—	2	1	—	1	—	—		
Phthisis	356	4	4	1	1	2	12	7	7	44	39	94	81	43	25	7	—	—		
Hydrocephalus	48	17	16	4	4	4	45	3	—	—	—	—	—	—	—	—	—	—		
Dis. of Brain	319	97	24	9	4	2	136	12	5	6	5	13	17	29	21	50	24	1		
Dis. of Heart & Dropsy	219	2	1	1	—	1	5	5	5	4	9	24	32	27	42	37	25	4		
Dis. of Lungs	381	104	82	12	8	7	183	10	2	9	6	20	23	20	42	58	22	6		
Dis. of Stom. and Liver	99	10	3	—	1	—	14	1	—	—	4	9	19	14	20	14	4	—		
Dis. of Kidneys	49	—	—	—	—	1	1	—	1	—	1	3	6	6	7	18	6	—		
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Dis. of Joints	16	—	—	—	—	1	1	1	2	5	2	—	1	1	1	2	1	—		
Dis. of Skin	11	4	—	—	—	—	4	—	—	1	—	—	1	1	3	1	—	—		
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Suicide	13	—	—	—	—	—	—	—	—	—	—	5	2	1	3	1	—	—		
Other Violent Deaths	79	11	5	5	1	—	22	5	6	2	4	11	7	5	7	8	2	—		
Other Causes	577	280	33	11	1	2	330	3	—	3	5	7	4	5	29	30	104	38		
205.—LEXDEN.																				
Mean Popul ⁿ , 1861-71	11539	355	354	341	331	324	1705	1624	1407	1038	786	1261	1141	1032	803	525	190	27		
TOTAL DEATHS—	2233	529	143	82	56	30	840	93	62	59	61	106	91	123	159	288	280	63		
Small-pox	7	1	—	—	—	—	1	—	—	1	—	—	—	2	1	1	—	—		
Measles	35	9	15	3	4	1	32	2	1	—	—	—	—	—	—	—	—	—		
Scarlatina	76	5	6	10	16	8	45	23	5	—	2	1	—	—	—	—	—	—		
Diphtheria	26	2	3	6	—	1	12	7	2	—	—	—	—	—	3	2	—	—		
Whooping-cough	65	40	14	6	1	1	62	3	—	—	—	—	—	—	—	—	—	—		
Typhus	85	1	2	5	4	1	13	8	2	9	10	5	7	9	6	4	10	4		
Diarrhoea & Dysentery	68	37	4	4	2	2	49	2	—	—	1	—	1	1	2	1	5	8		
Cholera	4	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	4	1		
Other Zymotic Dis.	66	4	4	4	8	1	21	9	9	2	2	5	1	2	5	4	5	1		
Cancer	41	1	—	—	—	—	1	—	—	—	—	2	4	9	6	15	4	—		
Scrofula and Tuberc.	26	2	5	5	2	2	14	2	3	1	1	2	1	1	1	—	—	—		
Phthisis	196	9	5	2	1	2	19	5	5	29	27	32	25	18	19	6	—	—		
Hydrocephalus	25	9	8	2	2	—	21	4	—	—	—	—	—	—	—	—	—	—		
Dis. of Brain	257	61	13	3	7	1	85	3	7	3	4	6	9	18	23	41	24	4		
Dis. of Heart & Dropsy	163	1	—	—	—	—	1	3	4	3	3	8	9	15	34	58	25	4		
Dis. of Lungs	384	94	37	12	7	5	155	9	1	—	1	11	11	22	18	43	47	8		
Dis. of Stom. & Liver	116	9	5	2	1	1	18	1	3	3	3	3	10	13	18	27	17	—		
Dis. of Kidneys	46	—	—	—	—	—	—	—	1	—	—	3	6	3	6	15	11	1		
Dis. of Genes. Organs	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Dis. of Joints	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—		
Dis. of Skin	13	5	—	1	—	—	6	1	1	—	—	—	—	1	2	3	—	—		
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Suicide	11	—	—	—	—	—	—	—	—	1	—	—	1	4	3	1	1	—		
Other Violent Deaths	90	4	2	6	—	3	15	6	9	12	12	8	2	7	7	10	8	1		
Other Causes	497	234	20	13	1	1	203	3	3	1	1	—	—	3	7	47	123	49		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		206.—WITHAM.																
Mean Popul ⁿ , 1861-71	7903	208	209	204	201	223	1045	1046	1000	739	524	889	868	738	543	359	137	15
TOTAL DEATHS	1721	336	117	62	34	37	586	79	50	51	46	78	103	97	161	222	195	53
Small-pox	8	1	2	-	-	-	3	-	-	2	1	-	-	2	-	-	-	-
Measles	35	8	13	5	1	2	29	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	106	6	11	16	12	20	65	28	5	4	1	3	-	-	-	-	-	-
Diphtheria	18	-	-	-	1	2	7	8	2	-	-	-	1	-	-	-	-	-
Whooping-cough	52	22	17	8	1	3	50	2	-	-	-	-	-	-	-	-	-	-
Typhus	54	-	-	3	2	3	8	6	7	6	4	5	5	5	6	2	-	-
Diarrhœa & Dysentery	51	27	8	1	-	-	36	-	6	-	1	1	1	-	1	6	3	3
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	23	3	2	3	3	1	12	5	3	1	-	2	1	1	4	2	2	-
Cancer	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubes	47	17	6	2	1	-	26	8	1	2	1	-	4	4	4	9	10	3
Phthisis	198	5	2	1	-	1	9	2	8	23	26	38	3	2	2	1	-	-
Hydrocephalus	33	6	12	6	3	1	28	2	1	1	1	-	-	-	-	16	4	-
Dis. of Brain	193	24	6	5	3	1	39	4	4	6	2	5	8	10	23	57	29	6
Dis. of Heart & Dropsy	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Lungs	239	55	21	5	2	1	84	4	1	2	3	8	4	11	27	40	22	4
Dis. of Stom. and Liver	83	7	-	-	1	1	9	-	3	3	1	1	10	5	20	39	10	1
Dis. of Kidneys	28	1	-	-	1	-	2	-	1	-	-	-	-	-	-	5	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	-	-	-
Dis. of Joints	7	1	-	-	-	-	1	-	1	-	-	-	-	-	1	2	-	-
Dis. of Skin	4	2	1	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
Other Violent Deaths	59	2	3	2	-	-	7	3	9	1	2	7	6	5	8	6	3	2
Other Causes	307	149	13	4	2	-	168	1	-	-	1	-	4	1	3	50	61	33

		207.—HALSTEAD.																		
Mean Popul ⁿ , 1861-71		8664	261	228	255	225	240	1209	1098	1004	819	619	1029	946	815	595	390	138	11	
TOTAL DEATHS		1783	400	120	69	44	23	716	74	49	42	61	95	77	72	128	200	204	56	
Small-pox	-	7	1	-	-	1	-	2	-	-	-	1	1	1	1	-	-	-	-	
Measles	-	33	6	11	6	4	3	30	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina	-	84	2	8	16	14	6	43	21	15	1	8	-	-	-	-	-	-	-	
Diphtheria	-	8	-	-	1	1	-	2	3	1	-	1	-	-	-	-	-	1	-	
Whooping-cough	-	30	16	5	5	1	1	28	2	-	-	-	-	-	-	-	-	-	-	
Typhus	-	55	1	4	2	3	3	13	2	7	7	4	6	3	1	2	3	4	-	
Diarrhœa & Dysentery	-	60	31	8	1	-	-	40	5	-	-	-	-	-	2	-	4	16	2	
Cholera	-	3	-	-	2	-	1	3	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	-	40	3	3	4	5	1	16	5	2	1	1	2	2	4	3	8	1	-	
Cancer	-	14	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	5	-	
Scrofula and Tabes	-	22	22	7	4	1	-	34	5	1	2	3	5	-	1	-	-	-	-	
Phthisis	-	195	12	2	3	2	-	19	5	4	11	34	46	33	21	16	1	-	-	
Hydrocephalus	-	41	15	14	2	3	2	36	4	-	-	-	1	-	-	-	-	-	-	
Dis. of Brain	-	208	55	14	10	1	2	82	5	5	1	3	5	6	6	15	47	29	8	
Dis. of Heart & Dropsy	-	163	10	3	-	-	-	13	2	2	4	3	10	5	12	37	39	29	7	
Dis. of Lungs	-	232	55	24	8	5	3	95	5	4	5	1	6	8	4	16	14	6	-	
Dis. of Stom. and Liver	-	73	8	-	1	1	1	11	2	2	3	3	4	7	6	14	14	6	-	
Dis. of Kidneys	-	39	-	-	-	-	-	-	1	-	-	-	5	4	4	4	14	5	1	
Dis. of Gener. Organs	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
Dis. of Joints	-	7	-	-	1	-	-	1	1	2	2	-	-	1	-	-	-	-	-	
Dis. of Skin	-	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	14	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	
Other Violent Deaths	-	45	5	6	1	2	-	14	4	6	2	1	1	4	4	1	3	1	1	
Other Causes	-	384	218	11	2	-	-	231	1	-	1	2	-	1	3	6	24	79	36	

		208.—BRAINTREE.																		
Mean Popul ⁿ , 1861-71		8214	233	212	239	206	219	1109	1021	973	781	599	927	906	794	595	356	142	11	
TOTAL DEATHS	-	1805	448	120	60	42	26	696	75	43	33	56	76	80	116	161	222	199	48	
Small-pox	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	
Measles	-	27	6	8	8	1	2	25	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina	-	63	3	6	5	10	6	33	19	9	2	-	-	-	-	-	-	-	-	
Diphtheria	-	12	1	-	1	2	1	5	4	-	3	-	-	-	-	-	-	-	-	
Whooping-cough	-	42	20	16	3	1	1	41	1	-	-	-	-	-	-	-	-	-	-	
Typhus	-	42	-	2	-	-	-	4	9	5	4	3	6	2	5	2	2	2	-	
Diarrhœa & Dysentery	-	63	31	6	3	-	-	40	-	1	-	-	-	-	5	6	8	3	3	
Cholera	-	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	-	44	3	4	3	5	4	19	6	-	-	1	-	-	1	3	4	8	2	
Cancer	-	40	-	-	-	-	-	-	-	-	-	1	-	2	4	12	16	6	-	
Scrofula and Tabes	-	47	17	7	5	1	-	30	4	5	2	1	2	1	1	-	-	-	-	
Phthisis	-	206	7	6	4	1	1	19	3	5	9	36	44	30	1	17	13	2	-	
Hydrocephalus	-	17	2	8	2	1	2	15	1	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	-	257	73	15	6	7	4	103	7	6	2	4	7	10	10	32	34	26	6	
Dis. of Heart & Dropsy	-	124	3	-	-	2	-	5	4	3	-	1	2	3	12	28	38	20	6	
Dis. of Lungs	-	279	87	30	15	3	1	134	6	1	-	1	6	14	14	21	43	20	7	
Dis. of Stom. and Liver	-	85	16	-	1	1	1	19	5	-	-	-	2	5	13	33	13	6	-	
Dis. of Kidneys	-	50	-	-	-	-	1	1	1	-	1	2	1	1	4	6	6	2	2	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	-	9	-	-	-	-	-	-	1	-	2	-	-	-	1	-	2	-	1	
Dis. of Skin	-	5	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	11	-	3	-	-	-	-	-	-	-	1	-	2	4	1	-	3	1	
Other Violent Deaths	-	61	-	3	1	6	-	10	2	6	-	5	5	7	7	6	4	3	-	
Other Causes	-	334	175	11	2	-	2	190	-	1	-	-	1	1	8	4	23	78	36	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	5- 10- 15- 20- 25- 35- 45- 55- 65- 75- 85- 95- 100-
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- 95- 100-			
206.—WITHAM.																					
Mean Popul ⁿ , 1861-71		8191	234	204	213	216	224	1091	1022	949	715	643	1080	891	726	531	380	138	25		
TOTAL DEATHS		1613	270	94	62	32	32	490	71	51	55	60	101	116	89	109	206	202	63		
Small-pox		4	2	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-		
Measles		22	1	6	9	2	1	19	2	-	1	-	-	-	-	-	-	-	-		
Scarlatina		75	1	4	15	14	12	44	17	12	1	-	1	-	-	-	-	-	-		
Diphtheria		22	1	4	4	1	2	12	7	2	1	-	-	-	-	-	-	-	-		
Whooping-cough		54	28	12	7	4	1	52	2	-	-	-	-	-	-	-	-	-	-		
Typhus		56	-	-	-	-	4	4	4	8	1	7	9	5	3	4	3	1	1		
Diarrhoea & Dysentery		59	23	8	2	1	-	34	-	-	-	-	-	2	-	2	7	1	6		
Cholera		4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.		24	6	2	1	1	-	10	8	2	1	-	-	1	2	2	2	-	1		
Cancer		50	-	-	-	-	-	-	-	-	-	-	3	5	14	9	10	7	2		
Scrofula and Tuberc.		42	9	9	4	1	-	23	4	3	3	1	3	5	14	9	10	7	2		
Fthisis		229	7	6	-	-	2	15	5	8	27	35	69	44	22	10	-	-	-		
Hydrocephalus		24	6	5	2	-	2	15	7	2	-	-	-	-	-	-	-	-	-		
Dis. of Brain		171	19	5	6	3	2	35	5	5	1	4	5	7	11	20	28	36	4		
Dis. of Heart & Dropsy		139	-	-	-	-	-	-	-	-	-	-	6	8	18	17	48	32	2		
Dis. of Lungs		207	48	19	7	2	4	80	5	3	2	2	2	12	4	14	38	37	9		
Dis. of Stom. and Liver		79	3	-	1	1	-	5	1	1	1	3	2	4	8	16	28	9	1		
Dis. of Kidneys		21	-	-	2	-	-	2	1	-	3	2	1	7	3	2	2	-	-		
Dis. of Genes. Organs		11	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-		
Dis. of Joints		8	-	-	-	-	-	-	-	-	-	-	2	3	-	2	1	-	-		
Dis. of Skin		9	7	1	-	-	1	9	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris		17	-	-	-	-	-	-	-	-	-	2	6	9	-	-	-	-	-		
Suicide		3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-		
Other Violent Deaths		22	4	4	-	1	-	9	5	1	1	-	-	-	-	-	-	5	1		
Other Causes		261	104	9	4	1	1	119	2	1	-	2	-	1	2	7	23	63	38		
207.—HALSTEAD.																					
Mean Popul ⁿ , 1861-71		9803	256	260	253	245	255	1269	1149	1086	944	850	1375	1093	836	614	400	160	27		
TOTAL DEATHS		1855	336	115	55	33	38	577	83	51	90	89	139	119	96	138	213	204	56		
Small-pox		7	1	1	1	-	-	3	-	-	-	1	2	1	-	-	-	-	-		
Measles		32	3	9	4	7	3	26	5	1	-	-	-	-	-	-	-	-	-		
Scarlatina		76	2	4	10	9	15	40	28	6	-	2	-	-	-	-	-	-	-		
Diphtheria		7	-	-	2	1	-	3	-	-	1	-	-	-	-	-	-	-	-		
Whooping-cough		34	19	8	3	2	2	34	-	-	-	-	-	-	-	-	-	-	-		
Typhus		77	1	3	-	-	2	6	13	9	8	-	8	9	2	9	6	3	-		
Diarrhoea & Dysentery		47	19	5	1	-	1	26	2	-	-	1	-	-	1	-	5	9	3		
Cholera		6	4	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.		47	6	5	6	1	2	20	3	2	4	-	4	1	2	3	7	-	1		
Cancer		50	-	-	-	-	-	-	-	-	1	-	2	9	15	11	9	2	1		
Scrofula and Tuberc.		49	13	7	8	1	-	29	4	1	1	2	4	2	4	2	-	-	-		
Fthisis		201	5	4	-	1	-	10	6	20	58	58	71	48	15	10	4	1	-		
Hydrocephalus		13	3	1	-	1	-	10	2	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain		228	36	20	5	3	4	68	4	1	3	5	7	9	13	26	41	48	3		
Dis. of Heart & Dropsy		169	3	2	-	-	-	7	2	5	3	4	6	10	21	31	61	24	3		
Dis. of Lungs		211	40	24	6	5	3	78	4	3	5	2	11	5	8	23	41	29	4		
Dis. of Stom. and Liver		83	7	4	1	-	3	15	1	1	1	3	4	11	9	13	17	9	-		
Dis. of Kidneys		21	-	-	-	-	-	-	1	1	-	2	4	5	2	3	3	-	-		
Dis. of Genes. Organs		10	-	-	-	-	-	-	-	-	-	-	4	1	2	2	1	-	-		
Dis. of Joints		8	-	-	-	-	-	-	1	-	2	1	-	-	-	1	2	-	-		
Dis. of Skin		4	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	1		
Childbirth and Metris		21	-	-	-	-	-	-	-	-	1	2	10	8	-	-	-	-	-		
Suicide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths		19	2	4	-	1	2	9	3	-	1	-	2	-	-	-	-	2	-		
Other Causes		334	167	14	5	1	-	187	1	-	1	2	-	2	1	4	26	74	36		
208.—BRAINTREE.																					
Mean Popul ⁿ , 1861-71		8943	260	220	212	220	206	1118	1012	970	899	790	1170	1006	820	594	379	160	25		
TOTAL DEATHS		1798	329	120	59	35	33	574	57	48	83	64	130	112	106	121	202	228	73		
Small-pox		2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-		
Measles		29	4	11	5	1	4	25	2	2	-	-	-	-	-	-	-	-	-		
Scarlatina		47	5	6	9	3	9	32	12	3	-	-	-	-	-	-	-	-	-		
Diphtheria		27	1	1	1	3	2	8	11	3	3	1	-	-	1	-	-	-	-		
Whooping-cough		39	23	20	8	4	3	58	1	-	-	-	-	-	-	-	-	-	-		
Typhus		47	-	1	2	1	3	7	6	7	-	4	3	2	6	4	8	11	6		
Diarrhoea & Dysentery		68	24	8	2	3	-	37	-	-	-	-	1	-	2	1	8	11	6		
Cholera		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.		43	6	2	2	1	1	12	5	3	1	-	3	2	1	5	5	5	1		
Cancer		65	-	-	-	-	-	-	-	-	1	1	4	8	13	21	30	6	1		
Scrofula and Tuberc.		62	21	4	4	1	-	30	7	7	4	6	5	3	2	1	1	1	-		
Fthisis		270	8	9	1	3	1	22	2	12	47	34	70	41	20	14	5	3	-		
Hydrocephalus		12	4	1	2	1	1	9	2	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain		230	33	16	10	5	3	67	8	3	5	3	6	4	16	19	23	41	5		
Dis. of Heart & Dropsy		121	5	2	-	1	-	6	-	1	2	11	5	12	16	41	24	-	-		
Dis. of Lungs		214	61	24	6	4	3	98	1	2	5	3	2	12	8	13	34	32	4		
Dis. of Stom. and Liver		102	5	1	1	-	1	8	1	2	6	3	9	9	15	19	15	12	3		
Dis. of Kidneys		11	-	-	-	-	-	-	-	1	-	1	2	3	1	2	1	-	-		
Dis. of Genes. Organs		8	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-		
Dis. of Joints		10	-	1	-	-	-	-	-	1	-	1	1	2	1	2	-	1	-		
Dis. of Skin		4	1	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-		
Childbirth and Metris		27	-	-	-	-	-	-	-	-	-	5	8	12	2	-	-	-	-		
Suicide		2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-		
Other Violent Deaths		25	4	2	3	1	1	11	4	-	-	-	-	1	1	1	-	-	-		
Other Causes		314	125	11	5	1	1	140	1	1	-	2	2	2	1	1	28	83	51		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
209.—DUNMOW.																			
Mean Popul ⁿ , 1861-71		10157	259	263	262	270	255	1309	1249	1237	1077	683	1125	1050	969	760	506	173	19
TOTAL DEATHS -		1960	398	122	38	48	16	622	92	46	44	59	107	90	117	184	286	254	59
Small-pox - - -		7	1	-	1	-	-	2	1	-	-	-	2	-	1	-	1	-	-
Measles - - -		16	1	5	5	5	-	16	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - -		63	3	6	4	11	12	26	26	5	2	1	1	1	1	-	-	-	-
Diphtheria - -		10	-	1	-	1	-	2	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough -		36	24	8	2	1	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -		56	1	1	1	2	4	9	15	4	7	4	2	5	5	2	3	1	-
Diarrhoea & Dysentery		39	24	7	1	2	-	34	1	2	-	-	1	-	-	3	6	11	1
Cholera - - -		5	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		49	3	1	2	1	2	9	4	2	-	1	4	6	5	4	8	4	2
Cancer - - -		42	-	-	-	-	-	-	-	-	1	-	-	-	-	6	11	14	7
Scrofula and Tubercles		63	29	12	1	3	2	47	5	7	-	2	2	1	1	-	-	-	-
Phthisis - - -		227	5	1	1	2	1	10	5	11	16	34	60	33	32	17	9	-	-
Hydrocephalus - -		33	14	13	2	2	-	31	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - -		234	54	18	6	1	-	79	4	3	8	2	6	7	14	33	53	29	1
Dis. of Heart & Dropsy		125	2	-	-	-	-	3	-	-	5	3	5	6	15	24	36	22	6
Dis. of Lungs - -		228	57	30	7	6	9	104	15	1	1	6	8	13	29	61	38	6	6
Dis. of Stom. and Liver		128	10	2	1	-	1	14	4	1	3	3	4	11	16	26	36	29	9
Dis. of Kidneys - -		37	1	1	-	-	-	2	1	1	1	-	4	-	4	7	8	7	2
Dis. of Gener. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints - -		6	-	-	-	-	-	-	-	2	2	-	-	-	-	1	1	-	-
Dis. of Skin - - -		4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-
Childbirth and Metrisa		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -		6	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-	-
Other Violent Deaths -		48	6	4	1	3	2	16	1	6	1	-	5	2	2	8	4	5	-
Other Causes - - -		414	161	12	3	5	-	181	1	-	2	1	2	7	2	12	55	109	47

210.—SAFFRON WALDEN.

Mean Popul ⁿ , 1861-71		9843	278	272	263	263	265	1341	1219	1176	985	688	1109	1007	913	720	478	183
TOTAL DEATHS -		1941	441	110	53	34	19	657	75	50	42	54	95	89	112	197	264	237
Small-pox -		2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Measles -		13	2	6	1	2	-	11	2	-	-	-	-	-	-	-	-	-
Scarlatina -		47	1	6	8	6	2	23	13	6	3	-	1	-	-	1	-	-
Diphtheria -		28	2	2	4	3	-	11	9	4	2	-	1	-	-	-	1	-
Whooping-cough -		41	24	10	3	4	-	41	-	-	-	-	-	-	-	-	-	-
Typhus -		38	1	1	2	-	2	6	2	4	5	5	6	1	4	1	4	-
Diarrhoea & Dysentery -		60	39	6	-	-	-	45	1	-	-	-	1	1	-	2	5	5
Cholera -		4	-	-	-	-	-	4	1	1	-	-	-	-	-	1	-	1
Other Zymotic Dis. -		36	6	-	6	2	1	15	4	-	-	1	-	-	2	5	4	3
Cancer -		29	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Scrofula and Tubercles -		30	4	3	3	-	2	12	2	5	2	-	2	3	5	7	11	4
Phthisis -		228	2	1	1	1	-	12	9	5	17	34	42	41	31	22	10	-
Hydrocephalus -		31	11	6	5	2	3	26	4	-	-	-	-	1	-	-	-	-
Dis. of Brain -		263	70	18	5	4	1	98	6	4	3	2	8	8	6	29	44	48
Dis. of Heart & Dropsy -		161	3	2	2	-	-	7	3	3	3	3	11	9	17	38	46	20
Dis. of Lungs -		232	53	16	5	4	7	85	13	4	-	3	7	7	19	31	41	25
Dis. of Stom. and Liver -		109	16	5	2	1	-	24	1	1	4	1	2	7	7	25	19	17
Dis. of Kidneys -		39	-	1	-	-	-	1	1	3	-	-	2	-	5	4	12	10
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Dis. of Skin -		6	2	1	-	-	-	3	-	-	-	-	-	-	-	3	-	-
Childbirth and Metrisa -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-
Other Violent Deaths -		62	3	5	2	2	1	13	1	7	3	-	8	2	8	9	7	1
Other Causes -		455	202	21	4	3	1	231	3	5	-	-	3	3	3	10	55	104

211.—RISBRIDGE.

Mean Popul ⁿ , 1861-71		8904	284	254	274	251	255	1318	1200	1097	857	601	986	868	803	618	381	158
TOTAL DEATHS -		1762	420	116	50	45	23	654	78	39	50	41	84	92	97	139	215	228
Small-pox -		5	-	-	-	1	-	1	-	2	1	-	-	1	-	-	2	-
Measles -		17	3	5	2	1	3	14	1	-	-	-	-	-	-	-	-	-
Scarlatina -		79	3	3	7	11	4	33	21	10	8	-	4	1	-	-	1	-
Diphtheria -		17	1	1	4	2	1	9	7	1	-	-	-	-	-	-	-	-
Whooping-cough -		49	23	17	5	4	-	49	-	-	-	-	-	-	-	-	-	-
Typhus -		68	1	4	1	5	2	18	8	6	12	4	6	2	5	6	3	3
Diarrhoea & Dysentery -		80	37	6	5	-	-	50	2	-	1	1	1	2	4	5	7	6
Cholera -		3	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		41	5	4	1	2	3	15	5	2	3	1	1	3	1	4	3	3
Cancer -		21	-	-	-	-	-	-	1	-	-	-	2	1	1	6	7	3
Scrofula and Tubercles -		35	10	8	3	2	1	30	5	1	2	-	7	3	1	1	2	1
Phthisis -		150	1	3	-	-	1	5	4	6	12	19	23	28	23	8	-	-
Hydrocephalus -		17	2	9	3	-	-	14	2	1	-	-	-	-	-	-	-	-
Dis. of Brain -		153	36	10	4	4	2	56	4	2	5	6	8	6	9	12	22	10
Dis. of Heart & Dropsy -		87	4	1	-	1	-	16	1	1	1	-	3	4	11	12	25	12
Dis. of Lungs -		246	51	23	7	7	1	89	5	2	4	4	6	15	17	39	41	28
Dis. of Stom. and Liver -		81	9	1	-	-	1	11	2	1	1	1	7	8	11	30	12	7
Dis. of Kidneys -		22	-	-	1	-	-	1	-	-	-	-	1	-	1	9	4	3
Dis. of Gener. Organs -		2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints -		10	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	-
Dis. of Skin -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metrisa -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-
Other Violent Deaths -		51	3	9	4	1	-	10	7	3	4	-	5	5	5	7	3	2
Other Causes -		507	224	14	8	2	4	247	3	-	1	1	2	1	1	11	67	148

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- & upwards.	
		209.—DUNMOW.																	
Mean Popul ⁿ , 1861-71	9572	290	262	285	245	241	1313	1241	1136	742	644	1144	1064	931	690	455	188	24	
TOTAL DEATHS -	1786	306	103	59	32	27	527	90	43	73	88	112	106	112	130	200	229	70	
Small-pox - - -	3	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	
Measles - - -	21	4	4	4	4	2	18	2	-	1	-	-	-	-	-	-	-	-	
Scarlatina - - -	67	-	4	12	2	6	24	28	10	2	1	1	1	-	-	-	-	-	
Diphtheria - - -	17	1	-	2	3	2	8	7	-	1	-	1	-	-	-	-	-	-	
Whooping-cough -	31	14	6	5	4	1	30	1	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	47	-	1	1	1	-	3	11	4	7	4	5	4	4	2	2	1	-	
Diarrhoea & Dysentery	47	16	4	-	-	3	23	-	1	1	1	1	1	1	2	4	11	3	
Cholera - - -	3	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	
Other Zymotic Dis. -	49	6	4	1	3	4	20	6	4	3	-	1	1	4	7	1	1	1	
Cancer - - -	69	-	-	-	1	-	1	-	-	-	2	2	5	14	16	12	4	3	
Scrofula and Tubercles	84	31	14	6	4	-	55	5	4	3	4	2	3	3	3	2	-	-	
Phthisis - - -	251	1	2	2	-	1	6	8	7	36	55	55	36	26	14	8	-	-	
Hydrocephalus - - -	15	5	7	2	-	1	15	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	198	29	12	9	2	-	52	7	4	2	5	10	2	14	25	40	35	2	
Dis. of Heart & Dropsy	110	1	-	-	-	1	2	-	2	4	3	3	12	10	16	26	19	3	
Dis. of Lungs - - -	232	61	35	9	2	4	111	6	1	2	1	6	7	4	16	31	50	8	
Dis. of Stom. and Liver	114	8	1	3	-	-	12	5	1	5	2	12	7	16	19	26	6	11	
Dis. of Kidneys - - -	15	-	-	-	1	-	1	-	1	-	1	2	3	4	1	2	-	-	
Dis. of Gen. Organs -	12	-	-	-	-	-	-	-	-	-	1	2	3	4	-	1	-	-	
Dis. of Joints - - -	10	-	-	-	-	-	-	-	-	-	1	2	1	3	1	2	-	-	
Dis. of Skin - - -	5	1	-	-	1	-	2	-	-	-	-	-	-	-	1	1	1	-	
Childbirth and Metris	27	-	-	-	-	-	-	-	-	1	4	6	16	-	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Other Violent Deaths -	21	2	3	1	2	1	9	-	3	1	1	-	2	-	-	2	3	-	
Other Causes - - -	347	124	6	2	-	1	133	4	1	1	3	-	2	5	7	36	108	47	

210.—SAFFRON WALDEN.																			
Mean Popul ⁿ , 1861-71		9788	269	273	264	244	260	1310	1212	1171	794	722	1230	1049	914	688	477	193	28
TOTAL DEATHS -		1833	360	105	53	30	21	569	68	54	73	67	120	114	94	138	215	225	96
Small-pox -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -		23	-	5	5	2	3	21	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -		36	6	1	4	6	1	18	8	7	2	1	2	-	-	-	-	-	-
Diphtheria -		22	-	2	4	2	2	10	7	4	1	-	-	-	-	-	-	-	-
Whooping-cough -		33	18	8	4	1	2	33	-	-	-	-	-	-	-	-	-	-	-
Typhus -		62	-	3	-	5	1	7	11	5	-	5	4	2	4	7	5	3	1
Diarrhoea & Dysentery -		53	23	6	4	-	-	27	2	1	-	1	5	1	1	1	3	4	1
Cholera -		5	1	-	-	-	-	1	1	-	-	1	1	1	1	-	-	-	-
Other Zymotic Dis. -		31	4	4	3	-	3	14	1	-	1	1	2	5	2	1	2	2	-
Cancer -		49	-	1	-	-	-	1	-	1	-	-	2	4	10	19	11	1	-
Scrofula and Tubercles -		34	6	2	3	1	1	13	3	5	1	2	5	4	-	-	1	-	-
Phthisis -		254	4	5	2	1	1	13	4	15	33	30	60	49	25	15	6	1	-
Hydrocephalus -		33	11	9	1	2	1	24	4	3	-	-	-	1	-	-	-	-	-
Dis. of Brain -		220	57	14	4	4	1	80	5	2	6	4	2	8	14	25	29	37	6
Dis. of Heart & Dropsy -		157	1	-	-	1	-	2	4	2	6	2	13	9	11	26	44	35	3
Dis. of Lungs -		219	48	27	12	3	3	93	3	3	6	4	9	4	3	22	31	31	10
Dis. of Stom. and Liver -		117	7	2	4	-	1	14	3	4	5	6	7	7	9	15	30	16	1
Dis. of Kidneys -		15	-	-	-	-	-	-	1	-	1	-	1	4	2	3	1	2	-
Dis. of Gen. Organs -		7	-	-	-	-	-	-	-	-	-	-	-	-	5	-	2	-	-
Dis. of Joints -		5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-
Dis. of Skin -		6	3	-	-	-	-	3	2	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris -		26	-	-	-	-	-	-	-	-	1	4	13	8	-	-	-	-	-
Selficide -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		24	3	2	1	4	-	10	2	2	-	1	1	-	1	4	2	1	-
Other Causes -		659	165	11	2	-	1	179	5	-	-	-	1	4	2	3	44	21	70

211.—RISBRIDGE.																			
Mean Popul ⁿ , 1861-71		9021	280	251	260	241	251	1283	1164	1051	822	740	1098	962	758	542	389	188	24
TOTAL DEATHS -		1742	343	108	53	43	27	574	76	51	72	83	117	85	112	111	183	207	71
Small-pox -		3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
Measles -		13	1	2	3	2	1	9	2	1	-	-	-	-	-	-	-	-	-
Scarlatina -		63	2	4	11	10	7	34	20	3	5	-	1	-	-	-	-	-	-
Diphtheria -		13	1	1	3	1	1	7	4	1	-	1	-	-	-	-	-	-	-
Whooping-cough -		53	54	13	5	3	1	56	2	-	-	-	-	-	-	-	-	-	-
Typhus -		78	2	1	1	6	3	13	6	10	11	9	2	3	9	5	1	1	1
Diarrhoea & Dysentery -		62	22	13	-	1	1	37	4	-	1	2	-	-	1	1	6	6	2
Cholera -		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis. -		29	4	2	4	1	-	11	4	2	1	1	1	1	1	1	4	2	-
Cancer -		39	-	-	-	-	-	1	-	-	-	-	-	-	15	11	4	4	-
Scrofula and Tubercles -		71	13	10	6	1	-	32	5	7	6	2	7	5	7	1	1	-	-
Phthisis -		244	3	4	1	-	1	9	6	18	33	49	56	37	23	11	2	-	-
Hydrocephalus -		15	1	8	-	2	2	13	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -		118	27	5	4	3	-	39	3	3	2	3	4	3	8	17	18	15	3
Dis. of Heart & Dropsy -		98	2	-	-	-	-	2	2	-	1	2	5	9	12	14	32	18	1
Dis. of Lungs -		209	34	22	9	7	5	79	6	2	8	3	6	8	12	22	30	35	4
Dis. of Stom. and Liver -		76	10	3	-	-	5	16	1	-	1	1	7	3	11	11	20	5	-
Dis. of Kidneys -		5	-	-	-	-	-	-	1	-	-	1	1	-	-	-	2	-	-
Dis. of Gen. Organs -		6	-	1	-	-	-	1	-	-	-	1	1	-	-	2	1	-	-
Dis. of Joints -		7	1	-	-	-	-	1	-	-	-	1	-	-	-	5	-	1	-
Dis. of Skin -		4	1	-	-	-	1	2	1	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris -		26	-	-	-	-	-	-	-	-	2	5	12	7	-	-	-	-	-
Selficide -		18	4	1	-	-	-	8	-	-	-	1	1	-	2	1	1	1	-
Other Violent Deaths -		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes -		462	177	18	6	5	1	207	5	2	6	1	4	5	3	11	52	135	50

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	Total under 5 Years.	Total under 1 Year.	as above.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75						
212.—SUDBURY.																					
Mean Popul ⁿ , 1861-71	15502	443	445	440	405	445	2178	1945	1823	1463	1091	1827	1667	1417	1080	721	262	28			
TOTAL DEATHS -	3212	748	192	92	82	40	1163	140	92	85	96	155	159	182	248	416	368	90			
Small-pox - - -	19	2	-	-	1	-	3	3	1	2	4	1	1	3	-	1	-	-			
Measles - - -	69	7	21	7	11	5	81	8	1	-	-	-	-	-	-	-	-	-			
Scarlatina - - -	175	8	14	12	25	15	75	47	39	5	4	4	1	-	-	-	-	-			
Diphtheria - - -	18	2	1	1	2	3	9	4	-	1	-	3	-	-	1	-	-	-			
Whooping-cough -	53	51	11	5	3	2	52	1	-	-	-	-	-	-	-	-	-	-			
Typhus - - -	90	3	3	6	2	1	15	14	5	12	4	7	7	7	8	5	3	-			
Diarrhoea & Dysentery	123	59	13	2	-	-	74	1	1	-	-	-	1	1	2	6	18	13	4		
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Zymotic Dis.	77	5	5	9	6	4	29	9	3	5	2	3	2	3	3	11	6	1			
Cancer - - -	49	-	-	-	-	-	-	-	-	1	-	1	1	6	19	14	6	1			
Scrofula and Tuberc.	60	14	13	4	3	2	36	2	3	2	4	3	1	2	6	1	-	-			
Phthisis - - -	821	15	3	3	2	-	23	8	6	37	50	60	60	88	23	7	-	-			
Hydrocephalus - -	81	29	22	4	9	-	64	13	3	-	1	-	-	-	-	-	-	-			
Dis. of Brain - - -	411	75	27	8	5	6	121	13	9	4	4	19	9	23	33	94	64	13			
Dis. of Heart & Dropsy	183	4	1	-	1	-	6	2	5	2	1	8	9	15	82	38	41	4			
Dis. of Lungs - - -	415	123	27	8	7	4	169	5	2	1	3	10	22	26	46	70	48	11			
Dis. of Stom. and Liver	149	13	-	2	-	1	16	3	4	-	2	7	18	22	42	40	12	3			
Dis. of Kidneys - -	68	1	-	1	-	-	2	3	1	1	2	5	7	8	24	15	1	-			
Dis. of Genes. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints - - -	7	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1	3	2			
Dis. of Skin - - -	14	3	-	-	-	-	4	-	-	-	-	-	-	3	2	3	-	-			
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Suicide - - -	13	-	-	-	-	-	-	-	-	-	-	1	1	5	3	3	-	-			
Other Violent Deaths	127	7	3	8	1	4	23	10	6	9	11	15	13	13	14	5	8	-			
Other Causes - - -	693	347	28	11	4	-	390	3	3	2	4	1	7	7	15	27	146	61			

213.—COSFORD.																				
Mean Popul ⁿ , 1861-71	8641	258	233	239	247	251	1228	1067	1016	816	602	978	894	782	656	414	172	16		
TOTAL DEATHS -	1639	356	94	55	32	37	574	85	46	37	42	64	74	85	158	226	195	53		
Small-pox - - -	2	-	-	-	-	-	21	1	-	-	-	1	-	-	-	-	-	-		
Measles - - -	27	3	5	6	4	3	38	39	11	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	82	2	7	11	5	13	38	20	11	-	2	1	-	-	-	-	-	-		
Diphtheria - - -	25	-	5	-	2	3	8	19	6	2	-	-	-	-	-	-	-	-		
Whooping-cough -	42	23	10	6	1	1	40	2	3	-	6	1	3	6	4	1	5	-		
Typhus - - -	38	-	-	-	1	3	4	4	3	-	1	2	-	-	-	-	-	-		
Diarrhoea & Dysentery	38	18	1	5	1	2	27	1	-	-	1	-	-	1	-	-	-	-		
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	39	1	-	2	3	4	10	8	2	2	-	-	-	2	3	5	4	-		
Cancer - - -	23	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	9	4		
Scrofula and Tuberc.	50	13	6	5	2	-	26	4	1	4	3	1	2	3	5	-	1	-		
Phthisis - - -	127	3	1	2	-	-	6	2	3	11	20	29	21	16	15	3	1	-		
Hydrocephalus - -	24	12	7	-	2	1	22	1	-	1	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	162	20	12	2	1	3	38	4	2	2	2	7	5	25	42	21	2	-		
Dis. of Heart & Dropsy	102	4	-	-	-	1	5	-	3	-	1	5	5	3	39	12	1	-		
Dis. of Lungs - - -	247	62	21	6	6	2	97	6	2	5	3	9	11	13	25	46	29	3		
Dis. of Stom. and Liver	91	11	2	2	-	-	15	1	5	1	-	5	5	9	22	22	3	-		
Dis. of Kidneys - -	68	-	-	1	1	1	3	1	2	4	1	3	5	9	8	24	6	2		
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	9	-	-	1	-	-	1	2	1	-	-	-	1	1	-	1	2	1		
Dis. of Skin - - -	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	10	-	-	-	-	-	-	-	-	-	-	-	2	-	4	3	1	-		
Other Violent Deaths	50	4	2	2	2	-	10	5	5	3	1	3	6	7	11	5	8	-		
Other Causes - - -	387	180	17	4	2	-	203	1	-	1	2	2	1	2	6	29	102	42		

214.—THINGOE.																				
Mean Popul ⁿ , 1861-71	8981	224	238	244	230	235	1171	1147	1073	908	662	969	919	841	678	429	182	22		
TOTAL DEATHS -	1554	395	77	26	24	22	544	56	35	43	53	92	69	89	122	198	185	68		
Small-pox - - -	7	2	-	-	-	-	2	-	-	-	-	-	-	3	-	-	-	-		
Measles - - -	11	3	3	-	-	-	5	1	-	-	1	-	-	-	1	-	-	-		
Scarlatina - - -	41	4	1	6	4	8	23	13	2	1	1	-	1	-	-	-	-	-		
Diphtheria - - -	18	2	2	-	2	4	10	5	2	-	-	1	-	-	-	-	-	-		
Whooping-cough -	25	21	4	-	-	-	25	-	9	6	2	3	3	3	2	2	8	-		
Typhus - - -	38	1	-	-	1	1	3	3	-	-	-	-	-	-	-	-	-	-		
Diarrhoea & Dysentery	30	17	2	1	-	-	20	-	-	1	-	-	-	1	2	6	5	1		
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
Other Zymotic Dis.	28	3	3	5	5	1	17	5	1	-	-	1	-	-	2	-	-	-		
Cancer - - -	31	-	-	-	-	-	-	-	-	1	-	1	2	6	11	6	4	-		
Scrofula and Tuberc.	36	10	5	-	3	-	18	2	2	4	2	3	3	1	-	1	-	-		
Phthisis - - -	187	11	4	-	-	-	15	3	6	13	33	55	30	17	9	-	-	-		
Hydrocephalus - -	41	11	15	4	4	1	35	5	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	175	30	7	1	-	-	38	3	4	5	5	6	8	7	21	35	29	9		
Dis. of Heart & Dropsy	124	1	-	-	-	1	2	4	1	3	1	3	2	11	26	41	29	1		
Dis. of Lungs - - -	187	45	11	4	3	2	65	4	-	1	4	8	5	14	17	57	25	11		
Dis. of Stom. and Liver	74	16	1	-	1	1	19	-	1	1	2	5	5	9	12	9	5	2		
Dis. of Kidneys - -	42	-	-	-	-	-	-	-	1	1	-	-	2	4	5	2	13	3		
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin - - -	6	1	-	-	-	-	1	-	-	1	-	-	-	-	2	-	1	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	15	-	-	-	-	-	-	-	-	-	-	-	-	5	5	5	3	1		
Other Violent Deaths	45	1	6	1	-	-	5	6	5	3	2	5	3	5	7	7	29	67		
Other Causes - - -	384	216	16	4	1	1	238	1	-	3	1	3	1	5	7	29	67	41		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	5- 10- 15- 20- 25- 35- 45- 55- 65- 75- 85 & upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Total under 1 Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17			18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111

213.—COSFORD.																				
Mean Popul ⁿ , 1861-71		8504	230	228	241	231	227	1157	1040	955	708	680	1083	969	763	596	428	189	26	
TOTAL DEATHS -		1697	297	81	45	50	26	479	64	53	62	61	124	90	103	130	193	228	98	
Small-pox - - - -		1	-	-	-	-	-	17	3	-	1	-	-	-	-	-	-	-	-	
Measles - - - - -		20	-	9	4	2	2	17	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - - -		62	5	5	9	9	37	12	4	4	-	1	2	1	-	-	1	-	-	
Diphtheria - - - -		33	-	5	-	1	3	9	10	8	5	2	-	1	-	-	-	-	-	
Whooping-cough -		33	17	9	5	-	2	33	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -		42	-	1	1	2	1	5	8	1	-	4	4	6	4	1	3	1	-	
Diarrhoea & Dysentery		33	16	7	1	-	-	24	-	1	-	1	-	1	-	3	2	1	-	
Cholera - - - - -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.		25	1	2	3	2	-	8	2	2	-	-	1	1	3	1	2	3	-	
Cancer - - - - -		47	-	-	-	-	-	-	-	-	-	-	3	7	13	10	10	3	1	
Scrofula and Tuberc.		59	16	3	-	1	-	20	1	3	3	2	3	3	4	3	1	2	-	
Phthisis - - - - -		218	1	-	1	1	1	4	7	19	29	36	60	54	29	9	-	-	-	
Hydrocephalus - -		9	1	1	3	2	-	7	1	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -		174	15	4	4	2	4	29	2	5	7	3	13	9	14	34	35	20	3	
Dis. of Heart & Dropsy		109	2	-	-	-	-	5	-	1	2	1	6	9	5	15	34	27	3	
Dis. of Lungs - - -		237	49	23	10	3	3	90	8	12	2	7	6	16	15	43	39	6	6	
Dis. of Stom. and Liver		96	4	1	-	1	-	6	3	2	3	3	6	16	15	34	11	2	-	
Dis. of Kidneys - -		19	-	-	-	-	-	-	1	-	1	1	4	-	3	6	1	2	-	
Dis. of Genes. Organs		13	-	-	-	-	-	-	-	-	-	2	-	4	4	2	1	-	-	
Dis. of Joints - - -		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin - - - -		3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris		11	-	-	-	-	-	-	-	2	-	-	6	3	-	-	-	-	-	
Selficide - - - - -		4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	
Other Violent Deaths		16	4	-	2	1	-	7	4	-	-	-	1	1	-	2	-	2	-	
Other Causes - - -		438	164	11	2	1	-	178	4	-	-	-	4	1	1	8	34	125	83	

214.—THINGOE.																				
Mean Popul ⁿ , 1861-71		8038	263	239	242	210	247	1201	1132	1023	738	660	1114	967	846	632	424	175	26	
TOTAL DEATHS -		1564	291	70	38	31	9	439	57	48	79	76	106	86	77	119	209	191	77	
Small-pox - - - -		2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Measles - - - - -		15	4	4	4	1	1	14	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - - -		39	2	2	5	5	1	19	11	5	-	1	1	2	1	-	-	-	-	
Diphtheria - - - -		38	-	1	3	7	2	13	9	9	1	1	1	2	1	1	-	-	-	
Whooping-cough -		32	19	8	3	1	-	31	-	1	-	-	-	-	-	-	-	-	-	
Typhus - - - - -		41	-	1	2	1	-	4	8	3	6	3	4	3	3	6	1	-	-	
Diarrhoea & Dysentery		35	9	1	-	2	-	12	-	-	-	-	-	1	-	-	3	6	3	
Cholera - - - - -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.		25	1	2	3	2	3	11	2	-	-	1	-	1	1	1	5	1	2	
Cancer - - - - -		63	-	-	-	-	-	-	-	-	-	-	3	11	6	18	17	8	-	
Scrofula and Tuberc.		20	1	3	-	-	-	4	3	1	4	5	1	-	-	-	-	-	-	
Phthisis - - - - -		256	7	4	1	1	-	15	8	17	42	43	60	59	25	11	6	1	-	
Hydrocephalus - -		25	9	6	3	2	-	19	3	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -		167	21	4	4	1	-	60	4	3	10	4	5	6	8	23	41	22	11	
Dis. of Heart & Dropsy		147	2	-	-	-	-	2	1	2	4	4	6	3	12	35	46	37	4	
Dis. of Lungs - - -		188	37	17	4	3	1	62	3	1	1	3	3	9	7	39	39	19	12	
Dis. of Stom. and Liver		87	14	1	-	1	-	16	3	1	3	3	8	5	7	12	16	10	1	
Dis. of Kidneys - -		16	1	-	-	1	-	2	-	-	1	2	-	1	1	4	4	1	-	
Dis. of Genes. Organs		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -		9	-	1	-	-	-	1	-	-	-	-	-	-	-	1	2	2	-	
Dis. of Skin - - - -		6	3	-	-	-	-	3	-	-	-	-	1	-	1	-	1	-	-	
Childbirth and Metris		22	-	-	-	-	-	-	-	1	4	11	5	1	-	-	-	-	-	
Selficide - - - - -		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Other Violent Deaths		17	2	1	-	3	-	6	-	1	3	-	1	-	1	1	3	2	1	
Other Causes - - -		316	127	14	3	-	1	173	1	-	5	2	1	1	1	1	21	62	43	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
215.—BURY ST. EDMUNDS.																			
Mean Popul ⁿ , 1861-71		6464	163	158	166	176	164	827	826	812	663	451	803	697	1607	414	260	91	13
TOTAL DEATHS -		1753	394	103	45	20	29	591	70	29	54	54	123	118	143	174	195	159	43
Small-pox - - -		18	5	-	-	-	-	5	2	2	-	2	1	3	1	1	-	1	-
Measles - - - -		55	13	18	12	3	3	49	5	1	-	-	-	-	-	-	-	-	-
Scarlatina - - -		46	3	6	4	7	6	26	13	3	3	-	1	-	-	-	-	-	-
Diphtheria - - -		10	-	1	2	-	3	6	1	-	3	-	-	-	-	-	-	-	-
Whooping-cough -		32	19	7	3	1	-	30	1	1	-	-	-	-	-	-	-	-	-
Typhus - - - - -		43	1	2	3	-	3	9	5	3	-	2	3	3	4	5	4	2	-
Diarrhoea & Dysentery		64	37	6	-	1	-	44	-	-	-	1	-	-	1	3	3	11	1
Cholera - - - - -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.		33	6	4	2	2	2	16	1	-	-	-	-	2	3	2	2	1	1
Cancer - - - - -		23	-	-	-	1	-	1	-	-	-	1	-	1	4	8	7	1	-
Scrofula and Tuberc.		32	10	4	-	-	-	14	2	4	3	1	3	-	1	4	-	-	-
Phthisis - - - -		244	5	4	4	-	1	14	7	4	23	24	64	52	29	18	9	-	-
Hydrocephalus - -		44	15	15	4	-	2	36	7	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -		229	54	8	5	1	5	73	6	3	3	3	8	10	13	28	46	30	6
Dis. of Heart & Dropsy		121	-	-	-	-	-	-	2	-	3	2	9	12	17	22	33	20	7
Dis. of Lungs - - -		216	45	12	3	2	-	62	5	1	2	3	7	12	13	40	51	32	5
Dis. of Stom. and Liver		85	6	1	-	-	1	8	2	1	2	6	5	6	20	15	13	6	1
Dis. of Kidneys - -		49	1	3	1	-	-	5	1	-	2	2	2	3	3	8	14	7	2
Dis. of Gen. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -		12	-	1	-	1	-	2	1	1	1	-	4	1	-	2	-	-	-
Dis. of Skin - - - -		11	2	-	-	-	-	2	-	-	-	-	-	-	5	1	2	1	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -		9	-	-	-	-	-	-	-	-	-	1	1	1	5	1	-	-	-
Other Violent Deaths -		79	4	2	1	-	3	10	6	3	6	4	10	6	12	10	12	-	-
Other Causes - - - -		296	168	9	1	1	-	179	3	1	-	2	3	6	12	5	19	44	27

216.—MILDENHALL.																		
Mean Popul ⁿ , 1861-71		4655	127	129	118	132	127	633	575	560	468	337	511	472	447	336	216	88
TOTAL DEATHS		913	224	63	26	15	8	336	45	20	32	27	42	38	57	61	110	31
Small-pox		4	1	—	1	—	—	2	—	—	1	—	—	—	1	—	—	—
Measles		14	1	7	1	3	1	13	—	1	—	—	—	—	—	—	—	—
Scarlatina		33	—	1	5	6	3	15	11	4	2	1	—	—	—	—	—	—
Diphtheria		9	1	1	2	—	—	4	1	—	1	—	1	—	1	1	—	—
Whooping-cough		15	9	3	2	—	—	14	1	—	—	—	3	—	—	—	—	—
Typhus		39	—	1	2	—	—	8	6	1	—	—	3	—	1	1	2	—
Diarrhoea & Dysentery		15	6	1	—	1	—	6	—	—	—	—	—	—	1	—	3	—
Cholera		1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		10	—	1	—	—	—	1	3	—	2	—	—	—	1	—	2	1
Cancer		10	—	—	—	—	—	—	—	—	—	—	—	1	4	1	3	1
Scrofula and Tuberc.		16	1	1	2	—	—	4	—	1	4	1	2	3	—	1	—	—
Phthisis		103	5	6	—	—	—	11	5	5	14	15	17	16	10	8	3	1
Hydrocephalus		8	2	1	2	—	—	5	1	1	—	—	—	—	1	—	—	—
Dis. of Brain		91	21	3	2	1	—	27	2	—	1	2	6	3	8	12	19	8
Dis. of Heart & Dropsy		77	1	2	1	—	—	4	2	1	2	—	4	4	9	10	23	13
Dis. of Lungs		103	32	11	2	—	1	46	5	—	2	—	1	4	4	9	19	14
Dis. of Stom. and Liver		46	13	3	—	1	—	17	1	—	—	1	1	1	3	7	12	3
Dis. of Kidneys		20	—	—	—	—	—	—	—	—	—	1	—	2	3	2	3	9
Dis. of Gen. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Dis. of Skin		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		31	4	1	1	—	2	8	2	4	—	3	3	3	3	1	1	—
Other Causes		280	127	20	3	3	1	154	4	1	—	—	4	4	7	6	17	60

217.—STOW.																		
Mean Popul ⁿ , 1861-71		10361	315	276	284	271	277	1423	1271	1208	1039	744	1205	1070	973	718	479	205
TOTAL DEATHS		2601	489	112	47	46	28	722	80	38	54	81	104	103	113	161	223	79
Small-pox		5	1	—	—	1	—	2	1	—	—	1	—	—	—	1	—	—
Measles		20	6	6	3	2	1	18	1	—	1	—	—	—	—	—	—	—
Scarlatina		45	1	5	8	9	7	30	12	3	—	—	—	—	—	—	—	—
Diphtheria		23	1	5	—	4	4	14	3	1	2	2	1	—	—	—	—	—
Whooping-cough		42	19	15	4	3	—	41	1	—	—	—	—	—	—	—	—	—
Typhus		67	1	—	1	1	2	4	9	8	8	11	4	7	5	7	4	—
Diarrhoea & Dysentery		53	23	4	1	1	—	29	—	—	1	—	1	1	1	4	5	7
Cholera		3	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—
Other Zymotic Dis.		36	8	2	2	1	—	13	1	3	2	—	—	1	—	4	7	1
Cancer		23	—	—	—	—	—	—	—	—	—	—	—	1	2	9	7	2
Scrofula and Tuberc.		67	23	10	2	2	—	37	5	5	2	4	1	7	4	2	—	—
Phthisis		229	4	2	1	1	1	9	8	8	16	40	66	49	22	10	1	—
Hydrocephalus		31	9	2	3	9	1	24	4	1	2	—	—	—	—	—	—	—
Dis. of Brain		190	27	12	7	5	5	54	11	2	3	8	5	4	10	27	36	27
Dis. of Heart & Dropsy		140	1	—	—	—	—	1	—	1	5	3	6	7	31	25	40	27
Dis. of Lungs		227	64	25	5	2	2	98	6	2	3	2	2	9	8	24	43	29
Dis. of Stom. and Liver		104	13	4	2	—	2	21	2	—	5	2	4	7	20	19	31	5
Dis. of Kidneys		40	1	—	—	—	—	1	1	—	1	1	2	4	2	7	11	10
Dis. of Gen. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		9	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
Dis. of Skin		11	4	—	—	—	—	4	3	1	—	—	1	—	2	1	2	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		5	—	—	—	—	—	—	—	—	—	1	—	—	1	1	2	—
Other Violent Deaths		61	2	4	3	4	1	14	6	3	4	5	5	4	6	3	5	1
Other Causes		570	279	16	6	3	2	306	6	—	—	1	3	2	9	13	41	130

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 upwards.
215.—BURY ST. EDMUNDS.																		
Mean Popul ⁿ , 1861-71.	7659	182	178	165	154	161	840	807	804	851	721	1084	845	694	519	336	140	18
TOTAL DEATHS -	1566	308	101	41	38	16	504	65	25	44	52	77	108	104	135	185	200	58
Small-pox - - -	9	1	-	-	-	-	1	-	2	1	1	1	3	-	-	-	-	-
Measles - - - -	39	7	14	7	6	-	34	5	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	38	4	5	5	6	2	22	9	4	-	-	2	-	-	1	-	-	-
Diphtheria - - -	12	-	2	-	2	2	6	4	-	-	1	-	-	-	1	-	-	-
Whooping-cough -	49	15	20	6	4	-	45	4	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	51	-	3	2	2	1	8	3	4	1	3	4	6	3	3	9	7	-
Diarrhoea & Dysentery	61	31	7	1	-	-	39	-	-	-	-	1	-	2	-	4	13	3
Cholera - - - - -	4	1	-	-	1	-	2	-	-	-	-	1	-	-	1	1	7	2
Other Zymotic Dis.	34	1	6	-	2	1	10	9	2	-	1	1	-	-	-	-	-	-
Cancer - - - - -	59	-	-	-	-	-	-	-	-	2	-	1	10	18	16	9	3	-
Scrofula and Tuberc.	22	11	3	2	-	-	16	-	2	-	-	2	1	1	-	-	-	-
Phthisis - - - -	212	5	6	7	1	-	19	8	6	21	33	39	42	25	12	6	1	-
Hydrocephalus - -	19	6	1	-	2	4	14	2	3	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	163	26	6	1	2	2	37	6	-	3	3	6	2	10	25	31	41	9
Dis. of Heart & Dropsy	123	3	-	1	-	-	4	6	-	4	2	3	12	15	25	27	26	4
Dis. of Lungs - - -	200	50	14	6	4	9	76	4	-	3	3	5	8	8	21	30	39	6
Dis. of Stom. and Liver	80	8	1	-	1	-	10	-	1	3	3	9	9	9	19	15	7	1
Dis. of Kidneys - -	17	-	-	-	-	-	-	-	-	-	1	1	3	-	3	3	5	1
Dis. of Genes. Organs	14	-	-	-	-	-	-	-	-	-	-	-	1	6	2	3	-	-
Dis. of Joints - - -	4	-	-	-	1	-	1	-	-	2	-	-	1	-	-	-	-	-
Dis. of Skin - - - -	7	2	-	-	-	1	3	-	-	-	-	-	-	-	1	1	2	-
Childbirth and Metris	20	-	-	-	-	-	-	-	-	1	3	6	9	1	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	23	4	1	-	-	1	6	2	1	2	1	2	-	-	2	-	5	2
Other Causes - - -	270	133	12	3	3	-	151	3	-	1	-	-	1	5	2	18	37	32

216.—MILDENHALL.																		
Mean Popul ⁿ , 1861-71	4754	122	133	132	130	121	638	615	577	420	352	584	509	418	336	205	85	15
TOTAL DEATHS	915	185	52	11	19	11	278	38	27	37	35	64	59	55	60	105	116	41
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	4	2	1	1	1	9	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	30	4	7	-	6	3	20	5	3	1	1	-	-	-	-	-	-	-
Diphtheria	13	-	-	1	1	2	4	5	2	1	1	-	-	-	-	-	-	-
Whooping-cough	18	12	3	1	-	-	16	2	-	-	-	-	-	-	-	-	-	-
Typhus	41	2	1	-	-	1	4	4	4	5	7	2	3	6	1	2	2	1
Diarrhoea & Dysentery	14	5	4	-	-	-	9	-	-	-	-	1	-	-	-	1	3	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	14	1	-	1	-	-	2	3	1	2	-	1	-	2	1	1	-	-
Cancer	35	-	-	-	-	-	-	-	1	-	-	-	4	7	12	8	3	-
Scrofula and Tuberc.	12	1	-	-	-	1	2	-	1	-	1	-	2	2	-	1	-	-
Phthisis	132	8	1	-	2	1	12	2	8	15	16	38	23	8	5	4	1	-
Hydrocephalus	5	3	-	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	75	14	1	1	-	-	16	7	-	2	1	3	1	6	9	12	14	4
Dis. of Heart & Dropsy	90	3	2	1	1	-	7	-	2	5	-	2	9	11	18	21	9	1
Dis. of Lungs	72	20	7	1	3	-	31	4	1	2	-	2	5	5	8	12	7	2
Dis. of Stom. and Liver	44	5	2	1	2	-	10	1	2	-	2	4	2	3	6	11	3	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Dis. of Genes. Organs	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	13	-	-	-	-	-	-	-	-	-	1	4	8	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	16	2	2	1	2	1	8	-	-	1	-	1	1	-	-	2	2	1
Other Causes	272	100	20	1	1	1	123	2	2	-	4	1	1	5	4	28	70	32

217.—STOW.																		
Mean Popul ⁿ , 1861-71	10591	307	276	294	283	283	1443	1302	1238	929	857	1343	1135	927	695	481	207	34
TOTAL DEATHS	1997	372	120	47	31	33	603	74	49	76	78	164	115	117	151	206	268	96
Small-pox	7	1	-	-	-	1	2	-	-	2	-	-	1	-	-	-	2	-
Measles	19	4	7	1	2	2	16	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	2	5	5	11	3	33	30	5	-	-	2	-	-	-	1	-	-
Diphtheria	26	2	2	2	3	2	11	7	4	1	1	-	-	-	-	1	-	-
Whooping-cough	48	25	18	5	4	1	48	-	-	-	-	-	-	-	-	-	-	-
Typhus	56	4	1	4	-	-	15	-	3	10	8	12	7	8	7	6	4	-
Diarrhoea & Dysentery	29	25	5	1	1	1	83	2	-	-	-	4	-	1	2	6	9	2
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	6	3	2	1	3	15	2	-	1	-	1	-	-	1	1	1	-
Cancer	70	-	-	-	-	-	-	-	-	1	-	4	6	30	20	10	8	1
Scrofula and Tuberc.	61	17	10	3	1	2	33	3	4	3	2	7	4	4	1	-	-	-
Phthisis	274	6	3	2	-	3	14	8	12	41	47	77	35	27	11	2	-	-
Hydrocephalus	12	1	5	3	1	-	10	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	191	16	10	4	1	1	32	7	9	3	3	10	9	9	19	40	43	7
Dis. of Heart & Dropsy	145	5	-	-	-	-	5	-	2	4	7	8	15	9	26	42	24	5
Dis. of Lungs	195	47	29	6	3	3	88	6	6	4	-	3	10	9	16	26	24	4
Dis. of Stom. and Liver	118	12	1	-	1	1	15	2	1	4	1	11	7	12	22	20	17	6
Dis. of Kidneys	17	-	-	-	-	1	1	-	-	1	1	4	2	1	2	3	1	1
Dis. of Genes. Organs	19	-	-	-	-	-	-	-	-	-	-	1	7	3	2	1	1	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin	7	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	1	-
Childbirth and Metris	28	-	-	-	-	-	-	-	-	-	4	10	7	1	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Other Violent Deaths	27	-	3	5	1	1	10	-	1	-	1	2	1	4	1	2	1	-
Other Causes	496	199	25	1	1	-	224	3	2	-	1	1	1	7	6	12	38	70

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 1 Year.	Total under 5 Years.	25- 34
		1	2	3	4	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-						
218.—HARTISMERE.																						
Mean Popul ⁿ , 1861-71 -	8585	248	231	227	227	239	1172	1089	1070	839	608	922	858	789	630	406	177	25				
TOTAL DEATHS -	1787	448	113	59	31	25	676	66	50	42	51	73	76	102	134	205	224	88				
Small-pox - - -	3	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-				
Measles - - - -	17	5	3	5	1	1	15	2	-	-	-	-	-	-	-	-	-	-				
Scarlatina - - -	32	4	5	11	5	7	32	10	4	3	2	1	-	-	-	-	-	-				
Diphtheria - - -	36	1	1	4	4	5	16	13	5	1	1	-	-	-	1	-	-	-				
Whooping-cough -	30	17	8	4	-	1	30	-	-	-	-	-	-	-	-	-	-	-				
Typhus - - - - -	45	-	-	1	3	-	4	4	4	7	5	6	3	8	5	2	2	2				
Diarrhoea & Dysentery	29	12	4	1	-	-	17	-	-	-	-	-	1	1	2	3	4	1				
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Other Zymotic Dis. -	35	5	4	4	2	2	17	2	4	1	-	-	3	1	-	4	5	-				
Cancer - - - - -	23	-	-	1	-	-	1	-	-	-	-	2	1	5	7	6	3	1				
Scrofula and Tabes -	53	51	4	3	4	-	42	-	1	2	2	-	3	2	2	2	1	-				
Phthisis - - - -	201	5	7	2	-	-	14	7	4	15	27	38	35	24	28	6	2	-				
Hydrocephalus - -	32	11	7	5	1	2	26	5	1	-	-	-	-	-	-	-	-	-				
Dis. of Brain - - -	189	63	11	4	1	1	80	4	5	3	1	2	5	10	15	34	26	3				
Dis. of Heart & Dropsy	102	3	1	-	-	1	5	2	2	-	1	4	7	19	34	23	1	-				
Dis. of Lungs - - -	233	65	30	8	6	3	112	3	1	1	4	6	5	17	21	41	25	7				
Dis. of Stom. and Liver	88	14	5	1	1	-	21	1	4	1	1	2	5	9	14	18	10	1				
Dis. of Kidneys - -	51	-	-	-	-	-	-	1	3	-	1	4	4	8	6	14	8	1				
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Dis. of Joints - - -	6	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	1	-				
Dis. of Skin - - - -	10	3	2	-	-	-	5	1	-	-	-	-	-	1	-	2	1	-				
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Suicide - - - - -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Other Violent Deaths -	61	7	5	-	2	1	15	8	10	5	5	3	-	6	5	2	2	-				
Other Causes - - - -	454	201	15	5	1	1	228	2	2	2	-	3	3	3	10	34	100	73				

219.—HOXNE.																						
Mean Popul ⁿ , 1861-71	7318	229	211	213	209	197	1059	948	877	686	494	761	746	644	546	373	157	27				
TOTAL DEATHS -	1350	354	92	29	24	14	513	45	17	35	43	56	58	57	96	177	192	61				
Small-pox -	2	-	-	-	-	-	9	2	-	-	-	1	-	-	-	-	-	-				
Measles -	12	3	5	-	-	1	9	-	-	-	-	-	1	-	-	-	-	-				
Scarlatina -	17	-	2	2	2	2	8	9	-	-	-	-	-	-	-	-	-	-				
Diphtheria -	32	1	3	1	3	4	12	10	4	1	1	-	2	1	-	1	-	-				
Whooping-cough -	21	9	6	2	1	1	19	1	-	3	5	6	1	1	3	1	5	-				
Typhus -	31	1	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-				
Diarrhoea & Dysentery -	41	18	5	1	1	-	25	-	-	-	6	1	1	3	1	2	1	1				
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Other Zymotic Dis. -	35	5	4	3	2	-	14	4	-	-	2	-	2	1	2	6	4	-				
Cancer -	15	-	-	1	-	-	1	-	-	-	-	-	-	-	-	4	6	2				
Serofula and Tabes -	35	10	7	2	-	-	19	2	1	2	1	2	3	1	3	1	-	-				
Phthisis -	117	8	4	1	2	1	16	4	3	9	27	30	17	6	3	2	-	-				
Hydrocephalus -	47	21	16	2	2	1	42	4	1	-	-	-	-	-	-	-	-	-				
Dis. of Brain -	156	36	5	3	3	1	48	3	1	4	2	4	8	7	15	34	27	3				
Dis. of Heart & Dropsy -	75	2	2	-	-	-	4	-	-	2	-	2	2	3	12	28	19	3				
Dis. of Lungs -	201	52	17	8	3	1	81	-	1	5	-	7	6	12	18	38	26	5				
Dis. of Stom. and Liver -	75	9	-	-	-	-	9	1	-	1	1	-	6	10	16	18	13	3				
Dis. of Kidneys -	47	-	1	-	-	-	1	-	-	1	1	4	2	2	7	16	10	3				
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Dis. of Joints -	6	-	1	-	-	-	1	-	-	2	1	-	-	-	1	1	-	-				
Dis. of Skin -	7	-	2	-	-	-	2	-	-	-	-	-	-	-	1	3	1	1				
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Suicide -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Other Violent Deaths -	45	1	2	2	3	2	10	4	3	2	1	3	4	6	3	2	7	-				
Other Causes -	325	173	10	-	-	-	188	1	-	1	-	1	-	3	3	22	54	40				

220.—BOSMERE.																			
Mean Popul ⁿ , 1861-71	8062	239	205	199	216	223	1082	1012	956	804	537	906	881	733	587	397	149	18	
TOTAL DEATHS	1533	300	109	30	27	24	550	49	33	44	49	94	62	96	121	185	202	20	
Small-pox	5	-	-	-	-	-	16	2	1	1	-	1	1	-	-	-	-	-	
Measles	18	2	10	4	-	-	18	-	-	-	-	-	-	1	-	-	-	-	
Scarlatina	39	1	1	7	6	3	18	11	4	4	1	1	-	-	-	-	-	-	
Diphtheria	18	1	1	1	2	5	10	2	1	1	2	1	1	-	-	-	-	-	
Whooping-cough	38	17	16	2	2	1	38	-	-	-	-	-	-	-	-	-	-	-	
Typhus	60	4	1	-	2	2	9	5	1	4	5	6	6	3	5	3	5	-	
Diarrhoea & Dysentery	69	25	2	2	1	-	30	1	-	1	-	3	-	4	3	2	13	3	
Cholera	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Zymotic Dis.	31	1	1	-	2	2	6	3	1	3	-	2	1	2	3	6	4	-	
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	2	4	3	7	3	-	
Serofula and Tabes	45	18	7	2	-	2	29	2	3	3	2	-	-	1	-	-	-	-	
Phthisis	172	8	7	-	-	1	16	2	7	11	22	60	21	19	7	6	1	-	
Hydrocephalus	15	3	5	2	2	1	13	1	-	-	-	-	1	-	-	-	-	-	
Dis. of Brain	145	22	9	3	1	-	35	9	3	4	8	4	5	7	13	24	24	3	
Dis. of Heart & Dropsy	112	3	1	-	1	-	5	-	-	5	1	3	5	14	25	32	21	1	
Dis. of Lungs	228	65	29	5	3	4	106	4	1	2	1	2	6	16	21	62	37	4	
Dis. of Stom. and Liver	85	5	1	-	-	-	6	1	4	-	5	5	3	7	18	23	12	1	
Dis. of Kidneys	41	-	-	-	-	-	-	-	1	2	1	2	1	3	5	8	13	3	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	
Dis. of Skin	10	2	1	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	6	1	-	-	2	1	6	4	1	2	-	2	1	5	7	2	2	1	
Other Violent Deaths	42	1	1	1	2	1	6	1	4	-	2	-	1	5	7	2	2	1	
Other Causes	353	182	16	1	3	2	204	1	1	1	-	2	6	2	4	20	7.5	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		85 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
		218.—HARTISMERE.																		
Mean Popul ⁿ , 1861-71	8619	245	225	233	227	230	1160	1050	983	756	642	1039	805	800	613	419	210	42		
TOTAL DEATHS -	1698	346	93	38	24	25	526	73	48	57	79	100	94	79	123	175	235	109		
Small-pox - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Measles - - - -	22	4	8	1	2	2	17	3	-	-	-	1	1	-	-	-	-	-		
Scarlatina - - -	29	1	2	2	2	2	9	14	6	-	-	-	-	-	-	-	-	-		
Diphtheria - - -	47	6	1	2	-	10	19	18	5	2	-	1	2	-	-	-	-	-		
Whooping-cough -	34	18	6	5	1	2	82	2	-	-	-	-	-	-	-	-	-	-		
Typhus - - - - -	55	-	-	1	4	-	5	5	8	7	5	4	7	4	3	3	3	1		
Diarrhoea & Dysentery	29	16	1	1	-	-	18	-	-	-	1	-	1	-	1	3	4	1		
Cholera - - - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
Other Zymotic Dis.	38	5	4	6	2	2	19	1	1	-	-	2	1	-	4	4	6	-		
Cancer - - - - -	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scrofula and Tuberc.	48	12	7	1	1	1	21	6	2	4	1	3	3	12	8	11	8	1		
Phthisis - - - -	251	11	9	-	1	1	22	5	15	27	48	58	37	21	16	1	1	-		
Hydrocephalus - -	27	9	9	2	3	-	23	4	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	155	19	5	4	1	1	30	5	3	7	3	3	7	7	17	26	37	8		
Dis. of Heart & Dropsy	107	-	-	-	-	-	1	1	2	2	2	9	5	7	17	36	29	1		
Dis. of Lungs - - -	214	32	26	6	2	2	88	3	2	1	4	3	5	9	20	32	37	8		
Dis. of Stom. and Liver	97	11	5	-	2	1	17	2	2	1	6	3	4	9	17	20	16	-		
Dis. of Kidneys - -	16	-	-	-	-	-	-	-	-	1	-	-	2	5	-	5	3	-		
Dis. of Gen. Organs	13	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	1	-		
Dis. of Joints - - -	5	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-		
Dis. of Skin - - - -	8	2	2	1	-	-	5	-	-	-	-	-	1	-	1	-	-	-		
Childbirth and Metris	15	-	-	-	-	-	-	-	-	1	3	6	8	-	-	-	-	-		
Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-		
Other Violent Deaths	21	1	-	3	2	1	7	2	1	1	1	1	-	-	2	2	3	1		
Other Causes - - -	412	177	10	3	1	1	192	2	-	1	1	-	2	1	7	22	96	88		

219.—HOXNE.

Mean Popul ⁿ , 1861-71		7231	203	231	186	199	197	1016	937	818	583	535	856	760	667	503	353	175	28
TOTAL DEATHS		1357	265	83	30	26	21	425	75	35	45	50	87	82	65	88	155	168	82
Small-pox		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles		12	3	2	3	2	1	11	9	-	-	-	-	-	-	-	-	-	-
Scarlatina		20	-	4	-	1	3	8	9	2	-	-	1	-	-	-	-	-	-
Diphtheria		49	2	5	5	8	5	18	23	2	-	2	1	-	1	-	-	-	-
Whooping-cough		35	12	12	5	4	2	83	2	-	-	-	-	-	-	-	-	-	-
Typhus		38	-	-	1	1	2	4	2	6	6	3	4	4	3	2	1	3	2
Diarrhoea & Dysentery		41	19	5	-	1	-	35	2	1	-	-	2	-	-	1	3	5	2
Cholera		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		38	7	4	1	4	-	16	4	5	-	-	-	3	1	1	4	8	1
Cancer		30	-	-	-	-	-	-	-	-	-	-	2	3	12	9	10	3	-
Scrofula and Tuberc.		27	5	3	2	1	1	12	2	3	1	3	1	1	1	1	2	-	-
Phthisis		173	8	3	-	1	-	12	3	10	21	29	44	29	15	8	2	-	-
Hydrocephalus		39	18	7	3	2	1	33	6	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		112	15	8	1	2	-	30	4	1	4	3	2	2	6	7	29	21	5
Dis. of Heart & Dropsy		100	1	-	-	-	1	2	-	1	2	4	5	2	20	33	24	7	-
Dis. of Lungs		151	29	17	4	3	2	55	4	1	7	1	3	7	5	8	22	28	10
Dis. of Stom. and Liver		88	8	-	-	-	1	9	6	-	-	-	4	8	10	14	22	13	3
Dis. of Kidneys		12	1	-	-	-	-	1	-	-	2	-	1	-	1	1	2	4	-
Dis. of Gen. Organs		15	-	1	-	-	-	1	-	-	-	-	1	4	1	3	4	1	-
Dis. of Joints		2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Dis. of Skin		5	1	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-
Childbirth and Metris.		29	-	-	-	-	-	-	-	-	-	4	15	10	-	-	-	-	-
Suicide		5	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-
Other Violent Deaths		25	3	1	1	-	1	6	2	3	1	-	-	2	-	1	3	4	3
Other Causes		300	133	18	4	1	-	151	4	-	-	1	3	2	2	10	17	61	49

220.—BOSMERE.

Mean Popul ⁿ , 1861-71		7910	216	203	227	223	205	1074	980	891	655	580	990	902	728	542	376	161	31
TOTAL DEATHS		1508	261	86	41	28	15	481	57	44	63	62	106	111	84	106	180	199	74
Small-pox		2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Measles		13	2	5	-	1	2	10	2	1	-	-	-	-	-	-	-	-	-
Scarlatina		20	-	5	10	5	3	28	9	4	2	1	-	-	-	-	-	-	-
Diphtheria		11	-	1	2	1	1	5	8	1	1	-	-	-	1	-	-	-	-
Whooping-cough		36	12	4	4	4	1	25	1	-	-	-	-	-	-	-	-	-	-
Typhus		37	4	3	-	-	1	8	7	3	9	5	7	6	1	5	1	4	1
Diarrhoea & Dysentery		47	14	6	2	3	-	25	2	-	-	1	1	-	1	-	7	8	6
Cholera		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.		42	3	2	-	3	-	7	3	-	-	-	2	-	5	12	8	5	-
Cancer		30	-	-	-	-	-	-	-	-	-	-	-	-	4	13	6	4	-
Scrofula and Tuberc.		55	13	7	7	2	2	31	4	5	1	1	1	4	5	1	1	1	-
Phthisis		234	1	7	2	2	-	12	5	15	31	34	43	46	19	12	5	3	-
Hydrocephalus		12	4	1	1	1	-	7	1	3	1	-	-	-	-	-	-	-	-
Dis. of Brain		170	11	7	-	1	-	19	8	5	8	3	13	5	8	14	27	21	4
Dis. of Heart & Dropsy		111	1	-	-	-	-	1	2	1	-	1	7	11	9	20	37	30	3
Dis. of Lungs		182	47	18	9	3	3	80	5	3	6	4	9	8	4	8	22	25	9
Dis. of Stom. and Liver		84	7	-	-	1	2	10	1	2	1	1	4	10	8	10	30	6	2
Dis. of Kidneys		12	-	-	-	-	-	-	-	-	-	1	2	-	2	3	2	2	-
Dis. of Gen. Organs		12	-	-	-	-	-	-	-	-	-	-	1	3	-	2	4	1	-
Dis. of Joints		6	-	2	-	-	-	3	1	-	-	-	-	-	2	-	-	-	-
Dis. of Skin		5	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-
Childbirth and Metris.		27	-	-	-	-	-	-	-	-	-	8	14	13	3	-	-	-	-
Suicide		2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Other Violent Deaths		28	3	4	3	2	-	12	6	1	-	1	-	-	1	3	3	3	3
Other Causes		230	107	13	1	-	-	131	2	-	2	1	1	1	3	5	20	90	60

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.

221.—SAMFORD.

Mean Popul ⁿ , 1861-71	6408	178	159	169	193	164	863	858	755	576	423	717	695	622	472	305	107	15
TOTAL DEATHS -	1203	260	71	37	18	26	412	46	35	42	32	59	43	77	100	174	146	57
Small-pox - - -	7	-	-	-	-	-	1	1	-	-	2	-	-	1	1	1	-	-
Measles - - -	5	1	1	2	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	41	2	4	5	7	6	24	9	5	1	1	-	-	1	-	-	-	-
Diphtheria - - -	34	2	1	2	2	6	13	10	6	3	-	2	-	-	-	-	-	-
Whooping-cough -	18	10	4	-	2	1	17	-	1	-	-	-	-	-	-	-	-	-
Typhus - - -	52	1	2	3	-	-	6	3	3	6	6	3	5	5	5	6	4	-
Diarrhoea & Dysentery	36	22	4	-	-	1	27	-	-	-	-	-	-	1	1	6	1	-
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	16	4	-	-	3	1	9	-	-	-	-	-	-	1	2	3	1	-
Cancer - - -	11	1	-	-	-	-	1	-	-	-	-	-	-	2	4	2	2	-
Scrofula and Tuberc.	13	2	3	-	-	-	5	-	-	4	-	-	-	2	4	2	2	-
Phthisis - - -	150	7	1	-	-	1	9	1	1	15	15	29	18	13	33	5	1	-
Hydrocephalus -	11	2	2	3	-	-	7	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - -	130	19	12	6	-	1	38	4	6	2	1	3	1	8	9	29	16	1
Dis. of Heart & Dropsy	60	3	-	-	-	-	3	-	4	1	1	3	2	7	9	29	6	1
Dis. of Lungs - -	185	45	20	8	-	4	77	6	4	3	1	4	5	15	18	38	12	4
Dis. of Stom. and Liver	61	1	-	-	-	2	3	-	1	1	1	2	1	11	6	15	9	1
Dis. of Kidneys -	28	-	-	-	-	-	-	-	-	2	1	1	2	3	5	9	5	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Dis. of Skin - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Other Violent Deaths	53	2	1	2	1	2	8	3	8	4	3	6	8	2	3	6	-	2
Other Causes - -	324	136	16	4	3	-	159	5	-	-	-	3	1	3	19	32	63	28

222.—IPSWICH.

Mean Popul ⁿ , 1861-71	18817	621	498	499	508	537	2663	2266	2178	1762	1552	2505	2204	1720	1053	645	239	30
TOTAL DEATHS -	4437	1148	383	191	80	78	1880	178	90	113	137	244	293	330	344	386	351	91
Small-pox - - -	39	6	3	1	-	-	10	2	2	1	3	6	3	1	1	-	-	-
Measles - - -	26	6	12	9	2	3	32	5	-	-	-	1	1	-	-	-	-	-
Scarlatina - - -	154	5	22	24	15	18	84	29	12	4	1	2	-	1	-	-	-	-
Diphtheria - - -	28	3	4	1	1	2	14	10	-	-	-	1	-	-	-	-	1	-
Whooping-cough -	81	37	23	15	4	1	80	-	1	-	-	-	-	-	-	-	-	-
Typhus - - -	106	1	3	4	10	4	22	14	8	10	7	10	7	13	6	6	3	-
Diarrhoea & Dysentery	198	125	29	6	8	1	164	2	1	1	-	2	3	2	5	3	13	2
Cholera - - -	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	81	2	3	19	1	5	23	5	3	5	2	1	11	9	11	8	5	-
Cancer - - -	50	-	-	-	-	-	-	-	-	-	-	2	3	7	8	20	8	2
Scrofula and Tuberc.	120	46	19	5	4	2	76	9	6	5	6	8	2	1	4	5	-	-
Phthisis - - -	639	11	5	4	4	3	27	7	13	37	76	119	123	81	26	19	1	-
Hydrocephalus -	71	13	24	11	3	8	39	5	5	-	1	1	-	-	-	-	-	-
Dis. of Brain - -	550	141	58	28	8	10	245	26	12	10	2	14	31	37	60	66	49	7
Dis. of Heart & Dropsy	250	1	1	1	1	2	6	5	8	8	8	19	20	46	60	43	31	1
Dis. of Lungs - -	684	174	103	42	15	8	342	9	5	5	8	17	23	62	57	91	62	11
Dis. of Stom. & Liver	194	19	2	2	1	1	25	10	5	3	4	13	26	27	40	21	19	1
Dis. of Kidneys -	83	-	2	-	1	-	3	2	1	2	1	7	9	14	17	18	9	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	9	-	-	-	-	-	-	2	2	-	-	2	2	-	-	1	-	-
Dis. of Skin - - -	10	2	-	-	1	-	3	1	-	-	-	-	2	-	2	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	23	-	-	-	-	-	-	-	-	-	-	3	5	2	6	3	2	-
Other Violent Deaths	147	11	7	8	2	3	31	7	6	18	11	11	16	17	13	12	2	3
Other Causes - -	992	845	63	15	4	6	633	9	-	3	4	3	8	9	19	46	165	64

223.—WOODBRIDGE.

Mean Popul ⁿ , 1861-71	11062	297	277	287	283	289	1433	1320	1263	1033	724	1256	1238	1120	827	563	245	41
TOTAL DEATHS -	2295	465	127	50	37	20	699	70	54	67	75	101	132	175	218	284	315	105
Small-pox - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	22	4	9	3	2	1	19	-	-	-	-	-	-	1	-	-	-	-
Scarlatina - - -	29	3	1	1	4	5	14	9	4	2	-	-	-	-	-	-	-	-
Diphtheria - - -	15	1	4	1	2	1	9	3	-	2	1	-	-	-	-	-	-	-
Whooping-cough -	36	20	8	2	2	-	32	8	1	-	-	-	-	-	-	-	-	-
Typhus - - -	58	-	3	1	2	-	6	8	10	-	-	3	9	2	5	8	5	-
Diarrhoea & Dysentery	79	30	3	3	1	-	37	-	-	5	1	-	4	1	7	8	11	8
Cholera - - -	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	54	10	3	2	4	1	20	7	3	1	2	1	1	6	5	6	1	1
Cancer - - -	37	-	-	-	-	-	-	-	-	-	-	-	3	5	9	15	4	1
Scrofula and Tuberc.	56	18	4	3	4	1	30	1	2	1	2	7	4	3	4	2	-	-
Phthisis - - -	226	15	6	-	-	1	22	4	9	21	39	40	33	24	27	5	-	-
Hydrocephalus -	21	3	7	3	1	-	14	6	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - -	966	35	15	4	3	2	59	8	8	8	14	19	31	45	47	67	54	6
Dis. of Heart & Dropsy	119	1	-	1	-	-	2	-	1	2	1	5	9	17	34	27	16	3
Dis. of Lungs - -	372	84	29	15	6	4	138	3	1	6	2	6	15	23	28	61	79	19
Dis. of Stom. and Liver	91	14	2	1	2	-	19	4	2	-	-	4	6	13	11	16	2	2
Dis. of Kidneys -	48	-	-	-	-	-	-	-	-	2	-	1	2	6	8	19	8	2
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	7	-	-	-	-	-	-	1	-	3	-	-	-	1	-	1	-	-
Dis. of Skin - - -	9	3	-	-	-	-	3	2	1	-	1	-	-	1	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	96	5	5	3	2	2	17	5	10	7	8	9	5	11	10	9	2	1
Other Causes - -	539	218	28	6	2	1	255	6	1	2	3	4	6	13	19	46	196	71

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—

221.—SAMFORD.

Mean Popul ⁿ , 1861-71	6151	162	163	174	167	162	828	777	705	461	438	795	724	578	439	279	109	18
TOTAL DEATHS	1192	200	64	31	32	19	355	40	46	46	42	75	73	76	104	123	159	53
Small-pox	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
Measles	7	1	4	-	-	1	6	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	39	1	2	6	7	5	21	6	6	4	-	1	-	1	-	-	-	-
Diphtheria	23	1	-	2	2	1	6	7	6	2	-	-	-	-	-	-	1	1
Whooping-cough	18	7	5	2	3	1	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	58	-	1	1	3	3	8	7	7	4	3	6	7	6	1	3	4	2
Diarrhoea & Dysentery	33	16	2	2	2	-	22	-	-	-	-	1	-	-	1	3	2	4
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	21	1	-	3	3	2	9	2	1	1	1	-	-	-	3	2	3	-
Cancer	30	-	-	-	-	-	-	1	-	-	-	1	3	0	5	4	5	-
Serofula and Tabes	21	3	3	1	-	-	7	-	4	1	1	2	4	-	2	-	-	-
Phthisis	171	4	5	2	1	-	12	1	11	20	24	36	29	13	11	7	1	-
Hydrocephalus	8	4	1	2	-	-	7	-	-	-	-	-	-	-	1	-	-	-
Dis. of Brain	101	11	6	2	1	2	22	5	1	1	1	4	3	9	20	15	15	5
Dis. of Heart & Dropsy	73	1	1	-	-	-	2	-	-	2	1	3	5	10	19	23	9	-
Dis. of Lungs	156	29	16	5	3	-	53	5	1	1	1	3	7	11	13	29	28	4
Dis. of Stom. and Liver	56	4	1	-	-	1	6	-	2	-	2	8	3	6	14	10	10	-
Dis. of Kidneys	7	-	-	-	-	-	-	1	2	-	-	1	-	1	1	1	-	-
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-
Dis. of Joints	5	-	1	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	15	-	-	-	-	-	-	-	-	-	3	6	6	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Other Violent Deaths	16	-	1	1	1	2	5	2	2	-	1	-	-	1	2	1	2	-
Other Causes	324	126	15	2	6	1	150	2	3	4	1	6	3	7	7	22	82	37

222.—IPSWICH.

Mean Popul ⁿ , 1861-71	21543	568	505	517	480	516	2586	2309	2160	2167	2051	3177	2582	1964	1312	861	322	53
TOTAL DEATHS	4476	988	335	139	106	72	1635	171	117	132	166	286	321	308	338	442	422	138
Small-pox	32	6	2	1	1	-	10	7	3	1	1	2	1	5	1	-	1	-
Measles	37	6	12	8	5	3	34	1	-	1	-	-	-	1	-	-	-	-
Scarlatina	150	1	14	23	24	22	84	42	20	-	2	2	-	-	-	-	-	-
Diphtheria	43	3	4	2	4	8	21	11	4	3	1	1	1	1	-	-	-	-
Whooping-cough	30	33	26	19	15	7	98	3	-	-	-	-	-	-	-	-	-	-
Typhus	108	2	1	3	4	3	15	15	12	10	8	9	11	9	6	12	2	1
Diarrhoea & Dysentery	203	121	20	2	1	1	145	2	1	3	2	2	5	2	5	13	18	5
Cholera	4	1	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	64	6	1	4	8	4	23	5	5	1	4	3	6	4	5	7	-	1
Cancer	143	-	-	-	-	-	-	-	-	-	1	9	23	42	88	23	7	-
Serofula and Tabes	101	37	24	6	2	1	70	6	3	6	1	1	4	5	2	3	-	-
Phthisis	610	7	13	1	5	2	28	13	27	73	100	161	127	58	26	3	-	-
Hydrocephalus	51	16	12	7	3	1	39	19	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	512	90	40	22	11	6	169	20	12	9	10	17	24	37	88	90	56	10
Dis. of Heart & Dropsy	310	4	2	1	-	2	9	3	12	3	9	16	24	45	59	67	60	5
Dis. of Lungs	683	145	100	30	17	7	299	17	4	6	5	16	23	29	60	92	70	12
Dis. of Stom. and Liver	176	15	3	2	1	-	21	2	6	3	2	8	14	23	37	30	30	1
Dis. of Kidneys	43	1	1	-	-	-	2	1	-	1	2	4	5	9	7	9	2	1
Dis. of Genes. Organs	46	-	-	-	-	-	-	-	-	1	1	6	9	17	6	5	1	-
Dis. of Joints	11	-	1	1	-	-	2	1	-	1	1	1	-	1	1	1	-	-
Dis. of Skin	10	2	1	1	-	-	4	-	-	-	-	1	-	3	1	2	-	-
Childbirth and Metris	47	-	-	-	-	-	-	-	-	1	8	18	20	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	2	1	-	3	-	1	1	-
Other Violent Deaths	51	12	5	2	1	-	20	4	3	3	-	1	4	2	2	3	3	4
Other Causes	581	475	53	11	4	5	548	7	4	5	6	8	20	14	21	72	178	98

223.—WOODBRIDGE.

Mean Popul ⁿ , 1861-71	11547	281	288	297	299	289	1454	1402	1259	936	861	1451	1319	1120	834	600	265	46
TOTAL DEATHS	2374	362	107	44	33	23	569	67	61	87	77	171	177	200	208	315	314	128
Small-pox	7	2	-	-	1	-	3	1	-	-	-	-	-	-	1	-	1	-
Measles	18	1	9	3	-	2	15	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	3	2	3	3	1	12	7	1	3	-	1	-	-	-	-	-	-
Diphtheria	24	-	-	-	2	3	5	9	4	1	1	-	3	-	-	1	-	-
Whooping-cough	42	18	13	7	2	-	40	2	-	-	-	-	-	-	-	-	-	-
Typhus	66	1	2	1	-	-	4	5	5	4	8	8	5	6	7	6	-	-
Diarrhoea & Dysentery	77	25	4	4	2	-	35	-	1	1	1	3	2	4	8	5	12	5
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	45	12	3	2	4	3	24	2	-	-	1	-	4	-	5	6	3	-
Cancer	69	-	-	-	-	-	-	-	-	-	-	1	6	13	18	18	12	1
Serofula and Tabes	39	8	3	3	-	1	16	3	8	3	3	6	3	5	4	-	-	-
Phthisis	528	11	6	5	-	2	22	3	18	45	43	85	49	41	13	9	-	-
Hydrocephalus	16	3	5	-	1	1	10	3	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	322	29	17	4	5	2	57	9	7	10	9	24	23	37	32	55	20	0
Dis. of Heart & Dropsy	170	1	-	-	-	-	1	3	4	4	1	7	16	20	27	49	24	4
Dis. of Lungs	336	59	23	7	6	5	100	6	2	6	1	5	19	29	31	53	38	20
Dis. of Stom. and Liver	126	9	-	-	-	1	10	4	1	3	5	7	14	24	22	34	19	3
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	1	1	1	6	1	1	-
Dis. of Genes. Organs	26	-	-	-	-	-	-	-	-	-	1	1	4	3	5	7	4	1
Dis. of Joints	9	-	1	-	-	-	1	1	2	-	-	1	1	-	2	-	1	-
Dis. of Skin	5	2	-	-	-	-	2	-	-	-	-	-	1	-	-	2	-	-
Childbirth and Metris	27	-	-	-	-	-	-	-	-	1	3	9	11	3	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-
Other Violent Deaths	30	8	2	1	3	-	14	2	3	1	-	2	-	-	-	3	3	4
Other Causes	642	170	17	7	2	2	198	4	2	5	-	10	11	21	26	75	111	79

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		85 and upwds.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			

224.—PLOMESGATE.

Mean Popul ⁿ , 1861-71	10242	287	273	290	268	278	1396	1239	1289	979	715	1117	1032	933	770	510	226	37
TOTAL DEATHS -	1910	444	99	45	24	32	644	64	42	42	45	115	89	120	165	218	238	108
Small-pox -	3	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
Measles -	18	7	4	2	2	2	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	34	3	4	5	4	6	22	5	3	3	-	1	-	-	-	-	-	-
Diphtheria -	9	-	1	1	-	1	3	5	-	-	-	1	-	-	-	-	-	-
Whooping-cough -	21	11	7	1	1	-	20	1	-	-	-	-	-	-	-	-	-	-
Typhus -	35	-	-	3	3	13	9	7	2	2	-	5	2	1	1	3	2	1
Diarrhoea & Dysentery -	45	9	2	-	-	-	11	1	2	1	4	1	1	2	6	7	6	5
Cholera -	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	50	5	-	7	2	7	21	5	-	1	2	-	1	-	5	7	7	1
Cancer -	28	-	-	-	-	-	-	1	-	-	-	1	1	4	15	4	4	-
Serofula and Tabes -	45	17	6	6	3	1	33	1	2	2	-	1	1	1	2	2	-	-
Phthisis -	220	7	3	1	1	-	12	7	10	22	29	64	38	28	17	3	-	-
Hydrocephalus -	29	15	8	2	-	2	25	3	-	-	1	-	-	-	-	-	-	-
Dis. of Brain -	191	30	6	2	2	5	45	7	4	2	1	9	4	15	23	32	39	12
Dis. of Heart & Dropsy -	108	-	1	-	1	-	2	1	2	1	1	2	4	12	19	34	25	8
Dis. of Lungs -	326	88	29	5	3	4	129	5	2	2	8	12	16	33	45	55	17	-
Dis. of Stom. and Liver -	125	18	1	2	-	1	24	4	3	1	-	6	7	20	24	21	13	4
Dis. of Kidneys -	45	-	1	1	-	-	2	-	5	-	-	2	2	8	4	15	7	-
Dis. of Gener. Organs -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-
Dis. of Skin -	7	1	1	-	-	-	2	-	1	1	-	-	-	-	2	1	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	11	-	-	-	-	-	-	-	-	-	-	1	1	5	2	2	-	-
Other Violent Deaths -	63	9	2	1	1	-	13	3	8	3	4	10	7	6	2	3	4	-
Other Causes -	490	225	23	6	-	-	254	7	-	2	1	7	8	6	14	37	93	61

225.—BLYTHING.

Mean Popul ⁿ , 1861-71	13207	394	358	386	363	374	1875	1657	1562	1276	920	1443	1353	1193	959	656	277	36
TOTAL DEATHS -	2474	557	140	61	48	31	837	96	61	67	91	107	117	139	206	308	333	112
Small-pox -	7	-	-	-	-	-	18	3	-	-	-	1	3	1	3	-	-	-
Measles -	21	4	2	4	6	2	18	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -	54	6	4	7	8	6	31	11	5	4	1	2	-	-	-	-	-	-
Diphtheria -	58	4	2	3	1	3	13	14	7	1	-	-	1	1	-	-	1	-
Whooping-cough -	55	25	17	4	3	2	51	3	1	-	-	-	-	-	-	-	-	-
Typhus -	68	2	-	-	1	3	6	6	4	8	3	8	11	9	5	6	1	2
Diarrhoea & Dysentery -	66	32	6	2	-	-	40	2	-	-	-	-	-	-	5	6	11	2
Cholera -	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	61	7	1	5	3	2	19	6	6	1	2	2	3	3	5	10	4	1
Cancer -	35	-	-	-	-	-	-	-	-	-	-	-	-	2	7	9	11	6
Serofula and Tabes -	55	16	5	4	5	1	29	8	1	2	6	2	1	1	1	4	-	-
Phthisis -	232	7	4	4	1	4	30	8	5	20	53	44	63	31	22	6	1	-
Hydrocephalus -	38	12	10	2	5	-	29	8	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	219	52	13	9	5	3	82	4	5	8	5	7	10	8	25	33	31	6
Dis. of Heart & Dropsy -	171	-	1	-	3	-	4	2	1	2	4	2	11	13	37	54	40	1
Dis. of Lungs -	365	101	36	10	2	2	151	4	8	5	3	8	14	28	31	57	45	10
Dis. of Stom. and Liver -	126	11	2	2	3	1	19	4	6	1	2	10	9	19	27	21	7	1
Dis. of Kidneys -	70	-	-	-	1	-	1	-	-	1	-	4	4	6	14	22	15	3
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	8	1	-	-	-	-	1	-	-	2	2	1	-	-	-	1	-	-
Dis. of Skin -	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	11	-	-	-	-	-	-	-	-	-	1	3	2	-	-	5	-	-
Other Violent Deaths -	68	1	1	3	3	2	10	9	10	7	9	12	10	7	6	6	2	-
Other Causes -	659	275	35	2	-	-	312	2	1	-	-	1	3	4	17	64	169	87

226.—WANGFORD.

Mean Popul ⁿ , 1861-71	6714	205	186	188	199	177	955	822	822	622	471	762	673	622	475	332	135	23
TOTAL DEATHS -	1320	302	63	34	24	20	443	48	33	47	50	69	60	81	91	161	181	56
Small-pox -	7	3	2	1	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Measles -	26	2	1	7	2	3	15	8	1	1	-	1	-	-	-	-	-	-
Scarlatina -	24	-	2	2	1	3	8	6	4	4	-	-	-	1	-	-	-	-
Diphtheria -	18	11	3	2	1	1	18	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	52	-	-	2	1	2	8	5	3	5	1	7	6	4	4	6	3	-
Typhus -	45	26	3	1	-	-	31	-	-	-	-	-	-	2	1	7	7	-
Diarrhoea & Dysentery -	20	2	2	-	-	-	5	3	-	1	-	-	-	3	1	2	2	-
Cholera -	20	2	2	-	-	-	5	3	-	-	-	-	-	3	1	2	2	-
Other Zymotic Dis. -	29	-	-	-	-	-	-	-	-	-	-	-	-	2	5	2	3	1
Cancer -	56	24	7	6	1	1	29	5	4	2	1	3	-	1	-	1	-	-
Serofula and Tabes -	152	1	3	-	2	1	7	3	6	16	32	27	20	18	12	6	3	-
Phthisis -	24	7	5	1	1	1	15	6	2	-	-	-	-	-	-	-	-	-
Hydrocephalus -	135	32	7	1	1	-	41	1	3	6	2	5	6	6	11	25	29	2
Dis. of Brain -	87	1	-	1	-	1	3	3	-	-	2	3	1	10	15	27	19	4
Dis. of Heart & Dropsy -	184	42	16	8	5	2	73	-	1	2	1	5	8	9	13	26	22	12
Dis. of Lungs -	71	10	-	-	1	-	11	-	2	3	1	2	7	6	12	10	10	1
Dis. of Stom. and Liver -	57	2	-	-	-	-	2	-	2	2	1	6	1	8	6	11	16	3
Dis. of Kidneys -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs -	8	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
Dis. of Joints -	5	1	1	-	-	-	2	-	1	-	-	2	1	-	-	1	-	-
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	8	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	-
Other Violent Deaths -	49	4	2	1	4	4	15	7	1	5	5	5	2	4	3	3	1	-
Other Causes -	269	133	7	1	-	1	142	1	1	-	2	1	1	1	5	29	53	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.	
		Total under 1 Year.	1	2	3	4	5	10	15	20	25	35	45	55	65	75	80	85			90
		224.—PLOMESGATE.																			
Mean Popul ⁿ , 1861-71	10477	295	235	247	270	266	1313	1243	1123	939	839	1309	1146	997	755	518	344	51	12	12	
TOTAL DEATHS	1873	296	84	44	27	19	470	74	45	65	88	151	97	115	137	234	254	123	12	12	
Small-pox	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Measles	10	5	2	1	-	-	8	1	-	-	-	1	-	-	-	-	-	-	-	-	
Scarlatina	37	3	1	7	2	2	15	17	3	1	1	-	-	-	-	-	-	-	-	-	
Diphtheria	14	1	1	1	-	1	4	6	3	-	-	-	-	-	1	-	-	-	-	-	
Whooping-cough	26	11	10	4	-	-	25	1	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	33	1	1	1	-	1	4	7	8	4	1	3	-	3	3	4	11	-	-	-	
Diarrhoea & Dysentery	43	13	3	1	-	1	18	1	-	1	-	4	2	2	4	1	7	3	-	-	
Cholera	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	35	5	1	2	1	2	11	3	-	-	-	-	-	2	3	9	5	1	-	-	
Cancer	70	-	-	-	-	-	-	-	-	-	-	1	1	6	15	19	15	10	3	-	
Scrophula and Tuberc.	26	5	2	2	1	2	12	5	1	1	2	3	-	2	-	-	-	-	-	-	
Phthisis	329	2	5	1	4	1	15	7	17	44	57	86	44	38	16	5	2	-	-	-	
Hydrocephalus	16	6	3	1	3	-	15	-	-	-	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	184	20	8	8	4	4	44	7	3	2	1	5	12	7	22	40	32	9	-	-	
Dis. of Heart & Dropsy	123	1	1	-	-	-	3	-	1	1	1	7	7	11	24	36	27	6	-	-	
Dis. of Lungs	270	50	26	11	4	2	93	4	4	6	7	7	6	10	22	42	31	18	-	-	
Dis. of Stom. and Liver	112	11	-	-	2	-	18	4	2	2	1	11	4	9	18	29	16	3	-	-	
Dis. of Kidneys	20	1	-	-	1	-	2	-	-	-	2	4	1	2	3	4	2	-	-	-	
Dis. of Genes. Organs	9	-	-	-	-	-	-	-	-	-	2	-	2	2	2	1	-	-	-	-	
Dis. of Joints	10	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	1	-	-	-	
Dis. of Skin	5	-	1	-	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-	
Childbirth and Metris	26	-	-	-	-	-	-	-	-	-	-	12	8	1	-	-	-	-	-	-	
Selficide	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
Other Violent Deaths	26	4	3	1	1	3	12	1	-	-	1	1	1	2	1	2	3	2	3	3	
Other Causes	435	157	13	3	3	-	176	7	3	2	3	6	3	5	14	42	93	76	-	-	

225.—BLYTHING.																				
Mean Popul ⁿ , 1861-71	13429	373	346	358	338	368	1783	1646	1484	1113	1018	1652	1472	1295	942	662	296	66	12	12
TOTAL DEATHS	2400	430	130	78	50	31	714	100	73	91	101	171	144	133	156	280	372	155	12	12
Small-pox	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	51	5	12	5	3	1	26	4	-	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	61	2	5	6	15	4	32	14	6	3	1	1	3	1	-	-	-	-	-	-
Diphtheria	55	2	2	6	4	4	18	19	11	1	1	-	-	-	-	1	-	-	-	-
Whooping-cough	53	27	18	5	-	-	50	3	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	44	-	-	-	-	4	4	1	7	2	5	3	6	5	3	3	4	1	-	-
Diarrhoea & Dysentery	68	26	7	2	2	-	37	1	1	-	-	-	1	1	4	6	10	7	-	-
Cholera	6	-	-	2	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	59	7	10	2	1	5	23	8	2	1	1	2	-	-	5	3	3	-	-	-
Cancer	92	-	-	-	-	-	-	-	-	1	-	2	14	20	23	21	7	2	-	-
Scrophula and Tuberc.	39	9	6	3	-	-	18	-	3	2	2	5	3	-	4	1	1	-	-	-
Phthisis	401	7	4	4	1	5	21	9	20	56	65	99	38	34	19	12	2	-	-	-
Hydrocephalus	26	7	5	3	4	-	10	3	1	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	237	32	12	4	7	2	57	8	4	6	4	13	10	14	17	47	30	7	-	-
Dis. of Heart & Dropsy	138	2	1	-	-	-	3	1	1	5	2	6	11	17	26	38	25	5	-	-
Dis. of Lungs	291	72	22	16	7	3	130	11	3	6	5	6	10	13	10	61	41	5	-	-
Dis. of Stom. and Liver	115	10	1	-	1	2	14	2	4	3	-	7	5	12	18	26	21	5	-	-
Dis. of Kidneys	23	1	-	-	-	-	1	-	1	-	-	1	6	5	4	3	1	-	-	-
Dis. of Genes. Organs	16	-	-	-	-	-	-	-	-	-	-	2	2	2	4	3	1	-	-	-
Dis. of Joints	7	-	1	-	-	-	1	-	-	2	-	-	2	2	1	1	1	-	-	-
Dis. of Skin	8	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-
Childbirth and Metris	25	-	-	-	-	-	-	-	-	-	9	17	6	1	-	-	-	-	-	-
Selficide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	54	8	6	2	-	-	11	8	2	-	1	3	-	-	2	-	3	2	3	3
Other Causes	662	218	34	9	3	1	235	2	1	-	3	3	4	7	12	52	108	125	-	-

226.—WANGFORD.																				
Mean Popul ⁿ , 1861-71	7114	193	162	169	166	164	854	786	740	660	610	925	799	685	515	349	161	30	12	12
TOTAL DEATHS	1282	265	34	30	23	12	304	32	31	58	51	79	84	86	94	150	176	77	12	12
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	4	3	-	-	1	8	4	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	-	1	5	3	4	15	5	2	-	-	-	1	-	-	1	-	-	-	-
Diphtheria	20	-	1	3	3	2	9	3	4	-	-	-	1	2	-	-	-	-	-	-
Whooping-cough	17	6	6	5	-	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	48	-	1	-	1	-	2	3	0	7	5	3	7	2	3	5	2	-	-	-
Diarrhoea & Dysentery	40	18	2	1	-	-	22	1	-	-	-	1	-	1	1	4	1	-	-	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	3	1	3	1	1	9	1	-	1	-	2	-	1	3	1	2	2	-	-
Cancer	58	-	-	1	-	-	1	-	-	-	-	2	2	7	14	8	17	7	2	-
Scrophula and Tuberc.	38	32	3	4	2	1	43	1	-	2	2	6	3	1	1	1	1	-	-	-
Phthisis	122	2	1	-	1	-	4	3	7	39	25	44	23	23	10	7	1	-	-	-
Hydrocephalus	14	7	1	1	1	-	10	4	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	126	13	1	1	1	1	37	2	2	2	3	7	6	12	20	31	23	7	-	-
Dis. of Heart & Dropsy	161	2	-	-	-	-	2	-	5	2	2	-	3	9	18	35	25	2	-	-
Dis. of Lungs	169	32	5	3	7	1	45	1	1	-	-	-	7	5	12	26	44	16	-	-
Dis. of Stom. and Liver	69	7	-	-	-	-	7	1	-	-	4	4	4	7	11	13	9	1	-	-
Dis. of Kidneys	16	-	-	-	-	-	-	-	1	2	2	-	1	2	2	4	1	1	-	-
Dis. of Genes. Organs	9	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
Childbirth and Metris	29	-	-	-	-	-	-	-	-	1	4	6	8	1	-	-	-	-	-	-
Selficide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	19	4	2	1	1	1	9	2	1	-	2	1	-	-	1	1	1	1	1	1
Other Causes	364	123	8	9	-	-	140	1	-	9	-	1	1	1	1	12	49	43	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																20 & upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	

227.—MUTFORD.

Mean Popul ⁿ , 1861-71	13231	404	386	379	385	381	1935	1696	1475	1263	1092	1718	1419	1164	799	466	180	24		
TOTAL DEATHS	2520	766	166	73	54	40	1009	120	53	64	93	146	144	141	180	209	181	81		
Small-pox	30	8	1	3	2	-	14	5	1	3	1	4	2	1	-	1	-	-		
Measles	45	8	11	7	7	3	36	9	-	-	-	-	-	-	-	-	-	-		
Scarlatina	96	6	14	10	14	14	58	31	5	1	-	-	1	-	-	-	-	-		
Diphtheria	28	3	-	3	3	-	9	10	2	1	1	2	1	1	1	-	-	-		
Whooping-cough	45	22	17	4	-	-	49	1	-	1	-	-	-	-	-	-	-	-		
Typhus	84	4	6	5	-	3	18	8	6	4	6	5	9	6	9	8	4	1		
Diarrhoea & Dysentery	132	112	8	-	-	-	120	1	-	-	2	1	1	1	2	2	1	-		
Cholera	9	1	-	-	-	-	1	-	1	1	1	2	2	-	1	1	1	-		
Other Zymotic Dis.	54	9	5	7	3	4	28	2	2	2	1	2	3	1	6	4	3	-		
Cancer	81	1	-	-	-	-	1	-	-	-	-	2	2	2	9	11	2	2		
Serofula and Tabes	62	28	10	3	2	1	44	7	2	1	1	3	3	2	2	-	-	-		
Phthisis	228	10	-	1	-	-	12	2	3	17	34	66	39	23	20	10	2	-		
Hydrocephalus	21	11	3	2	2	1	19	1	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain	241	63	20	6	4	3	96	9	6	4	7	5	9	14	28	33	22	8		
Dis. of Heart & Dropsy	157	9	1	-	3	1	14	5	1	2	5	11	17	16	31	29	21	9		
Dis. of Lungs	274	72	30	8	8	2	120	8	3	3	7	8	16	17	20	15	7	-		
Dis. of Stom. and Liver	103	27	4	2	1	1	85	2	2	2	3	6	3	16	12	13	7	-		
Dis. of Kidneys	76	-	3	-	-	-	4	1	-	1	2	2	5	11	12	19	17	2		
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	12	-	1	1	-	-	2	2	2	-	2	-	1	-	1	2	-	-		
Dis. of Skin	13	7	-	1	-	-	8	1	-	-	1	-	-	-	2	-	-	-		
Childbirth and Metria	10	-	-	-	-	-	-	-	-	-	-	1	4	8	2	-	-	-		
Suicide	151	5	5	4	2	3	19	13	12	17	17	21	21	16	11	2	1	1		
Other Violent Deaths	618	300	27	6	3	2	308	4	4	4	4	9	4	11	15	37	74	54		
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

228.—YARMOUTH.

Mean Popul ⁿ , 1861-71	14900	466	419	403	397	385	2070	1766	1627	1389	1267	2106	1733	1300	899	537	183	23		
TOTAL DEATHS	4058	1306	296	133	92	65	1892	112	53	77	102	231	290	281	284	349	290	79		
Small-pox	27	5	2	2	1	1	11	6	-	3	4	1	1	1	-	-	-	-		
Measles	69	16	22	11	6	4	59	10	-	-	-	-	-	-	-	-	-	-		
Scarlatina	143	11	18	31	22	22	104	25	8	2	1	1	2	-	-	-	-	-		
Diphtheria	17	1	3	1	2	3	10	4	2	-	-	-	-	-	-	-	-	-		
Whooping-cough	32	20	20	6	2	3	51	1	-	-	-	-	-	-	-	-	-	-		
Typhus	117	9	6	7	2	2	36	10	10	9	9	7	13	9	11	4	-	-		
Diarrhoea & Dysentery	340	235	28	11	1	3	296	3	1	1	1	2	1	5	7	13	9	1		
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	74	14	11	3	4	-	32	6	2	1	-	2	6	6	8	8	3	-		
Cancer	43	-	-	-	-	-	-	1	-	-	-	-	-	-	7	11	14	6		
Serofula and Tabes	235	175	40	9	8	3	235	5	2	3	1	4	1	7	9	14	6	1		
Phthisis	336	6	5	2	1	2	16	5	4	26	35	35	35	31	28	10	2	1		
Hydrocephalus	22	20	20	4	5	-	49	2	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain	511	103	32	9	8	7	164	13	3	6	7	44	59	43	54	67	46	5		
Dis. of Heart & Dropsy	219	4	1	1	-	-	7	3	2	4	8	13	20	28	48	53	32	2		
Dis. of Lungs	541	198	68	25	24	5	330	4	3	3	8	13	13	37	36	51	34	13		
Dis. of Stom. and Liver	137	16	-	1	-	-	18	2	2	2	6	4	13	23	22	50	12	-		
Dis. of Kidneys	84	1	-	-	1	-	2	1	1	2	2	3	13	7	15	18	13	5		
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	7	-	-	-	-	1	1	1	-	-	-	-	-	-	1	1	-	-		
Dis. of Skin	8	3	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	29	-	-	-	-	-	-	-	-	-	1	5	5	7	1	1	-	-		
Other Violent Deaths	184	9	7	2	-	7	25	7	11	10	18	30	43	20	13	3	3	1		
Other Causes	797	434	15	8	3	1	461	3	1	3	4	5	17	29	20	67	131	50		

229.—FLEGG.

Mean Popul ⁿ , 1861-71	4474	135	141	133	138	124	671	577	533	414	296	506	470	417	293	200	82	15		
TOTAL DEATHS	818	260	88	23	17	13	351	36	16	26	20	27	28	38	52	86	103	35		
Small-pox	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Measles	5	-	3	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-		
Scarlatina	10	-	1	2	1	1	5	3	1	-	-	1	-	-	-	-	-	-		
Diphtheria	25	3	-	2	2	2	9	9	6	1	2	-	-	-	-	-	-	-		
Whooping-cough	10	6	3	-	1	-	10	-	-	-	-	-	-	-	-	-	-	-		
Typhus	32	1	1	-	1	-	6	3	2	5	2	3	-	3	4	2	2	1		
Diarrhoea & Dysentery	38	27	1	-	1	1	30	-	-	-	-	-	-	1	-	2	3	1		
Cholera	6	1	-	1	-	-	2	-	1	-	-	-	-	-	1	2	-	-		
Other Zymotic Dis.	18	3	2	2	2	-	9	2	-	1	-	-	-	2	-	3	-	1		
Cancer	15	-	-	-	-	-	-	-	-	-	-	2	2	1	2	7	4	-		
Serofula and Tabes	19	6	1	1	-	-	8	-	-	1	-	1	-	-	-	-	-	-		
Phthisis	65	-	1	-	-	-	1	1	4	9	12	14	10	9	4	9	-	-		
Hydrocephalus	4	-	2	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-		
Dis. of Brain	80	20	4	4	2	-	30	5	2	1	1	-	3	4	9	9	13	3		
Dis. of Heart & Dropsy	47	3	-	-	-	1	4	1	-	-	-	1	3	4	8	10	14	4		
Dis. of Lungs	124	33	11	7	4	1	56	5	-	-	-	-	2	7	10	22	13	4		
Dis. of Stom. and Liver	36	14	-	-	-	-	14	1	-	-	-	-	-	1	9	3	6	-		
Dis. of Kidneys	19	-	-	-	-	-	-	2	-	1	-	1	-	2	-	5	6	3		
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-		
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
Other Violent Deaths	28	1	-	1	1	3	6	3	1	4	1	1	3	5	1	3	-	-		
Other Causes	232	140	8	2	-	1	151	1	-	1	1	1	-	2	3	14	37	31		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	82 upwards.	
227.—MUTFORD.																			
Mean Popul ⁿ , 1861-71	14476	407	375	395	404	372	1953	1742	1514	1334	1310	2059	1636	1279	848	545	216	40	
TOTAL DEATHS	2413	635	120	96	69	44	964	94	55	56	78	156	144	145	161	223	220	117	
Small-pox	19	6	—	3	2	1	12	2	1	—	2	2	—	—	—	—	—	—	
Measles	41	7	15	7	2	3	34	5	1	—	1	1	—	—	—	—	—	—	
Scarlatina	118	11	11	20	20	18	75	25	9	—	1	7	1	—	—	—	—	—	
Diphtheria	32	4	1	2	5	5	17	3	5	3	—	1	—	1	1	1	—	—	
Whooping-cough	39	20	9	4	5	1	39	—	—	—	—	—	—	—	—	—	—	—	
Typhus	54	4	1	2	3	4	14	13	11	4	6	11	10	3	6	3	3	—	
Diarrhoea & Dysentery	122	85	10	4	3	—	102	1	—	—	—	1	1	—	5	4	7	1	
Cholera	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	
Other Zymotic Dis.	56	6	3	10	10	1	30	5	6	1	1	3	3	—	1	4	2	—	
Cancer	89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula and Tuberc.	41	21	3	3	1	—	28	4	1	2	1	1	17	21	24	17	6	3	
Phthisis	271	2	1	1	2	1	7	2	9	28	47	75	46	33	17	5	—	—	
Hydrocephalus	19	8	2	3	—	1	14	2	1	—	—	—	—	—	—	—	—	—	
Dis. of Brain	222	25	15	7	6	4	67	7	3	4	2	7	14	12	25	41	33	7	
Dis. of Heart & Dropsy	148	5	1	1	—	—	8	5	4	1	2	7	6	21	26	47	20	9	
Dis. of Lungs	257	76	22	15	5	4	122	5	1	4	3	8	14	16	24	59	22	9	
Dis. of Stom. and Liver	105	16	2	1	2	1	22	2	—	4	3	15	5	17	13	14	11	1	
Dis. of Kidneys	26	—	1	1	—	—	2	—	1	1	—	3	7	3	5	2	2	—	
Dis. of Gener. Organs	16	—	—	—	—	—	—	1	—	—	2	—	2	5	4	2	—	—	
Dis. of Joints	5	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	1	—	
Dis. of Skin	9	4	—	—	1	—	5	—	—	—	1	—	—	—	1	2	—	—	
Childbirth and Metris	22	—	—	—	—	—	—	—	—	1	4	10	6	1	—	—	—	—	
Stillbirths	6	—	—	—	—	—	—	—	—	1	—	1	1	1	—	1	1	—	
Other Violent Deaths	30	6	4	4	1	1	16	4	—	—	—	2	2	—	2	3	2	1	
Other Causes	623	319	19	8	1	3	350	5	2	1	2	5	6	6	6	56	109	95	

228.—YARMOUTH.																		
Mean Popul ⁿ , 1861-71	17852	447	393	384	396	370	1990	1826	1658	1767	1700	2752	2225	1676	1152	757	295	54
TOTAL DEATHS	3792	968	259	185	96	62	1520	135	61	73	108	228	251	233	295	368	374	146
Small-pox	26	7	1	3	1	2	14	2	2	—	2	4	2	—	—	—	—	—
Measles	67	11	19	15	9	4	58	8	—	—	1	—	—	—	—	—	—	—
Scarlatina	133	9	15	25	26	17	93	44	10	—	3	3	—	—	—	—	—	—
Diphtheria	22	4	1	4	1	5	15	5	1	—	—	1	—	—	—	—	—	—
Whooping-cough	81	33	22	16	8	1	80	1	—	—	—	—	—	—	—	—	—	—
Typhus	161	6	6	8	9	7	38	19	15	17	5	18	14	8	7	12	6	2
Diarrhoea & Dysentery	294	191	39	2	2	2	237	—	—	—	—	7	6	4	11	12	20	5
Cholera	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	60	6	4	3	8	4	25	6	4	3	—	5	2	4	5	4	2	—
Cancer	113	—	—	—	—	—	—	1	—	—	2	8	15	22	38	18	8	1
Scrofula and Tuberc.	103	121	32	14	3	—	170	8	2	1	—	3	2	2	3	—	—	—
Phthisis	379	3	6	2	2	—	13	2	8	33	50	105	71	62	24	10	1	—
Hydrocephalus	39	9	12	4	4	3	32	4	2	1	—	—	—	—	—	—	—	—
Dis. of Brain	870	74	17	11	5	4	111	14	8	5	8	14	24	28	43	70	38	7
Dis. of Heart & Dropsy	182	6	—	1	1	—	8	1	2	1	4	7	19	23	38	50	28	1
Dis. of Lungs	509	125	63	20	16	8	232	12	2	3	10	6	21	21	47	75	70	19
Dis. of Stom. and Liver	180	15	1	2	—	2	20	1	—	1	7	12	28	26	38	20	13	5
Dis. of Kidneys	35	—	—	—	—	—	—	—	1	—	1	2	8	6	7	8	2	—
Dis. of Genes. Organs	27	—	—	—	—	—	—	—	—	—	—	3	10	5	5	3	1	—
Dis. of Joints	15	—	—	—	—	1	1	—	2	—	1	1	2	2	3	1	2	—
Dis. of Skin	6	2	—	—	—	—	2	—	—	1	—	—	—	—	1	2	—	—
Childbirth and Metris	50	—	—	—	—	—	—	—	—	4	11	19	16	—	—	—	—	—
Stillbirths	5	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—
Other Violent Deaths	48	4	4	—	—	1	9	5	2	—	1	4	2	6	5	3	7	2
Other Causes	776	341	24	8	2	1	371	2	—	—	—	4	9	13	22	71	169	115

229.—FLEGG.																		
Mean Popul ⁿ , 1861-71	4533	127	106	118	120	127	598	578	492	367	368	598	521	415	284	193	101	18
TOTAL DEATHS	767	215	26	13	21	13	288	37	18	24	30	50	44	43	44	72	75	42
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	4	1	2	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	24	—	1	3	5	1	10	8	2	—	1	2	—	—	—	—	—	—
Diphtheria	22	—	—	—	1	2	3	10	4	—	2	—	—	—	1	—	—	—
Whooping-cough	8	5	1	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—
Typhus	25	—	1	2	—	3	6	5	—	—	1	3	—	3	3	1	—	—
Diarrhoea & Dysentery	52	37	1	1	—	—	39	—	—	—	—	1	1	—	—	4	6	1
Cholera	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Other Zymotic Dis.	10	2	—	—	—	—	5	1	—	1	—	—	—	1	—	1	1	—
Cancer	28	—	—	—	—	—	—	—	—	—	—	1	3	10	9	4	1	—
Scrofula and Tuberc.	17	9	1	—	—	2	12	1	1	2	—	5	1	5	6	10	8	—
Phthisis	99	—	—	1	2	—	3	2	3	8	19	29	16	13	2	4	—	—
Hydrocephalus	4	3	—	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	66	16	2	—	4	—	22	1	2	3	1	1	4	8	5	11	9	4
Dis. of Heart & Dropsy	35	—	—	—	—	—	1	1	1	—	—	3	1	5	6	10	8	—
Dis. of Lungs	107	29	5	5	3	3	45	5	2	—	1	1	2	4	9	21	14	3
Dis. of Stom. and Liver	41	8	—	—	—	—	8	2	—	1	2	5	7	4	7	4	1	—
Dis. of Kidneys	6	—	1	—	—	—	1	1	—	—	1	—	—	1	1	—	1	—
Dis. of Genes. Organs	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Dis. of Joints	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	10	—	—	—	—	—	—	—	—	—	2	4	3	1	—	—	—	—
Stillbirths	12	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Other Violent Deaths	12	2	1	—	—	1	5	—	1	—	—	—	—	1	—	1	8	2
Other Causes	192	102	10	—	1	1	114	—	1	3	—	—	2	1	2	8	21	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
230.—SMALLBURGH.																			
Mean Popul ⁿ , } 1861-71 }	7231	209	182	201	199	202	993	924	815	696	500	846	718	649	550	369	153	18	
TOTAL DEATHS -	1389	356	62	34	25	18	495	67	34	48	50	63	50	65	86	173	197	61	
Small-pox - - -	5	2	-	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-	
Measles - - - -	7	1	3	2	-	1	7	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	40	2	6	3	2	1	15	13	7	2	1	1	1	-	-	-	-	-	
Diphtheria - - -	53	-	1	1	6	4	12	10	4	5	1	1	-	-	-	-	-	-	
Whooping-cough -	21	15	3	2	1	-	21	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	24	1	-	1	-	-	2	2	1	8	3	1	2	-	3	1	1	-	
Diarrhoea & Dysentery	52	24	1	4	-	-	29	1	-	1	-	-	-	-	3	7	10	2	
Cholera - - - - -	81	6	1	4	8	3	17	4	1	1	-	1	2	1	-	8	1	-	
Other Zymotic Dis. -	14	-	-	1	-	-	1	-	-	-	-	-	1	3	4	2	2	1	
Cancer - - - - -	32	10	2	1	-	3	16	5	1	-	-	4	1	1	1	2	-	-	
Scrophula and Tuberc.	132	9	3	2	-	2	16	10	5	26	26	35	14	14	8	3	1	-	
Phthisis - - - -	23	7	6	2	1	-	16	4	1	2	-	-	-	-	-	-	-	-	
Hydrocephalus - -	116	23	5	2	3	-	33	4	6	1	1	5	3	8	10	24	17	4	
Dis. of Brain - - -	62	1	-	-	-	-	1	-	-	-	-	7	9	5	30	15	3	3	
Dis. of Heart & Dropsy	143	23	9	4	2	2	45	2	-	2	4	1	5	8	13	35	28	8	
Dis. of Lungs - - -	63	6	1	-	1	-	8	-	1	1	1	1	4	8	18	19	7	-	
Dis. of Stom. and Liver	39	1	-	-	-	-	1	1	1	1	2	1	4	2	4	13	7	-	
Dis. of Kidneys - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Gener. Organs	8	-	-	-	-	-	-	2	-	-	1	3	-	2	-	-	-	-	
Dis. of Joints - - -	7	3	1	-	-	-	4	-	-	-	-	1	1	-	-	1	-	-	
Dis. of Skin - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	54	3	5	-	2	-	10	6	4	2	6	3	2	7	5	3	5	1	
Other Violent Deaths	456	214	19	2	3	1	239	3	2	1	2	3	2	1	15	37	103	48	

231.—ERPINGHAM.																			
Mean Popul ⁿ , 1861-71	9920	273	274	261	253	245	1306	1206	1126	946	676	1126	1089	938	748	517	210	32	
TOTAL DEATHS	2103	559	100	62	44	34	799	79	52	62	59	95	84	106	145	245	293	114	
Small-pox	6	1	1	1	-	1	4	-	-	1	-	1	-	-	-	-	-	-	
Measles	21	4	3	6	2	2	17	1	1	1	-	-	1	-	-	-	-	-	
Scarlatina	74	5	6	11	9	9	40	22	5	3	1	2	-	1	-	-	-	-	
Diphtheria	49	5	5	5	5	2	22	11	11	2	-	-	1	1	-	-	-	-	
Whooping-cough	31	21	3	3	4	-	31	-	-	-	-	-	-	-	-	-	-	-	
Typhus	58	3	3	3	8	4	16	7	6	7	2	2	4	2	5	5	2	-	
Diarrhoea & Dysentery	33	30	4	1	-	-	35	-	-	-	-	1	-	1	4	4	5	2	
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	82	15	3	6	1	1	26	1	-	1	2	-	1	-	4	10	6	1	
Cancer	31	-	-	-	-	-	-	-	-	-	-	-	2	3	9	10	6	-	
Scrophula and Tuberc.	43	18	3	1	1	-	23	3	1	5	2	3	2	1	1	1	-	-	
Phthisis	222	12	5	-	1	-	18	13	9	30	32	48	26	17	19	6	3	-	
Hydrocephalus	17	4	1	5	3	2	13	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	243	58	15	3	2	4	89	5	5	2	4	5	7	15	21	45	38	14	
Dis. of Heart & Dropsy	126	1	3	1	1	1	7	-	2	-	3	6	9	15	18	37	25	3	
Dis. of Lungs	235	62	23	5	9	2	101	1	4	3	4	5	10	15	21	42	40	9	
Dis. of Stom. and Liver	77	8	-	1	1	1	11	-	1	-	1	5	7	12	19	11	10	-	
Dis. of Kidneys	61	-	-	-	-	-	-	-	-	1	2	3	7	9	9	19	9	8	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	
Dis. of Skin	7	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	3	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	1	
Other Violent Deaths	66	2	2	4	-	4	12	6	3	5	6	11	4	7	4	6	2	1	
Other Causes	595	308	20	6	2	1	337	7	2	-	-	1	2	8	9	40	112	82	

232.—AYLSHAM.																			
Mean Popul ⁿ , 1861-71	9178	252	240	229	261	244	1226	1135	1062	916	619	1042	943	824	711	488	189	23	
TOTAL DEATHS	1791	485	72	55	37	25	624	77	48	64	60	88	80	79	120	238	227	77	
Small-pox	6	1	-	-	-	-	1	-	-	-	1	1	3	-	-	-	-	-	
Measles	6	2	1	-	-	-	5	-	-	-	1	-	-	-	-	-	-	-	
Scarlatina	72	3	5	11	9	5	33	20	8	5	3	3	-	-	-	-	-	-	
Diphtheria	45	1	3	6	2	5	17	14	6	1	1	2	1	1	1	1	-	-	
Whooping-cough	26	16	2	5	1	1	25	1	-	-	-	-	-	-	-	-	-	-	
Typhus	22	1	-	-	1	1	3	7	2	10	2	4	6	4	4	7	8	-	
Diarrhoea & Dysentery	40	16	7	1	1	2	21	-	1	-	-	1	-	3	1	9	3	2	
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Zymotic Dis.	50	9	1	4	7	1	22	3	1	-	-	1	4	2	5	9	3	-	
Cancer	9	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	1	1	
Scrophula and Tuberc.	39	20	1	2	-	-	23	2	4	5	-	2	1	1	1	-	-	-	
Phthisis	207	1	1	1	-	-	3	6	7	25	37	47	30	19	15	16	2	-	
Hydrocephalus	19	6	2	2	2	3	15	2	1	-	-	1	-	-	-	-	-	-	
Dis. of Brain	194	44	10	7	2	2	65	12	4	2	4	4	7	8	12	37	50	8	
Dis. of Heart & Dropsy	127	3	-	-	-	1	4	-	1	2	-	6	6	19	22	61	34	3	
Dis. of Lungs	209	49	15	7	7	3	81	2	3	7	1	5	9	7	19	40	25	7	
Dis. of Stom. and Liver	79	10	1	-	1	1	13	1	2	1	5	3	5	5	11	23	10	7	
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	1	-	1	3	-	8	13	7	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
Dis. of Skin	9	2	-	-	-	-	2	-	1	-	-	-	-	1	2	1	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	8	-	-	-	-	-	-	-	-	-	2	-	-	1	3	2	-	-	
Other Violent Deaths	55	1	3	2	3	-	9	4	6	3	4	3	8	3	6	7	2	-	
Other Causes	485	250	20	5	1	-	282	3	1	1	1	1	2	1	7	24	100	53	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- 90- 95- 100-	
230.—SMALLBURGH.																			
Mean Popul ⁿ , 1861-71	7231	202	184	183	184	191	944	875	749	570	561	961	816	666	509	378	166	36	
TOTAL DEATHS	1356	294	58	23	19	19	413	45	30	54	65	95	72	80	92	141	191	78	
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Measles	8	2	2	1	-	1	6	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina	43	5	4	1	7	3	20	11	10	-	-	-	-	1	-	-	-	-	
Diphtheria	26	1	4	-	2	3	10	5	-	3	2	1	1	2	1	1	-	-	
Whooping-cough	29	14	6	5	1	3	29	-	-	-	-	-	-	-	-	-	-	-	
Typhus	38	2	1	-	1	-	4	4	4	6	6	1	3	3	5	1	1	-	
Diarrhoea & Dysentery	39	18	1	1	-	1	21	2	-	-	-	1	1	2	1	5	5	1	
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	22	6	-	3	-	1	10	2	2	-	-	2	-	1	-	8	2	-	
Cancer	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	25	8	4	1	1	1	15	-	1	2	1	2	5	14	14	4	7	-	
Phthisis	212	6	9	-	-	1	10	5	8	31	42	58	33	11	10	4	-	-	
Hydrocephalus	11	1	2	-	-	2	6	4	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain	111	22	8	5	2	2	37	1	1	4	-	3	5	6	12	20	16	0	
Dis. of Heart & Dropsy	74	-	-	-	-	-	1	-	-	-	-	5	9	9	9	15	20	1	
Dis. of Lungs	104	19	5	2	3	-	29	3	1	1	4	5	9	9	10	15	21	5	
Dis. of Stom. and Liver	57	1	1	-	1	-	3	1	2	-	1	2	4	9	14	16	5	-	
Dis. of Kidneys	10	2	1	-	-	-	3	-	-	-	1	-	-	3	1	1	1	-	
Dis. of Genes. Organs	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	-	
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	
Childbirth and Metris	15	-	-	-	-	-	-	-	-	-	4	9	4	1	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Violent Deaths	21	4	1	2	-	1	8	2	-	3	-	1	-	-	1	1	3	1	
Other Causes	440	181	15	4	-	-	200	2	1	1	2	-	1	6	8	43	108	65	

231.—ERPINGHAM.																		
Mean Popul ⁿ , 1861-71	10437	267	224	252	258	251	1252	1158	1080	904	799	1370	1229	1019	774	560	251	41
TOTAL DEATHS	2010	423	83	52	56	43	637	86	59	75	67	147	124	111	126	210	252	116
Small-pox	10	3	-	-	1	-	4	3	-	1	-	-	2	-	-	-	-	-
Measles	18	4	5	2	1	1	13	4	-	-	1	-	-	-	-	-	-	-
Scarlatina	75	5	5	15	11	13	47	19	4	3	1	1	-	-	-	-	-	-
Diphtheria	53	5	3	4	5	6	23	14	8	1	3	5	-	1	-	-	-	-
Whooping-cough	29	21	6	4	2	4	37	2	-	-	-	-	-	-	-	-	-	-
Typhus	75	4	1	1	4	3	19	8	6	11	1	12	6	3	3	7	3	-
Diarrhoea & Dysentery	40	12	1	2	1	1	17	2	1	-	-	2	2	2	1	5	4	4
Cholera	6	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	41	11	3	1	2	1	18	1	3	-	2	3	2	2	4	2	-	-
Cancer	46	-	-	-	-	1	1	-	-	-	-	2	3	9	14	12	4	1
Scrophula and Tuberc.	42	19	6	3	-	-	27	2	1	-	-	2	3	3	1	1	1	-
Phthisis	313	8	3	2	-	3	16	2	19	46	58	81	56	30	16	2	-	-
Hydrocephalus	16	5	-	2	2	2	11	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	190	41	7	6	1	-	55	2	1	1	3	4	11	11	16	33	44	6
Dis. of Heart & Dropsy	113	2	-	-	-	1	3	-	1	1	3	3	8	14	21	29	26	4
Dis. of Lungs	221	50	19	6	1	4	80	4	2	2	3	6	9	11	16	42	40	15
Dis. of Stom. and Liver	93	8	1	-	1	-	10	1	1	4	1	4	5	17	18	21	10	8
Dis. of Kidneys	21	-	-	1	-	-	1	1	1	-	-	-	-	3	4	2	3	3
Dis. of Genes. Organs	15	-	-	-	-	-	-	-	-	-	-	2	-	3	5	4	-	-
Dis. of Joints	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Dis. of Skin	4	1	-	-	1	-	2	-	-	-	-	1	-	-	-	1	-	-
Childbirth and Metris	39	-	-	-	-	-	-	-	-	-	8	16	15	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Other Violent Deaths	26	4	1	1	2	1	9	5	2	-	-	2	2	2	1	1	1	-
Other Causes	505	218	22	5	2	-	247	5	2	-	2	3	3	2	6	46	111	78

232.—AYLSHAM.																		
Mean Popul ⁿ , 1861-71	9405	249	225	243	249	252	1218	1116	986	782	677	1209	1032	905	707	493	226	54
TOTAL DEATHS	1801	365	60	48	28	25	526	89	50	53	68	116	89	85	131	219	242	133
Small-pox	1	-	-	-	-	-	8	2	-	1	-	-	-	-	-	-	-	-
Measles	19	4	4	12	4	9	33	32	6	2	3	8	-	-	1	-	-	-
Scarlatina	79	4	2	-	6	4	16	21	7	-	2	1	1	2	-	-	-	-
Diphtheria	53	2	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	33	16	10	3	2	1	32	1	-	-	-	-	-	-	-	-	-	-
Typhus	63	2	-	-	-	-	6	6	-	5	5	8	6	5	10	7	1	4
Diarrhoea & Dysentery	62	13	3	1	2	2	22	1	-	1	-	2	1	3	1	3	14	4
Cholera	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	39	5	2	1	1	1	10	2	2	1	2	-	3	-	5	6	5	3
Cancer	58	-	-	-	-	-	-	-	-	-	-	2	7	9	19	14	8	1
Scrophula and Tuberc.	35	4	-	2	-	1	7	2	3	1	2	2	1	1	2	-	1	1
Phthisis	225	-	1	-	-	-	1	3	17	27	33	62	42	21	8	11	-	-
Hydrocephalus	12	5	3	2	-	-	10	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	188	40	8	2	2	-	52	5	3	2	3	7	4	7	17	39	24	15
Dis. of Heart & Dropsy	103	1	-	1	-	1	3	-	-	1	3	4	7	14	20	29	21	1
Dis. of Lungs	189	31	10	10	5	4	60	8	2	4	2	5	1	5	15	40	36	11
Dis. of Stom. and Liver	85	10	2	-	-	-	12	-	2	1	3	8	7	9	14	19	12	3
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	1	3	1	-	2	4	7	1	-
Dis. of Genes. Organs	15	-	-	-	-	-	-	-	-	-	-	2	-	3	0	2	-	-
Dis. of Joints	2	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Dis. of Skin	6	1	-	-	-	-	1	1	-	-	-	-	-	-	1	2	1	-
Childbirth and Metris	37	-	-	-	-	-	-	-	-	3	7	10	6	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	1
Other Violent Deaths	21	3	-	4	1	-	8	1	-	-	-	-	-	3	3	3	10	3
Other Causes	499	229	11	8	2	-	243	3	1	1	-	2	1	3	5	33	106	33

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
233.—ST. FAITHS.																				
Mean Popul ⁿ , 1861-71	5444	137	147	138	145	129	696	686	632	543	402	607	555	504	422	272	104	21		
TOTAL DEATHS	1075	290	53	25	13	7	388	40	18	23	42	43	59	44	77	164	121	56		
Small-pox	4	1	—	1	—	—	2	—	—	—	—	1	1	—	—	—	—	—		
Measles	16	2	0	2	1	—	11	5	—	—	—	—	—	—	—	—	—	—		
Scarlatina	27	4	3	4	3	1	15	7	3	1	—	—	1	—	—	—	—	—		
Diphtheria	16	—	5	2	1	—	8	4	1	1	2	—	—	—	—	—	—	—		
Whooping-cough	21	16	4	—	—	—	20	1	—	—	—	—	—	—	—	—	—	—		
Typhus	35	—	—	—	—	1	1	4	2	—	9	3	3	3	1	7	2	—		
Diarrhoea & Dysentery	19	7	2	—	1	—	10	—	—	—	1	—	—	2	2	3	1	—		
Cholera	3	—	—	—	—	1	1	—	—	—	—	—	—	—	1	1	—	—		
Other Zymotic Dis.	15	—	1	2	1	1	5	2	—	—	—	—	3	—	—	4	—	1		
Cancer	10	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	2	—		
Scrofula and Tubes	14	4	2	—	—	—	6	4	2	—	1	—	—	—	—	—	—	—		
Phthisis	123	3	—	1	—	—	4	4	3	13	20	31	23	12	8	5	—	—		
Hydrocephalus	9	2	2	1	2	1	8	1	—	—	—	—	—	—	—	—	—	—		
Dis. of Brain	125	37	5	2	—	—	44	1	—	3	2	3	6	4	11	31	19	1		
Dis. of Heart & Dropsy	59	—	—	—	—	—	2	2	—	—	—	1	4	8	9	22	11	2		
Dis. of Lungs	136	38	11	3	3	2	57	2	1	1	4	3	4	5	17	24	14	4		
Dis. of Stom. and Liver	35	8	1	—	—	—	9	—	1	—	1	—	2	—	5	13	3	1		
Dis. of Kidneys	37	—	—	—	—	—	—	—	1	—	—	—	2	2	7	14	7	4		
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Dis. of Joints	4	—	—	—	—	—	—	—	1	—	—	—	1	—	1	1	—	—		
Dis. of Skin	8	1	—	—	—	—	1	—	—	—	1	—	1	2	—	1	2	—		
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Suicide	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
Other Violent Deaths	24	—	1	2	1	—	4	1	1	4	1	—	1	2	8	6	1	—		
Other Causes	332	167	10	5	—	—	182	2	1	—	—	1	6	3	9	25	29	43		
234.—NORWICH.																				
Mean Popul ⁿ , 1861-71	35246	1093	937	975	926	900	4831	4187	3858	3272	2704	4714	4119	3239	2283	1508	477	54		
TOTAL DEATHS	9433	2698	701	373	230	138	4140	368	157	199	234	411	527	604	768	1078	791	165		
Small-pox	52	12	8	2	5	2	29	8	1	1	5	4	1	2	1	—	—	—		
Measles	153	39	49	59	18	6	151	2	—	—	—	—	—	—	—	—	—	—		
Scarlatina	836	23	40	55	48	4	210	95	19	5	2	4	1	—	—	—	—	—		
Diphtheria	70	4	8	9	10	6	37	25	4	—	1	—	2	1	—	—	—	—		
Whooping-cough	169	90	48	12	12	4	166	3	—	—	—	—	—	—	—	—	—	—		
Typhus	340	19	18	21	30	18	106	55	25	18	20	26	24	19	21	21	5	—		
Diarrhoea & Dysentery	592	396	62	15	4	1	478	4	2	—	—	3	9	6	24	33	28	5		
Cholera	13	2	2	—	—	—	4	2	—	—	—	—	1	1	2	1	—	—		
Other Zymotic Dis.	169	16	16	24	15	13	84	11	3	3	3	10	6	9	16	14	8	2		
Cancer	116	—	—	1	—	1	2	1	1	—	—	2	11	19	37	31	11	1		
Scrofula and Tubes	173	72	27	11	5	1	116	18	12	6	2	7	3	3	4	2	—	—		
Phthisis	928	21	11	7	4	3	46	16	24	95	125	194	173	188	84	33	—	—		
Hydrocephalus	98	43	22	14	3	3	85	8	3	1	—	1	—	—	—	—	—	—		
Dis. of Brain	1138	323	57	31	13	5	429	26	9	10	11	29	68	91	115	216	123	11		
Dis. of Heart & Dropsy	433	12	5	2	—	—	21	9	9	5	6	24	38	54	84	117	26	10		
Dis. of Lungs	1268	313	165	82	43	17	630	28	8	11	11	27	45	79	117	191	129	11		
Dis. of Stom. and Liver	403	41	7	4	2	—	58	13	7	11	8	15	42	67	71	84	34	3		
Dis. of Kidneys	229	—	1	—	—	—	1	7	4	2	7	15	25	18	32	29	35	8		
Dis. of Genes. Organs	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Dis. of Joints	28	—	1	1	1	—	3	3	7	1	2	2	2	2	1	2	2	—		
Dis. of Skin	48	18	1	1	1	1	22	1	—	—	3	1	3	2	6	8	—	—		
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Suicide	58	—	—	—	—	—	—	—	—	3	1	6	9	15	10	13	1	—		
Other Violent Deaths	297	12	11	10	6	5	44	24	17	23	23	27	29	40	37	35	7	1		
Other Causes	3320	1242	142	32	6	6	1428	9	2	3	4	14	34	48	76	237	257	118		
235.—FOREHOE.																				
Mean Popul ⁿ , 1861-71	6159	166	159	145	161	159	790	765	744	590	411	657	647	594	493	338	111	19		
TOTAL DEATHS	1250	331	55	31	26	16	459	42	29	33	38	52	61	76	105	150	147	28		
Small-pox	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
Measles	9	—	2	—	—	1	6	3	—	—	—	—	—	—	—	—	—	—		
Scarlatina	27	1	—	7	4	4	16	8	2	—	—	—	—	—	—	—	—	—		
Diphtheria	22	1	—	5	3	—	9	4	3	2	1	1	1	1	—	—	—	—		
Whooping-cough	24	16	1	3	1	—	21	3	—	—	—	—	—	—	—	—	—	—		
Typhus	52	1	—	—	4	3	8	4	7	7	4	4	7	6	3	3	2	—		
Diarrhoea & Dysentery	37	22	3	—	—	—	25	—	—	—	—	—	1	—	1	3	5	2		
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Zymotic Dis.	31	4	2	1	1	—	8	1	1	3	—	1	1	3	4	6	3	1		
Cancer	10	—	—	—	—	—	—	1	—	—	—	—	—	—	1	4	2	—		
Scrofula and Tubes	14	2	2	—	—	—	6	1	1	1	1	—	—	—	—	—	—	—		
Phthisis	116	3	1	—	1	—	5	2	3	14	23	26	30	14	7	2	—	—		
Hydrocephalus	7	2	3	1	—	1	7	—	—	—	—	—	—	—	—	—	—	—		
Dis. of Brain	137	55	8	2	4	1	60	2	1	—	3	1	8	7	14	24	23	4		
Dis. of Heart & Dropsy	57	3	—	—	—	—	3	1	2	—	—	1	7	4	12	14	11	2		
Dis. of Lungs	148	26	12	5	3	1	47	4	—	—	1	5	3	15	13	34	15	6		
Dis. of Stom. and Liver	39	7	1	2	—	—	10	—	1	—	—	1	2	4	11	6	12	3		
Dis. of Kidneys	33	1	—	—	—	—	1	—	—	1	1	—	2	2	7	17	3	2		
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Dis. of Joints	4	—	—	—	—	—	—	—	1	—	—	—	—	—	2	1	—	—		
Dis. of Skin	3	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Suicide	11	1	2	1	1	—	5	3	4	3	1	3	3	5	3	4	2	1		
Other Violent Deaths	39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Causes	421	206	18	4	2	2	232	8	3	2	1	6	3	5	20	24	73	11		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.
233.—ST. FAITHS.																		
Mean Popul ⁿ , 1861-71 -}	5656	147	132	145	131	145	700	642	590	482	472	767	643	537	398	284	122	19
TOTAL DEATHS -	1085	237	41	29	16	18	341	45	26	40	42	79	64	59	67	116	143	63
Small-pox - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles - - -	11	1	1	3	3	-	8	-	1	-	1	-	-	1	-	-	-	-
Scarlatina - - -	33	3	3	4	1	1	12	15	3	1	2	-	-	-	-	-	-	-
Diphtheria - - -	27	-	-	2	2	3	7	8	7	2	-	1	-	1	-	1	-	-
Whooping-cough -	14	8	6	-	-	1	15	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	39	1	1	-	2	2	6	6	3	6	4	5	2	1	3	2	2	-
Diarrhoea & Dysentery	24	9	1	3	1	-	14	-	-	-	-	-	1	-	2	3	3	1
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis. -	14	4	1	1	1	2	9	2	-	-	1	-	-	-	1	1	-	-
Cancer - - -	35	-	-	-	-	-	-	-	-	-	-	1	6	10	4	9	5	-
Serofula and Tabes -	18	8	-	3	1	2	14	-	2	-	-	1	1	-	-	-	-	-
Phthisis - - -	163	1	1	1	1	-	3	3	4	23	22	47	23	17	11	6	1	-
Hydrocephalus - -	4	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	110	23	6	2	-	-	31	2	-	3	2	3	1	5	9	26	21	7
Dis. of Heart & Dropsy	71	1	-	-	-	-	1	4	1	-	-	3	8	6	14	16	13	5
Dis. of Lungs - - -	135	37	12	5	2	4	60	3	1	1	5	2	5	7	6	22	22	5
Dis. of Stom. and Liver	34	2	-	1	-	-	3	3	1	-	-	2	4	3	6	8	6	1
Dis. of Kidneys - -	5	-	-	-	1	-	1	-	-	-	-	1	2	1	2	1	1	-
Dis. of Genes. Organs -	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Dis. of Skin - - -	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
Childbirth and Metria	17	-	-	-	-	-	-	-	-	-	1	8	8	-	-	-	-	-
Selficide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths -	11	-	1	1	-	2	4	-	1	-	1	-	-	-	3	-	1	1
Other Causes - - -	363	139	8	3	-	1	131	-	2	1	-	4	4	5	4	19	68	-

234.—NORWICH.

Mean Popul ⁿ , 1861-71	42393	1076	914	978	943	897	4808	4251	4045	4184	3887	6230	5167	3943	2863	2066	828	121
TOTAL DEATHS -	9420	2119	660	573	235	155	3542	318	165	239	257	593	572	557	728	1080	1032	337
Small-pox - - -	53	12	8	6	2	2	30	6	3	5	-	5	3	1	-	-	-	-
Measles - - - -	166	17	79	36	16	7	155	10	11	1	-	-	-	-	-	-	-	-
Scarlatina - - -	314	13	53	22	45	80	182	24	23	8	4	12	1	-	-	-	-	-
Diphtheria - - -	94	6	6	15	17	9	33	22	11	2	1	3	-	2	-	-	-	-
Whooping-cough -	179	87	46	24	16	4	177	2	-	-	-	-	-	-	-	-	-	-
Typhoid - - - -	261	10	15	30	21	19	85	68	56	30	23	29	29	18	17	19	6	1
Dysentery & Dysentery	567	391	62	12	4	2	391	6	-	1	4	9	10	3	23	31	41	8
Cholera - - - -	6	2	-	-	-	1	3	-	-	-	-	-	1	-	2	-	-	-
Other Zymotic Dis.	165	19	15	23	14	11	82	8	4	3	2	7	9	7	19	18	5	1
Cancer - - - -	203	-	-	-	-	-	-	-	1	3	19	55	78	72	57	15	3	-
Scrophula and Tuberc.	139	56	24	11	9	3	103	12	7	6	2	7	8	12	2	4	1	-
Epilepsy - - - -	1042	17	10	5	3	3	88	18	40	117	194	203	217	100	62	19	3	1
Hydrocephalus - -	58	21	15	10	1	3	50	6	1	-	-	1	-	-	-	-	-	-
Dis. of Brain - - -	1021	242	55	25	21	14	328	14	15	12	12	57	41	76	118	162	159	19
Dis. of Heart & Drop-y	590	16	4	4	4	3	31	9	7	12	15	31	40	67	119	166	90	9
Dis. of Lungs - - -	1232	252	157	73	43	18	532	23	3	6	6	16	39	65	122	221	143	36
Dis. of Stom. and Liver	361	34	1	1	4	5	45	7	5	7	8	24	31	44	71	75	39	5
Dis. of Kidneys - -	85	-	-	-	1	-	1	2	5	2	2	4	9	14	21	14	10	1
Dis. of Genes. Organs	72	-	-	-	-	-	-	-	-	1	2	10	15	19	12	11	4	-
Dis. of Joints - - -	20	-	2	1	-	1	4	-	1	3	1	1	3	5	1	-	1	-
Dis. of Skin - - -	35	7	2	-	-	2	11	-	5	2	-	2	-	4	3	7	2	1
Childbirth and Metris	133	-	-	-	-	-	-	-	-	8	31	26	36	2	-	-	-	-
Selficide - - - -	16	-	-	-	-	-	-	-	1	2	8	3	4	-	2	1	-	-
Other Violent Deaths	116	11	5	7	2	4	29	8	4	4	3	8	5	10	4	15	20	6
Other Causes - - -	2316	992	151	53	11	5	1162	13	7	7	4	16	22	28	63	239	512	246

235.—FOREHOE.

Mean Popul ⁿ , 1861-71	6403	150	148	168	165	143	774	750	654	560	465	830	724	616	504	341	159	26
TOTAL DEATHS -	1270	254	59	24	20	22	379	54	27	40	49	93	80	60	93	131	187	77
Small-pox -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles -	13	2	-	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	41	2	4	6	4	6	22	13	3	1	-	1	-	1	-	-	-	-
Diphtheria -	38	1	5	2	2	5	15	14	5	1	2	1	-	-	-	-	-	-
Whooping-cough -	25	9	7	8	2	-	23	1	1	-	-	-	-	-	-	-	-	-
Typhus -	63	1	1	1	2	1	6	6	6	11	7	8	8	-	3	2	3	-
Diarrhoea & Dysentery -	32	12	1	2	-	1	16	-	1	-	1	-	-	-	1	6	6	1
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	18	-	2	1	3	1	7	3	-	-	-	-	-	-	2	3	2	1
Cancer -	36	-	-	-	-	-	-	-	-	-	-	3	5	8	10	7	2	-
Scrophula and Tuberc -	12	3	1	1	-	1	6	-	2	-	1	1	-	2	-	-	-	-
Phthisis -	167	3	1	-	-	-	4	3	6	20	31	51	20	13	7	6	-	-
Hydrocephalus -	3	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	116	23	6	-	1	2	32	2	-	1	-	2	8	3	18	19	25	6
Dis. of Heart & Dropsy -	76	-	1	-	-	-	1	-	-	-	-	4	5	9	15	22	19	1
Dis. of Lungs -	134	22	12	4	2	2	42	5	-	1	1	4	4	9	10	24	23	9
Dis. of Stom. and Liver -	49	3	-	-	-	-	5	-	3	2	2	2	7	2	9	11	7	1
Dis. of Kidneys -	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1
Dis. of Genur. Organs -	6	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-
Dis. of Joints -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria -	18	-	-	-	-	-	-	-	-	2	10	5	-	1	-	-	-	-
Selficide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	70	1	-	1	1	1	4	3	-	-	-	1	-	1	2	2	3	1
Other Causes -	402	169	13	-	3	1	186	2	-	2	2	3	7	7	15	20	96	31

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 & upwards.
		236.—HENSTEAD.																
Mean Popul ⁿ , 1861-71	5455	145	135	132	143	137	692	671	608	538	368	596	579	534	444	288	118	19
TOTAL DEATHS -	1024	242	31	26	16	15	330	39	26	30	31	39	42	57	82	144	129	23
Small-pox - - -	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Measles - - - -	6	1	2	1	-	2	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	25	1	3	4	6	2	10	6	1	-	1	-	-	-	1	-	-	-
Diphtheria - - -	11	-	-	1	2	1	4	2	1	3	-	-	1	-	-	-	-	-
Whooping-cough -	10	6	2	1	-	1	10	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	44	-	-	2	2	2	6	6	8	3	3	3	2	5	4	4	4	-
Diarrhoea & Dysentery	20	10	2	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-
Cholera - - - - -	12	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	-
Other Zymotic Dis.	14	-	1	2	-	-	3	-	-	-	1	-	-	-	1	5	-	-
Cancer - - - - -	15	-	-	-	-	-	-	-	-	-	-	-	1	-	6	2	4	-
Scrofula and Tuberc.	33	19	3	1	-	-	23	2	1	-	-	2	1	2	1	-	1	-
Phthisis - - - -	100	-	1	-	-	-	1	6	3	22	17	24	12	4	9	2	-	-
Hydrocephalus - -	5	-	3	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	91	17	2	3	1	1	24	1	-	3	1	-	4	9	10	13	15	6
Dis. of Heart & Dropsy	37	1	-	-	-	-	1	-	2	1	1	-	2	10	13	13	11	1
Dis. of Lungs - - -	145	38	6	3	1	2	50	5	1	2	1	1	4	11	6	28	21	3
Dis. of Stom. and Liver	45	5	1	-	-	-	6	3	1	-	-	2	3	8	7	11	4	-
Dis. of Kidneys - -	31	-	-	-	-	-	-	-	-	-	-	2	2	3	6	11	6	1
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - - -	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	10	-	-	-	-	-	-	-	-	-	1	1	3	1	3	-	-	1
Other Violent Deaths -	42	1	-	4	2	2	9	5	7	3	4	3	3	1	4	1	2	-
Other Causes - - -	311	142	5	4	1	2	154	1	-	2	-	1	2	1	5	23	29	43

237.—BLOFIELD.																		
Mean Popul ⁿ , 1861-71	5656	154	160	139	155	144	752	695	626	525	401	665	602	524	419	311	118	18
TOTAL DEATHS -	1241	258	45	23	17	12	355	45	25	42	35	73	105	100	92	170	144	55
Small-pox -	4	1	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-
Measles -	11	3	3	2	-	1	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	24	2	1	3	4	5	15	6	3	-	-	-	-	-	-	-	-	-
Diphtheria -	22	-	1	2	4	-	7	10	2	2	-	-	1	-	-	-	-	-
Whooping-cough -	18	15	2	1	-	-	18	-	-	-	3	4	1	6	-	-	-	-
Typhus -	30	1	-	-	1	-	2	5	5	4	-	-	-	-	1	2	-	-
Diarrhoea & Dysentery -	20	11	4	1	1	-	17	-	-	-	-	-	-	-	-	-	-	-
Cholera -	15	1	-	1	2	1	5	-	1	1	1	-	1	-	1	2	2	1
Other Zymotic Dis. -	12	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	1	-
Cancer -	21	5	3	1	1	-	10	2	2	2	1	1	1	1	1	-	-	-
Scrofula and Tuberc. -	118	6	4	1	-	1	12	3	1	17	17	23	20	17	8	-	-	-
Phthisis -	3	1	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus -	212	18	7	3	-	-	28	4	2	5	6	18	38	32	23	39	23	3
Dis. of Brain -	79	2	1	-	1	-	4	1	2	2	2	3	7	9	11	24	11	3
Dis. of Heart & Dropsy -	155	33	6	4	-	2	45	4	1	-	-	9	8	15	17	37	13	6
Dis. of Lungs -	68	5	1	2	-	-	8	2	1	2	-	5	14	7	9	18	2	-
Dis. of Stom. and Liver -	24	-	-	-	-	-	-	-	-	1	-	-	2	2	6	8	5	-
Dis. of Kidneys -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	6	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-
Suicide -	46	3	1	1	-	1	6	3	3	4	1	5	9	3	4	4	3	1
Other Violent Deaths -	340	151	11	1	1	1	165	3	1	1	2	3	1	2	5	29	33	41

238.—LODDON.																		
Mean Popul ⁿ , 1861-71	6815	189	163	194	170	185	901	797	787	624	487	746	710	662	540	377	160	24
TOTAL DEATHS -	1265	310	48	19	7	21	405	41	32	40	38	67	48	67	92	167	195	73
Small-pox -	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles -	5	1	2	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	26	-	3	3	1	4	11	9	4	-	1	-	1	-	-	-	-	-
Diphtheria -	32	4	-	2	-	6	12	6	6	2	-	4	-	1	1	-	-	-
Whooping-cough -	13	8	2	1	1	-	12	1	-	-	-	-	-	-	-	-	-	-
Typhus -	39	2	-	1	-	-	3	5	5	6	2	8	1	2	2	4	1	-
Diarrhoea & Dysentery -	37	23	2	1	-	1	27	1	-	-	1	-	-	-	2	2	4	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis. -	13	-	1	2	1	1	5	1	-	-	1	-	-	1	2	1	1	1
Cancer -	24	-	-	-	-	-	-	-	-	-	-	1	2	4	3	12	-	2
Scrofula and Tuberc. -	32	16	4	-	-	-	20	2	2	1	2	2	1	1	-	-	-	-
Phthisis -	114	-	2	-	-	2	4	1	1	13	22	32	18	14	3	6	-	-
Hydrocephalus -	19	9	3	2	-	2	16	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	97	26	7	1	-	2	36	1	4	2	-	-	-	6	10	16	19	3
Dis. of Heart & Dropsy -	83	1	-	-	-	-	1	-	1	1	1	1	3	8	17	26	16	4
Dis. of Lungs -	175	42	13	1	3	2	61	2	3	3	5	5	5	3	17	33	31	7
Dis. of Stom. and Liver -	63	9	-	1	-	-	10	1	-	2	2	3	2	8	9	15	11	-
Dis. of Kidneys -	59	2	-	-	-	-	2	2	1	1	-	2	3	6	5	9	7	1
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Dis. of Skin -	8	1	-	-	-	-	1	1	-	1	-	-	-	-	2	3	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	1	-	1	3	3	3	1	-
Other Violent Deaths -	63	2	5	2	-	1	10	2	5	7	-	5	5	5	4	7	3	-
Other Causes -	376	163	4	-	1	-	168	3	-	-	-	3	4	5	12	27	39	55

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
236.—HENSTEAD.																			
Mean Popul ⁿ , 1861-71	5553	148	134	136	138	135	691	630	586	454	448	718	646	526	432	290	110	22	
TOTAL DEATHS	1033	215	45	17	20	21	318	31	22	30	45	73	61	62	86	111	132	62	
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Measles	9	1	1	2	1	2	7	1	1	-	-	-	-	-	-	-	-	-	
Scarlatina	23	-	12	4	2	3	11	7	2	1	-	1	1	-	-	-	-	-	
Diphtheria	17	-	-	-	3	2	5	7	1	-	1	-	-	2	1	-	-	-	
Whooping-cough	15	6	7	1	1	-	15	-	-	-	-	-	-	-	-	-	-	-	
Typhus	46	2	2	1	3	2	10	4	2	3	8	2	5	4	6	2	-	-	
Diarrhoea & Dysentery	19	9	2	-	-	-	11	-	-	-	-	1	-	-	2	2	2	1	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	16	2	-	1	1	2	6	-	2	2	-	-	-	2	-	2	1	-	
Cancer	32	-	-	-	-	-	-	-	-	-	-	1	6	6	14	4	1	-	
Scrofula and Tuberc.	27	14	3	1	-	1	19	-	1	-	1	3	1	-	1	1	-	-	
Phthisis	146	3	1	-	-	-	6	5	9	18	24	34	23	15	9	3	-	-	
Hydrocephalus	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	90	20	5	2	1	2	30	2	-	1	-	3	4	6	6	13	21	4	
Dis. of Heart & Dropsy	61	1	-	-	-	-	1	-	1	1	-	3	4	6	14	18	7	5	
Dis. of Lungs	129	22	11	4	3	3	43	3	1	-	2	3	8	7	12	30	24	4	
Dis. of Stom. and Liver	64	6	1	-	-	2	9	1	2	-	1	7	2	3	14	9	5	1	
Dis. of Kidneys	8	1	-	-	-	-	1	-	-	-	-	1	1	2	2	1	-	-	
Dis. of Gen. Organs	8	-	-	-	-	-	-	-	-	-	-	1	1	4	1	-	-	-	
Dis. of Joints	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Dis. of Skin	3	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
Childbirth and Metris	24	-	-	-	-	-	-	-	-	1	6	10	6	1	-	-	-	-	
Self-de	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	11	1	2	-	4	-	7	-	-	-	1	-	-	-	1	1	1	-	
Other Causes	289	125	7	-	-	-	132	1	-	3	-	4	2	4	3	24	69	47	

237.—BLOFIELD.																		
Mean Popul ⁿ , 1861-71	5768	151	133	143	134	140	701	676	604	444	448	792	718	540	418	288	119	20
TOTAL DEATHS	1201	212	43	23	20	14	312	40	24	45	52	84	100	65	119	154	147	52
Small-pox	4	1	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-
Measles	12	0	3	2	-	1	12	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	-	2	3	4	2	11	4	1	5	-	1	1	1	-	-	-	-
Diphtheria	26	1	2	1	1	2	7	12	2	1	1	2	1	-	-	-	-	-
Whooping-cough	19	8	7	3	-	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	46	-	-	-	2	1	3	8	5	-	4	6	4	1	4	2	1	-
Diarrhoea & Dysentery	26	11	2	-	-	-	13	-	-	-	-	-	1	1	1	6	4	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	17	3	-	-	1	-	4	1	1	-	-	-	-	3	2	3	3	-
Cancer	34	-	-	-	2	-	2	-	-	-	-	1	3	4	6	5	8	-
Scrofula and Tuberc.	18	8	3	1	-	-	12	-	2	-	-	1	1	-	2	-	-	-
Phthisis	191	4	3	1	3	-	11	5	-	19	37	40	37	18	11	4	-	-
Hydrocephalus	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	179	24	4	1	2	3	94	1	1	1	2	16	25	14	24	30	21	-
Dis. of Heart & Dropsy	73	-	-	-	-	-	1	1	2	1	-	3	8	5	18	17	16	2
Dis. of Lungs	122	21	7	5	1	1	35	5	-	1	1	4	9	5	9	25	23	5
Dis. of Stom. and Liver	48	2	-	-	-	1	3	2	-	1	-	2	7	9	11	11	2	-
Dis. of Kidneys	10	1	-	-	-	-	1	-	-	1	-	1	2	-	3	2	-	-
Dis. of Gen. Organs	11	-	-	-	-	-	-	-	-	1	1	-	1	2	2	3	1	-
Dis. of Joints	5	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	-
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-
Childbirth and Metris	12	-	-	-	-	-	-	-	-	1	2	3	5	1	-	-	-	-
Self-de	8	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-
Other Violent Deaths	17	3	3	4	1	2	13	-	-	-	-	-	1	-	1	1	1	-
Other Causes	297	116	7	2	3	-	128	-	-	1	2	4	2	-	11	43	71	45

238.—LODDON.																		
Mean Popul ⁿ , 1861-71	7140	180	169	166	168	169	852	858	748	617	538	917	844	689	532	348	160	37
TOTAL DEATHS	1241	228	39	21	12	14	314	42	33	47	63	88	74	70	110	155	172	73
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	19	3	-	2	2	3	10	4	3	1	-	-	-	-	1	-	-	-
Diphtheria	40	1	2	3	5	4	15	11	4	2	2	-	2	-	3	1	-	-
Whooping-cough	17	11	3	1	1	1	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	59	-	-	1	-	1	2	7	8	7	3	4	4	4	4	4	3	-
Diarrhoea & Dysentery	38	13	3	1	-	-	17	2	1	-	-	1	1	-	5	6	4	1
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	2	1	1	1	-	5	1	-	-	1	-	3	1	5	2	3	-
Cancer	43	-	-	-	-	-	-	-	-	-	-	1	6	9	18	6	8	-
Scrofula and Tuberc.	28	14	3	4	-	-	21	2	-	3	-	1	1	-	1	-	-	-
Phthisis	188	1	1	-	-	-	2	3	5	20	41	40	32	10	10	1	-	-
Hydrocephalus	11	2	3	-	-	1	6	2	1	2	-	-	-	-	-	-	-	-
Dis. of Brain	107	17	3	2	1	-	23	1	3	1	1	6	5	6	10	23	16	2
Dis. of Heart & Dropsy	80	-	-	-	-	-	2	2	2	2	2	2	2	4	19	22	19	6
Dis. of Lungs	135	26	16	3	1	2	63	2	-	3	1	7	8	7	12	27	23	5
Dis. of Stom. and Liver	56	5	-	-	1	1	7	-	1	-	2	1	5	5	14	16	5	-
Dis. of Kidneys	13	1	-	-	-	-	1	-	1	-	1	4	-	1	2	2	1	-
Dis. of Gen. Organs	11	-	-	-	-	-	-	-	-	-	3	1	3	3	-	1	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	1	-	1	-	-	1	1	-	-	-
Childbirth and Metris	16	-	-	-	-	-	-	-	-	-	3	6	6	1	-	-	-	-
Self-de	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	11	2	-	-	-	1	3	2	-	-	1	-	-	1	-	5	1	-
Other Causes	211	112	7	2	3	-	128	-	-	1	2	4	2	-	11	43	71	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
239.—DEPWADE.																			
Mean Popul ⁿ , 1861-71		12123	356	300	326	305	328	1615	1533	1383	1176	868	1326	1227	1139	931	610	270	45
TOTAL DEATHS -		2491	606	117	57	52	41	873	114	55	73	81	120	95	119	205	303	326	127
Small-pox - - -		9	1	-	-	-	-	1	1	-	2	1	-	1	2	1	-	-	-
Measles - - - -		15	4	6	2	1	-	13	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -		49	2	4	11	8	8	33	14	1	-	-	1	-	-	-	-	-	-
Diphtheria - - -		95	4	5	5	10	11	55	36	11	8	3	2	-	-	-	-	-	-
Whooping-cough -		40	20	13	1	2	2	38	2	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -		73	-	-	2	2	3	7	11	9	5	8	3	6	9	5	7	2	1
Diarrhoea & Dysentery		55	29	2	1	-	-	32	-	1	-	1	1	-	1	2	5	10	1
Cholera - - - - -		2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.		66	3	2	4	5	2	16	4	-	1	-	1	5	4	7	16	11	1
Cancer - - - - -		44	-	-	-	-	-	-	-	-	-	-	1	5	7	12	17	2	-
Scrofula and Tabes		75	37	11	3	1	1	53	5	5	4	1	3	-	4	-	-	-	-
Phthisis - - - -		254	13	5	2	1	2	23	5	9	29	46	65	28	19	17	11	2	-
Hydrocephalus -		20	5	4	4	2	-	15	4	-	-	-	-	-	1	-	-	-	-
Dis. of Brain - -		235	40	12	6	1	2	61	6	4	3	5	6	6	10	35	47	44	8
Dis. of Heart & Dropsy		161	3	-	-	-	-	3	3	2	5	1	5	8	15	35	51	32	1
Dis. of Lungs - -		299	80	32	9	9	3	153	8	-	3	4	10	11	11	27	44	88	10
Dis. of Stom. and Liver		121	15	1	-	1	1	18	3	1	2	2	7	8	10	29	34	15	2
Dis. of Kidneys -		61	-	-	-	-	-	-	2	2	3	3	1	4	3	8	15	17	3
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints - -		9	1	-	-	1	-	2	-	1	2	-	-	-	-	1	1	-	-
Dis. of Skin - - -		10	3	1	-	-	-	4	-	1	-	-	1	-	-	-	3	2	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -		10	-	-	-	-	-	-	-	-	1	-	-	1	4	1	3	-	-
Other Violent Deaths		66	2	3	3	5	5	18	5	5	4	-	8	6	7	4	3	-	-
Other Causes - - -		721	344	16	4	3	1	308	3	2	1	4	5	6	11	30	57	145	9

240.—GUILTCROSS.																		
Mean Popul ⁿ , 1861-71		5682	143	153	147	145	164	752	727	658	550	385	617	558	524	440	300	144
TOTAL DEATHS -		1135	279	54	21	19	18	391	39	33	23	43	48	50	48	84	157	144
Small-pox - - -		2	-	-	-	-	1	7	-	1	-	-	1	1	-	-	-	-
Measles - - - - -		6	1	2	3	-	-	9	3	4	-	-	2	-	-	-	-	-
Scarlatina - - -		18	1	2	2	2	2	9	3	4	-	-	-	-	-	-	-	-
Diphtheria - - -		39	1	3	2	4	4	14	15	4	2	-	1	2	1	-	-	-
Whooping-cough -		15	9	4	2	-	-	15	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -		25	-	1	-	-	1	2	2	4	5	3	3	1	-	1	1	2
Diarrhoea & Dysentery		13	3	1	1	-	-	5	-	-	-	1	-	-	1	-	2	3
Cholera - - - - -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.		24	-	2	3	1	1	7	1	2	1	-	1	1	5	1	4	1
Cancer - - - - -		11	-	-	-	-	-	-	-	-	-	-	-	-	1	6	1	3
Scrofula and Tabes		35	16	3	-	1	-	20	1	2	-	1	1	1	1	1	6	1
Phthisis - - - -		107	2	1	1	-	1	5	6	6	9	29	24	12	8	8	-	-
Hydrocephalus -		11	4	4	1	-	-	9	1	1	-	-	-	-	-	-	-	-
Dis. of Brain - -		97	20	2	-	-	2	24	-	4	-	2	3	5	4	15	21	16
Dis. of Heart & Dropsy		60	3	-	-	-	-	3	-	-	1	1	2	4	3	15	24	7
Dis. of Lungs - -		150	31	11	2	5	3	52	6	1	-	1	2	10	10	16	28	19
Dis. of Stom. and Liver		60	6	1	1	-	-	8	-	-	1	1	1	2	2	9	18	5
Dis. of Kidneys -		22	-	-	-	-	-	-	-	3	1	-	-	2	1	2	10	2
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - -		4	3	3	2	3	2	13	1	2	-	3	3	2	3	2	3	2
Other Violent Deaths		410	179	15	-	3	1	198	3	1	1	1	4	6	7	7	39	89
Other Causes - - -																		

241.—WAYLAND.																		
Mean Popul ⁿ , 1861-71		5602	143	156	163	142	148	752	683	650	535	377	617	619	544	409	274	121
TOTAL DEATHS -		1143	297	68	30	19	18	432	35	18	32	34	41	49	67	77	164	140
Small-pox - - -		-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-
Measles - - - - -		7	1	3	8	-	-	7	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -		20	2	3	6	2	3	16	8	3	1	1	1	-	-	-	-	-
Diphtheria - - -		17	-	1	2	3	-	6	7	2	-	-	-	1	-	-	-	1
Whooping-cough -		23	12	3	3	2	3	23	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -		41	1	-	-	2	2	5	4	4	5	3	-	6	3	2	8	1
Diarrhoea & Dysentery		26	8	-	2	2	-	12	2	-	-	-	-	-	-	1	3	8
Cholera - - - - -		4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-
Other Zymotic Dis.		16	2	1	-	-	-	3	2	1	8	-	-	-	1	3	2	-
Cancer - - - - -		15	-	-	-	-	-	-	-	-	-	1	1	-	4	3	4	2
Scrofula and Tabes		21	2	4	-	3	3	12	3	-	1	-	2	1	1	1	-	-
Phthisis - - - -		116	6	9	1	1	-	17	-	2	12	23	20	18	16	5	3	-
Hydrocephalus -		4	-	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - -		108	17	7	3	1	-	28	-	-	-	1	3	2	8	14	29	20
Dis. of Heart & Dropsy		33	-	-	-	-	-	-	2	-	-	-	-	6	13	22	7	-
Dis. of Lungs - -		158	37	10	5	1	5	58	5	1	-	2	1	2	8	19	36	5
Dis. of Stom. and Liver		66	6	1	1	-	-	8	1	2	1	1	2	4	6	9	25	7
Dis. of Kidneys -		20	-	-	-	-	-	-	-	1	-	-	1	-	2	4	7	1
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -		-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Dis. of Skin - - -		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		42	1	-	-	-	1	3	1	2	4	1	3	6	8	4	7	3
Other Causes - - -		371	202	22	4	2	1	231	-	-	4	-	5	6	3	3	15	57

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Mean Populⁿ, 1861-71	12637	313	312	324	335	315	1599	1497	1399	1125	973	1577	1335	1210	922	639	296
TOTAL DEATHS	2528	470	129	57	37	42	735	142	88	108	81	161	142	130	169	275	321
Small-pox	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Measles	19	5	7	2	-	-	14	4	-	-	-	-	-	-	-	-	-
Scarlatina	44	3	5	6	4	6	24	12	3	4	-	-	1	-	-	-	-
Diphtheria	137	2	3	10	11	11	37	51	23	7	1	6	4	3	2	-	-
Whooping-cough	48	28	19	7	1	-	48	-	-	-	-	-	-	-	-	-	-
Typhus	70	1	1	-	1	4	7	14	-	7	3	8	8	3	-	6	-
Diarrhoea & Dysentery	37	21	1	-	-	2	24	3	-	-	1	2	-	-	3	11	10
Cholera	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	4
Other Zymotic Dis.	63	7	6	3	3	2	21	5	2	3	-	3	3	4	5	9	6
Cancer	76	-	-	-	-	-	-	-	-	1	-	-	16	14	16	16	8
Serofula and Tabes	79	26	6	3	1	2	38	6	11	3	3	5	3	4	2	1	-
Phthisis	324	6	4	1	2	3	16	11	23	50	53	81	45	24	14	7	-
Hydrocephalus	19	4	4	2	2	1	13	4	1	1	-	-	-	-	-	-	-
Dis. of Brain	236	29	15	3	-	2	49	6	1	9	2	7	8	17	50	54	42
Dis. of Heart & Dropsy	163	1	1	-	1	-	3	-	3	1	3	8	14	14	30	48	39
Dis. of Lungs	294	56	31	12	6	3	108	10	4	6	6	5	7	13	20	40	39
Dis. of Stom. and Liver	113	6	3	1	1	1	12	4	2	7	-	9	9	16	13	23	17
Dis. of Kidneys	27	-	-	-	-	-	-	2	-	1	-	3	4	4	5	5	3
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	2	1	3	4	1	4	1	1
Dis. of Joints	12	-	1	1	-	-	2	-	2	2	1	-	1	1	3	-	-
Dis. of Skin	5	-	1	-	-	-	1	-	-	-	-	-	-	2	1	1	-
Childbirth and Metris	29	-	-	-	-	-	-	-	-	1	4	13	9	2	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-
Other Violent Deaths	31	3	3	2	2	1	11	2	1	-	-	-	1	1	6	4	5
Other Causes	690	272	25	4	2	3	336	4	-	3	2	5	5	7	11	44	162

240.—GUILTCROSS.

Mean Populⁿ, 1861-71	5717	140	147	149	150	161	747	703	626	464	419	701	628	545	412	306	142	24
TOTAL DEATHS	1123	211	55	32	18	20	336	46	35	43	49	82	49	56	65	121	161	80
Small-pox	12	-	-	1	1	1	9	3	-	-	-	-	-	-	-	1	-	-
Measles	19	-	2	3	2	-	7	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	53	2	1	4	4	4	15	14	9	6	1	2	3	3	-	-	-	-
Diphtheria	22	8	7	3	1	-	19	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	34	-	2	1	-	-	3	1	4	6	4	4	2	1	2	2	3	2
Typhus	11	3	-	-	-	-	3	1	-	-	-	2	1	-	-	2	1	1
Diarrhoea & Dysentery	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cholera	20	2	-	1	-	2	5	2	-	2	1	-	-	-	-	4	3	3
Other Zymotic Dis.	29	-	-	-	-	-	-	-	-	1	3	8	7	3	7	4	1	-
Cancer	33	11	4	4	-	-	19	-	1	2	2	2	2	3	2	2	2	-
Serofula and Tabes	141	-	-	-	-	-	3	11	25	26	40	21	11	4	-	-	-	-
Phthisis	6	-	1	2	-	1	4	1	-	-	-	1	-	-	-	-	-	-
Hydrocephalus	81	12	3	1	2	1	19	2	5	-	7	2	3	5	18	14	6	6
Dis. of Brain	74	-	3	-	-	-	3	3	1	1	2	3	6	19	17	17	2	2
Dis. of Heart & Dropsy	117	13	8	4	4	5	34	-	-	1	2	2	2	7	13	27	25	4
Dis. of Lungs	83	3	-	-	-	1	4	-	-	1	-	4	4	3	5	6	5	1
Dis. of Stom. and Liver	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	29	-	-	-	-	-	-	-	-	7	5	7	1	-	-	-	-	-
Childbirth and Metris	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Suicide	23	-	-	5	3	2	10	2	1	1	-	1	-	-	2	3	2	1
Other Violent Deaths	378	157	18	3	1	3	182	2	1	-	3	1	4	6	4	50	83	67

241.—WAYLAND.

Mean Populⁿ, 1861-71	5726	146	129	154	145	147	721	687	620	497	420	719	675	553	393	280	131	30
TOTAL DEATHS	1009	216	55	17	20	20	328	53	31	39	37	79	66	49	84	124	148	61
Small-pox	7	2	1	-	-	2	5	2	-	-	-	-	-	-	-	-	-	-
Measles	81	2	3	2	4	4	15	9	4	2	1	-	-	-	-	-	-	-
Scarlatina	29	-	2	3	3	2	10	8	5	1	-	2	1	-	2	-	-	-
Diphtheria	23	10	6	1	4	2	23	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	41	1	-	4	1	2	8	8	4	2	3	5	4	1	1	3	2	-
Typhus	21	1	-	-	2	-	3	2	-	-	-	1	-	2	2	5	4	2
Diarrhoea & Dysentery	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cholera	19	1	2	1	1	1	6	1	-	1	1	1	-	-	1	1	5	1
Other Zymotic Dis.	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	19	5	1	1	-	-	7	1	1	2	1	1	4	3	8	2	1	-
Serofula and Tabes	114	6	1	1	1	1	10	2	8	21	25	39	19	10	8	-	-	-
Phthisis	8	3	3	1	-	-	7	-	1	-	-	-	-	-	-	-	-	-
Hydrocephalus	101	12	3	-	1	2	18	1	3	2	-	2	8	4	15	25	20	5
Dis. of Brain	70	-	-	-	-	-	1	1	1	1	3	3	3	6	19	18	17	2
Dis. of Heart & Dropsy	148	32	10	2	1	-	45	5	2	3	1	6	2	5	9	32	39	8
Dis. of Lungs	63	-	1	-	-	1	2	1	-	1	-	5	5	9	15	6	1	1
Dis. of Stom. and Liver	5	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Dis. of Joints	25	-	-	-	-	-	-	-	-	5	10	9	1	1	1	3	9	-
Dis. of Skin	17	-	1	-	1	1	3	5	-	1	-	1	-	1	3	5	10	4
Childbirth and Metris	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	324	121	14	3	1	3	166	2	-	1	-	1	4	6	5	18	60	44

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	80 years and over.	
242.—MITFORD.																			
Mean Popul ⁿ , 1861-71	13663	361	349	343	349	347	1749	1643	1575	1344	996	1507	1496	1288	1011	717	295	42	
TOTAL DEATHS	2663	684	124	57	86	87	938	114	50	71	72	141	99	132	229	334	553	130	
Small-pox	6	2	-	-	-	-	2	-	1	1	-	1	1	-	-	-	-	-	
Measles	21	7	6	4	1	2	20	-	-	1	-	-	-	-	-	-	-	-	
Scarlatina	63	2	8	10	4	8	32	16	7	3	1	1	1	2	-	-	-	-	
Diphtheria	49	3	4	1	3	6	17	20	6	2	1	1	1	-	1	-	-	-	
Whooping-cough	36	23	10	1	1	1	36	-	-	-	-	-	-	-	-	-	-	-	
Typhus	74	1	2	2	5	2	12	12	2	9	4	7	7	7	5	7	2	-	
Diarrhoea & Dysentery	44	23	4	1	1	1	30	1	-	1	-	-	1	-	4	1	6	-	
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	41	4	2	2	5	5	18	4	4	1	-	1	3	-	3	3	4	-	
Cancer	87	-	-	-	-	-	-	-	-	1	-	1	1	6	11	10	5	2	
Scrofula and Tuberc.	48	16	7	3	1	-	27	5	1	1	1	2	4	3	2	2	-	-	
Phthisis	299	21	7	3	2	1	54	10	9	23	46	77	82	35	22	11	-	-	
Hydrocephalus	22	4	3	2	-	-	9	10	2	1	-	-	-	-	-	-	-	-	
Dis. of Brain	265	61	14	7	5	2	89	8	2	4	4	12	7	17	27	32	38	5	
Dis. of Heart & Dropsy	138	3	-	-	-	-	5	1	2	2	2	7	1	14	27	33	33	1	
Dis. of Lungs	320	80	30	13	3	3	129	7	2	4	6	7	8	10	28	37	32	3	
Dis. of Stom. and Liver	102	11	-	-	-	1	12	4	-	3	1	6	7	5	28	16	14	2	
Dis. of Kidneys	74	-	-	-	-	-	-	-	-	3	-	5	8	6	13	25	15	1	
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Dis. of Joints	8	-	-	-	-	-	-	-	-	1	1	2	-	-	2	1	1	-	
Dis. of Skin	7	3	1	-	-	-	4	-	-	-	-	-	-	-	2	1	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	14	-	-	-	-	-	-	-	1	1	-	-	1	4	5	-	2	-	
Other Violent Deaths	70	-	1	2	2	2	7	4	4	6	4	5	8	7	15	7	2	1	
Other Causes	919	420	25	6	3	3	457	12	7	8	1	5	10	6	37	56	189	119	

243.—WALSINGHAM.																			
Mean Popul ⁿ , 1861-71	9837	270	256	271	269	250	1316	1242	1121	895	667	1074	1043	925	779	535	206	34	
TOTAL DEATHS	2215	523	127	80	50	48	828	130	57	85	70	104	101	105	172	249	242	72	
Small-pox	10	4	1	1	-	-	6	-	-	1	3	-	-	-	-	-	-	-	
Measles	26	4	12	7	3	-	26	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	127	9	14	20	15	17	75	41	8	1	-	2	2	1	2	1	-	-	
Diphtheria	65	5	4	6	4	5	24	16	13	5	1	2	1	-	-	-	-	-	
Whooping-cough	36	22	8	4	-	-	54	2	-	-	-	-	-	-	-	-	-	-	
Typhus	77	3	4	3	2	6	18	13	7	0	7	5	4	5	4	4	3	-	
Diarrhoea & Dysentery	35	16	3	5	1	-	25	1	-	-	-	1	-	-	1	2	4	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	46	7	1	2	3	3	16	12	4	2	-	2	1	5	2	2	-	-	
Cancer	25	-	-	-	-	-	-	-	-	-	-	-	4	5	6	9	3	-	
Scrofula and Tuberc.	48	21	3	3	1	2	36	4	2	3	1	2	1	2	1	1	1	-	
Phthisis	249	7	6	-	-	-	13	7	5	35	44	56	45	22	19	5	-	-	
Hydrocephalus	28	9	8	4	2	-	23	5	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	213	55	12	6	4	4	81	6	3	6	2	6	4	10	16	43	29	5	
Dis. of Heart & Dropsy	133	5	2	-	1	1	9	1	1	1	2	7	8	12	39	33	14	1	
Dis. of Lungs	294	60	16	8	6	6	86	5	1	3	4	5	4	14	22	40	16	4	
Dis. of Stom. and Liver	78	2	-	1	-	-	3	-	1	2	1	7	18	22	18	5	-	-	
Dis. of Kidneys	50	-	-	-	1	-	1	3	-	1	1	7	3	6	13	7	8	-	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	7	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	
Dis. of Skin	4	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Other Violent Deaths	76	1	2	1	6	1	11	6	10	12	4	6	9	4	10	3	1	-	
Other Causes	686	302	31	9	1	3	346	7	-	2	-	4	7	7	16	77	128	62	

244.—DOCKING.																			
Mean Popul ⁿ , 1861-71	8565	224	214	229	224	225	1116	1075	1020	820	599	982	910	801	654	415	153	20	
TOTAL DEATHS	1834	521	101	43	35	22	722	76	59	56	60	94	68	70	150	224	178	77	
Small-pox	11	4	-	2	-	-	6	-	-	-	4	1	-	-	-	-	-	-	
Measles	12	-	7	3	1	-	11	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	80	3	1	2	4	3	13	14	3	-	-	-	-	-	-	-	-	-	
Diphtheria	46	4	4	4	10	3	25	10	6	4	-	-	-	-	1	-	-	-	
Whooping-cough	41	21	11	8	-	1	41	-	-	-	-	-	-	-	-	-	-	-	
Typhus	54	-	1	2	4	3	10	4	6	0	5	6	3	2	4	4	1	-	
Diarrhoea & Dysentery	37	24	3	1	-	-	29	-	1	-	-	-	-	-	1	1	-	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	51	6	3	6	7	1	23	3	1	2	1	4	3	2	4	6	2	-	
Cancer	12	-	-	-	-	1	1	-	-	-	-	-	3	1	5	1	1	-	
Scrofula and Tuberc.	19	3	2	1	-	-	6	4	3	3	-	3	-	-	-	-	-	-	
Phthisis	172	1	-	2	-	1	4	10	11	24	34	46	21	10	11	1	-	-	
Hydrocephalus	14	4	3	1	1	2	11	1	1	1	-	-	-	-	-	-	-	-	
Dis. of Brain	166	63	8	2	1	2	78	6	1	2	3	5	4	6	16	32	12	3	
Dis. of Heart & Dropsy	96	6	1	-	-	-	7	3	5	2	2	4	7	10	18	33	9	2	
Dis. of Lungs	162	36	9	2	2	2	51	4	3	1	5	11	6	12	19	34	13	2	
Dis. of Stom. and Liver	72	5	-	-	-	-	5	2	2	1	1	3	5	8	18	18	8	1	
Dis. of Kidneys	43	2	-	-	-	1	3	-	3	-	-	-	2	5	7	15	6	2	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	12	-	3	-	-	-	3	3	1	-	1	-	-	-	2	1	-	-	
Dis. of Skin	5	2	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
Other Violent Deaths	58	5	2	1	1	1	10	3	7	4	4	8	4	4	6	6	3	-	
Other Causes	720	322	43	6	3	1	385	8	3	3	-	2	9	9	27	77	123	64	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
242.—MITFORD.																			
Mean Popul ⁿ , 1861-71	14131	354	323	370	363	356	1766	1654	1574	1178	1086	1790	1590	1337	1016	766	331	63	
TOTAL DEATHS—	2561	481	108	55	29	38	711	119	94	83	90	188	145	140	181	281	363	161	
Small-pox	4	1	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	
Measles	15	4	4	2	1	-	11	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	71	2	9	8	7	16	42	15	9	3	-	1	1	-	-	-	-	-	
Diphtheria	87	6	3	2	2	5	15	29	6	3	-	2	1	-	1	1	-	-	
Whooping-cough	86	13	11	5	1	2	32	4	-	-	-	-	-	-	-	-	-	-	
Typhus	72	1	1	1	1	2	6	11	10	7	5	10	4	7	4	5	3	-	
Diarrhoea & Dysentery	47	23	3	2	-	1	29	1	1	1	-	1	1	-	8	4	4	3	
Cholera	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Other Zymotic Dis.	50	2	5	3	2	4	16	2	6	-	2	1	2	3	7	5	5	1	
Cancer	99	-	-	1	-	-	1	1	-	-	-	1	2	13	17	20	33	11	
Scrofula and Tuberc.	35	11	5	-	-	-	16	5	3	1	1	6	12	10	25	45	23	4	
Phthisis	382	8	9	1	1	2	21	5	34	52	43	108	55	36	14	4	-	-	
Hydrocephalus	15	5	5	1	-	-	11	4	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	247	49	16	7	1	-	73	8	8	5	8	9	8	17	30	40	37	4	
Dis. of Heart & Dropsy	149	1	1	-	2	-	4	2	2	2	1	6	12	10	25	45	23	4	
Dis. of Lungs	324	59	15	11	7	15	97	12	9	3	3	10	7	7	29	41	37	10	
Dis. of Stom. and Liver	99	6	2	2	-	-	10	3	3	4	1	7	10	9	16	23	13	-	
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	2	1	1	1	3	3	2	-	-	
Dis. of Genes. Organs	18	-	-	-	-	-	-	-	-	-	-	2	3	3	4	3	5	-	
Dis. of Joints	2	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Skin	7	1	-	-	1	-	2	1	1	-	-	-	-	-	2	-	1	-	
Childbirth and Metris	48	-	-	-	-	-	-	-	-	3	10	17	17	1	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	
Other Violent Deaths	32	2	1	2	1	-	6	7	2	1	1	-	-	2	2	1	8	2	
Other Causes	806	290	18	7	1	1	317	9	3	-	3	4	10	13	20	72	213	137	

243.—WALSINGHAM.																			
Mean Popul ⁿ , 1861-71	10747	267	246	261	257	280	1311	1223	1136	958	863	1395	1186	1011	801	560	256	47	
TOTAL DEATHS—	2220	445	106	73	44	48	716	113	65	81	80	128	115	113	152	238	277	144	
Small-pox	10	2	-	-	1	-	3	-	1	2	2	-	1	1	-	-	-	-	
Measles	28	9	8	5	2	1	25	8	-	-	-	-	-	-	-	-	-	-	
Scarlatina	104	7	7	18	15	11	68	39	6	-	-	-	-	-	-	-	-	-	
Diphtheria	60	1	2	5	4	10	22	23	8	2	2	1	1	1	-	-	-	-	
Whooping-cough	47	24	11	6	1	2	44	3	-	-	-	-	-	-	-	-	-	-	
Typhus	94	2	2	7	7	7	25	17	14	7	11	5	2	4	7	2	-	-	
Diarrhoea & Dysentery	40	18	4	-	-	-	22	1	-	-	1	1	2	4	-	3	2	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	45	10	4	4	2	-	20	3	2	2	1	2	2	3	3	3	4	-	
Cancer	62	-	-	-	-	-	-	-	1	-	-	-	10	14	13	16	4	1	
Scrofula and Tuberc.	45	10	1	1	1	2	15	4	5	2	4	3	8	4	2	3	-	-	
Phthisis	292	4	3	-	1	1	2	9	14	31	44	72	40	25	24	2	2	-	
Hydrocephalus	11	3	3	1	1	1	9	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	187	40	10	6	4	1	61	2	1	3	3	5	6	12	20	41	29	6	
Dis. of Heart & Dropsy	151	7	3	3	-	-	13	-	3	1	1	3	10	16	30	44	23	5	
Dis. of Lungs	145	52	15	4	4	7	62	5	-	1	3	4	3	5	16	23	17	4	
Dis. of Stom. and Liver	93	5	1	1	-	-	7	1	3	3	3	5	7	11	21	20	8	4	
Dis. of Kidneys	10	-	-	-	-	1	1	-	-	-	-	1	3	2	2	-	1	-	
Dis. of Genes. Organs	13	-	-	-	-	-	-	-	-	-	-	5	6	2	1	1	-	-	
Dis. of Joints	3	-	-	1	-	-	1	-	2	1	-	1	1	1	-	-	-	-	
Dis. of Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	
Childbirth and Metris	29	-	-	-	-	-	-	-	-	2	3	10	13	1	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	
Other Violent Deaths	18	2	2	2	-	1	7	1	2	1	1	-	-	-	1	1	4	1	
Other Causes	722	268	29	9	1	3	310	2	2	3	1	6	3	6	12	72	182	123	

243.—WALSINGHAM.

Mean Popul ⁿ , 1861-71	10747	267	246	261	257	280	1311	1223	1136	958	863	1395	1186	1011	801	560	256	47
TOTAL DEATHS—	2220	445	106	73	44	48	716	113	65	81	80	128	115	113	152	238	277	144
Small-pox	10	2	—	—	1	—	3	—	1	2	2	—	1	1	—	—	—	—
Measles	28	9	8	5	2	1	25	3	—	—	—	—	—	—	—	—	—	—
Scarlatina	104	7	7	18	15	11	38	30	6	—	—	1	1	—	—	—	—	—
Diphtheria	60	1	2	5	4	10	22	23	8	2	2	1	1	—	—	—	—	—
Whooping-cough	47	24	11	6	1	2	44	3	—	—	—	—	—	—	—	—	—	—
Typhus	94	2	2	7	7	7	25	17	14	7	11	5	2	4	7	2	—	—
Diarrhoea & Dysentery	40	18	4	—	—	—	32	1	—	—	1	1	2	1	—	4	3	2
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	45	10	4	4	2	—	30	3	2	2	1	2	2	3	3	3	4	—
Cancer	62	—	—	—	—	—	—	—	1	—	—	3	10	14	13	16	4	1
Scrofula and Tuberc.	45	10	1	1	1	2	15	4	5	2	4	3	3	4	2	3	—	—
Phthisis	292	4	3	—	1	1	9	9	14	51	44	72	40	25	24	2	—	—
Hydrocephalus	11	3	3	1	1	1	9	—	2	—	—	—	—	—	—	—	—	—
Dis. of Brain	187	40	10	6	4	1	61	2	1	3	3	5	6	12	20	41	29	4
Dis. of Heart & Dropsy	161	7	3	3	—	—	13	—	3	1	1	5	10	16	30	44	23	5
Dis. of Lungs	145	32	15	4	4	7	62	5	—	1	3	4	3	5	16	25	17	4
Dis. of Stom. and Liver	93	5	1	1	—	—	7	1	3	3	3	5	7	11	21	20	8	4
Dis. of Kidneys	10	—	—	—	—	1	1	—	—	—	—	1	3	2	2	—	1	—
Dis. of Genes. Organs	13	—	—	—	—	—	—	—	—	—	—	5	6	2	1	1	—	—
Dis. of Joints	8	—	—	1	—	—	1	—	2	1	—	1	1	1	—	—	—	—
Dis. of Skin	3	1	1	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—
Childbirth and Metris	29	—	—	—	—	—	—	—	—	2	3	10	13	1	—	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	18	2	2	2	—	1	7	1	1	1	1	—	—	—	1	1	4	1
Other Causes	722	268	29	9	1	3	310	2	2	3	—	6	3	6	12	72	132	123

244.—DOCKING.

Mean Popul ⁿ , 1861-71	8884	253	209	214	215	233	1124	1048	960	744	688	1159	1040	841	617	445	186	32
TOTAL DEATHS—	1847	438	94	38	38	32	640	109	61	61	61	113	91	107	109	195	212	88
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	16	5	4	2	—	—	11	5	—	—	—	—	—	—	—	—	—	—
Scarlatina	44	1	4	4	3	—	16	20	4	2	—	—	—	1	1	—	—	—
Diphtheria	51	5	2	3	2	5	17	14	13	1	1	2	2	—	—	1	—	—
Whooping-cough	55	26	16	3	6	1	52	2	—	1	—	—	—	—	—	—	—	—
Typhus	95	3	1	—	5	5	14	14	7	7	4	9	1	5	—	5	1	—
Diarrhoea & Dysentery	54	25	2	—	—	—	27	2	—	—	—	—	—	1	1	1	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	43	3	3	2	3	6	19	6	—	1	1	3	3	2	2	4	2	—
Cancer	58	—	—	—	—	—	—	—	—	—	1	2	4	13	9	4	5	—
Scrofula and Tuberc.	13	4	2	—	2	—	8	2	2	1	—	—	—	—	—	—	—	—
Phthisis	196	—	1	2	—	—	3	11	24	32	30	46	27	15	7	3	—	—
Hydrocephalus	11	1	1	1	2	1	6	3	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	176	40	7	7	1	—	61	7	3	3	3	6	5	14	27	34	19	4
Dis. of Heart & Dropsy	121	1	2	1	—	—	4	3	—	2	3	4	11	14	22	44	14	—
Dis. of Lungs	131	29	14	7	3	3	56	7	—	5	4	5	9	10	13	15	6	1
Dis. of Stom. and Liver	62	4	—	1	1	2	8	1	1	2	—	8	5	11	11	7	3	—
Dis. of Kidneys	7	—	1	—	—	—	1	—	—	—	—	2	1	—	3	—	—	—
Dis. of Genes. Organs	14	—	—	—	—	—	—	—	1	—	—	1	4	4	2	2	—	—
Dis. of Joints	4	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—
Dis. of Skin	10	1	—	1	—	—	2	2	1	—	—	—	1	1	1	1	—	—
Childbirth and Metris	40	—	—	—	—	—	—	—	—	3	9	17	10	1	—	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	25	1	2	2	3	2	10	4	2	—	2	—	1	1	—	2	3	—
Other Causes	653	231	31	3	6	4	325	6	3	—	3	5	7	13	8	30	133	31

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	80 years.	
		242.—MITFORD.																	
Mean Popul ⁿ , 1861-71	13663	361	349	343	349	347	1749	1643	1575	1344	996	1507	1496	1288	1011	717	295	42	
TOTAL DEATHS	2663	684	124	57	36	37	938	114	50	71	72	141	99	132	229	334	353	130	
Small-pox	6	2	-	-	-	-	2	-	1	1	-	1	1	-	-	-	-	-	
Measles	21	7	6	4	1	2	20	-	1	1	-	-	-	-	-	-	-	-	
Scarlatina	63	2	8	10	4	8	32	16	7	3	-	1	1	2	-	-	-	-	
Diphtheria	49	3	4	1	3	6	17	20	6	2	1	1	1	-	1	-	-	-	
Whooping-cough	36	23	10	1	1	1	36	-	-	-	-	-	-	-	-	-	-	-	
Typhus	74	1	2	2	5	2	12	12	2	9	4	7	7	7	5	7	2	-	
Diarrhœa & Dysentery	44	23	4	1	1	1	30	1	-	1	-	-	1	-	4	1	6	-	
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	41	4	2	2	5	5	18	4	4	1	-	1	3	-	3	3	4	-	
Cancer	87	-	-	-	-	-	-	-	-	1	-	1	1	6	11	10	5	2	
Scrofula and Tuberc.	48	16	7	3	1	-	27	5	1	1	1	2	4	3	2	2	-	-	
Phthisis	299	21	7	3	2	1	34	10	9	23	46	77	32	35	22	11	-	-	
Hydrocephalus	22	4	3	2	-	-	9	10	2	1	-	-	-	-	-	-	-	-	
Dis. of Brain	265	61	14	7	5	2	89	8	2	4	4	12	7	17	27	52	98	5	
Dis. of Heart & Dropsy	138	3	-	-	-	-	3	1	2	2	2	7	1	14	27	53	23	1	
Dis. of Lungs	320	80	30	13	3	3	129	7	2	4	6	5	8	14	28	57	23	3	
Dis. of Stom. and Liver	102	11	-	-	-	1	12	4	-	3	1	7	5	10	28	16	14	2	
Dis. of Kidneys	74	-	-	-	-	-	-	-	-	3	-	5	8	6	13	25	13	1	
Dis. of Gen. Organs	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	-	
Dis. of Joints	8	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1	-	
Dis. of Skin	7	3	1	-	-	-	4	-	-	-	-	-	-	-	2	1	-	-	
Childbirth and Metris.	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	70	-	-	-	-	-	7	4	4	6	4	5	8	7	15	7	2	-	
Other Violent Deaths	919	420	25	6	3	3	457	12	7	8	1	5	10	6	53	86	259	11	
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

243.—WALSINGHAM.																	
Mean Popul ⁿ , 1861-71		9837	270	256	271	269	250	1316	1242	1121	895	667	1074	1043	925	779	535
TOTAL DEATHS		2215	523	127	80	50	48	828	130	57	85	70	104	101	105	172	249
Small-pox		10	4	1	1	-	-	6	-	-	1	3	-	-	-	-	-
Measles		26	4	12	7	3	-	26	-	-	-	-	-	-	-	-	-
Scarlatina		127	9	14	20	15	17	75	41	8	1	-	-	2	-	-	-
Diphtheria		65	5	4	6	4	5	24	16	13	5	1	2	1	2	1	-
Whooping-cough		36	22	8	4	-	-	34	2	-	-	-	-	-	-	-	-
Typhus		77	3	4	3	2	6	18	13	7	9	7	5	4	3	4	3
Diarrhoea & Dysentery		35	16	3	5	1	-	25	1	-	-	-	1	-	-	2	2
Cholera		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		46	7	1	2	3	3	16	12	4	2	-	-	2	1	5	2
Cancer		25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.		48	21	3	3	1	2	80	4	2	3	1	-	4	3	6	9
Phthisis		249	7	6	-	-	-	13	7	5	35	44	56	45	22	19	3
Hydrocephalus		28	9	8	4	2	-	23	5	-	-	-	-	-	-	-	-
Dis. of Brain		215	55	12	6	4	4	61	6	3	6	2	6	4	10	18	43
Dis. of Heart & Dropsy		123	5	2	-	1	1	9	1	1	1	2	7	8	12	32	55
Dis. of Lungs		204	50	16	8	6	6	86	5	1	3	4	5	4	14	22	49
Dis. of Stom. and Liver		78	2	-	1	-	-	3	-	1	2	1	1	7	13	22	18
Dis. of Kidneys		50	-	-	-	1	-	1	3	-	1	1	7	3	6	13	7
Dis. of Gen. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		7	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-
Dis. of Skin		4	1	-	-	-	-	1	1	1	-	-	-	-	-	1	-
Childbirth and Metris.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		76	1	2	1	6	1	11	6	10	12	4	6	9	4	10	3
Other Causes		686	302	31	9	1	3	346	7	-	2	-	4	7	7	16	77

244.—DOCKING.																	
Mean Popul ⁿ , 1861-71		8565	224	214	229	224	225	1116	1075	1020	820	599	982	910	801	654	415
TOTAL DEATHS		1834	521	101	43	35	22	722	76	59	56	60	94	65	70	150	224
Small-pox		11	4	-	2	-	-	6	-	-	-	4	1	-	-	-	-
Measles		12	-	7	3	1	-	11	1	-	-	-	-	-	-	-	-
Scarlatina		80	3	1	2	4	3	13	14	3	-	-	-	-	-	-	-
Diphtheria		46	4	4	4	10	3	25	10	6	4	-	-	-	-	1	-
Whooping-cough		41	21	11	8	-	1	41	-	-	-	-	-	-	-	-	-
Typhus		54	-	1	2	4	3	10	4	6	9	5	6	3	2	4	4
Diarrhoea & Dysentery		37	24	3	1	1	-	29	-	1	-	-	-	-	-	1	1
Cholera		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		51	6	3	6	7	1	23	3	1	2	1	4	3	2	4	3
Cancer		12	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.		19	3	2	1	-	-	6	4	3	-	-	-	3	1	5	1
Phthisis		172	1	-	-	-	-	4	10	11	24	34	46	21	10	11	1
Hydrocephalus		14	4	3	1	1	2	11	1	1	1	-	-	-	-	-	-
Dis. of Brain		166	63	8	2	1	2	76	6	1	2	2	5	4	6	16	32
Dis. of Heart & Dropsy		93	6	1	-	-	-	7	5	5	2	2	4	7	10	18	28
Dis. of Lungs		162	36	9	2	2	2	51	3	2	1	5	11	6	12	19	34
Dis. of Stom. and Liver		72	5	-	-	-	-	5	2	2	1	1	3	5	8	18	18
Dis. of Kidneys		43	2	-	-	-	1	3	-	3	-	-	-	2	5	7	15
Dis. of Gen. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		12	-	3	-	-	-	3	3	1	-	-	-	1	-	2	1
Dis. of Skin		5	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-
Childbirth and Metris.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		58	5	2	1	1	1	10	3	7	4	4	8	4	4	5	6
Other Causes		720	332	43	6	3	1	335	8	3	3	-	2	9	9	37	77

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—			70—	75—	80—	85—	90—	95—	100—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		242.—MITFORD.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Mean Popul ⁿ , 1861-71	14131	354	323	370	363	356	1766	1654	1574	1178	1066	1790	1590	1337	1016	766	331	63																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

243.—WALSINGHAM.																			
Mean Popul ⁿ , 1861-71	10747	267	246	261	257	280	1311	1223	1136	958	863	1395	1186	1011	801	560	256	47	
TOTAL DEATHS—	2220	445	106	73	44	48	716	113	65	81	80	128	113	115	152	238	277	144	
Small-pox	10	2	—	—	1	—	3	—	1	2	2	—	1	—	—	—	—	—	
Measles	28	9	8	5	2	1	25	3	—	—	—	—	—	—	—	—	—	—	
Scarlatina	104	7	7	18	15	11	38	39	6	—	—	—	—	—	—	—	—	—	
Diphtheria	60	1	2	5	4	10	22	23	8	2	2	1	1	1	—	—	—	—	
Whooping-cough	47	24	11	6	1	2	44	3	—	—	—	—	—	—	—	—	—	—	
Typhus	94	2	2	7	7	7	25	17	14	7	11	5	2	4	7	2	—	—	
Diarrhoea & Dysentery	40	18	4	—	—	—	22	1	—	—	1	1	2	4	1	—	—	—	
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	45	10	4	4	2	—	20	3	2	2	1	2	2	3	3	5	4	—	
Cancer	62	—	—	—	—	—	—	—	1	—	—	3	10	14	13	16	4	1	
Scrofula and Tuberc.	45	10	1	1	1	2	15	4	—	2	4	3	10	14	2	3	—	—	
Phthisis	202	4	3	—	1	1	9	9	14	51	44	72	40	25	24	2	—	—	
Hydrocephalus	11	3	3	1	1	1	9	—	2	—	—	—	—	—	—	—	—	—	
Dis. of Brain	187	40	10	6	4	1	61	2	1	3	3	5	6	12	20	41	29	4	
Dis. of Heart & Dropsy	151	7	3	3	—	—	13	—	5	1	1	5	10	16	30	44	23	5	
Dis. of Lungs	145	52	15	4	4	7	62	5	—	1	3	4	3	5	16	25	17	4	
Dis. of Stom. and Liver	93	5	1	1	—	—	7	1	3	3	3	5	7	11	21	20	8	4	
Dis. of Kidneys	10	—	—	—	—	1	1	—	—	—	—	1	3	2	2	—	—	—	
Dis. of Genes. Organs	13	—	—	—	—	—	—	—	—	—	—	3	6	2	1	—	—	—	
Dis. of Joints	3	—	—	1	—	—	1	—	2	1	—	1	1	1	—	—	—	—	
Dis. of Skin	3	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metris	29	—	—	—	—	—	—	—	2	3	10	13	1	—	—	—	—	—	
Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths	18	2	2	2	—	1	7	1	1	1	1	—	—	—	1	1	4	1	
Other Causes	722	268	29	9	1	3	310	2	2	3	—	0	3	6	12	72	182	123	

244.—DOCKING.																			
Mean Popul ⁿ , 1861-71	8884	253	209	214	215	233	1124	1048	960	744	688	1159	1040	841	617	445	186	32	
TOTAL DEATHS—	1847	438	94	38	38	32	640	109	61	61	61	113	91	107	100	195	212	88	
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	16	5	4	2	—	—	11	5	—	—	—	—	—	—	—	—	—	—	
Scarlatina	44	1	4	4	4	3	16	20	4	2	—	—	—	1	1	—	—	—	
Diphtheria	61	5	2	3	2	5	17	14	13	1	1	2	2	—	—	1	—	—	
Whooping-cough	55	26	16	3	6	1	52	2	—	1	—	—	—	—	—	—	—	—	
Typhus	66	5	1	—	5	5	14	14	7	7	4	9	1	5	—	5	—	—	
Diarrhoea & Dysentery	34	25	2	—	—	—	27	2	—	—	—	—	—	1	1	1	—	—	
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	45	5	3	2	3	6	19	6	—	1	1	3	3	2	2	4	2	—	
Cancer	58	—	—	—	—	—	—	—	—	—	1	2	4	13	9	4	5	—	
Scrofula and Tuberc.	13	4	2	—	—	—	8	2	2	1	—	—	—	—	—	—	—	—	
Phthisis	198	—	1	2	—	—	3	11	24	32	30	46	27	15	7	3	—	—	
Hydrocephalus	11	1	1	1	3	1	6	3	1	—	—	—	—	—	—	—	—	—	
Dis. of Brain	176	46	7	7	1	—	61	7	3	3	3	6	5	14	27	24	19	4	
Dis. of Heart & Dropsy	121	1	2	1	—	—	4	3	—	2	3	4	11	14	22	44	14	—	
Dis. of Lungs	131	29	14	7	3	3	56	7	—	5	4	5	9	10	19	15	6	1	
Dis. of Stom. and Liver	62	4	1	1	1	2	8	1	1	2	—	8	5	11	11	7	8	—	
Dis. of Kidneys	7	—	1	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—	
Dis. of Genes. Organs	14	—	—	—	—	—	—	—	—	1	—	1	4	4	2	2	—	—	
Dis. of Joints	4	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	
Dis. of Skin	10	1	—	1	—	—	2	2	1	—	—	—	1	1	1	1	—	—	
Childbirth and Metris	40	—	—	—	—	—	—	—	—	3	9	17	10	1	—	—	—	—	
Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths	25	1	2	2	3	2	10	4	2	—	—	—	1	1	—	2	3	—	
Other Causes	683	261	31	3	6	4	225	6	3	—	2	5	7	12	9	80	133	81	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	Total under 1 Year.	AGES OF MALES.																
			1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
245.—FREEBRIDGE LYNN.																			
Mean Popul ⁿ , 1861-71	6684	176	155	193	175	184	883	840	764	671	517	778	684	616	507	293	117	14	
TOTAL DEATHS	1297	372	75	40	27	20	534	55	34	31	27	66	40	74	92	161	196	37	
Small-pox	7	1	1	-	-	-	2	1	1	-	1	-	1	-	1	-	-	-	
Measles	24	4	11	5	1	2	23	-	-	-	-	-	1	-	-	-	-	-	
Scarlatina	34	2	3	8	6	5	24	5	5	-	-	-	-	-	-	-	-	-	
Diphtheria	12	-	4	1	2	-	7	1	1	1	2	-	-	-	-	-	-	-	
Whooping-cough	36	24	4	4	2	1	35	1	-	-	-	-	-	-	-	-	-	-	
Typhus	45	1	1	2	4	1	9	6	4	5	-	6	4	5	2	3	1	-	
Diarrhoea & Dysentery	44	24	6	-	-	-	30	-	1	-	-	2	1	1	1	3	5	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	41	7	3	-	2	5	17	7	3	-	-	1	-	3	3	4	-	-	
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc.	24	10	3	1	2	1	17	1	3	-	1	-	2	1	6	6	1	-	
Phthisis	151	9	3	1	1	-	14	5	3	-	17	35	1	15	5	10	-	-	
Hydrocephalus	8	3	1	1	1	-	6	1	-	14	17	35	1	15	5	10	-	-	
Dis. of Brain	127	50	4	-	3	5	60	8	3	2	-	1	5	5	9	19	14	1	
Dis. of Heart & Dropsy	67	7	-	-	-	-	7	1	2	5	1	2	3	11	9	19	16	1	
Dis. of Lungs	135	37	13	5	2	1	58	2	-	1	-	3	11	18	24	10	5	-	
Dis. of Stom. and Liver	46	5	1	-	-	-	6	4	2	1	-	-	1	9	7	11	3	-	
Dis. of Kidneys	21	2	-	-	-	-	2	1	-	-	-	4	2	2	3	4	2	1	
Dis. of Gener. Organs	67	7	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	
Dis. of Skin	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	7	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	
Other Violent Deaths	52	4	2	-	-	-	6	5	3	1	3	8	5	6	7	6	2	-	
Other Causes	415	182	17	9	1	1	210	5	1	1	1	1	6	9	19	50	82	25	

		246.—KING'S LYNN.																		
Mean Popul ⁿ , 1861-71	7629	190	191	191	189	180	941	942	885	761	574	912	826	757	534	354	126	17		
TOTAL DEATHS -	1881	438	137	64	40	28	707	70	38	55	53	85	117	131	208	212	161	44		
Small-pox -	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-		
Measles -	49	6	22	8	6	2	44	4	-	-	-	-	-	-	-	-	-	-		
Scarlatina -	70	7	12	12	6	7	44	23	2	1	-	-	-	-	-	-	-	-		
Diphtheria -	19	2	1	4	-	4	11	5	1	-	1	1	-	-	-	-	-	-		
Whooping-cough -	46	19	19	5	3	-	46	-	-	-	-	-	-	-	-	-	-	-		
Typhus -	51	6	-	6	5	2	19	2	6	1	2	2	3	4	4	4	4	-		
Diarrhea & Dysentery -	46	30	2	-	1	-	33	-	-	-	-	1	2	2	6	3	2	-		
Cholera -	15	10	-	1	-	-	11	-	-	-	-	1	1	1	1	1	1	-		
Other Zymotic Dis. -	49	4	6	4	6	3	23	3	2	2	-	2	2	4	6	6	1	-		
Cancer -	25	-	-	-	-	-	-	1	1	1	-	1	4	9	7	7	1	1		
Serofula and Tabes -	46	18	5	3	4	1	51	3	4	3	1	1	1	1	1	1	1	-		
Phthisis -	178	1	1	-	-	-	2	3	5	18	27	38	35	23	17	4	2	-		
Hydrocephalus -	18	8	2	5	1	1	17	-	-	1	-	-	-	-	-	-	-	-		
Dis. of Brain -	261	87	18	6	1	2	114	8	1	4	5	4	9	12	40	32	30	1		
Dis. of Heart & Droopy -	148	2	-	-	-	1	3	2	2	5	1	8	27	21	51	29	18	6		
Dis. of Lungs -	213	41	34	4	3	1	83	1	1	3	4	8	5	15	29	26	19	6		
Dis. of Stom. and Liver -	97	12	-	-	1	-	13	4	1	1	3	3	6	17	15	20	11	-		
Dis. of Kidneys -	50	-	-	-	-	-	-	3	1	-	-	1	3	8	10	12	10	2		
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	7	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	-		
Dis. of Skin -	5	2	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-		
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	10	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	2	-		
Other Violent Deaths -	104	7	-	2	1	2	12	7	8	13	8	12	13	10	11	5	3	2		
Other Causes -	572	175	15	4	2	1	197	2	1	1	1	4	4	6	21	50	57	-		

		247.—DOWNHAM.																		
Mean Popul ⁿ , 1861-71	10120	301	289	288	279	278	1435	1295	1197	1008	707	1119	1055	937	709	447	185	26		
TOTAL DEATHS -	2005	606	134	53	49	38	880	93	37	49	53	82	90	96	173	200	181	71		
Small-pox -	6	-	-	-	1	-	1	-	1	-	1	2	1	-	-	-	-	-		
Measles -	39	4	16	6	4	4	24	3	1	-	1	-	1	-	-	-	-	-		
Scarlatina -	74	5	5	6	13	11	40	23	5	1	2	3	-	-	-	-	-	-		
Diphtheria -	39	5	1	4	4	4	18	14	3	3	1	-	-	-	-	-	-	-		
Whooping-cough -	50	31	12	5	2	-	50	-	-	-	-	-	-	-	-	-	-	-		
Typhus -	68	4	2	1	1	-	8	5	-	6	5	9	8	5	10	5	4	-		
Diarrhœa & Dysentery -	69	43	7	1	-	1	52	1	-	-	-	-	-	-	3	6	4	3		
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis. -	33	6	3	2	4	2	17	1	-	2	1	-	1	5	2	2	2	-		
Cancer -	32	1	-	-	-	-	1	-	-	-	-	-	1	3	0	13	5	-		
Serofula and Tabes -	45	20	8	1	1	2	32	5	2	1	1	3	-	-	-	-	-	-		
Phthisis -	197	17	10	3	3	3	36	4	4	17	20	33	25	22	17	10	1	-		
Hydrocephalus -	13	8	1	2	-	-	11	1	-	1	-	-	-	-	-	-	-	-		
Dis. of Brain -	222	72	13	4	3	2	94	10	1	4	4	3	5	7	22	33	29	17		
Dis. of Heart & Dropsy -	136	11	3	1	1	-	16	3	2	1	1	9	11	23	35	23	13	4		
Dis. of Lungs -	288	84	28	8	4	0	130	1	-	1	2	6	5	16	25	42	4	13		
Dis. of Stom. and Liver -	93	17	5	1	1	-	24	4	1	2	4	3	11	7	16	9	8	4		
Dis. of Kidneys -	50	-	-	-	-	-	-	1	-	-	2	1	4	4	3	14	18	2		
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
Dis. of Joints -	11	-	-	-	-	-	-	1	-	-	1	1	2	-	3	2	-	-		
Dis. of Skin -	5	2	-	1	-	-	3	-	1	-	-	-	-	-	-	-	1	-		
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	6	-	-	-	-	-	-	-	-	-	-	1	1	-	5	1	-	-		
Other Violent Deaths -	102	5	6	3	4	1	19	12	10	7	8	10	10	8	9	4	6	-		
Other Causes -	425	271	14	4	3	2	204	4	1	3	1	1	4	8	32	20	-	-		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & up.
		245.—FREEBRIDGE LYNN.																
Mean Popul ⁿ , 1861-71	6779	182	173	180	171	179	885	878	723	555	517	894	755	605	476	327	136	23
TOTAL DEATHS -	1332	327	78	46	24	22	407	64	34	32	44	69	77	76	70	146	142	72
Small-pox - - -	9	2	1	-	1	1	5	-	-	-	1	2	-	1	-	-	-	-
Measles - - - -	20	1	9	3	4	1	18	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	33	4	1	7	5	5	22	9	1	-	-	1	-	-	-	-	-	-
Diphtheria - - -	17	-	1	3	-	-	4	7	2	-	-	2	1	1	-	-	-	-
Whooping-cough -	34	19	11	4	-	-	34	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	49	-	2	1	1	2	6	13	7	3	2	5	1	3	4	3	3	1
Diarrhoea & Dysentery	35	19	-	1	1	-	21	1	1	2	-	2	-	1	1	4	1	1
Cholera - - - - -	4	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	42	8	4	4	3	2	21	8	5	1	2	1	-	-	2	2	2	-
Cancer - - - - -	38	-	-	-	-	-	-	-	-	-	-	1	2	9	9	13	1	1
Scrofula and Tuberc.	22	8	3	1	-	1	13	2	-	-	-	-	2	-	-	-	-	-
Phthisis - - - -	170	5	3	3	-	1	14	3	12	18	3	27	30	22	6	2	1	-
Hydrocephalus - -	13	5	3	-	1	1	10	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	118	43	3	4	-	1	51	2	2	1	-	2	6	8	7	17	19	3
Dis. of Heart & Dropsy	92	7	1	-	-	-	8	5	-	3	2	7	5	9	17	18	15	3
Dis. of Lungs - - -	113	24	10	3	2	4	49	2	1	3	1	2	5	6	11	23	17	2
Dis. of Stom. and Liver	49	1	1	2	-	-	4	-	1	1	2	1	3	4	9	16	7	1
Dis. of Kidneys - -	10	-	1	-	1	-	2	1	-	1	-	1	2	-	1	1	1	-
Dis. of Gen. Organs -	7	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-
Dis. of Joints - - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin - - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metris	17	-	-	-	-	-	-	-	-	1	3	5	7	1	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths -	20	1	-	3	-	1	5	2	1	1	-	1	1	2	-	4	3	-
Other Causes - - -	414	177	22	7	5	2	213	3	3	1	1	1	3	8	9	40	69	63

246.—KING'S LYNN.																		
Mean Popul ⁿ , 1861-71	9287	206	170	196	190	187	949	945	917	1001	812	1266	1139	918	678	452	177	33
TOTAL DEATHS -	1911	340	112	65	44	28	589	63	41	53	57	110	137	127	171	225	253	85
Small-pox -	4	-	1	1	-	1	3	-	-	-	-	-	1	-	-	-	-	-
Measles -	45	8	16	9	6	2	41	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	64	4	10	8	13	11	46	15	3	-	-	-	-	-	-	-	-	-
Diphtheria -	16	-	1	3	1	2	7	4	1	1	1	1	-	-	-	-	1	-
Whooping-cough -	48	17	8	17	8	2	47	1	-	-	-	-	-	-	-	-	-	-
Typhus -	61	1	6	4	5	5	21	4	1	3	1	7	4	4	8	3	7	-
Diarrhoea & Dysentery -	66	24	3	2	-	-	29	1	-	-	1	-	1	2	2	6	10	4
Cholera -	9	7	-	-	-	-	7	-	-	-	-	-	-	1	-	1	-	-
Other Zymotic Dis. -	32	1	5	3	2	1	12	2	1	2	1	1	1	2	4	3	3	-
Cancer -	85	-	-	-	-	-	-	-	-	-	-	7	14	27	16	15	5	1
Scrofula and Tubercles -	27	8	9	2	1	-	20	2	-	-	-	1	3	1	-	-	-	-
Phthisis -	191	2	-	1	-	-	3	-	17	24	31	43	55	21	11	5	1	-
Hydrocephalus -	18	2	6	3	3	1	13	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	257	72	12	4	2	1	91	7	1	3	4	8	17	8	32	43	39	4
Dis. of Heart & Dropsy -	157	-	-	-	2	-	2	5	6	5	1	11	9	23	36	41	16	2
Dis. of Lungs -	229	32	16	8	3	1	60	4	1	1	2	4	12	13	25	45	47	15
Dis. of Stom. and Liver -	76	7	-	-	-	-	7	2	3	2	1	1	9	9	14	17	10	1
Dis. of Kidneys -	18	-	-	-	1	-	1	1	-	-	2	3	5	5	1	-	2	-
Dis. of Gen. Organs -	94	-	-	-	-	-	-	-	-	3	2	5	9	6	6	2	1	-
Dis. of Joints -	13	-	1	-	-	-	1	-	4	2	2	2	1	1	-	-	-	-
Dis. of Skin -	10	2	-	-	-	-	2	-	1	-	-	1	-	2	1	2	1	-
Childbirth and Metris -	27	-	-	-	-	-	-	-	-	3	3	10	11	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Other Violent Deaths -	26	6	1	-	2	-	9	5	-	-	1	1	2	1	2	4	8	3
Other Causes -	398	147	17	-	-	1	165	6	1	4	3	2	5	8	15	37	102	25

247.—DOWNHAM.																		
Mean Popul ⁿ , 1861-71	10305	273	253	286	259	277	1348	1294	1151	937	819	1286	1161	926	666	479	197	41
TOTAL DEATHS -	2041	484	120	47	46	32	729	101	67	77	76	112	95	122	121	230	219	92
Small-pox -	7	1	-	1	-	-	2	-	-	2	2	1	-	-	-	-	-	-
Measles -	23	1	4	5	2	2	20	1	2	-	-	-	-	-	-	-	-	-
Scarlatina -	62	1	4	5	13	7	30	19	6	2	4	-	1	-	-	-	-	-
Diphtheria -	74	1	4	4	8	7	24	29	15	3	1	1	-	-	-	1	-	-
Whooping-cough -	59	22	19	5	2	1	49	1	-	-	-	-	-	-	-	-	-	-
Typhus -	79	3	2	1	1	2	9	11	7	12	-	7	8	8	3	6	2	-
Diarrhoea & Dysentery -	64	28	5	1	1	-	35	-	-	-	-	-	-	1	3	10	10	5
Cholera -	39	8	4	-	4	1	17	5	5	1	-	-	-	3	1	4	3	-
Other Zymotic Dis. -	39	8	4	-	4	1	17	5	5	1	-	-	-	3	1	4	3	-
Cancer -	72	-	-	-	-	-	-	-	-	-	1	5	9	19	13	19	6	1
Scrofula and Tubercles -	45	20	9	2	-	-	31	5	1	-	3	2	-	2	1	-	-	-
Phthisis -	267	22	8	3	1	1	35	11	18	30	37	63	36	25	24	12	-	-
Hydrocephalus -	14	3	4	4	-	-	11	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	295	37	13	4	2	1	57	3	6	6	4	12	5	21	19	33	35	4
Dis. of Heart & Dropsy -	142	6	2	-	1	-	9	2	-	2	3	6	8	19	16	42	34	10
Dis. of Lungs -	229	46	18	4	4	6	78	3	-	3	1	5	8	7	16	45	42	21
Dis. of Stom. and Liver -	110	9	3	-	2	2	16	3	1	3	2	5	10	18	10	19	17	6
Dis. of Kidneys -	15	-	1	-	-	-	1	-	-	2	2	-	2	2	3	1	-	-
Dis. of Gen. Organs -	8	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-
Dis. of Joints -	19	-	-	-	-	-	-	-	1	1	1	2	2	-	1	2	-	-
Dis. of Skin -	6	2	-	-	-	-	2	-	1	-	-	-	-	2	-	-	1	-
Childbirth and Metris -	23	-	-	-	-	-	-	-	-	1	9	7	6	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Other Violent Deaths -	29	5	2	1	1	2	11	4	3	1	1	3	-	-	2	1	1	-
Other Causes -	469	262	21	8	1	-	292	3	2	2	3	2	5	1	7	24	69	47

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
		248.—SWAFFHAM.																
Mean Popul ⁿ , 1861-71	6784	180	158	177	159	182	856	866	812	674	508	750	700	644	509	320	128	17
TOTAL DEATHS	1340	339	63	35	28	22	487	50	30	34	40	60	63	74	108	181	158	55
Small-pox	6	2	-	-	1	-	3	2	-	-	1	-	-	-	-	-	-	-
Measles	9	1	3	2	-	1	7	1	-	-	-	-	1	-	-	-	-	-
Scarlatina	52	-	4	5	11	6	26	15	7	-	1	-	-	-	2	-	-	-
Diphtheria	19	1	1	1	2	2	7	8	3	-	-	1	-	-	-	-	-	-
Whooping-cough	20	9	5	3	-	1	18	2	-	-	-	-	-	-	-	-	-	-
Typhus	51	1	1	-	1	-	3	7	5	3	1	7	5	6	6	6	1	1
Diarrhoea & Dysentery	38	13	3	-	-	-	16	-	-	-	-	-	1	-	1	6	11	3
Cholera	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2
Other Zymotic Dis.	29	5	1	1	1	2	10	-	1	2	1	-	-	-	2	5	5	3
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	3	5	6	4	-
Serofula and Tabes	44	22	5	4	2	1	34	-	1	2	2	1	-	-	-	4	4	-
Phthisis	112	2	1	-	-	1	4	2	3	11	20	28	18	13	6	7	-	-
Hydrocephalus	8	4	2	1	-	1	8	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	125	24	5	7	-	4	40	2	3	1	1	6	7	3	15	24	17	6
Dis. of Heart & Dropsy	93	-	-	-	-	-	-	-	2	4	3	1	3	8	17	20	24	1
Dis. of Lungs	185	51	18	8	7	-	84	3	-	1	3	3	6	16	15	30	20	8
Dis. of Stom. and Liver	65	6	1	1	1	1	10	1	-	3	2	2	8	8	14	9	7	1
Dis. of Kidneys	39	2	1	-	1	-	4	1	-	2	-	3	2	5	5	10	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	1	-	1	-	-	2	-	-	1	2	-	1	-	-	-	-	-
Dis. of Skin	5	1	-	-	-	-	1	-	1	-	-	1	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Other Violent Deaths	33	1	-	-	1	1	3	4	3	1	1	3	5	3	4	5	1	-
Other Causes	364	193	12	1	-	1	207	2	1	2	2	4	5	6	12	28	61	34
249.—THETFORD.																		
Mean Popul ⁿ , 1861-71	9138	250	238	243	241	226	1198	1067	1044	921	648	1088	973	891	697	428	159	24
TOTAL DEATHS	1941	466	103	42	45	33	689	87	51	59	75	90	92	106	168	233	227	64
Small-pox	10	-	-	-	-	-	-	-	1	-	2	4	2	-	1	-	-	-
Measles	15	4	2	3	2	1	12	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	75	3	5	6	12	13	36	21	6	8	2	1	-	1	-	-	-	-
Diphtheria	28	1	2	4	5	-	12	3	2	2	3	1	-	-	-	-	-	-
Whooping-cough	36	26	4	4	2	-	36	-	-	-	-	-	-	-	-	-	-	-
Typhus	37	1	1	1	2	-	5	6	2	5	4	4	1	1	6	3	-	-
Diarrhoea & Dysentery	52	18	8	1	4	1	32	4	-	1	1	4	-	-	5	2	3	-
Cholera	7	2	-	-	2	-	4	1	-	-	-	-	-	1	1	-	-	-
Other Zymotic Dis.	32	1	2	2	1	1	7	8	2	2	1	3	2	-	1	3	3	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	-	-	9	4	4	3
Serofula and Tabes	19	6	2	-	2	1	11	5	2	-	-	-	-	-	-	1	-	-
Phthisis	235	6	9	1	1	2	19	7	11	25	33	47	31	32	16	9	-	-
Hydrocephalus	21	10	4	1	2	-	17	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	163	37	6	2	-	2	47	3	4	3	3	3	5	19	19	26	18	2
Dis. of Heart & Dropsy	128	2	-	1	-	-	3	2	4	4	4	6	8	11	27	23	30	3
Dis. of Lungs	297	93	29	8	8	7	145	4	3	2	4	4	14	13	35	43	26	4
Dis. of Stom. and Liver	86	10	1	1	-	-	12	3	8	1	3	3	7	10	18	18	8	-
Dis. of Kidneys	56	1	-	1	-	-	2	2	2	-	1	3	5	2	10	20	7	2
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	62	3	3	3	1	2	12	4	6	5	5	8	11	4	12	7	8	-
Other Causes	529	241	27	4	1	3	276	4	-	1	4	1	4	8	8	46	127	50

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		248.—SWAFFHAM.																
Mean Popul ⁿ , 1861-71 -	6894	185	151	186	172	164	858	815	768	582	566	900	760	662	464	334	154	31
TOTAL DEATHS -	1314	271	72	84	18	16	411	56	32	44	50	90	87	69	79	138	179	79
Small-pox - - -	2	-	-	-	-	-	15	-	-	-	1	-	-	-	1	-	-	-
Measles - - -	16	2	8	4	1	-	27	13	3	-	1	-	-	-	-	-	-	-
Scarlatina - - -	45	1	9	7	4	6	77	1	-	-	1	-	-	-	1	-	-	-
Diphtheria - - -	11	-	-	2	1	4	7	1	-	1	1	1	-	-	-	-	-	-
Whooping-cough -	19	9	6	1	1	-	17	2	-	-	-	-	-	-	-	-	-	-
Typhus - - -	60	1	-	1	1	1	4	10	10	5	5	9	5	7	2	2	1	-
Diarrhoea & Dysentery	33	13	1	-	-	-	14	-	-	2	1	-	-	-	1	4	9	3
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	20	1	-	1	3	-	5	2	1	2	-	-	6	-	1	1	2	-
Cancer - - -	40	-	-	-	-	-	-	-	-	-	-	2	4	2	11	12	7	2
Scrophula and Tuberc.	38	24	3	2	-	-	29	3	-	1	1	2	2	4	1	1	7	2
Phthisis - - -	151	2	2	2	-	2	8	8	10	17	25	37	28	12	5	1	-	-
Hydrocephalus - -	9	-	5	-	1	-	6	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	123	17	-	1	1	-	19	1	2	5	2	7	7	7	8	25	35	5
Dis. of Heart & Dropsy	92	-	-	-	-	-	2	2	1	2	3	3	9	6	20	34	14	1
Dis. of Lungs - - -	178	40	19	7	3	2	71	4	3	2	1	7	10	11	9	21	33	6
Dis. of Stom. and Liver	65	1	-	-	-	-	1	2	-	2	2	3	5	10	10	14	12	4
Dis. of Kidneys - -	14	-	-	-	1	-	1	-	-	-	-	2	-	4	1	5	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-
Dis. of Joints - - -	4	1	-	-	-	1	2	-	-	-	-	-	1	-	1	-	1	-
Dis. of Skin - - -	4	2	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metris	33	-	-	-	-	-	-	-	-	3	8	13	9	-	-	-	-	-
Suicide - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	15	-	1	2	-	-	3	2	1	1	-	1	1	-	1	1	3	1
Other Causes - - -	333	157	18	4	1	-	180	4	-	2	-	2	1	5	3	17	61	53
249.—THETFORD.																		
Mean Popul ⁿ , 1861-71 -	9269	245	241	232	235	240	1193	1065	981	830	740	1218	1045	885	663	431	185	33
TOTAL DEATHS -	1908	367	96	54	36	29	582	87	56	61	67	130	123	115	146	198	233	110
Small-pox - - -	5	1	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-
Measles - - -	12	2	5	2	2	-	11	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	73	3	9	13	9	9	43	17	11	-	-	1	-	-	-	-	-	-
Diphtheria - - -	35	1	1	2	2	4	20	13	7	1	-	-	2	2	-	-	-	-
Whooping-cough -	25	13	4	7	-	-	24	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	36	-	2	1	-	-	3	9	7	2	3	6	3	2	-	1	-	-
Diarrhoea & Dysentery	43	14	9	1	1	-	25	1	1	-	-	2	1	1	1	4	6	1
Cholera - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	42	5	1	5	2	1	14	3	1	4	-	-	3	4	6	4	5	-
Cancer - - -	66	-	-	-	-	-	-	-	-	-	-	8	7	13	16	15	6	1
Scrophula and Tuberc.	24	6	3	1	2	1	13	1	-	1	2	-	2	2	1	2	-	-
Phthisis - - -	318	9	4	1	-	3	17	17	22	40	43	71	42	55	21	10	-	-
Hydrocephalus - -	16	7	-	4	2	1	14	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	181	32	7	3	3	1	46	3	3	2	4	7	10	17	19	43	22	5
Dis. of Heart & Dropsy	130	6	-	-	-	1	7	2	-	1	3	7	14	6	30	31	23	6
Dis. of Lungs - - -	224	71	26	6	8	4	115	8	2	4	1	5	7	13	22	25	15	4
Dis. of Stom. and Liver	90	7	1	3	1	3	15	4	1	2	2	4	14	7	12	18	10	1
Dis. of Kidneys - -	10	-	1	-	-	-	1	1	-	-	-	1	1	1	4	-	1	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	4	2	1	5	1	-	-
Dis. of Joints - - -	5	1	-	-	-	-	1	-	-	2	-	1	-	-	1	-	-	-
Dis. of Skin - - -	7	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	-	-
Childbirth and Metris	29	-	-	-	-	-	-	-	-	-	6	11	10	-	-	-	-	-
Suicide - - -	5	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-
Other Violent Deaths	16	2	-	1	1	-	4	2	-	-	1	1	1	-	2	-	3	2
Other Causes - - -	502	187	23	3	3	1	217	1	1	-	1	-	2	7	4	39	143	88

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.		
250.—HIGHWORTH.																				
Mean Popul ⁿ , 1861-71	11576	368	318	313	323	303	1625	1441	1223	1234	1109	1638	1212	970	626	348	126	24		
TOTAL DEATHS	2070	578	170	82	43	36	909	71	45	53	69	113	97	145	168	185	154	61		
Small-pox	12	4	-	-	-	-	4	-	-	-	2	1	1	3	1	-	-	-		
Measles	52	9	21	11	7	-	48	4	-	-	-	-	-	-	-	-	-	-		
Scarlatina	82	5	11	13	10	13	52	17	9	2	-	1	-	-	1	-	-	-		
Diphtheria	15	3	4	1	1	1	10	4	-	-	-	1	-	-	-	-	-	-		
Whooping-cough	27	15	7	3	-	-	25	2	-	-	-	-	-	-	-	-	-	-		
Typhus	104	5	5	4	2	2	18	16	7	8	12	10	6	9	11	7	-	-		
Diarrhoea & Dysentery	40	22	6	1	-	-	29	2	-	-	-	-	1	-	1	2	3	2		
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	46	4	4	3	1	3	15	4	1	3	2	3	5	7	2	4	-	-		
Cancer	24	-	-	-	-	-	-	1	-	1	-	3	1	2	7	8	1	-		
Scrofula and Tabes	51	20	10	2	3	4	30	2	1	1	1	4	-	-	2	1	-	-		
Phthisis	135	7	7	2	1	1	18	2	3	21	29	49	25	30	9	6	1	-		
Hydrocephalus	39	23	6	5	-	1	35	-	2	2	-	-	-	-	-	-	-	-		
Dis. of Brain	237	79	18	7	3	1	103	5	7	2	7	4	14	6	28	31	21	9		
Dis. of Heart & Dropsy	129	-	-	-	-	-	2	2	2	1	1	5	8	25	39	24	18	3		
Dis. of Lungs	367	128	44	18	7	4	201	3	1	4	5	9	19	24	26	37	30	8		
Dis. of Stom. and Liver	94	14	2	1	1	1	19	1	2	-	3	7	3	8	22	15	8	3		
Dis. of Kidneys	51	-	-	-	-	1	1	-	-	-	-	4	4	7	12	17	6	-		
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	3	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-	-		
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths	50	14	2	8	5	2	31	5	8	5	4	6	5	13	5	3	2	3		
Other Causes	402	225	28	3	2	2	260	-	1	-	-	5	4	7	5	24	63	53		

251.—CRICKLADE.																			
Mean Popul ⁿ , 1861-71		5813	180	170	163	170	175	858	724	708	533	407	648	588	533	422	255	121	16
TOTAL DEATHS		1152	280	79	26	19	25	429	46	27	30	33	56	53	60	111	129	118	69
Small-pox		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles		10	1	3	4	1	1	10	-	-	-	-	-	-	-	-	-	-	-
Scarlatina		44	2	8	3	2	5	30	18	4	1	1	-	-	-	-	-	-	-
Diphtheria		9	1	2	-	-	-	6	-	1	-	-	-	-	-	-	1	-	-
Whooping-cough		7	3	2	1	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus		42	-	-	1	1	2	4	5	4	5	3	3	5	3	5	5	2	-
Diarrhoea & Dysentery		25	16	3	-	2	1	22	-	-	-	-	-	-	-	-	-	1	1
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		57	6	4	6	2	2	20	1	-	-	-	1	-	4	1	9	-	1
Cancer		18	-	-	-	-	-	-	1	-	-	1	-	2	2	4	6	2	-
Scrofula and Tabes		21	7	1	-	-	-	8	2	3	2	1	3	-	2	1	1	-	-
Phthisis		99	1	1	1	-	1	4	2	5	12	14	29	12	8	9	4	-	-
Hydrocephalus		8	2	3	1	1	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		133	52	6	-	2	5	65	3	8	3	2	2	4	2	8	22	14	4
Dis. of Heart & Dropsy		77	-	2	-	-	-	2	1	-	-	1	5	3	11	18	22	14	-
Dis. of Lungs		192	70	23	4	5	2	104	5	-	3	6	2	6	10	22	50	12	4
Dis. of Stom. and Liver		86	10	-	2	-	-	12	2	-	1	1	3	12	13	17	13	8	4
Dis. of Kidneys		24	-	-	-	-	-	-	-	-	-	-	1	1	1	7	6	7	1
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		4	-	-	1	-	-	1	-	1	-	-	-	-	-	2	-	-	-
Dis. of Skin		2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		6	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-
Other Violent Deaths		53	7	5	2	2	3	19	6	5	1	-	4	4	4	6	3	1	1
Other Causes		254	102	16	-	-	-	118	1	1	-	-	2	3	1	7	19	38	44

252.—MALMSBURY.																			
Mean Popul ⁿ , 1861-71		7196	211	189	218	197	196	1011	906	833	673	515	859	745	628	524	345	144	13
TOTAL DEATHS		1340	310	83	37	30	21	481	48	36	29	30	57	69	62	124	172	170	53
Small-pox		2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Measles		21	3	14	2	2	1	22	1	1	-	-	-	-	-	-	-	-	-
Scarlatina		41	1	6	6	6	6	25	13	3	-	-	-	-	1	-	-	-	-
Diphtheria		5	-	-	-	1	1	2	2	-	-	-	1	-	-	-	-	-	-
Whooping-cough		19	10	4	2	2	1	10	-	-	-	-	-	-	-	-	-	-	-
Typhus		23	-	1	1	-	4	6	2	1	3	2	1	4	-	3	-	1	-
Diarrhoea & Dysentery		58	9	2	3	1	-	15	1	1	-	1	-	1	-	5	3	-	-
Cholera		4	2	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Other Zymotic Dis.		57	11	2	4	4	3	24	8	2	2	2	2	1	1	5	7	3	-
Cancer		26	-	-	-	-	-	-	-	-	-	-	-	3	2	7	6	7	1
Scrofula and Tabes		34	15	4	2	-	-	21	1	2	3	1	1	2	-	2	1	-	-
Phthisis		110	4	-	-	-	-	4	1	7	8	17	27	22	8	11	4	1	-
Hydrocephalus		37	13	9	2	5	-	29	5	8	-	-	-	-	-	-	-	-	-
Dis. of Brain		131	29	13	4	1	-	47	-	1	4	1	5	6	13	13	22	19	-
Dis. of Heart & Dropsy		83	2	-	-	-	-	2	2	2	1	1	2	10	6	18	26	19	1
Dis. of Lungs		222	75	15	4	4	2	100	3	1	2	-	4	8	10	21	40	25	7
Dis. of Stom. and Liver		93	15	2	2	-	-	21	1	2	2	1	6	8	10	17	16	7	2
Dis. of Kidneys		56	-	-	-	-	-	-	-	-	-	-	3	2	-	8	11	19	2
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		5	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-
Dis. of Skin		7	2	-	-	-	-	2	-	1	-	-	-	-	-	1	2	1	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		3	-	-	-	-	-	-	-	-	-	-	-	-	9	1	-	-	-
Other Violent Deaths		64	12	3	2	3	1	21	6	6	3	1	2	2	6	6	7	3	2
Other Causes		285	107	8	3	1	-	119	2	2	1	3	1	-	2	9	22	68	25

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-		
		250.—HIGHWORTH.																		
Mean Popul ⁿ , 1861-71	10882	342	336	340	312	321	1651	1444	1198	941	877	1522	1245	896	592	357	139	20		
TOTAL DEATHS	1946	456	171	78	45	23	773	67	49	63	80	129	129	112	128	189	161	60		
Small-pox	7	3	-	-	1	-	4	-	1	-	-	1	-	-	-	-	-	-		
Measles	49	7	23	10	6	1	47	2	-	-	-	-	-	-	-	-	-	-		
Scarlatina	68	4	8	13	12	6	43	18	4	2	-	-	1	-	-	-	-	-		
Diphtheria	12	1	-	-	2	-	6	2	1	-	1	2	-	-	-	-	-	-		
Whooping-cough	39	12	14	7	3	2	38	1	-	-	-	-	-	-	-	-	-	-		
Typhus	97	5	3	4	2	3	17	13	17	8	11	10	6	6	4	3	2	7		
Diarrhoea & Dysentery	39	28	7	4	-	2	41	-	1	-	-	1	3	2	2	2	7	-		
Cholera	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	46	3	5	7	6	5	26	8	1	-	-	3	4	3	2	1	1	-		
Cancer	50	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scrofula and Tuberc.	37	14	11	4	1	-	30	2	-	-	-	1	16	11	11	9	1	-		
Phthisis	223	6	8	2	1	-	17	5	6	1	-	1	2	1	1	-	-	-		
Hydrocephalus	21	8	5	2	-	-	15	4	2	31	42	53	43	18	9	2	-	-		
Dis. of Brain	183	58	11	5	1	1	76	5	2	4	5	6	10	9	20	26	17	5		
Dis. of Heart & Dropsy	125	1	-	-	-	-	1	1	6	2	5	14	10	22	36	30	15	4		
Dis. of Lungs	290	78	43	16	7	2	146	3	5	3	5	8	10	18	46	38	10	-		
Dis. of Stom. and Liver	95	12	4	-	2	-	18	2	1	1	3	7	7	16	13	21	6	-		
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Genes. Organs	12	-	-	-	-	-	-	1	1	-	-	1	2	1	2	5	8	-		
Dis. of Joints	7	1	-	-	-	-	1	-	-	-	-	2	2	6	1	1	2	-		
Dis. of Skin	7	2	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-	-		
Childbirth and Metris	38	-	-	-	-	-	-	-	-	-	4	6	16	12	-	-	-	-		
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths	35	11	2	2	1	1	17	3	-	3	1	-	-	-	3	3	3	-		
Other Causes	384	202	24	1	-	-	227	1	2	1	1	-	3	4	6	28	65	46		
251.—CRICKLADE.																				
Mean Popul ⁿ , 1861-71	5986	163	168	171	161	160	823	761	675	546	461	761	652	518	400	258	114	17		
TOTAL DEATHS	1090	189	73	40	26	19	347	43	22	33	40	72	56	62	80	137	141	57		
Small-pox	1	-	-	-	-	1	15	1	-	-	-	-	-	-	-	1	-	-		
Measles	16	3	4	4	3	1	29	12	-	-	-	-	-	-	-	-	-	-		
Scarlatina	45	2	10	8	7	2	2	3	2	-	1	1	-	-	-	-	-	-		
Diphtheria	7	-	-	1	-	1	2	3	-	-	1	1	-	-	-	-	-	-		
Whooping-cough	15	4	7	2	-	-	13	1	1	-	-	-	-	-	-	-	-	-		
Typhus	33	-	-	2	3	4	9	4	5	4	4	1	1	1	3	1	1	-		
Diarrhoea & Dysentery	20	7	-	2	-	-	9	-	-	3	-	2	-	1	-	3	1	1		
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	34	4	7	4	3	2	20	1	-	2	-	1	-	1	2	2	5	-		
Cancer	29	-	-	-	-	-	-	-	-	-	1	-	4	3	8	8	4	1		
Scrofula and Tuberc.	22	2	1	2	2	2	9	2	1	1	-	-	3	1	1	2	-	-		
Phthisis	123	-	1	-	1	-	2	4	5	16	20	37	16	14	7	1	-	-		
Hydrocephalus	8	2	3	-	1	-	6	2	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	129	26	7	2	2	2	39	1	4	-	1	8	4	7	17	31	14	3		
Dis. of Heart & Dropsy	83	1	-	1	-	-	2	1	2	1	2	3	8	13	15	19	15	2		
Dis. of Lungs	158	45	18	10	2	4	79	6	1	4	2	5	5	6	6	20	20	4		
Dis. of Stom. and Liver	68	4	1	-	2	-	7	-	-	1	1	8	2	10	12	21	6	-		
Dis. of Kidneys	8	-	-	1	-	-	1	2	-	-	1	1	1	1	1	-	-	-		
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-		
Dis. of Joints	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-		
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-		
Childbirth and Metris	21	-	-	-	-	-	-	-	-	1	4	8	8	-	-	-	-	-		
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
Other Violent Deaths	10	3	-	-	-	1	4	1	-	-	-	-	1	-	-	1	1	-		
Other Causes	248	85	14	1	-	-	100	2	-	-	-	-	2	1	2	8	20	74		
252.—MALMSBURY.																				
Mean Popul ⁿ , 1861-71	7438	208	196	201	198	207	1010	937	848	657	581	927	803	665	522	329	135	24		
TOTAL DEATHS	1259	198	69	41	39	19	366	40	25	48	44	73	76	77	107	153	132	59		
Small-pox	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
Measles	24	4	8	5	3	1	21	-	1	-	-	-	-	-	-	-	-	-		
Scarlatina	36	4	6	5	5	7	27	7	2	-	-	-	-	-	-	-	-	-		
Diphtheria	4	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-		
Whooping-cough	28	4	13	7	1	1	26	2	-	-	-	-	-	-	-	-	-	-		
Typhus	39	1	-	1	4	-	17	6	8	3	1	6	5	1	1	3	4	-		
Diarrhoea & Dysentery	27	14	3	-	-	-	17	-	-	-	-	-	1	2	1	2	2	-		
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	33	5	-	3	3	-	13	5	1	4	-	2	2	1	-	4	3	-		
Cancer	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scrofula and Tuberc.	34	9	4	-	3	-	16	4	-	3	4	3	5	12	15	7	4	-		
Phthisis	141	-	1	2	1	2	6	1	6	27	22	22	24	19	11	-	-	-		
Hydrocephalus	23	4	2	2	3	2	13	6	2	2	-	-	-	-	-	-	-	-		
Dis. of Brain	120	21	3	2	4	1	81	5	1	1	2	7	7	7	16	22	22	1		
Dis. of Heart & Dropsy	115	-	-	1	-	-	1	1	2	2	1	3	7	7	25	35	24	5		
Dis. of Lungs	157	32	20	6	8	-	65	4	2	1	1	6	3	7	17	39	16	6		
Dis. of Stom. and Liver	70	9	1	1	-	-	11	3	-	3	2	4	12	9	9	10	5	2		
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
Dis. of Genes. Organs	8	-	-	-	-	-	-	-	-	-	-	2	2	3	4	-	1	-		
Dis. of Joints	8	-	-	-	-	-	-	-	1	-	2	3	1	1	1	-	-	-		
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	23	-	-	-	-	-	-	-	-	1	8	10	4	-	-	-	-	-		
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
Other Violent Deaths	25	7	-	-	1	4	12	2	2	-	-	-	1	1	2	3	3	1		
Other Causes	279	83	8	6	1	-	98	2	2	1	-	-	1	1	2	23	93	41		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		85 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
		250.—HIGHWORTH.																		
Mean Popul ⁿ , 1861-71	11576	368	318	313	323	303	1625	1441	1223	1234	1109	1638	1212	970	626	348	126	24		
TOTAL DEATHS -	2070	578	170	82	43	36	909	71	45	53	69	113	97	145	168	185	184	61		
Small-pox - - -	12	4	-	-	-	-	4	-	-	-	2	1	1	3	1	-	-	-		
Measles - - - -	52	9	21	11	7	-	48	4	-	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	82	5	11	13	10	13	32	17	9	2	-	1	-	-	1	-	-	-		
Diphtheria - - -	15	3	4	1	1	1	10	4	-	-	-	1	-	-	-	-	-	-		
Whooping-cough -	27	15	7	3	-	-	25	2	-	-	-	-	-	-	-	-	-	-		
Typhus - - - - -	104	5	5	4	2	2	18	16	7	8	12	10	6	9	11	7	7	3		
Diarrhoea & Dysentery	40	22	6	1	-	-	29	2	-	-	-	-	1	-	1	1	3	2		
Cholera - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	46	4	4	3	1	3	15	4	1	3	2	3	5	7	2	4	-	-		
Cancer - - - - -	24	-	-	-	-	-	-	1	-	1	-	3	1	2	7	8	1	-		
Scrofula and Tuberc.	51	20	10	2	3	4	39	2	3	1	1	4	4	2	2	1	-	-		
Phthisis - - - -	193	7	7	2	1	1	18	2	3	21	29	49	25	30	9	6	1	-		
Hydrocephalus - -	39	23	6	5	-	-	35	-	2	2	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	237	79	13	7	3	1	103	5	7	2	7	4	14	6	28	31	21	9		
Dis. of Heart & Dropsy	129	-	-	-	-	-	2	2	2	2	1	5	8	25	30	24	18	3		
Dis. of Lungs - - -	367	128	44	18	7	4	201	3	1	4	5	9	19	24	37	39	28	8		
Dis. of Stom. and Liver	94	14	2	1	1	1	19	1	2	-	3	7	3	8	23	18	8	2		
Dis. of Kidneys - -	51	-	-	-	-	1	1	-	-	-	-	4	4	7	12	17	6	-		
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	7	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-	-		
Dis. of Skin - - - -	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	12	-	-	-	-	-	-	-	-	1	1	1	1	3	4	1	-	-		
Other Violent Deaths -	90	14	2	8	5	2	31	5	8	5	4	6	5	13	5	3	2	2		
Other Causes - - -	402	235	28	3	2	2	260	-	1	-	-	5	4	7	5	24	67	33		

251.—CRICKLADE.																				
Mean Popul ⁿ , 1861-71	5813	180	170	163	170	175	858	724	708	533	407	648	588	533	422	255	121	16		
TOTAL DEATHS -	1152	280	79	26	19	25	429	46	27	30	33	56	53	60	111	129	118	60		
Small-pox -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
Measles -	10	1	3	4	1	1	10	-	-	-	-	-	-	-	-	-	-	-		
Scarlatina -	44	2	8	3	2	5	20	18	4	1	1	-	-	-	-	-	-	-		
Diphtheria -	9	1	2	-	-	3	6	-	1	-	-	-	-	-	-	1	-	-		
Whooping-cough -	7	3	2	1	1	-	7	-	-	-	-	-	-	-	-	-	-	-		
Typhus -	42	-	-	-	-	-	4	5	4	5	3	3	5	8	5	3	2	-		
Diarrhoea & Dysentery -	25	16	3	-	2	1	22	-	-	-	-	-	-	-	1	-	1	1		
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis. -	37	6	4	6	2	2	20	1	-	-	-	1	-	4	1	9	-	1		
Cancer -	18	-	-	-	-	-	-	1	-	-	-	1	2	2	4	6	2	-		
Scrofula and Tubercles -	21	7	1	-	-	-	8	2	3	2	1	3	-	2	3	1	-	-		
Phthisis -	99	1	1	1	-	1	4	2	3	12	14	29	12	8	9	4	-	-		
Hydrocephalus -	8	2	3	1	1	-	7	1	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain -	133	82	6	-	2	5	65	3	3	3	3	2	4	2	8	22	14	4		
Dis. of Heart & Dropsy -	77	-	2	-	-	-	2	1	-	-	1	5	8	11	16	22	14	-		
Dis. of Lungs -	192	70	23	4	5	2	104	3	-	3	6	2	6	10	22	20	14	4		
Dis. of Stom. and Liver -	86	10	-	2	-	-	12	2	-	1	1	3	12	13	17	13	5	4		
Dis. of Kidneys -	24	-	-	-	-	-	-	-	-	-	-	1	1	1	7	6	7	1		
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	4	-	-	1	-	-	1	-	1	-	-	-	-	-	2	-	-	-		
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-		
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	6	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-		
Other Violent Deaths -	53	7	5	2	2	3	19	6	3	1	-	4	4	4	6	3	1	1		
Other Causes -	254	102	16	-	-	-	118	1	1	-	-	2	3	1	7	10	38	44		

252.—MALMSBURY.																				
Mean Popul ⁿ , 1861-71	7196	211	189	218	197	196	1011	906	833	673	515	859	745	628	524	345	144	13		
TOTAL DEATHS -	1340	510	83	37	30	21	481	48	36	29	30	57	69	62	124	172	179	53		
Small-pox -	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-		
Measles -	21	3	14	2	2	1	22	1	1	-	-	-	-	-	-	-	-	-		
Scarlatina -	41	1	6	6	6	6	25	12	3	-	-	-	-	1	-	-	-	-		
Diphtheria -	5	-	-	-	1	1	2	2	-	-	-	1	-	-	-	-	-	-		
Whooping-cough -	19	10	4	2	2	1	19	-	-	-	-	-	-	-	-	-	-	-		
Typhus -	23	-	1	1	-	4	6	2	1	3	2	1	4	-	3	-	1	-		
Diarrhoea & Dysentery -	28	9	2	3	1	-	15	1	1	-	1	-	-	-	5	8	7	3		
Cholera -	4	2	-	-	-	-	2	-	-	-	-	-	-	1	1	1	-	-		
Other Zymotic Dis. -	57	11	2	4	4	3	24	8	2	2	2	2	1	1	5	7	3	-		
Cancer -	26	-	-	-	-	-	-	-	-	-	-	3	2	2	7	6	7	1		
Scrofula and Tubercles -	34	15	4	2	-	-	21	1	2	3	1	1	2	-	2	1	-	-		
Phthisis -	110	4	-	-	-	-	4	1	7	8	17	27	22	8	11	4	1	-		
Hydrocephalus -	37	13	9	2	5	-	29	5	3	-	-	-	-	-	-	-	-	-		
Dis. of Brain -	131	29	15	4	1	-	47	-	1	4	1	5	6	13	13	22	19	-		
Dis. of Heart & Dropsy -	83	2	-	-	-	-	2	2	2	1	1	2	10	6	18	20	12	1		
Dis. of Lungs -	222	75	15	4	4	2	100	3	1	2	4	8	10	21	40	26	7	-		
Dis. of Stom. and Liver -	93	15	2	2	-	2	21	1	2	3	1	6	8	10	17	16	7	3		
Dis. of Kidneys -	36	-	-	-	-	-	-	-	-	-	-	3	2	-	8	11	10	2		
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	5	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-		
Dis. of Skin -	7	2	-	-	-	-	2	-	1	-	-	-	-	-	1	3	1	-		
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
Other Violent Deaths -	64	12	3	2	3	1	21	6	6	3	1	2	2	6	5	7	3	3		
Other Causes -	283	107	8	3	1	-	119	2	2	1	3	1	-	2	9	22	36	36		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
250.—HIGHWORTH.																		
Mean Popul ⁿ , 1861-71	10882	342	336	340	312	321	1651	1444	1198	941	877	1523	1245	896	592	357	139	20
TOTAL DEATHS	1946	456	171	78	45	23	773	67	49	63	80	129	129	112	128	189	161	66
Small-pox	7	3	-	-	1	-	4	-	1	1	-	1	-	-	-	-	-	-
Measles	49	7	23	10	6	1	47	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	68	4	8	13	12	6	45	18	4	2	-	-	1	-	-	-	-	-
Diphtheria	13	1	3	-	-	-	6	2	1	-	1	2	-	-	-	-	-	-
Whooping-cough	39	12	14	7	3	2	38	1	-	-	-	-	-	-	-	-	-	-
Typhus	97	5	3	4	2	3	17	13	17	8	11	10	6	6	4	3	2	2
Diarrhoea & Dysentery	29	28	7	4	-	2	41	1	-	1	-	1	3	2	2	2	7	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	46	3	5	7	6	5	26	5	1	-	-	3	4	3	2	1	1	-
Cancer	50	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	37	14	11	4	1	-	30	2	-	-	-	1	16	11	11	9	1	-
Phthisis	223	6	8	2	1	-	17	5	6	31	42	55	43	18	9	2	-	-
Hydrocephalus	21	8	5	2	-	-	15	4	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	183	53	11	5	1	1	76	3	2	4	5	6	10	9	20	26	17	5
Dis. of Heart & Dropsy	145	1	-	-	-	-	1	1	6	2	5	14	10	22	36	29	15	4
Dis. of Lungs	209	78	43	16	7	2	146	5	5	3	5	7	8	10	18	46	38	10
Dis. of Stom. and Liver	95	12	4	-	-	-	18	2	1	1	3	7	7	16	13	21	6	-
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	1	1	-	-	1	2	1	2	5	3	-
Dis. of Joints	7	1	-	-	-	-	1	-	-	-	-	2	1	6	1	1	2	-
Dis. of Skin	7	2	-	-	-	-	2	-	-	1	-	2	-	2	-	-	-	-
Childbirth and Metris	38	-	-	-	-	-	-	-	-	-	6	16	12	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-
Other Violent Deaths	35	11	2	2	1	1	17	3	-	3	-	-	3	-	3	3	3	-
Other Causes	384	202	24	1	-	-	227	1	2	1	1	-	3	4	6	28	65	46
251.—CRICKLADE.																		
Mean Popul ⁿ , 1861-71	5986	163	168	171	161	160	823	761	675	546	461	761	652	518	400	258	114	17
TOTAL DEATHS	1090	189	73	40	26	19	347	43	22	33	40	72	56	62	80	137	141	57
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	16	3	4	4	3	1	15	1	-	-	-	-	-	-	1	-	-	-
Scarlatina	45	2	10	8	7	2	29	12	2	-	1	1	-	-	-	-	-	-
Diphtheria	7	-	-	1	-	1	2	3	-	-	1	1	-	-	-	-	-	-
Whooping-cough	15	4	7	2	-	-	13	1	1	-	-	-	-	-	-	-	-	-
Typhus	33	-	-	2	3	4	9	4	5	4	4	1	1	3	1	1	1	-
Diarrhoea & Dysentery	20	7	-	-	-	-	9	-	-	3	-	2	-	1	-	3	1	1
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	34	4	7	4	3	2	20	1	-	2	-	1	-	1	2	2	5	-
Cancer	29	-	-	-	-	-	-	-	-	-	1	-	4	3	8	8	4	1
Scrofula and Tuberc.	22	2	1	2	2	2	9	2	1	1	2	-	3	1	1	2	-	-
Phthisis	122	-	1	-	1	-	2	4	5	16	20	37	16	14	7	1	-	-
Hydrocephalus	8	2	3	-	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	129	26	7	2	2	2	39	1	4	-	1	8	4	7	17	21	14	3
Dis. of Heart & Dropsy	83	1	-	1	-	-	2	1	2	1	2	3	8	13	15	19	15	2
Dis. of Lungs	158	45	18	10	2	4	79	6	1	4	2	5	5	5	6	26	20	4
Dis. of Stom. and Liver	68	4	1	-	2	-	7	-	-	1	1	8	2	10	12	21	6	-
Dis. of Kidneys	8	-	-	1	-	-	1	2	-	-	1	1	1	1	1	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metris	21	-	-	-	-	-	-	-	-	1	4	8	8	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Deaths	10	3	-	-	-	1	4	1	-	-	-	-	-	-	-	1	1	1
Other Causes	245	85	14	1	-	-	100	2	-	-	-	1	-	1	2	3	20	45
252.—MALMSBURY.																		
Mean Popul ⁿ , 1861-71	7438	208	196	201	198	207	1010	937	848	657	581	927	803	665	522	329	135	24
TOTAL DEATHS	1259	198	69	41	39	19	366	49	25	48	44	73	76	77	107	153	182	59
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	23	4	8	5	3	1	21	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	36	4	6	5	5	7	27	7	2	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	23	4	13	7	1	1	26	2	-	-	-	-	-	-	-	-	-	-
Typhus	89	1	-	-	4	-	6	6	3	3	1	6	5	1	1	3	4	-
Diarrhoea & Dysentery	27	14	3	-	-	-	17	-	-	-	-	-	-	2	1	2	3	2
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	5	-	3	5	-	13	5	1	4	-	2	2	1	-	4	3	-
Cancer	46	-	-	-	-	-	-	-	-	-	-	3	5	12	15	7	4	-
Scrofula and Tuberc.	34	9	4	-	3	-	16	4	-	3	4	2	1	2	2	-	-	-
Phthisis	141	-	1	2	1	2	6	1	6	27	22	22	24	19	11	3	-	-
Hydrocephalus	23	4	2	2	3	2	13	6	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	120	21	3	2	4	1	31	3	1	1	2	7	7	7	16	22	22	1
Dis. of Heart & Dropsy	115	-	-	1	-	-	1	1	2	2	1	5	7	9	25	35	24	3
Dis. of Lungs	157	32	20	5	6	-	65	4	2	1	1	6	3	7	17	29	16	6
Dis. of Stom. and Liver	70	9	1	1	-	-	11	3	-	3	2	4	12	9	9	10	5	2
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	-	2	3	4	-	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	-
Dis. of Joints	8	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	23	-	-	-	-	-	-	-	-	1	8	10	4	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	25	7	-	-	1	4	12	2	2	-	-	-	1	1	2	2	2	1
Other Causes	279	83	8	6	1	-	98	2	2	1	-	-	1	1	2	35	92	44

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.

253.—CHIPPENHAM.

Mean Popul ⁿ , 1861-71	10747	315	284	297	273	295	1464	1327	1270	1071	785	1288	1171	974	729	449	190	29
TOTAL DEATHS -	2060	421	118	65	36	20	660	82	46	53	60	110	129	141	108	250	247	84
Small-pox -	4	2	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Measles -	31	8	8	4	2	2	24	6	-	1	-	-	-	-	-	-	-	-
Scarlatina -	41	-	4	8	8	3	23	14	3	1	-	-	-	-	-	-	-	-
Diphtheria -	22	3	6	1	2	-	12	2	2	1	1	-	-	1	1	1	-	-
Whooping-cough -	35	21	6	3	2	3	85	-	-	-	-	-	-	-	-	-	-	-
Typhus -	19	4	4	2	1	1	12	18	12	0	8	10	6	7	7	0	1	-
Diarrhoea & Dysentery -	55	30	3	3	1	1	38	2	1	-	-	-	1	-	3	6	4	-
Cholera -	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	41	4	5	6	1	2	18	4	1	1	-	2	8	8	4	2	3	-
Cancer -	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles -	34	9	5	6	-	-	20	1	3	1	-	1	4	2	8	7	7	-
Phthisis -	239	3	5	1	1	-	10	5	3	1	3	1	1	2	1	1	1	-
Hydrocephalus -	26	8	9	3	2	-	22	2	2	-	-	63	43	28	33	5	1	-
Dis. of Brain -	254	51	15	8	1	2	77	8	2	6	3	4	13	24	27	47	33	10
Dis. of Heart & Dropsy -	136	1	1	1	1	1	6	1	3	1	2	7	6	10	33	29	17	5
Dis. of Lungs -	273	76	30	13	6	2	127	3	3	7	1	8	10	15	20	40	29	6
Dis. of Stom. and Liver -	85	8	1	-	-	-	9	2	-	3	1	3	12	13	16	14	8	1
Dis. of Kidneys -	42	-	-	-	1	-	1	2	-	-	2	1	4	2	10	12	7	1
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	14	-	-	1	1	-	2	1	2	-	-	-	2	1	2	-	-	-
Dis. of Skin -	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	99	7	3	-	4	3	17	6	8	4	-	9	15	16	10	6	3	1
Other Causes -	481	185	13	4	2	-	204	2	-	-	-	1	7	5	8	35	136	63

254.—CALNE.

Mean Popul ⁿ , 1861-71	4391	130	114	121	125	113	603	516	564	404	312	493	470	395	307	216	98	13
TOTAL DEATHS -	818	178	41	15	11	12	257	39	21	21	24	39	53	50	67	101	167	39
Small-pox -	3	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
Measles -	14	5	4	2	1	-	12	-	-	1	-	-	-	1	-	-	-	-
Scarlatina -	23	-	4	1	2	3	10	6	6	-	-	-	-	1	-	-	-	-
Diphtheria -	5	-	-	-	-	-	-	3	-	-	1	-	-	-	1	-	-	-
Whooping-cough -	90	14	1	4	-	-	19	1	-	-	-	-	-	-	-	-	-	-
Typhus -	24	-	-	1	-	4	15	5	-	5	1	2	1	2	-	1	1	-
Diarrhoea & Dysentery -	21	10	3	-	-	1	14	-	-	-	-	-	-	-	-	1	1	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	19	4	1	-	1	2	8	1	1	3	-	-	3	-	3	1	-	-
Cancer -	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles -	23	2	3	-	4	1	10	2	2	2	1	1	5	2	3	4	2	1
Phthisis -	65	1	3	-	-	-	4	4	1	1	12	13	20	7	8	-	-	-
Hydrocephalus -	19	8	5	2	1	1	17	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	101	20	3	-	-	-	23	5	1	2	1	3	3	14	14	16	16	3
Dis. of Heart & Dropsy -	67	-	-	-	-	-	3	3	1	2	1	3	1	6	11	22	16	3
Dis. of Lungs -	131	40	8	4	1	-	53	1	1	1	1	3	5	8	16	19	14	2
Dis. of Stom. and Liver -	40	3	-	-	-	-	8	1	1	-	2	5	8	6	6	7	1	-
Dis. of Kidneys -	22	-	-	-	-	-	-	-	-	-	-	2	3	2	2	7	6	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths -	40	6	2	-	-	-	8	6	4	3	1	3	3	5	5	5	3	1
Other Causes -	165	65	4	1	-	-	70	-	1	-	1	1	2	2	2	20	56	26

255.—MARLBOROUGH.

Mean Popul ⁿ , 1861-71	5124	120	118	127	117	124	606	609	800	723	352	535	487	414	315	203	73	7
TOTAL DEATHS -	964	217	55	27	18	16	333	44	26	32	26	44	46	61	85	133	163	29
Small-pox -	1	-	-	-	-	-	15	-	1	-	-	-	-	1	-	-	-	-
Measles -	16	7	3	4	-	1	23	15	7	6	2	-	-	-	-	-	-	-
Scarlatina -	54	1	5	3	5	9	4	1	1	1	-	-	-	1	-	-	-	-
Diphtheria -	7	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	22	11	3	1	4	1	20	2	-	3	1	4	4	4	3	5	2	-
Typhus -	33	-	-	1	-	1	2	4	-	-	-	-	1	1	1	1	1	-
Diarrhoea & Dysentery -	16	6	2	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	17	2	2	1	1	1	7	1	1	2	-	-	1	2	2	1	1	-
Cancer -	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Scrofula and Tubercles -	32	7	3	1	3	-	14	6	1	1	3	2	1	2	4	1	5	-
Phthisis -	77	-	1	-	-	-	1	5	2	6	13	21	13	8	8	-	-	-
Hydrocephalus -	20	7	8	2	-	-	17	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	100	26	4	2	3	-	53	1	2	1	1	2	4	5	11	22	12	4
Dis. of Heart & Dropsy -	56	-	-	-	-	-	1	1	-	2	-	2	2	12	9	20	7	-
Dis. of Lungs -	143	34	9	2	1	2	48	1	-	1	-	6	10	7	22	28	19	3
Dis. of Stom. & Liver -	66	5	2	-	-	-	7	-	1	3	2	2	8	8	12	23	3	1
Dis. of Kidneys -	19	-	-	-	-	-	-	1	-	1	1	1	1	3	4	5	3	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	47	10	3	3	1	1	18	8	6	2	2	2	1	3	5	5	3	1
Other Causes -	221	109	10	2	-	-	112	-	1	1	1	1	2	1	2	24	67	29

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.		
256.—DEVIZES.																				
Mean Popul ⁿ , 1861-71		10474	259	260	261	275	273	1328	1294	1203	1064	747	1211	1157	1024	782	461	184	19	
TOTAL DEATHS		2237	377	113	50	29	26	595	76	35	67	67	158	193	174	228	318	263	63	
Small-pox		10	2	-	-	-	1	3	-	-	2	2	2	1	-	-	-	-	-	
Measles		25	5	8	4	5	1	23	8	-	-	-	-	-	-	-	-	-	-	
Scarlatina		59	1	-	8	6	6	21	17	5	4	1	-	-	2	-	-	-	-	
Diphtheria		9	1	1	2	-	1	5	3	-	1	-	-	-	-	-	-	-	-	
Whooping-cough		31	17	10	1	1	1	36	1	-	-	-	-	-	-	-	-	-	-	
Typhus		50	-	1	1	1	3	6	9	3	8	5	4	4	-	2	7	2	-	
Diarrhoea & Dysentery		53	17	5	4	-	3	29	-	1	-	2	2	2	2	3	4	8	-	
Cholera		3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	
Other Zymotic Dis.		37	3	1	6	4	-	14	-	1	3	2	-	2	3	3	7	2	-	
Cancer		28	-	-	-	-	-	-	-	-	-	-	-	3	3	7	7	6	2	
Scrofula and Tuberc.		42	9	1	3	1	-	14	3	2	6	3	3	3	5	2	-	1	-	
Phthisis		269	1	7	1	-	1	10	6	2	20	31	64	64	33	29	10	-	-	
Hydrocephalus		25	7	9	1	2	1	20	4	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain		411	75	15	9	2	4	105	9	5	5	6	33	47	43	42	62	44	2	
Dis. of Heart & Dropsy		179	2	1	-	-	1	4	3	1	1	5	9	11	19	35	32	28	2	
Dis. of Lungs		342	61	33	4	5	2	105	4	2	3	5	12	13	20	28	64	55	6	
Dis. of Stom. and Liver		116	12	-	1	1	-	14	-	-	5	4	7	15	15	18	24	13	1	
Dis. of Kidneys		61	-	-	-	-	-	-	1	1	-	1	2	5	10	9	17	5	-	
Dis. of Gener. Organs		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		6	-	-	-	-	-	-	1	-	2	-	1	-	-	1	1	-	-	
Dis. of Skin		11	5	-	-	-	-	5	-	1	1	-	-	-	1	2	1	-	-	
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		15	-	-	-	-	-	-	-	-	-	-	2	5	-	-	4	3	1	
Other Violent Deaths		92	7	2	1	1	1	12	10	10	5	-	16	7	8	7	10	7	-	
Other Causes		385	151	19	4	-	-	174	2	-	1	-	1	11	9	11	40	99	49	

257.—MELKSHAM.																			
Mean Popul ⁿ , 1861-71		8278	250	227	226	208	208	1119	983	1008	827	626	981	864	718	575	406	154	17
TOTAL DEATHS		1950	439	127	78	49	23	716	83	23	49	48	104	118	107	155	262	222	58
Small-pox		1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles		48	11	29	13	3	-	47	1	-	-	-	-	-	-	-	-	-	-
Scarlatina		96	8	11	17	13	8	57	33	3	1	-	-	1	-	-	-	-	-
Diphtheria		6	2	-	1	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough		41	25	8	5	1	2	41	-	-	-	-	-	-	-	-	-	-	-
Typhus		63	2	4	3	3	3	15	7	7	9	4	3	8	5	1	2	2	-
Diarrhoea & Dysentery		69	39	6	2	1	-	48	-	-	-	-	-	1	-	1	3	6	1
Cholera		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		49	8	2	2	5	-	17	5	1	3	1	3	2	2	3	5	8	2
Cancer		23	-	-	-	1	-	1	-	-	1	-	-	-	2	5	7	6	1
Scrofala and Tubes		43	14	9	3	1	-	27	5	2	2	3	2	1	1	2	-	-	-
Phthisis		179	1	1	-	-	-	2	2	2	10	18	50	44	33	15	5	-	-
Hydrocephalus		29	4	2	4	3	3	16	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain		262	68	11	9	7	1	96	9	2	5	6	8	8	8	21	64	50	3
Dis. of Heart & Dropsy		143	-	1	-	-	-	1	1	1	4	3	10	17	22	27	24	20	2
Dis. of Lungs		349	95	29	11	6	3	145	4	1	5	4	3	15	14	20	65	49	11
Dis. of Stom. and Liver		122	23	-	-	1	-	24	1	3	-	2	13	11	7	19	27	11	8
Dis. of Kidneys		54	-	-	-	-	-	-	-	-	1	1	2	3	5	7	17	18	5
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		11	-	1	-	-	-	1	-	-	2	-	2	-	-	2	1	2	-
Dis. of Skin		8	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		9	-	-	-	-	-	-	-	-	-	1	2	-	2	2	1	1	-
Other Violent Deaths		82	14	3	4	2	1	24	9	5	3	2	4	5	4	10	11	5	-
Other Causes		285	121	19	4	2	1	147	1	-	-	2	2	2	2	7	19	72	34

258.—BRADFORD.																			
Mean Popul ⁿ , 1861-71		5012	128	133	136	145	126	668	626	634	454	338	544	544	457	378	256	104	9
TOTAL DEATHS		973	163	58	29	17	13	280	25	21	17	30	49	54	72	93	159	134	39
Small-pox		-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Measles		10	2	7	-	-	1	23	2	1	-	-	-	-	-	-	-	-	-
Scarlatina		29	2	7	5	6	5	5	1	1	-	-	1	-	-	-	-	-	-
Diphtheria		5	1	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough		12	7	1	2	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus		27	-	1	1	1	1	4	1	2	3	-	1	1	3	5	1	2	-
Diarrhoea & Dysentery		27	16	1	1	1	-	19	-	-	-	-	-	-	1	5	2	-	-
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		24	2	1	4	-	-	7	2	2	-	-	1	1	1	4	3	3	-
Cancer		12	-	1	-	-	-	-	-	-	-	-	-	-	2	1	3	5	-
Scrofala and Tubes		24	8	4	1	1	-	9	3	2	1	-	3	3	2	1	-	-	-
Phthisis		86	-	-	-	-	-	5	-	-	5	14	22	19	14	3	3	-	-
Hydrocephalus		7	1	1	-	2	1	5	2	2	-	-	-	-	-	-	-	-	-
Dis. of Brain		114	19	4	2	1	1	27	2	3	2	2	3	4	8	8	29	23	3
Dis. of Heart & Dropsy		90	-	-	-	-	-	1	1	1	2	2	1	7	2	9	18	32	14
Dis. of Lungs		170	41	12	8	2	1	64	3	-	1	2	2	6	13	25	34	17	8
Dis. of Stom. and Liver		80	3	-	1	-	-	4	1	1	2	2	5	12	13	15	17	9	-
Dis. of Kidneys		18	-	-	1	-	-	1	-	-	-	-	-	-	1	4	4	6	2
Dis. of Gener. Organs		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		6	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-
Dis. of Skin		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Other Violent Deaths		42	4	2	2	-	-	8	4	5	1	1	3	5	3	7	1	4	-
Other Causes		182	62	14	1	1	1	79	-	-	-	1	-	1	3	5	19	46	34

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— & upwards.	
256.—DEVIZES.																			
Mean Popul ⁿ , 1861-71	10991	268	250	289	244	261	1311	1356	1166	945	816	1395	1275	1097	821	550	226	33	
TOTAL DEATHS	2288	205	81	27	35	27	465	86	41	64	77	160	177	170	253	347	340	106	
Small-pox	4	-	-	-	-	-	-	7	1	-	3	-	-	-	-	-	1	-	
Measles	29	2	9	2	3	4	20	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	55	1	9	4	6	6	26	22	3	-	1	1	-	-	-	-	-	-	
Diphtheria	7	-	1	1	-	1	3	1	-	3	-	-	-	-	-	-	-	-	
Whooping-cough	51	20	8	4	5	2	49	2	-	-	-	-	-	-	-	-	-	-	
Typhus	61	-	1	1	4	6	18	1	8	6	2	7	4	-	4	3	1	-	
Diarrhœa & Dysentery	37	10	2	-	-	2	14	1	-	1	-	2	1	1	4	6	0	1	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	31	3	2	-	2	1	10	2	-	1	2	-	2	1	3	5	3	-	
Cancer	74	-	-	-	-	-	-	-	-	-	-	6	21	20	20	6	-	-	
Scrofula and Tubes	41	1	6	-	-	4	12	4	2	-	2	7	4	-	1	4	1	-	
Phthisis	200	1	2	1	1	-	8	14	2	29	54	65	69	43	24	9	-	-	
Hydrocephalus	16	1	4	1	2	1	11	-	-	3	-	-	-	-	-	-	-	-	
Dis. of Brain	384	50	5	8	5	-	68	11	3	5	8	26	20	35	60	76	65	7	
Dis. of Heart & Dropsy	243	3	-	-	-	-	3	1	2	4	4	15	24	45	67	39	4	-	
Dis. of Lungs	332	52	20	4	6	-	82	3	-	1	7	13	11	20	42	74	37	10	
Dis. of Stom. and Liver	100	10	-	-	1	1	12	1	1	2	3	8	12	8	22	20	9	2	
Dis. of Kidneys	25	-	-	-	-	1	1	-	1	1	4	2	2	2	5	6	2	-	
Dis. of Genur. Organs	11	-	-	-	-	-	-	-	-	-	-	2	1	2	4	1	-	-	
Dis. of Joints	12	-	-	-	-	-	-	2	2	-	1	1	-	4	-	1	-	-	
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Childbirth and Metria	34	-	-	-	-	-	-	-	-	1	4	14	16	1	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Other Violent Deaths	32	6	1	-	1	-	8	-	2	-	-	1	2	1	7	3	5	3	
Other Causes	444	120	12	1	1	-	124	3	-	3	4	2	11	6	16	44	143	7	

257.—MELKSHAM.

Mean Populⁿ, 1861-71	9547	246	229	207	244	215	1141	1080	976	974	857	1273	1097	838	667	454	175	15
TOTAL DEATHS	1940	317	130	67	44	24	582	71	37	54	54	114	126	103	179	300	254	68
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles	45	9	18	10	4	1	42	1	-	-	-	-	1	-	-	-	-	-
Scarlatina	107	5	17	11	18	19	61	31	8	5	1	1	-	-	-	-	-	-
Diphtheria	10	1	-	1	2	1	5	2	2	1	-	-	-	-	-	-	-	-
Whooping-cough	42	21	10	6	4	-	41	1	-	-	-	-	-	-	-	-	-	-
Typhus	64	3	-	2	2	4	11	10	9	12	6	3	6	2	2	1	6	3
Dysentery and Cholera	39	32	4	2	-	-	45	1	-	2	-	-	-	-	-	-	1	2
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
Other Zymotic Dis.	34	6	4	2	1	-	16	2	1	2	1	-	3	3	-	5	4	-
Cancer	50	-	-	-	-	-	-	-	-	-	-	-	10	8	10	17	5	-
Cerebrol and Tabes	31	7	5	1	1	-	14	-	1	2	1	1	1	-	-	1	-	-
Phthisis	208	3	3	2	-	-	9	2	6	22	32	61	63	21	14	4	-	-
Hydrocephalus	12	3	5	2	-	1	11	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	270	59	11	4	4	2	71	19	2	5	1	10	12	16	35	53	49	8
Dis. of Heart & Dropsy	163	2	-	-	-	1	3	1	-	-	3	4	19	17	33	55	23	-
Dis. of Lungs	359	53	33	16	5	2	115	4	1	-	-	10	12	14	48	93	47	6
Dis. of Stom. and Liver	99	5	2	-	1	1	9	5	2	2	1	8	9	15	15	17	17	1
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	-	1	2	1	4	6	1	-
Dis. of Genes. Organs	14	-	-	-	-	-	-	-	-	-	-	1	2	2	5	2	1	-
Dis. of Joints	7	-	1	-	1	-	2	-	1	-	2	-	1	-	1	-	-	-
Dis. of Skin	7	4	-	-	-	-	4	-	-	-	-	1	1	-	-	1	-	-
Childbirth and Metris	21	-	-	-	-	-	-	-	-	-	2	11	8	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-
Other Violent Deaths	34	11	2	1	-	-	14	2	-	-	-	-	2	-	3	1	5	4
Other Causes	301	91	12	7	1	-	111	-	2	-	1	-	-	3	6	88	25	44

258.—BRADFORD.

Mean Populn, 1861-71	5549	135	128	132	124	129	648	676	577	517	410	683	639	543	414	306	119	17
TOTAL DEATHS -	1078	139	45	31	26	20	261	30	20	42	34	65	72	64	97	154	183	47
Small-pox -	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Measles -	12	-	5	2	-	1	10	-	-	-	-	1	1	-	-	-	-	-
Scarlatina -	51	1	2	7	5	2	17	10	-	2	-	1	1	-	-	-	-	-
Diphtheria -	9	-	-	2	1	2	5	2	-	-	1	1	-	-	-	-	-	-
Whooping-cough -	19	8	2	1	3	2	16	8	-	-	-	-	-	-	-	1	3	-
Typhus -	36	-	-	1	2	2	5	7	6	5	2	3	1	2	1	1	7	-
Diarrhea & Dysentery -	28	13	1	-	1	-	13	-	-	-	-	-	2	-	-	4	-	-
Cholera -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	16	-	-	4	1	1	6	1	1	2	1	-	-	1	-	2	2	-
Cancer -	28	-	-	-	-	-	-	-	1	-	-	-	4	7	6	7	2	1
Scrofula and Tuberc. -	20	1	1	-	-	1	3	2	-	3	1	6	2	1	1	1	-	-
Phtisis -	91	-	3	1	-	-	4	-	7	12	17	25	13	5	4	1	-	-
Hydrocephalus -	10	4	-	2	1	3	10	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	137	19	4	1	2	-	26	6	-	5	4	3	7	11	12	27	33	3
Dis. of Heart & Dropsy -	101	-	2	-	1	-	3	2	-	2	1	3	10	6	18	30	23	3
Dis. of Lungs -	167	13	14	6	4	3	42	2	1	1	3	3	8	10	22	40	33	5
Dis. of Stom. and Liver -	92	4	-	-	-	-	4	1	1	4	2	5	15	15	20	16	10	1
Dis. of Kidneys -	6	-	-	-	1	-	1	-	-	-	-	1	-	1	1	3	1	-
Dis. of Genes. Organs -	13	-	-	-	-	-	-	-	-	-	-	1	2	-	6	4	-	-
Dis. of Joints -	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris. -	13	-	-	-	-	-	-	-	-	-	4	7	4	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1
Other Violent Deaths -	22	2	-	1	2	2	7	3	2	3	-	1	2	1	1	-	1	1
Other Causes -	212	70	10	3	2	1	86	-	-	-	-	-	3	-	4	15	65	33

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
250.—WESTBURY.																			
Mean Popul ⁿ , 1861-71	5702	155	137	151	154	152	749	717	640	544	412	643	596	532	443	293	121	12	
TOTAL DEATHS	1204	276	64	41	12	19	412	46	28	35	32	46	68	67	92	174	162	13	
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	18	5	8	4	1	1	17	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	46	5	0	8	2	3	24	17	5	-	-	-	-	-	-	-	-	-	
Diphtheria	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	6	5	1	-	-	-	6	-	-	-	3	-	5	-	-	1	-	-	
Typhus	21	-	1	1	1	-	3	1	3	-	-	-	-	1	-	-	1	-	
Diarrhoea & Dysentery	34	27	3	1	-	-	31	1	-	-	-	-	-	-	-	1	1	-	
Cholera	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
Other Zymotic Dis.	17	1	2	3	2	2	10	1	-	-	-	1	1	2	5	10	2	1	
Cancer	21	4	-	-	-	-	-	2	1	5	2	2	1	-	-	-	-	-	
Scrofula and Tuberc.	21	4	2	2	-	-	6	1	2	11	10	22	19	15	9	4	-	-	
Phthisis	93	-	-	-	-	-	11	2	-	-	-	-	-	-	-	-	-	-	
Hydrocephalus	15	2	4	3	1	1	11	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	150	26	6	2	-	4	38	3	3	3	3	7	6	8	11	28	24	3	
Dis. of Heart & Droopy	116	1	-	-	-	-	1	1	3	3	1	4	10	9	23	47	14	-	
Dis. of Lungs	175	60	15	12	3	2	85	3	-	2	2	4	8	8	14	27	29	-	
Dis. of Stom. and Liver	74	4	1	-	-	-	7	-	1	2	3	4	3	10	17	18	5	-	
Dis. of Kidneys	36	1	-	-	-	1	2	1	2	3	1	1	3	1	5	8	4	-	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
Dis. of Joints	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	
Other Violent Deaths	63	15	1	3	-	2	23	4	6	1	5	7	2	2	3	8	3	-	
Other Causes	502	132	11	1	-	1	145	3	1	2	-	1	2	4	4	27	83	22	

260.—WARMINSTER.

Mean Popul ⁿ , 1861-71	7605	213	181	190	201	199	984	964	934	790	509	839	800	710	560	356	141	18
TOTAL DEATHS	1410	280	82	37	23	20	442	37	25	33	44	76	82	91	121	208	294	47
Small-pox	3	2	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-
Measles	18	8	7	3	4	2	15	8	-	-	-	-	-	1	-	-	-	-
Scarlatina	24	-	1	5	4	4	14	6	1	1	1	1	-	-	-	-	-	-
Diphtheria	6	2	-	-	2	1	5	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	12	4	5	1	1	1	12	-	-	-	6	-	1	3	2	2	1	-
Typhus	21	-	-	-	-	1	1	4	-	-	-	1	-	-	2	1	4	-
Diarrhoea & Dysentery	18	4	1	-	2	1	8	-	-	-	-	-	-	-	-	-	-	-
Cholera	40	4	5	6	2	1	18	8	4	2	-	2	5	2	2	5	1	-
Other Zymotic Dis.	-	-	-	-	-	-	-	-	-	-	-	-	1	6	5	7	5	-
Cancer	25	8	-	-	-	-	23	8	5	3	8	4	1	1	1	6	-	-
Scrofula and Tuberc.	46	1	-	1	-	-	2	8	2	9	23	42	31	23	6	1	-	-
Phthisis	149	9	8	4	-	-	21	7	2	-	-	-	-	-	-	-	-	-
Hydrocephalus	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	170	37	10	3	2	2	54	1	2	1	2	5	9	14	16	20	34	-
Dis. of Heart & Dropsy	143	-	-	-	-	-	-	-	2	3	3	7	9	12	32	47	37	-
Dis. of Lungs	242	57	23	5	3	1	88	4	3	3	2	2	7	13	25	51	49	-
Dis. of Stom. and Liver	101	9	2	2	1	1	10	4	8	3	1	5	11	7	10	24	17	-
Dis. of Kidneys	84	-	-	-	-	-	-	-	1	1	1	2	4	5	4	9	8	-
Dis. of Genit. Organs	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-
Selficide	4	11	3	4	2	2	22	1	5	2	8	2	5	3	4	6	6	-
Other Violent Deaths	261	128	8	8	-	1	140	2	-	-	-	1	1	3	4	23	75	-

261.—PEWSEY.

Mean Popul ⁿ , 1861-71	6147	160	177	175	173	165	850	765	734	614	442	699	622	558	453	289	111	10
TOTAL DEATHS -	1210	289	81	28	25	18	421	34	30	28	37	55	50	73	99	163	158	36
Small-pox - - -	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles - - - -	15	8	4	2	1	-	10	3	1	1	-	-	-	-	-	-	-	-
Scarlatina - - -	44	2	3	3	6	7	21	17	4	-	-	1	-	1	-	-	-	-
Diphtheria - - -	7	1	1	1	-	-	5	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	24	12	7	2	5	-	24	-	3	1	6	2	2	5	4	-	-	-
Typhus - - - - -	33	-	1	1	-	2	4	6	2	-	-	-	-	1	1	4	6	-
Diarrhoea & Dysentery	26	17	2	-	1	-	20	2	-	-	-	-	-	-	1	-	-	-
Cholera - - - - -	5	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.	29	2	1	1	5	1	8	3	2	2	-	-	3	2	-	6	3	-
Cancer - - - - -	10	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-
Scrofula and Tuberc.	17	5	4	-	4	-	11	-	2	1	-	1	1	1	1	3	7	-
Phthisis - - - -	124	4	-	1	-	-	5	4	-	11	20	25	23	12	14	-	-	-
Hydrocephalus - -	28	10	9	4	2	2	27	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	134	25	5	1	2	1	32	5	4	1	3	6	2	13	12	21	25	-
Dis. of Heart & Dropsy	92	-	-	-	-	-	1	2	1	1	3	6	9	19	37	19	9	-
Dis. of Lungs - - -	201	59	25	4	1	2	91	2	-	3	1	5	6	6	25	32	25	-
Dis. of Stom. and Liver	47	9	1	2	-	1	13	1	1	-	1	1	2	6	5	13	4	-
Dis. of Kidneys - -	24	-	-	-	-	-	-	-	-	-	1	-	2	2	6	7	6	-
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints - - -	5	-	-	-	-	-	2	1	1	1	-	-	-	-	9	1	1	-
Dis. of Skin - - -	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	16	-	-	-	-	4	-	-	-	7	3	-
Other Violent Deaths	74	10	1	2	1	3	132	4	5	5	2	4	6	11	6	29	39	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80- 90- 100-	
259.—WESTBURY.																			
Mean Popul ⁿ , 1861-71 - }	5936	163	144	167	136	156	766	734	647	510	443	726	667	589	435	292	112	15	
TOTAL DEATHS -	1194	197	66	32	21	15	331	50	24	39	47	48	77	85	105	186	157	45	
Small-pox - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	10	2	3	1	2	-	8	1	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	41	-	6	5	4	0	21	14	2	3	1	-	-	-	-	-	-	-	
Diphtheria - - -	11	-	-	-	1	1	2	7	1	-	-	-	-	-	-	-	-	-	
Whooping-cough -	16	5	7	3	1	-	16	-	-	-	-	-	-	-	-	-	-	-	
Erysiphus - - -	23	-	-	3	1	1	5	5	-	3	-	4	3	-	2	1	-	-	
Diarrhea & Dysentery	28	17	5	1	1	-	24	-	5	-	-	-	1	1	-	1	1	-	
Cholera - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	21	1	2	6	-	1	10	3	-	-	-	1	1	1	2	2	2	-	
Cancer - - -	60	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Serofula and Tabes -	9	3	1	-	-	-	1	-	-	-	-	1	9	12	17	13	4	3	
Phthisis - - -	35	-	1	-	1	-	4	1	1	1	1	-	-	-	-	-	-	-	
Hydrocephalus - -	12	2	1	2	1	-	6	2	1	3	-	20	15	7	6	2	-	-	
Dis. of Brain - - -	143	18	9	1	-	1	29	3	-	2	9	3	7	12	19	41	21	2	
Dis. of Heart & Dropsy	132	-	-	-	-	-	-	-	-	3	1	2	7	22	24	33	17	-	
Dis. of Lungs - - -	132	25	14	6	5	4	54	2	3	1	3	5	10	9	15	29	24	2	
Dis. of Stomach and Liver	79	5	1	-	3	1	10	4	4	2	2	5	5	9	11	15	8	1	
Dis. of Kidneys - -	13	-	-	-	-	-	-	1	-	2	-	-	2	2	2	4	-	-	
Dis. of Gen. Organs -	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	
Dis. of Joints - - -	9	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	-	-	
Dis. of Skin - - -	2	1	1	-	-	-	2	-	-	-	-	1	-	2	-	-	-	-	
Childbirth and Metris	19	-	-	-	-	-	-	-	-	-	4	6	9	-	-	-	-	-	
Suicide - - -	1	5	1	2	1	-	9	3	-	1	-	-	1	-	-	-	-	-	
Other Violent Deaths -	19	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
Other Causes - - -	278	113	13	1	-	-	127	2	1	-	1	2	2	4	6	19	7	3	

		260.—WARMINSTER.																		
Mean Popul ⁿ , 1861-71	17996	191	193	194	187	193	958	933	895	733	589	1009	910	801	572	426	146	24		
TOTAL DEATHS	1428	177	68	45	28	15	333	41	32	38	48	86	104	100	138	230	217	61		
Small-pox	6	8	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-		
Measles	31	8	9	2	5	2	26	5	-	-	-	2	-	-	-	-	-	-		
Scarlatina	26	2	2	4	3	2	13	10	1	1	-	-	-	-	-	-	-	-		
Diphtheria	5	-	2	-	-	-	2	2	-	-	1	-	1	-	-	-	-	-		
Whooping-cough	16	6	7	2	1	-	16	-	-	-	-	-	-	-	-	-	-	-		
Typhus	23	-	-	1	2	3	6	2	3	5	5	1	4	2	1	-	1	-		
Diarrhoea & Dysentery	21	6	2	-	-	1	9	-	-	-	-	-	5	-	1	3	5	-		
Cholera	2	-	-	1	-	-	1	-	-	-	-	-	5	-	1	1	-	-		
Other Zymotic Dis.	28	3	3	3	4	2	15	3	1	1	-	2	-	-	2	2	2	-		
Cancer	51	-	-	-	-	-	-	-	-	-	-	2	5	12	9	11	10	2		
Scrofula and Tuberc.	42	8	2	4	5	1	20	-	2	3	1	3	3	5	4	8	-	1		
Phthisis	135	-	-	1	-	1	2	2	7	14	28	80	22	15	4	-	-	-		
Hydrocephalus	12	1	5	5	1	-	12	-	-	-	-	-	22	2	-	-	-	-		
Dis. of Heart	193	18	9	6	2	-	35	1	6	3	-	6	17	17	24	42	35	5		
Dis. of Brain & Dropsy	176	-	-	-	-	-	4	1	3	-	3	4	10	19	57	67	23	5		
Dis. of Lungs	216	36	9	10	2	1	58	2	5	5	5	6	8	7	21	41	37	0		
Dis. of Stom. and Liver	111	1	-	1	-	1	2	4	2	4	2	3	13	16	18	28	16	-		
Dis. of Kidneys	14	-	-	-	-	-	-	-	2	1	1	1	2	4	2	1	-	-		
Dis. of Genes. Organs	12	-	-	-	-	-	-	-	-	-	-	2	2	1	3	4	-	-		
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris.	28	-	-	-	-	-	-	-	-	2	2	12	12	-	-	-	-	-		
Suicide	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-		
Other Violent Deaths	28	5	-	1	2	2	16	6	-	-	-	1	1	-	1	3	4	3		
Other Causes	240	70	18	4	1	-	102	-	-	1	1	-	1	1	2	20	25	11		

		261.—PEWSEY.																	
Mean Popul ⁿ , 1861-71	1864	171	169	163	145	175	823	790	668	508	447	712	664	561	438	303	111	19	
TOTAL DEATHS	1175	176	73	36	25	18	328	50	35	41	35	84	84	68	105	151	110	54	
Small-pox	1	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	
Measles	20	2	8	4	1	2	17	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina	46	2	4	7	4	5	22	15	7	2	-	-	-	-	-	-	-	-	
Diphtheria	6	-	1	-	1	-	2	2	-	1	-	-	-	-	-	1	-	-	
Whooping-cough	16	6	5	4	-	-	15	1	-	-	-	-	-	-	-	-	-	-	
Typhus	41	-	-	2	2	2	6	5	4	8	7	6	2	2	-	1	-	-	
Diarrhoea & Dysentery	21	2	-	2	4	-	8	1	-	-	-	-	-	-	-	2	6	2	
Cholera	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	24	5	-	2	-	1	8	1	4	3	1	-	1	-	3	2	-	1	
Cancer	33	-	-	-	-	-	-	-	-	-	-	-	2	-	8	10	8	5	
Scrofula and Tuberc.	16	2	5	2	-	-	9	2	-	-	-	4	-	-	-	-	1	-	
Phthisis	130	2	-	1	-	-	3	5	8	19	13	40	29	7	11	8	-	1	
Hydrocephalus	9	3	3	-	1	-	7	1	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	100	23	7	1	1	1	53	4	8	1	5	7	8	11	16	39	27	6	
Dis. of Heart & Droopy	117	-	2	-	1	-	5	1	3	1	3	2	8	16	29	32	17	3	
Dis. of Lungs	168	39	19	5	4	3	70	3	-	1	1	5	5	19	18	28	17	10	
Dis. of Stom. and Liver	37	2	-	-	1	1	4	1	3	1	1	3	4	6	10	18	5	1	
Dis. of Kidneys	19	-	1	1	-	-	2	-	-	-	1	4	5	1	2	3	1	-	
Dis. of Gen. Organs	6	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	
Dis. of Skin	5	1	1	-	-	1	3	1	-	-	-	-	1	-	-	-	-	-	
Childbirth and Metritis	13	-	-	-	-	-	-	-	-	1	2	7	8	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	25	8	-	2	2	1	13	2	-	2	-	-	1	2	-	-	3	1	
Other Causes	229	79	17	3	3	1	105	1	1	2	-	4	5	2	4	12	58	21	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															85 years.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	

262.—AMESBURY.

Mean Popul ⁿ , 1861-71	4052	105	98	115	103	109	530	512	464	392	278	432	459	390	289	182	69	5
TOTAL DEATHS -	710	124	38	24	10	13	209	27	8	16	10	39	40	52	66	101	102	25
Small-pox -	1	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Measles -	4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	17	-	2	5	4	-	11	3	1	-	-	1	1	-	-	-	-	-
Diphtheria -	9	1	2	-	-	1	4	1	1	-	1	1	1	-	-	-	-	-
Whooping-cough -	13	7	4	1	-	1	13	-	-	-	-	-	-	-	-	-	-	-
Typhus -	13	1	-	-	1	1	3	3	-	1	1	2	-	1	2	-	-	-
Diarrhoea & Dysentery -	12	6	1	1	-	1	9	-	-	1	-	-	-	-	-	-	-	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	21	4	1	2	1	2	10	-	-	2	1	-	-	1	2	2	1	-
Cancer -	5	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
Serofula and Tabes -	16	1	1	1	-	-	3	1	1	1	-	1	2	1	2	-	-	-
Phthisis -	81	3	-	-	-	1	3	3	1	7	-	6	24	12	13	8	2	-
Hydrocephalus -	4	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	85	11	5	3	-	2	21	2	-	1	2	4	5	6	6	21	26	1
Dis. of Heart & Dropsy -	66	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Lungs -	127	26	15	6	1	1	40	3	-	1	2	2	2	12	16	27	13	-
Dis. of Stom. and Liver -	49	3	-	1	-	1	5	3	-	-	-	-	-	3	9	7	4	-
Dis. of Kidneys -	21	-	-	-	-	-	-	-	-	-	1	2	3	2	1	6	6	-
Dis. of Genor. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	4	2	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	22	2	-	-	2	1	5	4	3	1	1	-	1	4	1	1	1	-
Other Causes -	146	53	4	3	1	-	61	-	-	-	-	-	1	1	2	12	47	22

263.—ALDERBURY.

Mean Popul ⁿ , 1861-71	7595	210	217	205	192	200	1024	922	894	730	568	963	861	697	507	310	117	12
TOTAL DEATHS -	1835	276	72	44	25	20	437	51	36	46	62	173	203	170	195	249	189	44
Small-pox -	4	-	-	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-
Measles -	24	7	4	6	3	1	21	2	1	-	-	-	-	-	-	-	-	-
Scarlatina -	49	4	5	7	3	6	23	17	6	1	-	-	-	-	-	-	-	-
Diphtheria -	8	1	1	1	-	1	4	2	1	-	-	1	-	-	-	-	-	-
Whooping-cough -	27	13	7	2	1	-	23	-	-	-	6	5	2	2	4	4	7	-
Typhus -	34	1	-	2	2	-	5	2	2	4	-	5	1	1	1	1	1	-
Diarrhoea & Dysentery -	44	15	3	2	-	-	20	1	1	-	1	3	5	1	3	2	2	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	39	4	1	2	3	2	12	2	3	2	1	2	5	6	3	1	-	-
Cancer -	29	-	-	-	-	-	15	2	1	1	1	2	2	2	6	8	5	-
Serofula and Tabes -	24	11	3	1	-	-	5	2	5	15	31	62	42	23	14	3	1	-
Phthisis -	208	1	2	1	1	-	10	4	3	-	-	-	-	-	-	-	-	-
Hydrocephalus -	17	3	3	1	1	2	10	4	3	-	-	-	-	-	-	-	-	-
Dis. of Brain -	336	43	7	7	-	-	57	1	2	8	4	54	68	44	45	59	29	5
Dis. of Heart & Dropsy -	205	1	-	-	-	-	1	-	-	5	-	10	16	19	28	43	22	2
Dis. of Lungs -	228	48	23	4	6	6	87	4	1	3	3	12	13	15	39	53	24	2
Dis. of Stom. and Liver -	93	2	1	3	-	-	6	1	2	1	2	7	9	12	31	17	3	-
Dis. of Kidneys -	52	-	-	-	-	1	1	1	-	3	3	1	12	6	9	12	3	1
Dis. of Genor. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	13	-	-	-	-	-	-	1	1	-	-	2	5	1	-	-	-	-
Dis. of Skin -	4	2	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	-	1	3	-	1	3	-	-
Other Violent Deaths -	112	4	2	3	3	-	12	7	7	5	5	15	11	23	14	8	4	1
Other Causes -	309	116	10	1	2	1	130	1	-	-	2	11	9	8	8	29	70	31

264.—SALISBURY.

Mean Popul ⁿ , 1861-71	4215	132	105	114	107	118	576	511	518	403	334	526	474	411	258	144	56	4
TOTAL DEATHS -	901	203	68	32	21	20	344	31	12	13	25	46	59	88	82	103	79	19
Small-pox -	5	3	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
Measles -	29	4	11	8	2	4	29	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	31	-	5	4	4	4	17	10	-	-	1	-	1	-	-	-	-	-
Diphtheria -	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	21	10	9	1	-	1	21	-	-	-	-	-	-	-	-	-	-	-
Typhus -	28	17	-	-	-	2	29	1	-	-	1	-	-	1	1	3	1	-
Diarrhoea & Dysentery -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	19	4	3	1	2	1	11	-	-	1	-	2	1	2	1	-	-	-
Cancer -	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes -	18	3	1	2	1	2	9	4	2	-	1	1	1	1	5	2	1	-
Phthisis -	109	1	2	-	-	1	4	1	-	9	16	26	22	21	7	2	-	-
Hydrocephalus -	6	1	2	2	-	1	6	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	118	24	3	3	2	-	32	6	2	-	2	6	5	16	19	39	13	-
Dis. of Heart & Dropsy -	44	1	-	-	-	-	1	-	-	-	1	3	3	8	12	9	4	1
Dis. of Lungs -	211	62	22	7	5	4	109	4	1	-	1	4	12	18	19	29	13	-
Dis. of Stom. and Liver -	58	9	-	1	1	-	11	1	2	-	2	2	6	14	10	7	1	-
Dis. of Kidneys -	19	1	-	1	-	-	2	-	-	-	-	1	3	2	2	9	-	-
Dis. of Genor. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Skin -	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	-	-	4	1	3	1	-	-
Other Violent Deaths -	8	2	-	-	-	-	2	-	-	-	-	-	1	2	-	-	-	-
Other Causes -	144	60	9	1	3	-	73	1	-	-	-	-	1	-	2	20	47	18

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.	
262.—AMESBURY.																			
Mean Popul ⁿ , 1861-71 }	3989	106	107	107	94	94	508	517	430	313	307	545	472	391	268	165	66	7	
TOTAL DEATHS -	703	102	34	22	9	13	180	29	17	18	18	59	57	40	64	111	91	19	
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles -	5	-	4	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	22	1	2	5	3	2	13	7	2	-	-	-	-	-	-	-	-	-	
Diphtheria -	14	2	1	3	1	4	11	2	-	-	-	-	1	-	-	-	-	-	
Whooping-cough -	11	5	3	2	-	1	11	-	-	-	-	-	-	-	-	-	-	-	
Typhus -	20	-	1	-	2	-	3	2	4	2	1	3	2	2	1	-	-	-	
Diarrhea & Dysentery -	5	2	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	19	-	-	2	1	1	4	5	-	-	-	-	1	2	1	2	3	1	
Cancer -	15	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	4	1	
Serofala and Tubercles -	12	5	2	1	-	-	4	3	1	-	1	1	5	2	3	4	1	-	
Phthisis -	117	1	2	1	-	-	6	-	4	12	9	37	22	17	8	4	-	-	
Hydrocephalus -	5	3	2	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	84	14	2	1	-	1	18	1	3	2	4	3	3	3	11	22	13	1	
Dis. of Heart & Dropsy -	70	-	-	-	-	1	1	-	1	1	1	1	8	4	21	21	9	2	
Dis. of Lungs -	102	22	10	5	1	1	39	3	1	-	2	2	1	3	7	18	2	1	
Dis. of Stom. & Liver -	27	1	-	-	-	-	1	1	1	-	-	3	1	3	8	7	1	1	
Dis. of Kidneys -	4	-	-	-	-	1	1	-	-	-	-	-	-	-	1	2	-	-	
Dis. of Genet. Organs -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Joints -	3	-	-	1	-	-	-	2	-	-	-	2	1	1	-	2	1	-	
Dis. of Skin -	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria -	16	-	-	-	-	-	-	-	1	-	-	5	9	1	-	-	-	-	
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Violent Deaths -	7	1	-	1	-	1	3	2	-	-	-	-	-	-	-	-	-	2	
Other Causes -	124	45	4	-	-	-	49	-	-	-	-	1	1	1	1	23	45	1	

263.—ALDERBURY.

Mean Populⁿ, 1861-71	7951	218	197	207	186	181	989	914	858	732	672	1058	944	751	554	335	127	17
TOTAL DEATHS -	1547	213	68	30	32	16	359	43	33	46	63	121	111	137	163	230	196	45
Small-pox -	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
Menses -	28	-	10	8	3	4	25	1	1	-	-	-	-	-	-	-	-	-
Scarlatina -	6	2	1	8	11	1	23	10	2	-	1	-	1	-	-	-	-	-
Diphtheria -	8	-	1	-	2	-	3	2	1	1	-	-	-	-	-	1	-	-
Whooping-cough -	20	11	5	3	1	-	20	-	-	-	-	-	-	-	-	-	-	-
Typhus -	40	-	1	1	1	1	4	6	5	7	2	3	1	3	5	4	-	-
Diarrhoea & Dysentery -	47	19	2	1	-	-	23	1	-	-	1	2	2	4	4	4	6	-
Cholera -	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
Other Zymotic Dis. -	22	1	5	-	-	-	6	-	5	1	2	-	4	1	2	1	-	-
Cancer -	40	-	-	-	-	-	-	-	-	1	-	2	4	12	12	3	6	-
Scrofula and Tuberc. -	19	5	5	1	1	-	12	1	2	1	1	-	1	1	-	-	-	-
Phthisis -	191	-	-	1	1	-	1	6	6	19	29	56	31	27	12	4	-	-
Hydrocephalus -	10	5	-	-	3	-	7	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	222	23	5	-	1	-	29	3	1	3	5	24	18	28	20	51	23	2
Dis. of Heart & Dropsy -	174	1	1	-	-	1	3	1	1	2	6	6	12	22	37	51	129	2
Dis. of Lungs -	181	24	16	4	5	5	64	7	2	2	-	5	6	10	21	40	21	3
Dis. of Stom. and Liver -	86	6	1	1	1	1	10	1	1	-	3	5	11	12	19	15	9	-
Dis. of Kidneys -	23	-	-	-	-	-	-	-	1	1	3	4	2	5	5	4	-	-
Dis. of Gener. Organs -	12	-	-	-	-	-	-	-	-	-	-	5	2	4	-	-	1	-
Dis. of Joints -	6	-	1	-	-	-	1	-	-	1	1	1	1	1	-	-	-	-
Dis. of Skin -	5	2	1	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria -	22	-	-	-	-	-	-	-	-	-	5	6	7	2	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Violent Deaths -	24	4	2	1	1	3	11	1	-	2	1	-	-	-	2	3	3	1
Other Causes -	323	100	11	2	1	-	114	-	2	3	2	4	2	6	12	49	97	-

264.—SALISBURY.

Mean Populn., 1861-71	4910	116	105	122	120	103	566	529	524	531	428	670	566	465	323	221	77	10
TOTAL DEATHS -	919	147	65	41	24	15	292	35	20	22	20	44	70	61	92	117	113	35
Small-pox -	9	4	-	-	-	-	4	1	-	2	-	1	1	-	-	-	-	-
Measles -	25	5	4	9	4	1	23	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	49	-	9	7	8	5	29	16	2	1	1	-	-	-	-	-	-	-
Diphtheria -	5	1	-	-	-	1	2	2	-	-	-	-	-	-	-	1	-	-
Whooping-cough -	18	7	7	1	3	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus -	13	-	-	1	1	1	3	2	1	2	1	-	-	1	2	-	1	-
Diarrhoea & Dysentery -	21	13	2	1	-	1	17	1	-	-	-	-	2	-	-	-	-	1
Cholera -	5	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-
Other Zymotic Dis. -	22	1	2	4	1	1	9	2	1	-	1	-	-	2	2	4	1	-
Cancer -	25	-	-	-	-	-	-	-	-	-	-	5	4	7	6	3	2	-
Scrofula and Tubes -	18	5	4	2	1	-	12	2	1	2	1	1	-	-	-	-	-	-
Plithiasis -	105	2	2	1	-	1	5	1	5	9	9	24	26	16	6	3	-	-
Hydrocephalus -	17	4	6	4	3	-	17	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	119	24	4	-	1	1	30	1	4	-	2	1	5	11	16	26	21	3
Dis. of Heart & Dropsy -	84	1	1	1	1	1	5	3	3	-	1	3	5	6	18	37	14	4
Dis. of Lungs -	144	33	15	7	2	2	62	5	1	1	1	1	5	7	23	31	14	4
Dis. of Stom. and Liver -	57	2	-	-	-	2	2	1	-	1	-	2	8	5	5	7	6	-
Dis. of Kidneys -	17	-	-	-	-	-	-	-	1	-	1	1	1	2	5	5	1	-
Dis. of Genes. Organs -	5	-	-	-	-	-	-	-	-	-	1	-	3	2	2	-	-	-
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metris -	15	-	-	-	-	-	-	-	-	1	1	7	6	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1
Other Violent Deaths -	8	2	1	1	-	-	4	-	-	1	-	-	-	-	1	1	3	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		265.—WILTON.																
Mean Popul ⁿ , 1861-71	5364	163	143	143	131	138	718	668	631	505	378	617	578	510	395	243	110	11
TOTAL DEATHS -	976	200	55	30	15	17	326	35	16	17	29	45	40	66	97	132	130	54
Small-pox - - -	3	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Measles - - -	18	1	3	4	2	2	12	3	2	1	-	-	-	-	-	-	-	-
Scarlatina - - -	31	0	6	4	4	2	19	7	3	1	1	-	-	-	-	-	-	-
Diphtheria - - -	11	4	1	4	-	1	10	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	15	5	7	1	2	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	24	-	-	-	-	-	-	2	3	4	2	2	2	2	3	3	1	-
Diarrhoea & Dysentery	19	11	2	-	1	-	14	-	-	-	-	-	-	-	2	1	2	-
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	26	5	2	3	-	2	12	-	1	-	-	-	2	1	3	4	2	1
Cancer - - -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles	16	7	2	2	-	1	12	-	1	-	-	1	1	4	4	3	-	-
Phthisis - - -	83	-	-	-	-	-	1	3	-	-	-	23	10	15	5	4	-	-
Hydrocephalus - -	18	6	4	2	1	1	14	4	-	3	19	-	-	-	-	-	-	-
Dis. of Brain - - -	132	45	4	2	2	2	55	1	1	2	2	4	6	6	7	26	20	2
Dis. of Heart & Dropsy	111	-	1	-	-	-	1	4	-	1	-	4	6	11	29	33	21	1
Dis. of Lungs - - -	108	17	10	4	-	2	33	2	-	-	1	3	5	8	22	21	11	1
Dis. of Stom. and Liver	32	7	2	-	1	1	11	2	-	1	1	3	6	4	11	7	6	-
Dis. of Kidneys - -	22	-	-	-	-	-	-	-	1	2	1	1	5	2	3	4	3	-
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-
Other Violent Deaths -	33	1	-	-	2	2	5	5	3	1	1	2	3	6	2	2	2	-
Other Causes - - -	233	97	10	4	-	-	111	-	-	-	1	-	2	4	4	21	61	29

266.—TISBURY.																		
Mean Popul ⁿ , 1861-71	4960	142	145	129	135	138	689	599	560	476	352	629	536	448	351	219	91	10
TOTAL DEATHS -	883	170	51	22	14	11	271	35	24	21	27	47	48	58	77	125	112	38
Small-pox -	9	-	-	-	-	-	8	-	1	-	-	-	-	-	-	-	-	-
Measles -	18	1	6	-	1	-	6	7	4	1	-	-	-	-	-	-	-	-
Scarlatina -	32	-	1	-	3	1	6	5	3	1	-	-	1	-	-	-	-	-
Diphtheria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	7	3	4	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus -	32	-	1	1	-	2	4	2	1	3	1	2	2	3	3	1	2	-
Diarrhoea & Dysentery -	18	6	1	-	-	-	7	-	-	-	-	1	1	-	1	4	1	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	31	11	1	4	1	1	18	4	-	-	-	1	1	-	1	5	1	-
Cancer -	14	-	-	-	-	-	-	-	-	-	1	-	-	4	2	4	2	-
Scrofula and Tubercles -	30	6	6	4	1	2	19	3	1	1	1	2	1	1	1	-	-	-
Phthisis -	77	1	1	-	1	-	3	-	1	7	14	21	10	10	6	3	-	-
Hydrocephalus -	13	4	2	-	2	-	8	2	3	-	-	-	-	-	-	-	-	-
Dis. of Brain -	125	30	5	2	1	1	39	2	-	3	2	4	5	8	14	24	18	4
Dis. of Heart & Dropsy -	91	-	-	-	-	-	1	1	1	2	1	4	7	8	18	31	13	2
Dis. of Lungs -	148	33	14	6	2	2	57	4	3	-	3	8	6	6	13	19	18	13
Dis. of Stom. and Liver -	37	6	-	2	-	-	8	1	-	-	1	-	5	8	5	7	3	1
Dis. of Kidneys -	25	-	-	-	-	-	-	2	1	-	-	-	1	4	2	8	1	-
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	42	1	3	2	1	2	9	1	4	3	3	3	7	3	4	3	1	1
Other Causes -	151	67	8	1	-	-	76	1	1	-	-	1	2	2	3	17	42	12

267.—MERE.																		
Mean Popul ⁿ , 1861-71	3915	116	116	99	114	98	543	490	462	361	248	448	422	363	299	189	81	9
TOTAL DEATHS -	749	167	41	25	13	6	252	23	22	21	26	27	35	37	72	105	105	25
Small-pox -	20	4	7	3	-	1	17	2	1	-	-	-	-	-	-	-	-	-
Measles -	4	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	3	1	-	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-
Diphtheria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	10	6	3	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus -	46	4	3	4	-	-	11	3	2	6	7	2	3	2	3	6	1	-
Diarrhoea & Dysentery -	19	11	1	-	-	-	12	-	-	-	-	-	-	-	3	1	2	1
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	20	5	-	2	1	1	9	3	1	1	2	-	-	-	-	-	-	-
Cancer -	13	-	-	-	-	-	-	-	-	-	-	2	-	2	2	0	-	-
Scrofula and Tubercles -	23	3	7	2	2	-	14	1	2	2	1	1	-	-	2	-	-	-
Phthisis -	44	-	-	1	-	1	2	1	2	4	6	13	8	6	2	-	-	-
Hydrocephalus -	13	5	1	2	1	-	9	1	3	-	-	-	-	-	-	-	-	-
Dis. of Brain -	100	21	3	2	1	-	27	1	2	3	2	2	5	5	16	22	14	4
Dis. of Heart & Dropsy -	33	-	-	-	-	-	-	-	1	-	-	1	3	4	7	9	8	-
Dis. of Lungs -	161	45	7	5	1	1	59	2	-	-	4	2	6	8	16	23	23	5
Dis. of Stom. and Liver -	45	2	-	-	1	-	3	1	-	-	1	2	5	4	9	13	6	1
Dis. of Kidneys -	-	-	2	2	-	-	-	-	1	-	-	-	1	2	5	5	4	-
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-
Dis. of Skin -	3	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths -	31	1	2	-	2	-	5	2	6	3	2	-	2	3	4	2	2	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85	95	100			
268.—SHAFTESBURY.																					
Mean Popul ⁿ , 1861-71	6264	176	177	167	178	153	851	779	709	592	436	756	691	584	442	291	112	21			
TOTAL DEATHS	1147	239	92	38	13	9	391	41	29	32	31	46	64	68	97	148	148	32			
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	14	2	9	2	1	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	33	2	4	6	1	4	37	11	3	2	-	-	-	-	-	-	-	-	-	-	
Diphtheria	5	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	18	10	6	1	-	1	38	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	32	1	-	1	2	-	4	5	4	4	4	5	7	4	3	2	3	3	-	-	
Diarrhoea & Dysentery	21	13	2	1	-	-	16	-	-	-	-	-	-	-	2	2	1	-	-	-	
Cholera	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	27	4	3	1	-	-	8	2	1	1	3	-	2	1	5	3	1	1	-	-	
Cancer	39	-	-	-	-	-	-	-	-	-	-	1	2	3	4	14	4	2	-	-	
Scrophula and Tuberc.	27	9	5	2	1	-	17	2	4	-	1	1	1	1	-	-	-	-	-	-	
Phthisis	109	2	2	2	-	-	6	2	4	10	15	22	12	11	10	5	2	-	-	-	
Hydrocephalus	24	5	12	5	1	-	21	3	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	130	39	5	4	1	-	49	1	1	1	2	6	5	6	11	31	21	3	-	-	
Dis. of Heart & Dropsy	191	5	-	-	-	-	5	2	2	2	1	2	7	13	23	24	16	4	-	-	
Dis. of Lungs	224	54	25	10	4	1	94	6	2	3	2	4	8	8	19	49	29	6	-	-	
Dis. of Stom. and Liver	46	6	1	-	-	-	7	3	3	2	-	2	-	10	8	8	2	1	-	-	
Dis. of Kidneys	21	-	-	-	-	-	-	-	1	2	-	-	2	1	4	5	3	1	-	-	
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	
Other Violent Deaths	29	2	1	2	-	1	6	-	4	3	3	1	3	4	2	3	1	-	-	-	
Other Causes	223	85	17	3	1	1	107	1	-	1	-	1	4	4	3	13	61	31	-	-	

269.—STURMINSTER.																				
Mean Popul ⁿ , 1861-71	5149	128	153	144	142	140	707	657	605	482	379	603	526	465	365	245	107	8		
TOTAL DEATHS -	912	190	45	28	14	11	288	40	17	19	27	53	56	65	73	118	139	37		
Small-pox -	3	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles -	6	1	1	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	25	3	3	1	4	4	15	6	2	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	10	1	2	-	1	1	4	2	3	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	5	4	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	18	1	-	4	2	1	8	3	2	-	-	1	1	-	-	2	1	-	-	-
Diarrhoea & Dysentery -	5	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
Cholera -	17	3	1	3	-	2	9	2	-	-	1	1	-	-	1	1	1	-	-	-
Other Zymotic Dis. -	15	-	-	-	-	-	-	-	-	-	-	-	2	4	3	6	1	-	-	-
Cancer -	31	9	4	3	-	-	16	6	2	1	1	1	1	1	2	-	-	-	-	-
Phthisis -	77	1	1	-	-	-	2	5	1	5	12	20	6	9	5	5	-	-	-	-
Hydrocephalus -	27	10	7	6	-	-	23	3	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	114	42	2	2	2	-	48	1	2	2	2	5	2	10	7	16	19	-	-	-
Dis. of Heart & Dropsy -	76	1	-	-	-	-	1	1	1	2	3	6	9	14	21	34	2	-	-	-
Dis. of Lungs -	137	27	11	3	3	2	44	3	1	2	3	3	4	6	9	23	18	-	-	-
Dis. of Stom. and Liver -	45	5	2	3	1	-	11	2	1	1	-	2	4	6	9	5	3	1	-	-
Dis. of Kidneys -	17	-	1	-	-	-	1	-	-	-	1	3	1	2	3	1	3	-	-	-
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
Dis. of Skin -	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other Violent Deaths -	49	2	4	2	-	1	9	2	-	3	2	6	7	10	2	6	4	1	-	-
Other Causes -	259	77	4	1	1	-	83	2	1	-	-	-	-	5	3	32	78	24	-	-

270.—BLANDFORD.																				
Mean Popul ⁿ , 1861-71	7159	199	191	195	182	186	953	915	861	750	511	634	783	647	471	295	123	13		
TOTAL DEATHS -	1346	281	104	45	38	15	483	53	32	23	49	75	74	77	109	165	161	31		
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles -	30	8	12	4	3	1	28	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	44	1	5	5	10	4	25	12	3	2	1	1	-	-	-	-	-	-	-	-
Diphtheria -	12	-	3	1	2	1	7	4	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	22	8	6	5	1	-	20	1	1	-	-	-	-	-	-	-	-	-	-	-
Typhus -	43	2	2	2	4	1	9	5	10	1	3	2	1	2	5	4	1	-	-	-
Diarrhoea & Dysentery -	21	10	5	1	1	-	15	1	-	-	-	-	-	-	1	1	2	-	-	-
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	39	4	8	1	6	-	19	2	1	-	1	1	5	3	1	3	1	-	-	-
Cancer -	31	-	-	-	-	-	-	-	-	-	-	-	5	4	7	5	-	-	-	-
Scrophula and Tubercles -	25	2	1	1	-	1	5	5	1	3	2	5	1	2	2	-	-	-	-	-
Phthisis -	125	-	1	1	-	-	2	2	5	11	20	33	26	17	4	6	-	-	-	-
Hydrocephalus -	21	9	4	2	-	1	16	2	3	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	149	46	7	7	1	2	63	6	1	-	2	7	7	12	6	27	14	2	-	-
Dis. of Heart & Dropsy -	117	3	1	-	1	-	5	3	3	-	5	4	12	23	34	33	23	-	-	-
Dis. of Lungs -	210	61	25	11	3	3	103	-	-	-	2	7	3	9	19	29	23	-	-	-
Dis. of Stom. and Liver -	50	5	2	-	1	-	8	2	-	-	1	3	5	9	9	7	3	1	-	-
Dis. of Kidneys -	26	-	-	-	-	-	-	1	-	1	2	3	3	2	4	3	-	-	-	-
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	3	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	1	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Violent Deaths -	43	5	2	2	1	1	11	3	2	3	5	4	7	3	2	2	1	-	-	-
Other Causes -	528	118	23	2	3	-	146	3	-	2	-	1	4	2	11	42	75	36	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85	95	105	115	125		
		268.—SHAFTESBURY.																				
Mean Popul ⁿ , 1861-71	6797	184	162	176	165	167	854	792	709	642	554	918	760	614	471	327	138	18				
TOTAL DEATHS	1295	198	76	39	19	19	351	51	26	44	53	98	84	78	101	169	174	66				
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-				
Measles	8	2	2	2	-	1	7	-	-	-	-	-	1	-	-	-	-	-				
Scarlatina	33	1	1	8	7	4	21	11	1	-	-	-	-	-	-	-	-	-				
Diphtheria	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-				
Whooping-cough	20	10	4	5	-	1	26	-	-	-	-	-	-	-	-	-	-	-				
Typhus	59	2	1	3	1	2	9	4	5	10	5	6	2	7	4	2	4	1				
Diarrhoea & Dysentery	19	4	2	-	-	-	6	1	1	-	-	2	-	2	-	2	4	1				
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Other Zymotic Dis.	26	3	2	2	1	1	9	4	-	1	1	2	1	2	1	3	2	-				
Cancer	30	-	-	-	-	-	-	-	-	-	1	2	5	6	5	6	5	-				
Serofula and Tuberc.	29	6	5	-	1	-	12	6	1	2	3	1	1	1	1	2	2	-				
Phthisis	156	3	1	-	-	-	4	4	12	21	25	44	24	16	2	2	2	-				
Hydrocephalus	22	8	4	2	1	4	19	-	2	-	1	-	-	-	-	-	-	-				
Dis. of Brain	131	27	7	5	2	2	43	5	1	1	4	8	5	8	12	23	16	5				
Dis. of Heart & Dropsy	135	1	1	-	-	2	4	2	-	2	3	4	17	14	24	43	18	4				
Dis. of Lungs	210	30	27	8	3	1	69	7	2	3	3	4	5	6	31	39	34	7				
Dis. of Stom. and Liver	75	6	2	1	1	1	11	3	1	1	3	6	6	7	14	12	10	1				
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	1	-				
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	1	4	1	-	-	-				
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-				
Dis. of Skin	4	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-				
Childbirth and Metris	22	-	-	-	-	-	-	-	-	1	4	9	8	-	-	-	-	-				
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-				
Other Violent Deaths	18	4	1	1	1	-	7	2	-	-	-	2	4	1	2	1	3	-				
Other Causes	272	88	16	2	1	-	107	-	-	1	-	2	2	2	5	32	74	47				

269.—STURMINSTER.																						
Mean Popul ⁿ , 1861-71	5449	142	156	142	136	122	698	633	594	509	446	709	616	509	366	249	107	13				
TOTAL DEATHS	1002	161	59	24	19	13	267	43	32	53	31	73	60	53	81	128	136	45				
Small-pox	1	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-				
Measles	4	-	1	2	-	-	14	4	1	1	1	-	-	-	-	-	-	-				
Scarlatina	21	1	3	5	4	1	7	10	-	-	-	-	-	-	-	-	-	-				
Diphtheria	19	1	-	-	4	2	7	-	-	-	-	1	-	-	-	-	-	-				
Whooping-cough	7	-	6	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-				
Typhus	28	-	-	1	1	1	5	5	4	3	-	2	3	4	1	1	2	-				
Diarrhoea & Dysentery	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	2	2	-				
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Other Zymotic Dis.	21	5	1	-	-	1	7	2	3	1	-	1	1	-	2	2	2	-				
Cancer	35	-	-	-	1	-	1	-	-	1	-	1	4	6	7	10	3	2				
Serofula and Tuberc.	24	4	4	4	3	2	17	1	3	-	-	2	1	-	-	-	-	-				
Phthisis	169	1	3	-	-	-	4	2	10	32	20	44	20	14	13	4	-	-				
Hydrocephalus	12	4	1	2	-	2	9	1	2	-	-	-	-	-	-	-	-	-				
Dis. of Brain	111	25	8	3	1	2	39	1	4	3	2	3	6	7	11	20	14	1				
Dis. of Heart & Dropsy	78	1	1	-	-	-	2	1	-	2	-	2	3	8	17	25	15	3				
Dis. of Lungs	95	14	9	4	2	-	33	5	2	1	1	2	2	1	15	18	14	1				
Dis. of Stom. and Liver	49	4	2	-	2	-	8	4	1	3	2	2	2	7	6	10	5	-				
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	1	1	2	2	-	3	1	-	-				
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-				
Dis. of Joints	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-				
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-				
Childbirth and Metris	16	-	-	-	-	-	-	-	-	1	3	8	4	-	-	-	-	-				
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Other Violent Deaths	14	-	-	2	1	-	3	3	1	-	-	-	-	-	2	3	1	-				
Other Causes	271	93	11	-	-	2	108	2	1	-	-	1	4	4	3	31	79	38				

270.—BLANDFORD.																						
Mean Popul ⁿ , 1861-71	7571	186	199	171	192	185	933	887	825	699	601	1015	890	749	500	328	121	23				
TOTAL DEATHS	1395	191	79	49	28	19	366	58	50	35	39	69	71	89	123	182	177	66				
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-				
Measles	25	6	6	8	2	2	24	3	-	1	-	-	-	-	-	-	-	-				
Scarlatina	50	1	10	3	6	5	23	14	5	2	-	1	2	-	1	-	-	-				
Diphtheria	12	-	2	3	1	1	7	2	-	-	-	-	-	-	-	-	-	-				
Whooping-cough	32	11	10	4	5	-	30	2	-	-	-	3	3	-	6	6	1	-				
Typhus	52	-	2	6	2	1	11	7	1	8	4	-	-	-	-	-	-	-				
Diarrhoea & Dysentery	18	0	1	-	1	1	9	1	-	-	-	1	-	-	1	4	2	1				
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Other Zymotic Dis.	28	7	-	3	1	-	11	1	2	-	2	3	1	3	2	2	1	-				
Cancer	37	-	-	-	-	-	-	-	-	-	-	4	3	9	13	4	4	-				
Serofula and Tuberc.	21	2	4	1	1	-	8	4	3	1	1	1	1	1	1	-	-	-				
Phthisis	141	-	1	1	-	-	7	3	4	15	20	34	27	24	7	4	-	-				
Hydrocephalus	12	4	1	2	-	-	7	3	2	-	-	-	-	-	-	-	-	-				
Dis. of Brain	135	24	5	5	3	3	40	2	5	2	2	4	9	14	30	21	4	-				
Dis. of Heart & Dropsy	147	2	-	-	-	-	2	-	1	1	1	7	8	15	31	45	21	-				
Dis. of Lungs	175	41	19	7	5	1	64	6	1	1	1	2	4	9	24	34	25	6				
Dis. of Stom. and Liver	43	7	-	1	-	2	10	3	-	1	3	2	4	5	7	6	5	-				
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-				
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-				
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-				
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-				
Childbirth and Metris	19	-	-	-	-	-	-	-	-	3	7	7	1	-	-	-	-	-				
Suicide	7	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	-	-				
Other Violent Deaths	19	3	3	3	-	2	11	2	-	-	2	1	1	-	2	-	-	-				
Other Causes	304	74	23	4	1	1	105	3	6	1	-	1	1	7	10	28	63	33				

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
		271.—WIMBORNE.																	
Mean Popul ⁿ , 1861-71	8520	241	225	234	201	234	1135	1108	1015	891	599	943	887	777	611	382	152	20	
TOTAL DEATHS	1568	289	108	46	25	20	438	50	36	47	58	69	78	97	127	104	209	64	
Small-pox	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Measles	15	2	3	2	2	3	12	1	2	-	-	-	-	-	-	-	-	-	
Scarlatina	58	3	4	12	10	4	33	14	5	3	3	-	-	-	-	-	-	-	
Diphtheria	11	1	1	3	-	2	7	1	2	1	-	-	-	-	-	-	-	-	
Whooping-cough	21	13	4	2	1	-	20	1	-	-	-	-	-	-	-	-	-	-	
Typhus	25	-	-	-	1	1	2	2	5	3	1	2	3	1	2	2	2	3	
Diarrhoea & Dysentery	36	10	2	2	1	-	15	1	-	1	1	-	-	1	1	10	5	1	
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	35	7	2	1	1	1	12	4	-	3	2	1	2	1	6	2	2	-	
Cancer	25	-	-	-	-	-	-	-	1	1	-	-	1	8	6	5	3	1	
Serofula and Tuberc.	26	7	3	1	-	-	11	-	2	2	5	2	1	2	1	-	-	-	
Phthisis	153	4	6	-	-	-	10	3	6	17	27	40	29	23	5	1	-	-	
Hydrocephalus	32	6	16	4	-	-	25	3	2	1	-	-	-	-	-	-	-	-	
Dis. of Brain	156	38	7	8	1	1	55	4	3	2	2	3	4	13	15	27	25	3	
Dis. of Heart & Dropsy	106	1	2	-	1	-	4	1	1	-	-	-	-	-	-	-	-	-	
Dis. of Lungs	238	55	30	4	5	3	97	3	-	1	5	7	11	16	51	60	39	9	
Dis. of Stom. and Liver	91	10	-	-	-	2	12	1	1	4	2	2	13	16	15	18	6	1	
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	2	-	1	2	1	5	5	4	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	7	-	1	-	-	-	1	1	-	1	-	2	1	1	-	-	-	-	
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Other Violent Deaths	49	4	1	2	-	-	7	4	5	4	3	4	3	4	10	5	-	-	
Other Causes	379	127	25	4	2	3	161	6	1	1	2	3	3	3	5	44	26	65	

272.—POOLE.																			
Mean Popul ⁿ , 1861-71		6786	202	192	192	197	179	962	864	803	649	525	847	1749	591	428	257	98	13
TOTAL DEATHS -		1448	292	106	57	54	25	534	74	40	38	44	78	74	85	120	173	137	39
Small-pox -		2	-	-	-	-	-	24	2	1	-	-	2	-	-	-	-	-	-
Measles -		27	9	6	7	2	-	24	2	1	-	-	-	-	-	-	-	-	-
Scarlatina -		110	3	11	17	21	7	39	34	11	4	2	-	-	-	-	-	-	-
Diphtheria -		7	-	1	1	-	2	4	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough -		18	7	7	2	2	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus -		67	1	4	4	9	4	22	12	1	4	4	5	5	5	4	5	5	1
Diarrhoea & Dysentery -		26	9	5	1	-	-	15	-	-	-	-	1	-	-	1	3	3	1
Cholera -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		37	5	2	3	4	-	14	3	2	1	3	2	2	2	3	4	1	-
Cancer -		13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tuberc. -		21	7	1	2	-	1	11	-	3	2	1	3	-	2	2	6	3	-
Phthisis -		139	3	2	1	1	2	9	3	6	13	20	30	25	17	12	2	2	-
Hydrocephalus -		13	5	7	1	1	-	14	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		199	48	11	4	4	6	73	3	7	4	3	8	9	14	19	37	16	3
Dis. of Heart & Dropsy -		82	5	3	-	-	1	10	4	-	2	-	5	6	5	14	23	10	2
Dis. of Lungs -		280	81	31	6	6	2	126	1	2	1	4	7	10	12	25	47	39	9
Dis. of Stom. and Liver -		69	8	-	1	1	-	10	1	1	1	2	5	5	13	15	9	9	-
Dis. of Kidneys -		32	-	-	-	-	-	-	-	-	-	-	1	4	4	4	11	8	-
Dis. of Gener. Organs -		1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		3	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Dis. of Skin -		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		70	5	3	1	2	-	11	6	5	6	5	8	6	5	9	7	3	-
Other Causes -		226	95	11	4	-	-	110	2	-	6	-	3	2	3	9	31	22	24

273.—WAREHAM.																			
Mean Popul ⁿ , 1861-71		8433	250	215	254	221	233	1173	1093	1026	805	633	995	874	742	572	369	138	13
TOTAL DEATHS -		1500	325	97	41	25	17	505	52	29	35	47	97	78	77	122	202	196	60
Small-pox -		4	2	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Measles -		16	2	6	4	2	2	14	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -		32	4	12	5	9	6	36	8	4	1	-	-	-	-	-	-	-	-
Diphtheria -		8	1	1	1	1	-	4	2	1	-	-	-	1	-	-	-	-	-
Whooping-cough -		26	18	2	2	1	-	23	3	-	-	-	-	-	-	-	-	-	-
Typhus -		34	1	2	3	-	3	9	4	6	-	4	8	4	6	3	3	1	-
Diarrhoea & Dysentery -		28	12	2	-	1	-	15	1	-	-	-	1	-	1	-	3	4	1
Cholera -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		31	6	4	2	1	1	14	-	1	-	2	1	1	3	2	5	1	1
Cancer -		25	-	-	-	-	-	-	-	-	-	-	1	-	1	3	8	4	7
Serofula and Tuberc. -		29	15	1	1	1	-	18	3	1	2	-	1	-	2	1	1	-	-
Phthisis -		131	1	1	1	-	-	3	3	1	9	20	49	25	14	15	3	1	-
Hydrocephalus -		11	2	8	2	1	-	10	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		203	64	17	5	2	1	89	6	-	4	4	5	4	10	20	37	19	6
Dis. of Heart & Dropsy -		121	2	-	-	1	1	5	-	3	4	1	3	10	8	20	38	27	6
Dis. of Lungs -		222	40	21	6	4	-	72	-	2	1	2	5	6	4	16	36	32	12
Dis. of Stom. and Liver -		65	7	1	2	-	1	41	7	2	1	1	5	6	5	11	17	6	-
Dis. of Kidneys -		42	-	-	-	-	-	-	-	-	-	-	1	6	2	3	10	8	1
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Dis. of Skin -		2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths -		82	2	3	2	2	-	9	10	7	6	3	9	11	12	9	23	4	-
Other Causes -		341	144	19	5	-	1	169	2	1	-	2	2	2	2	4	7	22	24

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
271.—WIMBORNE.																			
Mean Popul ⁿ , 1861-71	8768	233	228	220	237	221	1139	1107	1031	779	660	1118	968	820	583	385	152	26	
TOTAL DEATHS	1558	247	80	54	27	18	421	46	33	46	75	87	112	101	147	189	223	78	
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Measles	12	2	3	2	2	-	9	1	2	-	-	-	-	-	-	-	-	-	
Scarlatina	35	3	3	6	4	5	21	10	3	-	1	-	-	-	-	-	-	-	
Diphtheria	15	2	-	4	2	1	9	6	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	21	11	7	1	1	-	20	1	-	-	-	-	-	-	-	-	-	-	
Typhus	49	1	-	-	1	-	2	7	3	8	8	5	6	5	4	1	-	-	
Diarrhoea & Dysentery	29	10	2	-	4	-	16	1	-	-	1	1	2	-	-	4	3	1	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Zymotic Dis.	20	1	1	2	-	3	7	2	-	2	-	2	3	2	4	-	5	1	
Cancer	49	-	-	-	-	-	-	-	-	-	-	1	6	8	14	11	7	2	
Scrophula and Tuberc.	20	7	3	3	-	-	13	2	1	-	1	1	1	2	2	-	-	-	
Phthisis	197	6	5	2	-	-	13	5	9	23	36	44	27	36	10	4	-	-	
Hydrocephalus	22	7	8	1	2	1	19	2	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	176	38	9	6	3	1	57	3	5	5	4	6	4	9	21	33	20	3	
Dis. of Heart & Dropsy	150	-	-	-	-	-	2	-	2	2	6	6	14	22	29	40	24	3	
Dis. of Lungs	213	43	16	16	3	1	79	1	2	2	2	3	7	7	25	39	36	19	
Dis. of Stom. and Liver	92	3	1	1	-	1	6	1	3	-	-	9	11	11	14	18	15	1	
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	1	2	1	2	1	-	1	1	
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	
Childbirth and Metris	29	-	-	-	-	-	-	-	-	1	8	4	15	1	-	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	
Other Violent Deaths	34	2	3	2	2	-	9	3	1	-	2	-	3	2	2	-	1	1	
Other Causes	371	110	17	8	3	-	138	1	1	2	-	2	7	3	18	28	106	25	
272.—POOLE.																			
Mean Popul ⁿ , 1861-71	7452	195	194	189	190	200	968	853	759	660	648	1047	855	674	494	349	132	13	
TOTAL DEATHS	1481	246	94	44	42	30	456	66	31	52	52	110	87	91	125	189	161	61	
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
Measles	20	2	4	7	4	1	18	1	-	-	-	1	-	-	-	-	-	-	
Scarlatina	39	3	9	8	12	6	28	30	11	5	3	2	-	-	-	-	-	-	
Diphtheria	18	-	1	-	3	4	8	4	3	1	-	1	-	-	1	-	-	-	
Whooping-cough	36	12	12	5	3	1	33	3	-	-	-	-	-	-	-	-	-	-	
Typhus	46	-	3	4	2	2	11	8	4	6	3	2	2	-	4	6	-	-	
Diarrhoea & Dysentery	21	6	1	-	-	-	7	1	1	-	-	-	-	1	3	3	4	1	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	31	4	3	-	1	5	13	3	2	3	-	3	-	-	-	3	1	1	
Cancer	46	-	-	-	-	-	-	-	-	-	-	3	5	12	15	7	4	-	
Scrophula and Tuberc.	21	1	3	2	3	1	10	3	-	2	-	1	3	1	1	-	-	-	
Phthisis	177	-	1	1	-	-	2	3	6	21	30	50	32	19	7	4	-	-	
Hydrocephalus	12	2	5	2	1	1	11	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Brain	159	31	6	1	5	2	45	3	-	3	5	4	8	11	13	31	21	6	
Dis. of Heart & Dropsy	121	2	1	1	-	2	6	1	1	2	-	12	14	9	26	36	15	1	
Dis. of Lungs	269	73	35	7	3	3	121	2	1	4	2	6	6	9	33	46	20	10	
Dis. of Stom. and Liver	69	12	1	-	1	3	14	1	-	1	2	3	1	10	12	16	9	-	
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	1	1	1	6	2	1	-	
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	1	1	1	7	3	1	-	
Dis. of Joints	9	-	-	1	1	1	3	-	1	1	1	1	1	1	-	-	-	-	
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	
Childbirth and Metris	17	-	-	-	-	-	-	-	-	-	4	11	2	-	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Other Violent Deaths	30	5	2	4	1	1	13	3	1	2	1	-	1	-	1	5	2	1	
Other Causes	278	91	7	1	2	-	101	-	-	1	1	3	8	3	6	28	86	41	
273.—WAREHAM.																			
Mean Popul ⁿ , 1861-71	8716	244	239	236	220	227	1166	1101	976	726	637	1154	938	796	619	421	152	30	
TOTAL DEATHS	1434	227	72	48	33	21	401	50	33	39	52	104	90	86	125	194	193	67	
Small-pox	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Measles	14	3	4	2	-	5	14	1	1	-	-	-	-	-	-	-	-	-	
Scarlatina	47	2	5	8	5	8	25	11	3	-	-	2	3	-	-	-	-	-	
Diphtheria	10	-	1	1	4	2	8	2	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	23	15	12	4	1	-	32	1	-	-	-	-	-	-	-	-	-	-	
Typhus	63	2	1	2	6	-	11	9	5	7	8	5	4	5	4	2	2	2	
Diarrhoea & Dysentery	19	6	-	2	1	-	9	1	-	-	-	1	1	-	2	2	1	2	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	37	7	1	2	4	2	16	1	2	-	-	1	2	1	4	5	5	-	
Cancer	50	-	-	1	-	-	1	-	-	-	-	1	-	10	13	19	4	2	
Scrophula and Tuberc.	33	11	3	2	1	-	17	3	4	4	-	3	1	1	-	-	-	-	
Phthisis	189	1	3	3	1	1	9	5	9	19	23	46	39	17	10	5	2	-	
Hydrocephalus	11	3	4	-	2	-	9	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	147	33	8	3	2	-	46	2	1	1	5	6	5	10	15	32	20	4	
Dis. of Heart & Dropsy	164	2	-	1	1	-	4	2	2	6	4	9	12	13	32	49	32	1	
Dis. of Lungs	180	20	14	5	2	2	43	4	2	1	-	6	5	8	19	50	33	5	
Dis. of Stom. and Liver	59	4	-	-	1	1	6	1	1	-	2	6	3	9	14	8	8	1	
Dis. of Kidneys	8	-	-	-	1	-	1	-	-	-	-	6	-	2	1	1	-	-	
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
Childbirth and Metris	19	-	-	-	-	-	-	-	-	1	2	8	7	1	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Other Violent Deaths	22	6	-	4	-	-	10	4	1	-	-	-	1	1	1	2	3	1	
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 years.	
274.—WEYMOUTH.																			
Mean Popul ⁿ , 1861-71	14863	387	365	335	336	330	1753	1573	1371	1568	1632	2633	1700	1192	777	422	167	25	
TOTAL DEATHS—	2587	622	186	85	50	36	979	91	49	60	111	207	205	175	204	242	199	65	
Small-pox	5	1	-	-	1	-	2	-	1	-	-	2	-	-	-	-	-	-	
Measles	29	8	12	6	2	-	28	1	-	-	-	2	-	-	-	-	-	-	
Scarlatina	110	9	17	22	19	10	77	23	4	3	1	-	2	-	-	-	-	-	
Diphtheria	30	4	7	5	2	2	20	7	2	-	-	-	-	-	-	-	-	-	
Whooping-cough	21	8	7	5	-	-	21	-	-	-	-	-	-	-	-	-	-	-	
Typhus	54	3	2	1	-	1	10	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea & Dysentery	94	62	8	2	-	3	10	8	3	5	6	6	2	4	6	4	-	-	
Cholera	1	-	-	-	-	1	73	-	-	1	1	2	1	1	3	6	6	-	
Other Zymotic Dis.	74	13	7	7	4	6	37	4	5	-	1	-	-	-	-	-	-	-	
Cancer	34	-	-	-	-	2	2	-	-	-	2	7	4	7	4	4	-	-	
Scrophula and Tuberc.	42	20	5	3	-	2	30	1	-	-	1	1	4	7	6	6	3	-	
Phthisis	234	6	6	1	-	-	13	1	6	1	2	-	-	1	-	1	-	-	
Hydrocephalus	43	14	13	4	3	1	35	6	2	11	44	76	53	33	14	3	1	-	
Dis. of Brain	310	103	16	4	3	2	128	6	1	8	2	19	22	20	37	35	36	6	
Dis. of Heart & Dropsy	167	2	1	-	1	-	4	2	1	4	3	18	24	18	33	43	16	1	
Dis. of Lungs	439	127	54	17	9	3	210	11	1	4	8	16	20	20	49	39	42	9	
Dis. of Stom. and Liver	148	17	-	2	1	-	20	6	5	5	9	11	15	14	26	26	9	2	
Dis. of Kidneys	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Gener. Organs	1	-	-	-	1	-	1	1	-	-	1	6	8	12	5	14	7	-	
Dis. of Joints	9	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	
Dis. of Skin	11	8	-	-	-	-	8	-	-	-	2	1	-	1	-	-	1	2	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	17	-	-	-	-	-	-	-	-	1	3	2	7	2	2	-	-	-	
Other Violent Deaths	175	7	3	5	2	2	19	10	11	12	24	37	29	16	7	9	1	-	
Other Causes	445	209	28	1	1	1	240	2	1	3	1	2	14	9	17	29	53	67	
275.—DORCHESTER.																			
Mean Popul ⁿ , 1861-71	12575	328	343	326	328	331	1656	1437	1451	1285	1046	1610	1375	1174	841	483	196	21	
TOTAL DEATHS—	2503	533	155	82	41	37	848	92	52	57	89	156	170	182	249	265	261	52	
Small-pox	3	-	-	-	-	-	23	1	-	-	-	1	-	-	-	-	1	-	
Measles	21	5	10	5	1	2	23	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina	99	4	15	9	11	8	47	37	9	3	2	-	-	-	-	-	-	-	
Diphtheria	25	1	2	6	3	5	17	6	1	-	-	-	-	-	-	-	-	-	
Whooping-cough	27	12	9	5	1	-	37	-	-	-	-	-	-	-	1	-	-	-	
Typhus	23	1	1	2	2	2	8	3	5	3	4	7	4	4	6	7	2	-	
Diarrhoea & Dysentery	45	25	4	-	1	4	34	1	-	-	1	1	-	1	1	2	8	-	
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	80	3	4	5	1	3	16	6	3	2	1	1	3	1	6	6	3	-	
Cancer	34	-	-	-	-	-	-	-	1	-	-	2	4	8	9	6	4	-	
Scrophula and Tuberc.	73	27	10	5	3	-	46	7	3	3	-	5	3	3	1	1	-	-	
Phthisis	232	2	5	2	-	-	12	4	9	17	43	58	44	36	22	7	-	-	
Hydrocephalus	31	10	14	1	-	-	25	4	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	332	71	17	7	4	3	102	1	5	10	3	18	32	30	49	43	41	3	
Dis. of Heart & Dropsy	263	5	1	-	-	-	6	2	4	2	2	14	15	31	41	54	22	3	
Dis. of Lungs	375	102	40	16	4	3	165	5	2	2	5	13	17	14	60	37	40	3	
Dis. of Stom. and Liver	114	5	1	2	2	1	11	5	-	-	3	8	17	17	51	12	3	-	
Dis. of Kidneys	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Gener. Organs	-	-	-	-	-	-	-	1	1	4	3	10	8	0	8	10	4	-	
Dis. of Joints	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	9	3	-	2	-	-	5	1	2	1	2	3	1	1	3	1	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	12	-	-	-	-	-	-	-	-	-	-	3	2	4	3	-	-	-	
Other Violent Deaths	98	0	3	2	2	2	15	4	4	4	10	10	11	16	10	7	6	1	
Other Causes	504	230	19	13	11	3	288	2	1	3	2	3	8	7	16	40	118	67	

275.—DORCHESTER.																			
Mean Popul ⁿ , 1861-71	12575	328	343	326	328	331	1656	1437	1451	1285	1046	1610	1375	1174	841	483	196	21	
TOTAL DEATHS—	2593	533	155	82	41	37	848	92	52	57	89	156	170	132	249	245	261	52	
Small-pox	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Measles	26	5	10	5	1	2	23	2	—	—	1	—	—	—	—	—	—	—	
Scarlatina	99	4	15	9	11	8	47	37	9	—	—	1	—	—	—	—	—	—	
Diphtheria	25	1	2	6	3	5	17	6	1	3	2	—	1	—	—	—	—	—	
Whooping-cough	27	12	9	5	1	—	27	—	—	—	—	—	—	—	—	—	—	—	
Typhus	53	1	1	2	2	2	5	3	—	3	4	7	4	4	6	7	2	—	
Diarrhoea & Dysentery	45	25	4	—	1	4	34	1	—	—	—	1	—	—	1	2	—	—	
Cholera	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	50	3	4	5	1	3	16	6	3	2	1	1	3	1	6	6	5	—	
Cancer	34	—	—	—	—	—	—	1	—	—	—	2	4	8	9	6	4	—	
Scrophula and Tuberc.	73	27	10	3	3	1	45	7	3	5	5	3	4	8	9	6	4	—	
Phthisis	232	2	5	2	3	—	12	4	9	17	43	56	44	35	22	7	—	—	
Hydrocephalus	31	10	14	1	—	—	25	4	2	—	—	—	—	—	—	—	—	—	
Dis. of Brain	332	71	17	7	4	3	162	1	5	10	5	18	32	30	49	45	41	3	
Dis. of Heart & Dropsy	261	5	1	—	—	—	6	2	4	2	2	14	15	31	41	34	24	3	
Dis. of Lungs	575	102	40	16	4	3	165	5	2	2	5	13	17	14	69	27	49	3	
Dis. of Stom. and Liver	114	5	1	2	2	1	11	5	—	5	8	17	17	17	51	12	3	—	
Dis. of Kidneys	62	—	—	—	—	—	—	1	—	—	—	10	8	9	8	10	6	—	
Dis. of Gener. Organs	15	—	—	—	—	—	—	—	1	4	3	10	8	9	8	10	6	—	
Dis. of Joints	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Skin	9	3	—	2	—	—	5	1	2	1	2	3	1	1	3	1	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	12	—	—	—	—	—	—	—	—	—	—	3	2	4	3	—	—	—	
Other Violent Deaths	98	6	3	2	2	2	15	4	4	4	10	10	11	16	10	7	5	1	
Other Causes	564	250	19	15	3	3	288	2	1	3	2	3	8	7	14	46	118	67	

276.—SHERBORNE.																			
Mean Popul ⁿ , 1861-71	6565	190	176	195	165	182	908	767	821	690	472	776	688	579	463	283	105	13	
TOTAL DEATHS—	1284	207	79	43	14	22	455	39	26	35	38	77	58	82	126	173	156	39	
Small-pox	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Measles	16	4	6	1	—	2	24	2	—	—	—	—	—	—	—	—	—	—	
Scarlatina	87	2	4	8	5	7	26	7	—	—	—	—	—	—	—	—	—	—	
Diphtheria	9	—	3	1	—	1	5	2	1	—	—	—	—	—	—	—	—	—	
Whooping-cough	18	8	6	3	—	1	18	—	—	—	—	—	—	—	—	—	—	—	
Typhus	43	—	2	1	2	1	6	7	5	6	2	3	3	3	6	3	—	—	
Diarrhoea & Dysentery	24	11	3	1	—	—	17	—	1	—	—	—	—	—	—	—	—	—	
Cholera	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	41	9	5	5	—	3	22	4	—	1	—	—	—	—	—	—	—	—	
Cancer	25	—	—	—	—	—	—	—	—	—	—	2	2	3	—	—	—	—	
Scrophula and Tuberc.	22	12	4	—	1	—	17	—	1	3	1	1	1	6	3	10	3	—	
Phthisis	119	1	—	—	—	—	13	2	2	10	22	34	15	14	9	—	—	—	
Hydrocephalus	15	6	4	1	—	2	13	1	1	—	—	—	—	—	—	—	—	—	
Dis. of Brain	169	84	11	8	1	1	75	4	2	4	1	4	6	6	15	25	17	2	
Dis. of Heart & Dropsy	109	2	—	—	—	—	2	4	1	5	4	1	7	5	24	24	12	3	
Dis. of Lungs	163	28	9	4	1	1	93	—	2	—	1	6	11	20	21	24	12	3	
Dis. of Stom. and Liver	73	7	—	—	—	—	9	—	—	—	—	2	5	3	11	13	18	4	
Dis. of Kidneys	35	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	1	—	—	7	3	5	10	8	—	—	
Dis. of Joints	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Skin	4	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths	45	2	2	2	—	—	6	1	—	—	—	—	—	3	1	2	—	—	
Other Causes	303	137	19	6	—	1	163	3	—	—	—	10	4	4	6	3	—	—	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
		274.—WEYMOUTH.																	
Mean Popul ⁿ , 1861-71	14409	384	380	394	352	296	1806	1599	1419	1364	1409	2166	1663	1304	916	530	210	33	
TOTAL DEATHS	2445	457	179	75	50	23	784	79	46	64	73	161	148	175	212	289	361	113	
Small-pox	4	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	
Measles	27	6	10	3	3	1	23	3	-	-	-	1	-	-	-	-	-	-	
Scarlatina	106	9	18	10	21	7	71	23	6	-	2	2	1	-	-	1	-	-	
Diphtheria	28	2	3	5	2	5	17	6	4	-	-	1	-	-	-	-	-	-	
Whooping-cough	56	15	12	5	2	1	35	1	-	-	-	-	-	-	-	-	-	-	
Typhus	50	2	-	2	2	1	7	3	8	7	5	8	4	3	2	1	2	-	
Diarrhœa & Dysentery	61	37	4	-	-	-	41	-	-	-	1	2	3	-	4	2	8	-	
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
Other Zymotic Dis.	50	6	6	4	4	1	21	6	2	2	-	1	1	3	7	3	4	-	
Cancer	83	-	-	-	-	-	-	-	-	-	-	5	9	17	28	17	6	1	
Scrophula and Tuberc.	50	8	1	3	-	2	14	2	4	2	1	1	1	3	1	1	-	-	
Phthisis	238	7	11	2	2	-	22	6	7	27	32	71	32	30	9	1	1	-	
Hydrocephalus	27	8	11	2	-	-	21	4	1	1	-	-	-	-	-	-	-	-	
Dis. of Brain	311	79	23	6	2	3	115	4	3	4	4	7	13	26	30	43	48	14	
Dis. of Heart & Dropsy	221	-	1	1	-	-	2	4	3	5	6	9	18	32	47	60	32	6	
Dis. of Lungs	481	95	46	20	6	2	163	6	4	7	5	15	8	15	39	71	71	11	
Dis. of Stom. and Liver	117	10	2	-	2	-	14	3	1	3	5	6	5	26	18	23	11	-	
Dis. of Kidneys	29	-	-	-	-	-	-	1	-	-	2	2	5	1	8	6	4	-	
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	-	3	5	4	2	3	1	-	
Dis. of Joints	7	-	-	-	-	-	-	1	-	-	-	1	1	3	-	1	-	-	
Dis. of Skin	9	1	2	-	-	-	3	-	-	-	1	-	-	2	2	-	1	-	
Childbirth and Metris	57	-	-	-	-	-	-	-	-	3	3	17	13	1	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	
Other Violent Deaths	35	6	4	1	1	-	12	4	1	1	2	2	-	2	2	3	2	4	
Other Causes	471	106	25	3	2	-	196	2	-	2	3	5	6	6	12	33	109	77	

275.—DORCHESTER.																		
Mean Popul ⁿ , 1861-71	12833	331	324	326	297	305	1583	1490	1313	1204	1101	1763	1463	1266	872	545	202	31
TOTAL DEATHS	2441	409	136	62	58	38	703	99	54	84	100	174	156	184	228	293	278	88
Small-pox	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Measles	22	4	7	6	4	-	21	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	104	4	12	6	14	9	45	35	17	2	3	-	-	-	-	-	-	-
Diphtheria	19	2	3	3	-	1	9	7	1	-	-	1	-	-	-	-	1	-
Whooping-cough	29	16	15	5	4	-	38	1	-	-	-	-	-	-	-	-	-	-
Typhus	83	1	2	5	-	3	11	8	5	10	12	10	5	9	9	3	1	-
Diarrhœa & Dysentery	29	19	1	-	-	-	20	2	1	-	-	-	-	-	2	2	1	-
Cholera	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	47	7	3	5	2	4	21	5	6	-	-	2	4	5	1	3	-	-
Cancer	70	-	-	-	-	-	-	-	-	-	1	5	7	26	20	12	3	2
Scrophula and Tuberc.	79	33	11	4	4	1	53	4	2	3	2	6	9	3	3	1	-	-
Phthisis	322	6	1	2	2	1	7	5	10	43	58	83	60	36	21	6	-	-
Hydrocephalus	19	1	5	2	1	1	10	5	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	311	49	12	5	8	2	76	8	5	6	6	17	29	31	53	60	24	3
Dis. of Heart & Dropsy	242	6	1	-	1	1	9	4	1	6	5	6	12	31	31	65	50	4
Dis. of Lungs	291	72	37	8	10	3	135	7	2	5	3	9	6	19	28	39	31	7
Dis. of Stom. and Liver	82	6	1	-	-	2	9	1	-	2	2	9	7	14	12	17	9	-
Dis. of Kidneys	25	-	-	-	1	-	1	3	2	-	1	4	2	3	4	3	2	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-
Dis. of Skin	11	4	-	-	-	-	4	-	-	-	-	1	3	-	-	2	1	-
Childbirth and Metris	19	-	-	-	-	-	-	-	-	-	3	8	8	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-
Other Violent Deaths	19	2	1	4	1	1	9	3	1	-	-	1	-	-	1	1	3	-
Other Causes	578	182	23	7	5	4	224	5	-	3	6	7	10	9	17	78	151	71

276.—SHERBORNE.																		
Mean Popul ⁿ , 1861-71	7153	200	167	180	179	178	904	795	727	684	644	1018	775	681	478	315	119	18
TOTAL DEATHS	1346	254	89	41	25	19	423	45	28	37	43	80	76	97	134	179	146	53
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	27	3	9	6	3	3	24	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	29	3	7	6	2	4	23	6	1	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	-	1	2	8	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	24	8	12	3	1	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	23	1	4	3	2	2	12	8	4	7	6	4	3	4	3	2	-	-
Diarrhœa & Dysentery	34	17	2	1	1	-	21	-	-	-	-	-	-	2	-	5	3	3
Cholera	6	2	1	-	1	-	4	-	-	1	1	1	-	-	-	-	-	-
Other Zymotic Dis.	35	8	6	3	5	2	24	4	1	-	1	2	2	2	4	8	6	-
Cancer	35	-	-	-	-	-	-	-	-	-	-	-	5	12	15	12	12	-
Scrophula and Tuberc.	19	5	4	1	1	-	11	-	-	3	-	2	2	-	1	-	-	-
Phthisis	164	5	3	3	1	-	12	3	8	17	24	41	20	18	10	10	1	-
Hydrocephalus	15	6	1	1	2	2	12	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	131	49	7	3	1	-	51	3	-	-	1	3	6	15	18	23	20	1
Dis. of Heart & Dropsy	120	1	2	-	-	-	3	3	2	1	4	9	9	13	28	35	12	1
Dis. of Lungs	137	27	11	2	1	2	43	3	2	-	3	1	7	10	22	24	17	3
Dis. of Stom. and Liver	73	6	-	-	1	1	7	1	4	3	2	6	9	9	15	15	4	-
Dis. of Kidneys	17	-	-	-	-	-	-	1	-	1	-	1	3	4	3	2	1	1
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Dis. of Joints	2	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	39	-	-	-	-	-	-	-	-	1	2	9	8	-	2	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1
Other Violent Deaths	19	2	1	3	1	1	7	3	1	1	-	-	-	1	1	3	1	1
Other Causes	508	120	19	5	1	1	146	1	4	1	-	1	2	5	9	28	68	43

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
		277.—BEAMINSTER.																	
Mean Popul ⁿ , 1861-71	6497	184	188	170	177	169	888	853	754	643	472	729	649	605	454	299	132	19	
TOTAL DEATHS—	1300	301	101	38	21	18	472	40	26	20	24	53	57	97	116	143	183	53	
Small-pox	1										1								
Measles	20	3	5	4			12	6	2										
Scarlatina	31		0	5	5	3	19	11	1										
Diphtheria	7	1	1		1	1	4	2	1										
Whooping-cough	13	7	4	1	1		13												
Typhus	37		1	4		2	7	8	7		3	1	1		4		3	2	
Diarrhoea & Dysentery	20	9	1				10					1			1		3	4	
Cholera	1																	1	
Other Zymotic Dis.	23	8	1	3	2	4	13	2	1		1			1	2	1	2		
Cancer	24								1					1	5	6	4	5	
Scrofula and Tuberc.	37	11	3	4	3	2	23	3	1				2	3	1	1	1		
Phthisis	91			2			2		4		4	17	19	17	15	9	1		
Hydrocephalus	15	3	0	1		1	11	3	1										
Dis. of Brain	112	24	7	1	2		34	2			2		8	5	8	13	21	17	
Dis. of Heart & Dropsy	104	1	3		1	1	6				2		3	5	10	22	30	24	
Dis. of Lungs	208	74	38	8	3	3	126	3	2		1	3	8	9	16	20	29	34	
Dis. of Stom. and Liver	74	6	1	2	1		10	3	1		1	1	4	5	13	16	7	13	
Dis. of Kidneys	22										1	1		2	5	3	1	8	
Dis. of Gener. Organs																			
Dis. of Joints	7	1					1	1								1		1	
Dis. of Skin	2														2				
Childbirth and Metris																			
Suicide	1														1				
Other Violent Deaths	40	2	1	2			5	2	3		4			4	6	5	7	1	
Other Causes	350	156	23	1	2	1	183	3	1						6	9	28	73	

278.—BRIDPORT.																			
Mean Popul ⁿ , 1861-71		7829	246	229	225	232	216	1148	1011	960	784	569	901	781	667	541	326	128	13
TOTAL DEATHS—		1706	427	142	65	34	33	701	52	36	44	31	84	102	89	134	204	192	40
Small-pox		2								1									
Measles		53	9	17	10	4	7	47	6										
Scarlatina		46	2	11	8	5	0	32	9	6					1				
Diphtheria		5			1	1		2	2	1									
Whooping-cough		31	20	5	3	1	2	31											
Typhus		49		4	3	5		12	4	7	5	1	5	4	2	4	2	3	
Diarrhoea & Dysentery		50	18	1	2		2	23					1		1	2	1	2	
Cholera																			
Other Zymotic Dis.		42	7	6	8	5	1	25	2	1	2	1		2	1	1	4	3	
Cancer		23													4	8	6	5	
Scrofula and Tuberc.		60	35	14		3	1	53	2	1	2	1	2	3	2				
Phthisis		153	3	3	1	1		8	8	3	17	12	38	34	19	8	9	2	
Hydrocephalus		17	8	5	1			14	1	2									
Dis. of Brain		192	65	9	6	1	4	85	4	2	5	3	7	7	6	11	23	27	3
Dis. of Heart & Dropsy		133	5		3	1		9	1	5	3	3	4	8	9	27	37	27	
Dis. of Lungs		322	77	48	8	7	6	146	6	1	1	3	9	18	18	33	53	57	5
Dis. of Stom. and Liver		81	12				1	13	2		1		2	7	11	17	19	8	1
Dis. of Kidneys		27				1		1					1	3		1	9	12	
Dis. of Gener. Organs																			
Dis. of Joints		3									2						1		
Dis. of Skin		2	1					1						1					
Childbirth and Metris																			
Suicide		11																	
Other Violent Deaths		85	4		5	1	3	13	8	6	5	4	6	12	7	12	6	5	1
Other Causes		331	161	19	6			186	2			3	4	2	7	7	27	68	31

279.—AXMINSTER.																			
Mean Popul ⁿ , 1861-71		9475	283	253	256	257	268	1317	1241	1163	894	631	1000	962	913	671	471	190	23
TOTAL DEATHS—		1866	346	131	69	32	21	599	76	39	68	49	85	76	128	150	246	275	53
Small-pox		1				1		1											
Measles		30	9	13	6	4		44	6										
Scarlatina		47		11	5	2	3	21	15	7									
Diphtheria		21	1	3	6	4	1	15	4	1									
Whooping-cough		31	11	7	6	2	2	28	3										
Typhus		41	1	4	1	1	1	8	5	4	6	2	1		7	3	3	1	
Diarrhoea & Dysentery		55	24	4	2			30	1	1			3		2	4	4	3	
Cholera		3											2		1				
Other Zymotic Dis.		63	10	8	9	2		29	7	1	5	2	2	4	2	2	4	4	1
Cancer		29																	
Scrofula and Tuberc.		40	8	3	3	1	1	16	6	5	5	2	3	1	2	12	19	10	3
Phthisis		142	3	4	3	1		11	2	3	17	23	31	20	16	11	8		
Hydrocephalus		29	7	8	3		3	21	6	2									
Dis. of Brain		299	64	12	4	1	2	83	8		6	4	8	6	15	23	38	23	4
Dis. of Heart & Dropsy		173		1			1	2	2	3	3	3	6	12	23	25	38	23	7
Dis. of Lungs		299	60	23	7	7	2	101	3	1	1	1	7	7	15	33	53	67	10
Dis. of Stom. and Liver		104	9	1	2			12	1	2	7	2	5	7	17	14	27	14	
Dis. of Kidneys		46								3		1	4	8	8	4	7	7	1
Dis. of Gener. Organs		1						1											
Dis. of Joints		2														1			
Dis. of Skin		2																	
Childbirth and Metris																			
Suicide		15																	
Other Violent Deaths		71	2	4	2	2		10	5	3		9	4	8	7	14	6	4	3
Other Causes		382	137	23	4	1	1	166	2	3	5	1	1	1	1	3	25	114	27

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
277.—BEAMINSTER.																			
Mean Popul ⁿ , 1861-71	6852	191	163	180	181	154	869	842	738	599	570	874	721	676	478	312	149	24	
TOTAL DEATHS	1282	225	78	48	51	26	408	50	24	40	43	68	54	73	91	171	198	62	
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Measles	24	4	9	5	-	1	19	4	1	-	-	-	-	-	-	-	-	-	
Scarlatina	40	1	5	5	5	4	20	12	3	2	1	2	-	-	-	-	-	-	
Diphtheria	17	-	2	-	2	2	6	3	2	2	1	3	-	-	-	-	-	-	
Whooping-cough	20	11	5	1	1	2	20	-	-	-	-	-	-	-	-	-	-	-	
Typhus	32	1	-	3	4	6	14	2	2	3	4	1	2	-	3	1	-	-	
Diarrhœa & Dysentery	19	8	1	1	-	-	10	-	1	-	-	-	-	-	-	5	1	2	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	54	4	5	4	8	6	27	8	1	1	-	-	-	-	1	1	-	-	
Cancer	23	-	-	-	-	-	-	-	-	-	-	1	2	-	4	7	8	1	
Scrofula and Tuberc.	24	2	4	3	1	-	10	4	1	-	1	4	5	-	-	-	-	-	
Phthisis	154	1	-	-	1	-	2	4	5	23	25	54	13	14	10	2	2	-	
Hydrocephalus	11	5	2	1	-	-	8	2	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	131	27	8	4	1	-	40	4	4	3	2	4	6	10	13	25	17	3	
Dis. of Heart & Droopy	159	1	-	-	-	-	1	1	1	1	2	8	13	24	47	33	2	2	
Dis. of Lungs	182	24	20	12	5	2	73	3	-	3	1	5	5	6	11	35	40	2	
Dis. of Stom. and Liver	65	2	-	-	2	-	4	4	-	-	2	3	4	12	12	14	10	-	
Dis. of Kidneys	11	-	1	-	-	-	1	1	-	-	1	-	1	-	2	3	2	-	
Dis. of Gen. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	
Dis. of Joints	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	3	5	5	-	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Violent Deaths	12	2	1	1	-	-	4	1	2	-	-	-	-	-	-	1	2	2	
Other Causes	341	120	15	8	1	3	147	2	-	2	1	3	3	5	6	31	90	51	

278.—BRIDPORT.																		
Mean Popul ⁿ , 1861-71	8951	242	231	228	229	221	1151	1024	959	868	779	1199	949	812	605	400	174	31
TOTAL DEATHS	1767	320	121	66	47	32	586	63	37	51	61	116	106	113	121	207	216	90
Small-pox	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	58	8	18	12	12	3	53	4	-	1	-	-	-	-	-	-	-	-
Scarlatina	56	2	5	6	7	7	27	23	5	-	-	-	-	1	-	-	-	-
Diphtheria	15	1	3	3	2	1	10	2	-	-	-	1	-	-	-	-	-	-
Whooping-cough	34	8	12	4	3	3	50	3	1	-	-	-	-	-	-	-	-	-
Typhus	59	1	2	1	4	-	8	6	9	14	7	6	-	3	4	2	-	-
Diarrhoea & Dysentery	29	10	4	1	-	1	16	-	-	-	-	-	-	-	5	1	6	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	49	5	6	9	-	4	24	2	1	5	1	1	2	4	1	3	4	1
Cancer	48	-	-	-	-	-	-	-	-	-	-	2	6	8	13	8	9	2
Scrofula and Tuberc.	51	20	5	2	-	2	29	2	3	2	2	5	3	6	-	-	-	-
Phthisis	206	2	4	-	1	3	10	2	10	13	32	60	33	33	7	5	1	-
Hydrocephalus	8	5	1	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	206	48	11	6	3	3	71	4	1	3	5	7	8	12	14	34	41	6
Dis. of Heart & Droopy	148	2	-	-	-	-	2	2	2	2	6	5	9	12	26	45	30	9
Dis. of Lungs	281	65	25	13	11	1	116	9	1	2	3	6	13	14	22	59	28	8
Dis. of Stom. and Liver	82	8	1	1	-	1	11	1	1	2	2	4	8	8	19	16	9	1
Dis. of Kidneys	27	-	-	-	1	-	1	1	1	1	-	5	3	3	3	8	1	-
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	-	1	-	2	-	3	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin	11	4	1	1	-	-	6	-	-	-	-	-	-	2	1	1	1	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	2	2	8	12	1	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-
Other Violent Deaths	22	4	-	2	3	3	12	3	1	5	-	-	-	-	-	1	1	1
Other Causes	335	126	23	3	-	-	162	-	1	1	-	3	5	2	7	21	82	61

279.—AXMINSTER.																		
Mean Popul ⁿ , 1861-71	10433	293	244	261	247	250	1285	1241	1069	966	822	1376	1139	1000	730	533	222	41
TOTAL DEATHS	1974	270	124	77	35	29	535	74	52	75	55	126	111	114	167	272	286	107
Small-pox	43	9	-	-	-	-	37	5	-	-	-	-	-	-	-	-	-	-
Measles	25	3	13	6	4	3	12	6	7	-	-	-	-	1	-	-	-	-
Scarlatina	52	1	6	4	3	4	18	9	4	1	-	-	-	-	-	-	-	-
Diphtheria	41	21	7	5	3	2	58	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	71	1	4	3	2	6	15	7	9	12	4	-	4	5	4	5	2	-
Typhus	48	14	5	4	2	1	26	-	-	1	-	1	-	3	3	8	2	4
Diarrhoea & Dysentery	5	-	-	-	-	-	2	1	1	-	-	-	-	-	-	1	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	57	8	9	10	7	2	86	5	1	3	-	4	-	1	5	3	1	-
Cancer	57	-	-	-	-	-	-	-	-	-	-	2	8	11	18	17	2	1
Scrofula and Tuberc.	41	5	4	5	1	-	15	5	4	7	-	1	4	2	2	-	1	-
Phthisis	245	4	8	2	2	-	16	6	10	31	36	61	47	20	11	7	-	-
Hydrocephalus	18	3	8	2	-	1	14	2	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	229	53	4	4	1	2	64	6	1	7	3	9	8	14	27	36	45	9
Dis. of Heart & Droopy	229	1	2	1	-	-	4	2	4	1	6	13	15	20	52	65	40	7
Dis. of Lungs	228	24	20	12	5	1	72	5	3	2	-	4	6	16	20	40	52	8
Dis. of Stom. and Liver	98	7	2	1	-	1	11	3	-	3	-	7	6	12	18	23	14	1
Dis. of Kidneys	19	-	1	-	-	-	1	-	-	2	-	1	4	3	2	3	1	2
Dis. of Gen. Organs	10	-	-	-	1	-	1	-	-	-	-	1	2	3	-	-	-	-
Dis. of Joints	10	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-
Dis. of Skin	3	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	3	3	8	6	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Other Violent Deaths	27	5	1	4	-	-	10	6	2	-	-	2	-	-	-	1	3	2
Other Causes	415	110	17	10	1	3	141	3	2	-	3	4	-	2	6	23	121	74

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	20 and upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-		
280.—HONITON.																			
Mean Popul ⁿ , 1861-71	10596	315	263	300	289	294	1461	1354	1305	1048	747	1159	1056	987	782	541	232	34	
TOTAL DEATHS -	2055	431	121	61	42	24	684	70	39	58	56	126	107	122	170	238	233	92	
Small-pox - - -	5	-	1	-	-	2	3	1	-	-	1	-	-	-	-	-	-	-	
Measles - - -	28	4	9	6	4	3	26	1	-	-	-	1	-	-	-	-	-	-	
Scarlatina - -	50	4	5	12	10	4	35	13	2	-	-	-	-	-	-	-	-	-	
Diphtheria - -	12	1	2	2	2	1	8	2	-	1	1	-	-	-	-	-	-	-	
Whooping-cough -	34	15	12	4	1	1	33	1	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	72	2	3	2	4	1	12	9	5	7	8	9	8	5	2	7	-	-	
Diarrhoea & Dysentery	48	23	6	3	-	-	34	-	1	1	-	1	2	-	-	3	6	-	
Cholera - - -	4	1	-	-	-	-	1	-	-	-	-	1	1	-	1	5	2	6	
Other Zymotic Dis. -	35	5	4	2	3	1	15	3	1	-	1	-	-	-	1	5	2	6	
Cancer - - -	29	-	-	-	-	-	-	-	-	-	-	1	1	6	12	7	1	1	
Scrophula and Tuberc -	40	13	6	4	1	-	24	-	-	1	4	10	-	1	-	-	-	-	
Phthisis - - -	106	1	2	2	1	2	8	3	6	16	24	63	36	17	10	2	-	-	
Hydrocephalus - -	38	14	7	5	5	-	31	4	2	-	1	-	-	-	-	-	-	-	
Dis. of Brain - - -	275	92	17	6	2	4	121	8	5	4	2	6	15	20	27	44	22	1	
Dis. of Heart & Dropsy	172	2	-	-	1	-	3	5	1	4	-	1	7	23	33	32	37	6	
Dis. of Lungs - - -	264	60	18	9	3	1	91	5	-	5	6	10	10	25	29	36	31	1	
Dis. of Stom. and Liver	98	5	-	-	1	-	6	1	3	6	-	5	13	12	19	20	11	2	
Dis. of Kidneys - -	54	-	-	-	-	-	-	1	1	3	1	4	2	2	5	6	9	1	
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	7	-	-	-	-	-	-	1	1	-	-	1	-	-	2	-	-	-	
Dis. of Skin - - -	8	2	-	-	1	-	3	-	-	-	1	-	-	-	1	2	1	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	7	-	-	-	-	-	-	-	-	-	-	-	3	-	2	2	-	-	
Other Violent Deaths -	83	11	6	2	2	3	24	8	6	8	4	5	6	8	4	4	6	6	
Other Causes - - -	516	174	23	7	1	1	206	4	5	1	2	3	2	2	12	62	143	7	

281.—ST. THOMAS.

Mean Popul ⁿ , 1861-71		22592	622	591	593	577	592	2980	2835	2683	2209	1597	2588	2281	2133	1698	1112	425
TOTAL DEATHS -		4971	938	251	122	89	77	1477	190	111	123	124	309	349	367	514	659	587
Small-pox -		17	3	-	-	2	-	5	-	2	2	3	4	1	-	-	-	-
Measles -		69	16	19	10	10	5	61	6	-	1	1	-	-	-	-	-	-
Scarlatina -		135	9	18	42	13	8	75	47	5	5	1	2	-	-	-	-	-
Diphtheria -		45	8	4	4	5	7	28	11	2	2	1	-	-	-	-	1	-
Whooping-cough -		65	28	16	5	2	1	32	3	-	-	-	-	-	-	-	-	-
Typhus -		162	2	3	8	9	8	20	23	21	10	9	9	10	5	17	23	6
Diarrhoea & Dysentery -		192	114	10	6	2	-	132	2	2	2	-	3	5	6	14	10	15
Cholera -		75	4	1	3	1	2	11	7	3	3	5	6	17	6	7	10	-
Other Zymotic Dis. -		123	10	16	14	3	7	60	12	6	-	5	5	5	13	7	10	7
Cancer -		60	-	-	-	-	-	-	-	1	-	-	-	8	14	19	25	1
Scrophula and Tuberc -		62	19	10	2	1	1	33	4	6	2	2	8	1	4	-	1	1
Phthisis -		316	11	6	2	4	3	26	7	10	32	54	129	96	75	60	24	5
Hydrocephalus -		56	21	15	2	3	3	44	11	1	-	-	-	-	-	-	-	-
Dis. of Brain -		771	139	54	8	5	8	194	9	11	11	17	46	94	88	101	112	72
Dis. of Heart & Dropsy -		238	2	3	2	1	2	10	9	8	7	5	17	17	30	71	94	32
Dis. of Lungs -		737	165	54	18	12	8	267	13	6	10	7	20	34	30	80	131	105
Dis. of Stom. and Liver -		216	27	1	1	1	2	32	5	4	2	3	11	16	28	42	46	24
Dis. of Kidneys -		115	-	-	-	-	-	-	4	1	2	-	6	9	10	23	30	29
Dis. of Genes. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints -		28	-	-	-	1	-	1	1	-	4	-	4	7	5	1	3	-
Dis. of Skin -		18	4	1	-	-	-	5	-	1	-	-	3	1	-	1	3	4
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		38	-	-	-	-	-	-	-	1	1	-	4	5	9	13	8	2
Other Violent Deaths -		128	7	8	5	7	4	31	11	18	26	13	27	17	14	21	15	6
Other Causes -		694	249	32	10	7	2	403	5	2	-	-	5	6	12	30	102	239

282.—EXETER.

Mean Popul ⁿ , 1861-71		15229	444	390	396	356	342	1923	1763	1701	1531	1289	2099	1688	1413	1021	587	183
TOTAL DEATHS -		4288	1011	343	188	97	61	1700	126	90	102	129	207	314	333	416	433	315
Small-pox -		62	14	12	6	6	6	44	9	2	-	1	4	2	-	-	-	-
Measles -		112	17	44	37	8	3	109	2	1	-	-	-	-	-	-	-	-
Scarlatina -		85	7	14	10	9	10	50	20	9	-	-	2	-	-	-	-	-
Diphtheria -		12	3	1	3	2	1	10	1	-	1	-	-	-	-	-	-	-
Whooping-cough -		85	36	25	15	8	1	85	-	-	-	-	-	-	-	-	-	-
Typhus -		109	2	6	11	3	4	26	9	8	6	7	15	9	8	2	9	5
Diarrhoea & Dysentery -		197	144	16	6	-	1	167	-	-	-	-	1	3	5	7	6	2
Cholera -		59	2	7	5	4	1	19	3	3	3	1	7	5	7	4	5	1
Other Zymotic Dis. -		91	16	17	10	5	4	32	6	2	3	1	7	4	2	8	3	1
Cancer -		60	-	-	-	-	-	-	-	2	1	4	2	13	19	13	6	-
Scrophula and Tuberc -		106	30	18	7	3	2	60	13	6	8	5	2	5	2	2	3	-
Phthisis -		446	3	5	2	3	3	16	3	15	31	34	95	91	70	46	22	5
Hydrocephalus -		70	23	15	9	8	5	28	7	5	-	-	-	-	-	-	-	-
Dis. of Brain -		543	167	44	18	12	6	243	11	6	9	7	21	33	35	60	79	43
Dis. of Heart & Dropsy -		328	4	1	1	2	-	8	8	6	4	3	32	46	44	74	68	21
Dis. of Lungs -		685	195	75	32	18	6	294	15	2	6	10	23	32	48	87	103	55
Dis. of Stom. and Liver -		177	15	2	2	2	-	19	4	3	5	4	9	20	35	42	39	16
Dis. of Kidneys -		118	-	-	-	1	-	1	2	4	-	10	8	16	17	20	34	14
Dis. of Genes. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		34	-	-	-	1	2	5	5	4	6	-	4	2	3	4	-	1
Dis. of Skin -		29	1	2	1	-	1	6	2	-	1	-	-	3	5	3	1	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		17	-	-	-	-	-	-	-	-	-	-	1	2	5	4	-	1
Other Violent Deaths -		184	11	8	8	6	4	37	6	13	13	50	20	18	21	11	18	6
Other Causes -		695	254	83	5	1	1	394	2	1	-	2	11	15	14	23	60	129

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—	
280.—HONITON.																				
Mean Popul ⁿ , 1861-71		11815	288	280	285	279	277	1409	1314	1186	1129	974	1572	1333	1148	868	596	247	39	
TOTAL DEATHS		2112	306	115	53	25	21	520	57	42	83	77	135	136	143	170	324	307	118	
Small-pox		1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Measles		32	3	17	7	2	—	29	3	—	—	—	—	—	—	—	—	—	—	
Scarlatina		38	3	8	9	2	4	26	8	—	—	—	—	1	—	—	—	—	—	
Diphtheria		9	1	1	2	2	—	6	2	—	—	1	—	—	—	—	—	—	—	
Whooping-cough		37	16	12	3	1	3	35	2	—	—	—	—	—	—	—	—	—	—	
Typhus		85	—	5	4	1	—	8	10	8	18	9	7	10	2	5	6	2	—	
Diarrhea & Dysentery		44	21	7	1	—	—	29	2	—	—	—	—	1	—	3	6	2	1	
Cholera		5	2	—	—	—	—	2	—	—	—	—	1	1	—	—	1	—	—	
Other Zymotic Dis.		33	4	4	3	4	3	18	1	2	1	1	—	3	2	1	2	2	—	
Cancer		67	—	—	—	—	—	—	—	—	—	1	—	6	15	20	10	9	—	
Scrophula and Tuberc.		32	9	2	1	1	—	13	1	1	6	4	4	2	1	—	—	—	—	
Phthisis		273	6	2	1	2	1	12	1	14	34	43	69	61	29	17	7	1	—	
Hydrocephalus		24	7	5	4	1	1	17	6	—	—	—	—	—	—	—	1	—	—	
Dis. of Brain		262	67	12	5	3	2	89	5	3	5	4	9	8	16	27	63	32	1	
Dis. of Heart & Dropsy		229	2	3	—	—	1	6	3	2	4	4	10	17	30	88	69	40	6	
Dis. of Lungs		223	44	20	6	3	4	77	6	3	7	3	7	9	11	21	44	25	10	
Dis. of Stom. and Liver		83	4	3	—	—	—	8	1	2	3	—	5	6	13	16	18	9	2	
Dis. of Kidneys		17	—	—	—	—	—	—	—	—	—	2	1	2	3	4	3	2	—	
Dis. of Gener. Organs		9	—	—	—	—	—	—	—	—	1	—	—	1	4	1	1	1	—	
Dis. of Joints		6	—	—	—	1	—	1	1	1	—	—	1	1	—	—	—	—	—	
Dis. of Skin		5	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	2	—	
Childbirth and Metris		31	—	—	—	—	—	—	—	—	1	2	13	10	3	—	—	—	—	
Suicide		4	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	
Other Violent Deaths		28	5	—	1	1	1	8	2	2	3	1	—	1	3	2	2	3	1	
Other Causes		530	112	16	6	1	1	136	3	2	—	1	5	5	8	13	84	176	97	
281.—ST. THOMAS.																				
Mean Popul ⁿ , 1861-71		26264	637	586	600	586	554	2963	2857	2603	2302	2301	3609	2991	2619	2035	1330	559	95	
TOTAL DEATHS		5024	752	261	126	93	75	1307	168	101	142	153	319	317	354	443	718	738	264	
Small-pox		8	3	—	1	—	—	4	1	—	1	2	—	—	—	—	—	—	—	
Measles		69	12	18	13	7	4	54	5	1	—	—	—	—	—	—	—	—	—	
Scarlatina		155	11	22	28	18	19	98	39	10	2	—	2	3	1	—	—	—	—	
Diphtheria		59	4	10	2	8	10	34	19	2	—	—	—	1	2	—	1	—	—	
Whooping-cough		64	30	19	6	4	2	61	2	1	—	—	—	—	—	—	—	—	—	
Typhus		191	—	7	9	10	6	32	21	26	23	10	14	14	17	11	13	7	3	
Diarrhea & Dysentery		158	78	14	5	1	—	98	3	2	2	—	—	5	4	4	17	14	9	
Cholera		42	2	3	1	1	5	12	5	—	1	1	2	4	6	6	6	6	—	
Other Zymotic Dis.		119	10	7	10	13	8	48	18	5	3	1	3	5	7	14	7	1	—	
Cancer		134	—	—	—	—	—	—	—	—	—	—	2	16	50	44	40	20	2	
Scrophula and Tuberc.		37	15	7	—	—	2	24	4	6	5	6	4	3	—	3	1	—	—	
Phthisis		647	9	10	1	2	2	24	15	23	58	82	167	100	93	54	21	8	—	
Hydrocephalus		37	10	9	6	4	1	30	3	1	—	—	—	1	—	—	—	—	—	
Dis. of Brain		613	104	25	10	6	3	148	10	10	9	10	39	34	59	69	113	89	23	
Dis. of Heart & Dropsy		406	6	1	—	—	—	7	4	8	7	6	12	31	40	76	131	78	6	
Dis. of Lungs		667	131	55	17	13	6	222	6	2	7	9	9	13	31	66	155	123	24	
Dis. of Stom. and Liver		235	14	3	3	1	4	25	3	—	7	6	12	19	29	46	56	25	4	
Dis. of Kidneys		50	1	—	—	1	—	2	1	—	2	2	5	7	11	6	9	4	1	
Dis. of Gener. Organs		30	—	—	—	—	—	—	—	—	—	—	2	9	4	8	7	—	—	
Dis. of Joints		24	1	2	2	—	1	6	—	1	3	—	3	4	—	4	2	1	—	
Dis. of Skin		11	4	1	—	—	—	5	—	—	—	—	—	—	1	1	1	—	—	
Childbirth and Metris		90	—	—	—	—	—	—	—	—	4	12	37	35	2	—	—	—	—	
Suicide		8	—	—	—	—	—	—	—	—	2	1	1	—	2	2	—	—	—	
Other Violent Deaths		62	10	8	4	1	—	23	6	1	2	2	1	5	2	5	3	9	3	
Other Causes		1070	297	40	8	3	2	350	3	—	4	2	4	8	12	31	128	340	188	
282.—EXETER.																				
Mean Popul ⁿ , 1861-71		18968	434	386	377	381	356	1934	1739	1753	1965	1895	2863	2236	1842	1386	927	371	57	
TOTAL DEATHS		4370	805	311	166	96	52	1430	124	108	102	134	284	291	298	386	518	537	158	
Small-pox		47	5	11	5	5	2	28	4	4	4	3	—	3	1	—	—	—	—	
Measles		120	21	37	20	17	9	110	8	1	—	—	—	—	1	—	—	—	—	
Scarlatina		89	5	17	16	9	11	68	20	6	1	1	2	1	—	—	—	—	—	
Diphtheria		29	2	3	5	5	3	18	8	—	1	1	—	—	1	—	—	—	—	
Whooping-cough		90	32	33	16	6	2	69	1	—	—	—	—	—	—	—	—	—	—	
Typhus		121	2	4	9	4	2	21	14	20	12	12	7	7	7	9	11	1	—	
Diarrhea & Dysentery		169	110	11	7	1	—	129	1	—	—	3	11	8	10	8	3	2	—	
Cholera		60	2	2	2	1	1	8	2	4	1	3	3	6	7	3	7	5	1	
Other Zymotic Dis.		81	8	8	9	11	1	37	5	2	3	2	8	6	7	3	7	5	1	
Cancer		144	—	—	—	—	—	—	—	—	—	—	10	17	36	30	32	12	1	
Scrophula and Tuberc.		88	31	17	5	4	1	58	1	7	7	3	1	2	1	3	—	—	—	
Phthisis		461	6	8	5	2	—	21	10	29	44	53	115	68	53	25	13	—	—	
Hydrocephalus		53	25	8	10	3	2	48	4	1	—	—	—	—	—	—	—	—	—	
Dis. of Brain		507	105	26	11	9	4	155	9	8	5	8	18	22	34	74	84	80	10	
Dis. of Heart & Dropsy		396	5	2	—	—	—	9	6	4	8	14	36	32	30	93	69	3	—	
Dis. of Lungs		645	111	76	27	13	9	226	8	6	6	8	23	24	37	74	118	86	17	
Dis. of Stom. and Liver		294	11	2	4	1	—	18	3	4	2	10	18	27	20	25	42	25	4	
Dis. of Kidneys		29	—	—	—	—	—	—	—	2	2	3	8	5	9	4	—	—	—	
Dis. of Gener. Organs		24	—	—	—	—	—	—	—	—	1	2	5	2	6	7	1	—	—	
Dis. of Joints		19	—	—	1	—	1	2	2	4	2	2	2	2	—	2	—	1	—	
Dis. of Skin		12	4	—	—	—	1	6	—	—	1	—	2	1	—	—	2	—	—	
Childbirth and Metris		49	—	—	—	—	—	—	—	—	1	5	24	19	—	—	—	—	—	
Suicide		9	—	—	—	—	—	—	—	—	1	1	2	2	1	1	—	1	—	
Other Violent Deaths		70	11	7	1	1	2	22	6	4	2	—	1	7	4	8	5	6	3	
Other Causes		851	309	39	6	2	1	357	4	—	2	2	10	8	15	97	240	111	—	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																			Total under 5 Years.	45 and upwards.
		Total under 1 Year.	1	2	3	4	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—						
283.—NEWTON ABBOT.																						
Mean Popul ⁿ , 1861-71		28515	854	759	803	746	751	3913	3567	3237	2636	2142	3519	3142	2691	1953	1216	447	52			
TOTAL DEATHS -	6259	1361	431	212	155	84	2243	222	127	155	213	422	396	405	498	731	687	180				
Small-pox - - -	45	10	5	1	5	3	24	3	1	4	3	5	3	1	-	1	-	-	-			
Measles - - - -	135	25	49	29	23	4	180	5	-	-	-	-	-	-	-	-	-	-	-			
Scarlatina - - -	228	19	31	35	35	26	147	65	18	6	2	-	-	-	-	-	-	-	-			
Diphtheria - - -	33	7	6	3	2	2	30	7	3	1	-	1	-	-	1	-	-	-	-			
Whooping-cough -	105	52	26	15	7	2	102	2	1	-	-	-	-	-	-	-	-	-	-			
Typhus - - - - -	214	1	12	9	11	7	40	34	21	24	36	17	9	10	16	7	10	3	1			
Diarrhoea & Dysentery	189	113	20	4	-	1	138	1	-	5	1	2	2	6	1	17	18	3	1			
Cholera - - - - -	30	3	1	1	1	-	6	4	1	-	5	4	2	3	3	4	2	1	1			
Other Zymotic Dis. -	132	18	10	11	17	9	65	5	4	5	1	7	7	10	6	14	7	1	1			
Cancer - - - - -	82	-	1	1	-	-	2	-	-	1	1	1	5	9	33	23	6	1	-			
Scrofula and Tubercles	105	48	14	2	3	2	69	12	2	6	2	7	2	2	3	-	-	-	-			
Phthisis - - - -	794	15	21	6	6	8	51	11	17	54	111	330	161	76	57	25	1	-	-			
Hydrocephalus - -	93	37	23	11	2	2	75	12	2	2	1	1	-	-	-	-	-	-	-			
Dis. of Brain - - -	821	250	49	17	12	2	330	16	13	10	10	29	39	66	80	125	89	13	1			
Dis. of Heart & Dropsy	451	4	2	4	1	1	12	4	8	16	7	32	40	54	69	129	74	4	1			
Dis. of Lungs - - -	961	241	86	41	18	8	394	10	4	3	8	39	47	67	91	134	123	13	1			
Dis. of Stom. and Liver	290	89	5	2	1	3	50	8	6	5	11	16	22	32	41	73	23	4	1			
Dis. of Kidneys - -	112	2	2	1	-	-	5	1	1	2	3	4	7	13	22	25	25	2	1			
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-			
Dis. of Joints - - -	25	2	1	1	-	-	4	4	4	-	1	3	-	-	5	4	2	-	-			
Dis. of Skin - - -	29	5	1	-	-	-	6	-	1	1	-	-	-	1	1	4	4	-	-			
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Suicide - - - - -	28	-	-	-	-	-	-	-	-	-	1	-	4	7	11	5	2	-	-			
Other Violent Deaths -	227	9	12	9	8	7	45	15	19	14	18	19	23	27	24	13	7	3	1			
Other Causes - - -	1140	461	154	8	3	2	638	15	1	1	1	6	22	18	26	110	294	169	103			

284.—TOTNES.

Mean Popul ⁿ , 1861-71		16110	471	452	459	449	421	2252	2054	1866	1484	1163	1889	1648	1474	1174	771	301	34	
TOTAL DEATHS -		3423	604	240	116	72	47	1148	134	78	87	110	208	184	240	208	445	463	120	
Small-pox -		19	2	3	-	-	1	8	1	-	1	2	3	2	1	1	-	-	-	
Measles -		57	2	27	7	10	5	52	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina -		114	7	19	16	19	12	73	25	6	2	2	2	2	-	-	-	-	-	
Diphtheria -		22	1	2	4	3	1	11	6	1	2	-	1	-	-	-	-	1	-	
Whooping-cough -		45	14	18	9	2	-	43	2	-	-	-	-	-	-	-	-	-	-	
Typhus -		126	6	8	10	7	4	35	21	19	14	12	10	8	12	9	8	8	-	
Diarrhoea & Dysentery -		82	88	13	2	1	-	54	2	2	1	1	2	2	7	4	4	2	3	
Cholera -		81	1	5	3	8	5	22	9	5	2	2	7	12	2	8	9	2	1	
Other Zymotic Dis. -		76	7	7	6	5	2	27	3	-	1	2	3	1	7	6	15	11	-	
Cancer -		35	-	-	-	-	-	-	-	-	-	-	3	3	8	3	17	1	-	
Scrofula and Tubercles -		35	10	2	2	-	-	14	5	-	1	3	5	2	2	3	1	-	-	
Phthisis -		232	5	7	8	-	4	24	6	6	26	37	60	23	31	24	5	-	-	
Hydrocephalus -		41	21	8	4	2	1	36	5	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -		445	122	24	8	5	1	169	6	3	2	5	19	14	36	44	87	60	11	
Dis. of Heart & Dropsy -		284	5	-	1	1	-	7	4	3	5	4	18	17	30	40	87	34	2	
Dis. of Lungs -		527	137	46	12	4	3	292	17	3	6	10	19	36	45	36	81	63	7	
Dis. of Stom. and Liver -		138	19	2	1	-	-	22	8	5	1	3	12	11	26	29	24	13	2	
Dis. of Kidneys -		51	-	-	-	-	-	-	1	-	-	1	6	7	7	9	12	8	-	
Dis. of Gen. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -		9	1	1	-	-	-	2	-	1	-	-	2	-	2	-	2	-	-	
Dis. of Skin -		9	3	-	-	-	-	3	-	-	-	-	1	-	-	-	-	4	1	
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -		17	-	-	-	-	-	-	1	-	1	1	1	2	3	5	3	-	-	
Other Violent Deaths -		217	8	9	7	2	6	82	8	17	18	21	27	82	24	29	23	9	2	
Other Causes -		690	254	48	14	3	2	321	8	2	2	4	6	5	4	17	89	161	89	

285.—KINGSBRIDGE.

Mean Popul ⁿ , 1861-71		9430	278	243	264	249	256	1290	1212	1073	930	644	1013	919	908	710	511	300	21	
TOTAL DEATHS -		1929	362	103	62	44	30	601	67	38	48	67	119	101	121	153	268	276	68	
Small-pox -		3	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	
Measles -		39	7	10	7	3	1	28	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina -		72	4	16	9	12	7	48	20	2	1	1	-	-	-	-	-	-	-	
Diphtheria -		4	2	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	
Whooping-cough -		33	15	6	6	5	1	33	-	-	-	-	-	-	-	-	-	-	-	
Typhus -		45	-	4	2	-	4	10	4	5	6	6	-	7	1	3	3	1	1	
Diarrhoea & Dysentery -		23	13	2	1	-	1	17	-	-	1	-	1	3	1	1	1	1	1	
Cholera -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -		68	10	3	3	-	4	20	1	2	1	1	2	1	4	4	13	13	1	
Cancer -		23	-	-	-	-	-	-	-	-	-	-	-	-	-	8	5	3	-	
Scrofula and Tubercles -		28	9	1	2	2	1	15	5	2	2	-	5	-	1	-	-	-	-	
Phthisis -		186	4	4	2	2	-	12	3	6	18	36	50	21	24	9	6	1	-	
Hydrocephalus -		12	4	1	2	2	1	10	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -		393	61	11	6	3	2	83	7	5	1	5	9	5	18	18	38	20	13	
Dis. of Heart & Dropsy -		143	-	-	-	-	1	4	3	3	3	2	5	4	14	29	34	2	-	
Dis. of Lungs -		531	60	25	7	5	4	161	6	3	2	5	14	19	18	41	61	33	2	
Dis. of Stom. and Liver -		98	7	3	1	-	1	11	5	1	2	1	2	11	9	24	19	11	2	
Dis. of Kidneys -		32	-	-	1	-	-	1	2	-	-	-	4	3	2	4	8	8	-	
Dis. of Gen. Organs -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -		9	-	1	-	-	-	1	1	1	-	-	1	2	1	1	-	1	-	
Dis. of Skin -		5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -		99	5	2	4	2	1	14	3	6	7	9	19	15	11	4	4	3	2	
Other Causes -		467	158	19	4	3	1	158	5	1	4	2	7	5	8	13	82	36	82	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
283.—NEWTON ABBOT.																			
Mean Popul ⁿ , 1861-71	35117	847	747	776	752	727	3849	3612	3298	3263	3461	5292	4221	3428	2403	1564	624	102	
TOTAL DEATHS	6202	1071	887	190	133	94	1874	224	127	195	257	450	361	404	511	736	813	250	
Small-pox	47	14	4	4	1	2	25	4	1	2	4	7	—	—	3	1	—	—	
Measles	132	18	47	27	14	13	119	12	—	—	—	—	—	—	—	—	—	—	
Scarlatina	222	20	40	33	24	27	144	53	19	3	2	1	—	—	—	—	—	—	
Diphtheria	91	1	4	1	2	5	13	11	2	—	1	3	1	—	—	—	—	—	
Whooping-cough	130	50	42	17	12	5	126	4	—	—	—	—	—	—	—	—	—	—	
Typhus	273	9	8	14	8	9	48	43	24	32	15	32	16	19	13	22	9	—	
Diarrhoea & Dysentery	221	122	20	3	—	1	144	1	2	4	1	4	5	6	9	11	22	10	
Cholera	35	1	1	2	1	2	7	4	1	—	2	2	3	7	6	2	1	—	
Other Zymotic Dis.	119	6	11	12	11	4	44	9	3	5	4	3	5	7	9	12	10	1	
Cancer	215	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula and Tuberc.	90	33	8	5	3	5	54	6	4	1	—	8	22	51	60	48	22	3	
Phthisis	814	14	10	6	9	1	40	15	23	86	148	219	184	56	1	2	—	—	
Hydrocephalus	66	29	14	5	4	1	53	9	2	—	—	1	1	—	—	—	—	—	
Dis. of Brain	698	163	28	19	15	9	234	12	12	12	10	29	28	48	83	119	94	13	
Dis. of Heart & Dropsy	487	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Lungs	825	158	83	20	19	4	290	9	6	7	14	21	22	61	98	143	86	5	
Dis. of Stom. and Liver	331	25	4	2	1	1	53	7	5	7	15	21	23	49	47	72	48	5	
Dis. of Kidneys	45	1	—	—	—	—	1	2	1	1	5	6	8	5	10	4	1	—	
Dis. of Gener. Organs	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	14	—	—	—	—	—	—	—	1	—	—	2	1	10	5	10	1	—	
Dis. of Skin	20	4	1	—	1	—	6	—	—	—	—	—	4	—	2	4	3	1	
Childbirth and Metris	83	—	—	—	—	—	—	—	—	3	15	35	50	—	—	—	—	—	
Suicide	14	—	—	—	—	—	—	—	—	1	1	4	2	1	1	2	1	1	
Other Violent Deaths	69	11	1	2	1	2	17	11	5	3	2	6	2	1	2	7	9	4	
Other Causes	1200	392	59	11	4	1	467	9	4	10	2	6	8	13	26	123	360	172	

284.—TOTNES.																		
Mean Popul ⁿ , 1861-71	18140	466	442	461	420	450	2239	2026	1781	1643	1520	2405	2018	1790	1319	939	393	67
TOTAL DEATHS	3447	535	187	118	73	41	954	137	83	125	100	195	179	177	294	519	507	177
Small-pox	16	5	2	1	2	1	71	2	1	1	—	—	1	—	—	—	—	—
Measles	32	8	20	6	11	1	46	5	—	1	—	—	—	—	—	—	—	—
Scarlatina	121	6	16	23	17	12	70	30	6	4	—	5	—	—	—	—	—	—
Diphtheria	24	2	3	2	—	1	8	11	2	2	—	1	—	—	—	—	—	—
Whooping-cough	66	30	16	12	5	2	65	1	—	—	—	—	—	—	—	—	—	—
Typhus	176	5	3	7	7	8	50	34	21	23	7	22	13	4	11	11	8	2
Diarrhoea & Dysentery	82	40	13	1	2	1	37	2	1	—	1	—	—	3	2	6	4	1
Cholera	72	3	2	4	1	1	11	5	4	—	—	—	6	11	13	3	15	1
Other Zymotic Dis.	70	3	7	4	4	2	20	5	—	3	—	1	3	2	9	30	12	2
Cancer	108	—	—	—	—	—	—	—	1	1	1	4	9	14	24	34	19	1
Scrofula and Tuberc.	27	7	2	2	—	—	11	1	4	2	2	—	—	—	—	—	—	—
Phthisis	329	6	8	6	2	2	24	5	12	48	46	75	46	32	24	16	1	—
Hydrocephalus	25	12	7	3	1	—	23	1	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	438	83	21	9	6	1	190	14	7	12	5	16	12	23	37	94	88	10
Dis. of Heart & Dropsy	299	3	2	—	1	—	6	7	7	8	13	17	27	67	90	42	7	—
Dis. of Lungs	432	78	36	20	6	4	144	9	6	6	9	12	15	16	32	85	67	11
Dis. of Stom. and Liver	190	12	3	2	2	2	21	6	2	6	2	10	10	25	33	28	28	2
Dis. of Kidneys	24	—	—	1	1	—	2	—	1	1	1	2	5	3	3	3	1	—
Dis. of Genes. Organs	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	12	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
Dis. of Skin	7	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	44	6	3	2	3	2	16	2	1	3	—	3	2	1	2	2	10	2
Other Causes	763	223	23	11	2	1	260	5	4	2	3	7	5	7	21	98	218	133

285.—KINGSBRIDGE.																		
Mean Popul ⁿ , 1861-71	10121	254	230	250	237	225	1196	1178	1061	943	813	1265	1095	1012	774	526	230	28
TOTAL DEATHS	1842	308	97	49	35	30	519	82	40	56	74	130	91	111	145	220	273	101
Small-pox	4	1	—	—	—	—	1	1	—	—	—	2	—	—	—	—	—	—
Measles	18	4	2	4	1	—	11	6	—	—	—	1	—	—	—	—	—	—
Scarlatina	98	3	10	11	21	10	55	30	5	—	2	1	2	1	—	—	—	—
Diphtheria	5	1	2	—	—	2	5	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	54	16	10	1	2	2	31	3	—	—	—	—	—	—	—	—	—	—
Typhus	48	1	3	1	—	5	10	7	8	5	5	5	2	4	3	4	—	—
Diarrhoea & Dysentery	23	10	—	—	1	—	11	—	—	—	—	—	1	—	—	—	—	—
Cholera	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	55	5	2	8	—	1	11	3	1	1	—	1	1	1	3	5	21	7
Cancer	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.	23	3	4	4	—	2	13	3	2	1	—	2	2	—	—	—	—	—
Phthisis	224	5	1	2	—	—	8	4	12	27	37	60	29	25	9	4	—	—
Hydrocephalus	11	6	—	1	1	1	8	2	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	228	47	11	1	1	6	68	8	4	4	4	3	5	15	30	29	50	10
Dis. of Heart & Dropsy	142	2	—	1	—	—	3	1	1	3	6	2	14	9	29	35	34	6
Dis. of Lungs	277	51	18	9	3	1	82	1	5	3	5	10	9	16	22	67	37	14
Dis. of Stom. and Liver	101	9	1	1	1	—	12	2	1	2	3	5	7	13	20	20	16	—
Dis. of Kidneys	9	—	—	—	1	—	1	1	—	—	—	1	—	3	1	1	1	—
Dis. of Genes. Organs	12	—	—	—	—	—	—	—	—	—	—	—	—	3	4	2	—	—
Dis. of Joints	8	—	—	—	—	—	—	2	1	1	—	1	—	1	1	—	—	—
Dis. of Skin	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	19	2	1	1	1	—	6	3	3	—	1	1	1	—	—	—	—	—
Other Causes	429	142	31	9	2	—	184	5	1	3	5	7	3	6	8	40	100	28

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 5 Years.	5- 10- 15- 20- 25- 35- 45- 55- 65- 75- 80 years.	
		Total under 1 Year.	1	2	3	4																
286.—PLYMPTON ST. MARY.																						
Mean Popul ⁿ , 1861-71	10321	320	287	291	267	283	1448	1296	1166	982	745	1153	1042	925	778	481	182	23				
TOTAL DEATHS—	2105	457	120	65	54	30	716	66	48	58	70	122	114	147	197	253	246	68				
Small-pox	14	3	—	—	2	—	5	1	—	3	1	3	1	—	—	—	—	—				
Measles	32	4	14	7	5	—	30	2	—	—	—	—	—	—	—	—	—	—				
Scarlatina	33	4	7	10	8	5	34	13	2	2	2	—	—	—	—	—	—	—				
Diphtheria	17	2	1	2	5	—	10	4	3	—	—	—	—	—	—	—	—	—				
Whooping-cough	41	20	11	6	2	1	40	1	—	—	—	—	—	—	—	—	—	—				
Typhus	93	—	4	—	5	6	15	12	8	9	8	14	8	7	3	6	2	—				
Diarrhoea & Dysentery	50	25	5	2	1	—	33	—	2	—	1	—	—	1	—	—	—	—				
Cholera	3	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—				
Other Zymotic Dis.	34	3	2	2	—	1	8	5	3	1	—	4	2	4	1	3	2	1				
Cancer	42	—	—	—	—	—	—	—	1	—	—	1	1	6	13	14	3	1				
Scrofula and Tabes	47	17	8	6	2	—	33	2	2	3	1	3	2	—	—	—	—	—				
Phthisis	182	6	3	—	1	—	10	3	5	16	27	49	21	26	16	8	1	—				
Hydrocephalus	35	11	10	4	2	2	29	2	3	—	1	—	—	—	—	—	—	—				
Dis. of Brain	250	49	10	2	8	—	69	2	4	3	6	7	17	15	19	46	52	18				
Dis. of Heart & Dropsy	142	1	—	—	—	—	1	4	1	3	2	10	11	15	31	39	29	6				
Dis. of Lungs	318	79	20	11	8	3	121	6	2	1	8	9	14	20	43	58	41	14				
Dis. of Stom. and Liver	83	8	1	—	2	—	11	1	2	1	1	2	4	14	17	22	7	1				
Dis. of Kidneys	52	—	—	1	—	—	1	—	—	1	1	5	9	6	7	9	13	—				
Dis. of Gen. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Dis. of Joints	8	—	—	—	—	—	—	—	—	2	2	—	—	2	—	1	1	—				
Dis. of Skin	9	1	2	1	—	—	4	—	—	—	—	—	—	—	3	2	—	—				
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Suicide	18	—	—	—	—	—	—	—	—	—	—	1	2	4	6	3	1	1				
Other Violent Deaths	107	6	2	4	—	1	13	5	9	12	8	11	15	12	13	5	3	1				
Other Causes	445	217	19	7	3	1	247	35	1	1	1	3	7	9	19	28	83	35				
287.—PLYMOUTH.																						
Mean Popul ⁿ , 1861-71	30325	892	789	773	777	740	3971	3545	3083	3244	2826	4372	3542	2743	1691	931	332	45				
TOTAL DEATHS—	7533	2040	729	357	200	110	3436	286	147	168	209	436	497	556	562	625	482	131				
Small-pox	82	13	11	17	9	3	53	17	1	3	3	1	4	—	—	—	—	—				
Measles	269	43	110	70	26	11	260	8	1	—	—	—	—	—	—	—	—	—				
Scarlatina	220	35	30	45	35	17	152	52	11	—	2	1	2	—	—	—	—	—				
Diphtheria	26	3	5	4	4	3	19	2	1	—	1	2	—	1	—	—	—	—				
Whooping-cough	216	100	56	33	12	8	269	5	—	2	—	—	—	—	—	—	—	—				
Typhus	280	15	14	26	14	13	82	42	21	19	19	23	50	12	12	15	4	1				
Diarrhoea & Dysentery	436	302	48	10	3	2	365	2	1	1	2	5	6	8	8	12	18	8				
Cholera	34	20	4	—	—	—	24	2	—	—	—	1	1	2	3	—	—	—				
Other Zymotic Dis.	157	29	23	11	11	9	83	4	5	6	5	8	9	7	10	11	8	1				
Cancer	109	—	—	—	1	—	1	—	—	—	2	2	8	23	25	32	14	1				
Scrofula and Tabes	144	48	31	8	8	3	98	10	7	5	2	5	7	4	3	1	2	—				
Phthisis	861	64	45	26	8	6	149	24	26	61	99	187	144	102	50	18	3	—				
Hydrocephalus	125	41	36	13	12	3	105	15	4	—	1	—	—	—	—	—	—	—				
Dis. of Brain	880	256	72	24	20	6	378	85	16	13	6	35	57	63	87	106	72	13				
Dis. of Heart & Dropsy	414	5	3	1	3	—	12	7	9	6	7	38	41	71	101	94	28	3				
Dis. of Lungs	1164	347	150	42	23	18	580	14	6	8	11	28	42	92	139	145	88	21				
Dis. of Stom. and Liver	278	49	5	2	1	—	57	6	3	2	9	16	43	51	35	40	15	1				
Dis. of Kidneys	186	1	1	—	2	—	4	5	3	8	6	16	20	32	20	32	23	3				
Dis. of Gen. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Dis. of Joints	49	1	1	1	—	—	3	11	8	6	6	2	3	3	3	4	—	—				
Dis. of Skin	16	4	—	2	—	—	6	—	1	1	2	2	—	—	2	1	1	—				
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Suicide	27	—	—	—	—	—	—	—	—	—	3	1	5	5	7	1	2	—				
Other Violent Deaths	206	30	6	10	3	3	42	39	20	21	20	51	57	29	24	15	8	1				
Other Causes	1294	634	78	12	5	5	754	5	3	3	5	10	38	43	42	100	180	76				
288.—EAST STONEHOUSE.																						
Mean Popul ⁿ , 1861-71	6854	240	199	181	181	187	988	735	565	677	786	1233	820	506	316	160	59	9				
TOTAL DEATHS—	2250	524	182	88	47	20	870	64	22	139	161	300	193	168	105	117	81	24				
Small-pox	15	3	1	1	—	1	6	—	1	1	3	3	—	1	—	—	—	—				
Measles	66	13	26	20	3	2	64	11	—	1	—	—	—	—	—	—	—	—				
Scarlatina	49	5	8	7	5	3	28	11	2	5	3	—	—	—	—	—	—	—				
Diphtheria	17	8	4	3	2	2	14	2	1	—	—	—	—	—	—	—	—	—				
Whooping-cough	39	15	14	5	3	—	35	1	—	—	—	—	—	—	—	—	—	—				
Typhus	107	8	4	6	6	2	21	13	3	19	24	12	5	5	1	2	2	—				
Diarrhoea & Dysentery	101	64	14	1	1	1	81	1	—	—	4	3	4	1	2	3	3	—				
Cholera	4	1	2	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—				
Other Zymotic Dis.	40	2	7	2	8	2	21	3	—	—	1	4	3	2	3	1	2	—				
Cancer	34	—	—	—	—	—	—	—	—	—	2	4	6	10	9	3	—	—				
Scrofula and Tabes	40	7	8	4	—	2	21	1	2	3	5	3	2	8	—	—	—	—				
Phthisis	407	8	6	4	1	—	19	7	1	48	63	148	74	36	9	—	—	—				
Hydrocephalus	33	14	10	5	1	—	30	3	—	1	—	—	—	—	—	—	—	—				
Dis. of Brain	228	83	18	9	3	2	115	8	3	17	12	20	13	16	29	34	1	—				
Dis. of Heart & Dropsy	163	1	2	—	—	—	5	1	—	11	6	29	29	45	15	22	30	—				
Dis. of Lungs	320	89	33	15	10	4	161	6	1	15	13	35	18	14	38	57	11	1				
Dis. of Stom. and Liver	100	17	1	1	—	1	20	2	3	7	5	14	18	10	9	9	3	—				
Dis. of Kidneys	44	—	—	—	—	2	2	—	—	2	6	9	3	9	3	4	2	—				
Dis. of Gen. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Dis. of Joints	10	—	1	—	—	—	1	—	1	3	4	—	1	—	—	—	—	—				
Dis. of Skin	6	2	—	—	—	—	2	1	—	1	—	1	1	—	—	—	—	—				
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Suicide	12	—	—	—	—	—	—	—	—	—	1	2	1	3	3	—	—	—				
Other Violent Deaths	54	2	—	1	2	2	7	3	4	5	7	9	6	11	1	3	—	—				
Other Causes	232	192	24	5	2	1	224	—	—	2	2	9	7	8	22	36	14	—				

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		25- & upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
286.—PLYMPTON ST. MARY.																				
Mean Popul ⁿ , 1861-71		11124	292	259	285	263	278	1377	1269	1113	1035	976	1485	1229	1066	813	523	208	30	
TOTAL DEATHS—		1914	340	129	52	33	34	588	79	44	58	66	125	112	110	155	257	246	74	
Small-pox		10	3	2	2	—	—	7	—	1	1	—	1	—	—	—	—	—	—	
Measles		32	6	11	5	3	1	26	5	—	1	—	—	—	—	—	—	—	—	
Scarlatina		33	3	8	11	7	5	84	13	4	1	1	—	—	—	—	—	—	—	
Diphtheria		23	—	3	—	3	6	12	7	1	3	—	—	—	—	—	—	—	—	
Whooping-cough		49	27	12	5	1	3	48	1	—	—	—	—	—	—	—	—	—	—	
Typhus		88	1	2	4	6	3	16	18	5	6	7	12	6	4	3	5	6	—	
Diarrhoea & Dysentery		40	19	8	1	1	—	29	—	—	—	1	—	—	2	1	2	4	1	
Cholera		2	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	
Other Zymotic Dis.		30	2	3	2	2	1	10	3	3	—	—	—	—	1	5	4	4	—	
Cancer		75	—	1	1	—	1	3	—	—	—	1	4	13	13	15	17	8	1	
Serofula and Tabes		43	20	8	3	—	2	33	1	3	2	1	1	—	2	1	—	—	—	
Phthisis		214	1	4	2	—	1	8	6	13	25	35	49	32	16	19	8	1	—	
Hydrocephalus		12	5	4	1	—	2	12	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain		269	28	9	4	—	3	44	3	4	4	6	7	13	12	21	45	45	5	
Dis. of Heart & Dropsy		170	1	—	—	—	1	2	4	4	4	4	4	11	21	42	41	27	6	
Dis. of Lungs		274	66	23	4	2	3	90	7	2	2	1	5	9	11	24	69	45	9	
Dis. of Stom. and Liver		82	4	—	2	1	—	7	1	—	3	2	11	6	7	11	22	11	1	
Dis. of Kidneys		13	1	—	—	—	—	1	1	2	—	—	—	2	4	—	3	—	—	
Dis. of Genes. Organs		11	—	—	—	—	—	—	—	—	—	—	2	1	—	3	2	2	—	
Dis. of Joints		3	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
Dis. of Skin		3	1	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	
Childbirth and Metris		31	—	—	—	—	—	—	—	—	1	4	15	11	—	—	—	—	—	
Suicide		6	—	—	—	—	—	—	—	—	—	—	2	2	1	—	1	—	—	
Other Violent Deaths		23	3	4	1	4	1	13	2	1	1	—	4	—	1	—	—	—	—	
Other Causes		413	129	24	4	3	1	191	7	1	2	4	8	4	8	12	38	87	31	

287.—PLYMOUTH.																			
Mean Popul ⁿ , 1861-71	35391	882	784	796	753	771	3986	3578	3265	3357	3570	5447	4393	3466	2336	1411	504	78	
TOTAL DEATHS—	7649	1704	668	302	192	127	2093	256	160	197	249	556	469	516	552	773	722	206	
Small-pox	84	22	17	6	8	8	61	15	2	1	2	2	—	1	—	—	—	—	—
Measles	231	43	88	54	22	11	218	13	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	185	15	33	23	29	19	119	44	12	1	3	5	—	—	—	—	—	—	—
Diphtheria	23	1	3	4	2	2	12	7	1	—	1	1	1	—	—	—	—	—	—
Whooping-cough	308	122	96	40	29	9	296	12	—	—	—	—	—	—	—	—	—	—	—
Typhus	282	8	12	17	19	11	67	36	50	24	18	32	24	14	16	12	8	1	—
Diarrhoea & Dysentery	446	285	69	11	1	1	538	5	—	3	2	6	10	7	12	18	37	8	—
Cholera	27	17	—	—	—	2	19	1	1	1	—	1	—	3	1	—	—	—	—
Other Zymotic Dis.	121	13	16	11	9	3	62	5	3	3	7	11	7	8	3	10	10	—	—
Cancer	256	—	—	—	1	—	1	—	2	—	1	14	33	77	54	66	15	3	—
Serofula and Tabes	127	38	23	11	11	3	86	7	12	2	6	5	—	2	3	4	—	—	—
Phthisis	1022	39	46	18	11	7	121	31	44	110	121	240	164	125	48	13	5	—	—
Hydrocephalus	89	24	25	12	4	6	71	10	6	1	1	—	—	—	—	—	—	—	—
Dis. of Brain	884	189	69	19	14	15	287	24	14	11	17	38	47	57	113	148	114	14	—
Dis. of Heart & Dropsy	483	1	3	1	1	2	8	10	8	13	14	33	45	75	93	109	66	11	—
Dis. of Lungs	1115	291	112	59	15	11	479	15	7	2	17	39	41	57	100	200	156	21	—
Dis. of Stom. and Liver	506	28	7	4	—	—	59	2	4	6	9	30	31	40	59	66	36	3	—
Dis. of Kidneys	94	—	—	1	2	1	4	—	2	1	9	28	13	14	8	12	3	—	—
Dis. of Genes. Organs	49	—	—	—	—	—	—	—	—	—	1	8	10	8	12	7	3	—	—
Dis. of Joints	21	1	—	—	—	1	2	3	3	—	3	2	2	5	—	—	—	—	—
Dis. of Skin	22	7	2	—	—	—	9	—	1	—	2	—	—	2	1	2	5	—	—
Childbirth and Metris	82	—	—	—	—	—	—	—	—	6	16	33	23	2	—	—	—	—	—
Suicide	17	—	—	—	—	—	—	—	—	4	1	4	2	2	2	1	1	—	—
Other Violent Deaths	77	11	6	4	6	10	37	9	5	2	—	4	4	1	2	3	7	3	—
Other Causes	1296	569	69	16	8	5	667	7	3	6	8	29	10	16	32	122	234	142	—

288.—EAST STONEHOUSE.																			
Mean Popul ⁿ , 1861-71		7610	216	212	205	181	186	1000	769	595	582	773	1473	974	649	437	249	93	16
TOTAL DEATHS—		1717	428	147	84	60	32	751	59	25	36	59	133	120	91	115	159	132	37
Small-pox		9	3	—	—	3	1	7	—	1	—	1	—	—	—	—	—	—	—
Measles		40	8	10	8	8	2	36	2	—	—	—	2	—	—	—	—	—	—
Scarlatina		41	1	4	13	7	5	30	7	3	—	—	1	—	—	—	—	—	—
Diphtheria		15	2	2	2	3	—	9	2	—	—	—	1	—	1	—	—	—	—
Whooping-cough		38	14	15	5	3	—	35	2	1	—	—	—	—	—	—	—	—	—
Typhus		76	5	7	8	6	6	32	11	3	7	3	7	5	2	6	9	1	—
Diarrhoea & Dysentery		100	61	13	1	—	2	79	—	—	—	—	3	6	3	2	5	2	—
Cholera		4	1	—	—	—	1	3	—	—	—	—	—	—	1	—	—	—	—
Other Zymotic Dis.		35	4	4	5	2	1	18	3	—	—	1	2	2	4	2	4	1	—
Cancer		44	—	—	—	—	—	—	—	—	—	—	2	7	13	12	9	1	—
Serofula and Tabes		24	15	4	1	1	—	21	1	1	—	—	—	—	—	1	—	—	—
Phthisis		195	5	7	3	5	1	21	9	6	11	28	56	35	21	4	4	—	—
Hydrocephalus		27	7	6	6	4	2	24	3	—	—	—	—	—	—	—	—	—	—
Dis. of Brain		216	63	13	11	6	2	97	7	2	3	5	7	15	19	27	23	16	2
Dis. of Heart & Dropsy		105	1	—	—	2	—	3	2	4	3	1	11	12	19	18	32	8	1
Dis. of Lungs		266	76	39	15	6	4	140	5	1	2	3	5	17	8	23	32	26	4
Dis. of Stom. and Liver		70	5	1	2	—	1	9	1	1	2	4	8	11	9	9	10	6	1
Dis. of Kidneys		11	—	—	—	—	—	—	1	—	—	—	2	2	3	2	—	1	—
Dis. of Genes. Organs		9	—	—	—	—	—	—	—	—	—	3	1	2	1	2	—	—	—
Dis. of Joints		4	—	—	—	2	—	2	—	—	2	—	—	—	—	—	—	—	—
Dis. of Skin		3	1	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—
Childbirth and Metris		18	—	—	—	—	—	—	—	—	1	4	6	6	1	—	—	—	—
Suicide		2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Other Violent Deaths		17	4	1	—	1	3	9	1	1	2	1	1	—	2	—	—	—	—
Other Causes		549	150	20	5	1	1	177	2	1	5	5	15	4	2	7	26	71	29

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.	
289.—STOKE DAMMREL.																			
Mean Popul ⁿ , 1861-71	25833	659	572	550	589	567	2937	2449	2083	3342	3263	4751	2934	1997	1155	638	250	34	
TOTAL DEATHS -	5217	1338	520	242	140	82	2322	174	87	101	147	390	350	359	384	406	417	86	
Small-pox - - -	25	4	5	5	2	1	17	1	-	2	1	3	1	-	-	-	-	-	
Measles - - - -	177	31	67	41	19	9	167	9	-	-	-	1	-	-	-	-	-	-	
Scarlatina - - -	176	12	32	29	25	24	120	43	8	1	2	1	-	1	-	-	-	-	
Diphtheria - - -	11	2	2	1	5	-	10	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -	130	51	45	13	10	6	125	5	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	203	8	12	20	11	12	63	25	11	15	9	18	12	12	11	18	8	1	
Diarrhoea & Dysentery	259	169	44	13	2	-	218	2	1	-	1	5	3	5	3	12	8	1	
Cholera - - - - -	8	3	1	-	-	-	4	-	-	-	-	-	-	-	2	2	1	-	
Other Zymotic Dis.	111	13	13	12	8	5	51	6	1	2	5	9	5	5	7	18	7	-	
Cancer - - - - -	79	-	-	-	2	-	2	1	-	-	-	-	12	21	18	17	7	1	
Scrofula and Tuberc.	171	28	24	12	4	-	62	8	7	1	4	8	3	4	2	2	-	-	
Phthisis - - - -	303	20	35	12	4	2	53	8	15	43	69	154	102	82	62	14	1	-	
Hydrocephalus - -	89	25	33	11	6	5	89	5	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - -	653	151	52	21	17	7	248	13	6	4	9	43	26	58	39	50	32	10	
Dis. of Heart & Dropsy	316	9	7	1	-	-	17	5	5	6	5	45	32	37	61	49	32	8	
Dis. of Lungs - -	875	272	114	34	18	7	445	13	2	7	16	31	44	60	85	108	76	7	
Dis. of Stom. and Liver	200	38	4	3	2	1	45	2	5	3	5	28	21	26	25	31	16	-	
Dis. of Kidneys -	98	-	-	1	2	1	4	3	1	2	2	18	14	12	17	15	11	1	
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - -	32	-	2	-	-	-	2	6	10	2	2	2	2	1	2	2	-	-	
Dis. of Skin - - -	14	4	1	-	-	-	5	-	-	1	-	1	3	1	1	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	25	-	-	-	-	-	-	-	-	-	3	9	3	5	1	1	2	-	
Other Violent Deaths	165	15	4	8	2	2	31	13	10	11	7	24	26	15	13	5	7	1	
Other Causes - - -	895	499	43	5	3	-	550	3	2	1	7	12	20	14	20	50	161	55	

290.—TAVISTOCK.

Mean Popul ⁿ , 1861-71	16851	488	429	479	449	463	2308	2224	1941	1717	1275	2094	1845	1544	1109	560	210	24
TOTAL DEATHS -	3317	662	246	99	85	63	1155	202	102	116	104	165	183	224	336	371	280	73
Small-pox - - -	5	-	1	-	-	-	1	-	1	-	1	-	-	-	2	-	-	-
Measles - - - -	68	10	24	9	10	7	69	0	-	1	1	-	-	-	-	-	-	-
Scarlatina - - -	193	6	15	23	35	20	89	74	23	4	2	1	-	-	-	-	-	-
Diphtheria - - -	23	3	1	4	5	2	15	7	2	1	-	-	-	-	-	-	-	-
Whooping-cough -	82	38	26	7	4	2	77	5	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	156	3	4	6	4	10	27	32	16	18	11	9	6	4	6	8	1	-
Diarrhoea & Dysentery	82	45	13	2	-	1	61	-	1	-	1	1	1	1	2	9	3	-
Cholera - - - - -	13	6	-	-	1	-	7	-	-	1	1	-	-	-	-	-	-	-
Other Zymotic Dis.	73	6	8	7	8	5	24	11	-	1	1	3	4	3	3	7	2	1
Cancer - - - - -	43	-	-	-	-	-	-	1	-	1	-	2	3	6	8	15	7	-
Scrofula and Tuberc.	57	17	9	6	2	1	35	6	2	3	1	5	3	6	8	15	7	-
Phthisis - - - -	351	1	5	4	4	1	15	5	9	42	39	65	51	47	53	29	1	-
Hydrocephalus - -	53	16	9	2	2	-	29	2	4	-	-	-	-	-	-	-	-	-
Dis. of Brain - -	373	109	19	3	3	3	137	10	9	7	6	10	17	24	57	68	45	5
Dis. of Heart & Dropsy	197	1	3	1	-	-	5	5	4	4	4	8	12	25	49	66	39	2
Dis. of Lungs - -	564	133	54	13	10	3	213	8	3	4	6	20	24	40	110	80	36	7
Dis. of Stom. and Liver	129	19	3	-	1	2	25	2	5	4	4	5	7	19	23	24	11	-
Dis. of Kidneys -	64	-	1	-	-	-	1	2	1	2	1	6	10	8	5	19	7	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	14	-	1	3	-	-	4	1	1	2	-	1	2	1	1	1	-	-
Dis. of Skin - - -	8	1	-	-	-	-	1	2	-	3	-	1	-	-	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	13	-	-	-	-	-	-	-	-	1	1	-	1	4	4	8	-	-
Other Violent Deaths	200	1	9	7	4	3	24	18	18	16	21	22	29	25	17	8	2	2
Other Causes - - -	592	247	41	2	2	11	295	5	3	1	3	6	12	12	19	50	134	56

291.—OKEHAMPTON.

Mean Popul ⁿ , 1861-71	9533	262	269	238	244	246	1259	1168	1060	1018	723	1089	948	859	692	484	306	37
TOTAL DEATHS -	1608	307	77	35	20	25	404	44	37	35	43	76	64	89	140	282	231	53
Small-pox - - -	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
Measles - - - -	21	3	6	4	2	4	19	1	-	1	-	-	-	-	-	-	-	-
Scarlatina - - -	28	1	2	6	6	3	18	6	1	2	-	-	1	-	-	-	-	-
Diphtheria - - -	18	4	4	1	1	5	15	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	20	13	10	9	1	2	36	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	46	-	2	1	1	-	4	-	9	2	7	5	7	4	8	4	1	1
Diarrhoea & Dysentery	22	19	1	1	-	-	14	-	-	-	-	-	1	-	1	4	2	-
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	43	5	7	5	-	3	20	5	1	2	-	-	-	2	3	5	3	-
Cancer - - - - -	27	-	-	-	-	-	-	-	-	-	-	2	1	5	7	8	2	-
Scrofula and Tuberc.	14	2	1	-	-	1	4	-	1	2	-	2	1	1	-	2	1	-
Phthisis - - - -	120	4	4	2	-	-	10	2	3	9	25	52	37	15	14	50	-	-
Hydrocephalus - -	24	8	4	3	-	-	15	3	5	-	-	-	-	1	-	-	-	-
Dis. of Brain - -	165	39	7	5	1	3	55	2	1	4	-	6	2	12	18	38	23	4
Dis. of Heart & Dropsy	130	2	-	-	-	1	3	4	2	1	-	1	7	8	14	24	46	3
Dis. of Lungs - -	949	60	16	3	3	1	83	2	1	1	1	5	11	9	32	69	39	4
Dis. of Stom. and Liver	66	7	1	-	2	-	10	-	2	-	1	3	6	3	9	21	19	1
Dis. of Kidneys -	53	1	-	-	-	-	11	-	-	-	-	3	2	3	4	13	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -	8	1	1	-	-	-	2	1	-	1	-	-	-	-	1	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	79	-	4	2	-	1	8	9	7	8	5	6	5	13	8	6	3	-
Other Causes - - -	425	143	7	-	2	1	153	3	2	1	1	1	1	1	7	47	281	56

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
289.—STOKE DAMEREL.																			
Mean Popul ⁿ , 1861-71	24112	654	592	604	593	532	2975	2532	2133	2100	2209	3888	3082	2361	1523	898	354	57	
TOTAL DEATHS	5142	1031	471	251	127	99	1979	188	94	108	153	355	320	354	398	409	531	154	
Small-pox	26	5	5	5	14	1	18	1		1		4	2						
Measles	290	81	76	52	21	9	189	9	1		1								
Scarlatina	181	5	26	32	28	28	117	50	5	2	1		3						
Diphtheria	25	4	7	2	3	3	19	5	2			1							
Whooping-cough	169	56	53	32	11	4	156	13			13	22	12						
Typhus	224	2	14	19	15	15	65	34	23	20	13	7	4	10	8	12	4	1	
Diarrhoea & Dysentery	259	149	81	9	5		194	1	3	1	2	7	4	5	10	14	16	2	
Cholera	3	1					1					1		1					
Other Zymotic Dis.	90	13	5	8	3	4	33	10	5	1	3	6	2	6	7	8	7	2	
Cancer	141	1	1				2	1			1	9	22	37	39	22	7	1	
Scrophula and Tuberc.	78	20	23	7	3	2	55	8	8	4		2	2	1	2	1			
Phthisis	565	15	12	4	1	3	35	15	20	46	64	146	104	85	42	12	1		
Hydrocephalus	67	23	16	9	5	2	55	8	4										
Dis. of Brain	580	95	36	17	11	10	169	17	7	6	12	26	34	41	66	108	74	20	
Dis. of Heart & Dropsy	327	1	1	4	1	1	8	5	5	4	7	30	30	45	66	84	56	9	
Dis. of Lungs	771	180	105	37	11	8	341	11	2	5	7	19	30	46	70	116	108	16	
Dis. of Stom. and Liver	228	14	4		2	1	21	3	2	7	12	18	31	36	45	29	22	2	
Dis. of Kidneys	53	1		2			3			1	4	11	10	8	5	6	3	2	
Dis. of Gener. Organs	34										4	1	19	9	7	2	1		
Dis. of Joints	21		1			1	2	2	5	3	1	1	1	5		1			
Dis. of Skin	12	2	1	1			4							1	5		2		
Childbirth and Metris	67									3	15	29	18	2					
Suicide	13											3	2		4	2			
Other Violent Deaths	55	15	9	2	8	3	24	3		1	4	1	3	4	4	4	7		
Other Causes	950	409	61	11	2	4	468		2	3	3	2	18	9	10	18	78	90	

290.—TAVISTOCK.

Mean Popul ⁿ , 1861-71	16401	457	441	474	440	446	2258	2182	1871	1562	1293	2059	1756	1463	1047	623	253	35
TOTAL DEATHS	2943	483	227	137	86	63	996	191	93	95	114	166	148	152	216	332	321	119
Small-pox	5	3	—	—	—	—	3	1	—	—	—	1	—	—	—	—	—	—
Measles	75	11	25	14	5	6	61	12	—	—	1	1	—	—	—	—	—	—
Scarlatina	229	4	24	30	25	23	169	79	26	4	1	—	—	1	—	—	—	—
Diphtheria	37	2	2	5	5	7	21	14	4	—	1	—	—	—	—	—	—	—
Whooping-cough	86	44	23	15	1	2	85	1	—	—	—	—	—	—	—	—	—	—
Typhus	144	4	4	7	10	9	34	22	16	17	12	12	12	7	4	6	1	1
Diarrhoea & Dysentery	67	33	12	4	3	1	53	—	—	—	—	3	—	1	3	4	5	—
Cholera	12	3	2	—	—	1	6	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	56	7	10	6	7	2	32	7	—	3	2	—	—	1	1	5	5	—
Cancer	84	—	—	—	—	—	—	—	—	—	1	5	7	19	24	18	10	—
Scrophula and Tuberc.	63	10	14	11	6	—	41	3	2	4	4	1	4	—	3	1	—	—
Phthisis	328	6	1	3	3	1	14	9	15	37	57	70	49	35	25	12	3	2
Hydrocephalus	10	3	3	1	—	—	7	2	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	391	60	17	8	4	4	98	14	4	8	4	18	19	13	22	37	45	4
Dis. of Heart & Dropsy	205	1	—	—	—	1	2	3	3	5	6	7	7	23	45	65	36	3
Dis. of Lungs	391	79	41	16	8	3	147	10	7	2	6	17	12	14	36	71	62	7
Dis. of Stom. and Liver	126	10	1	3	—	—	14	5	6	1	1	8	8	21	39	21	12	3
Dis. of Kidneys	39	—	—	—	—	—	—	2	2	4	1	4	8	8	4	5	—	1
Dis. of Gener. Organs	10	—	—	—	—	—	—	—	—	—	—	—	—	2	6	1	1	—
Dis. of Joints	9	—	—	—	—	—	—	1	2	—	—	2	—	—	1	—	1	—
Dis. of Skin	10	5	1	—	—	—	6	—	1	—	—	—	—	—	1	—	1	—
Childbirth and Metris	48	—	—	—	—	—	—	—	—	2	14	17	15	—	—	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Other Violent Deaths	35	4	4	2	2	2	14	7	1	6	2	—	—	2	1	1	2	—
Other Causes	580	194	45	12	4	1	254	3	3	1	1	—	5	5	13	61	137	97

291.—OKEHAMPTON.

Mean Popul ⁿ , 1861-71	9382	253	259	237	269	233	1251	1155	1028	870	711	1100	971	865	666	504	212	49
TOTAL DEATHS	1548	201	80	34	37	20	572	61	44	49	57	77	83	80	140	239	241	114
Small-pox	2	—	1	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—
Measles	15	2	7	2	4	—	15	3	—	—	—	—	—	—	—	—	—	—
Scarlatina	35	5	2	3	2	3	13	11	5	—	1	—	2	1	—	—	—	—
Diphtheria	15	1	3	2	3	1	10	3	2	—	—	—	—	—	—	—	—	—
Whooping-cough	22	5	8	3	—	1	17	5	—	—	—	—	—	—	—	—	—	—
Typhus	61	2	1	2	1	2	8	5	13	9	11	2	6	1	2	2	2	—
Diarrhoea & Dysentery	14	4	2	—	—	—	6	1	—	1	—	—	—	—	—	3	3	—
Cholera	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	41	5	6	4	4	2	21	3	2	4	—	1	—	1	5	3	1	—
Cancer	49	—	—	—	—	—	—	—	—	—	—	1	1	8	16	15	7	1
Scrophula and Tuberc.	7	1	1	—	—	1	3	1	1	—	1	—	1	—	—	—	—	—
Phthisis	181	6	3	4	6	1	20	3	9	20	26	38	32	12	14	6	1	—
Hydrocephalus	31	12	5	3	3	1	24	4	2	—	—	—	1	—	—	—	—	—
Dis. of Brain	123	28	7	1	1	—	37	1	5	2	2	6	1	12	14	23	17	5
Dis. of Heart & Dropsy	187	2	—	—	—	—	2	3	—	5	4	8	11	26	41	34	30	3
Dis. of Lungs	214	42	18	3	6	2	71	7	3	2	1	5	6	7	25	36	34	5
Dis. of Stom. and Liver	53	3	2	—	—	1	6	4	—	1	4	2	4	2	9	10	19	1
Dis. of Kidneys	10	—	—	—	—	—	—	1	—	—	—	2	5	—	3	1	—	—
Dis. of Gener. Organs	4	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
Dis. of Joints	8	—	—	—	—	1	1	—	1	—	1	—	—	1	—	1	—	—
Dis. of Skin	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	18	—	—	—	—	—	—	—	—	1	2	7	8	—	—	—	—	—
Suicide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	26	—	5	3	2	2	12	2	1	1	—	1	2	4	1	—	—	—
Other Causes	424	85	9	4	5	1	104	3	—	3	3	4	3	2	9	61	134	98

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	Total.
292.—CREDITON.																				
Mean Popul ⁿ , 1861-71		9734	264	263	266	241	237	1271	1212	1128	1012	710	1028	979	929	760	493	190	22	
TOTAL DEATHS		1818	331	91	50	29	17	518	72	32	40	59	94	70	117	194	297	233	71	
Small-pox		5	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	
Measles		25	5	7	5	3	2	23	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina		37	5	8	6	5	5	27	7	1	2	-	-	-	-	-	-	-	-	
Diphtheria		12	2	-	1	2	1	6	1	3	-	-	1	-	-	-	1	-	-	
Whooping-cough		30	14	8	3	2	-	27	3	-	-	-	-	-	-	-	-	-	-	
Typhus		46	1	-	1	-	2	4	5	3	3	2	4	3	5	7	6	4	2	
Diarrhoea & Dysentery		15	4	-	-	-	-	4	-	-	-	-	2	2	1	1	3	2	1	
Cholera		13	2	2	-	-	-	4	2	-	-	-	2	2	3	1	1	2	1	
Other Zymotic Dis.		42	6	4	6	2	2	30	4	2	3	-	3	-	2	1	3	4	-	
Cancer		31	-	-	-	-	-	-	-	1	-	-	-	-	2	10	10	3	-	
Scrofula and Tuberc.		25	4	2	2	2	-	10	5	-	1	5	1	-	2	1	-	-	-	
Phthisis		173	4	6	2	1	1	14	4	3	16	28	46	20	12	24	6	-	-	
Hydrocephalus		22	4	6	2	2	-	14	7	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain		231	64	6	2	4	1	77	5	7	3	5	2	6	13	31	34	28	2	
Dis. of Heart & Dropsy		160	4	-	-	-	-	6	1	1	2	3	8	7	20	53	31	25	2	
Dis. of Lungs		283	61	18	7	4	1	91	4	-	3	4	7	15	23	31	34	11	-	
Dis. of Stom. and Liver		102	15	3	-	-	-	19	6	2	-	2	5	4	14	15	34	11	-	
Dis. of Kidneys		23	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	7	-	
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		8	-	-	-	-	-	-	1	1	-	-	-	-	2	2	2	-	-	
Dis. of Skin		6	4	-	-	-	-	4	-	-	-	-	-	-	1	-	1	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		13	-	-	-	-	-	-	-	-	-	-	1	3	3	4	2	-	-	
Other Violent Deaths		72	3	4	5	1	2	15	8	6	4	4	7	8	5	7	8	2	1	
Other Causes		444	129	17	6	-	2	154	5	2	2	-	3	4	10	21	68	126	35	

293.—TIVERTON.																				
Mean Popul ⁿ , 1861-71		14610	400	389	402	392	381	1964	1832	1731	1487	993	1591	1478	1412	1032	710	310	40	
TOTAL DEATHS		3092	634	193	76	55	60	1018	118	75	72	99	140	172	199	283	567	454	113	
Small-pox		32	5	2	2	-	3	12	5	3	3	5	2	2	-	-	-	-	-	
Measles		58	20	18	9	2	3	52	4	1	-	1	1	-	-	-	-	-	-	
Scarlatina		195	7	18	14	9	17	65	36	3	1	2	1	-	-	-	-	-	-	
Diphtheria		13	-	2	1	2	-	5	5	1	1	-	-	-	-	1	-	-	-	
Whooping-cough		46	26	8	7	3	-	44	2	-	-	-	-	-	-	-	-	-	-	
Typhus		79	2	1	3	2	4	12	9	10	13	8	4	6	6	3	6	3	-	
Diarrhoea & Dysentery		76	43	8	1	2	1	55	1	-	1	-	3	1	2	4	3	5	1	
Cholera		16	-	1	-	-	-	2	3	3	1	-	1	1	5	4	1	2	2	
Other Zymotic Dis.		75	7	8	10	10	3	53	6	-	6	5	1	7	5	6	1	2	2	
Cancer		31	-	-	-	-	-	-	-	-	-	-	-	2	5	10	9	5	-	
Scrofula and Tuberc.		38	8	6	1	1	3	20	2	2	2	1	5	1	2	-	1	1	1	
Phthisis		320	5	4	2	-	4	15	4	17	22	53	63	65	42	31	18	3	-	
Hydrocephalus		57	22	15	4	3	1	45	8	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain		402	130	21	6	3	4	163	5	6	5	6	11	17	19	32	73	28	12	
Dis. of Heart & Dropsy		214	10	-	-	-	-	13	5	-	2	2	10	10	23	32	36	37	3	
Dis. of Lungs		464	76	37	7	9	3	132	8	-	5	2	5	8	28	36	58	73	11	
Dis. of Stom. and Liver		118	13	1	1	1	2	18	-	5	4	1	8	10	21	28	14	14	3	
Dis. of Kidneys		47	-	-	-	-	-	-	-	1	1	1	2	12	4	6	8	11	1	
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		27	-	4	-	-	1	5	3	4	1	2	2	-	5	2	1	3	-	
Dis. of Skin		16	6	1	-	-	-	7	1	-	-	-	-	1	-	-	-	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		18	-	-	-	-	-	-	-	1	1	-	2	1	7	2	3	1	-	
Other Violent Deaths		109	3	8	3	2	7	24	8	9	6	5	7	11	11	16	4	6	2	
Other Causes		730	231	36	5	2	3	297	3	2	-	2	8	7	11	16	33	42	7	

293.—TIVERTON.

Mean Popul ⁿ , 1861-71		14610	400	389	402	392	381	1964	1832	1731	1487	993	1591	1478	1412	1062	710	310	40	
TOTAL DEATHS		3092	634	193	76	55	60	1018	118	75	72	99	140	172	199	283	567	454	113	
Small-pox		32	5	2	2	-	3	12	5	3	3	5	2	2	-	-	-	-	-	
Measles		58	20	18	9	2	3	52	4	1	-	-	1	-	-	-	-	-	-	
Scarlatina		108	7	18	14	9	17	65	36	3	1	2	1	-	-	-	-	-	-	
Diphtheria		13	-	2	1	2	-	5	5	1	1	-	-	-	-	1	-	-	-	
Whooping-cough		46	26	8	7	3	-	44	2	-	-	-	-	-	-	-	-	-	-	
Typhus		79	2	1	5	2	4	12	9	10	13	8	4	6	6	5	6	3	1	
Diarrhoea & Dysentery		75	45	8	1	2	1	55	1	-	1	-	3	1	2	4	1	3	1	
Cholera		16	-	-	-	-	-	1	2	3	-	-	1	1	4	-	-	-	-	
Other Zymotic Dis.		75	7	3	10	10	3	93	6	-	6	5	1	7	5	6	1	2	2	
Cancer		31	-	-	-	-	-	-	-	-	-	-	2	5	10	3	5	-	-	
Scrofula and Tuberc.		38	8	6	1	3	2	20	2	2	2	1	5	1	2	-	-	-	-	
Phthisis		320	5	4	2	-	4	15	4	17	22	53	63	55	42	31	13	2	1	
Hydrocephalus		57	22	15	4	3	1	45	3	2	-	1	-	-	-	-	-	-	-	
Dis. of Brain		402	180	21	5	3	4	163	5	6	5	6	11	17	19	25	73	22	22	
Dis. of Heart & Dropsy		214	10	-	-	-	1	12	5	-	2	2	10	10	23	32	36	27	1	
Dis. of Lungs		464	76	37	7	9	3	132	8	5	2	5	3	26	36	68	68	75	11	
Dis. of Stom. and Liver		116	13	1	1	1	2	18	-	5	4	1	6	10	21	28	14	9	-	
Dis. of Kidneys		47	-	-	-	-	-	-	-	1	1	1	2	12	4	6	8	11	1	
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		27	-	4	-	-	1	5	3	4	1	2	-	2	5	2	1	-	-	
Dis. of Skin		16	6	1	-	-	-	7	1	-	-	-	-	1	-	1	3	3	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		18	-	-	-	-	-	-	-	1	1	-	2	1	7	2	3	1	-	
Other Violent Deaths		109	3	8	3	3	7	24	8	9	6	5	7	11	11	16	4	6	2	
Other Causes		730	231	36	5	2	3	297	3	2	-	2	8	7	11	16	89	222	79	

294.—SOUTH MOLTON.

Mean Popul ⁿ , 1861-71		9739	269	270	268	232	242	1281	1232	1163	1028	756	1076	945	868	707	470	198	15	
TOTAL DEATHS		1893	344	100	44	26	25	539	63	40	47	55	94	83	124	158	276	271	54	
Small-pox		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles		20	4	6	2	2	2	16	2	-	1	1	-	-	-	-	-	-	-	
Scarlatina		40	1	6	6	5	8	26	10	-	1	1	-	-	-	-	-	-	-	
Diphtheria		5	-	-	1	-	2	3	1	-	1	-	-	-	-	-	-	-	-	
Whooping-cough		32	17	11	2	2	-	32	-	-	-	-	-	-	-	-	-	-	-	
Typhus		51	1	1	2	-	1	5	7	8	7	5	6	3	4	2	3	1	-	
Diarrhoea & Dysentery		32	12	3	-	-	1	16	1	1	-	-	1	-	2	3	2	1	-	
Cholera		8	-	-	1	-	-	1	2	-	-	-	1	-	1	1	1	1	-	
Other Zymotic Dis.		43	8	7	5	4	4	25	-	2	-	1	2	1	2	1	3	3	-	
Cancer		39	-	-	-	-	-	-	-	-	-	-	1	6	8	10	11	3	-	
Scrofula and Tuberc.		30	9	3	1	1	1	15	5	1	2	1	3	1	-	-	-	-	-	
Phthisis		172	5	2	2	-	-	9	3	5	18	32	36	23	20	11	11	4	-	
Hydrocephalus		38	17	7	3	4	1	32	5	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain		229	62	9	3	1	1	76	7	-	3	2	5	4	23	21	39	33	2	
Dis. of Heart & Dropsy		150	4	1	-	-	-	6	3	2	2	-	8	10	12	24	50	39	6	
Dis. of Lungs		319	61	36	11	4	2	114	6	3	3	4	12	13	14	44	52	47	7	
Dis. of Stom. and Liver		98	12	-	-	-	1	13	3	2	1	5	6	6	12	15	24	15	1	
Dis. of Kidneys		35	-	-	-	-	-	-	-	2	-	-	1	1	6	4	11	19	-	
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	
Dis. of Skin		8	3	-	-	-	1	4	-	-	-	-	-	-	-	1	1	2	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		6	-	-	-	-	-	7	3	10	6	-	9	8	3	8	6	3	1	
Other Violent Deaths		79	2	1	2	2	-	136	3	3	1	-	1	7	5	7	42	134	30	
Other Causes		961	120	7	3	-	-	136	3	3	1	-	1	7	5	7	42	134	30	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	25 years and over.	
292.—CREDITON.																			
Mean Popul ⁿ , 1861-71	10106	256	252	265	258	250	1281	1248	1099	876	720	1164	1077	990	765	577	265	44	
TOTAL DEATHS -	1890	257	94	52	28	23	454	60	47	56	59	94	100	114	163	298	319	124	
Small-pox - - -	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Measles - - -	25	6	9	3	3	-	21	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	28	1	3	11	5	4	24	8	-	1	2	1	-	-	-	-	-	-	
Diphtheria - - -	11	1	-	6	-	-	7	1	1	-	-	-	-	1	1	-	-	-	
Whooping-cough -	31	12	6	1	2	5	26	5	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	33	-	1	3	-	2	6	8	9	7	2	2	2	2	6	6	3	-	
Diarrhoea & Dysentery	25	8	1	3	-	-	12	1	-	-	-	-	-	1	1	4	5	1	
Cholera - - -	12	1	-	1	2	1	5	2	-	-	-	1	-	-	2	1	-	1	
Other Zymotic Dis.	49	6	8	3	5	3	25	4	1	1	1	-	-	-	2	2	5	8	
Cancer - - -	57	-	-	-	-	1	1	-	1	-	-	-	8	9	13	16	8	1	
Scrofula and Tuberc.	25	6	5	1	1	-	13	-	2	-	-	-	1	2	5	2	-	-	
Phthisis - - -	193	1	2	-	-	2	7	6	13	27	24	47	25	25	14	6	2	-	
Hydrocephalus - -	22	10	5	2	-	-	17	2	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	240	45	12	6	5	-	66	8	6	7	9	6	11	14	26	57	27	3	
Dis. of Heart & Dropsy	197	6	-	-	1	-	7	1	2	5	5	16	14	18	30	61	44	4	
Dis. of Lungs - - -	257	40	16	5	3	2	66	5	2	2	5	3	13	12	22	37	42	8	
Dis. of Stom. and Liver	119	8	3	-	-	1	12	2	-	2	4	5	10	9	27	34	14	1	
Dis. of Kidneys - -	9	-	1	-	-	-	1	1	-	-	-	-	2	2	2	1	-	-	
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	-	3	4	2	2	-	-	
Dis. of Joints - - -	4	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	
Dis. of Skin - - -	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	3	8	7	1	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	23	7	3	-	-	2	12	3	2	-	-	-	2	-	3	1	6	3	
Other Causes - - -	73	98	18	4	3	-	123	-	3	3	1	2	-	9	13	59	158	102	

293.—TIVERTON.																		
Mean Popul ⁿ , 1861-71	15691	425	386	406	366	395	1978	1835	1686	1498	1203	1949	1719	1516	1135	780	331	61
TOTAL DEATHS -	3100	504	165	100	62	55	886	112	87	103	114	176	174	157	249	428	464	150
Small-pox - - -	29	5	2	2	2	-	11	4	5	2	-	7	-	-	-	-	-	-
Measles - - -	60	5	20	10	7	3	45	3	1	-	1	-	-	-	-	-	-	-
Scarlatina - - -	109	4	21	17	9	16	67	26	9	1	1	4	1	-	-	-	-	-
Diphtheria - - -	14	2	1	1	2	3	9	2	1	-	1	-	-	1	-	-	-	-
Whooping-cough -	62	27	11	11	10	8	62	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	90	4	1	3	4	6	18	16	9	10	7	8	3	4	7	6	2	-
Diarrhoea & Dysentery	73	27	7	1	1	1	37	1	1	-	-	1	3	5	5	7	13	2
Cholera - - -	18	1	2	1	2	-	2	3	1	-	-	-	-	1	5	3	-	-
Other Zymotic Dis.	69	7	3	4	4	8	26	7	3	3	2	2	3	1	6	3	-	-
Cancer - - -	79	-	-	-	-	-	-	-	-	-	-	2	10	15	19	17	15	1
Scrofula and Tuberc.	65	13	7	4	1	1	26	6	7	6	2	2	3	3	1	-	-	-
Phthisis - - -	375	5	4	4	1	2	16	6	25	43	66	94	64	30	19	7	1	-
Hydrocephalus - -	31	9	2	6	3	3	22	6	1	2	-	-	-	-	-	-	-	-
Dis. of Brain - - -	368	85	18	9	4	-	116	7	6	9	9	10	15	23	27	66	57	10
Dis. of Heart & Dropsy	285	7	2	2	2	1	14	5	1	7	5	10	21	25	37	88	47	5
Dis. of Lungs - - -	416	78	33	14	6	2	133	11	3	6	6	9	12	14	44	91	69	18
Dis. of Stom. and Liver	135	8	3	-	3	-	14	3	1	1	4	5	8	13	33	37	13	2
Dis. of Kidneys - -	21	-	1	1	-	-	2	-	-	2	4	1	3	3	1	3	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-	-
Dis. of Joints - - -	16	-	-	-	-	-	-	1	2	1	2	2	2	1	2	3	-	-
Dis. of Skin - - -	12	1	-	-	-	-	1	-	1	1	1	2	-	-	1	4	1	-
Childbirth and Metria	41	-	-	-	-	-	-	-	-	2	3	13	20	3	-	-	-	-
Suicide - - -	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-
Other Violent Deaths	38	8	2	5	1	3	19	1	3	-	-	-	1	2	3	4	3	2
Other Causes - - -	719	209	25	5	1	3	243	5	5	4	-	1	6	10	14	85	236	110

294.—SOUTH MOLTON.																		
Mean Popul ⁿ , 1861-71	9514	236	233	249	252	236	1206	1178	1034	916	746	1152	957	904	676	490	224	31
TOTAL DEATHS -	1683	234	79	37	42	10	402	51	53	62	58	98	98	96	137	247	292	89
Small-pox - - -	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Measles - - -	8	2	4	-	1	-	6	-	1	-	-	1	-	-	-	-	-	-
Scarlatina - - -	32	2	5	7	4	-	18	3	6	3	1	2	-	-	-	-	-	-
Diphtheria - - -	10	-	1	-	3	-	4	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	36	20	8	1	6	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	47	-	-	-	-	1	3	4	5	11	6	6	3	2	3	1	3	-
Diarrhoea & Dysentery	24	8	4	1	-	-	13	-	-	-	1	1	-	-	-	-	5	4
Cholera - - -	7	-	1	-	-	1	2	3	-	-	-	-	1	-	1	-	-	-
Other Zymotic Dis.	34	1	3	1	2	3	10	3	4	1	-	-	1	3	4	6	2	-
Cancer - - -	68	-	-	-	-	-	-	-	-	1	-	-	7	14	20	17	5	4
Scrofula and Tuberc.	29	13	3	2	-	-	18	3	3	1	-	2	1	-	1	-	-	-
Phthisis - - -	200	3	1	3	2	3	12	4	13	24	28	50	26	13	17	19	-	-
Hydrocephalus - -	18	5	1	2	3	-	11	4	3	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	191	57	11	2	7	1	58	5	6	1	3	7	6	24	15	31	28	7
Dis. of Heart & Dropsy	196	-	-	-	-	-	60	4	2	4	3	6	15	16	29	65	50	2
Dis. of Lungs - - -	290	41	28	6	7	1	83	8	2	7	6	6	11	15	18	32	43	9
Dis. of Stom. and Liver	75	3	1	1	1	-	11	2	-	4	4	5	9	6	14	15	3	2
Dis. of Kidneys - -	22	2	-	-	1	-	3	-	-	-	-	3	3	1	4	6	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	1	-
Dis. of Joints - - -	10	-	-	1	-	-	1	1	1	-	1	1	2	1	1	1	-	-
Dis. of Skin - - -	6	1	-	-	2	-	3	-	1	1	-	-	-	-	-	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	4	7	9	-	-	-	-	-
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	54	2	3	6	2	-	13	3	2	2	-	-	1	1	2	14	5	2
Other Causes - - -	537	89	4	3	1	-	97	-	1	2	-	-	-	2	3	29	144	57

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																Total under 1 Year.	Total under 5 Years.																																																																																				
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
		295.—BARNSTAPLE.																																																																																																					
17195	486	454	484	464	455	2343	2141	1993	1759	1273	1916	1691	1528	1276	878	346	51																																																																																						
TOTAL DEATHS -	3332	668	180	72	47	39	1006	115	51	106	102	204	188	223	291	509	401	139																																																																																					
Small-pox - - -	15	3	1	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-																																																																																					
Measles - - - -	49	9	16	5	4	39	6	-	-	2	-	1	1	-	-	-	-	-																																																																																					
Scarlatina - - -	52	9	7	4	12	5	37	12	3	-	-	-	-	-	-	-	-	-																																																																																					
Diphtheria - - -	15	3	2	1	2	1	9	5	1	-	-	-	-	-	-	-	-	-																																																																																					
Whooping-cough -	59	40	14	-	3	1	58	1	-	-	-	-	-	-	-	-	-	-																																																																																					
Typhus - - - - -	63	1	2	2	2	3	10	8	4	12	1	7	5	2	10	4	2	-																																																																																					
Diarrhœa & Dysentery	99	63	16	2	-	-	81	1	-	1	1	1	1	1	1	4	6	2																																																																																					
Cholera - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-																																																																																					
Other Zymotic Dis.	78	9	12	6	1	3	31	6	1	1	2	3	2	1	9	11	10	1																																																																																					
Cancer - - - - -	62	-	-	-	-	1	1	-	-	1	1	-	2	6	22	19	3	1																																																																																					
Scrofula and Tuberc.	43	11	4	3	1	3	22	4	9	2	3	6	1	1	1	1	1	-																																																																																					
Phthisis - - - -	305	8	8	9	1	2	28	14	11	88	54	96	69	45	24	22	2	-																																																																																					
Hydrocephalus -	43	12	11	5	2	2	32	5	4	2	-	-	-	-	-	-	-	-																																																																																					
Dis. of Brain - -	429	100	15	10	4	5	134	15	6	8	5	9	18	30	50	106	43	4																																																																																					
Dis. of Heart & Dropsy	217	1	-	2	-	2	5	5	0	6	3	12	11	26	37	69	34	6																																																																																					
Dis. of Lungs - -	535	135	41	12	6	4	198	14	2	6	9	14	21	35	47	55	30	12																																																																																					
Dis. of Stom. and Liver	164	22	1	-	1	1	55	1	3	3	8	9	21	18	59	30	10	2																																																																																					
Dis. of Kidneys -	91	1	-	-	-	-	1	1	1	2	2	10	9	11	17	24	6	7																																																																																					
Dis. of Genes. Organs -	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-																																																																																					
Dis. of Joints - -	26	-	1	-	-	-	1	2	-	5	1	2	2	6	5	1	1	-																																																																																					
Dis. of Skin - - -	9	4	-	-	-	-	4	-	-	1	-	-	-	1	-	2	1	-																																																																																					
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																					
Suicide - - - - -	15	-	-	-	-	-	-	-	-	-	-	1	5	2	3	3	-	-																																																																																					
Other Violent Deaths -	172	11	5	5	6	1	28	13	9	12	13	25	18	22	30	8	3	1																																																																																					
Other Causes - - -	709	235	24	6	1	1	257	1	1	4	4	8	12	12	16	59	132	103																																																																																					

296.—TORRINGTON.																			
Mean Popul ⁿ , 1861-71 -	7887	218	225	236	207	216	1102	1065	947	847	540	841	736	693	547	387	162	20	
TOTAL DEATHS -	1459	264	81	55	25	25	450	60	30	39	41	66	79	68	134	198	228	66	
Small-pox - - -	1	-	-	-	-	-	22	3	1	-	-	1	-	-	-	-	-	-	
Measles - - - -	26	5	4	9	4	-	15	6	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	24	1	3	7	3	1	11	9	2	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	23	1	3	2	2	3	11	9	2	-	-	1	-	-	-	-	-	-	
Whooping-cough -	19	6	7	3	1	1	18	1	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	64	-	1	1	2	4	8	6	6	8	7	12	2	8	4	2	1	-	
Diarrhœa & Dysentery	25	12	2	-	-	-	14	1	-	-	-	-	-	-	5	5	2	-	
Cholera - - - - -	41	3	4	3	4	6	20	6	2	-	-	-	1	-	5	5	3	-	
Other Zymotic Dis.	23	-	-	-	1	-	1	-	-	1	-	-	-	-	2	5	3	-	
Cancer - - - - -	24	3	3	-	1	1	8	5	1	8	-	2	1	2	1	1	1	-	
Scrofula and Tuberc.	175	2	1	1	-	-	5	7	4	13	18	30	20	12	24	20	5	1	
Phthisis - - - -	26	11	3	4	2	1	21	-	3	2	-	-	-	-	-	-	-	-	
Hydrocephalus -	159	46	9	3	1	1	54	3	1	1	5	2	5	20	31	24	3	3	
Dis. of Brain - -	197	1	-	1	-	2	5	1	1	1	3	6	8	10	17	32	22	3	
Dis. of Heart & Dropsy	185	29	18	9	3	3	58	6	2	3	6	12	19	12	21	38	25	2	
Dis. of Lungs - -	67	7	8	2	-	-	12	1	2	3	1	2	7	6	14	11	7	1	
Dis. of Stom. and Liver	33	1	-	-	-	-	1	-	1	-	1	1	2	8	9	6	6	3	
Dis. of Kidneys -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Dis. of Genes. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - -	4	2	1	-	-	-	3	-	-	-	-	1	-	-	-	1	1	-	
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	43	2	3	2	1	3	11	1	2	4	3	2	5	4	6	3	1	-	
Other Violent Deaths -	389	138	16	8	2	1	165	6	1	1	-	-	3	3	5	41	133	31	
Other Causes - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

297.—BIDEFORD.																			
Mean Popul ⁿ , 1861-71 -	8694	273	237	250	252	236	1248	1121	1008	862	652	909	823	758	599	407	187	30	
TOTAL DEATHS -	1703	362	107	51	31	17	568	57	31	50	66	82	95	88	127	216	231	93	
Small-pox - - -	3	-	-	-	-	-	26	2	-	-	1	1	-	1	-	-	-	-	
Measles - - - -	28	9	9	5	3	2	30	11	8	2	-	-	1	-	-	-	-	-	
Scarlatina - - -	47	4	7	13	4	2	2	4	-	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	9	1	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	
Whooping-cough -	24	9	11	1	3	-	24	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	78	3	-	3	5	1	12	8	4	11	10	10	7	1	7	5	3	-	
Diarrhœa & Dysentery	26	12	2	-	-	-	14	2	-	2	-	-	-	-	-	1	1	-	
Cholera - - - - -	17	5	2	1	-	-	18	3	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	39	4	3	2	4	3	16	7	1	-	-	2	1	2	1	5	1	-	
Cancer - - - - -	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc.	37	15	6	2	-	1	24	4	2	-	1	1	1	3	4	7	2	-	
Phthisis - - - -	145	3	2	-	-	3	7	-	4	12	32	24	24	15	12	11	4	-	
Hydrocephalus -	26	7	11	1	2	-	31	1	1	1	1	-	-	-	-	-	-	-	
Dis. of Brain - -	219	51	10	5	3	-	69	4	4	8	3	10	9	10	18	37	28	12	
Dis. of Heart & Dropsy	109	1	2	-	-	2	5	2	3	2	2	4	5	11	15	25	23	5	
Dis. of Lungs - -	278	75	24	10	4	2	115	4	-	4	5	10	15	11	24	42	41	2	
Dis. of Stom. and Liver	62	4	1	2	-	-	7	-	1	-	-	3	6	8	13	13	9	-	
Dis. of Kidneys -	37	-	-	-	1	-	1	1	-	-	-	-	1	3	3	14	4	-	
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - -	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Dis. of Skin - - -	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	89	1	4	4	2	-	11	3	6	4	9	13	14	14	7	7	1	-	
Other Causes - - -	399	136	13	4	-	1	174	1	2	1	-	-	5	6	15	32	68	47	

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
295.—BARNSTAPLE.																			
Mean Popul ⁿ , 1861-71	19655	435	418	450	472	436	2211	2232	1926	1860	1679	2559	2169	1905	1499	1046	481	83	
TOTAL DEATHS -	3404	505	146	81	53	33	818	117	74	106	115	218	183	176	312	478	548	250	
Small-pox - - -	5	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	1	-	
Measles - - -	36	2	14	8	1	4	29	5	2	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	63	3	4	13	10	7	37	16	2	2	2	3	-	1	-	-	-	-	
Diphtheria - - -	17	3	-	2	-	1	6	5	2	-	-	2	-	1	1	-	-	-	
Whooping-cough -	81	39	19	13	6	-	77	4	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	85	2	2	4	4	5	17	14	7	10	8	6	5	3	7	-	5	-	
Diarrhea & Dysentery	67	45	4	-	-	-	47	-	-	2	-	-	2	1	3	5	6	1	
Cholera - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Zymotic Dis.	72	9	5	1	3	3	21	7	5	2	4	7	1	4	8	10	8	-	
Cancer - - -	122	-	-	-	-	-	-	-	-	-	-	4	8	20	53	36	11	7	
Scrophula and Tuberc.	45	11	8	2	2	1	24	1	4	6	1	11	3	1	1	5	-	-	
Phthisis - - -	475	16	6	1	2	3	22	7	25	50	63	115	68	43	47	29	5	-	
Hydrocephalus - -	-	12	6	2	3	1	24	4	8	6	-	-	-	1	-	-	-	-	
Dis. of Brain - - -	383	63	14	10	4	1	92	13	5	4	4	16	15	23	40	84	67	19	
Dis. of Heart & Dropsy	239	2	1	1	-	-	4	4	2	4	5	11	16	23	63	72	49	3	
Dis. of Lungs - - -	478	85	41	5	9	3	143	17	1	7	3	8	16	27	46	110	71	29	
Dis. of Stom. and Liver	153	18	1	1	-	2	32	6	1	7	4	15	8	12	28	33	18	2	
Dis. of Kidneys - -	41	-	-	-	-	-	-	1	-	1	-	7	9	3	8	10	2	-	
Dis. of Genes. Organs	15	-	1	-	-	-	1	-	-	1	4	2	4	2	1	2	-	-	
Dis. of Joints - - -	18	-	-	1	1	-	2	3	1	2	1	2	1	1	1	8	1	-	
Dis. of Skin - - -	11	2	1	-	1	-	4	-	-	-	-	2	-	2	-	1	2	-	
Childbirth and Maternal	48	-	-	-	-	-	-	-	1	10	13	23	1	-	-	-	-	-	
Suicide - - -	6	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	1	-	
Other Violent Deaths	50	9	2	6	1	1	19	7	4	2	1	1	-	1	1	3	7	10	
Other Causes - - -	832	192	17	10	6	1	236	3	1	1	2	2	5	4	25	79	293	14	

		296.—TORRINGTON.																	
Mean Populn. 1861-71		18718	225	213	208	216	214	1076	1020	929	837	732	1130	923	820	596	429	194	32
TOTAL DEATHS -		1615	203	76	50	86	19	384	62	31	67	74	110	105	98	139	206	256	83
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	5	8	2	2	1	18	6	2	-	-	1	-	-	-	-	-	-
Scarlatina -	-	-	25	4	7	1	-	12	6	-	1	4	-	-	1	-	-	-	-
Diphtheria -	-	-	24	1	4	2	2	10	10	4	-	-	-	-	-	-	-	-	-
Whooping-cough -	-	-	24	7	7	4	6	26	1	-	1	-	8	-	-	-	-	-	-
Typhus -	-	-	69	4	2	4	2	13	8	-	7	6	12	6	-	5	4	1	-
Diarrhoea & Dysentery	-	-	13	3	-	1	1	5	-	-	-	-	1	-	4	1	3	2	-
Cholera -	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	-	-	42	2	7	-	4	16	1	-	1	1	1	-	2	7	5	8	-
Cancer -	-	-	45	-	-	-	1	1	1	-	-	-	1	7	11	9	9	5	1
Scrofula and Tuberc.	-	-	16	4	3	1	1	9	-	-	3	-	2	1	1	-	-	-	-
Phthisis -	-	-	209	3	5	4	2	1	15	8	6	34	43	52	49	30	12	15	6
Hydrocephalus -	-	-	19	4	1	3	2	11	3	4	1	-	-	-	-	-	-	-	-
Dis. of Brain -	-	-	131	29	2	5	2	98	7	3	3	5	2	3	9	18	24	17	2
Dis. of Heart & Dropsy	-	-	144	3	1	1	-	6	2	-	2	-	11	9	19	24	34	35	-
Dis. of Lungs -	-	-	181	20	15	6	4	52	4	2	5	3	5	3	9	29	39	21	7
Dis. of Stom. and Liver	-	-	83	5	-	1	1	7	1	-	5	4	9	7	9	13	17	10	1
Dis. of Kidneys -	-	-	12	-	-	-	-	-	-	-	-	-	-	1	-	4	4	2	1
Dis. of Genes. Organs -	-	-	8	-	-	-	-	-	-	1	-	-	1	3	-	2	1	-	-
Dis. of Joints -	-	-	5	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-
Dis. of Skin -	-	-	4	-	1	1	-	2	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria	-	-	26	-	-	-	-	-	-	-	3	2	11	8	2	-	-	-	-
Selficide -	-	-	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-
Other Violent Deaths -	-	-	20	3	1	3	-	8	4	1	-	-	-	1	-	2	-	3	1
Other Causes -	-	-	418	110	15	3	5	135	5	-	-	-	5	2	4	9	48	144	60

		217.—BIDEFORD.																			
Mean Populn. } 1861-71 - }		1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	1880
TOTAL DEATHS -		1768	253	94	63	35	24	460	63	38	62	56	116	92	115	142	244	253	123	123	123
Small-pox -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -		45	6	11	13	7	5	42	2	-	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -		46	3	6	10	4	7	30	10	4	1	-	1	-	-	-	-	-	-	-	-
Diphtheria -		15	-	-	3	3	1	7	5	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough -		41	16	13	7	2	-	25	8	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -		99	3	4	4	2	2	15	8	-	19	10	11	10	8	3	3	2	1	1	1
Dysentery & Cholera -		29	12	3	-	2	1	18	1	-	-	-	-	-	-	2	2	5	1	1	1
Other Zymotic Dis. -		10	4	-	-	-	-	4	2	1	1	-	-	-	-	1	1	1	-	-	-
Cancer -		25	3	3	1	2	4	13	-	-	-	2	-	-	-	2	2	3	2	2	2
Scrophulous and Tuberc. -		49	-	-	-	-	-	-	-	-	-	-	-	6	15	7	10	9	3	3	3
Pneumonia -		35	11	2	2	-	1	16	2	1	4	1	4	4	3	-	-	-	-	-	-
Phthisis -		190	2	-	1	-	-	3	6	5	19	23	51	27	26	17	9	4	-	-	-
Hydrocephalus -		19	3	5	3	1	-	12	5	1	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		169	31	3	4	1	-	29	3	1	5	4	6	5	9	20	42	29	6	6	6
Dis. of Heart & Dropsy -		174	1	5	1	-	1	8	1	4	2	-	10	6	9	37	61	31	5	5	5
Dis. of Lungs -		241	36	23	8	6	2	78	5	3	2	1	9	6	11	21	48	45	12	12	12
Dis. of Stom. and Liver -		97	5	-	-	-	-	5	3	2	3	3	10	8	17	15	9	21	1	1	1
Dis. of Kidneys -		18	-	-	-	-	-	-	-	-	-	-	2	1	4	3	8	-	-	-	-
Dis. of Gener. Organs -		8	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	-	-	-	-
Dis. of Joints -		4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
Dis. of Skin -		3	2	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -		27	-	-	-	-	-	-	-	-	-	10	7	9	1	-	-	-	-	-	-
Suicide -		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	1
Other Violent Deaths -		22	1	-	2	2	-	5	2	2	3	-	-	3	-	4	1	101	92	92	92
Other Causes -		402	114	13	4	2	-	133	5	-	-	2	4	5	8	11	47	101	92	92	92

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
298.—HOLSWORTHY.																			
Mean Popul ⁿ , 1861-71 - }	4760	142	121	123	140	128	654	584	526	468	372	585	468	434	320	228	100	21	
TOTAL DEATHS -	856	146	39	20	15	10	230	22	24	28	19	61	41	54	75	122	128	52	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	10	1	3	1	1	1	7	2	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	11	-	-	1	3	-	4	3	3	-	-	1	-	-	-	-	-	-	
Diphtheria - - -	8	-	1	1	-	-	2	3	3	-	-	-	-	-	-	-	-	-	
Whooping-cough -	13	6	2	3	1	1	13	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	18	1	-	1	2	-	4	1	2	1	2	2	-	2	-	3	1	-	
Diarrhoea & Dysentery	5	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	2	-	
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	14	-	3	1	1	2	7	1	1	1	-	-	-	1	1	2	1	-	
Cancer - - -	27	-	-	-	-	-	-	-	-	-	-	1	2	6	7	6	4	1	
Scrophula and Tuberc.	15	7	-	2	-	-	9	-	1	-	-	-	-	1	3	1	-	-	
Phthisis - - -	112	2	2	1	1	2	8	6	8	12	10	28	13	8	10	7	1	-	
Hydrocephalus - -	7	3	3	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	89	28	4	2	1	-	33	-	-	1	1	3	1	6	14	15	15	-	
Dis. of Heart & Dropsy	72	-	-	-	-	-	-	-	1	-	3	4	6	8	12	21	17	-	
Dis. of Lungs - - -	122	19	9	1	1	2	32	1	1	4	-	5	4	8	10	28	23	6	
Dis. of Stom. and Liver	37	-	1	-	-	-	1	3	-	4	-	3	2	5	7	10	2	-	
Dis. of Kidneys - -	8	-	-	-	-	-	-	1	-	-	-	1	1	1	2	2	-	-	
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
Dis. of Joints - - -	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Skin - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Childbirth and Metris	20	-	-	-	-	-	-	-	-	2	2	8	7	1	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	10	1	1	2	1	-	5	-	-	1	-	-	1	-	1	-	1	1	
Other Causes - - -	251	77	10	8	3	1	94	1	8	2	1	5	1	3	11	27	60	43	

299.—STRATTON.																		
Mean Popul ⁿ , 1861-71	4078	118	108	108	100	110	544	488	432	419	315	509	413	361	288	201	93	15
TOTAL DEATHS	717	121	17	17	8	3	166	22	21	22	30	42	47	34	55	91	138	51
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	10	3	2	1	-	-	6	2	1	-	1	-	-	-	-	-	-	-
Scarlatina	10	-	1	3	-	1	5	2	1	1	-	1	-	-	-	-	-	-
Diphtheria	4	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	9	5	1	2	-	-	8	-	1	-	2	-	-	-	-	-	-	-
Typhus	6	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	1	-
Diarrhoea & Dysentery	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	5	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	2	-
Cancer	27	-	-	-	-	-	-	-	-	-	-	2	5	7	10	1	2	-
Scrophula and Tuberc.	8	-	2	1	-	-	3	-	1	2	2	-	-	-	-	-	-	-
Phthisis	86	7	2	-	-	-	9	4	5	12	11	10	16	3	5	3	-	-
Hydrocephalus	4	2	1	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	74	13	3	-	1	1	18	4	3	1	2	4	5	5	10	12	13	1
Dis. of Heart & Dropsy	67	-	-	-	-	-	-	1	1	-	2	5	6	8	11	23	9	1
Dis. of Lungs	88	19	4	2	-	-	25	2	2	2	-	2	5	5	7	20	18	2
Dis. of Stom. and Liver	35	4	-	-	-	1	5	2	2	-	2	2	1	4	5	3	7	2
Dis. of Kidneys	5	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	18	-	-	-	-	-	-	-	-	1	4	4	9	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths	20	-	-	2	3	-	5	4	1	-	-	3	-	1	-	3	2	-
Other Causes	226	65	8	4	2	-	74	-	-	1	1	2	-	-	1	3	10	45

300.—CAMELFORD.																		
Mean Popul ⁿ , 1861-71	4063	122	110	112	99	101	544	507	431	383	309	520	433	379	277	189	81	10
TOTAL DEATHS	738	157	39	23	19	15	253	28	10	19	27	40	39	44	52	109	84	35
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	14	4	3	3	2	-	12	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	9	1	2	-	-	3	6	2	-	-	-	-	-	1	-	-	-	-
Diphtheria	18	1	-	-	2	4	7	7	1	1	2	-	-	-	-	-	-	-
Whooping-cough	26	13	6	2	3	1	25	1	-	-	-	-	-	-	-	-	-	-
Typhus	18	-	-	1	1	1	3	4	2	1	1	1	3	1	-	1	1	-
Diarrhoea & Dysentery	15	6	3	-	-	-	9	-	-	-	-	-	-	-	1	2	2	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	9	2	1	-	-	1	4	-	-	-	-	1	1	1	1	1	-	-
Cancer	19	1	-	-	1	-	2	-	-	-	-	-	-	6	5	2	3	1
Scrophula and Tuberc.	18	5	3	2	1	-	11	1	-	-	1	1	2	1	-	-	1	-
Phthisis	106	8	1	3	1	1	14	4	5	11	15	25	16	6	7	4	-	1
Hydrocephalus	8	2	1	2	3	-	8	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	83	23	2	1	-	2	28	3	1	-	-	2	2	3	9	15	15	5
Dis. of Heart & Dropsy	71	-	-	-	-	-	-	1	1	1	1	1	4	9	10	26	14	3
Dis. of Lungs	93	24	9	4	3	-	40	1	1	-	1	4	1	8	3	18	15	1
Dis. of Stom. and Liver	53	6	-	1	-	1	8	-	-	3	1	1	4	5	7	18	4	2
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	4	2	-	1	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris.	10	-	-	-	-	-	-	-	-	1	1	4	3	1	-	-	-	-
Suicide	6	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	14	-	-	2	1	-	3	-	-	-	-	-	-	-	-	2	-	-
Other Causes	149	69	8	1	1	1	70	1	1	1	1	-	2	1	9	16	28	19

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		301.—LAUNCESTON.																
Mean Popul ⁿ , 1861-71	8453	237	238	217	234	210	1136	1091	999	882	650	949	864	737	595	395	136	19
TOTAL DEATHS	1579	340	119	48	32	24	563	51	38	46	43	80	68	92	117	220	261	69
Small-pox	8	1	—	—	—	—	1	—	—	—	—	1	3	2	—	—	—	—
Measles	30	4	8	5	3	3	23	5	—	—	—	1	1	—	—	—	—	—
Scarlatina	59	5	7	8	8	5	33	17	4	2	—	—	2	—	—	—	—	—
Diphtheria	13	—	4	2	5	—	11	—	—	1	—	—	1	—	—	—	—	—
Whooping-cough	26	17	8	—	1	—	26	—	—	—	—	—	—	—	—	—	—	—
Typhus	69	7	4	6	1	—	18	7	6	9	7	5	2	4	1	5	3	1
Diarrhoea & Dysentery	25	15	2	—	—	—	17	—	—	—	—	1	1	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	47	3	4	1	3	5	16	4	2	1	—	2	1	4	5	5	3	2
Cancer	24	—	—	—	—	—	—	—	—	—	—	—	1	5	7	8	3	—
Scrofula and Tuberc.	20	6	6	2	1	—	15	—	1	2	1	1	—	—	—	—	—	—
Phthisis	144	7	6	2	1	—	16	2	5	12	16	28	20	15	16	13	1	—
Hydrocephalus	22	8	10	1	—	1	20	1	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	189	61	10	8	1	—	80	4	1	2	3	5	4	6	8	21	28	7
Dis. of Heart & Dropsy	104	2	1	—	—	—	3	1	2	2	2	1	1	11	25	53	20	1
Dis. of Lungs	312	64	28	8	4	3	107	2	7	3	4	12	18	25	30	46	45	13
Dis. of Stom. and Liver	53	9	2	—	1	1	13	—	2	3	3	4	5	2	2	11	7	1
Dis. of Kidneys	51	—	—	—	—	—	—	1	2	1	1	4	3	5	3	16	12	1
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	9	—	—	—	—	—	—	1	—	—	—	—	—	2	1	2	1	—
Dis. of Skin	8	2	1	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	64	4	2	1	—	5	13	4	—	5	4	6	7	5	7	7	3	—
Other Causes	238	125	16	4	2	1	148	1	1	2	1	1	2	7	9	33	60	34
302.—ST. GERMAN'S.																		
Mean Popul ⁿ , 1861-71	8518	267	212	231	240	219	1169	1089	952	808	648	1000	868	787	640	393	146	18
TOTAL DEATHS	1825	356	130	52	20	40	607	72	33	42	56	110	94	106	190	233	219	63
Small-pox	17	6	2	—	1	—	9	2	—	3	2	—	—	1	—	—	—	—
Measles	34	2	14	6	—	9	31	2	1	—	—	—	—	—	—	—	—	—
Scarlatina	58	3	3	9	9	7	31	21	4	1	1	—	—	—	—	—	—	—
Diphtheria	10	—	1	—	1	2	4	4	2	—	—	—	—	—	—	—	—	—
Whooping-cough	35	12	16	4	—	—	32	3	—	—	—	—	—	—	—	—	—	—
Typhus	139	6	8	5	4	4	27	12	4	8	9	8	10	7	16	13	17	8
Diarrhoea & Dysentery	54	28	8	2	—	—	33	—	—	—	—	—	—	2	1	4	7	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	27	5	3	—	1	4	13	1	—	1	1	1	—	2	5	3	—	1
Cancer	27	—	—	—	—	—	—	—	—	—	—	—	2	3	10	8	4	—
Scrofula and Tuberc.	21	3	5	1	—	—	9	5	8	—	1	—	2	3	8	—	—	—
Phthisis	185	5	5	3	1	2	16	4	5	8	1	29	43	27	29	12	11	1
Hydrocephalus	17	8	7	1	—	—	16	—	—	1	—	—	—	—	—	—	—	—
Dis. of Brain	239	49	17	4	3	8	76	5	2	2	3	8	12	11	31	40	23	7
Dis. of Heart & Dropsy	136	5	1	—	—	2	6	—	1	2	1	7	11	10	24	37	22	5
Dis. of Lungs	252	63	21	10	2	3	99	3	—	1	4	8	12	13	32	41	27	8
Dis. of Stom. and Liver	94	14	5	1	—	1	21	—	1	—	—	6	8	8	19	25	13	—
Dis. of Kidneys	38	—	—	—	—	1	1	—	1	—	1	5	5	5	5	10	9	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	12	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	4	—	—	—	—	—	—	—	1	5	1	—	—	—	2	1	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	104	3	2	3	4	1	15	10	8	9	8	2	1	1	1	1	—	—
Other Causes	314	146	12	3	1	1	163	1	—	1	—	6	1	2	16	18	26	45
303.—LISKEARD.																		
Mean Popul ⁿ , 1861-71	16470	497	474	521	476	471	2439	2331	2076	1716	1208	1864	1676	1359	948	580	235	29
TOTAL DEATHS	3357	861	281	127	76	65	1410	157	79	102	100	162	178	200	244	339	305	73
Small-pox	48	15	1	3	3	1	23	5	3	5	2	7	2	—	—	—	—	—
Measles	101	13	80	16	12	9	79	19	1	—	1	1	—	—	—	—	—	—
Scarlatina	117	9	18	20	19	8	74	34	4	2	—	2	1	—	—	—	—	—
Diphtheria	33	6	5	1	3	2	17	11	2	1	—	1	—	—	—	—	—	—
Whooping-cough	65	34	15	11	2	3	65	—	—	—	—	—	—	—	—	—	—	—
Typhus	121	6	8	5	4	4	27	14	10	12	8	14	8	8	8	8	8	1
Diarrhoea & Dysentery	75	45	8	2	1	—	56	1	—	—	—	1	1	1	1	3	8	2
Cholera	2	1	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	79	16	16	9	6	6	53	4	3	—	—	—	—	4	1	7	8	1
Cancer	58	—	—	—	—	—	—	—	—	—	—	1	1	2	5	6	17	8
Scrofula and Tuberc.	78	50	14	6	4	—	54	4	3	4	2	4	3	5	6	17	8	—
Phthisis	372	22	15	6	1	1	42	10	8	30	1	48	53	50	66	44	20	1
Hydrocephalus	43	21	9	2	2	3	37	8	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	591	136	24	16	4	7	177	12	4	11	7	10	12	16	31	61	47	3
Dis. of Heart & Dropsy	208	8	2	1	—	2	13	7	4	4	3	5	15	20	38	59	32	7
Dis. of Lungs	539	147	72	35	7	6	250	10	5	5	7	7	27	29	68	73	60	11
Dis. of Stom. and Liver	137	25	8	—	—	—	28	2	8	4	6	12	9	12	16	22	11	—
Dis. of Kidneys	48	—	—	—	—	—	—	—	—	3	1	5	8	8	8	14	4	1
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	13	—	—	—	1	—	1	1	1	1	1	—	—	—	—	—	—	—
Dis. of Skin	10	6	—	—	—	—	6	1	—	1	—	—	1	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	14	—	—	—	—	—	—	—	—	—	—	1	4	4	4	3	1	2
Other Violent Deaths	159	—	2	4	5	4	15	12	19	15	11	24	23	18	6	1	2	1
Other Causes	605	331	89	14	3	5	322	4	3	3	1	2	6	10	18	26	13	3

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	5- 10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		Total under 1 Year.	1	2	3	4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
301.—LAUNCESTON.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Mean Popul ⁿ , 1861-71	8620	233	228	252	212	227	1152	1040	962	825	706	1087	891	764	593	411	168	21																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

302.—ST. GERMAN'S.																															
Mean Popul ⁿ . 1861-71		9297	229	236	227	242	227	1161	1034	976	822	750	1219	1045	912	712	443	196	27												
TOTAL DEATHS		1732	275	94	58	31	31	489	81	43	51	59	112	114	104	147	227	244	70												
Small-pox		8	3	-	2	-	-	5	1	1	-	-	1	-	-	-	-	-	-												
Measles		29	3	10	10	1	3	27	1	1	-	-	-	-	-	-	-	-	-												
Scarlatina		38	4	4	6	2	5	21	13	1	-	-	1	-	-	-	-	-	-												
Diphtheria		9	-	-	-	2	1	3	4	2	-	-	-	-	-	-	-	-	-												
Whooping-cough		36	15	11	5	1	1	33	8	-	-	-	-	-	-	-	-	-	-												
Typhus		170	4	6	7	7	4	38	30	16	18	11	11	9	7	8	14	15	3												
Diarrhoea & Dysentery		62	25	8	5	2	-	33	1	-	1	-	1	-	1	2	4	6	3												
Cholera		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-												
Other Zymotic Dis.		23	3	3	-	2	3	11	1	1	-	-	-	-	1	2	3	3	1												
Cancer		70	-	-	-	-	-	-	-	-	-	-	12	13	19	17	5	1	-												
Scrophula and Tuberc.		16	3	5	1	3	1	13	1	-	-	-	1	1	-	-	-	-	-												
Phthisis		208	4	4	1	3	3	15	7	6	21	25	47	40	23	11	10	3	-												
Hydrocephalus		13	3	3	1	-	2	9	3	-	-	-	-	-	-	-	-	-	-												
Dis. of Brain		186	29	12	5	3	1	50	7	5	3	5	11	7	14	18	37	33	6												
Dis. of Heart & Dropsy		146	1	-	-	-	1	2	1	2	1	2	3	9	13	30	47	32	4												
Dis. of Lungs		204	44	17	7	4	2	74	2	4	2	3	8	6	24	39	40	1	-												
Dis. of Stom. and Liver		86	5	-	-	-	-	5	2	2	2	2	8	10	15	10	6	1	-												
Dis. of Kidneys		23	-	-	-	-	-	-	-	1	-	1	4	4	5	3	2	-	-												
Dis. of Genes. Organs		9	-	-	-	-	-	-	-	-	-	-	1	2	3	1	-	-	-												
Dis. of Joints		8	-	1	-	-	1	2	-	-	-	-	2	1	2	1	-	-	-												
Dis. of Skin		7	1	-	-	-	-	1	-	-	-	-	-	1	3	1	1	-	-												
Childbirth and Metris		20	-	-	-	-	-	-	-	-	1	1	12	6	-	-	-	-	-												
Suicide		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-												
Other Violent Deaths		15	1	1	3	-	2	7	1	-	-	-	1	2	1	2	-	1	-												
Other Causes		342	126	14	7	1	1	149	3	1	2	-	2	2	1	6	29	98	49												

		303.—LISKEARD.																			
Mean Popul ⁿ . 1861-71		17407	532	495	488	479	450	2444	2258	1998	1614	1428	2254	1857	1494	1065	676	278	41		
TOTAL DEATHS	-	3125	658	287	118	82	59	1204	152	81	89	102	172	169	138	204	337	362	115		
Small-pox	-	28	6	2	3	4	3	26	4	1	-	2	-	1	-	-	-	-	-		
Measles	-	87	8	25	13	8	8	62	18	3	-	3	-	1	-	-	-	-	-		
Scarlatina	-	102	5	10	12	20	8	55	37	6	8	1	-	-	-	-	-	-	-		
Diphtheria	-	32	3	4	4	4	7	22	7	1	-	1	-	1	-	1	-	-	-		
Whooping-cough	-	90	32	34	10	4	5	85	5	-	-	-	-	-	-	-	-	-	-		
Typhus	-	122	7	8	2	9	5	29	16	14	14	11	8	5	3	6	10	7	-		
Diarrhoea & Dysentery	-	87	46	13	4	-	2	25	8	-	1	-	-	-	2	-	4	9	2		
Cholera	-	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-		
Other Zymotic Dis.	-	71	2	4	8	9	5	28	5	1	1	4	2	4	-	5	8	8	3		
Cancer	-	81	-	-	-	-	-	-	-	-	-	-	1	9	19	23	23	5	1		
Scrophula and Tuberc.	-	88	31	23	6	-	1	61	5	4	5	3	2	2	1	4	-	1	-		
Phthisis	-	253	11	18	3	2	3	37	7	20	34	44	81	66	37	13	8	4	2		
Hydrocephalus	-	25	6	2	3	1	-	12	6	7	-	-	-	-	-	-	-	-	-		
Dis. of Brain	-	276	88	34	16	6	-	144	11	7	5	5	19	4	19	84	63	56	9		
Dis. of Heart & Droopy	-	220	1	1	-	-	-	2	2	4	6	6	13	17	21	41	72	33	9		
Dis. of Lungs	-	291	94	60	25	6	6	192	11	2	6	4	8	9	11	27	56	54	11		
Dis. of Stom. and Liver	-	120	13	8	1	-	1	18	8	7	4	6	8	13	7	15	24	14	1		
Dis. of Kidneys	-	19	-	-	1	-	-	1	1	-	2	-	1	5	2	1	3	2	1		
Dis. of Gener. Organs	-	10	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	-	-		
Dis. of Joints	-	11	1	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-		
Dis. of Skin	-	6	1	-	-	-	-	1	1	-	-	-	-	1	1	1	-	2	-		
Childbirth and Maternal	-	54	-	-	-	-	-	-	-	-	2	0	19	23	1	-	-	-	-		
Self-de	-	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-		
Other Violent Deaths	-	41	4	7	2	4	2	19	7	3	3	-	1	1	1	1	2	3	-		
Other Causes	-	705	297	44	4	3	3	351	3	1	2	2	5	5	6	20	60	164	80		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 5 Years.	Total under 1 Year.	Total under 5 Years.	Total under 1 Year.																																																																																		
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

304.—BODMIN.																				
Mean Populⁿ, 1861-71	9475	260	237	236	256	250	1239	1181	1117	940	643	1029	939	907	749	511	199	21		
TOTAL DEATHS	2037	426	125	43	32	17	643	48	46	50	67	132	131	135	189	262	261	73		
Small-pox	9	1	2	1	1	-	5	-	-	-	2	1	1	-	-	-	-	-		
Measles	21	3	9	3	2	1	18	1	1	-	-	1	-	-	-	-	-	-		
Scarlatina	54	8	13	8	6	2	32	15	1	5	-	-	1	-	-	-	-	-		
Diphtheria	5	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-	-	-		
Whooping-cough	41	24	12	4	-	-	40	1	-	-	-	-	-	-	-	-	-	-		
Typhus	46	-	-	2	2	1	5	5	4	6	-	7	5	5	5	4	5	2		
Diarrhoea & Dysentery	34	9	1	1	-	1	12	-	-	-	1	3	1	3	2	6	8	-		
Cholera	8	-	-	-	-	-	1	2	1	-	-	2	1	3	-	-	-	-		
Other Zymotic Dis.	21	1	1	3	-	-	5	2	-	-	-	2	-	2	2	4	4	-		
Cancer	24	-	-	-	-	-	-	1	-	-	1	-	1	3	6	7	5	-		
Scrofula and Tubes	29	8	4	-	1	9	15	2	2	3	1	4	1	1	1	-	-	-		
Phthisis	207	-	-	-	-	-	4	1	7	16	26	55	26	21	27	11	3	-		
Hydrocephalus	26	11	8	1	1	-	21	3	2	-	-	-	-	-	-	-	-	-		
Dis. of Brain	245	62	9	2	3	2	78	5	6	2	9	23	46	45	33	43	44	3		
Dis. of Heart & Dropsy	139	-	-	-	1	1	2	-	-	3	3	2	10	13	25	23	23	2		
Dis. of Lungs	232	48	28	7	4	1	88	2	2	4	3	10	13	10	27	30	28	6		
Dis. of Stom. and Liver	83	11	1	-	1	-	13	2	3	2	1	5	5	11	15	29	6	-		
Dis. of Kidneys	50	-	-	-	-	-	-	-	3	1	2	3	2	4	9	11	15	2		
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-		
Dis. of Skin	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-		
Other Violent Deaths	78	2	3	1	3	5	14	5	7	7	4	11	13	6	6	3	1	-		
Other Causes	574	243	30	9	7	1	290	2	2	-	2	4	4	6	30	54	128	23		

305.—ST. COLUMB.																				
Mean Popul ⁿ , 1861-71		8000	233	230	255	214	211	1143	1070	928	854	601	866	779	686	528	379	147	19	
TOTAL DEATHS		1535	336	124	52	31	26	569	69	25	47	37	60	67	74	115	207	202	63	
Small-pox		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles		29	2	13	5	5	4	27	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina		62	7	10	8	7	6	38	21	1	-	1	1	-	-	-	-	-	-	
Diphtheria		8	2	1	1	-	1	5	1	-	1	-	-	-	1	-	-	-	-	
Whooping-cough		23	16	10	1	3	3	33	-	-	-	-	-	-	-	-	-	-	-	
Typhus		42	2	2	-	2	-	6	9	3	7	4	6	3	1	2	1	-	-	
Diarrhoea & Dysentery		25	12	4	-	-	-	16	1	-	-	-	1	-	-	1	1	4	1	
Cholera		3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Zymotic Dis.		15	1	5	2	1	1	10	-	-	1	-	-	-	1	-	2	1	-	
Cancer		6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	
Scrofula and Tuberc.		18	3	4	1	1	1	10	3	-	1	-	1	1	-	1	-	-	-	
Phthisis		123	1	1	2	-	2	6	2	2	16	15	27	18	17	12	6	-	-	
Hydrocephalus		23	5	4	2	2	-	13	9	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain		191	49	15	7	2	2	75	3	6	4	1	5	10	9	15	37	26	4	
Dis. of Heart & Dropsy		112	-	2	-	-	1	3	1	1	-	1	5	5	9	20	20	17	4	
Dis. of Lungs		173	43	14	8	5	1	71	2	1	6	3	2	8	9	14	26	17	4	
Dis. of Stom. and Liver		80	11	1	1	-	-	13	5	2	1	3	2	6	10	10	15	11	2	
Dis. of Kidneys		27	-	-	-	-	1	1	1	-	1	-	1	2	3	4	6	8	-	
Dis. of Genes. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		5	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	
Dis. of Skin		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	
Other Violent Deaths		64	3	5	4	1	2	15	1	7	8	6	9	6	4	4	2	2	-	
Other Causes		401	179	32	9	4	1	225	7	1	1	3	-	7	10	27	46	119	32	

306.—ST. AUSTELL.																				
Mean Popul ⁿ , 1861-71		15680	409	459	457	459	451	2295	2197	1978	1741	1194	1707	1462	1313	954	595	216	29	
TOTAL DEATHS		3267	838	269	109	91	63	1360	159	74	105	93	125	128	194	249	599	296	74	
Small-pox		23	6	1	1	2	2	12	8	2	2	1	-	1	2	-	-	-	-	
Measles		98	14	29	17	12	8	80	17	-	-	1	-	-	-	-	-	-	-	
Scarlatina		151	9	17	22	21	17	88	47	10	4	2	1	-	1	-	-	-	-	
Diphtheria		21	5	-	2	4	4	13	5	3	1	-	-	-	-	-	1	-	-	
Whooping-cough		80	42	23	9	3	1	78	2	-	-	-	-	-	-	-	-	-	-	
Typhus		115	-	5	2	5	3	13	11	17	17	8	14	9	7	12	3	3	1	
Diarrhoea & Dysentery		73	46	9	2	3	-	69	-	-	1	-	2	-	1	-	3	3	-	
Cholera		5	-	-	-	-	-	1	-	-	-	1	-	2	-	-	1	-	-	
Other Zymotic Dis.		48	6	8	3	5	1	23	9	-	1	-	1	2	3	2	3	2	-	
Cancer		55	-	-	-	-	-	-	-	-	-	1	-	3	13	16	16	4	2	
Scrofula and Tuberc.		70	17	16	3	5	2	43	7	2	5	4	3	2	1	-	3	-	-	
Phthisis		349	18	8	9	1	3	59	5	18	35	47	54	42	47	43	17	1	-	
Hydrocephalus		47	15	16	1	3	2	37	7	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain		268	132	28	9	2	2	173	9	7	9	6	9	6	15	26	63	45	4	
Dis. of Heart & Dropsy		144	4	2	2	1	1	10	5	-	4	3	3	13	17	27	72	22	1	
Dis. of Lungs		465	133	58	12	16	9	228	4	4	2	4	9	9	26	53	73	92	7	
Dis. of Stom. and Liver		204	12	-	-	1	-	35	3	7	2	1	7	13	10	20	23	2	-	
Dis. of Kidneys		48	-	-	-	-	-	-	3	1	-	1	4	3	10	3	16	2	-	
Dis. of Genes. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		17	-	-	1	-	-	1	2	1	3	2	1	1	4	1	1	-	-	
Dis. of Skin		5	1	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Violent Deaths		114	2	3	5	4	-	14	13	7	10	12	14	13	15	7	3	2	-	
Other Causes		831	378	47	9	3	7	444	8	2	4	2	3	5	14	23	61	126	23	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— up vda.		
		304.—BODMIN.																		
Mean Popul ⁿ , 1861-71	10259	247	234	251	222	245	1199	1177	1074	995	826	1300	1132	985	769	535	234	33		
TOTAL DEATHS -	1928	337	96	52	39	19	543	73	46	58	83	109	106	120	108	237	289	06		
Small-pox - - -	4	1	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-		
Measles - - - -	26	3	4	3	7	1	18	3	-	-	2	1	-	-	1	-	-	-		
Scarlatina - - -	41	1	2	7	4	6	29	10	8	1	-	2	-	-	-	-	-	-		
Diphtheria - - -	11	-	1	-	3	1	5	5	1	-	-	-	-	-	-	-	-	-		
Whooping-cough -	47	23	6	9	3	1	45	2	-	-	-	-	-	-	-	-	-	-		
Typhus - - - - -	35	-	-	3	3	-	6	9	6	13	5	5	4	2	3	2	-	-		
Diarrhea & Dysentery	29	4	4	1	1	-	10	-	-	-	-	1	-	5	8	1	4	-		
Cholera - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-		
Other Zymotic Dis.	33	-	4	3	1	2	10	3	1	2	-	-	-	3	3	3	7	-		
Cancer - - - - -	57	-	-	-	-	-	-	-	-	-	-	1	6	6	15	17	7	5		
Scrofula and Tubes	23	5	2	2	-	-	9	5	1	1	3	2	1	-	-	1	-	-		
Phthisis - - - -	236	2	5	1	-	-	8	1	12	29	47	55	27	24	19	10	4	-		
Hydrocephalus -	18	8	3	3	1	1	16	2	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain - -	259	37	12	3	2	2	56	9	3	3	8	11	19	28	39	38	39	11		
Dis. of Heart & Dropsy	148	3	2	1	1	-	7	5	3	1	3	3	9	13	26	48	28	2		
Dis. of Lungs - -	185	31	19	3	3	2	58	6	2	1	2	7	5	11	20	30	34	7		
Dis. of Stom. and Liver	101	6	1	1	-	1	9	3	3	-	4	6	9	11	20	22	13	1		
Dis. of Kidneys -	10	-	-	-	-	-	-	1	1	-	-	2	3	3	-	-	-	-		
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	1	1	1	-	3	2	2	-	-		
Dis. of Joints - -	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-		
Dis. of Skin - - -	5	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	2	-		
Childbirth and Metris	21	-	-	-	-	-	-	-	-	1	4	5	11	-	-	-	-	-		
Suicide - - - - -	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-		
Other Violent Deaths	21	-	-	1	2	-	3	2	-	-	1	3	2	1	1	2	-	1		
Other Causes - - -	580	210	31	10	8	1	260	4	5	4	4	3	8	9	10	61	143	69		

305.—ST. COLUMB.

Mean Popul ⁿ , 1861-71	8777	229	219	227	199	227	1101	1023	951	860	767	1137	921	793	590	418	185	31		
TOTAL DEATHS	1587	293	84	42	39	20	478	61	49	51	56	95	91	99	94	201	230	82		
Small-pox	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Measles	31	5	12	5	1	1	24	5	1	—	—	—	1	—	—	—	—	—	—	—
Scarlatina	61	3	10	10	10	6	39	13	6	4	1	—	—	—	1	—	—	—	—	—
Diphtheria	11	1	2	—	1	—	4	5	—	—	2	—	—	—	—	—	—	—	—	—
Whooping-cough	45	18	9	7	3	3	40	4	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	54	1	—	5	2	1	9	10	5	6	9	4	2	3	5	1	—	—	—	—
Diarrhoea & Dysentery	29	13	—	—	—	—	13	—	—	1	1	—	—	—	3	4	5	1	—	—
Cholera	2	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	22	3	1	2	3	1	10	1	1	1	1	—	1	—	—	1	6	—	—	—
Cancer	28	—	—	—	—	—	—	—	—	—	—	2	4	9	2	6	4	1	—	—
Scrofula and Tuberc.	9	2	1	—	—	—	3	2	2	—	—	1	1	—	—	—	—	—	—	—
Phthisis	182	2	—	—	1	—	3	1	16	39	10	42	40	20	9	2	—	—	—	—
Hydrocephalus	6	3	1	—	—	—	4	1	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	179	34	13	3	6	3	59	4	4	1	6	4	3	10	14	34	37	3	—	—
Dis. of Heart & Dropsy	112	—	—	—	—	—	—	2	—	—	3	8	7	11	21	33	23	4	—	—
Dis. of Lungs	156	25	15	6	5	1	52	2	3	4	5	13	6	10	9	53	17	2	—	—
Dis. of Stom. and Liver	79	9	2	—	—	1	12	4	—	—	2	4	9	15	6	17	10	—	—	—
Dis. of Kidneys	13	—	—	—	—	—	—	—	—	—	1	2	3	1	3	3	—	—	—	—
Dis. of Genes. Organs	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Childbirth and Metris	21	—	—	—	—	—	—	—	—	1	5	7	8	—	—	—	—	—	—	—
Suicide	4	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Other Violent Deaths	18	2	—	2	1	1	6	2	1	—	—	1	—	2	—	2	—	—	—	—
Other Causes	516	171	18	2	6	1	193	7	6	2	1	5	4	16	20	64	124	69	—	—

306.—ST. AUSTELL.

Mean Popul ⁿ , 1861-71	16815	491	432	453	397	402	2175	2139	1849	1664	1372	2177	1815	1475	1104	739	266	40
TOTAL DEATHS	3215	701	246	121	66	58	1192	140	99	123	121	199	150	142	208	376	345	120
Small-pox	10	3	1	-	-	1	6	1	1	-	2	-	-	-	-	-	-	-
Measles	90	10	32	16	7	8	73	16	-	-	1	-	-	-	-	-	-	-
Scarlatina	111	7	12	30	8	13	60	32	11	4	1	1	1	-	1	-	-	-
Diphtheria	14	-	-	8	1	2	6	8	-	-	-	-	-	-	-	-	-	-
Whooping-cough	78	36	20	13	3	1	73	5	-	-	-	-	-	-	-	-	-	-
Typhus	125	4	5	4	6	7	25	17	18	29	11	10	9	2	6	5	2	-
Diarrhoea & Dysentery	76	46	12	1	-	-	59	1	-	-	2	1	-	-	3	7	3	-
Cholera	3	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	46	2	7	7	5	3	24	3	3	2	2	-	-	-	3	1	6	2
Cancer	70	-	-	-	1	-	1	-	1	-	-	2	4	16	22	19	5	-
Scrofula and Tuberc.	68	17	12	3	4	3	39	10	8	3	-	2	1	3	1	-	-	-
Phthisis	411	21	9	8	-	4	42	11	23	69	68	95	50	35	16	11	-	-
Hydrocephalus	30	8	8	2	2	2	22	5	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	394	108	18	5	3	2	136	12	11	12	9	6	11	21	26	66	47	7
Dis. of Heart & Dropsy	227	3	2	3	-	-	8	2	6	2	4	15	21	19	48	64	36	2
Dis. of Lungs	340	85	62	16	16	4	173	11	5	5	5	15	9	8	27	49	23	5
Dis. of Stom. and Liver	140	15	3	-	-	-	18	-	5	5	4	11	11	16	29	57	7	4
Dis. of Kidneys	16	1	1	-	1	-	3	-	-	-	-	2	4	1	2	1	3	-
Dis. of Genes. Organs	12	-	-	-	-	-	-	-	-	-	1	3	2	3	3	-	-	-
Dis. of Joints	12	1	-	1	-	-	2	-	1	1	1	-	2	4	1	-	-	-
Dis. of Skin	10	1	1	-	-	1	3	-	-	1	1	9	-	-	1	1	1	-
Childbirth and Metris	22	-	-	-	-	-	-	-	-	4	8	23	15	2	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1
Other Violent Deaths	97	4	1	5	3	1	14	2	2	1	-	3	3	-	2	3	6	1
Other Causes	867	329	48	13	7	5	402	4	1	3	1	8	6	7	25	106	204	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
307.—TRURO.																			
Mean Popul ⁿ , 1861-71	22812	550	533	536	503	546	2677	2619	2374	2184	2040	3045	2536	2140	1616	1080	431	70	
TOTAL DEATHS	4744	965	325	183	117	94	1684	192	113	161	178	270	222	287	342	538	588	219	
Small-pox	54	15	2	4	7	3	31	9	2	1	5	5	1	-	-	-	-	-	
Measles	45	10	12	9	5	5	41	5	-	-	-	-	-	-	-	-	-	-	
Scarlatina	233	9	23	42	38	25	137	65	23	12	9	3	2	-	-	-	-	-	
Diphtheria	13	-	2	2	-	1	5	4	1	1	-	1	-	-	1	-	-	-	
Whooping-cough	104	43	33	13	9	3	101	3	-	-	-	-	-	-	-	-	-	-	
Typhus	191	3	9	5	5	10	32	22	21	20	16	20	19	14	16	9	2	-	
Diarrhoea & Dysentery	102	60	13	4	-	2	79	3	-	1	-	1	-	2	4	6	5	1	
Cholera	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	
Other Zymotic Dis.	57	3	3	6	3	7	22	3	5	1	1	4	2	7	3	6	2	1	
Cancer	105	-	-	-	-	-	-	-	1	-	3	1	10	20	25	27	17	2	
Scrophula and Tuberc.	84	26	11	6	3	1	47	5	3	7	3	9	2	1	4	3	-	-	
Phthisis	527	4	6	3	1	2	16	7	29	81	93	121	77	54	37	8	4	-	
Hydrocephalus	82	14	15	4	3	5	41	9	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	479	117	35	12	14	7	185	18	6	5	11	13	14	23	38	89	68	9	
Dis. of Heart & Dropsy	322	2	6	7	-	1	16	5	7	8	10	18	18	35	73	83	42	7	
Dis. of Lungs	474	60	61	26	15	10	182	16	3	10	7	20	19	25	47	73	63	9	
Dis. of Stom. and Liver	189	8	2	1	-	2	15	7	1	2	3	9	13	29	42	47	23	-	
Dis. of Kidneys	42	-	-	2	1	-	3	1	1	2	-	6	7	2	10	7	3	-	
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	-	-	
Dis. of Joints	16	1	-	2	-	-	3	-	3	4	-	-	1	-	1	3	1	-	
Dis. of Skin	8	1	-	-	-	-	1	-	-	1	-	-	1	-	1	4	-	-	
Childbirth and Metris	62	-	-	-	-	-	-	-	-	1	12	25	25	1	-	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	
Other Violent Deaths	58	10	3	5	4	4	32	5	1	1	3	3	-	5	-	4	4	-	
Other Causes	1489	553	99	30	9	6	697	5	2	3	2	8	11	15	37	163	354	190	

308.—FALMOUTH.

Mean Popul ⁿ , 1861-71	13678	318	282	288	303	271	1462	1334	1180	1225	1177	1887	1449	1186	891	605	241	41
TOTAL DEATHS -	2731	615	180	91	79	39	1004	83	41	76	104	176	155	159	205	305	321	102
Small-pox -	5	1	-	2	-	-	3	1	-	-	1	-	-	-	-	-	-	-
Measles -	52	10	29	7	4	4	45	3	2	-	1	1	1	-	-	-	-	-
Scarlatina -	87	7	10	10	21	10	58	18	4	4	2	1	-	-	-	-	-	-
Diphtheria -	12	-	2	3	1	2	8	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	44	19	15	3	7	1	43	1	-	-	-	-	-	-	-	-	-	-
Typhus -	120	4	2	4	4	-	14	10	7	15	17	22	10	5	12	6	2	-
Diarrhoea & Dysentery -	104	61	14	2	-	1	78	1	-	-	-	2	5	3	3	4	5	3
Cholera -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis. -	44	4	2	9	2	6	23	2	1	2	-	2	1	3	1	6	3	-
Cancer -	65	-	-	-	-	-	-	-	-	-	-	2	10	20	15	12	6	-
Scrophula and Tuberc -	38	13	7	1	2	2	25	5	4	1	1	1	3	-	-	-	-	-
Phthisis -	321	8	8	4	2	1	23	9	8	38	49	79	48	36	17	12	1	1
Hydrocephalus -	65	14	13	6	8	3	44	7	2	2	-	-	-	-	-	-	-	-
Dis. of Brain -	533	95	22	5	5	4	181	7	6	4	5	12	13	29	27	55	54	10
Dis. of Heart & Dropsy -	178	5	1	1	2	1	8	2	1	1	3	15	13	21	35	48	28	1
Dis. of Lungs -	291	60	33	23	13	3	182	4	2	4	2	9	9	12	42	56	33	3
Dis. of Stom. and Liver -	132	15	3	-	-	-	19	2	2	-	12	6	9	17	21	21	23	1
Dis. of Kidneys -	26	-	-	-	-	-	-	2	1	-	1	2	5	1	7	8	-	-
Dis. of Gener. Organs -	7	-	-	-	-	-	-	-	-	-	3	1	1	2	3	-	-	-
Dis. of Joints -	8	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Dis. of Skin -	7	2	-	-	-	-	2	-	1	-	2	1	1	-	-	-	-	-
Childbirth and Metris -	23	-	-	-	-	-	-	-	-	-	3	9	12	2	-	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
Other Violent Deaths -	34	10	1	1	3	-	15	4	-	1	3	1	-	2	2	3	2	-
Other Causes -	715	288	29	10	3	1	331	3	2	2	2	5	6	6	18	91	166	83

309.—HELSTON.

Mean Popul ⁿ , 1861-71	15523	391	355	379	378	398	1901	1854	1633	1529	1342	2118	1655	1364	1080	731	279	42
TOTAL DEATHS -	2985	604	232	93	75	44	1188	108	65	98	121	167	140	135	196	335	332	141
Small-pox -	6	3	-	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-
Measles -	55	9	94	6	-	-	41	11	2	1	-	-	-	-	-	-	-	-
Scarlatina -	139	15	14	13	23	12	77	45	12	1	-	1	2	1	-	-	-	-
Diphtheria -	18	2	3	-	3	2	10	4	3	-	1	-	-	-	-	-	-	-
Whooping-cough -	76	87	25	6	7	-	75	1	-	-	-	-	-	-	-	-	-	-
Typhus -	98	1	4	1	4	6	16	9	4	20	9	11	4	5	3	7	-	-
Diarrhoea & Dysentery -	33	19	5	-	-	-	24	-	-	-	1	-	-	1	9	4	1	-
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	73	11	9	7	11	5	43	8	3	1	-	5	5	3	2	5	3	-
Cancer -	55	-	-	-	-	-	-	-	-	-	1	-	12	11	15	12	4	-
Scrophula and Tuberc -	17	1	5	2	-	-	8	-	1	3	1	2	-	1	-	-	-	-
Phthisis -	441	15	9	10	10	1	45	12	22	48	72	94	55	43	26	22	3	-
Hydrocephalus -	39	3	8	6	2	3	21	5	1	3	-	-	-	-	-	-	-	-
Dis. of Brain -	218	43	9	2	8	5	64	7	4	6	8	10	6	15	19	49	27	8
Dis. of Heart & Dropsy -	151	1	1	2	1	-	5	2	3	2	4	8	14	13	39	40	20	1
Dis. of Lungs -	197	47	21	19	4	2	86	3	5	1	6	10	8	12	24	25	16	2
Dis. of Stom. and Liver -	145	13	6	3	1	-	23	2	4	2	5	3	17	15	30	31	13	-
Dis. of Kidneys -	10	-	-	-	-	2	2	-	-	-	-	1	1	2	1	1	-	-
Dis. of Gener. Organs -	13	-	-	-	-	-	-	-	-	-	1	-	1	3	5	3	-	-
Dis. of Joints -	6	-	-	-	-	1	1	-	-	1	-	1	-	-	2	-	-	-
Dis. of Skin -	7	1	-	-	-	1	2	-	-	-	-	1	1	1	2	1	-	-
Childbirth and Metris -	39	-	-	-	-	-	-	-	-	2	8	13	15	1	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	25	2	3	4	1	1	11	1	1	4	1	3	2	1	2	2	2	-
Other Causes -	1128	471	89	20	3	1	551	3	-	1	1	4	5	7	23	133	245	133

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																			
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—		
310.—REDRUTH.																					
Mean Popul ⁿ , 1861-71	25241	757	711	748	734	748	3698	3613	3334	3266	2216	2851	2262	1890	1283	624	185	19	19	19	
TOTAL DEATHS -	6409	1929	556	204	159	142	3050	336	157	222	197	300	276	461	571	533	287	79	79	79	
Small-pox - - -	60	16	12	7	4	4	43	5	3	1	3	6	-	-	-	-	-	-	-	-	
Measles - - -	149	33	46	24	17	14	134	14	1	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	333	18	35	40	43	43	179	122	22	6	1	2	-	-	1	-	-	-	-	-	
Diphtheria - - -	27	2	3	5	6	3	19	7	1	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -	212	98	62	26	13	4	203	8	1	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	174	6	4	10	8	3	31	17	15	28	30	19	12	9	8	5	-	-	-	-	
Diarrhoea & Dysentery	124	85	13	4	-	3	105	4	1	-	-	-	1	1	4	7	2	-	-	-	
Cholera - - -	13	2	1	1	-	-	4	-	2	-	-	-	1	2	4	-	-	-	-	-	
Other Zymotic Dis.	111	13	9	14	13	11	60	23	4	4	3	2	2	1	6	6	-	-	-	-	
Cancer - - -	81	-	-	-	-	-	-	-	-	1	1	4	12	19	24	13	7	1	1	1	
Scrofula and Tuberc.	94	31	18	6	2	1	58	8	6	6	4	4	4	3	1	1	-	-	-	-	
Phthisis - - -	909	29	16	3	4	2	54	17	25	62	86	125	112	190	171	61	6	-	-	-	
Hydrocephalus - -	109	30	34	11	5	9	89	16	4	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	534	186	52	16	7	5	265	23	10	7	3	8	13	31	51	32	23	1	1	1	
Dis. of Heart & Dropsy	248	6	8	3	4	2	23	6	9	9	5	17	23	44	46	45	36	1	1	1	
Dis. of Lungs - - -	718	147	70	40	14	19	290	20	9	15	12	23	31	72	110	113	22	1	1	1	
Dis. of Stom. and Liver	179	25	8	3	2	2	40	8	6	14	4	10	19	24	28	22	4	-	-	-	
Dis. of Kidneys - -	80	1	-	-	1	2	4	4	2	3	2	8	7	9	11	20	9	1	1	1	
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	19	-	-	-	-	1	1	3	4	2	1	-	-	1	2	1	-	-	-	-	
Dis. of Skin - - -	8	1	-	-	-	1	2	1	1	-	-	-	1	1	1	1	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	7	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	
Other Violent Deaths	339	12	6	8	4	6	36	16	25	60	41	67	29	33	19	8	4	1	1	1	
Other Causes - - -	1940	1188	159	45	12	7	1409	14	6	4	1	6	8	21	77	167	174	73	73	73	

311.—PENZANCE.																			
Mean Populⁿ, 1861-71		25387	771	711	754	662	682	3580	3404	3176	3003	2173	2847	2332	2024	1594	924	304	26
TOTAL DEATHS		6158	1881	485	204	149	113	2832	249	123	190	210	276	286	380	408	591	414	109
Small-pox		42	8	5	4	3	1	21	5	3	3	6	4	-	-	-	-	-	-
Measles		180	34	66	31	27	13	171	18	1	-	-	-	-	-	-	-	-	-
Scarlatina		256	22	39	33	37	33	164	76	7	3	5	-	-	-	-	-	-	-
Diphtheria		29	7	4	1	3	5	20	5	2	1	1	-	-	-	-	-	-	-
Whooping-cough		127	67	29	18	8	4	136	1	-	-	-	-	-	-	-	-	-	-
Typhus		197	4	10	7	10	6	87	25	26	28	16	19	10	10	16	9	1	-
Diarrhoea & Dysentery		240	178	23	4	-	1	263	2	1	1	2	5	2	2	7	6	3	-
Cholera		8	3	-	-	-	-	3	-	1	-	-	3	-	-	-	-	-	-
Other Zymotic Dis.		125	26	22	12	9	8	77	11	4	5	1	2	1	4	7	10	3	-
Cancer		73	-	-	-	-	-	1	-	-	1	-	-	-	2	15	15	25	11
Scrofula and Tuberc.		216	122	32	10	5	3	172	9	8	5	6	4	4	8	-	1	1	-
Phthisis		766	17	18	7	7	3	52	23	12	59	90	115	90	121	111	72	21	1
Hydrocephalus		82	32	24	4	3	3	66	12	3	-	1	-	-	-	-	-	-	-
Dis. of Brain		494	102	34	7	9	10	162	16	15	11	9	18	13	19	55	99	72	14
Dis. of Heart & Dropsy		263	12	3	2	2	1	20	3	2	7	6	13	19	23	54	60	23	1
Dis. of Lungs		701	175	77	34	13	8	307	10	4	8	9	16	33	75	100	91	42	8
Dis. of Stom. and Liver		353	82	10	7	4	3	106	5	3	7	14	16	25	37	55	60	22	3
Dis. of Kidneys		74	-	1	-	-	1	2	4	-	3	1	5	7	9	14	23	5	1
Dis. of Gen. Organs		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		21	2	1	1	1	-	5	1	1	2	3	1	-	1	4	1	3	-
Dis. of Skin		15	4	-	1	-	-	5	2	1	-	-	2	1	1	1	1	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		15	-	-	-	-	-	-	-	-	-	-	1	4	3	3	4	-	-
Other Violent Deaths		312	7	6	6	3	7	29	18	26	43	28	43	51	26	19	6	3	-
Other Causes		1546	976	71	15	5	2	1069	3	3	3	2	7	15	16	37	110	209	81

312.—SCILLY ISLANDS.																			
Mean Populⁿ, 1861-71		1053	29	23	28	29	27	135	116	116	92	66	107	107	111	106	61	30	6
TOTAL DEATHS		227	42	5	2	3	3	55	5	4	4	8	16	11	11	24	24	46	19
Small-pox		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles		1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina		4	1	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Diphtheria		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough		4	2	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Typhus		3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Diarrhoea & Dysentery		10	4	-	-	-	-	4	-	-	-	-	-	1	-	1	2	3	-
Cholera		1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		8	2	1	-	1	-	4	-	-	-	-	-	1	-	-	-	-	-
Cancer		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.		2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Phthisis		27	-	-	-	-	-	-	1	1	2	5	9	3	2	2	1	1	-
Hydrocephalus		4	2	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		38	11	1	-	1	-	13	-	-	1	1	-	1	4	6	4	6	2
Dis. of Heart & Dropsy		18	1	-	-	-	-	1	-	-	-	-	-	-	-	3	3	3	1
Dis. of Lungs		23	5	-	-	-	-	5	-	1	-	-	-	1	4	3	2	3	1
Dis. of Stom. and Liver		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1
Dis. of Kidneys		5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1
Dis. of Gen. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		13	1	-	-	1	-	2	1	-	1	1	3	-	-	2	2	-	1
Other Causes		60	11	-	1	-	-	12	-	-	-	1	-	-	-	1	2	25	12

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	80—
		310.—REDRUTH.																
Mean Popul ⁿ , 1861-71	30097	795	671	694	675	707	3542	3485	3166	3209	2886	4317	3266	2656	1949	1148	413	60
TOTAL DEATHS	6209	1583	553	230	156	121	2623	290	127	202	235	325	291	310	418	627	676	183
Small-pox	51	18	5	6	6	2	37	6	1	1	4	1	—	1	—	—	—	—
Measles	144	34	49	20	11	12	126	15	2	1	—	—	—	—	—	—	—	—
Scarlatina	274	18	30	31	35	38	152	94	18	7	2	1	—	—	—	—	—	—
Diphtheria	30	2	—	2	5	4	13	15	—	1	1	—	—	—	—	—	—	—
Whooping-cough	217	97	71	26	11	4	209	7	1	—	—	—	—	—	—	—	—	—
Typhus	188	2	4	6	6	10	28	27	25	24	18	22	11	12	12	7	2	—
Diarrhoea & Dysentery	97	51	10	7	2	1	71	3	3	—	2	2	2	—	3	11	2	—
Cholera	13	3	2	3	—	—	8	1	—	—	—	—	—	1	1	—	—	—
Other Zymotic Dis.	98	10	10	9	6	11	46	14	6	2	4	2	3	5	9	4	2	1
Cancer	172	—	—	—	—	—	—	—	—	1	1	6	16	40	50	46	9	3
Scrofula and Tuberc.	102	32	20	9	4	5	70	4	5	5	3	7	3	2	—	3	—	—
Phthisis	733	29	24	7	4	4	59	15	26	92	128	157	118	74	54	26	4	—
Hydrocephalus	69	22	24	4	4	5	59	7	2	1	—	—	—	—	—	—	—	—
Dis. of Brain	531	108	31	14	10	7	170	21	9	19	14	20	19	39	63	84	63	8
Dis. of Heart & Dropsy	352	2	4	5	—	2	13	4	8	11	16	29	27	42	81	75	41	5
Dis. of Lungs	492	116	71	23	19	8	237	20	5	4	8	24	22	36	39	72	18	7
Dis. of Stom. and Liver	292	17	6	2	—	2	27	12	4	9	7	17	19	27	37	50	13	—
Dis. of Kidneys	39	—	—	1	1	—	2	1	—	4	1	6	5	5	4	9	2	—
Dis. of Gener. Organs	24	—	—	—	—	—	—	—	1	3	2	4	4	3	6	—	1	—
Dis. of Joints	15	—	1	1	—	—	2	1	1	—	2	3	1	2	1	—	—	—
Dis. of Skin	8	1	—	—	—	—	1	1	—	—	—	—	1	2	1	2	—	—
Childbirth and Metria	79	—	—	—	—	—	—	—	—	6	17	30	25	1	—	—	—	—
Suicide	5	—	—	—	—	—	—	—	—	—	—	2	1	—	1	1	—	—
Other Violent Deaths	59	4	4	4	5	2	19	8	2	3	1	6	2	2	2	2	8	4
Other Causes	2215	1026	187	50	7	4	1274	14	8	7	2	8	12	16	54	235	408	157

311.—PENZANCE.																		
Mean Popul ⁿ , 1861-71	28970	738	618	701	675	663	3395	3294	3006	2990	2744	3997	3139	2602	1997	1261	471	74
TOTAL DEATHS	9034	1540	481	225	157	114	2517	242	131	176	246	305	271	294	376	640	617	210
Small-pox	33	10	4	1	5	—	18	6	1	3	3	2	—	—	—	—	—	—
Measles	133	26	53	23	15	21	140	10	1	1	—	—	—	—	—	—	—	—
Scarlatina	275	25	50	39	40	33	195	50	11	5	2	—	2	—	—	—	—	—
Diphtheria	23	1	3	1	—	4	9	11	1	—	1	—	1	—	—	—	—	—
Whooping-cough	129	77	44	19	10	2	132	6	—	—	—	—	1	—	—	—	—	—
Typhus	233	8	10	10	11	14	53	29	21	26	21	24	15	13	14	15	2	—
Diarrhoea & Dysentery	228	120	26	7	3	—	186	5	1	1	2	4	3	5	6	4	10	1
Cholera	5	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2	—	—
Other Zymotic Dis.	131	18	12	18	11	10	69	15	4	—	3	4	3	4	3	14	7	3
Cancer	118	—	—	—	—	—	—	—	1	1	—	—	4	16	33	29	24	17
Scrofula and Tuberc.	180	81	33	20	8	3	145	11	10	5	4	3	3	8	1	2	2	—
Phthisis	726	14	15	6	5	3	43	22	37	85	132	147	81	75	20	40	8	—
Hydrocephalus	69	16	18	9	4	3	50	12	6	—	1	—	—	—	—	—	—	—
Dis. of Brain	547	77	20	14	10	1	122	18	9	13	14	13	17	36	77	130	90	8
Dis. of Heart & Dropsy	335	9	4	1	—	—	15	6	2	8	13	14	28	31	67	106	42	3
Dis. of Lungs	543	122	80	51	16	11	290	10	6	12	7	15	23	39	45	88	44	9
Dis. of Stom. and Liver	314	62	13	4	4	2	85	6	9	3	11	14	19	53	50	64	18	2
Dis. of Kidneys	44	1	—	—	—	3	4	—	2	1	1	6	5	10	7	9	1	—
Dis. of Gener. Organs	22	—	—	—	—	—	—	—	—	—	3	2	4	4	5	4	—	—
Dis. of Joints	17	—	1	—	—	—	1	—	3	—	2	2	1	2	—	2	1	—
Dis. of Skin	17	3	2	1	—	—	6	—	—	—	—	1	1	—	3	1	4	1
Childbirth and Metria	91	—	—	—	—	—	—	—	—	2	18	35	34	2	—	—	—	—
Suicide	8	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Other Violent Deaths	82	8	8	7	5	3	31	11	3	4	4	9	4	1	—	5	7	3
Other Causes	1667	832	77	14	6	1	930	5	3	3	4	3	12	10	24	133	364	176

312.—SCILLY ISLANDS.																		
Mean Popul ⁿ , 1861-71	1207	27	23	24	29	17	120	122	108	108	91	165	133	130	122	73	30	5
TOTAL DEATHS	222	15	13	7	3	1	39	3	4	8	12	19	12	13	13	38	45	16
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	5	—	1	1	—	1	3	1	—	—	1	—	—	—	—	—	—	—
Scarlatina	5	1	—	—	—	2	3	1	—	—	—	—	—	—	—	—	—	—
Diphtheria	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Whooping-cough	2	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea & Dysentery	10	3	1	—	—	—	3	—	—	1	—	—	1	—	—	1	—	—
Cholera	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	2	3	1
Other Zymotic Dis.	6	1	—	—	—	—	1	—	—	—	—	—	1	1	1	1	—	—
Cancer	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Phthisis	33	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hydrocephalus	2	—	—	2	—	—	2	—	—	—	—	9	5	2	—	—	—	—
Dis. of Brain	26	3	1	—	—	—	4	—	2	1	—	1	1	—	1	7	7	2
Dis. of Heart & Dropsy	22	—	—	—	—	—	—	—	—	—	—	1	2	1	4	9	5	—
Dis. of Lungs	22	1	1	—	—	—	2	1	—	—	4	—	3	3	5	3	1	—
Dis. of Stom. and Liver	10	—	—	—	—	—	1	—	—	—	1	—	1	—	—	5	2	—
Dis. of Kidneys	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Gener. Organs	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Dis. of Joints	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Dis. of Skin	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	3	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	6	—	1	—	—	—	1	—	2	—	—	1	—	—	1	—	—	—
Other Causes	80	5	3	2	1	—	11	—	—	—	—	—	—	1	—	5	23	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
		313 A.—WILLITON.																
Mean Popul ⁿ , 1861-71	9843	275	279	264	243	271	1332	1346	1113	936	720	1132	1002	900	654	462	219	27
TOTAL DEATHS	1825	320	107	65	40	25	557	60	41	52	52	91	93	123	183	226	263	82
Small-pox	5	1	-	1	1	-	3	-	-	-	-	-	1	-	1	-	-	-
Measles	14	-	6	5	2	-	13	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	74	5	11	13	14	9	52	15	6	1	-	-	-	-	-	-	-	-
Diphtheria	11	1	2	-	1	-	4	4	1	1	1	-	-	-	-	-	-	-
Whooping-cough	11	7	4	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	67	3	2	3	2	2	12	10	7	10	6	10	1	5	2	3	1	-
Diarrhoea & Dysentery	33	13	1	-	-	-	19	-	-	-	-	-	2	-	2	-	-	-
Cholera	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	39	3	8	2	5	1	19	2	2	-	-	1	-	1	1	9	3	1
Cancer	26	-	-	-	-	-	-	-	-	-	1	-	3	1	7	10	3	1
Scrofula and Tabes	55	22	9	5	1	-	37	1	6	4	-	3	-	2	1	1	-	-
Phthisis	175	2	6	-	1	-	9	4	4	10	27	46	38	16	17	4	-	-
Hydrocephalus	18	6	5	3	-	2	16	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	234	65	8	2	1	2	78	6	4	6	4	5	5	16	23	34	47	8
Dis. of Heart & Dropsy	138	2	-	2	1	1	6	1	2	4	3	4	6	14	24	32	29	5
Dis. of Lungs	302	58	24	15	8	3	108	6	1	2	4	8	6	24	33	36	47	5
Dis. of Stom. and Liver	92	9	1	2	-	-	12	2	2	-	3	4	7	17	23	13	8	1
Dis. of Kidneys	25	1	-	-	-	-	1	-	-	2	-	3	6	5	7	2	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-
Dis. of Skin	5	1	1	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	-	-
Other Violent Deaths	95	4	6	2	3	4	19	4	5	7	4	6	14	14	15	2	2	2
Other Causes	394	111	18	10	-	-	134	2	-	2	-	2	3	7	12	32	123	61

313 B.—DULVERTON.																		
Mean Popul ⁿ , 1861-71	3091	89	78	80	80	84	411	378	327	354	235	371	306	272	222	150	56	9
TOTAL DEATHS	563	89	39	13	13	9	163	15	10	19	16	26	30	39	38	190	87	21
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	-	5	1	-	1	7	3	-	-	-	-	1	-	-	-	-	-
Scarlatina	24	-	5	3	7	3	15	8	-	2	1	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	8	3	3	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	-	1	-	1	2	1	-	2	1	2	2	1	3	4	-	-
Diarrhoea & Dysentery	7	2	1	-	-	-	3	1	-	-	-	-	-	-	2	1	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	11	1	2	2	1	-	6	-	-	-	-	1	-	-	2	2	-	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	2	5	1	6	5	1
Scrofula and Tabes	6	1	2	-	1	-	4	-	1	1	-	-	-	-	-	-	-	-
Phthisis	41	1	2	-	-	1	4	-	2	4	6	8	6	4	5	2	-	-
Hydrocephalus	5	1	3	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	55	13	3	1	-	-	17	-	-	2	-	3	6	2	3	8	13	1
Dis. of Heart & Dropsy	41	-	1	-	2	-	3	1	2	1	-	3	2	5	1	16	7	-
Dis. of Lungs	113	29	7	2	-	-	38	-	-	2	4	4	2	14	14	22	11	-
Dis. of Stom. and Liver	28	1	-	-	-	-	1	1	2	-	-	-	4	2	5	10	3	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	1	1	-	-	1	3	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	29	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths	122	34	4	2	1	1	44	2	1	4	4	5	3	4	4	2	4	13
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

314.—WELLINGTON.																		
Mean Popul ⁿ , 1861-71	10039	282	275	278	287	289	1411	1263	1185	1016	710	1092	996	942	720	469	266	29
TOTAL DEATHS	1812	329	91	59	39	28	546	69	54	47	41	104	99	123	161	234	265	79
Small-pox	3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Measles	25	2	15	3	4	2	26	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	98	7	14	18	21	10	70	19	5	2	-	-	-	-	-	-	-	-
Diphtheria	6	-	1	1	-	-	2	2	1	-	1	-	-	-	-	-	-	-
Whooping-cough	39	24	3	2	-	-	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	33	2	2	5	-	2	9	9	9	7	4	3	5	3	3	5	1	-
Diarrhoea & Dysentery	25	8	2	1	-	-	11	-	-	1	-	1	1	1	1	5	4	-
Cholera	6	-	-	-	-	-	2	1	-	-	-	-	3	-	-	2	3	1
Other Zymotic Dis.	25	5	1	-	1	1	8	2	2	-	-	-	2	3	2	9	3	1
Cancer	24	-	-	-	-	-	-	-	-	-	-	-	2	4	2	10	4	1
Scrofula and Tabes	17	2	1	2	1	-	6	2	1	1	1	3	1	-	2	-	-	-
Phthisis	183	1	-	-	-	-	1	5	9	13	20	51	36	26	16	6	2	-
Hydrocephalus	25	5	8	2	-	2	17	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	232	63	10	4	2	2	81	5	8	6	2	4	10	12	27	28	68	1
Dis. of Heart & Dropsy	121	1	1	-	1	1	4	4	4	3	1	5	5	14	23	25	18	2
Dis. of Lungs	257	52	17	13	2	3	87	7	6	4	9	14	19	15	25	47	34	4
Dis. of Stom. and Liver	92	13	-	1	1	2	17	1	2	-	2	6	8	19	17	4	3	-
Dis. of Kidneys	30	-	-	-	-	-	-	-	-	-	-	3	2	4	9	6	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	5	3	-	-	-	-	3	1	2	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	85	5	4	4	2	1	16	2	8	5	7	1	6	12	23	11	1	-
Other Causes	439	136	12	3	2	2	157	2	1	-	-	3	6	8	19	66	129	36

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- 99.	
		313 A.—WILLITON.																	
Mean Popul ⁿ , 1861-71	10019	271	269	275	256	264	1335	1316	1120	863	740	1218	1034	934	699	495	229	36	
TOTAL DEATHS	1650	219	96	46	29	31	421	76	35	47	65	74	92	96	146	243	250	105	
Small-pox	3	2	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	
Measles	19	1	6	5	1	3	16	1	-	1	-	1	-	-	-	-	-	-	
Scarlatina	38	3	9	8	6	7	33	17	6	1	-	1	-	-	-	-	-	-	
Diphtheria	10	-	2	1	2	-	5	3	-	-	-	-	-	-	1	1	-	-	
Whooping-cough	36	14	4	4	-	-	22	4	-	-	-	-	-	-	-	-	-	-	
Typhus	62	2	3	1	3	3	12	9	10	9	2	4	2	6	6	2	-	-	
Diarrhoea & Dysentery	27	14	2	-	1	1	18	-	-	-	-	1	-	1	2	2	2	1	
Cholera	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	31	1	5	3	2	3	14	4	1	-	-	-	1	2	1	3	4	1	
Cancer	39	-	-	-	-	-	-	-	-	-	2	2	7	14	14	11	9	-	
Serofula and Tuberc.	37	12	9	-	2	1	24	6	-	-	2	1	1	2	1	-	-	-	
Phthisis	170	4	5	1	1	-	11	5	8	18	34	31	19	17	12	3	2	-	
Hydrocephalus	12	4	6	2	-	-	12	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	180	33	11	5	1	-	50	5	1	5	5	6	5	11	20	33	34	7	
Dis. of Heart & Dropsy	162	3	-	2	-	1	6	2	1	6	7	3	11	14	28	33	23	5	
Dis. of Lungs	226	33	16	7	7	2	68	7	3	1	4	9	7	22	20	20	34	5	
Dis. of Stom. and Liver	91	4	-	1	-	3	8	2	2	-	4	6	8	13	16	17	14	1	
Dis. of Kidneys	16	-	-	-	-	-	-	1	-	-	2	-	3	1	5	4	-	-	
Dis. of Gen. Organs	6	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	
Dis. of Skin	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	-	
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	2	8	10	1	-	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
Other Violent Deaths	21	2	-	1	1	1	5	6	1	3	-	-	-	1	-	3	2	-	
Other Causes	390	84	18	8	2	5	114	2	1	1	2	-	5	5	13	46	122	65	

313 B.—DULVERTON.																			
Mean Popul ⁿ , 1861-71	2985	75	87	81	84	77	404	377	316	258	201	352	315	264	195	134	59	10	
TOTAL DEATHS	455	58	22	21	11	14	126	25	10	12	9	22	22	26	37	76	67	23	
Small-pox	12	3	1	2	1	1	8	3	1	-	-	-	-	-	-	-	-	-	
Measles	41	-	5	6	5	7	23	14	2	-	-	1	1	-	-	-	-	-	
Scarlatina	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	6	3	-	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	19	-	1	3	-	-	4	2	1	4	1	-	1	2	2	2	-	-	
Typhus	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea & Dysentery	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Cholera	21	-	-	-	-	-	-	1	-	-	-	-	3	6	1	5	4	1	
Other Zymotic Dis.	8	3	-	1	-	1	5	-	-	-	-	-	2	1	-	-	-	-	
Cancer	45	1	-	-	-	-	4	1	2	5	5	10	6	6	3	3	-	-	
Serofula and Tuberc.	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	47	12	4	-	1	2	19	-	1	-	-	3	-	2	5	9	7	1	
Hydrocephalus	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Heart & Dropsy	53	10	6	1	2	2	21	1	-	-	-	2	1	4	11	15	4	-	
Dis. of Lungs	36	2	1	-	-	-	3	-	-	2	-	1	3	2	5	16	9	2	
Dis. of Stom. and Liver	5	-	-	-	-	-	1	-	-	-	-	-	-	-	8	6	2	1	
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Skin	9	-	-	-	-	-	-	-	-	-	3	2	3	1	-	-	-	-	
Childbirth and Metria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	7	-	1	-	1	1	3	-	1	-	-	-	-	-	1	-	-	-	
Other Violent Deaths	30	20	3	-	-	-	23	1	1	1	-	-	-	-	1	16	38	18	

314.—WELLINGTON.																			
Mean Popul ⁿ , 1861-71	10590	283	263	268	261	262	1337	1298	1161	946	792	1283	1166	1014	752	547	251	43	
TOTAL DEATHS	1825	275	88	61	44	30	408	71	54	53	57	103	108	103	136	237	295	110	
Small-pox	6	2	1	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-	
Measles	31	5	7	9	2	6	29	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina	98	6	9	21	22	8	61	19	6	2	1	4	-	-	-	-	-	-	
Diphtheria	7	1	3	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	35	22	6	-	3	3	34	1	-	-	-	-	-	-	-	-	-	-	
Typhus	47	1	1	-	2	2	6	6	9	4	5	4	0	2	2	2	1	-	
Diarrhoea & Dysentery	43	17	4	1	-	1	23	-	1	-	3	-	-	-	1	8	5	1	
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	39	5	2	6	5	1	19	4	1	2	1	2	1	1	6	2	-	-	
Cancer	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tuberc.	17	5	2	-	1	-	8	1	-	1	1	2	4	11	16	8	6	-	
Phthisis	212	1	1	4	-	-	8	19	17	53	28	43	32	25	13	16	-	-	
Hydrocephalus	11	4	1	1	2	-	6	2	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	207	44	14	3	-	2	63	5	5	9	6	6	11	16	17	35	30	9	
Dis. of Heart & Dropsy	159	-	-	-	-	-	63	5	5	5	2	9	17	21	25	40	27	2	
Dis. of Lungs	184	55	14	5	4	5	63	5	4	2	4	6	10	10	19	33	28	1	
Dis. of Stom. and Liver	86	7	-	1	-	-	8	1	3	3	1	6	10	10	19	17	4	-	
Dis. of Kidneys	14	-	-	-	-	1	1	-	1	-	1	2	1	3	1	3	1	-	
Dis. of Gen. Organs	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Dis. of Skin	5	2	1	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	1	12	6	-	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	26	0	3	2	-	-	11	4	1	1	1	-	-	-	2	2	3	-	
Other Causes	517	112	19	8	3	1	143	6	4	-	-	1	1	3	12	65	181	90	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- 90- 95- 100-	
315.—TAUNTON.																			
Mean Popul ⁿ , 1861-71		16842	455	411	442	419	424	2151	2175	2229	1802	1153	1817	1741	1573	1126	717	319	39
TOTAL DEATHS -		3406	604	173	98	60	48	992	117	77	97	125	206	217	230	324	435	437	149
Small-pox - - -		5	-	-	2	-	1	3	-	-	-	-	1	1	-	-	-	-	-
Measles - - -		58	8	12	9	3	1	33	2	1	-	1	1	-	-	-	-	-	-
Scarlatina - -		84	4	11	17	12	9	53	21	6	1	3	-	-	-	-	-	-	-
Diphtheria - -		30	4	4	4	1	5	18	7	1	2	-	-	2	-	-	-	-	-
Whooping-cough -		44	21	11	7	4	1	44	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -		150	-	5	3	9	5	22	18	12	16	12	14	21	18	6	7	4	2
Diarrhoea & Dysentery		143	77	14	5	2	1	99	-	2	-	1	3	-	4	3	17	11	3
Cholera - - -		2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis. -		110	8	15	5	12	5	45	9	1	3	4	3	5	6	14	13	4	2
Cancer - - -		67	-	-	-	-	-	-	-	-	2	2	3	5	8	17	19	10	1
Scrofula and Tuberc.		53	10	5	2	-	4	21	8	1	5	4	7	2	1	2	2	-	-
Phthisis - - -		350	1	1	2	1	-	5	5	6	32	57	90	70	38	30	16	1	-
Hydrocephalus - -		39	14	6	5	3	1	29	5	3	1	-	-	1	-	-	-	-	-
Dis. of Brain - -		373	73	16	7	6	5	107	9	9	7	9	11	18	20	42	69	42	10
Dis. of Heart & Dropsy		237	4	-	1	1	-	6	2	4	3	1	7	24	55	42	63	49	8
Dis. of Lungs - -		501	77	33	11	4	2	127	7	8	6	10	14	14	40	77	53	32	25
Dis. of Stom. and Liver		155	7	4	1	1	1	14	-	1	3	3	11	13	22	24	36	29	6
Dis. of Kidneys - -		108	-	1	1	-	-	2	3	2	3	3	13	10	8	16	18	24	6
Dis. of Genes. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -		14	1	-	-	-	-	1	1	2	-	2	-	2	1	1	2	-	-
Dis. of Skin - - -		8	1	2	-	-	-	3	-	-	-	-	-	-	1	3	1	-	-
Childbirth and Metris.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -		17	-	-	-	-	-	-	-	-	-	1	1	4	3	1	5	1	1
Other Violent Deaths -		177	12	5	6	8	7	38	13	16	10	10	16	16	15	26	8	4	4
Other Causes - - -		701	281	28	10	2	-	321	7	2	-	2	8	10	13	15	24	172	77

316.—BRIDGWATER.																			
Mean Popul ⁿ , 1861-71		16978	467	448	478	475	487	2355	2264	2026	1704	1213	1971	1793	1487	1094	739	397	45
TOTAL DEATHS -		3312	708	180	91	64	39	1082	129	67	89	99	180	172	253	312	405	394	118
Small-pox -		3	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
Measles -		30	6	9	5	5	2	27	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -		78	12	12	9	15	6	54	17	3	3	-	-	-	1	-	-	-	-
Diphtheria -		14	2	-	-	2	1	5	5	3	-	-	-	-	-	1	-	-	-
Whooping-cough -		33	16	12	3	1	-	32	1	-	-	-	-	-	-	-	-	-	-
Typhus -		132	5	8	8	8	9	38	22	11	13	11	9	5	10	9	8	1	-
Diarrhoea & Dysentery -		80	44	11	2	1	-	58	2	-	-	-	2	1	2	4	9	5	1
Cholera -		4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis. -		78	6	7	2	5	3	23	4	2	5	1	6	3	5	7	12	7	5
Cancer -		54	-	-	-	-	-	-	-	-	-	1	1	7	8	14	14	6	3
Scrofula and Tuberc. -		67	26	12	7	3	-	48	5	3	3	2	1	1	2	2	-	-	-
Phthisis -		327	12	3	1	-	-	14	4	9	26	43	87	50	36	30	8	-	-
Hydrocephalus -		42	12	13	4	2	1	32	7	3	-	-	-	-	-	-	-	-	-
Dis. of Brain -		309	111	16	11	3	5	144	12	2	8	6	8	18	27	44	66	26	6
Dis. of Heart & Dropsy -		256	3	-	1	1	-	5	7	4	4	6	9	16	24	61	69	40	11
Dis. of Lungs -		551	135	29	20	8	4	196	11	2	5	9	24	19	27	70	88	80	11
Dis. of Stom. and Liver -		174	26	4	5	4	1	40	1	3	1	2	8	16	40	24	36	11	5
Dis. of Kidneys -		66	-	-	-	-	-	-	2	-	1	3	3	7	8	5	19	14	4
Dis. of Genes. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		14	2	-	-	-	-	2	1	2	-	2	1	3	1	1	1	-	-
Dis. of Skin -		8	4	-	-	-	1	5	-	-	1	1	-	-	1	-	-	-	-
Childbirth and Metris. Suicide -		12	-	-	-	-	-	-	-	1	-	1	2	-	4	1	1	1	1
Other Violent Deaths -		174	7	8	6	6	4	31	16	12	15	11	19	17	21	14	14	5	1
Other Causes -		715	284	36	7	-	-	327	9	6	1	-	8	9	18	23	76	137	79

317.—LANGPORT.																			
Mean Popul ⁿ , 1861-71		8716	235	225	230	241	222	1153	1163	1045	902	648	931	850	796	647	397	150	24
TOTAL DEATHS -		1696	303	83	56	43	24	509	66	36	42	58	88	91	133	140	227	252	94
Small-pox -		4	-	-	1	-	-	1	-	-	-	2	1	-	-	-	-	-	-
Measles -		19	2	6	2	3	-	13	5	1	-	-	-	-	-	-	-	-	-
Scarlatina -		66	3	9	11	9	9	41	20	3	1	1	-	-	-	-	-	-	-
Diphtheria -		6	1	1	-	2	-	4	-	1	-	-	-	1	-	-	-	-	-
Whooping-cough -		17	12	1	3	1	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus -		51	-	-	2	-	1	3	9	7	8	4	2	5	3	4	4	2	-
Diarrhoea & Dysentery -		32	11	4	-	-	-	17	1	-	-	-	-	1	3	1	6	8	-
Cholera -		2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Other Zymotic Dis. -		50	6	10	6	6	-	28	2	-	-	-	1	1	4	3	3	1	-
Cancer -		30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc. -		22	4	2	2	-	-	6	1	-	-	3	1	-	2	6	4	6	-
Phthisis -		163	2	2	-	1	1	8	2	4	-	14	25	42	20	15	2	-	-
Hydrocephalus -		15	2	5	2	1	2	12	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		224	51	7	5	2	6	71	5	3	3	5	7	11	14	14	44	43	8
Dis. of Heart & Dropsy -		141	2	3	1	1	1	8	1	1	1	4	6	9	19	32	33	29	2
Dis. of Lungs -		254	55	18	11	6	2	92	4	1	-	5	9	10	18	32	47	33	5
Dis. of Stom. and Liver -		71	6	-	-	2	1	9	2	1	-	-	1	12	14	15	7	3	2
Dis. of Kidneys -		30	-	-	-	-	-	-	-	2	1	1	3	6	1	4	6	6	-
Dis. of Genes. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		8	-	-	-	-	-	-	-	-	1	2	2	-	-	-	1	3	-
Dis. of Skin -		3	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris. Suicide -		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		96	3	1	4	6	-	16	9	11	8	7	7	4	11	7	8	1	1
Other Causes -		394	140	14	5	3	1	161	2	1	-	1	3	7	8	12	24	164	91

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	suppld.
		Total under 1 Year.	1	2	3	4	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-				
315.—TAUNTON.																				
Mean Popul ⁿ , 1861-71	18719	452	416	432	449	438	2187	2097	2052	1644	1577	2408	2048	1800	1304	916	404	83		
TOTAL DEATHS -	3354	518	167	84	60	63	892	104	94	126	124	197	190	240	261	415	405	216		
Small-pox - - -	7	2	1	1	1	-	5	1	-	1	-	-	-	-	-	-	-	-		
Measles - - -	39	4	15	5	9	3	36	2	-	-	-	1	-	-	-	-	-	-		
Scarlatina - -	72	4	7	13	5	16	45	16	5	1	4	-	-	1	-	-	-	-		
Diphtheria - -	24	2	2	2	2	3	11	7	5	1	-	-	-	-	-	-	-	-		
Whooping-cough -	62	34	8	6	8	3	59	2	1	-	-	-	-	-	-	-	-	-		
Typhus - - -	162	1	3	8	4	11	27	16	24	24	15	18	9	11	5	7	4	2		
Diarrhoea & Dysentery	124	49	18	1	1	2	71	2	-	-	2	3	1	2	8	13	17	5		
Cholera - - -	4	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	89	7	6	6	2	4	25	7	6	5	3	2	2	3	6	8	8	5		
Cancer - - -	134	-	-	-	-	-	-	-	-	1	2	2	12	35	32	31	15	4		
Scrofula and Tuberc.	41	10	6	2	1	2	21	5	3	6	3	4	3	3	2	1	-	-		
Phthisis - - -	375	4	5	-	-	-	9	5	20	58	69	84	67	47	6	8	2	-		
Hydrocephalus -	33	12	9	3	3	3	30	1	2	-	-	-	-	-	-	-	-	-		
Dis. of Brain - -	410	84	14	10	12	6	126	13	6	5	4	19	11	31	44	57	83	11		
Dis. of Heart & Dropsy	309	-	-	-	-	1	1	6	9	11	4	10	15	27	46	75	56	9		
Dis. of Lungs - -	452	53	32	16	7	3	111	9	4	4	3	12	15	29	53	87	101	24		
Dis. of Stom. and Liver	178	18	-	2	-	2	22	1	4	2	1	8	21	30	32	38	14	5		
Dis. of Kidneys -	38	1	1	3	-	-	5	-	1	1	2	4	4	6	5	5	2	3		
Dis. of Gener. Organs -	24	-	-	-	-	-	-	-	-	-	-	2	8	7	1	5	1	-		
Dis. of Joints - -	12	-	-	-	-	-	-	1	2	2	-	2	-	1	-	4	-	-		
Dis. of Skin - - -	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-		
Childbirth and Metris	41	-	-	-	-	-	-	-	-	-	8	19	14	-	-	-	-	-		
Suicide - - -	11	-	-	-	-	-	-	-	-	1	1	1	2	3	2	1	-	-		
Other Violent Deaths -	42	4	3	2	2	2	15	7	1	-	-	1	3	1	4	2	5	3		
Other Causes - - -	706	228	54	4	2	2	270	2	1	3	3	5	5	3	15	70	180	145		

316.—BRIDGWATER.																			
Mean Popul ⁿ , 1861-71		17668	478	433	467	455	467	2300	2178	1911	1577	1401	2299	1968	1611	1176	819	366	62
TOTAL DEATHS -		3125	563	184	89	62	44	942	100	73	119	94	199	202	157	245	368	457	169
Small-pox -		3	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Measles -		38	5	18	5	4	3	35	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -		82	5	17	11	12	8	53	16	9	1	-	1	2	1	-	-	-	-
Diphtheria -		7	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough -		70	30	21	7	6	1	65	4	-	-	-	-	-	-	-	-	-	-
Typhus -		149	2	7	3	5	10	27	24	19	21	9	13	11	9	8	5	3	-
Diarrhoea & Dysentery -		70	42	6	-	-	-	80	-	1	-	1	3	1	3	1	7	6	4
Cholera -		8	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		63	6	4	5	1	1	17	3	3	1	-	-	4	5	2	9	6	3
Cancer -		97	-	-	-	-	-	-	-	-	-	2	1	9	18	21	24	20	2
Scrofula and Tubercles -		75	24	11	5	2	-	42	7	3	7	-	5	5	1	3	1	1	-
Phthisis -		322	3	3	6	-	2	14	4	10	55	44	70	63	29	17	6	1	-
Hydrocephalus -		23	10	2	2	1	2	17	1	2	1	1	-	-	-	-	-	-	-
Dis. of Brain -		360	78	21	8	6	1	114	12	5	4	4	13	15	12	39	62	64	16
Dis. of Heart & Dropsy -		284	2	1	2	-	-	5	2	3	8	8	10	19	29	53	84	55	8
Dis. of Lungs -		405	82	34	17	10	5	148	5	4	5	5	17	12	16	36	79	61	17
Dis. of Stom. and Liver -		184	13	3	1	3	2	22	2	4	6	16	24	19	24	24	36	24	5
Dis. of Kidneys -		33	-	3	-	1	2	6	-	2	-	1	7	3	2	7	8	2	-
Dis. of Gener. Organs -		13	-	-	-	-	-	-	-	-	-	1	-	2	6	2	2	-	-
Dis. of Joints -		8	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	1	-
Dis. of Skin -		8	2	-	1	-	-	3	-	-	-	-	-	1	-	2	1	1	-
Childbirth and Metris -		50	-	-	-	-	-	-	-	-	1	7	24	18	-	-	-	-	-
Suicide -		7	-	-	-	-	-	-	-	-	3	-	-	2	-	2	-	-	-
Other Violent Deaths -		74	8	6	4	7	6	31	11	3	6	2	2	2	4	2	9	2	-
Other Causes -		606	251	27	10	2	1	291	1	3	1	2	5	5	10	20	46	201	111

317.—LANGPORT.																			
Mean Popul ⁿ , 1861-71		9147	224	242	209	218	251	1144	1116	1016	893	724	1120	959	889	633	421	189	43
TOTAL DEATHS -		1684	266	72	54	41	23	456	57	47	66	75	112	77	97	130	201	256	110
Small-pox -		2	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles -		15	1	5	1	1	4	12	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -		71	7	5	12	16	8	48	15	8	-	-	-	-	-	-	-	-	-
Diphtheria -		7	1	-	1	1	2	5	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough -		36	15	10	5	3	-	33	3	-	-	-	-	-	-	-	-	-	-
Typhus -		70	1	1	1	4	1	8	11	13	7	5	5	5	6	3	5	2	-
Diarrhoea & Dysentery -		27	7	5	2	-	-	14	-	-	1	2	1	2	1	1	2	3	1
Cholera -		3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
Other Zymotic Dis. -		48	6	3	5	1	3	18	3	1	1	2	-	2	4	3	7	5	2
Cancer -		50	1	-	-	-	-	1	-	-	-	-	2	9	8	17	7	5	1
Scrofula and Tubercles -		23	4	2	2	-	-	8	1	-	3	1	2	2	3	2	1	-	-
Phthisis -		196	2	1	1	-	1	5	3	10	41	38	50	24	14	6	5	-	-
Hydrocephalus -		15	3	5	2	1	1	12	-	1	1	-	1	-	-	-	-	-	-
Dis. of Brain -		164	30	7	3	4	-	44	5	2	-	3	4	3	13	16	31	38	5
Dis. of Heart & Dropsy -		125	-	1	-	1	-	2	-	2	-	5	5	6	14	24	39	30	1
Dis. of Lungs -		192	38	13	13	5	-	69	3	4	-	3	7	10	6	18	33	29	10
Dis. of Stom. and Liver -		73	6	1	-	1	-	8	2	-	2	1	4	3	13	11	15	14	-
Dis. of Kidneys -		11	-	-	-	-	-	-	-	1	-	3	2	1	-	3	1	-	-
Dis. of Gener. Organs -		18	-	-	-	-	-	-	-	-	-	2	2	4	4	4	2	-	-
Dis. of Joints -		9	-	-	-	-	-	-	-	-	3	1	3	-	1	-	1	-	-
Dis. of Skin -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -		83	-	-	-	-	-	-	-	-	1	7	19	6	-	-	-	-	-
Suicide -		8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Other Violent Deaths -		32	10	-	2	1	1	14	6	1	-	2	2	-	-	1	3	2	1
Other Causes -		469	134	13	4	1	2	154	2	2	1	4	2	1	9	20	49	127	89

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
318.—CHARD.																		
Mean Popul ⁿ , 1861-71	12467	373	350	369	345	344	1781	1625	1540	1292	894	1433	1194	1111	853	523	198	23
TOTAL DEATHS	2451	579	176	75	50	45	925	89	55	64	69	120	119	155	209	208	284	44
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	62	19	19	10	4	4	56	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	52	5	5	7	7	9	31	19	2	-	-	-	-	-	-	-	-	-
Diphtheria	11	2	1	-	2	1	6	2	-	-	2	-	1	-	-	-	-	-
Whooping-cough	39	22	11	1	1	2	37	1	1	-	-	-	-	-	-	-	-	-
Typhus	75	1	2	2	1	4	10	10	4	14	9	6	6	6	5	3	2	9
Diarrhoea & Dysentery	48	18	4	4	1	-	27	2	-	-	-	-	2	2	3	4	4	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	55	4	8	7	5	6	50	6	2	3	-	1	3	4	2	1	5	-
Cancer	37	-	-	-	-	-	-	-	-	-	-	-	3	8	14	8	4	-
Scrophula and Tuberc.	42	9	1	5	-	1	16	3	2	3	7	7	1	1	2	1	1	-
Phthisis	191	3	5	1	2	-	11	4	6	17	27	53	35	14	14	8	1	1
Hydrocephalus	27	5	7	3	-	-	15	6	5	-	1	-	-	-	-	-	-	-
Dis. of Brain	281	87	14	3	6	1	111	5	6	8	3	10	15	22	22	47	52	1
Dis. of Heart & Dropsy	203	2	2	1	1	2	8	1	3	2	2	11	14	23	25	39	34	7
Dis. of Lungs	473	116	58	18	12	10	214	7	7	5	5	10	16	26	43	67	88	9
Dis. of Stom. and Liver	119	15	3	-	1	-	19	2	3	2	4	5	7	18	23	33	34	1
Dis. of Kidneys	31	-	-	-	-	-	-	-	2	-	-	1	1	6	6	13	5	-
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	8	-	-	1	-	-	1	1	-	-	1	2	-	-	1	1	1	-
Dis. of Skin	9	-	-	1	-	1	2	-	1	-	-	-	-	1	2	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	1	1	2	1	2	5	2	-	-
Other Violent Deaths	108	6	5	3	2	3	19	10	9	7	5	5	16	19	13	4	1	1
Other Causes	264	203	23	8	5	1	310	5	1	2	2	6	-	4	21	54	112	44

319.—YEOVIL.																		
Mean Popul ⁿ , 1861-71	13223	412	411	376	370	377	1946	1741	1604	1310	958	1551	1333	1170	858	544	183	25
TOTAL DEATHS	2715	728	169	97	73	33	1100	103	48	56	63	138	153	165	239	265	256	96
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	61	13	21	14	8	2	58	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	115	9	13	23	25	11	81	30	2	1	-	1	-	-	-	-	-	-
Diphtheria	8	1	2	2	1	-	6	1	-	-	-	1	-	-	-	-	-	-
Whooping-cough	45	18	13	5	1	6	42	5	-	-	-	-	-	-	-	-	-	-
Typhus	87	2	4	2	9	1	18	14	7	8	3	8	6	3	9	6	3	1
Diarrhoea & Dysentery	63	41	7	3	-	-	51	1	-	-	-	-	1	1	9	3	3	1
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	64	9	10	9	4	3	35	2	3	1	3	2	-	6	2	7	3	-
Cancer	45	-	-	-	-	-	-	-	-	-	-	1	3	5	10	10	2	-
Scrophula and Tuberc.	68	24	9	6	2	1	42	4	-	4	6	8	4	2	1	-	-	-
Phthisis	249	12	8	1	-	-	21	3	4	13	33	62	37	33	30	9	3	-
Hydrocephalus	33	21	4	1	-	-	29	4	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	300	81	15	5	6	3	110	11	7	8	5	5	12	22	32	42	39	8
Dis. of Heart & Dropsy	206	2	-	1	1	-	4	3	6	4	1	4	24	30	45	48	43	7
Dis. of Lungs	418	117	29	13	9	2	170	7	3	4	3	11	22	31	45	69	56	9
Dis. of Stom. and Liver	96	11	3	-	1	-	15	2	2	2	3	4	9	13	20	30	2	1
Dis. of Kidneys	30	-	-	-	-	-	-	-	2	-	-	2	1	4	4	9	2	-
Dis. of Genes. Organs	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	-	1	-	1	2	2	1	1	-	3	-	-	-	1	-	-
Dis. of Skin	9	1	-	-	2	1	4	-	-	-	-	-	-	-	2	2	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	-	-	5	3	3	-	-	-
Other Violent Deaths	126	9	1	6	4	2	22	6	6	6	5	21	16	10	16	8	3	4
Other Causes	670	335	20	5	-	1	391	5	3	4	2	6	10	12	12	56	123	44

320.—WINCANTON.																		
Mean Popul ⁿ , 1861-71	10188	287	275	280	265	248	1355	1258	1177	967	781	1250	1045	980	728	435	191	21
TOTAL DEATHS	2011	473	105	46	42	29	695	55	33	47	48	106	107	131	221	258	256	54
Small-pox	3	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
Measles	98	12	7	4	3	1	27	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	69	4	5	5	12	12	41	12	3	1	-	1	1	-	-	-	-	-
Diphtheria	8	2	2	-	1	-	5	2	-	1	-	-	-	-	-	-	-	-
Whooping-cough	35	20	9	5	-	-	34	1	-	-	-	-	-	-	-	-	-	-
Typhus	72	1	2	2	3	1	9	13	5	8	3	7	5	4	12	2	1	1
Diarrhoea & Dysentery	43	20	5	1	2	2	28	-	-	-	-	1	1	-	2	1	1	-
Cholera	7	4	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	54	14	4	1	1	4	24	1	-	2	-	2	2	2	1	7	5	-
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	48	18	9	3	-	2	32	2	3	1	-	3	2	2	8	11	9	-
Phthisis	178	2	3	-	1	-	6	1	4	14	24	42	55	27	17	7	1	-
Hydrocephalus	23	11	4	2	2	2	21	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	246	62	8	4	2	1	77	5	3	9	5	11	12	24	24	37	42	3
Dis. of Heart & Dropsy	161	1	-	-	1	-	2	-	3	5	2	6	14	15	33	44	31	1
Dis. of Lungs	296	78	30	5	7	1	121	7	4	4	1	6	9	17	49	61	42	1
Dis. of Stom. and Liver	100	11	3	1	1	-	16	1	2	1	1	6	5	9	23	19	13	1
Dis. of Kidneys	49	-	-	-	-	-	-	1	1	1	1	1	2	6	9	15	9	-
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	13	-	1	-	1	-	2	1	1	1	-	1	1	-	1	2	1	-
Dis. of Skin	6	2	1	-	-	-	3	-	-	1	-	1	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	9	1	3	3	-	-	-
Other Violent Deaths	85	8	-	3	3	1	15	4	4	4	5	11	11	12	10	4	3	1
Other Causes	461	203	13	7	1	2	226	1	-	1	2	5	4	9	15	32	100	44

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
318.—CHARD.																			
Mean Popul ⁿ , 1861-71	13547	353	350	336	339	333	1711	1630	1429	1356	1141	1793	1426	1238	924	604	255	40	
TOTAL DEATHS	2459	460	155	69	51	30	765	87	47	95	101	158	136	135	108	290	339	108	
Small-pox	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Measles	62	11	26	9	6	2	54	8	—	—	—	—	—	—	—	—	—	—	
Scarlatina	52	2	9	10	6	6	33	16	1	—	1	1	—	—	—	—	—	—	
Diphtheria	4	—	—	—	1	—	1	2	—	1	—	—	—	—	—	—	—	—	
Whooping-cough	51	22	17	6	4	1	50	1	—	—	—	—	—	—	—	—	—	—	
Typhus	92	2	1	1	3	—	7	12	12	16	10	12	8	5	3	5	1	1	
Diarrhoea & Dysentery	39	12	5	2	—	—	19	1	—	—	—	—	2	—	2	8	6	1	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	35	8	7	5	5	1	26	3	2	2	1	6	2	5	1	2	2	3	
Cancer	60	—	—	—	—	—	—	—	—	—	—	—	1	11	8	12	18	10	
Serofula and Tuberc.	35	7	2	2	1	—	12	6	—	5	4	2	2	1	1	2	1	—	
Phthisis	290	2	2	—	—	—	4	7	15	43	48	86	46	25	16	5	2	—	
Hydrocephalus	17	6	4	1	—	1	12	2	2	1	—	—	—	—	—	—	—	—	
Dis. of Brain	243	65	10	2	4	3	84	4	2	3	6	7	9	16	27	27	45	5	
Dis. of Heart & Dropsy	250	—	—	—	—	—	2	6	1	5	5	6	10	25	22	67	58	7	
Dis. of Lungs	409	85	33	18	14	8	161	13	5	6	10	11	11	16	31	71	65	9	
Dis. of Stom. and Liver	118	12	2	3	2	3	22	2	5	4	1	4	13	15	20	23	6	1	
Dis. of Kidneys	13	—	—	—	—	—	—	—	—	1	—	2	2	4	2	1	1	—	
Dis. of Gen. Organs	9	—	—	—	—	—	—	—	—	—	3	2	1	—	—	3	1	—	
Dis. of Joints	6	—	—	—	—	—	—	—	1	—	—	2	—	1	1	1	—	—	
Dis. of Skin	12	5	2	—	—	—	7	1	—	—	—	1	—	—	—	—	3	—	
Childbirth and Metris	35	—	—	—	—	—	—	—	—	3	8	11	11	2	—	—	—	—	
Suicide	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	
Other Violent Deaths	28	7	2	3	1	2	15	—	—	1	—	—	—	2	2	4	3	—	
Other Causes	565	214	28	7	4	3	236	3	1	2	2	4	2	9	18	51	137	5	

319.—YEOVIL.

Mean Popul ⁿ , 1861-71	15298	401	402	426	380	377	1986	1765	1635	1477	1393	2092	1646	1401	978	629	260
TOTAL DEATHS	2771	553	160	79	47	55	894	97	54	90	94	181	153	183	211	364	337
Small-pox	4	1	—	—	1	—	2	—	1	—	—	1	—	—	—	—	—
Measles	20	8	21	6	2	7	44	6	—	—	—	—	—	—	—	—	—
Scarlatina	88	7	10	11	18	56	23	4	—	—	2	1	—	—	—	—	—
Diphtheria	11	—	1	1	1	1	4	5	—	—	—	—	1	—	—	—	—
Whooping-cough	54	29	9	11	1	2	62	2	—	—	—	—	—	—	—	—	—
Typhus	99	3	6	5	5	2	21	16	8	15	4	9	3	9	3	9	2
Diarrhoea & Dysentery	83	24	7	2	—	1	94	1	—	—	—	1	3	3	—	7	4
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Other Zymotic Dis.	63	10	11	5	5	3	34	6	1	3	1	1	2	—	8	2	4
Cancer	97	—	—	—	—	—	—	—	—	—	1	3	10	25	22	11	1
Serofula and Tuberc.	60	18	10	7	2	3	40	1	2	4	2	4	1	2	2	2	—
Phthisis	336	1	4	2	1	2	10	9	14	40	58	93	47	31	18	10	6
Hydrocephalus	19	14	2	—	—	—	18	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	328	56	10	5	4	1	76	7	3	5	6	7	12	28	28	49	32
Dis. of Heart & Dropsy	275	—	—	—	1	1	2	4	4	7	7	8	20	33	41	87	54
Dis. of Lungs	328	86	37	11	7	5	146	4	3	1	1	11	9	12	27	73	36
Dis. of Stom. and Liver	115	6	2	1	—	3	12	1	1	6	2	6	8	17	24	26	9
Dis. of Kidneys	15	—	1	—	—	—	1	1	—	—	—	1	5	4	3	—	—
Dis. of Gen. Organs	12	1	—	—	—	—	1	—	—	—	—	1	6	2	2	—	—
Dis. of Joints	11	—	—	—	—	—	—	—	3	5	—	2	1	—	1	—	—
Dis. of Skin	6	3	—	—	—	—	8	—	1	—	—	—	—	—	2	—	—
Childbirth and Metris	47	—	—	—	—	—	—	—	—	3	8	21	14	1	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Other Violent Deaths	47	8	4	6	4	2	24	6	3	—	1	2	2	1	—	5	4
Other Causes	710	278	25	5	2	4	314	2	6	3	1	6	9	15	20	72	175

320.—WINCANTON.

Mean Popul ⁿ , 1861-71	11091	291	271	270	259	276	1367	1343	1166	1076	917	1437	1196	1048	762	503	228
TOTAL DEATHS	2009	364	99	44	37	23	567	50	52	55	50	116	120	127	186	276	294
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	21	8	6	1	3	—	18	2	1	—	—	—	—	—	—	—	—
Scarlatina	27	5	11	12	12	7	47	8	1	1	—	—	—	—	—	—	—
Diphtheria	8	—	—	2	2	—	4	2	1	—	—	—	1	—	—	—	—
Whooping-cough	33	15	15	—	1	1	82	1	—	—	—	—	—	—	—	—	—
Typhus	62	2	2	5	1	2	12	10	14	10	3	8	4	6	5	8	2
Diarrhoea & Dysentery	29	14	5	—	2	—	21	1	—	—	—	1	1	—	2	6	7
Cholera	2	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	70	10	2	2	3	2	19	2	5	—	—	3	5	4	7	11	10
Cancer	56	—	—	—	—	—	—	—	—	—	—	1	8	16	10	14	5
Serofula and Tuberc.	43	19	8	—	1	2	25	5	1	1	—	4	2	1	5	1	—
Phthisis	217	3	3	1	—	—	7	8	10	23	29	65	58	20	16	4	2
Hydrocephalus	18	3	4	4	1	1	13	4	1	—	—	—	—	—	—	—	—
Dis. of Brain	225	50	5	3	1	—	59	8	4	6	2	4	10	14	25	46	40
Dis. of Heart & Dropsy	213	3	—	—	—	—	5	1	5	8	4	2	21	34	41	53	40
Dis. of Lungs	293	55	94	7	7	3	96	2	3	2	5	4	5	12	33	52	46
Dis. of Stom. and Liver	94	7	2	—	—	2	11	1	1	4	1	5	9	8	25	17	9
Dis. of Kidneys	23	—	—	—	—	—	—	2	1	1	—	1	—	4	4	8	2
Dis. of Gen. Organs	15	—	—	—	—	—	—	—	—	1	—	—	4	2	2	2	—
Dis. of Joints	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
Dis. of Skin	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	23	—	—	—	—	—	—	—	—	1	6	7	10	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Other Violent Deaths	25	5	1	4	1	1	13	2	—	2	—	2	—	1	—	4	2
Other Causes	322	124	14	—	—	—	124	—	—	—	—	—	—	3	11	49	129

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		321.—FROME.																
Mean Popul ⁿ , 1861-71	11419	330	301	318	289	304	1542	1409	1337	1122	859	1344	1225	990	781	544	236	27
TOTAL DEATHS	2393	504	122	63	44	32	755	66	50	55	87	114	142	158	233	323	260	61
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	25	8	6	8	2	3	22	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	60	6	5	13	7	4	35	19	2	-	1	1	-	-	-	-	-	-
Diphtheria	3	-	1	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-
Whooping-cough	24	13	8	3	-	2	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	57	1	3	-	3	3	10	12	10	7	2	5	3	3	1	1	1	1
Diarrhœa & Dysentery	96	42	12	6	2	1	63	-	1	-	-	2	1	1	3	11	13	3
Cholera	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	57	6	6	1	4	3	20	1	-	5	-	1	1	4	4	12	6	3
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	43	15	9	3	-	1	30	4	1	1	2	-	2	4	6	2	3	2
Phthisis	174	2	-	-	-	-	22	1	1	10	44	44	29	21	10	6	-	-
Hydrocephalus	23	8	7	5	1	1	22	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	289	67	8	6	6	4	91	7	5	1	4	6	14	16	29	30	44	3
Dis. of Heart & Dropsy	212	2	-	-	1	-	3	-	3	3	6	12	12	24	35	38	22	3
Dis. of Lungs	289	95	29	14	3	2	143	4	2	4	6	10	23	23	37	42	36	12
Dis. of Stom. and Liver	150	10	1	2	1	1	15	2	-	2	1	7	18	21	31	28	23	5
Dis. of Kidneys	69	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	3	6	8	13	20	14	1
Dis. of Joints	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	13	5	-	-	-	1	6	-	4	1	4	-	-	2	1	4	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	142	7	6	2	8	3	36	10	18	11	12	15	18	16	10	2	2	2
Other Causes	512	215	21	5	4	3	248	-	1	-	3	8	12	9	31	42	22	2

322.—SHEPTON MALLET.																		
Mean Popul ⁿ , 1861-71	7894	220	220	217	183	203	1043	979	934	776	578	924	834	746	529	367	156	28
TOTAL DEATHS	1486	280	80	43	17	24	444	48	32	28	46	80	79	127	153	185	243	61
Small-pox	3	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Measles	13	3	3	2	1	1	10	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	3	4	7	1	2	17	6	1	-	3	-	-	-	-	-	-	-
Diphtheria	8	-	-	2	-	1	3	2	2	1	-	-	-	-	-	-	-	-
Whooping-cough	11	7	2	1	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	50	-	2	3	2	2	12	9	3	2	6	7	2	4	3	2	1	-
Diarrhœa & Dysentery	18	9	3	-	-	-	12	-	-	-	-	-	1	-	2	2	-	-
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	44	8	5	1	1	1	16	3	3	3	1	1	2	5	6	3	4	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	18	2	3	1	1	-	7	1	-	-	-	-	2	4	9	2	4	-
Phthisis	129	4	5	1	-	-	10	-	2	2	-	4	2	2	-	-	-	-
Hydrocephalus	23	8	7	3	1	2	21	1	-	10	18	20	16	22	12	4	-	-
Dis. of Brain	142	25	7	4	2	3	41	4	5	4	5	7	10	12	20	23	13	6
Dis. of Heart & Dropsy	132	4	-	-	-	-	5	-	4	2	-	7	4	19	25	30	20	3
Dis. of Lungs	166	40	9	5	1	1	56	4	2	4	3	9	9	12	12	27	22	6
Dis. of Stom. and Liver	76	5	1	1	-	1	6	3	1	-	3	6	6	14	16	13	6	2
Dis. of Kidneys	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	1	-	-	-	-	3	8	8	8	8	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	81	4	4	7	3	4	22	3	3	2	4	5	8	12	11	20	1	1
Other Causes	481	158	25	4	3	4	194	9	4	-	2	4	13	13	27	48	115	40

323.—WELLS.																		
Mean Popul ⁿ , 1861-71	10724	283	258	287	296	286	1410	1307	1219	1085	821	1309	1128	993	768	467	195	22
TOTAL DEATHS	2456	411	117	63	51	33	675	94	47	45	74	167	185	223	222	326	299	60
Small-pox	12	5	1	-	-	-	6	-	-	2	1	3	-	-	-	-	-	-
Measles	26	2	10	6	4	1	23	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	80	11	10	12	9	9	51	22	6	1	-	-	-	-	-	-	-	-
Diphtheria	9	1	1	-	-	1	3	2	1	2	-	-	-	-	-	-	-	-
Whooping-cough	25	17	4	3	1	-	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	92	5	4	6	6	5	26	16	-	10	8	6	5	4	3	1	1	-
Diarrhœa & Dysentery	49	29	3	-	1	-	33	-	-	-	-	-	2	1	3	4	3	8
Cholera	12	-	-	1	-	-	1	2	-	-	-	-	1	3	2	2	2	2
Other Zymotic Dis.	60	6	6	5	5	6	28	3	2	-	1	3	6	5	4	7	3	2
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	48	14	6	4	2	1	27	4	3	-	2	2	1	2	13	3	2	2
Phthisis	220	3	2	-	1	-	6	5	3	9	40	49	41	20	27	9	1	-
Hydrocephalus	21	7	5	2	1	2	17	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	428	48	14	5	4	1	73	9	2	7	8	45	52	61	63	78	40	7
Dis. of Heart & Dropsy	170	4	-	-	-	-	5	6	4	2	4	5	16	23	36	51	25	6
Dis. of Lungs	322	53	30	9	7	3	102	5	3	3	4	17	39	33	36	79	47	15
Dis. of Stom. and Liver	122	10	2	2	1	-	15	2	1	1	2	6	9	20	22	27	14	4
Dis. of Kidneys	73	-	1	-	1	1	3	1	1	1	1	7	3	8	12	20	9	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	7	1	-	-	-	-	-	-	1	-	-	3	1	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	96	10	3	4	6	2	25	7	6	4	2	11	10	16	8	5	1	1
Other Causes	440	185	15	4	1	1	206	4	2	1	3	1	4	11	10	25	119	40

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
321.—FROME.																			
Mean Popul ⁿ , 1861-71 -	12568	334	303	306	292	293	1528	1462	1371	1133	1003	1636	1407	1124	890	670	297	47	
TOTAL DEATHS -	2303	309	140	60	44	34	647	66	49	70	71	145	161	147	210	340	356	131	
Small-pox - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Measles - - -	30	3	6	7	4	2	22	7	-	1	-	-	-	-	-	-	-	-	
Scarlatina - - -	71	1	8	16	9	13	47	13	8	1	1	-	1	-	-	-	-	-	
Diphtheria - - -	6	-	-	1	2	2	5	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -	21	12	4	1	3	-	20	-	-	1	-	-	-	-	-	-	-	-	
Typhus - - -	76	1	3	4	4	1	13	16	8	11	3	4	4	8	4	2	2	1	
Diarrhoea & Dysentery	102	36	8	3	1	-	48	-	-	-	1	3	8	4	8	11	13	0	
Cholera - - -	5	-	-	1	-	-	1	-	-	-	-	-	-	-	2	1	1	-	
Other Zymotic Dis.	75	9	8	2	5	3	27	-	1	3	2	5	1	2	8	12	14	-	
Cancer - - -	48	-	-	-	-	-	-	-	-	-	-	3	3	9	12	13	6	2	
Scrofula and Tuberc.	52	20	14	1	1	1	37	4	4	1	-	1	2	2	1	-	-	-	
Phthisis - - -	219	2	2	2	1	1	8	4	8	28	33	57	48	23	5	5	-	-	
Hydrocephalus - -	16	4	6	1	1	1	13	2	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	252	33	10	3	6	2	54	4	4	6	8	13	14	21	25	26	41	6	
Dis. of Heart & Dropsy	262	-	-	-	-	-	-	-	5	6	3	13	12	25	41	82	45	10	
Dis. of Lungs - - -	230	75	40	12	1	3	131	3	4	3	2	8	20	8	33	63	44	11	
Dis. of Stom. and Liver	148	10	3	-	1	1	15	2	2	5	6	11	15	23	25	26	14	4	
Dis. of Kidneys - -	22	-	-	-	1	-	1	-	-	-	3	-	5	3	4	2	4	-	
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-	-	
Dis. of Joints - - -	22	1	-	-	-	-	1	-	2	2	2	1	1	2	4	4	3	-	
Dis. of Skin - - -	6	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	
Childbirth and Metritia	41	-	-	-	-	-	-	-	-	-	5	18	16	2	-	-	-	-	
Suicide - - -	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
Other Violent Deaths	29	1	2	-	2	2	7	4	2	-	-	1	-	2	1	4	7	1	
Other Causes - - -	549	161	26	5	2	2	196	6	1	1	-	6	9	9	15	56	161	89	

322.—SHEPTON MALLET.																			
Mean Popul ⁿ , 1861-71		8417	224	188	207	211	221	1051	970	887	763	651	1067	955	813	583	430	207	40
TOTAL DEATHS		1587	268	68	44	34	16	430	45	48	37	59	87	86	95	127	219	240	105
Small-pox		4	1	-	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-
Measles		13	2	6	3	1	-	12	1	-	-	-	-	-	-	-	-	-	-
Scarlatina		40	4	5	9	7	2	27	8	4	1	-	-	-	-	-	-	-	-
Diphtheria		10	1	1	-	2	2	6	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough		16	7	4	2	-	2	15	1	-	-	-	-	-	-	-	-	-	-
Typhus		41	-	-	-	2	3	5	7	9	2	3	3	4	2	5	-	1	-
Diarrhoea & Dysentery		30	10	-	1	-	-	11	2	-	-	1	1	-	2	-	4	7	2
Cholera		36	4	2	3	2	-	11	2	-	2	2	2	3	-	2	4	5	3
Other Zymotic Dis.		47	-	-	-	-	-	-	-	-	-	-	1	6	11	11	15	3	-
Cancer		19	5	-	1	-	-	6	1	3	1	2	-	1	4	1	-	-	-
Scrofula and Tuberc.		158	8	1	-	-	-	10	4	9	13	25	38	29	16	5	6	3	-
Phthisis		26	11	5	3	4	-	23	1	1	-	-	-	-	1	-	-	-	-
Hydrocephalus		140	23	3	1	2	2	31	1	5	4	5	7	3	13	19	31	18	3
Dis. of Brain		174	3	1	2	-	-	6	1	4	6	3	8	10	14	28	49	41	4
Dis. of Heart & Dropsy		163	35	12	5	4	2	58	2	2	2	4	9	7	18	26	19	13	1
Dis. of Lungs		62	3	1	-	-	-	6	2	3	1	1	4	4	10	14	10	6	1
Dis. of Stom. and Liver		15	-	2	-	-	1	3	-	-	1	1	1	1	2	2	2	2	-
Dis. of Kidneys		9	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	2	-
Dis. of Gener. Organs		7	-	-	-	-	-	-	1	-	-	1	1	-	1	-	2	-	-
Dis. of Joints		4	-	-	1	-	-	1	-	-	-	-	-	-	1	1	1	1	-
Dis. of Skin		29	-	-	-	-	-	-	-	-	-	5	8	6	1	-	-	-	-
Childbirth and Metritia		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		37	3	1	1	3	2	10	4	3	2	2	1	-	1	-	1	2	1
Other Violent Deaths		526	146	24	12	5	-	187	6	4	-	4	7	9	7	18	67	139	78
Other Causes																			

323.—WELLS.																			
Mean Popul ⁿ , 1861-71		11375	267	302	280	288	247	1384	1313	1198	1052	1005	1493	1250	1071	777	533	253	46
TOTAL DEATHS		2334	351	117	69	46	32	615	82	51	62	77	172	175	185	198	310	293	114
Small-pox		4	-	-	1	1	-	2	-	-	-	1	-	1	-	-	-	-	-
Measles		31	6	8	8	3	5	30	-	-	-	1	-	-	-	-	-	-	-
Scarlatina		72	7	7	9	8	6	37	27	6	-	1	-	-	-	-	1	-	-
Diphtheria		10	1	2	-	1	3	7	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough		25	10	7	5	1	1	24	1	-	-	-	-	-	-	-	-	-	-
Typhus		108	-	7	8	4	2	21	18	18	10	12	6	3	7	4	4	5	-
Diarrhoea & Dysentery		36	12	3	2	-	-	15	1	1	-	1	2	2	2	6	1	6	1
Cholera		13	1	2	-	-	-	7	-	1	-	-	1	3	-	2	1	-	-
Other Zymotic Dis.		67	2	6	3	5	1	17	5	3	2	3	5	4	4	10	4	-	-
Cancer		79	-	-	-	-	-	-	-	-	-	-	2	11	19	15	23	8	1
Scrofula and Tuberc.		58	21	16	4	2	2	45	2	2	3	1	-	1	2	1	-	1	-
Phthisis		247	-	1	-	4	-	5	4	6	21	34	84	44	28	18	4	1	-
Hydrocephalus		17	9	3	3	2	-	17	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		319	56	9	4	2	1	72	5	4	4	6	20	37	29	33	65	33	6
Dis. of Heart & Dropsy		214	1	1	3	-	1	6	4	3	3	4	12	16	24	39	58	37	8
Dis. of Lungs		332	46	28	10	9	9	102	5	3	4	1	15	18	26	41	66	50	11
Dis. of Stom. and Liver		135	15	-	1	-	1	17	2	-	5	7	8	14	19	19	23	19	2
Dis. of Kidneys		38	-	-	-	-	-	-	-	-	2	1	4	3	7	5	10	6	-
Dis. of Gener. Organs		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Dis. of Joints		7	-	-	-	-	-	-	2	-	3	-	1	-	1	1	-	-	-
Dis. of Skin		9	3	-	-	-	-	3	-	-	-	-	-	-	1	1	3	1	-
Childbirth and Metritia		29	-	-	-	-	-	-	-	-	1	3	8	14	3	-	-	-	-
Suicide		7	-	-	-	-	-	-	-	-	1	-	1	-	4	1	-	-	-
Other Violent Deaths		37	2	5	5	2	-	14	4	1	1	-	5	1	2	5	1	3	-
Other Causes		448	159	12	3	2	-	176	1	2	2	1	3	4	10	2	61	112	84

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— unw.	
324.—AXBRIDGE.																			
Mean Popul ⁿ , 1861-71	19873	501	456	448	434	443	2282	2185	2072	2017	1775	2691	2203	1907	1353	878	425	85	
TOTAL DEATHS	3430	592	197	99	64	47	999	134	71	119	127	227	193	218	265	417	462	198	
Small-pox	13	1	2	—	5	—	6	2	—	—	1	1	1	2	—	—	—	—	
Measles	48	12	11	6	8	4	41	7	—	—	—	—	—	—	—	—	—	—	
Scarlatina	93	5	13	10	14	7	55	26	2	4	4	—	1	—	—	1	—	—	
Diphtheria	24	1	1	—	1	4	7	9	5	—	—	2	1	—	—	—	—	—	
Whooping-cough	62	22	24	4	6	2	58	3	1	—	—	—	—	—	—	—	—	—	
Typhus	167	9	4	5	3	4	25	23	20	17	12	24	4	7	11	10	8	1	
Diarrhoea & Dysentery	84	46	9	2	2	—	59	2	—	2	—	2	—	2	1	1	9	6	
Cholera	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	80	12	11	9	10	2	44	9	—	4	—	5	1	5	5	2	6	1	
Cancer	91	—	—	1	—	—	1	—	—	—	—	2	9	23	23	17	10	1	
Scrophula and Tubes	67	24	8	5	2	1	40	5	1	—	5	2	4	5	1	2	—	—	
Phthisis	334	5	5	2	1	—	13	5	17	48	53	74	57	29	23	15	2	—	
Hydrocephalus	29	8	8	5	1	1	23	3	2	—	—	—	1	—	—	—	—	—	
Dis. of Brain	353	69	15	10	1	5	109	5	6	9	4	13	15	29	44	62	35	13	
Dis. of Heart & Dropsy	308	7	2	1	1	1	12	2	3	3	8	16	21	37	44	70	65	7	
Dis. of Lungs	406	103	43	17	9	6	178	11	7	13	14	26	21	20	43	72	71	20	
Dis. of Stom. and Liver	239	18	—	—	—	—	19	9	3	6	9	20	19	27	36	47	37	7	
Dis. of Kidneys	38	—	—	—	—	1	1	1	—	—	2	6	4	8	1	10	2	3	
Dis. of Genes. Organs	17	—	—	—	—	—	—	—	—	2	—	2	3	5	8	2	—	—	
Dis. of Joints	9	—	—	1	—	—	1	2	—	2	—	2	—	—	—	1	1	—	
Dis. of Skin	4	1	—	—	—	—	1	—	—	—	—	—	1	2	—	—	—	—	
Childbirth and Metris	53	—	—	—	—	—	—	—	—	3	10	21	19	1	2	3	—	—	
Suicide	8	—	—	—	—	—	—	—	—	—	2	—	—	2	3	—	—	—	
Other Violent Deaths	57	12	6	6	—	5	29	4	2	2	—	1	2	1	5	5	4	2	
Other Causes	754	237	35	9	2	3	286	1	2	2	3	8	10	14	17	62	192	137	

325.—CLUTTON.

Mean Popul ⁿ , 1861-71	11798	337	329	336	342	344	1688	1574	1365	825	869	1418	1277	1081	828	581	247	45
TOTAL DEATHS	2165	394	104	63	49	31	641	106	60	78	86	127	131	114	159	304	248	111
Small-pox	8	5	—	—	—	1	6	—	—	1	1	—	—	—	—	—	—	—
Measles	30	7	8	4	2	3	24	5	—	—	—	1	—	—	—	—	—	—
Scarlatina	105	3	5	12	20	8	48	45	9	2	—	1	—	—	—	—	—	—
Diphtheria	13	1	—	—	3	2	6	2	3	1	—	1	—	—	—	—	—	—
Whooping-cough	44	25	10	3	1	2	41	3	—	—	—	—	—	—	—	—	—	—
Typhus	105	2	2	4	6	1	15	20	17	16	3	7	8	5	5	7	2	—
Dysentery & Cholera	46	27	5	1	—	—	33	—	—	—	—	3	2	2	2	2	2	—
Other Zymotic Dis.	42	9	2	3	3	3	30	2	3	2	1	1	2	—	2	6	3	—
Cancer	54	—	—	—	—	—	—	—	—	1	—	—	3	8	11	16	7	2
Scrophula and Tuberc.	69	17	14	3	2	2	58	3	1	4	5	4	5	2	4	1	—	—
Phthisis	208	4	—	2	—	—	7	28	34	59	52	32	24	9	5	—	—	—
Hydrocephalus	16	8	1	4	—	1	14	1	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	215	34	9	6	1	—	50	8	6	10	5	4	11	11	25	48	31	0
Dis. of Heart & Dropsy	229	1	—	2	—	—	3	1	4	2	8	6	8	7	20	33	33	13
Dis. of Lungs	281	77	21	11	7	4	130	6	4	5	6	5	7	16	25	29	12	3
Dis. of Stom. and Liver	139	9	2	1	1	—	13	2	—	4	4	7	13	16	13	29	12	3
Dis. of Kidneys	17	—	—	—	—	1	1	—	—	—	1	—	6	3	2	8	1	—
Dis. of Genes. Organs	16	—	—	—	—	—	—	—	—	—	3	3	3	3	1	—	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Dis. of Skin	3	4	—	—	—	—	4	—	—	—	1	—	2	—	—	—	1	—
Childbirth and Metris	46	—	—	—	—	—	—	—	—	2	10	21	12	1	—	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Other Violent Deaths	30	3	3	3	—	1	12	1	3	—	2	—	2	2	3	1	4	—
Other Causes	469	159	20	4	1	2	186	4	2	2	2	2	3	2	6	38	116	36

326.—BATH.

Mean Popul ⁿ , 1861-71	40161	807	688	760	719	713	3687	3436	3450	4128	4160	6265	4888	4063	3086	2066	804	128
TOTAL DEATHS	8083	1181	431	232	167	115	2126	245	131	190	209	479	560	638	870	1098	1123	360
Small-pox	60	14	5	10	4	4	37	9	1	1	3	4	3	—	2	—	—	—
Measles	127	23	42	28	12	9	114	7	1	1	1	1	1	—	—	—	—	—
Scarlatina	261	15	26	41	41	36	159	71	17	4	4	5	—	1	—	—	—	—
Diphtheria	41	2	4	5	6	6	23	7	4	1	1	—	1	1	—	—	—	—
Whooping-cough	116	40	41	29	7	5	113	3	—	—	—	—	—	—	—	—	—	—
Typhus	197	4	10	9	13	10	46	34	16	20	15	20	12	15	5	12	2	—
Dysentery & Cholera	298	141	31	9	3	—	184	4	1	—	2	7	1	8	1	37	27	7
Other Zymotic Dis.	7	4	1	—	—	—	5	—	—	—	—	—	—	1	1	—	—	—
Cancer	159	22	16	10	14	4	66	9	4	4	9	8	5	7	15	19	9	4
Scrophula and Tuberc.	142	50	22	13	2	3	70	9	11	13	8	10	6	9	7	69	31	5
Phthisis	734	6	10	3	3	3	25	12	27	71	87	184	168	98	49	11	2	—
Hydrocephalus	79	22	12	10	3	4	51	15	4	—	—	—	—	—	—	—	—	—
Dis. of Brain	808	162	37	12	14	4	229	17	13	17	13	30	57	85	142	174	123	28
Dis. of Heart & Dropsy	695	4	2	—	—	—	6	7	8	17	9	40	61	75	148	160	122	11
Dis. of Lungs	1291	161	88	38	29	15	331	11	6	21	16	41	53	114	209	251	196	42
Dis. of Stom. and Liver	471	14	4	2	1	5	26	6	1	6	13	30	51	69	105	106	51	5
Dis. of Kidneys	33	—	—	—	—	1	1	—	3	2	4	11	12	11	22	19	7	1
Dis. of Genes. Organs	63	—	—	—	—	—	—	—	—	—	1	7	13	15	11	6	10	—
Dis. of Joints	31	—	—	—	—	—	—	—	1	3	1	7	4	2	4	2	1	—
Dis. of Skin	28	4	—	1	1	—	6	2	—	1	1	5	—	2	3	3	5	—
Childbirth and Metris	86	—	—	—	—	—	—	—	—	3	10	40	32	1	—	—	—	—
Suicide	17	—	—	—	—	—	—	—	—	—	—	3	3	3	6	1	1	—
Other Violent Deaths	178	34	14	5	1	4	58	14	10	3	6	9	12	13	12	17	21	3
Other Causes	1630	479	66	16	13	2	576	7	3	2	2	8	17	20	31	208	483	233

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.
		327.—KEYNSHAM.																
Mean Popul ⁿ , 1861-71	10796	344	317	298	302	289	1550	1352	1279	1149	818	1298	1064	913	711	455	180	27
TOTAL DEATHS -	2187	536	156	71	52	25	840	92	68	62	76	92	107	140	163	241	229	77
Small-pox - - -	8	1	1	-	-	1	3	1	1	2	-	-	-	1	-	-	-	-
Measles - - -	33	6	15	5	2	1	29	3	1	-	-	-	-	-	-	-	-	-
Scarlatina - - -	119	10	15	23	20	14	82	25	8	2	2	-	-	-	-	-	-	-
Diphtheria - - -	6	-	-	-	2	1	3	1	1	-	-	-	-	1	-	-	-	-
Whooping-cough -	44	24	11	6	1	1	43	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	78	-	-	2	8	1	11	10	10	5	13	9	2	9	1	6	2	2
Diarrhoea & Dysentery	63	35	4	1	-	-	40	1	-	-	2	-	1	2	5	5	7	5
Cholera - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	48	7	5	6	4	1	23	4	2	2	2	-	1	-	2	6	6	4
Cancer - - -	22	-	-	-	-	-	-	-	-	-	-	-	3	6	6	4	1	1
Scrofula and Tuberc.	56	6	4	1	1	1	13	4	7	3	3	3	-	2	-	1	-	-
Phthisis - - -	164	2	-	-	-	1	3	2	6	23	27	27	28	27	19	3	-	-
Hydrocephalus - -	59	18	13	2	-	-	33	4	2	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	260	81	12	4	4	-	101	10	5	4	5	13	18	20	18	55	59	1
Dis. of Heart & Dropsy	120	2	-	1	-	1	4	3	2	4	3	7	8	22	28	47	69	7
Dis. of Lungs - - -	359	92	42	10	6	1	151	4	5	5	2	9	12	18	37	62	63	2
Dis. of Stom. and Liver	86	8	1	3	-	-	12	-	1	4	6	6	13	8	14	35	3	1
Dis. of Kidneys - -	47	-	-	-	-	-	-	-	-	-	1	2	7	4	9	13	11	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints - - -	11	-	-	-	-	-	-	1	2	-	3	-	-	2	1	1	1	-
Dis. of Skin - - -	6	2	-	-	-	-	2	1	1	1	-	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	8	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	1	-
Other Violent Deaths	107	7	4	3	3	2	19	12	13	7	4	15	7	13	9	3	8	1
Other Causes - - -	499	235	28	4	-	-	267	5	1	-	1	1	4	3	13	47	65	62
328.—BEDMINSTER.																		
Mean Popul ⁿ , 1861-71	22686	704	669	613	673	634	3293	2937	2601	2132	1843	3183	2444	1867	1333	736	293	34
TOTAL DEATHS -	4800	1287	379	221	136	76	2099	196	98	104	131	265	297	310	357	433	404	100
Small-pox - - -	44	11	6	4	3	2	26	7	1	-	3	4	2	-	-	1	-	-
Measles - - -	123	27	41	28	17	6	119	6	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	501	14	38	34	32	22	140	45	11	5	1	-	-	-	-	-	-	-
Diphtheria - - -	24	4	2	2	5	2	15	4	4	-	1	-	-	-	-	-	-	-
Whooping-cough -	94	47	24	15	3	1	90	4	-	-	-	-	-	-	-	-	-	-
Typhus - - -	153	5	9	9	7	8	38	17	8	9	15	15	16	3	14	11	4	2
Diarrhoea & Dysentery	155	90	16	3	2	1	112	1	-	-	9	15	16	4	3	7	23	3
Cholera - - -	14	-	-	1	2	2	5	-	3	-	2	2	-	1	1	-	-	-
Other Zymotic Dis.	123	13	10	18	9	7	59	14	4	3	2	2	10	6	5	8	12	1
Cancer - - -	43	-	-	1	-	-	1	-	-	-	1	1	1	8	16	12	3	-
Scrofula and Tuberc.	88	36	9	5	3	1	54	8	8	5	4	4	1	1	2	1	-	-
Phthisis - - -	309	11	6	1	4	-	22	10	7	35	52	88	70	72	50	10	-	-
Hydrocephalus - -	81	30	23	11	5	2	71	9	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	652	252	32	15	10	5	314	19	8	7	7	19	37	37	56	78	89	11
Dis. of Heart & Dropsy	259	2	1	2	1	4	10	5	4	8	6	25	30	30	43	20	20	7
Dis. of Lungs - - -	866	213	103	41	22	9	288	11	3	7	16	28	44	50	83	106	94	24
Dis. of Stom. and Liver	210	37	4	2	-	-	43	2	7	5	5	11	19	26	39	37	14	3
Dis. of Kidneys - -	122	-	-	1	-	-	1	3	6	-	3	11	12	14	20	29	23	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Joints - - -	25	1	3	-	-	-	4	4	3	1	1	5	3	3	-	1	-	-
Dis. of Skin - - -	21	9	1	-	-	-	10	-	-	1	-	-	-	-	1	5	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	22	-	-	-	-	-	-	-	-	-	1	5	2	6	4	4	-	-
Other Violent Deaths	234	13	10	11	8	4	46	24	10	17	9	32	36	18	13	15	3	2
Other Causes - - -	850	470	41	17	3	-	531	3	1	1	1	11	11	17	28	36	124	54

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- as up.	
327.—KEYNSHAM.																			
Mean Popul ⁿ , 1861-71	11552	311	291	303	306	298	1509	1372	1245	1111	979	1525	1235	1012	765	518	241	40	
TOTAL DEATHS -	2328	419	137	70	62	50	738	100	61	99	92	151	136	107	158	283	283	120	
Small-pox -	7	2	1	-	-	1	3	-	1	1	1	1	-	-	-	-	-	-	
Measles -	27	3	4	8	5	1	21	6	-	-	-	1	-	-	-	-	-	-	
Scarlatina -	134	7	20	21	19	18	85	39	6	3	-	2	-	-	-	-	-	-	
Diphtheria -	7	-	-	-	-	3	3	2	1	-	1	-	-	-	-	-	-	-	
Whooping-cough -	47	26	9	5	3	1	44	3	-	-	-	-	-	-	-	-	-	-	
Typhus -	85	1	1	2	3	1	8	14	10	16	4	12	7	7	3	4	1	-	
Diarrhoea & Dysentery -	80	54	9	2	-	1	46	1	-	-	-	2	3	-	-	11	14	5	
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	47	7	7	4	1	8	27	2	1	-	-	3	1	4	2	5	1	1	
Cancer -	60	-	-	-	-	1	1	-	-	-	1	2	9	10	19	12	6	-	
Scrophula and Tuberc -	25	8	1	-	1	1	11	3	1	4	3	-	-	-	2	1	-	-	
Phthisis -	283	1	-	-	2	-	3	4	21	44	58	72	42	23	12	3	-	-	
Hydrocephalus -	32	7	12	4	1	2	26	2	2	2	-	-	-	-	-	-	-	-	
Dis. of Brain -	244	56	11	4	6	1	78	5	4	6	6	9	18	9	27	45	28	9	
Dis. of Heart & Dropsy -	172	2	2	1	1	2	8	1	4	1	5	11	13	17	37	46	23	4	
Dis. of Lungs -	315	63	32	11	8	4	118	7	3	12	3	4	11	20	23	55	48	11	
Dis. of Stom. and Liver -	89	2	-	-	-	1	4	-	3	1	1	7	10	5	15	25	14	4	
Dis. of Kidneys -	23	-	-	-	-	-	-	-	2	-	-	2	2	3	3	7	1	1	
Dis. of Gen. Organs -	9	-	-	-	1	-	1	-	-	-	-	2	-	2	2	2	-	-	
Dis. of Joints -	5	-	-	-	-	-	-	1	-	-	-	-	3	-	1	-	-	-	
Dis. of Skin -	19	4	1	-	-	-	5	1	-	-	-	-	-	-	-	2	2	-	
Childbirth and Metria -	32	-	-	-	-	-	-	-	-	2	7	13	10	-	-	-	-	-	
Suicide -	5	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	
Other Violent Deaths -	41	2	5	2	2	3	14	6	1	2	2	2	1	1	4	2	4	2	
Other Causes -	545	191	22	6	8	2	232	3	1	-	-	6	4	5	7	61	141	85	
328.—BEDMINSTER.																			
Mean Popul ⁿ , 1861-71	24879	736	671	688	636	649	3380	2867	2526	2213	2210	3810	2836	2170	1542	909	355	61	
TOTAL DEATHS -	4683	1024	381	203	129	90	1827	178	104	144	142	311	275	293	355	441	450	163	
Small-pox -	34	9	5	4	2	3	23	3	2	-	1	4	-	-	-	1	-	-	
Measles -	103	29	38	17	16	4	95	7	-	-	1	-	-	-	-	-	-	-	
Scarlatina -	205	13	41	32	30	23	139	47	13	5	-	-	1	-	-	-	-	-	
Diphtheria -	56	3	2	3	3	6	17	10	4	3	-	2	-	-	-	-	-	-	
Whooping-cough -	110	40	39	18	8	6	108	2	-	-	-	-	-	-	-	-	-	-	
Typhus -	183	8	10	5	11	15	49	20	20	14	14	15	12	8	11	5	8	1	
Diarrhoea & Dysentery -	134	85	19	4	-	1	109	1	-	1	-	1	2	1	2	2	15	-	
Cholera -	14	1	-	1	1	1	4	2	1	1	-	2	1	1	-	1	1	-	
Other Zymotic Dis. -	91	16	17	7	3	6	61	5	1	-	2	2	5	3	7	8	5	2	
Cancer -	130	1	-	-	-	-	1	-	1	1	1	6	14	42	33	22	8	1	
Scrophula and Tuberc -	82	32	14	4	2	-	52	10	6	6	2	5	-	-	-	1	-	-	
Phthisis -	442	9	1	4	3	-	17	6	12	65	62	128	91	42	16	2	1	-	
Hydrocephalus -	71	30	13	11	4	3	61	8	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	271	208	30	20	14	7	279	9	7	10	8	18	15	28	45	81	54	17	
Dis. of Heart & Dropsy -	243	2	3	1	2	-	8	6	10	10	12	13	31	45	69	83	46	7	
Dis. of Lungs -	861	184	95	48	16	8	351	21	8	7	13	30	31	48	88	116	122	26	
Dis. of Stom. and Liver -	217	15	4	3	2	1	25	4	5	7	3	17	24	30	37	55	27	3	
Dis. of Kidneys -	41	-	-	-	-	1	1	1	1	1	-	3	4	11	10	6	3	-	
Dis. of Gen. Organs -	35	-	1	-	-	-	1	-	-	-	1	4	4	12	8	3	2	-	
Dis. of Joints -	29	-	1	2	1	1	5	3	3	6	3	2	1	2	-	3	1	-	
Dis. of Skin -	9	4	-	-	-	-	4	-	-	-	-	-	-	1	1	1	1	1	
Childbirth and Metria -	83	-	-	-	-	-	-	-	-	5	14	42	22	-	-	-	-	-	
Suicide -	9	-	-	-	-	-	-	-	-	1	1	1	1	1	2	2	2	-	
Other Violent Deaths -	65	9	7	6	2	2	23	5	2	1	-	4	3	3	8	6	7	1	
Other Causes -	785	335	44	13	7	2	401	2	6	1	4	12	13	12	18	63	149	104	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1				Total under 5 Years.	5--										Males per 1,000.
			2	3	4	5--		10--	15--	20--	25--	35--	45--	55--	65--	75--		
329.—BRISTOL.																		
Mean Popul ⁿ , 1861-71	29879	876	737	781	737	703	3834	3330	3227	3014	2772	4551	3639	2721	1728	784	247	33
TOTAL DEATHS	8828	2048	808	407	275	199	3737	336	197	255	285	652	703	744	688	667	465	79
Small-pox	71	17	10	5	4	7	43	8	1	3	6	7	2	-	-	1	-	-
Measles	256	41	100	61	35	22	349	6	1	-	-	-	-	-	-	-	-	-
Scarlatina	423	27	38	61	79	53	278	121	14	4	-	5	1	-	-	-	-	-
Diphtheria	57	9	12	11	4	6	41	4	4	3	1	2	-	1	-	1	-	-
Whooping-cough	197	70	70	25	11	12	188	9	-	-	-	-	-	-	-	-	-	-
Typhus	294	5	11	11	17	15	69	45	28	33	31	43	29	18	10	2	2	-
Diarrhoea & Dysentery	851	221	46	14	2	2	285	4	3	-	-	3	4	13	8	13	14	-
Cholera	12	-	2	-	-	-	2	2	1	-	1	-	1	1	2	1	1	-
Other Zymotic Dis.	200	35	41	30	11	15	123	4	5	7	4	10	12	10	11	13	3	-
Cancer	101	-	-	-	-	-	-	-	-	2	2	4	19	20	23	20	10	1
Scrophula and Tuberc.	169	70	21	19	6	5	121	9	12	9	6	5	2	4	1	-	-	-
Phthisis	353	20	15	10	7	4	57	14	17	75	98	245	183	159	74	28	2	-
Hydrocephalus	136	62	40	17	7	5	121	13	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	926	301	82	45	25	8	461	21	15	15	14	31	51	76	81	50	20	-
Dis. of Heart & Dropsy	401	8	5	3	4	2	22	6	14	10	16	43	52	76	73	62	26	-
Dis. of Lungs	1536	353	181	94	28	16	637	84	7	9	15	58	97	140	175	211	111	-
Dis. of Stom. and Liver	338	33	2	-	3	4	43	7	6	11	8	30	54	57	55	58	24	-
Dis. of Kidneys	224	1	1	5	-	3	10	5	5	3	10	27	51	40	41	37	12	-
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	69	2	1	-	3	1	7	11	7	6	7	9	6	4	5	1	1	-
Dis. of Skin	39	11	2	-	-	1	14	1	1	2	2	1	3	1	4	6	4	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	56	-	-	-	-	-	-	-	-	2	2	4	5	9	11	5	1	-
Other Violent Deaths	677	24	28	19	17	10	98	39	47	55	54	96	102	79	45	29	11	-
Other Causes	1359	782	79	18	3	7	839	13	9	6	8	29	44	40	49	87	145	41
330.—CLIFTON.																		
Mean Popul ⁿ , 1861-71	49441	1618	1443	1436	1401	1362	7260	6316	5581	4765	4182	7057	5546	4094	2632	1447	500	61
TOTAL DEATHS	11754	3117	1055	522	334	252	5280	533	237	240	260	643	744	782	989	1944	569	181
Small-pox	121	26	15	10	13	12	76	8	2	6	8	10	8	3	-	-	-	-
Measles	294	65	111	45	31	21	273	19	2	-	-	-	-	-	-	-	-	-
Scarlatina	694	61	122	118	99	101	501	168	17	4	2	2	-	-	-	-	-	-
Diphtheria	49	7	4	3	12	8	29	13	2	2	-	-	1	1	1	-	-	-
Whooping-cough	270	117	84	29	26	6	262	7	-	1	-	-	-	-	-	-	-	-
Typhus	424	13	12	15	22	21	83	75	49	28	24	38	39	32	31	16	2	-
Diarrhoea & Dysentery	568	375	57	16	4	-	452	4	4	-	2	6	9	6	18	33	29	-
Cholera	14	3	2	-	1	-	6	1	-	-	-	-	-	-	1	5	1	-
Other Zymotic Dis.	214	33	18	25	16	9	101	19	7	2	4	13	13	12	13	13	10	-
Cancer	134	-	-	-	1	-	1	-	1	-	-	5	12	18	45	22	13	-
Scrophula and Tuberc.	167	66	28	17	5	1	117	17	17	15	8	6	2	3	4	28	13	-
Phthisis	1246	21	28	14	4	6	73	25	20	33	130	298	275	199	120	38	1	-
Hydrocephalus	208	50	63	17	9	9	178	21	8	1	-	-	-	-	-	-	-	-
Dis. of Brain	1668	505	90	39	21	18	682	30	29	25	16	69	108	120	138	162	100	-
Dis. of Heart & Dropsy	567	6	6	2	1	-	21	16	21	15	10	41	67	81	105	121	54	-
Dis. of Lungs	2689	583	280	168	44	27	1045	32	7	10	12	43	77	131	229	268	167	-
Dis. of Stom. and Liver	394	51	9	5	6	2	73	14	10	12	7	25	28	65	72	57	38	-
Dis. of Kidneys	228	1	-	3	1	1	6	4	2	2	6	25	28	28	44	41	29	-
Dis. of Genes. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	40	1	1	1	1	-	4	5	4	3	2	3	4	2	6	1	1	-
Dis. of Skin	37	20	-	1	-	1	22	1	1	-	1	-	1	1	8	-	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	89	-	-	-	-	-	-	-	1	1	2	4	6	11	5	7	2	-
Other Violent Deaths	279	12	3	14	8	6	43	34	23	21	19	28	31	26	28	14	8	-
Other Causes	2057	1068	113	56	8	7	1232	11	7	6	6	27	54	45	72	139	209	129
331.—CHIPPING SODBURY.																		
Mean Popul ⁿ , 1861-71	9415	255	264	260	257	244	1280	1218	1066	926	675	1083	987	863	667	431	193	36
TOTAL DEATHS	1841	437	109	47	53	36	682	72	40	36	55	86	98	104	152	221	221	54
Small-pox	6	2	-	-	1	-	3	-	-	1	-	1	1	-	-	-	-	-
Measles	17	3	9	1	-	2	15	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	89	7	10	12	17	11	67	23	6	-	1	-	-	-	-	-	-	-
Diphtheria	6	-	1	-	2	1	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	30	9	10	3	1	2	25	4	1	-	-	-	-	-	-	-	-	-
Typhus	72	3	2	2	3	5	15	7	3	9	6	12	4	3	4	7	4	-
Diarrhoea & Dysentery	51	18	2	2	1	2	25	1	1	-	-	-	1	3	7	5	4	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	8	3	3	4	2	20	-	-	1	1	1	2	1	-	7	4	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	3	5	6	5	2	-
Scrophula and Tuberc.	19	3	4	-	-	-	7	1	2	2	2	2	2	1	-	-	-	-
Phthisis	154	1	1	-	1	-	3	4	5	10	26	33	28	9	11	9	-	-
Hydrocephalus	24	11	6	4	-	-	21	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	190	60	8	4	2	1	75	6	2	2	3	5	8	20	14	24	22	-
Dis. of Heart & Dropsy	140	-	2	-	-	-	2	2	-	3	5	5	11	18	28	26	22	-
Dis. of Lungs	228	76	30	10	12	2	130	10	-	3	3	5	14	17	24	43	28	-
Dis. of Stom. and Liver	84	15	1	-	-	1	17	2	2	-	2	4	5	12	15	15	9	-
Dis. of Kidneys	35	-	-	-	-	-	-	-	-	-	-	2	2	2	11	10	2	-
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	1	-	1	2	-	-	-	-	1	-	1	1	1	-	-
Dis. of Skin	5	3	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-
Other Violent Deaths	93	4	0	2	5	4	27	2	14	4	5	11	10	6	10	8	9	-
Other Causes	480	214	14	3	4	1	233	5	2	1	3	3	5	7	12	42	106	54

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
329.—BRISTOL.																			
Mean Popul ⁿ , 1861-71 -	34466	873	737	780	755	715	3890	3376	3200	3483	3436	5408	4304	3201	2220	1377	517	84	
TOTAL DEATHS -	8486	1594	733	427	287	167	3208	325	167	215	268	510	579	655	715	858	741	245	
Small-pox - - -	81	15	8	9	10	6	48	7	6	3	10	5	2	-	-	-	-	-	
Measles - - - -	211	30	73	62	23	9	197	12	-	-	-	1	1	1	-	-	-	-	
Scarlatina - - -	396	21	59	72	68	57	277	89	15	7	6	1	1	-	-	-	-	-	
Diphtheria - - -	62	6	7	10	7	8	38	15	2	1	2	1	1	1	1	-	-	-	
Whooping-cough -	251	73	51	51	25	12	242	7	2	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	305	4	7	12	26	16	65	33	36	32	28	37	26	30	16	8	4	-	
Diarrhea & Dysentery	372	184	62	14	7	1	268	4	3	-	8	7	4	1	11	27	50	14	
Cholera - - - - -	11	1	-	-	-	-	1	2	-	-	1	2	2	1	2	-	-	-	
Other Zymotic Dis.	183	20	39	21	20	10	100	12	7	6	5	7	7	9	12	11	5	2	
Cancer - - - - -	244	-	-	-	-	-	-	-	-	1	3	10	36	74	65	66	13	6	
Scrofula and Tuberc.	141	51	21	21	2	3	97	7	7	4	7	6	4	2	4	1	1	1	
Phthisis - - - -	875	9	23	7	5	-	44	22	27	75	99	222	193	118	45	23	3	-	
Hydrocephalus - -	77	23	21	9	9	5	67	8	1	-	-	1	-	-	-	-	-	-	
Dis. of Brain - - -	524	257	73	25	20	15	390	22	12	16	10	27	43	70	89	141	88	16	
Dis. of Heart & Dropsy	450	4	3	1	2	1	11	3	19	19	20	34	49	69	98	109	55	19	
Dis. of Lungs - - -	1543	320	149	76	27	13	524	23	7	6	16	42	51	138	191	230	202	35	
Dis. of Stomach & Liver	831	17	1	3	3	1	25	11	4	7	4	16	25	53	51	78	58	23	
Dis. of Kidneys - -	129	-	-	-	2	-	2	4	1	3	10	14	20	23	32	18	1	1	
Dis. of Genes. Organs	50	-	-	-	-	-	-	-	1	4	5	10	14	5	8	2	1	-	
Dis. of Joints - - -	27	2	1	-	-	1	4	2	5	3	1	4	3	6	1	1	-	-	
Dis. of Skin - - -	22	5	3	-	1	-	9	-	-	1	1	3	3	3	5	1	1	1	
Childbirth and Metris	85	-	-	-	-	-	-	-	-	11	16	32	25	1	-	-	-	-	
Suicide - - - - -	13	-	-	-	-	-	-	-	-	-	1	6	4	1	1	-	-	-	
Other Violent Deaths	237	18	27	15	13	6	79	32	8	19	8	7	17	16	12	19	29	11	
Other Causes - - -	1376	305	85	19	7	4	710	10	5	3	1	10	21	39	42	109	233	14	

330.—CLIFTON.

Mean Popul ⁿ , 1861-71	61944	1608	1372	1436	1377	1361	7154	6507	6212	6325	6391	9819	7341	5449	3663	2161	784	138
TOTAL DEATHS -	12138	2518	1044	541	328	225	4656	400	306	342	386	672	791	775	965	1304	1055	396
Small-pox -	117	50	13	15	10	4	72	9	4	4	6	16	5	1	-	-	-	-
Measles -	289	49	101	78	82	12	272	16	-	-	-	1	-	-	-	-	-	-
Scarlatina -	667	48	105	116	101	76	447	122	39	13	8	7	-	1	-	-	-	-
Diphtheria -	64	8	8	4	6	8	34	15	6	1	-	3	3	1	1	-	-	-
Whooping-cough -	320	118	160	96	25	19	397	12	1	-	-	33	49	33	30	22	7	-
Typhus -	497	14	16	26	20	20	94	76	66	52	35	53	7	11	15	85	17	7
Diarrhoea & Dysentery -	483	291	57	19	7	4	578	6	1	-	2	7	1	1	3	-	-	-
Cholera -	12	4	-	-	-	1	5	1	-	-	2	-	-	-	-	-	-	-
Other Zymotic Dis. -	230	30	27	24	21	10	112	15	4	3	6	8	9	18	14	22	22	2
Cancer -	374	-	1	-	-	-	1	1	1	-	2	9	51	101	95	64	29	-
Scrofula and Tuberc. -	136	59	33	9	7	5	113	11	25	18	8	9	1	6	1	1	1	-
Phthisis -	1314	20	27	10	5	4	66	28	60	161	174	308	237	151	84	22	2	1
Hydrocephalus -	172	57	42	21	9	11	140	20	10	2	-	-	-	-	-	-	-	-
Dis. of Brain -	1504	387	85	26	24	13	535	83	25	18	22	52	90	124	162	242	159	42
Dis. of Heart & Dropsy -	711	7	5	4	-	3	19	17	21	21	25	38	76	86	145	182	70	11
Dis. of Lungs -	2016	403	285	100	45	20	523	41	13	12	24	44	73	101	202	336	244	78
Dis. of Stom. and Liver -	494	46	8	5	2	3	64	11	10	9	16	33	50	72	96	91	37	8
Dis. of Kidneys -	120	3	-	-	-	1	4	1	2	4	7	15	7	19	26	26	8	1
Dis. of Genes. Organs -	71	1	-	-	-	-	1	-	-	2	1	6	19	17	11	11	8	-
Dis. of Joints -	49	2	-	2	-	-	4	7	7	8	5	3	6	8	2	6	3	-
Dis. of Skin -	32	8	1	-	-	-	9	-	2	-	-	2	2	2	5	7	3	-
Childbirth and Metris -	142	-	-	-	-	-	-	-	-	4	25	57	53	3	-	-	-	-
Suicide -	14	-	-	-	-	-	-	-	-	-	1	1	-	5	5	2	-	-
Other Violent Deaths -	87	17	13	9	-	2	41	3	1	3	-	2	3	2	7	7	6	10
Other Causes -	2165	216	107	39	14	9	1083	13	8	12	18	21	39	22	67	223	454	22

331.—CHIPPING SODBURY.

Mean Popul ⁿ , 1861-71	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2433	2434	2435	2436	2437	2438	2439	2440	2441	2442	2443	2444	2445	2446	2447	2448	2449	2450	2451	2452	2453	2454	2455	2456	2457	2458	2459	2460	2461	2462	2463	2464	2465	2466	2467	2468	2469	2470	2471	2472	2473	2474	2475	2476	2477	2478	2479	2480	2481	2482	2483	2484	2485	2486	2487	2488	2489	2490	2491	2492	2493	2494	2495	2496	2497	2498	2499	2500	2501	2502	2503	2504	2505	2506	2507	2508	2509	2510	2511	2512	2513	2514	2515	2516	2517	2518	2519	2520	2521	2522	2523	2524	2525	2526	2527	2528	2529	2530	2531	2532	2533	2534	2535	2536	2537	2538	2539	2540	2541	2542	2543	2544	2545	2546	2547	2548	2549	2550	2551	2552	2553	2554	2555	2556	2557	2558	2559	2560	2561	2562	2563	2564	2565	2566	2567	2568	2569	2570	2571	2572	2573	2574	2575	2576	2577	2578	2579	2580	2581	2582	2583	2584	2585	2586	2587	2588	2589	2590	2591	2592	2593	2594	2595	2596	2597	2598	2599	2600	2601	2602	2603	2604	2605	2606	2607	2608	2609	2610	2611	2612	2613	2614	2615	2616	2617	2618	2619	2620	2621	2622	2623	2624	2625	2626	2627	2628	2629	2630	2631	2632	2633	2634	2635	2636	2637	2638	2639	2640	2641	2642	2643	2644	2645	2646	2647	2648	2649	2650	2651	2652	2653	2654	2655	2656	2657	2658	2659	2660	2661	2662	2663	2664	2665	2666	2667	2668	2669	2670	2671	2672	2673	2674	2675	2676	2677	2678	2679	2680	2681	2682	2683	2684	2685	2686	2687	2688	2689	2690	2691	2692	2693	2694	2695	2696	2697	2698	2699	2700	2701	2702	2703	2704	2705	2706	2707	2708	2709	2710	2711	2712	2713	2714	2715	2716	2717	2718	2719	2720	2721	2722	2723	2724	2725	2726	2727	2728	2729	2730	2731	2732	2733	2734	2735	2736	2737	2738	2739	2740	2741	2742	2743	2744	2745	2746	2747	2748	2749	2750	2751	2752	2753	2754	2755	2756	2757	2758	2759	2760	2761	2762	2763	2764	2765	2766	2767	2768	2769	2770	2771	2772	2773	2774	2775	2776	2777	2778	2779	2780	2781	2782	2783	2784	2785	2786	2787	2788	2789	2790	2791	2792	2793	2794	2795	2796	2797	2798	2799	2800	2801	2802	2803	2804	2805	2806	2807	2808	2809	2810	2811	2812	2813	2814	2815	2816	2817	2818	2819	2820	2821	2822	2823	2824	2825	2826	2827	2828	2829	2830	2831	2832	2833	2834	2835	2836	2837	2838	2839	2840	2841	2842	2843	2844	2845	2846	2847	2848	2849	2850	2851	2852	2853	2854	2855	2856	2857	2858	2859	2860	2861	2862	2863	2864	2865	2866	2867	2868	2869	2870	2871	2872	2873	2874	2875	2876	2877	2878	2879	2880	2881	2882	2883	2884	2885	2886	2887	2888	2889	2890	2891	2892	2893	2894	2895	2896	2897	2898	2899	2900	2901	2902	2903	2904	2905	2906	2907	2908	2909	2910	2911	2912	2913	2914	2915	2916	2917	2918	2919	2920	2921	2922	2923	2924	2925	2926	2927	2928	2929	2930	2931	2932	2933	2934	2935	2936	2937	2938	2939	2940	2941	2942	2943	2944	2945	2946	2947	2948	2949	2950	2951	2952	2953	2954	2955	2956	2957	2958	2959	2960	2961	2962	2963	2964	2965	2966	2967	2968	2969	2970	2971	2972	2973	2974	2975	2976	2977	2978	2979	2980	2981	2982	2983	2984	2985	2986	2987	2988	2989	2990	2991	2992	2993	2994	2995	2996	2997	2998	2999	3000
TOTAL DEATHS	1848	337	120	64	55	30	606	86	58	48	64	91	101	100	136	223	253	82																																																																																																																																																																																																																																																																																																																																																																																																																																																																										</																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.
332.—THORNBURY.																		
Mean Popul ⁿ , 1861-71	8508	207	224	236	209	246	1122	1029	913	786	660	1100	946	778	620	381	153	21
TOTAL DEATHS -	1515	276	69	39	21	26	431	63	37	36	37	86	90	116	154	195	212	56
Small-pox - - -	4	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
Measles - - -	10	3	2	3	-	1	9	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	45	1	7	3	3	10	24	14	4	-	-	-	-	1	1	1	-	-
Diphtheria - - -	5	-	1	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	16	8	3	3	-	2	16	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	52	2	2	1	2	3	10	8	5	3	2	6	6	3	4	4	-	1
Diarrhoea & Dysentery	29	11	-	2	-	-	13	1	-	-	1	-	-	2	1	4	5	2
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis. -	51	3	3	3	-	2	11	2	1	1	-	-	2	4	4	3	2	-
Cancer - - -	18	-	-	-	-	-	-	-	1	-	-	-	-	2	6	5	2	3
Serofula and Tabes -	25	5	6	2	1	1	15	1	-	3	3	1	-	-	1	-	-	-
Phthisis - - -	143	-	5	-	-	1	6	1	8	10	23	31	30	19	9	5	1	-
Hydrocephalus - -	12	5	4	-	-	-	9	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	203	43	7	4	3	1	58	7	4	1	1	9	7	15	30	23	22	2
Dis. of Heart & Dropsy	131	2	-	1	-	-	3	5	3	4	3	9	12	14	30	15	27	2
Dis. of Lungs - - -	234	55	18	10	2	3	88	3	2	2	-	10	19	35	37	26	24	4
Dis. of Stom. and Liver	95	10	-	1	2	1	14	4	9	3	-	6	9	10	18	18	10	1
Dis. of Kidneys - -	26	1	-	1	-	-	2	-	-	-	-	-	1	4	4	10	5	-
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Joints - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Dis. of Skin - - -	4	1	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	5	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-
Other Violent Deaths -	95	8	3	1	5	1	18	7	6	4	4	21	7	13	5	8	1	1
Other Causes - - -	338	117	7	4	3	-	131	2	-	4	-	1	4	8	14	45	22	1

333.—DURSLEY.

Mean Popul ⁿ , 1861-71	6379	162	162	155	169	158	806	804	737	578	415	696	664	595	521	367	175	21
TOTAL DEATHS -	1288	222	50	26	14	17	529	34	19	30	26	59	55	84	138	224	214	74
Small-pox -	1	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	-	-
Measles -	5	1	3	1	-	3	10	8	3	-	-	-	-	1	-	-	-	-
Scarlatina -	22	8	2	-	-	1	10	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	6	-	-	1	-	1	2	1	2	-	-	-	-	1	-	-	-	-
Whooping-cough -	10	4	3	1	1	1	10	-	-	-	-	-	-	-	-	-	-	-
Dysentery -	35	1	2	1	2	1	7	4	2	5	3	4	-	4	4	3	1	2
Diarrhoea & Dysentery -	33	20	2	-	-	2	24	-	-	-	-	-	-	-	-	-	-	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	36	2	2	4	4	2	14	4	2	-	1	1	2	3	4	4	1	-
Cancer -	18	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	3	-
Scrophula and Tabes -	32	16	3	1	-	1	21	2	1	-	-	4	2	-	1	-	1	-
Phthisis -	94	2	1	-	1	-	4	-	3	12	11	20	18	18	10	3	-	-
Hydrocephalus -	10	1	3	1	1	-	6	2	-	-	1	-	1	-	-	-	-	-
Dis. of Brain -	190	29	5	5	-	1	40	2	-	3	4	6	7	7	25	47	41	4
Dis. of Heart & Dropsy -	84	-	-	-	-	-	3	2	-	-	-	2	3	11	29	25	17	1
Dis. of Lungs -	197	46	19	3	1	1	70	2	1	3	2	4	8	12	32	39	24	7
Dis. of Stom. and Liver -	92	16	-	-	-	1	17	-	-	2	-	7	3	50	16	21	3	1
Dis. of Kidneys -	41	-	-	-	-	-	-	1	-	3	2	3	2	4	8	9	16	2
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
Dis. of Skin -	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
Childbirth and Metridia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds -	10	-	-	-	-	1	-	-	-	-	-	1	-	-	6	3	-	-
Other Violent Deaths -	50	5	2	4	2	1	14	2	3	1	1	6	4	2	5	3	3	5
Other Causes -	315	75	3	2	2	1	83	2	-	-	1	1	4	3	15	20	100	-

334.—WESTBURY-ON-SEVERN.

Mean Popul", 1861-71 }	11041	356	293	319	320	271	1559	1415	1345	1111	913	1401	1151	937	687	368	14	12
TOTAL DEATHS -	2140	530	134	72	40	45	821	89	51	45	78	109	106	150	209	207	207	62
Small-pox -	11	1	-	-	-	1	2	1	1	1	3	2	1	-	-	-	-	-
Measles -	44	10	12	4	2	3	31	10	1	-	-	-	-	-	-	-	-	-
Scarlatina -	104	8	10	18	7	17	60	33	5	3	1	1	1	-	-	-	-	-
Diphtheria -	15	2	-	-	2	2	6	4	3	2	-	-	-	-	-	-	-	-
Whooping-cough -	37	18	10	2	4	2	36	1	-	-	-	-	-	-	-	-	-	-
Erysipelas -	74	1	3	3	5	3	15	2	8	5	11	8	3	3	4	8	3	-
Diarrhoea & Dysentery -	44	23	8	-	1	1	33	2	-	-	1	1	-	-	2	2	2	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis. -	39	4	2	4	3	1	14	3	3	1	1	1	5	2	3	3	2	-
Cancer -	25	-	-	-	-	-	-	-	-	-	-	2	-	5	11	6	1	-
Scrofula and Tuberc -	37	36	5	3	-	-	44	2	2	8	1	3	-	1	1	-	-	-
Phthisis -	145	6	1	-	-	1	8	1	5	7	35	39	20	21	13	1	-	-
Hydrocephalus -	26	9	7	2	1	2	21	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	232	86	10	3	1	3	103	3	1	2	4	7	18	17	35	37	19	-
Dis. of Heart & Dropsy -	152	8	1	-	1	1	11	3	2	4	5	4	15	12	37	34	28	-
Dis. of Lungs -	378	107	44	18	3	4	178	4	1	5	3	13	19	34	84	43	33	-
Dis. of Stom. and Liver -	111	24	5	2	2	-	33	1	4	2	-	6	8	15	18	13	9	-
Dis. of Kidneys -	35	-	-	-	-	-	-	-	-	2	1	2	-	7	7	11	5	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	15	-	-	-	-	1	1	-	3	-	2	1	3	2	9	1	-	-
Dis. of Skin -	6	1	1	-	-	-	2	-	-	-	-	1	-	-	2	1	-	-
Childbirth and Metritia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	128	-	4	8	5	3	20	6	14	8	13	18	12	19	8	9	4	-
Other Causes -	402	146	11	5	3	-	205	2	1	-	4	1	5	2	15	53	13	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
332.—THORNBURY.																		
Mean Popul ⁿ , 1861-71	8401	222	232	238	204	213	1099	1038	877	745	661	1091	916	803	593	381	167	30
TOTAL DEATHS	1375	209	56	38	29	12	344	63	30	48	46	76	79	91	117	212	181	88
Small-pox	5	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—
Measles	48	—	1	2	—	—	20	18	6	1	1	1	1	—	—	—	—	—
Scarlatina	14	—	6	6	5	3	7	3	2	—	—	—	—	—	—	—	—	—
Diphtheria	—	1	1	1	4	1	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	24	14	4	1	2	—	21	3	—	—	—	—	—	—	—	—	—	—
Typhus	62	—	2	2	4	—	8	9	8	10	5	3	10	3	2	4	—	—
Diarrhoea & Dysentery	24	7	—	1	2	—	10	2	—	—	—	1	1	—	1	4	3	2
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Zymotic Dis.	18	1	1	1	1	—	4	3	—	1	1	1	—	1	1	4	1	1
Cancer	45	—	—	—	—	—	—	—	—	—	—	—	4	5	11	11	2	1
Serofula and Tabes	18	5	2	1	—	—	8	—	—	1	1	3	—	2	3	—	—	—
Phthisis	134	—	—	—	—	—	2	2	8	19	22	28	20	14	7	4	—	—
Hydrocephalus	15	8	3	1	—	—	12	2	—	1	—	—	—	—	—	—	—	—
Dis. of Brain	174	48	12	1	2	—	63	3	2	6	6	8	7	6	12	33	21	5
Dis. of Heart & Dropsy	150	2	1	—	—	—	4	1	3	1	3	6	8	15	25	34	25	3
Dis. of Lungs	194	43	15	14	3	1	78	5	4	1	5	8	10	16	33	31	4	—
Dis. of Stom. and Liver	101	7	1	—	2	3	15	4	1	2	3	5	4	12	22	26	8	1
Dis. of Kidneys	18	1	—	—	—	1	2	2	—	1	1	—	1	4	5	1	1	—
Dis. of Gener. Organs	9	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Dis. of Skin	6	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	3	—
Childbirth and Metris	13	—	—	—	—	—	—	—	—	1	1	8	3	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	20	5	4	1	2	1	13	2	—	—	—	—	1	2	1	—	—	1
Other Causes	311	67	3	5	2	2	79	2	—	—	—	2	5	6	8	54	86	69

333.—DURSLEY.																			
Mean Populⁿ, 1861-71		6826	178	140	168	166	152	804	743	680	549	529	854	777	688	553	427	193	29
TOTAL DEATHS		1397	188	49	22	17	11	287	36	30	34	44	77	85	89	127	239	254	95
Small-pox		1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Measles		5	—	1	1	1	—	3	—	—	—	—	—	—	—	—	—	—	—
Scarlatina		20	—	2	1	2	5	10	5	4	—	1	—	—	—	—	—	—	—
Diphtheria		10	2	—	—	—	—	2	7	—	1	—	—	—	—	—	—	—	—
Whooping-cough		10	3	4	1	1	1	10	—	—	—	—	—	—	—	—	—	—	—
Typhus		39	—	2	2	—	1	5	9	—	4	1	2	1	4	2	4	2	—
Diarrhoea & Dysentery		40	11	3	1	—	—	15	—	5	—	—	—	—	1	6	11	6	1
Cholera		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		33	2	2	2	2	—	8	2	1	1	—	1	4	1	6	8	1	—
Cancer		54	—	—	—	—	—	—	—	—	—	—	—	7	13	12	18	4	—
Serofula and Tabes		29	17	1	1	—	1	20	1	2	3	—	1	—	1	—	1	—	—
Phthisis		118	—	—	—	—	—	2	2	3	12	17	37	23	14	7	1	2	—
Hydrocephalus		11	4	3	1	1	—	9	—	—	—	2	—	—	—	—	—	—	—
Dis. of Brain		144	16	2	1	1	—	20	—	2	5	6	6	5	11	24	36	26	3
Dis. of Heart & Dropsy		125	1	—	—	—	—	1	2	4	1	5	3	5	9	29	35	29	1
Dis. of Lungs		182	37	14	4	5	—	60	1	3	1	2	6	6	11	19	47	23	3
Dis. of Stom. and Liver		72	1	—	3	2	—	6	1	3	—	—	3	8	16	6	15	13	1
Dis. of Kidneys		14	—	—	—	—	—	—	—	—	1	1	2	1	—	1	7	—	1
Dis. of Gener. Organs		9	—	—	—	—	—	—	—	—	—	—	1	4	1	3	—	—	—
Dis. of Joints		7	—	—	—	—	—	—	1	—	1	1	—	1	1	2	—	—	—
Dis. of Skin		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Childbirth and Metris		54	—	—	—	—	—	—	—	—	—	7	11	13	3	—	—	—	—
Suicide		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		29	3	2	3	2	1	11	5	—	2	—	—	2	—	2	3	4	—
Other Causes		409	90	13	1	—	2	108	—	3	1	3	2	5	3	7	52	142	86

334.—WESTBURY-ON-SERVER.																			
Mean Popul ⁿ , 1861-71	10381	338	318	328	303	311	1598	1444	1188	833	781	1348	1128	910	603	372	148	28	
TOTAL DEATHS	1884	396	148	71	51	42	708	76	43	73	72	115	112	100	135	166	200	84	
Small-pox	4	1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	
Measles	28	2	13	3	2	4	24	2	1	-	-	-	1	-	-	-	-	-	
Scarlatina	121	3	15	17	21	20	76	30	7	3	2	3	-	-	-	-	-	-	
Diphtheria	11	-	1	1	1	1	4	5	1	-	-	1	-	-	-	-	-	-	
Whooping-cough	43	19	15	7	2	-	43	-	-	-	-	-	-	-	-	-	-	-	
Typhus	85	4	3	1	6	6	20	6	8	10	8	9	4	4	10	3	5	1	
Diarrhoea & Dysentery	39	21	6	2	1	-	30	1	-	-	-	2	2	-	2	2	3	1	
Cholera	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	
Other Zymotic Dis.	39	11	4	5	4	2	26	1	1	-	1	1	1	2	1	2	2	1	
Cancer	50	-	-	-	-	-	-	-	-	-	1	2	5	15	21	5	2	1	
Serofula and Tabes	44	19	7	5	1	1	31	3	3	2	3	3	2	-	-	-	-	-	
Phthisis	164	2	2	-	1	1	6	4	3	31	34	44	28	10	4	-	-	-	
Hydrocephalus	17	3	6	6	-	-	15	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	196	77	6	4	2	-	89	4	2	1	3	9	7	10	23	24	19	5	
Dis. of Heart & Dropsy	174	16	1	2	1	-	14	1	4	8	3	8	17	21	36	33	25	4	
Dis. of Lungs	226	68	40	15	4	4	131	7	3	3	5	7	7	12	14	26	9	2	
Dis. of Stom. and Liver	92	9	5	-	-	1	15	2	5	2	2	6	13	13	14	14	6	-	
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	2	-	2	3	6	1	2	2	-	
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	1	1	2	-	2	2	1	1	-	
Dis. of Joints	6	-	-	1	-	-	1	-	1	1	1	1	1	-	-	-	-	-	
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	
Childbirth and Metris	41	-	-	-	-	-	-	-	-	2	7	15	16	1	-	-	-	-	
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	83	5	8	1	3	2	17	4	2	1	-	2	-	1	-	-	-	-	
Other Causes	433	144	16	5	7	2	154	2	2	2	1	2	2	2	4	7	53	125	67

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-

335.—NEWENT.

Mean Popul ⁿ , 1861-71	6127	160	168	171	169	164	832	752	701	534	452	710	637	603	464	294	128	20
TOTAL DEATHS	1223	278	54	21	23	14	390	37	22	30	25	58	50	101	115	179	189	67
Small-pox	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1
Measles	5	1	1	2	-	-	4	-	-	-	-	-	-	1	-	-	-	-
Scarlatina	24	-	4	2	2	3	11	10	1	1	-	1	-	-	-	-	-	-
Diphtheria	6	3	1	-	1	-	5	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	11	5	3	-	2	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	27	1	-	1	3	-	5	3	1	5	3	4	2	2	-	2	2	2
Diarrhoea & Dysentery	23	10	1	-	1	-	12	-	-	1	-	-	-	1	3	3	2	-
Cholera	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Other Zymotic Dis.	18	-	1	-	2	3	6	-	3	1	1	-	-	-	1	5	1	-
Cancer	15	-	-	-	-	-	-	-	1	-	-	-	2	3	4	4	1	-
Scrofula and Tuberc.	9	1	1	-	-	-	2	2	2	-	-	1	-	-	1	-	-	-
Phthisis	112	2	2	-	1	1	5	1	1	9	13	30	22	15	10	3	1	-
Hydrocephalus	14	7	1	1	1	1	11	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	136	37	5	2	1	1	46	2	2	2	3	5	1	14	21	17	29	3
Dis. of Heart & Dropsy	85	4	-	-	-	-	4	1	3	1	1	4	3	10	16	30	11	1
Dis. of Lungs	169	41	12	5	4	3	65	4	1	3	1	4	8	17	18	23	27	6
Dis. of Stom. and Liver	59	4	2	1	1	-	8	2	1	1	-	1	2	9	11	15	4	-
Dis. of Kidneys	32	-	1	-	-	-	1	-	-	-	1	1	5	9	5	3	3	-
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	1	1	1	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin	4	3	-	-	-	-	8	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	52	1	4	3	1	3	12	5	3	2	1	5	4	8	4	4	4	5
Other Causes	408	157	14	8	3	-	177	3	1	4	-	1	1	7	14	57	98	58

336.—GLOUCESTER.

Mean Popul ⁿ , 1861-71	18687	542	482	519	507	483	2533	2319	1958	1759	1643	2742	2199	1677	1082	574	193	22
TOTAL DEATHS	4511	1088	276	176	104	73	1711	156	95	125	146	276	375	303	412	435	307	86
Small-pox	28	5	1	2	3	-	12	5	8	-	1	4	5	-	-	-	-	-
Measles	82	14	29	12	14	3	72	8	-	1	-	-	-	-	1	-	-	-
Scarlatina	216	16	26	53	33	30	158	46	8	-	2	2	-	-	-	-	-	-
Diphtheria	30	3	5	3	1	1	13	10	1	-	-	1	1	3	1	-	-	-
Whooping-cough	86	46	20	8	5	4	83	3	-	-	-	-	-	-	-	-	-	-
Typhus	148	-	5	7	7	4	23	16	17	9	12	16	19	11	12	8	4	1
Diarrhoea & Dysentery	261	177	32	9	3	1	222	3	-	2	1	6	2	3	5	8	7	3
Cholera	15	8	1	-	1	-	10	1	-	-	-	-	2	1	-	1	-	-
Other Zymotic Dis.	113	17	10	5	4	4	40	6	3	6	6	8	8	5	14	8	7	2
Cancer	57	-	-	-	-	1	1	-	-	1	-	1	11	10	10	18	5	2
Scrofula and Tuberc.	91	23	33	7	2	3	68	5	3	1	4	1	1	1	2	3	-	-
Phthisis	410	7	2	1	1	3	14	10	9	39	62	90	72	72	84	8	-	1
Hydrocephalus	60	22	12	8	4	4	50	5	4	-	1	-	-	-	-	-	-	-
Dis. of Brain	759	152	20	15	8	8	203	10	8	14	19	42	99	93	107	103	88	8
Dis. of Heart & Dropsy	271	5	2	1	-	-	8	3	4	2	3	11	31	45	63	72	25	5
Dis. of Lungs	500	146	41	20	8	2	217	6	3	5	8	17	32	39	61	69	43	4
Dis. of Stom. and Liver	183	21	-	1	2	1	25	3	5	9	2	18	18	29	33	29	9	2
Dis. of Kidneys	95	-	1	-	-	-	1	-	5	-	3	7	6	26	20	16	11	-
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	26	-	-	-	-	-	-	5	3	4	2	2	3	5	1	1	-	-
Dis. of Skin	14	5	-	-	-	-	5	-	-	-	1	-	5	3	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	-	-	-	-	3	4	5	6	1	-
Other Violent Deaths	250	8	8	7	8	2	33	9	15	28	24	32	26	30	22	12	4	2
Other Causes	794	418	28	10	-	2	453	2	4	4	5	6	20	15	21	31	126	53

337.—WHEATENHURST.

Mean Popul ⁿ , 1861-71	3739	113	93	117	90	99	512	480	422	343	262	422	386	356	284	186	78	8
TOTAL DEATHS	690	130	28	14	8	12	192	25	13	14	25	31	41	56	66	90	169	37
Small-pox	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	1	2	1	-	4	8	2	-	1	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Whooping-cough	18	9	4	2	1	2	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	-	-	-	-	6	-	2	1	2	3	1	2	4	-	1	-
Diarrhoea & Dysentery	23	11	2	1	2	1	17	1	-	-	-	-	-	-	-	-	2	2
Cholera	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	11	2	-	-	-	-	2	1	-	-	-	-	1	2	1	3	-	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	17	4	1	1	-	-	7	-	-	-	-	3	1	-	7	8	3	-
Phthisis	57	1	-	1	-	-	2	-	-	-	2	8	2	-	1	1	1	-
Hydrocephalus	6	2	2	-	-	1	5	1	-	2	10	14	9	8	10	2	-	-
Dis. of Brain	86	19	3	-	1	-	23	4	1	1	-	1	4	10	8	14	15	4
Dis. of Heart & Dropsy	56	1	1	-	-	-	3	1	-	1	-	4	5	11	9	10	9	2
Dis. of Lungs	67	18	6	3	1	-	30	3	-	1	-	-	1	2	4	16	11	-
Dis. of Stom. and Liver	34	4	1	1	-	-	6	-	1	1	1	-	1	2	3	11	-	-
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	2	2	1	2	5	2	8	4	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	56	-	3	2	-	4	9	4	-	4	-	4	8	6	3	9	3	-
Other Causes	163	37	8	1	1	-	62	2	1	-	-	1	3	4	7	27	37	36

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
335.—NEWENT.																			
Mean Popul ⁿ , 1861-71		6089	158	161	167	162	146	794	745	663	496	465	762	691	568	459	289	135	23
TOTAL DEATHS		1046	216	41	24	18	8	807	30	32	34	33	58	63	65	85	141	143	55
Small-pox		2	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Measles		4	2	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina		23	3	3	4	1	1	15	7	-	-	-	1	-	-	-	-	-	-
Diphtheria		7	-	2	1	-	-	3	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough		17	9	5	2	1	-	17	-	-	-	-	-	-	-	-	-	-	-
Erythra		28	1	-	3	2	1	7	8	5	3	-	2	4	3	-	-	1	-
Diarrhoea & Dysentery		14	3	-	-	1	2	6	-	-	-	-	-	1	-	2	5	-	-
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		10	1	-	-	-	1	2	1	1	3	-	2	-	1	-	-	-	-
Cancer		30	-	-	-	-	-	-	-	1	-	-	1	5	6	6	11	-	-
Scrophula and Tubes		5	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	1	-
Phthisis		134	2	1	-	-	-	3	3	11	16	22	29	23	11	12	4	-	-
Hydrocephalus		9	4	-	2	-	-	6	2	-	1	-	-	-	-	-	-	-	-
Dis. of Brain		95	29	4	-	-	-	33	1	-	3	2	7	4	8	12	16	9	-
Dis. of Heart & Dropsy		94	1	1	-	-	-	2	1	-	1	2	5	6	15	22	24	12	4
Dis. of Lungs		109	23	15	2	4	1	45	2	6	4	1	2	5	8	13	14	7	2
Dis. of Stom. and Liver		43	5	2	-	-	-	7	-	1	4	1	1	1	7	3	12	10	-
Dis. of Kidneys		3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Dis. of Genes. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		3	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
Dis. of Skin		2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Childbirth and Metris		14	-	-	-	-	-	-	-	1	2	4	7	-	-	-	-	-	-
Selficide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Violent Deaths		8	1	-	-	1	-	2	2	1	-	-	1	1	-	-	-	-	-
Other Causes		391	131	8	9	4	1	153	4	3	1	3	2	2	5	13	55	102	1

		336.—GLOUCESTER.																	
Mean Populu, 1861-71		19609	540	501	513	503	472	2529	2250	1986	1869	1856	2891	2300	1717	1174	706	282	40
TOTAL DEATHS -		4100	910	262	158	97	71	1498	137	89	131	135	302	257	270	326	432	387	136
Small-pox - - -	14	2	3	3	2	-	-	10	1	-	-	-	1	1	-	-	1	-	-
Measles - - - -	91	14	31	19	11	6	81	10	8	1	-	1	-	-	-	-	-	-	-
Scarlatina - - -	304	17	35	39	35	31	147	48	3	7	1	3	2	-	-	-	-	-	-
Diphtheria - - -	28	2	3	3	2	2	12	6	6	7	2	-	-	1	-	-	-	-	-
Whooping-cough -	161	87	35	15	6	5	98	3	3	-	-	-	-	-	-	-	-	-	-
Erythra - - - -	140	6	2	7	6	3	24	12	13	18	16	19	12	9	5	8	5	4	3
Diarrhoea & Dysentery	197	127	26	10	1	1	165	2	-	-	-	1	3	2	4	6	-	6	5
Cholera - - - -	7	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	85	16	6	4	4	3	32	3	5	4	3	3	3	4	6	10	6	7	-
Cancer - - - - -	113	-	-	-	-	1	1	-	-	2	-	1	9	10	25	28	24	14	1
Scrophula and Tuberc.	97	36	18	6	4	3	67	5	5	4	3	4	3	4	3	4	-	1	-
Phthisis - - - -	441	2	1	1	1	1	6	11	18	37	65	123	80	40	31	9	1	-	-
Hydrocephalus - -	49	21	8	5	5	2	41	5	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	391	133	17	9	4	3	166	8	14	11	11	40	44	65	62	90	66	14	14
Dis. of Heart & Dropsy	317	2	2	1	-	-	5	3	6	5	3	24	27	43	60	87	43	6	6
Dis. of Lungs - - -	448	110	45	22	8	3	188	8	2	10	4	8	12	16	56	72	39	14	14
Dis. of Stom. and Liver	178	18	5	1	3	2	29	1	1	4	8	14	15	32	31	29	13	1	1
Dis. of Kidneys - -	27	-	-	-	-	-	-	-	-	-	2	-	4	6	2	8	4	1	-
Dis. of Genes. Organs -	35	-	-	-	-	-	-	-	-	-	-	-	5	12	9	6	2	1	-
Dis. of Joints - - -	17	1	-	2	1	-	4	1	-	3	-	1	4	-	2	-	-	-	-
Dis. of Skin - - - -	9	6	-	-	-	-	6	-	-	-	-	-	-	1	1	-	1	-	-
Childbirth and Metris	58	-	-	-	-	-	-	-	-	4	9	31	14	-	-	-	-	-	-
Selficide - - - - -	8	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	-	-
Other Violent Deaths -	66	9	5	4	3	4	25	9	5	3	1	4	3	2	4	4	3	1	1
Other Causes - - - -	777	346	30	7	1	1	385	3	5	1	3	3	9	9	17	91	101	51	51

337.—WHEATENHURST.																	
Mean Popul ⁿ , 1861-71		4072	96	110	112	104	88	510	501	424	362	339	521	445	396	288	180
TOTAL DEATHS		612	101	32	13	14	9	169	12	12	23	20	42	29	40	46	76
Small-pox		5	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-
Measles		1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Scarlatina		16	2	1	3	3	2	11	4	-	-	-	-	-	-	-	-
Diphtheria		6	-	1	-	2	-	3	2	-	1	-	-	-	-	-	-
Whooping-cough		15	8	3	1	3	-	15	-	-	-	-	-	-	-	-	-
Erythra		20	-	-	-	-	2	2	4	2	1	1	3	1	1	3	1
Diarrhoea & Dysentery		15	9	3	-	1	-	13	-	-	-	-	-	-	-	-	2
Cholera		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		15	5	3	-	-	-	8	-	-	1	-	-	-	-	-	4
Cancer		32	-	-	-	-	-	-	-	-	-	-	1	3	7	6	8
Scrophula and Tuberc.		17	8	5	3	1	-	12	1	1	1	-	2	-	-	-	-
Phthisis		74	-	2	-	-	-	2	-	2	15	17	16	8	8	4	2
Hydrocephalus		6	1	-	2	-	-	3	-	2	1	-	-	-	-	-	-
Dis. of Brain		85	7	3	-	3	-	13	-	3	-	1	5	8	3	11	21
Dis. of Heart & Dropsy		58	-	-	-	-	-	-	1	2	-	-	3	3	5	12	15
Dis. of Lungs		69	14	4	2	1	-	21	-	-	1	1	3	-	2	3	8
Dis. of Stom. and Liver		32	5	-	-	-	-	5	-	-	-	-	2	-	6	3	6
Dis. of Kidneys		12	-	-	-	-	1	1	-	-	-	-	3	1	2	2	3
Dis. of Genes. Organs		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dis. of Joints		3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Dis. of Skin		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		7	-	-	-	-	-	-	-	-	-	-	4	2	1	-	-
Selficide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other Violent Deaths		7	1	1	-	-	2	4	-	-	-	-	-	-	1	1	5
Other Causes		147	47	14	5	4	1	68	11	11	11	11	22	11	11	11	28

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		338.—STROUD.																
Mean Popul ⁿ , 1861-71	17501	514	471	503	459	471	2418	2136	1932	1676	1296	2095	1846	1571	1306	871	315	29
TOTAL DEATHS -	3860	891	224	124	76	53	1368	153	92	80	99	201	199	201	374	523	423	143
Small-pox - - -	7	1	-	-	-	-	1	-	-	-	2	3	1	-	-	-	-	-
Measles - - -	41	10	12	8	3	8	36	3	1	1	-	-	-	-	-	-	-	-
Scarlatina - - -	118	5	11	23	20	19	78	81	9	-	-	-	-	-	-	-	-	-
Diphtheria - - -	22	-	2	3	1	2	8	8	2	1	-	-	2	-	1	-	-	-
Whooping-cough -	51	22	18	8	1	-	49	2	-	-	-	-	-	-	-	-	-	-
Typhus - - -	110	4	-	3	2	3	12	18	12	14	9	17	2	8	12	5	3	2
Diarrhoea & Dysentery	105	74	3	2	-	1	80	3	-	-	1	-	-	-	1	10	3	1
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	100	8	3	12	19	6	48	10	3	-	1	6	7	2	9	7	3	3
Cancer - - -	45	-	-	-	-	-	-	-	1	1	-	2	4	8	8	13	7	1
Scrofula and Tubercles	124	58	16	6	1	4	85	7	7	4	4	7	2	3	2	2	1	1
Phthisis - - -	287	9	6	-	-	-	15	5	8	26	39	87	66	23	19	6	7	-
Hydrocephalus - - -	40	15	12	4	2	1	34	1	2	2	-	1	-	-	-	-	-	-
Dis. of Brain - - -	528	102	27	8	6	4	147	8	9	5	10	15	23	27	67	136	77	10
Dis. of Heart & Dropsy	397	3	-	1	1	1	6	7	7	4	5	11	22	29	73	80	48	9
Dis. of Lungs - - -	689	174	70	27	9	7	287	11	5	3	8	19	33	47	63	113	123	14
Dis. of Stom. and Liver	179	20	2	3	-	-	25	12	5	5	2	8	15	15	37	63	10	2
Dis. of Kidneys - - -	85	-	-	-	1	1	2	2	-	-	1	4	8	5	13	50	13	2
Dis. of Gen. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	14	-	1	-	1	-	2	2	1	3	1	-	1	1	2	-	-	-
Dis. of Skin - - -	11	6	1	-	-	-	7	-	-	-	-	-	-	-	3	2	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	15	-	-	-	-	-	-	-	-	-	1	1	2	4	4	3	-	-
Other Violent Deaths -	163	8	6	8	7	1	80	19	19	11	14	14	12	17	14	31	4	-
Other Causes - - -	814	372	54	8	2	-	416	4	1	-	1	7	7	10	23	29	123	36

339.—TETBURY.

Mean Popul ⁿ , 1861-71	3027	74	88	82	86	75	405	390	377	303	223	346	319	282	205	116	51	10
TOTAL DEATHS -	567	101	82	28	6	12	179	32	18	15	15	37	25	35	40	81	66	22
Small-pox -	14	-	4	4	-	2	14	-	-	-	-	-	-	-	-	-	-	-
Measles -	29	3	2	4	3	5	17	8	2	-	-	-	-	-	-	-	-	-
Scarlatina -	1	-	-	-	1	5	1	-	-	-	-	-	-	2	-	-	-	-
Diphtheria -	8	4	3	1	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	29	6	2	-	2	-	10	6	3	-	-	2	3	-	2	1	-	-
Typhus -	12	5	-	-	-	1	6	-	1	1	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery -	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-
Cholera -	11	-	2	-	-	1	3	2	-	-	-	1	-	1	1	2	1	-
Other Zymotic Dis. -	10	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	3
Cancer -	22	4	5	4	-	-	13	4	3	1	-	-	-	-	4	1	2	3
Scrofula and Tubercles -	54	1	-	2	-	-	3	1	3	4	7	17	10	7	1	1	-	-
Phthisis -	7	3	2	-	-	-	5	2	-	-	-	-	-	-	-	-	-	-
Hydrocephalus -	73	13	2	5	-	1	21	3	1	-	-	2	3	2	7	18	13	1
Dis. of Brain -	53	-	-	1	-	1	2	1	1	3	4	3	1	4	7	16	7	4
Dis. of Heart & Dropsy -	93	24	5	5	-	1	35	3	-	-	1	2	3	4	9	18	16	4
Dis. of Lungs -	22	-	1	1	-	-	2	-	-	-	1	4	1	3	5	4	2	-
Dis. of Stom. and Liver -	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-
Dis. of Kidneys -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	17	-	1	1	-	-	2	1	2	2	2	1	-	4	-	1	2	-
Other Violent Deaths -	93	34	3	-	-	-	37	1	-	1	-	2	1	2	3	11	21	13

340.—CIRENCESTER.

Mean Popul ⁿ , 1861-71	10454	307	265	283	278	257	1390	1286	1167	1099	759	1237	1106	989	759	464	174	24
TOTAL DEATHS -	1912	422	98	54	37	32	643	73	40	45	37	93	117	114	181	260	233	76
Small-pox -	4	-	-	-	1	-	1	-	-	1	-	-	1	1	-	-	-	-
Measles -	16	2	6	3	-	3	14	1	1	-	-	-	-	-	-	-	-	-
Scarlatina -	76	4	8	8	15	12	47	21	4	3	1	-	-	-	-	-	-	-
Diphtheria -	15	2	2	2	1	2	9	3	2	-	-	-	-	-	1	-	-	-
Whooping-cough -	17	10	2	3	2	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus -	53	-	3	1	-	-	4	2	5	5	2	1	4	-	4	-	2	2
Diarrhoea & Dysentery -	40	23	5	2	-	-	30	-	-	-	-	-	-	1	-	2	4	3
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	51	6	1	2	-	2	11	2	1	3	1	1	1	2	-	3	4	2
Cancer -	30	-	-	-	-	-	-	-	-	1	1	1	2	1	7	13	4	-
Scrofula and Tubercles -	46	13	7	2	2	3	27	5	1	3	1	4	2	1	2	-	-	-
Phthisis -	174	-	-	-	-	-	5	4	13	20	20	36	25	16	8	1	-	-
Hydrocephalus -	39	13	6	4	-	2	25	2	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	248	47	7	5	1	1	61	7	8	3	3	8	9	19	31	48	46	3
Dis. of Heart & Dropsy -	172	1	-	1	1	-	3	2	1	1	2	3	6	13	37	67	7	7
Dis. of Lungs -	525	115	24	11	7	6	163	7	2	2	3	9	10	22	39	65	25	5
Dis. of Stom. and Liver -	169	13	2	4	1	-	20	2	2	5	1	2	16	10	18	22	9	8
Dis. of Kidneys -	54	-	-	-	-	-	-	4	1	1	1	3	4	4	7	13	13	1
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	1	1	1	-	-	3	-	-	-	-	-	-	-	1	-	-	-
Dis. of Skin -	7	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	73	7	2	2	3	-	14	8	5	3	1	8	14	6	4	7	3	-
Other Causes -	269	164	22	3	3	1	193	3	-	1	-	3	8	3	9	37	40	36

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— & upwards.	
338.—STROUD.																			
Mean Popul ⁿ , 1861-71	20401	528	494	491	480	466	2459	2198	2067	2002	1816	1822	2339	1872	1451	962	355	58	
TOTAL DEATHS -	4037	700	237	137	73	40	1187	143	95	126	135	245	238	228	386	507	504	183	
Small-pox - - -	12	1	-	-	-	1	2	-	-	2	2	4	2	-	-	-	-	-	
Measles - - - -	35	4	15	9	3	1	32	2	-	1	-	-	-	-	-	-	-	-	
Scarlatina - - -	127	3	19	27	18	7	74	35	13	1	-	2	2	-	-	-	-	-	
Diphtheria - - -	36	2	3	2	7	2	16	13	1	1	-	3	-	-	-	-	2	-	
Whooping-cough -	54	29	12	5	6	2	54	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	106	3	2	4	2	1	12	13	14	13	10	11	9	2	7	12	2	1	
Diarrhoea & Dysentery	103	54	12	5	-	-	71	2	-	1	1	3	2	-	4	9	9	1	
Cholera - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	67	7	13	3	6	2	31	10	1	1	3	5	3	1	4	5	2	1	
Cancer - - - - -	126	-	-	-	-	-	-	-	-	-	-	4	18	23	43	25	11	2	
Scrophula and Tubes -	120	33	12	8	3	-	76	7	8	9	5	6	5	2	1	-	-	1	
Phthisis - - - -	406	10	6	5	1	1	23	11	24	64	71	103	61	32	8	7	-	-	
Hydrocephalus - -	39	17	7	4	-	1	29	6	2	1	1	-	-	-	-	-	-	-	
Dis. of Brain - - -	479	72	19	14	2	7	114	16	3	6	8	21	20	31	68	59	77	16	
Dis. of Heart & Dropsy	440	1	-	2	2	-	5	2	11	4	5	15	32	32	94	149	64	7	
Dis. of Lungs - - -	637	117	83	35	11	7	233	12	4	2	8	12	16	33	74	131	78	14	
Dis. of Stom. and Liver	201	18	3	1	1	2	25	2	3	6	4	13	13	24	50	42	17	2	
Dis. of Kidneys - -	29	-	1	-	2	-	3	-	-	2	2	5	8	4	2	2	1	-	
Dis. of Genes. Organs -	33	-	-	-	-	-	-	-	-	1	-	7	5	7	9	4	-	-	
Dis. of Joints - - -	21	1	-	-	-	-	1	-	2	4	-	3	5	4	-	2	-	-	
Dis. of Skin - - -	12	4	1	1	-	-	6	-	1	-	-	-	1	1	2	-	1	-	
Childbirth and Metris	38	-	-	-	-	-	-	-	-	1	12	21	22	2	-	-	-	-	
Suicide - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	
Other Violent Deaths -	61	2	3	4	6	6	21	7	3	5	2	3	3	6	1	3	6	1	
Other Causes - - -	830	302	26	8	3	-	339	5	4	1	1	2	11	3	18	73	234	137	

339.—TETBURY.																		
Mean Popul ⁿ , 1861-71	3094	83	69	74	76	86	388	372	351	282	244	393	373	298	198	134	48	13
TOTAL DEATHS	596	98	35	20	11	5	169	16	16	11	23	27	39	39	64	76	87	29
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	4	—	2	2	—	—	4	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	24	2	1	5	4	2	14	5	5	—	—	—	—	—	—	—	—	—
Diphtheria	4	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
Whooping-cough	11	5	2	1	2	—	10	1	—	—	—	—	—	—	—	—	—	—
Typhus	39	10	2	3	1	1	17	3	3	2	1	1	3	—	3	5	1	—
Diarrhoea & Dysentery	7	1	—	—	—	—	1	—	—	—	—	—	—	—	1	4	1	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	16	—	2	3	1	—	6	1	2	1	1	1	1	—	2	—	—	—
Cancer	11	—	—	—	—	—	—	—	—	—	—	—	—	5	5	—	1	—
Scrophula and Tuberc.	12	2	2	—	—	—	4	1	1	1	—	1	2	—	1	1	—	—
Phthisis	55	2	1	—	—	—	3	2	1	1	10	12	15	7	3	1	—	—
Hydrocephalus	7	3	2	1	1	—	7	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	90	12	7	1	2	1	23	1	1	1	3	1	4	5	13	19	16	8
Dis. of Heart & Dropsy	69	—	—	—	—	—	—	—	—	2	3	4	8	8	10	16	14	3
Dis. of Lungs	98	27	10	8	—	1	41	1	1	2	1	1	2	5	9	14	18	3
Dis. of Stom. and Liver	31	3	—	—	—	—	5	1	—	—	2	2	3	7	5	2	4	2
Dis. of Kidneys	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Dis. of Genes. Organs	3	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	8	—	—	—	—	—	—	—	—	—	2	3	2	1	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	9	1	—	1	—	—	2	—	—	—	—	—	1	—	2	1	1	2
Other Causes	65	29	4	—	—	—	33	—	—	—	—	—	1	1	3	11	31	15

340.—CIRENCESTER.																		
Mean Popul ⁿ , 1861-71	10695	275	285	275	256	259	1350	1307	1140	966	814	1480	1216	1028	717	459	188	30
TOTAL DEATHS	1932	334	106	62	37	34	573	64	48	56	68	128	128	123	178	261	231	74
Small-pox	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Measles	18	2	2	5	2	2	13	1	2	—	1	—	—	—	—	—	—	—
Scarlatina	66	2	6	13	6	8	35	21	4	3	—	3	—	—	—	—	—	—
Diphtheria	20	1	2	3	2	2	10	5	5	—	—	—	—	—	—	—	—	—
Whooping-cough	30	13	10	2	—	2	27	1	2	—	—	—	—	—	—	—	—	—
Typhus	41	—	1	2	3	1	7	7	6	3	4	3	1	1	2	5	2	—
Diarrhoea & Dysentery	34	11	2	3	2	—	18	1	1	1	—	2	2	1	—	2	6	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	30	7	2	3	1	8	16	4	2	—	—	1	—	3	1	6	8	—
Cancer	83	—	—	—	—	—	—	—	1	—	—	3	16	20	23	11	6	3
Scrophula and Tuberc.	36	11	2	2	1	1	17	4	1	4	2	2	1	1	2	2	—	—
Phthisis	200	—	1	—	1	2	4	1	10	27	33	64	37	20	10	10	—	—
Hydrocephalus	15	5	4	2	1	—	12	—	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	221	47	17	7	4	2	77	1	4	4	5	5	6	17	27	42	32	3
Dis. of Heart & Dropsy	208	3	—	—	—	—	3	2	4	4	2	8	8	23	47	72	32	3
Dis. of Lungs	331	76	27	13	10	7	133	6	1	2	3	8	11	12	17	58	15	3
Dis. of Stom. and Liver	138	10	5	1	3	1	20	5	1	2	9	10	11	7	23	30	15	—
Dis. of Kidneys	21	—	—	—	—	—	—	2	—	1	—	2	4	2	4	5	1	—
Dis. of Genes. Organs	14	—	—	—	—	—	—	—	—	—	1	—	3	4	5	1	—	—
Dis. of Joints	9	1	1	—	—	—	2	1	2	—	—	1	2	1	—	—	—	—
Dis. of Skin	6	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—
Childbirth and Metris	31	—	—	—	—	—	—	—	—	3	8	21	19	—	—	—	—	—
Suicide	8	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Other Violent Deaths	25	1	—	—	—	—	2	2	—	1	1	1	1	4	7	8	2	—
Other Causes	405	144	24	6	1	2	177	1	1	—	1	3	5	5	10	32	111	60

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL	AGES OF MALES.																			
	AGES.																				
	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	105-	115-	
Mean Popul ⁿ , 1861-71	5528	161	143	143	144	149	740	678	627	572	418	637	578	509	402	250	106	11			
TOTAL DEATHS -	961	222	52	29	14	12	329	33	17	27	21	50	38	59	94	131	120	20			
Small-pox -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	17	2	3	2	1	2	10	7	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria -	8	-	-	1	2	1	4	3	1	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -	10	3	2	2	1	-	8	1	1	-	-	-	-	-	-	-	-	-	-	-	
Typhus -	26	-	-	-	-	-	-	8	5	3	1	3	-	2	6	1	-	-	-	-	
Diarrhoea & Dysentery -	13	3	3	-	-	-	6	1	-	-	-	-	-	-	1	4	-	-	-	-	
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	7	-	-	2	-	1	3	-	1	-	-	-	-	-	-	3	1	-	-	-	
Cancer -	7	-	-	1	-	-	1	-	-	-	-	-	1	2	2	-	-	-	-	-	
Serofula and Tabes -	11	3	1	1	-	-	5	-	-	-	-	2	-	1	2	-	-	-	-	-	
Phthisis -	98	3	1	-	-	-	4	1	1	13	11	27	16	10	7	2	-	-	-	-	
Hydrocephalus -	15	8	1	1	4	-	12	3	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	139	33	6	4	3	1	47	3	2	1	2	4	5	8	22	24	17	4	-	-	
Dis. of Heart & Dropsy -	97	4	-	1	-	-	5	-	1	-	5	7	8	17	23	27	18	1	-	-	
Dis. of Lungs -	121	48	12	6	4	3	73	3	-	1	2	5	2	6	13	8	13	1	-	-	
Dis. of Stom. and Liver -	38	5	2	1	-	-	8	1	-	1	2	3	1	5	6	10	1	-	-	-	
Dis. of Kidneys -	10	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin -	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Other Violent Deaths -	34	2	1	5	-	2	10	3	3	4	1	3	1	4	2	1	2	-	-	-	
Other Causes -	301	108	19	1	1	2	131	3	1	1	1	1	3	6	14	20	73	29	-	-	
342.—STOW-ON-THE-WOLD.																					
Mean Popul ⁿ , 1861-71	4873	125	125	134	129	129	642	606	518	466	349	617	520	453	371	235	87	9			
TOTAL DEATHS -	966	192	61	29	19	21	322	35	20	28	24	45	57	56	80	118	138	34			
Small-pox -	4	1	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	
Measles -	13	-	8	1	1	2	12	-	-	-	-	-	-	1	-	-	-	-	-	-	
Scarlatina -	17	5	5	2	2	1	13	4	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria -	28	2	1	4	3	4	14	6	3	1	-	1	-	-	1	-	-	-	-	-	
Whooping-cough -	10	5	-	2	1	1	9	1	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus -	35	1	-	-	2	-	3	6	5	4	4	3	2	2	4	2	-	-	-	-	
Diarrhoea & Dysentery -	19	7	4	2	1	2	16	-	-	-	-	-	1	1	1	1	-	-	-	-	
Cholera -	6	2	-	1	1	1	5	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Zymotic Dis. -	18	2	1	1	-	5	9	1	-	-	1	2	-	1	4	-	-	-	-	-	
Cancer -	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	-	-	-	
Serofula and Tabes -	19	5	5	-	-	-	10	1	-	1	1	2	-	2	2	3	-	-	-	-	
Phthisis -	86	2	-	-	1	-	3	2	2	14	14	18	18	7	6	3	-	-	-	-	
Hydrocephalus -	12	5	4	2	1	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	116	19	7	1	5	2	34	3	-	1	1	2	5	9	17	23	18	5	-	-	
Dis. of Heart & Dropsy -	76	1	-	-	-	-	1	3	1	-	1	3	6	6	17	22	18	3	-	-	
Dis. of Lungs -	109	30	14	4	-	1	49	3	-	1	-	5	4	10	15	12	8	3	-	-	
Dis. of Stom. and Liver -	39	7	1	1	-	-	9	-	2	2	-	1	5	5	9	6	-	-	-	-	
Dis. of Kidneys -	28	-	1	-	-	-	1	-	1	-	-	1	3	1	3	7	7	2	-	-	
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	
Dis. of Skin -	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	45	1	4	1	1	2	9	3	6	4	1	3	4	3	2	6	2	-	-	-	
Other Causes -	267	98	6	7	-	-	111	-	-	-	-	2	5	3	7	27	62	20	-	-	
343.—WINCHCOMB.																					
Mean Popul ⁿ , 1861-71	5174	141	138	144	133	134	690	628	548	477	368	663	573	489	363	264	97	14			
TOTAL DEATHS -	912	194	46	26	14	21	301	30	16	20	19	42	47	55	72	122	126	32			
Small-pox -	6	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	3	-	-	-	
Measles -	16	3	4	4	1	2	14	1	1	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	25	2	5	2	3	5	17	6	1	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria -	4	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -	5	3	1	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus -	19	-	-	2	1	2	5	3	2	2	-	4	1	-	1	1	-	-	-	-	
Diarrhoea & Dysentery -	12	8	1	1	-	-	10	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	33	6	-	2	3	3	14	5	2	3	1	-	2	-	2	3	1	-	-	-	
Cancer -	12	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	-	-	-	
Serofula and Tabes -	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis -	88	4	1	1	1	1	8	-	3	4	6	18	16	1	18	8	8	1	-	-	
Hydrocephalus -	13	5	3	1	2	1	12	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	136	41	1	4	1	1	48	-	1	1	2	3	6	7	16	20	18	3	-	-	
Dis. of Heart & Dropsy -	85	1	-	1	-	-	8	-	-	2	2	2	6	9	10	19	13	3	-	-	
Dis. of Lungs -	87	16	11	2	-	3	33	6	2	1	2	5	6	4	14	23	15	1	-	-	
Dis. of Stom. and Liver -	34	6	3	-	1	1	11	-	2	1	-	1	2	5	8	14	4	1	-	-	
Dis. of Kidneys -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	1	-	-	
Dis. of Joints -	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	19	-	1	1	-	-	2	3	-	1	3	3	2	3	3	2	2	-	-	-	
Other Causes -	279	90	15	2	-	1	117	3	-	3	1	3	2	3	3	22	27	2	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 & upwards.
341.—NORTHLEACH.																		
Mean Popul ⁿ , 1861-71	5211	147	147	157	132	139	722	655	580	418	405	667	600	471	363	228	89	13
TOTAL DEATHS -	923	190	40	14	11	6	270	38	20	26	30	59	57	63	80	115	122	43
Small-pox - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Measles - - -	6	2	2	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-
Scarlatina - - -	12	-	3	1	-	-	4	6	-	1	-	1	-	-	-	-	-	-
Diphtheria - - -	10	-	1	-	-	1	2	6	1	-	-	-	-	1	-	-	-	-
Whooping-cough - -	9	5	2	1	-	1	9	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	17	-	-	1	1	-	2	1	5	1	2	2	-	2	1	1	-	-
Diarrhoea & Dysentery	5	1	-	1	-	-	2	2	-	-	-	-	1	-	-	-	-	-
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	9	2	-	-	1	1	4	4	-	-	-	-	-	-	-	1	-	-
Cancer - - -	25	-	-	-	-	-	-	-	1	-	-	1	2	10	8	1	2	-
Scrophula and Tubes	14	5	1	1	-	-	7	2	1	2	-	1	-	-	-	1	-	-
Phthisis - - -	103	1	-	-	-	1	3	1	6	15	20	29	18	7	2	2	-	-
Hydrocephalus - - -	8	1	5	-	-	-	6	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	118	33	8	-	3	-	44	1	-	-	2	4	5	11	16	16	17	2
Dis. of Heart & Dropsy	122	-	-	-	1	1	2	4	8	-	3	4	8	19	24	27	16	2
Dis. of Lungs - - -	167	39	15	3	1	1	59	4	1	2	-	3	6	4	8	14	6	-
Dis. of Stom. and Liver	32	2	-	-	-	-	2	2	-	-	2	3	2	3	8	4	6	-
Dis. of Kidneys - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	3	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
Dis. of Skin - - -	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Childbirth and Metris	14	-	-	-	-	-	-	-	-	2	-	6	6	-	-	-	-	-
Suicide - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Other Violent Deaths -	8	1	1	1	-	-	3	2	-	-	-	-	1	1	-	-	-	1
Other Causes - - -	293	98	11	5	2	-	116	1	-	1	1	4	8	3	12	26	74	37

342.—STOW-ON-THE-WOLD.																		
Mean Popul ⁿ , 1861-71	4781	147	117	111	123	116	614	583	520	401	388	619	548	471	339	207	78	13
TOTAL DEATHS	953	187	44	31	14	16	292	24	31	32	34	60	30	45	91	117	132	36
Small-pox	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles	15	4	8	7	-	1	14	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	8	1	1	1	1	1	4	4	-	-	-	-	-	-	-	-	-	-
Diphtheria	40	2	6	5	3	5	21	7	10	-	1	-	-	-	-	1	-	-
Whooping-cough	14	8	2	3	1	-	14	-	-	3	2	3	6	2	1	2	1	-
Typhus	85	1	-	1	-	2	4	6	5	1	-	-	1	-	-	3	-	-
Dysentery & Cholera	13	6	1	-	-	-	8	-	-	1	-	-	-	-	-	2	-	-
Other Zymotic Dis.	15	2	3	1	1	-	7	-	1	-	-	-	2	-	2	2	1	-
Cancer	23	-	-	-	-	-	-	-	-	-	1	1	5	5	7	4	-	-
Scrophulous and Tuberc.	22	9	5	1	1	-	16	-	1	1	-	1	-	2	1	-	-	-
Phthisis	112	1	-	-	1	-	2	2	7	19	19	32	13	11	5	2	-	-
Hydrocephalus	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	94	15	1	0	-	3	20	-	1	1	3	1	6	7	14	16	24	1
Dis. of Heart & Dropsy	82	2	-	-	-	-	2	1	1	3	-	4	5	9	21	19	16	1
Dis. of Lungs	114	30	11	6	2	3	52	2	1	2	1	4	5	4	16	20	5	2
Dis. of Stom. and Liver	55	-	1	2	-	-	3	-	-	1	-	4	5	4	9	6	1	2
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	2	1	1	1	1	3	2	-
Dis. of Genes. Organs	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-
Childbirth and Metris	17	-	-	-	-	-	-	-	-	1	4	6	6	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-
Other Violent Deaths	11	2	2	-	-	1	5	1	1	-	-	-	1	-	-	1	1	1
Other Causes	272	102	8	-	4	-	114	-	1	-	-	1	1	-	12	23	81	29

343.—WINCHCOMB.																		
Mean Popul ⁿ , 1861-71	5032	133	131	138	128	125	655	608	532	418	390	688	575	468	342	231	110	15
TOTAL DEATHS	932	171	52	20	20	16	279	43	20	33	25	51	63	55	81	98	128	56
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	15	2	3	1	2	1	9	5	-	-	-	1	-	-	-	-	-	-
Scarlatina	27	-	4	2	4	5	15	7	3	1	-	1	-	-	-	-	-	-
Diphtheria	6	1	-	1	2	1	5	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	13	6	2	1	1	1	11	1	-	1	-	-	-	-	-	-	-	-
Typhus	22	1	-	1	-	1	3	3	1	6	2	1	4	-	1	1	-	-
Dysentery & Cholera	17	4	1	1	-	1	7	1	-	1	-	2	1	1	2	-	2	-
Other Zymotic Dis.	31	3	7	3	2	-	15	5	3	-	-	1	-	-	-	3	4	-
Cancer	13	-	-	-	-	1	1	-	-	-	-	-	1	3	5	8	-	-
Scrophulous and Tuberc.	4	1	-	-	-	-	7	-	-	-	-	1	1	1	-	-	-	-
Phthisis	130	5	1	-	1	-	7	1	7	20	14	26	23	14	7	1	-	-
Hydrocephalus	6	2	1	-	1	-	4	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	102	31	5	3	0	1	42	8	1	1	3	3	4	5	12	19	9	1
Dis. of Heart & Dropsy	111	1	-	-	-	1	2	1	-	2	-	2	2	9	6	27	20	4
Dis. of Lungs	32	13	9	2	2	-	26	4	-	-	2	2	2	7	5	2	2	-
Dis. of Stom. and Liver	54	11	4	1	-	2	18	3	1	-	1	-	5	5	9	6	6	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-
Dis. of Genes. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	15	-	-	-	-	-	-	-	-	-	2	6	7	-	-	-	1	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Other Violent Deaths	16	1	2	1	-	-	4	3	1	1	-	-	-	2	11	23	30	31

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
344.—CHELTENHAM.																		
Mean Popul ⁿ , 1861-71	21814	602	500	541	551	540	2734	2595	2656	2423	1656	2733	2287	1983	1478	896	331	42
TOTAL DEATHS	4857	1163	274	172	122	82	1813	153	69	111	132	272	304	373	455	581	439	138
Small-pox	30	6	—	2	5	—	13	—	—	4	5	3	1	2	2	—	—	—
Measles	84	18	23	18	11	7	77	7	—	—	—	—	—	—	—	—	—	—
Scarlatina	144	3	18	32	28	10	100	33	5	3	—	2	—	1	—	—	—	—
Diphtheria	36	2	3	6	3	6	19	9	2	—	—	—	1	2	1	—	—	—
Whooping-cough	56	21	18	7	3	5	54	2	—	—	—	—	—	—	—	—	—	—
Typhus	112	1	3	5	7	4	20	7	6	15	12	13	5	9	9	8	8	8
Diarrhoea & Dysentery	231	158	19	6	1	3	187	2	—	—	1	3	2	2	5	12	13	13
Cholera	7	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	96	6	9	7	8	1	31	6	6	3	1	8	9	7	8	11	3	3
Cancer	45	—	—	—	—	1	1	—	—	—	—	—	2	7	11	21	4	4
Scrofula and Tuberc.	75	23	8	5	6	1	43	12	7	1	2	3	1	5	—	—	—	—
Phthisis	536	7	6	5	6	2	26	10	10	40	67	144	116	71	29	12	1	1
Hydrocephalus	73	27	14	8	6	6	61	11	—	—	—	—	1	—	—	—	—	—
Dis. of Brain	696	196	30	19	14	10	209	22	10	10	9	22	25	59	75	115	79	26
Dis. of Heart & Dropsy	324	6	1	—	1	2	10	5	1	6	3	15	28	49	77	85	42	4
Dis. of Lungs	733	200	72	31	17	7	327	12	5	10	3	20	39	58	106	123	71	25
Dis. of Stom. and Liver	232	23	1	2	—	2	28	6	3	7	8	10	26	44	43	41	39	4
Dis. of Kidneys	113	—	—	1	—	—	1	1	2	2	1	5	6	15	23	34	24	2
Dis. of Gener. Organs	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Dis. of Joints	28	—	—	—	1	—	1	1	4	2	4	2	2	2	4	3	1	—
Dis. of Skin	10	2	—	1	—	1	4	—	—	1	—	—	—	1	1	3	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	23	—	—	—	—	—	—	—	—	1	1	4	6	6	2	3	—	—
Other Violent Deaths	134	29	9	4	—	4	37	4	7	6	10	11	21	15	14	6	3	1
Other Causes	935	443	40	13	5	2	803	3	1	1	5	7	11	16	22	33	18	6
345.—TEWKESBURY.																		
Mean Popul ⁿ , 1861-71	7153	206	180	203	193	197	979	905	853	667	497	841	761	679	515	322	115	19
TOTAL DEATHS	1467	326	84	40	31	21	502	50	32	29	47	72	66	90	133	188	122	66
Small-pox	21	3	1	3	2	2	11	3	1	1	—	1	3	—	1	—	—	—
Measles	15	1	3	5	3	1	13	1	—	—	—	—	1	—	—	—	—	—
Scarlatina	21	1	2	3	3	5	14	6	1	—	—	—	—	—	—	—	—	—
Diphtheria	10	2	2	—	2	1	7	1	1	—	—	—	—	—	—	—	—	—
Whooping-cough	13	7	2	2	1	—	12	1	—	—	—	—	—	—	—	—	—	—
Typhus	51	2	2	2	4	1	11	7	7	2	5	5	—	5	2	3	4	1
Diarrhoea & Dysentery	57	27	10	3	—	—	40	1	—	1	—	—	1	—	1	4	8	1
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	80	4	6	2	—	3	15	3	1	2	—	—	2	3	1	1	2	—
Cancer	23	—	—	—	—	1	1	1	—	—	2	2	—	2	8	5	2	—
Scrofula and Tuberc.	28	10	8	1	2	—	21	2	1	1	1	2	—	—	—	—	—	—
Phthisis	138	5	1	1	2	1	10	1	4	7	19	20	21	19	15	11	1	—
Hydrocephalus	15	3	3	—	3	1	10	3	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	198	41	2	2	3	—	48	5	4	3	2	6	7	9	24	24	29	1
Dis. of Heart & Dropsy	107	—	—	1	—	—	1	2	—	2	2	5	7	11	29	28	15	1
Dis. of Lungs	297	51	22	6	1	1	81	3	2	2	4	7	9	10	18	25	23	9
Dis. of Stom. and Liver	69	11	2	3	—	2	13	—	1	1	2	3	3	7	9	12	3	1
Dis. of Kidneys	33	—	—	—	—	—	—	—	—	1	—	1	4	8	4	11	7	1
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	9	—	1	—	—	—	1	1	—	1	1	—	2	1	—	—	—	—
Dis. of Skin	7	1	—	1	—	—	2	—	—	—	—	1	—	—	1	1	1	1
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	5	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	1	—
Other Violent Deaths	77	5	4	4	1	2	16	8	4	5	8	9	5	6	8	6	2	—
Other Causes	337	152	13	1	4	—	170	1	3	2	—	—	1	6	11	24	77	6
346.—LEDBURY.																		
Mean Popul ⁿ , 1861-71	7099	167	177	169	169	157	839	827	760	705	591	978	800	687	488	295	115	14
TOTAL DEATHS	1266	234	67	30	32	19	382	32	22	25	28	78	68	114	144	196	141	30
Small-pox	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Measles	11	2	—	3	1	—	8	2	1	—	—	—	—	—	—	—	—	—
Scarlatina	49	1	5	7	12	5	30	10	6	1	—	1	—	—	1	—	—	—
Diphtheria	9	1	—	—	4	—	5	1	—	2	—	—	—	—	1	—	—	—
Whooping-cough	20	9	7	4	—	—	20	—	—	—	—	—	—	—	—	—	—	—
Typhus	28	2	2	1	1	2	8	3	2	1	1	1	4	3	—	2	1	—
Diarrhoea & Dysentery	19	11	5	1	—	—	17	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	12	1	—	—	2	—	3	—	—	—	—	1	—	2	2	3	1	—
Cancer	10	—	—	—	1	—	1	—	—	—	—	—	1	3	3	3	1	—
Scrofula and Tuberc.	15	2	—	—	—	—	2	—	2	—	1	3	2	2	—	1	—	—
Phthisis	101	1	2	1	2	—	6	2	1	11	12	24	17	14	11	2	1	—
Hydrocephalus	16	4	9	2	—	—	15	—	—	1	—	—	—	—	—	—	—	—
Dis. of Brain	150	54	5	1	3	1	44	—	1	1	4	6	5	21	28	23	14	1
Dis. of Heart & Dropsy	124	5	1	1	1	1	9	—	2	1	1	5	11	23	27	31	18	2
Dis. of Lungs	174	38	16	2	2	5	63	1	1	3	4	11	6	30	25	33	9	2
Dis. of Stom. and Liver	51	10	2	—	—	—	12	4	—	2	1	8	9	3	6	3	2	1
Dis. of Kidneys	25	—	—	1	—	—	1	1	—	—	—	1	2	8	3	5	4	2
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	5	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Dis. of Skin	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	8	—	—	—	—	—	—	—	—	—	3	—	1	—	1	1	1	—
Other Violent Deaths	61	3	—	4	1	3	11	5	4	1	—	11	5	5	10	4	3	—
Other Causes	569	119	11	2	2	2	127	2	1	1	—	2	5	8	26	74	33	6

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 years and over.
344.—CHELTENHAM.																		
Mean Popul ⁿ , 1861-71	29665	621	544	566	538	523	2792	2606	2685	3207	3219	4677	3563	2928	2142	1296	475	75
TOTAL DEATHS	5003	858	279	151	110	68	1466	148	98	145	150	304	353	370	520	680	658	201
Small-pox	29	8	3	4	4	1	30	2	2	1	1	2	1	—	—	—	—	—
Measles	19	9	27	20	12	4	72	4	—	2	—	1	—	—	—	—	—	—
Scarlatina	121	8	13	23	23	21	87	27	—	4	1	1	1	—	—	—	—	—
Diphtheria	19	2	4	—	3	2	11	4	2	—	—	—	1	—	1	—	—	—
Whooping-cough	66	22	22	13	3	1	61	4	—	1	—	—	—	—	—	—	—	—
Typhus	123	2	5	2	2	4	15	17	14	14	8	12	9	10	10	9	8	1
Diarrhoea & Dysentery	177	102	14	4	2	1	123	4	—	—	—	1	3	7	4	14	15	6
Cholera	3	1	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—
Other Zymotic Dis.	83	8	6	9	7	5	33	8	4	6	3	4	1	7	7	3	6	1
Cancer	180	—	—	—	—	—	—	—	—	—	1	6	22	47	53	32	15	4
Scrofula and Tuberc.	71	15	8	3	1	2	29	4	11	9	4	4	2	6	1	1	—	—
Phthisis	532	5	6	2	4	2	19	13	17	63	83	136	113	50	29	10	2	—
Hydrocephalus	51	17	14	3	6	3	43	2	5	1	—	—	—	—	—	—	—	—
Dis. of Brain	638	144	32	18	7	7	208	25	13	13	6	23	25	44	83	100	102	11
Dis. of Heart & Dropsy	463	4	1	—	2	—	7	8	9	10	3	22	37	60	86	131	79	11
Dis. of Lungs	809	131	77	29	24	11	272	10	8	9	14	23	39	59	115	173	113	31
Dis. of Stom. and Liver	307	13	3	1	—	—	17	5	3	3	9	22	27	47	69	67	35	3
Dis. of Kidneys	51	—	—	—	—	—	—	—	—	1	3	4	10	4	11	12	4	2
Dis. of Gen. Organs	40	—	—	—	—	—	—	—	—	—	1	4	16	8	5	4	2	—
Dis. of Joints	17	—	—	1	—	—	1	—	1	2	—	—	2	2	3	4	2	—
Dis. of Skin	18	2	1	1	1	—	5	—	1	—	—	—	2	1	1	5	3	—
Childbirth and Metris	49	—	—	—	—	—	—	—	—	5	8	19	18	1	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—
Other Violent Deaths	80	14	7	5	5	2	33	4	6	—	2	2	8	3	5	6	6	5
Other Causes	1005	351	86	15	5	4	409	7	2	3	3	9	15	14	33	108	271	153

345.—TEWKESBURY.

Mean Popul ⁿ , 1861-71		7445	192	175	181	181	173	902	885	785	657	605	1004	860	686	504	354
TOTAL DEATHS		1419	241	76	44	25	19	405	46	32	57	47	75	97	77	110	174
Small-pox		12	5	1	2	—	2	8	2	—	—	—	—	—	—	1	1
Measles		15	2	0	5	—	—	13	1	—	—	—	—	1	—	—	—
Scarlatina		32	3	5	4	4	5	21	8	1	—	1	1	—	—	—	—
Diphtheria		7	—	1	—	1	—	2	2	1	1	—	—	—	—	1	—
Whooping-cough		18	6	7	1	2	—	16	2	—	—	—	—	—	—	—	—
Typhus		46	2	4	—	3	—	7	7	5	4	1	4	3	2	2	5
Diarrhoea & Dysentery		58	12	3	7	—	—	22	1	1	—	1	1	—	2	—	5
Cholera		6	1	1	1	—	—	3	—	—	1	—	—	1	—	1	1
Other Zymotic Dis.		40	6	2	4	3	3	18	3	4	2	—	—	—	1	1	3
Cancer		50	—	—	1	—	—	1	—	—	—	—	2	10	9	14	7
Scrofula and Tuberc.		31	13	7	—	1	—	21	2	1	3	1	2	—	1	—	6
Phthisis		174	4	1	2	2	2	11	5	7	29	29	32	36	17	13	2
Hydrocephalus		18	6	3	4	1	2	16	1	1	—	—	—	—	—	—	—
Dis. of Brain		170	43	3	4	3	—	53	2	4	6	1	6	3	11	18	30
Dis. of Heart & Dropsy		129	—	—	—	1	—	1	1	2	2	2	5	11	11	23	37
Dis. of Lungs		181	29	16	6	2	3	56	2	2	1	5	7	7	6	14	42
Dis. of Stom. and Liver		83	10	3	—	—	—	13	2	2	3	5	5	9	5	13	10
Dis. of Kidneys		7	—	—	—	—	—	—	—	—	—	—	1	—	1	2	3
Dis. of Gen. Organs		7	—	—	—	—	—	—	1	—	—	—	1	—	1	3	—
Dis. of Joints		7	—	—	—	—	—	—	—	1	2	3	—	—	—	—	—
Dis. of Skin		6	2	—	—	—	—	2	1	—	—	—	—	—	2	—	1
Childbirth and Metris		23	—	—	—	—	—	—	—	—	2	3	6	11	1	—	—
Suicide		3	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Other Violent Deaths		17	1	—	2	—	1	4	2	—	1	1	—	1	1	1	3
Other Causes		398	98	15	1	2	1	117	1	1	—	2	1	4	4	4	26

346.—LEDBURY.

Mean Popul ⁿ , 1861-71		6893	163	171	176	162	172	844	798	737	626	552	930	770	674	480	313
TOTAL DEATHS		1171	211	60	28	22	13	334	48	22	42	38	73	72	73	98	157
Small-pox		1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Measles		12	1	5	1	2	—	9	2	—	1	—	—	—	—	—	—
Scarlatina		24	1	1	3	3	6	14	7	—	2	1	—	—	—	—	—
Diphtheria		16	1	1	2	2	2	8	6	1	1	—	—	—	—	—	—
Whooping-cough		13	6	3	3	1	—	13	—	—	—	—	—	—	—	—	—
Typhus		39	—	1	1	2	—	5	3	3	7	6	—	2	1	—	—
Diarrhoea & Dysentery		15	9	1	1	—	—	11	—	—	—	1	—	—	—	1	1
Cholera		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		31	5	2	1	1	1	10	1	2	1	2	1	—	1	3	—
Cancer		26	—	—	1	—	—	—	1	—	—	—	2	1	9	2	2
Scrofula and Tuberc.		14	—	—	1	1	—	6	1	2	—	—	2	2	1	1	—
Phthisis		120	4	1	—	1	—	6	8	4	18	14	31	21	6	7	4
Hydrocephalus		15	5	4	—	2	1	12	—	1	1	—	1	—	—	—	—
Dis. of Brain		125	28	6	3	5	—	49	6	1	5	2	9	8	10	15	21
Dis. of Heart & Dropsy		116	40	19	7	2	1	69	4	4	1	1	3	7	4	12	29
Dis. of Lungs		151	40	19	7	2	1	69	4	4	1	1	1	4	9	9	7
Dis. of Stom. and Liver		22	13	—	—	1	1	17	1	—	—	—	1	1	4	9	7
Dis. of Kidneys		9	—	—	—	—	—	—	—	—	—	—	3	2	—	2	1
Dis. of Gen. Organs		9	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1
Dis. of Joints		3	—	1	—	—	—	1	1	—	—	—	—	—	—	—	1
Dis. of Skin		4	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—
Childbirth and Metris		96	—	—	—	—	—	—	—	—	1	5	8	11	1	—	—
Suicide		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		29	—	6	1	1	—	8	5	—	1	—	1	2	—	1	1
Other Causes		348	94	9	4	—	1	108	2	2	—	1	1	3	7	10	64

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1				Total under 5 Years.	5—										
			1	2	3	4		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
347.—ROSS.																		
Mean Popul ⁿ , 1861-71	8188	234	206	203	217	227	1087	953	909	794	624	1052	911	785	592	341	137	11
TOTAL DEATHS—	1652	359	300	43	25	27	544	46	31	38	50	81	105	111	177	215	197	37
Small-pox	11	-	1	1	-	1	3	1	-	-	2	-	2	-	2	1	-	-
Measles	16	3	6	2	2	-	13	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	37	4	5	8	7	9	33	17	1	2	-	2	1	-	1	-	-	-
Diphtheria	16	2	5	1	2	2	12	3	-	-	-	-	-	-	-	1	-	-
Whooping-cough	19	10	6	2	1	-	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	48	4	3	1	2	2	12	2	2	7	1	6	5	3	4	4	2	2
Diarrhoea & Dysentery	22	13	8	-	-	-	16	-	-	-	-	-	-	-	1	1	1	1
Cholera	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	45	11	5	2	3	1	22	1	4	2	1	1	2	5	2	2	-	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	16	2	2	3	-	-	7	1	5	-	1	1	1	3	3	5	2	1
Phthisis	140	3	2	-	-	-	5	2	4	8	21	32	19	23	16	19	-	-
Hydrocephalus	16	7	5	2	-	-	14	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	209	46	12	3	1	1	63	2	3	2	3	10	14	15	29	47	26	4
Dis. of Heart & Dropsy	162	4	1	-	1	1	7	5	3	4	3	5	10	17	34	55	25	4
Dis. of Lungs	215	51	21	7	2	5	86	3	2	2	3	10	13	35	59	39	20	4
Dis. of Stom. and Liver	83	13	4	2	1	1	21	-	-	2	4	11	10	10	12	14	7	-
Dis. of Kidneys	34	-	-	-	-	-	-	-	-	1	1	2	7	10	3	7	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	2	-	-	1	1	-	2	-	-	-
Dis. of Skin	7	3	-	-	-	-	3	1	-	-	-	-	-	-	1	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	1	2	2	1	3	1	1	-	-
Other Violent Deaths	77	5	2	6	2	2	17	3	4	3	4	6	17	5	7	6	2	1
Other Causes	419	176	7	3	1	2	189	-	2	2	2	3	4	4	23	49	187	45
348.—HEREFORD.																		
Mean Popul ⁿ , 1861-71	20281	520	481	513	492	507	2513	2330	2156	1906	1581	2835	2369	1936	1407	876	325	47
TOTAL DEATHS—	4440	904	193	95	58	55	1305	166	81	89	140	279	346	394	451	552	499	128
Small-pox	37	10	2	3	1	-	16	2	-	-	6	5	2	4	2	-	-	-
Measles	39	5	12	9	2	3	31	6	1	-	-	1	-	-	-	-	-	-
Scarlatina	129	5	15	18	17	15	70	43	5	3	2	4	2	-	-	-	-	-
Diphtheria	29	5	-	2	2	4	13	10	3	1	1	-	-	-	1	-	-	-
Whooping-cough	61	27	18	7	3	-	55	5	1	-	-	-	-	-	-	-	-	-
Typhus	92	4	1	3	3	2	19	7	6	7	10	11	12	11	6	4	4	1
Diarrhoea & Dysentery	114	71	9	4	-	-	84	3	-	-	-	-	-	2	6	9	9	1
Cholera	3	2	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	100	7	6	3	5	6	27	11	3	5	6	7	7	9	19	19	3	-
Cancer	33	-	-	-	1	-	1	1	-	-	-	1	4	4	10	7	4	-
Scrofula and Tuberc.	34	15	3	1	1	1	21	5	3	3	3	6	4	3	5	1	1	-
Phthisis	550	16	11	11	2	5	45	10	15	29	33	123	111	92	60	17	2	-
Hydrocephalus	19	7	4	1	-	2	14	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	589	203	24	10	5	4	249	9	6	7	6	22	28	69	61	65	42	7
Dis. of Heart & Dropsy	441	3	3	-	1	1	8	4	6	6	9	15	44	57	98	123	61	26
Dis. of Lungs	598	140	44	9	4	3	200	13	3	7	9	22	28	50	78	125	79	28
Dis. of Stom. and Liver	187	23	6	-	1	1	36	8	3	2	10	4	26	24	32	52	18	-
Dis. of Kidneys	87	-	-	-	-	-	-	-	2	1	2	4	12	26	17	18	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	29	1	1	-	-	1	3	2	1	1	1	2	5	1	2	2	-	-
Dis. of Skin	12	3	1	-	-	-	4	-	-	-	-	-	2	1	1	3	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	-	-	1	1	6	2	4	4	-	-
Other Violent Deaths	243	7	6	6	6	4	29	18	20	15	14	37	35	29	21	14	28	1
Other Causes	985	345	27	7	4	3	386	4	4	2	3	14	18	29	47	124	233	108
349.—WEOBLY.																		
Mean Popul ⁿ , 1861-71	4612	125	119	116	111	118	589	552	508	425	327	607	524	449	326	217	78	16
TOTAL DEATHS—	885	159	24	21	16	19	239	24	11	20	36	37	52	66	106	134	128	32
Small-pox	12	-	1	-	-	-	1	-	-	2	3	3	-	-	3	-	-	-
Measles	5	-	2	1	-	1	4	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	3	5	3	4	7	22	12	3	-	-	-	1	-	-	-	-	-
Diphtheria	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	3	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Typhus	32	-	-	1	2	1	4	1	1	3	4	3	2	4	2	5	1	1
Diarrhoea & Dysentery	19	2	1	-	-	-	3	-	-	-	-	-	1	1	-	5	5	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	1	1	-	1	-	3	1	-	3	-	-	1	3	2	5	6	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	16	5	-	1	-	-	6	-	1	1	3	1	3	3	1	-	-	-
Phthisis	73	1	1	-	-	3	5	-	1	7	14	12	10	9	10	3	-	-
Hydrocephalus	8	2	-	2	3	1	8	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	156	58	6	3	1	-	68	2	-	-	1	1	9	8	18	36	21	2
Dis. of Heart & Dropsy	92	3	-	-	-	-	5	1	-	1	1	3	7	15	24	32	5	1
Dis. of Lungs	78	11	4	2	-	2	19	1	-	1	-	3	5	7	11	14	13	2
Dis. of Stom. and Liver	47	11	-	-	1	-	4	-	-	2	2	4	10	12	8	7	2	-
Dis. of Kidneys	14	-	-	-	-	-	-	-	1	1	1	2	-	2	3	2	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths	37	1	-	3	1	2	7	-	4	1	4	5	5	1	6	3	1	-
Other Causes	221	63	8	4	3	1	74	3	1	-	1	2	3	5	9	26	38	24

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--	95--	
		347.—ROSS.																		
Mean Popul ⁿ , 1861-71	8267	211	199	211	202	214	1037	993	886	740	696	1077	920	778	576	359	176	29		
TOTAL DEATHS—	1622	322	81	48	31	17	409	55	34	38	54	94	97	96	138	202	217	98		
Small-pox	7	4	1	2	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	16	—	8	3	1	2	14	1	—	—	—	—	—	—	1	—	—	—	—	
Scarlatina	61	3	11	9	5	4	32	20	6	—	—	—	3	—	—	—	—	—	—	
Diphtheria	17	—	2	3	2	1	8	7	—	1	1	—	—	—	—	—	—	—	—	
Whooping-cough	37	20	9	3	3	1	36	1	—	—	—	—	—	—	—	—	—	—	—	
Typhus	56	2	3	1	1	1	8	5	6	5	6	4	7	3	5	4	8	—	—	
Diarrhoea & Dysentery	28	21	—	—	—	—	21	—	—	—	—	—	—	—	1	2	2	—	—	
Cholera	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	
Other Zymotic Dis.	31	5	1	3	3	2	14	1	—	—	—	3	2	3	—	2	6	—	—	
Cancer	49	—	—	—	—	—	—	—	—	—	—	—	—	4	8	19	13	3	—	
Scrofula and Tuberc.	24	6	2	2	1	—	11	2	2	2	2	1	1	2	1	—	—	—	—	
Phthisis	159	3	4	2	2	—	11	3	5	18	23	45	28	15	9	2	—	—	—	
Hydrocephalus	17	6	3	2	3	1	15	—	1	—	1	—	—	—	—	—	—	—	—	
Dis. of Brain	171	31	10	5	3	1	50	1	7	5	5	4	7	8	21	32	23	8	—	
Dis. of Heart & Dropsy	180	3	—	1	—	—	4	1	—	1	1	5	7	27	40	55	30	5	—	
Dis. of Lungs	181	39	15	8	3	—	65	5	1	1	1	6	13	8	16	34	29	2	—	
Dis. of Stom. and Liver	76	10	1	—	—	1	12	4	2	2	2	1	5	10	15	13	8	2	—	
Dis. of Kidneys	13	—	—	—	1	—	1	—	—	2	2	4	1	—	2	—	1	—	—	
Dis. of Gen. Organs	8	—	—	—	—	—	—	—	—	—	—	2	2	3	—	—	—	—	—	
Dis. of Joints	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Dis. of Skin	4	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	
Childbirth and Metris	32	—	—	—	—	—	—	—	—	—	3	18	9	2	—	—	—	—	—	
Suicide	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Other Violent Deaths	23	1	3	3	—	3	10	1	—	1	—	—	2	1	1	3	4	—	—	
Other Causes	427	168	8	1	3	—	180	1	2	—	1	1	2	5	6	43	107	79	—	
348.—HEREFORD.																				
Mean Popul ⁿ , 1861-71	20649	513	503	536	508	495	2555	2317	2092	1883	1766	2009	2367	1927	1401	926	411	95		
TOTAL DEATHS—	4107	757	183	105	68	55	1168	128	76	108	117	288	293	304	383	524	497	221		
Small-pox	32	4	1	2	5	—	12	2	2	8	3	4	3	2	1	—	—	—	—	
Measles	29	7	10	2	2	1	22	5	—	—	—	1	—	1	—	—	—	—	—	
Scarlatina	148	4	21	21	21	15	82	44	8	4	4	3	1	1	1	—	—	—	—	
Diphtheria	24	1	—	2	2	3	8	6	4	1	1	1	2	—	—	1	—	—	—	
Whooping-cough	60	23	16	7	7	2	55	2	1	2	—	—	—	—	—	—	—	—	—	
Typhus	108	5	6	5	2	3	21	6	1	9	6	19	10	12	10	16	5	—	—	
Diarrhoea & Dysentery	71	39	5	1	1	—	46	—	—	1	—	—	1	3	2	1	5	2	—	
Cholera	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	81	12	7	4	2	4	29	3	2	1	1	4	5	11	6	14	4	1	—	
Cancer	159	—	—	—	—	—	—	—	1	—	—	2	22	34	48	39	11	1	—	
Scrofula and Tuberc.	39	19	6	2	3	—	29	7	2	3	3	7	5	6	—	—	—	—	—	
Phthisis	537	22	17	8	6	3	56	11	25	46	63	143	98	67	32	13	1	—	—	
Hydrocephalus	23	8	7	2	1	1	19	—	4	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain	464	159	12	6	2	3	182	8	7	9	7	18	15	35	56	69	69	9	—	
Dis. of Heart & Dropsy	367	5	2	2	1	2	12	3	4	4	8	15	30	39	84	112	50	6	—	
Dis. of Lungs	432	95	42	17	4	8	169	8	6	1	4	11	24	28	52	72	66	14	—	
Dis. of Stom. and Liver	216	21	1	5	3	2	32	4	5	7	3	16	20	39	33	34	19	4	—	
Dis. of Kidneys	80	—	—	2	—	—	2	—	—	—	—	5	8	3	11	2	2	2	—	
Dis. of Gen. Organs	23	—	—	—	—	—	—	—	—	—	1	1	6	5	7	2	1	—	—	
Dis. of Joints	8	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	
Dis. of Skin	15	5	2	—	—	—	7	—	—	2	—	—	2	—	—	3	—	1	—	
Childbirth and Metris	67	—	—	—	—	—	—	—	—	3	3	36	25	—	—	—	—	—	—	
Suicide	14	—	—	—	—	—	—	—	—	1	—	1	3	2	3	4	—	—	—	
Other Violent Deaths	66	8	4	6	3	4	25	9	2	6	1	2	1	2	5	7	5	1	—	
Other Causes	1032	319	24	11	4	4	362	7	1	4	5	10	16	15	33	137	263	179	—	
349.—WEOBLY.																				
Mean Popul ⁿ , 1861-71	4412	112	112	113	105	117	559	544	465	359	347	552	511	414	334	209	97	21		
TOTAL DEATHS—	727	142	26	14	14	13	209	28	16	24	23	46	38	40	55	89	105	48		
Small-pox	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
Measles	2	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	33	1	3	1	5	4	14	9	4	5	2	1	—	—	—	—	—	—	—	
Diphtheria	6	—	1	—	—	2	3	—	2	1	—	—	—	—	—	—	—	—	—	
Whooping-cough	4	3	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	19	—	—	1	—	—	1	1	2	3	3	—	1	4	1	3	—	—	—	
Diarrhoea & Dysentery	8	2	2	—	—	—	4	—	—	—	—	—	3	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	11	1	—	—	—	1	2	—	—	1	—	1	—	—	1	—	6	—	—	
Cancer	10	—	—	—	—	—	—	—	—	—	—	—	2	2	2	3	1	—	—	
Scrofula and Tuberc.	9	2	—	1	1	—	4	—	1	—	1	3	—	—	—	—	—	—	—	
Phthisis	64	1	1	1	—	—	5	5	1	9	12	21	13	11	3	5	1	—	—	
Hydrocephalus	5	3	2	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain	66	42	4	1	2	2	51	1	2	1	—	3	2	5	8	6	7	—	—	
Dis. of Heart & Dropsy	63	1	—	—	—	—	1	—	—	—	1	2	3	3	14	20	18	3	—	
Dis. of Lungs	66	7	7	2	3	1	20	2	—	—	—	5	3	8	4	13	8	—	—	
Dis. of Stom. and Liver	42	2	—	1	1	2	6	3	1	—	1	2	3	6	9	3	6	—	—	
Dis. of Kidneys	5	—	—	—	—	—	—	—	—	—	1	—	—	—	2	1	1	—	—	
Dis. of Gen. Organs	3	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	
Dis. of Joints	4	1	—	—	—	—	1	—	—	1	—	—	—	—	1	—	1	—	—	
Dis. of Skin	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metris	17	—	—	—	—	—	—	—	—	4	—	7	5	1	—	—	—	—	—	
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths	11	3	—	3	—	—	6	2	1	—	—	—	2	2	9	23	27	—	—	
Other Causes	242	72	5	2	2	1	83	4	2	1	2	3	2	2	9	33	67	—	—	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—	100—
		350.—BROMYARD.																		
Mean Popul ⁿ , 1861-71	6136	159	145	158	148	152	762	696	670	585	493	795	676	585	462	273	119	20		
TOTAL DEATHS	1170	254	48	22	10	17	351	37	20	29	27	57	61	82	113	186	161	60		
Small-pox	9	4	1	—	—	—	6	—	—	—	—	4	2	3	—	—	—	—	—	—
Measles	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	29	2	2	4	2	3	13	12	2	—	1	1	—	—	—	—	—	—	—	—
Diphtheria	5	—	1	—	—	2	8	—	—	—	—	2	—	—	—	—	—	—	—	—
Whooping-cough	5	1	3	1	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	25	—	2	1	—	—	3	2	1	3	1	1	2	2	5	9	2	2	—	—
Diarrhoea & Dysentery	12	6	4	—	—	1	11	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	27	2	1	1	—	1	5	2	1	1	1	1	—	3	5	4	1	1	—	—
Cancer	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula and Tuberc.	22	15	2	—	—	1	18	—	1	1	—	1	1	—	4	3	2	—	—	—
Phthisis	63	—	—	—	—	—	13	1	2	10	9	13	12	8	4	8	1	—	—	—
Hydrocephalus	11	8	—	—	—	2	10	—	—	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	163	59	7	—	1	1	48	5	1	1	2	11	6	11	13	39	22	—	—	—
Dis. of Heart & Dropsy	75	2	—	—	—	—	2	1	2	2	1	2	7	11	11	24	12	—	—	—
Dis. of Lungs	131	23	10	4	2	—	39	2	—	1	2	5	6	11	23	16	17	—	—	—
Dis. of Stom. and Liver	63	7	1	1	—	—	9	3	—	1	1	1	6	9	14	9	9	1	—	—
Dis. of Kidneys	26	—	—	—	—	1	1	3	1	—	1	1	—	1	2	18	5	1	—	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	5	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Dis. of Skin	5	1	1	—	—	—	2	—	—	1	—	—	—	—	—	2	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	44	—	1	4	1	4	10	1	4	2	1	2	5	7	4	7	1	—	—	—
Other Causes	423	144	12	6	3	1	166	5	4	5	5	9	13	16	27	29	66	21	—	—
351.—LEOMINSTER.																				
Mean Popul ⁿ , 1861-71	7744	194	185	195	201	211	966	925	875	746	564	981	888	742	553	342	116	19		
TOTAL DEATHS	1595	331	57	40	23	18	460	63	33	33	41	94	105	131	185	225	149	54		
Small-pox	23	4	1	2	—	—	7	2	1	1	2	3	6	4	1	1	—	—	—	—
Measles	24	6	8	5	2	2	23	1	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	55	2	4	10	9	4	29	18	5	1	—	2	—	—	—	—	—	—	—	—
Diphtheria	14	3	—	1	—	—	4	3	3	1	1	1	—	—	—	—	—	—	—	—
Whooping-cough	22	11	7	3	1	—	22	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	75	5	3	6	3	1	18	10	4	3	4	6	9	3	7	7	3	1	—	—
Diarrhoea & Dysentery	41	21	3	1	—	—	25	2	1	—	—	2	—	1	3	3	4	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	53	6	—	1	1	3	11	2	3	3	—	5	2	2	2	2	3	—	—	—
Cancer	18	—	—	1	—	—	1	—	—	—	—	1	—	3	7	2	—	—	—	—
Scrophula and Tuberc.	25	8	5	—	—	—	13	4	3	1	—	1	1	1	1	1	—	—	—	—
Phthisis	119	2	1	—	2	—	5	—	4	5	24	25	24	18	9	3	2	—	—	—
Hydrocephalus	12	5	4	3	—	—	12	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	202	60	3	1	1	1	66	5	—	1	1	10	9	19	23	43	21	1	—	—
Dis. of Heart & Dropsy	133	1	—	—	—	—	1	3	2	5	1	6	11	18	24	23	13	2	—	—
Dis. of Lungs	244	53	3	4	—	4	64	3	1	3	1	12	14	23	43	43	24	4	—	—
Dis. of Stom. and Liver	79	11	—	—	1	2	14	—	1	1	2	4	12	12	21	9	3	—	—	—
Dis. of Kidneys	56	—	—	—	—	—	—	2	—	—	—	2	7	5	5	11	4	—	—	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Dis. of Skin	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	62	1	3	1	2	—	7	5	3	6	3	3	1	3	3	4	—	—	—	—
Other Causes	351	132	12	2	—	1	147	2	2	2	—	3	9	7	11	4	3	2	—	—
352.—LUDLOW.																				
Mean Popul ⁿ , 1861-71	8898	235	211	227	234	195	1102	1036	949	861	722	1200	1000	830	621	408	154	15		
TOTAL DEATHS	1908	430	107	35	35	24	631	77	40	32	55	99	100	135	184	283	220	65		
Small-pox	7	2	—	—	—	—	2	—	—	—	2	—	—	3	—	—	—	—	—	—
Measles	14	1	5	1	1	1	9	3	1	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	68	3	12	8	10	8	41	20	5	1	—	—	1	—	—	—	—	—	—	—
Diphtheria	20	2	2	1	2	2	9	8	1	—	—	—	—	1	1	—	—	—	—	—
Whooping-cough	22	14	5	—	1	1	21	—	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	69	—	1	2	1	1	5	7	10	7	3	4	4	1	4	4	5	2	—	—
Diarrhoea & Dysentery	82	42	9	1	2	1	55	1	—	1	—	1	1	4	1	12	4	2	—	—
Cholera	2	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	39	4	2	1	2	1	10	4	2	—	3	2	1	5	4	3	4	1	—	—
Cancer	15	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Scrophula and Tuberc.	26	8	1	—	1	—	10	3	3	2	3	1	—	2	4	5	2	—	—	—
Phthisis	138	2	1	—	—	—	3	2	3	6	23	38	23	14	17	5	—	—	—	—
Hydrocephalus	8	2	5	—	—	—	7	1	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	280	102	14	3	3	2	124	6	4	2	3	6	12	20	24	44	20	7	—	—
Dis. of Heart & Dropsy	123	—	—	1	—	1	2	2	1	1	2	4	12	13	21	43	19	4	—	—
Dis. of Lungs	351	72	32	12	4	3	123	9	5	4	5	12	13	24	42	65	41	2	—	—
Dis. of Stom. and Liver	115	13	5	2	3	—	21	1	2	1	2	4	12	15	20	25	1	—	—	—
Dis. of Kidneys	26	—	1	—	—	—	1	1	—	—	—	3	2	3	9	10	4	—	—	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	5	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	5	4	—	—	—	—	4	—	—	1	2	—	1	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	15	—	—	—	—	—	—	—	—	—	—	2	1	5	3	3	1	—	—	—
Other Violent Deaths	109	6	3	2	4	1	16	5	9	5	3									

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 1 Year.	Total under 5 Years.	85 & upwards.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17			

350.—BROMYARD.

Mean Popul ⁿ , 1861-71	5737	148	155	147	164	142	756	672	630	489	427	756	634	541	396	274	138	24
TOTAL DEATHS -	1084	213	50	24	25	10	321	33	28	33	29	67	46	54	92	149	108	64
Small-pox -	5	2	-	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-
Measles -	11	2	1	2	3	1	9	1	-	-	1	-	-	-	-	-	-	-
Scarlatina -	35	2	5	2	5	3	17	9	5	1	2	1	-	-	-	-	-	-
Diphtheria -	6	-	-	2	-	-	2	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	15	7	4	3	1	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus -	32	1	2	2	1	1	7	1	4	2	1	2	2	1	6	4	2	-
Diarrhoea & Dysentery -	15	8	-	-	-	-	8	1	-	1	-	1	1	-	-	3	1	-
Cholera -	19	5	-	-	1	-	6	2	2	1	-	-	-	-	1	2	5	-
Other Zymotic Dis. -	25	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Cancer -	27	9	3	1	-	1	14	1	2	-	-	1	1	8	5	6	3	-
Scrophula and Tuberc -	61	1	-	-	-	-	1	1	3	6	1	3	1	1	1	-	-	-
Phthisis -	7	3	1	-	2	-	6	-	1	11	24	12	3	3	-	-	-	-
Hydrocephalus -	115	35	2	2	-	-	39	1	-	2	1	1	6	12	14	18	15	4
Dis. of Brain -	73	1	1	1	-	-	3	1	3	5	1	4	3	6	11	27	11	-
Dis. of Heart & Dropsy -	112	16	7	1	2	1	27	1	1	1	2	6	1	6	9	27	27	4
Dis. of Lungs -	71	5	2	-	1	-	8	1	2	1	3	5	5	6	17	12	11	2
Dis. of Stom. and Liver -	10	-	-	-	-	-	-	1	-	-	-	1	-	2	5	2	1	-
Dis. of Kidneys -	9	-	-	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Joints -	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	14	-	-	-	-	-	-	-	-	2	1	7	4	-	-	-	-	-
Childbirth and Metris -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	23	2	1	2	5	-	10	1	-	3	-	2	-	1	-	-	3	2
Other Violent Deaths -	892	111	21	6	4	3	145	8	4	3	5	7	7	6	17	50	50	50

351.—LEOMINSTER.

Mean Popul ⁿ , 1861-71	7708	201	185	199	193	179	957	946	813	665	597	1002	856	733	587	372	155	25
TOTAL DEATHS -	1556	265	64	36	21	23	409	46	32	58	50	104	91	92	153	231	204	80
Small-pox -	50	7	1	-	4	-	12	5	3	4	2	2	2	-	-	-	-	-
Measles -	16	3	6	2	1	-	12	2	1	1	-	-	-	-	-	-	-	-
Scarlatina -	42	5	3	6	3	7	24	4	8	1	2	2	-	-	-	1	-	-
Diphtheria -	14	-	-	3	1	2	6	6	2	-	-	-	-	-	-	-	-	-
Whooping-cough -	24	16	2	1	2	2	23	1	-	-	-	-	-	-	-	-	-	-
Typhus -	92	2	4	2	2	5	13	11	6	14	8	11	7	4	4	9	3	2
Diarrhoea & Dysentery -	25	11	3	1	-	2	17	-	-	-	-	1	-	-	1	2	3	1
Cholera -	28	3	4	1	1	1	10	3	-	4	-	2	1	1	3	2	2	-
Other Zymotic Dis. -	59	-	-	-	-	-	-	-	-	-	-	2	10	12	17	18	3	2
Cancer -	17	7	3	-	-	-	10	-	1	1	2	1	2	12	17	18	3	2
Scrophula and Tuberc -	127	-	-	1	-	-	10	1	3	16	19	40	25	15	5	1	1	-
Phthisis -	10	5	2	2	-	1	10	-	-	-	-	40	25	15	5	1	1	-
Hydrocephalus -	169	45	7	1	3	-	55	4	2	4	4	8	5	12	21	34	19	5
Dis. of Brain -	152	3	1	1	-	-	4	4	4	8	4	12	10	10	27	48	22	1
Dis. of Heart & Dropsy -	194	34	13	10	1	1	89	2	-	2	-	5	5	7	11	34	42	80
Dis. of Lungs -	76	8	1	1	-	1	11	1	1	2	2	4	3	9	23	12	8	-
Dis. of Stom. and Liver -	10	-	-	-	-	-	-	-	-	-	-	-	-	8	2	1	-	-
Dis. of Kidneys -	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
Dis. of Genes. Organs -	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Dis. of Joints -	5	1	1	1	-	-	3	-	-	-	1	1	-	-	-	-	-	-
Dis. of Skin -	27	-	-	-	-	-	-	-	2	4	8	13	-	-	-	-	-	-
Childbirth and Metris -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Suicide -	20	1	1	1	2	1	6	4	-	-	-	1	1	3	-	2	3	-
Other Violent Deaths -	407	114	13	2	1	2	132	1	1	2	1	8	4	4	14	64	103	73

352.—LUDLOW.

Mean Popul ⁿ , 1861-71	9002	250	216	221	217	218	1122	1035	973	846	756	1201	952	828	600	438	215	36
TOTAL DEATHS -	1750	345	84	46	34	19	528	63	34	51	58	108	126	98	137	197	244	106
Small-pox -	5	1	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-
Measles -	16	6	3	3	1	1	14	1	-	1	-	-	-	-	-	-	-	-
Scarlatina -	69	3	9	11	13	6	42	21	1	3	-	-	2	-	-	-	-	-
Diphtheria -	15	-	2	-	2	-	4	5	2	1	-	2	-	1	-	-	-	-
Whooping-cough -	32	15	11	3	-	1	30	1	-	1	-	-	-	-	-	-	-	-
Typhus -	64	2	-	1	1	2	6	6	8	10	5	4	5	8	6	7	4	-
Diarrhoea & Dysentery -	75	42	8	2	1	-	53	5	-	1	2	2	2	-	3	3	3	1
Cholera -	22	1	2	3	1	-	7	3	2	-	-	1	1	1	4	1	3	-
Other Zymotic Dis. -	45	-	-	-	-	-	-	-	-	-	-	2	11	7	11	8	4	1
Cancer -	10	4	1	-	-	-	5	-	1	1	1	2	1	1	-	-	-	-
Scrophula and Tuberc -	134	-	-	-	-	-	-	-	4	15	16	45	60	17	5	2	-	-
Phthisis -	5	1	-	1	1	1	4	1	-	-	-	-	-	-	-	-	-	-
Hydrocephalus -	220	68	6	7	4	1	86	5	6	5	3	7	9	10	23	32	25	9
Dis. of Brain -	149	-	-	-	-	-	4	2	1	-	1	4	7	15	27	62	28	2
Dis. of Heart & Dropsy -	297	59	28	8	5	2	102	5	3	5	8	8	19	15	30	43	47	12
Dis. of Lungs -	96	8	-	1	-	2	11	3	2	2	8	5	13	12	12	13	13	2
Dis. of Stom. and Liver -	25	-	-	-	1	-	1	-	-	2	-	2	7	4	4	3	2	-
Dis. of Kidneys -	8	-	-	-	-	-	-	-	-	-	-	3	-	4	1	-	-	-
Dis. of Genes. Organs -	5	-	-	-	1	-	1	-	-	1	1	1	-	-	-	1	-	-
Dis. of Joints -	9	8	-	-	-	-	8	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin -	33	-	-	-	-	-	-	-	-	3	13	16	1	-	-	-	-	-
Childbirth and Metris -	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Suicide -	27	-	3	4	1	2	10	4	2	-	1	3	1	1	3	-	2	-
Other Violent Deaths -	884	127	11	2	2	1	143	1	2	2	6	3	2	6	31	103	79	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
353.—CLUN.																		
Mean Popul ⁿ , 1861-71	5537	150	132	155	132	141	710	671	587	542	453	731	584	502	394	241	106	17
TOTAL DEATHS	983	184	50	23	20	13	290	35	23	31	23	61	56	53	92	139	154	35
Small-pox	4	2	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
Measles	4	-	2	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Scarlatina	29	1	2	2	8	4	17	8	3	1	-	-	-	-	-	-	-	-
Diphtheria	8	-	-	3	1	2	6	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	19	10	7	1	1	-	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	4	-	2	-	-	6	2	3	4	-	3	3	3	2	4	-	-
Diarrhoea & Dysentery	13	7	-	-	-	-	7	-	1	-	-	-	-	-	3	2	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	94	-	2	1	1	1	5	2	-	2	1	1	2	3	3	4	1	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	1	2	7	7	3	1
Scrofula and Tuberc.	7	1	-	-	-	1	2	-	2	1	-	-	-	-	1	1	1	1
Phthisis	104	1	2	1	1	-	5	5	3	13	14	83	13	6	7	3	2	2
Hydrocephalus	12	4	3	2	1	1	11	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	111	39	7	2	2	-	60	4	8	-	2	4	6	3	8	14	17	-
Dis. of Heart & Dropsy	73	2	-	-	-	-	2	-	2	2	1	4	6	7	20	13	13	-
Dis. of Lungs	149	26	13	3	3	2	47	3	2	3	1	8	7	11	29	26	20	-
Dis. of Stom. and Liver	48	2	2	1	1	1	7	-	1	8	1	2	8	5	7	13	4	1
Dis. of Kidneys	19	-	-	-	-	-	-	2	-	-	-	2	3	1	3	5	2	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	43	5	3	3	-	1	12	1	4	2	1	3	9	4	6	5	1	-
Other Causes	251	79	7	2	1	-	89	5	-	-	-	-	-	6	3	26	32	1

354.—CHURCH STRETTON.

Mean Popul ⁿ , 1861-71	3240	91	81	89	83	81	425	404	338	298	234	420	361	298	240	155	60
TOTAL DEATHS	581	105	31	16	6	2	100	24	12	15	25	36	32	32	58	85	76
Small-pox	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	15	1	1	4	1	1	8	4	1	1	1	-	-	-	-	-	1
Diphtheria	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	9	5	4	-	-	-	9	-	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	-	1	-	1	3	1	2	2	2	1	1	2	2	-
Diarrhoea & Dysentery	7	4	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-
Cholera	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	1	4	-	-	-	5	3	-	3	-	2	1	-	-	-	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	2
Scrofula and Tuberc.	11	2	2	-	-	-	4	1	1	1	1	1	1	1	1	1	-
Phthisis	57	1	1	-	-	-	2	2	2	5	12	12	10	7	5	1	-
Hydrocephalus	11	2	2	1	1	-	6	2	2	-	1	-	-	-	-	-	-
Dis. of Brain	82	18	4	2	-	-	24	5	1	-	1	6	6	6	15	9	4
Dis. of Heart & Dropsy	46	-	-	-	-	-	2	1	1	-	-	1	1	3	12	13	4
Dis. of Lungs	82	10	7	7	-	-	30	3	1	1	1	3	3	5	24	11	2
Dis. of Stom. and Liver	36	3	-	-	-	1	3	3	-	-	2	1	2	3	6	2	1
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	23	2	-	-	3	-	5	1	1	2	3	2	4	-	4	1	-
Other Causes	150	49	4	1	-	-	64	-	1	-	1	3	2	2	2	10	37

355.—CLEOBURY MORTIMER.

Mean Popul ⁿ , 1861-71	4276	111	104	116	119	112	562	483	446	394	328	535	468	404	331	230	93
TOTAL DEATHS	792	137	26	22	14	7	206	27	21	24	21	36	53	61	77	102	124
Small-pox	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Measles	11	2	2	4	1	1	10	-	1	-	-	-	-	-	-	-	-
Scarlatina	16	3	-	4	1	2	10	4	1	-	-	-	1	-	-	-	-
Diphtheria	18	1	1	2	5	-	7	6	4	-	1	-	-	-	-	-	-
Whooping-cough	7	4	1	1	-	-	6	1	-	-	-	-	-	-	-	-	-
Typhus	29	4	-	-	-	-	6	1	2	2	1	3	-	-	2	1	-
Diarrhoea & Dysentery	34	10	-	-	2	-	11	-	-	-	2	1	1	1	6	5	4
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	4	-	2	-	-	6	2	1	3	-	-	1	3	1	2	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	15	4	-	-	-	1	5	-	1	3	-	2	-	1	2	1	2
Phthisis	65	2	2	-	1	-	5	-	2	8	10	11	14	6	7	1	3
Hydrocephalus	8	3	-	2	-	-	3	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	82	22	2	1	2	-	27	1	1	-	-	2	5	4	10	19	4
Dis. of Heart & Dropsy	53	1	-	-	-	-	2	1	-	-	1	2	3	6	11	12	13
Dis. of Lungs	93	13	8	3	-	2	26	1	-	1	1	6	5	14	17	13	10
Dis. of Stom. and Liver	41	5	-	1	1	1	8	2	1	-	-	1	2	7	9	8	3
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	3	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	43	-	1	-	2	-	3	4	6	4	5	5	6	1	2	3	-
Other Causes	211	58	7	2	-	-	67	1	-	-	-	2	3	6	10	20	30

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.				Total under 5 Years.											
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

353.—CLUN.

Mean Popul ⁿ , 1861-71	5171	143	142	153	130	127	695	653	579	476	421	659	549	455	337	220	110	17
TOTAL DEATHS	937	187	48	23	14	10	282	38	19	40	34	55	52	42	79	112	137	47
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	1	1	-	-	3	1	1	-	-	-	1	-	-	-	-	-
Scarlatina	23	2	5	3	2	2	14	3	4	-	-	-	1	-	-	-	-	-
Diphtheria	10	1	3	-	-	1	5	3	2	-	1	-	-	-	-	-	-	-
Whooping-cough	25	10	4	2	2	3	21	4	-	-	-	-	-	-	-	-	-	-
Typhus	26	-	1	1	2	-	4	3	5	2	-	-	4	1	-	2	1	-
Diarrhoea & Dysentery	14	6	-	-	-	-	6	1	-	1	-	-	2	-	-	2	2	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	25	4	1	2	2	1	10	2	1	1	1	2	-	1	-	6	1	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	7	-	1	2	-	-	3	-	-	1	1	-	1	1	10	2	1	-
Phthisis	129	3	3	2	3	-	11	2	3	20	20	31	16	13	11	2	-	-
Hydrocephalus	8	4	3	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	101	35	7	3	1	1	47	4	-	2	-	6	2	6	10	11	10	3
Dis. of Heart & Dropsy	80	2	1	-	-	-	3	3	3	2	3	5	4	6	13	19	18	1
Dis. of Lungs	101	23	6	5	2	1	37	1	-	1	1	1	3	4	18	15	19	1
Dis. of Stom. and Liver	46	7	1	-	-	-	8	2	1	1	-	3	-	3	10	10	6	2
Dis. of Kidneys	7	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	1	-
Dis. of Genes. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-
Dis. of Joints	2	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Dis. of Skin	4	3	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris	23	-	-	-	-	-	-	-	-	4	4	5	10	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	9	2	1	1	-	-	4	2	-	-	-	-	-	-	-	2	1	-
Other Causes	265	83	9	1	-	1	94	4	-	2	1	1	4	2	6	35	76	40

354.—CHURCH STRETTON.

Mean Popul ⁿ , 1861-71	3076	76	72	77	95	80	400	373	333	285	221	421	332	274	212	142	68	15
TOTAL DEATHS	541	66	27	8	12	7	120	15	14	17	17	41	42	26	57	88	82	42
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	12	-	2	1	2	1	6	3	-	-	1	-	-	-	1	-	-	-
Diphtheria	3	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
Whooping-cough	10	7	3	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	15	-	-	-	1	-	1	-	2	4	1	-	2	-	2	2	1	-
Diarrhoea & Dysentery	9	3	1	-	-	-	4	-	-	-	-	-	-	-	-	1	4	-
Cholera	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	17	1	2	-	2	2	7	2	2	-	-	-	-	-	2	-	1	1
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	3	7	4	4	2	1
Scrofula and Tuberc.	7	2	2	-	-	-	4	-	-	1	-	-	-	-	1	-	-	-
Phthisis	61	-	1	1	1	1	1	2	2	7	8	24	8	3	5	1	-	-
Hydrocephalus	7	1	1	1	1	1	5	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	69	15	4	1	2	1	23	3	3	-	2	-	1	1	10	14	9	3
Dis. of Heart & Dropsy	69	-	-	-	-	-	1	1	1	1	2	-	9	6	11	21	12	2
Dis. of Lungs	54	12	7	1	3	-	23	-	-	-	-	1	3	2	3	6	12	4
Dis. of Stom. and Liver	34	-	-	-	-	-	-	-	-	1	1	4	4	3	7	7	7	-
Dis. of Kidneys	10	-	1	-	-	-	1	-	1	1	-	-	2	2	2	1	-	-
Dis. of Genes. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris	12	-	-	-	-	-	-	-	-	1	-	6	4	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	15	-	1	2	1	1	5	1	-	-	-	-	2	-	1	1	4	1
Other Causes	102	23	3	-	-	1	27	1	-	-	-	-	1	1	3	11	28	30

355.—CLEOBURY MORTIMER.

Mean Popul ⁿ , 1861-71	4034	116	97	108	100	100	521	492	443	335	300	498	435	379	311	209	92	19
TOTAL DEATHS	705	105	33	14	11	10	173	38	20	24	18	45	40	40	61	86	115	45
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	11	1	2	-	2	1	6	2	1	1	-	-	-	1	-	-	-	-
Scarlatina	9	1	1	3	-	2	7	1	-	1	-	-	-	-	-	-	-	-
Diphtheria	21	1	2	1	5	1	10	6	2	1	-	1	-	1	-	-	-	-
Whooping-cough	12	9	1	-	-	-	10	2	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	1	2	-	-	3	5	4	2	3	1	-	3	1	2	1	-
Diarrhoea & Dysentery	13	2	2	-	-	-	4	1	-	-	-	2	-	-	1	2	5	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	20	6	1	-	1	-	8	3	1	1	-	-	1	1	-	2	3	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	15	2	2	-	1	-	5	1	1	2	2	1	2	2	7	2	2	-
Phthisis	79	2	3	1	-	-	6	3	6	10	6	24	10	6	6	2	-	-
Hydrocephalus	7	2	3	-	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	62	15	4	2	-	1	22	3	1	2	-	3	7	3	7	7	6	1
Dis. of Heart & Dropsy	50	-	-	-	-	-	1	1	1	-	1	5	5	15	15	8	4	1
Dis. of Lungs	81	14	6	2	-	1	22	1	1	1	3	4	6	3	9	15	13	1
Dis. of Stom. and Liver	35	2	-	-	-	-	2	1	-	1	-	1	6	6	8	7	2	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris	7	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
Other Violent Deaths	19	1	1	3	-	3	6	4	1	1	-	-	2	-	2	2	1	-
Other Causes	263	43	5	-	1	1	40	9	-	-	-	-	1	4	5	24	78	30

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		356.—BRIDGNORTH.																
Mean Popul ⁿ , 1861-71	7805	206	211	209	188	191	1005	925	893	686	578	992	892	774	566	347	136	12
TOTAL DEATHS	1417	291	93	33	18	21	456	40	22	27	44	63	83	85	147	211	179	51
Small-pox	14	3	6	3	1	—	13	1	—	—	—	—	—	—	—	—	—	—
Measles	35	3	8	5	4	4	24	7	2	—	2	—	—	—	—	—	—	—
Scarlatina	22	1	2	2	1	1	7	11	2	—	1	—	1	—	—	—	—	—
Diphtheria	19	9	6	2	2	—	19	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	43	—	1	1	1	—	3	6	5	5	1	4	7	1	4	5	2	—
Typhus	33	29	7	—	—	2	33	—	—	—	—	1	—	2	—	1	2	—
Diarrhoea & Dysentery	4	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cholera	37	3	3	3	2	5	16	1	2	1	2	1	1	1	4	2	5	1
Other Zymotic Dis.	12	—	—	—	—	—	—	—	—	—	—	—	2	1	3	5	1	—
Cancer	16	6	1	—	—	1	8	1	—	1	1	2	—	—	1	2	—	—
Scrofula and Tuberc.	132	1	1	1	—	—	3	1	2	7	28	25	25	20	11	10	—	—
Phthisis	23	12	6	2	—	—	20	2	—	—	—	—	—	—	—	—	—	—
Hydrocephalus	190	34	8	—	3	1	46	3	3	—	1	4	11	14	20	22	23	15
Dis. of Brain	143	3	—	1	—	—	5	2	—	2	1	7	7	15	25	44	22	2
Dis. of Heart & Dropsy	251	59	24	7	2	3	95	1	2	3	1	5	11	13	22	41	40	17
Dis. of Lungs	95	14	4	1	—	1	20	3	1	2	—	5	8	9	13	39	11	1
Dis. of Stom. and Liver	29	—	—	—	—	1	1	1	—	1	—	2	—	3	6	16	5	—
Dis. of Kidneys	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Gen. Organs	8	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	88	2	6	3	—	1	12	6	3	3	6	6	6	4	9	8	3	2
Other Violent Deaths	215	111	10	2	1	—	124	3	—	1	—	1	4	2	11	23	24	20

357.—SHIFFNAL.																		
Mean Popul ⁿ , 1861-71	6075	177	167	150	173	167	834	748	665	574	462	806	686	572	402	233	85	9
TOTAL DEATHS	1263	323	78	41	24	20	486	48	22	32	34	71	66	86	127	143	117	31
Small-pox	7	3	—	1	—	—	4	1	—	—	—	—	—	1	—	1	—	—
Measles	12	1	3	2	1	1	8	2	2	—	—	—	—	—	—	—	—	—
Scarlatina	30	1	5	4	2	6	18	8	3	—	1	—	—	—	—	—	—	—
Diphtheria	15	1	3	3	—	—	7	4	2	—	—	—	—	1	1	—	—	—
Whooping-cough	17	10	3	3	1	—	17	—	—	—	—	—	—	—	—	—	—	—
Typhus	31	1	2	1	1	2	7	9	2	2	3	5	—	—	1	—	—	—
Diarrhoea & Dysentery	76	37	11	1	1	1	51	—	1	—	—	—	1	7	3	4	1	—
Cholera	3	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Other Zymotic Dis.	21	4	2	4	1	1	12	3	1	—	—	1	—	1	2	1	—	—
Cancer	13	—	—	—	—	—	—	—	—	—	1	2	—	1	5	3	—	1
Scrofula and Tuberc.	21	6	3	1	3	1	14	2	—	2	1	—	—	1	—	1	—	—
Phthisis	113	5	2	2	1	—	8	2	3	10	13	30	21	14	6	1	—	—
Hydrocephalus	13	7	—	1	1	1	10	2	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	141	46	8	5	4	1	64	2	1	2	1	6	3	13	19	11	16	3
Dis. of Heart & Dropsy	87	1	1	—	—	—	2	2	—	2	—	4	8	8	39	25	14	1
Dis. of Lungs	250	77	26	10	4	4	121	3	1	1	—	6	9	19	25	40	29	3
Dis. of Stom. and Liver	88	13	2	1	—	—	16	1	—	1	1	2	2	5	13	11	6	—
Dis. of Kidneys	20	1	—	—	1	—	2	—	—	—	—	—	2	1	7	6	2	—
Dis. of Gen. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	4	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Dis. of Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	8	—	—	—	—	—	—	—	—	—	—	1	2	—	3	2	—	—
Other Violent Deaths	235	4	3	2	3	2	14	4	4	11	6	10	17	7	11	2	2	—
Other Causes	235	106	4	—	—	—	110	2	—	1	2	4	1	5	11	28	29	24

358.—MADELEY.																		
Mean Popul ⁿ , 1861-71	15293	469	435	431	423	423	2181	1971	1701	1566	1297	2041	1631	1276	961	505	144	19
TOTAL DEATHS	3440	998	292	113	89	54	1544	123	94	91	94	167	157	225	304	349	218	74
Small-pox	20	8	3	—	2	1	9	1	2	4	—	5	6	3	—	—	—	—
Measles	80	18	33	15	7	3	76	3	—	—	1	—	—	—	—	—	—	—
Scarlatina	94	14	13	12	20	5	64	23	6	1	—	—	—	—	—	—	—	—
Diphtheria	24	6	7	—	1	4	18	3	1	2	—	—	—	—	—	—	—	—
Whooping-cough	44	23	14	2	3	1	43	1	—	—	—	—	—	—	—	—	—	—
Typhus	121	3	6	5	4	4	22	18	16	14	11	5	7	6	11	8	3	—
Diarrhoea & Dysentery	97	29	15	5	—	1	80	—	—	1	—	—	1	3	5	7	—	—
Cholera	9	1	—	—	—	—	1	2	—	—	—	1	1	1	3	1	—	—
Other Zymotic Dis.	67	13	9	9	6	3	40	8	2	—	1	1	1	3	4	6	1	—
Cancer	36	—	—	—	—	—	—	—	—	1	—	3	3	3	10	19	2	—
Scrofula and Tuberc.	82	36	20	4	2	1	63	4	2	2	—	4	2	—	8	3	—	—
Phthisis	332	29	17	4	2	3	46	14	14	21	42	65	48	45	27	8	1	—
Hydrocephalus	64	25	14	8	3	4	56	5	3	—	—	—	—	—	—	—	—	—
Dis. of Brain	374	179	26	11	6	4	225	9	4	2	7	10	10	19	22	20	13	4
Dis. of Heart & Dropsy	167	27	8	1	2	1	34	4	5	6	3	11	11	22	45	19	7	—
Dis. of Lungs	512	133	68	15	15	9	269	9	1	5	—	8	14	42	66	74	80	8
Dis. of Stom. and Liver	192	39	9	1	5	1	52	3	3	1	4	4	16	21	26	13	4	—
Dis. of Kidneys	35	1	—	—	1	—	2	—	—	1	—	4	1	4	7	19	5	1
Dis. of Gen. Organs	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Dis. of Joints	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Dis. of Skin	5	1	—	—	—	—	1	—	—	—	—	—	—	—	2	1	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	11	—	—	—	—	—	—	—	—	—	1	1	2	—	3	2	—	—
Other Violent Deaths	232	3	3	6	10	7	31	15	31	28	23	36	24	34	14	7	3	1
Other Causes	847	371	20	13	2	2	420	1	3	2	4	6	9	14	41	140	180	61

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- 99.
		356.—BRIDGNORTH.																
Mean Popul ⁿ , 1861-71	7880	214	188	208	191	199	1000	910	862	693	633	1086	852	750	570	351	147	26
TOTAL DEATHS -	1453	261	71	37	31	13	413	53	45	52	40	86	81	87	147	190	184	75
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	23	3	6	7	1	1	18	4	-	-	-	1	-	-	-	-	-	-
Scarlatina - - -	55	3	11	5	8	2	29	13	5	3	1	3	-	1	-	-	-	-
Diphtheria - - -	19	2	2	-	3	-	7	7	2	-	-	2	-	1	-	-	-	-
Whooping-cough -	37	18	10	4	5	-	37	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	55	-	1	2	4	-	7	7	9	5	8	3	2	2	2	7	3	-
Diarrhoea & Dysentery	42	21	2	-	-	-	23	1	-	-	-	1	-	2	2	6	5	2
Cholera - - - - -	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	37	8	1	4	1	2	16	2	-	-	1	1	2	1	4	6	2	2
Cancer - - - - -	51	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Scrofula and Tuberc.	24	7	-	-	-	-	7	1	6	-	-	1	6	12	11	12	5	1
Phthisis - - - -	146	2	2	1	-	-	7	4	5	28	15	30	28	11	15	2	1	-
Hydrocephalus - -	8	3	2	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	167	37	6	3	1	-	47	3	2	3	2	8	2	10	22	34	27	7
Dis. of Heart & Dropsy	134	-	-	-	-	1	1	1	4	3	1	7	6	14	26	32	35	4
Dis. of Lungs - - -	241	42	16	7	3	4	72	5	6	3	1	2	8	10	30	42	41	21
Dis. of Stom. and Liver	103	16	3	-	-	-	19	-	3	2	5	5	8	10	13	20	14	4
Dis. of Kidneys - -	18	-	-	-	-	-	-	-	-	1	-	3	2	1	4	5	1	1
Dis. of Gen. Organs -	10	-	-	-	-	-	-	-	-	-	-	-	1	5	-	2	2	-
Dis. of Joints - - -	7	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-
Dis. of Skin - - - -	12	4	-	-	1	-	5	-	-	-	-	2	-	-	1	3	1	-
Childbirth and Matria	26	-	-	-	-	-	-	-	-	3	3	10	9	1	-	-	-	-
Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Other Violent Deaths -	38	9	2	-	3	3	17	3	1	-	-	1	-	-	6	1	2	2
Other Causes - - -	201	85	7	2	1	-	95	-	2	-	2	2	2	2	8	16	41	31

357.—SHIFFNAL.																		
Mean Popul ⁿ , 1861-71	6315	205	188	169	166	165	893	755	672	576	552	851	684	539	424	244	109	16
TOTAL DEATHS -	1104	219	74	43	35	19	390	52	31	29	32	69	57	60	83	131	119	51
Small-pox -	5	-	1	-	-	1	2	1	-	1	-	-	-	-	-	1	-	-
Measles -	13	3	8	-	1	-	12	-	-	-	1	-	-	-	-	-	-	-
Scarlatina -	36	3	8	2	4	-	25	8	2	-	-	1	-	-	-	-	-	-
Diphtheria -	14	1	1	-	2	-	4	6	2	1	-	-	-	-	1	-	-	-
Whooping-cough -	20	10	3	1	4	-	18	2	-	-	-	-	-	-	-	-	-	-
Typhus -	39	1	2	3	3	3	11	10	5	2	3	3	1	-	3	1	-	-
Diarrhoea & Dysentery -	46	22	4	1	1	2	30	2	1	-	1	2	-	1	3	4	1	1
Cholera -	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis. -	22	4	3	2	2	1	12	2	-	1	-	-	2	-	4	1	-	-
Cancer -	24	-	-	-	-	-	-	-	1	-	-	1	4	4	7	4	3	-
Scrofula and Tuberc. -	15	4	3	2	1	-	10	1	2	1	2	1	1	1	-	-	-	-
Phthisis -	112	2	3	2	1	1	9	1	7	10	14	27	18	19	4	3	-	-
Hydrocephalus -	14	3	3	2	1	1	10	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	122	35	8	4	5	-	52	3	1	5	1	6	4	8	8	19	13	2
Dis. of Heart & Dropsy -	75	2	1	-	-	-	3	1	2	1	-	3	4	11	13	23	14	-
Dis. of Lungs -	191	47	15	16	5	5	88	3	3	1	1	5	3	6	19	41	19	2
Dis. of Stom. and Liver -	35	6	-	-	1	-	7	3	2	4	-	2	5	4	11	13	4	1
Dis. of Kidneys -	4	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
Dis. of Gen. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Dis. of Skin -	8	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
Childbirth and Metria -	24	-	-	-	-	-	-	-	-	-	3	12	9	-	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Violent Deaths -	21	-	2	-	5	-	7	4	1	1	3	1	1	1	1	1	1	1
Other Causes -	226	75	9	2	1	1	88	2	-	-	1	3	3	5	7	19	64	44

358.—MADELEY.																		
Mean Popul ⁿ , 1861-71	15090	496	441	435	436	436	2244	1964	1729	1284	1209	1980	1568	1317	992	571	207	25
TOTAL DEATHS -	3147	744	271	119	62	58	1247	126	76	81	124	184	174	168	237	344	286	100
Small-pox -	31	10	1	2	-	2	15	3	3	2	4	2	1	1	-	-	-	-
Measles -	59	7	51	12	2	2	54	5	-	-	-	-	-	-	-	-	-	-
Scarlatina -	124	13	17	10	20	18	87	23	10	-	-	1	1	-	-	-	-	-
Diphtheria -	13	2	5	-	2	2	11	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	48	21	14	8	4	-	47	1	-	-	-	-	-	-	-	-	-	-
Typhus -	125	5	5	8	4	7	29	27	18	-	10	17	5	6	7	3	1	-
Diarrhoea & Dysentery -	85	47	14	3	1	-	65	-	-	-	1	1	-	4	8	5	1	-
Cholera -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	57	3	7	9	5	4	30	3	5	2	2	2	-	1	4	3	4	1
Cancer -	84	-	-	-	-	-	-	-	-	-	-	2	7	25	18	26	6	-
Scrofula and Tuberc. -	65	24	18	6	-	1	44	3	3	2	1	5	6	1	-	-	-	-
Phthisis -	412	21	12	4	4	3	44	31	16	41	68	93	67	55	18	5	1	-
Hydrocephalus -	39	13	8	5	-	1	27	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	352	142	25	10	8	1	186	11	9	3	7	13	11	14	28	47	17	6
Dis. of Heart & Dropsy -	160	15	5	3	2	-	25	1	4	5	-	11	11	24	45	37	16	1
Dis. of Lungs -	394	102	39	9	5	7	181	10	2	5	6	14	15	26	41	67	35	3
Dis. of Stom. and Liver -	126	20	4	3	2	2	31	1	1	5	6	9	17	24	29	5	1	-
Dis. of Kidneys -	14	-	-	-	-	-	-	1	-	-	1	1	6	-	1	3	1	-
Dis. of Gen. Organs -	13	-	-	-	-	-	-	-	-	-	1	2	4	-	5	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Dis. of Skin -	6	2	-	-	-	-	2	-	2	-	-	-	-	1	-	1	-	-
Childbirth and Metria -	47	-	-	-	-	-	-	-	-	3	5	14	23	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths -	31	4	6	5	2	6	23	6	3	1	2	2	1	2	9	4	3	-
Other Causes -	812	291	45	6	1	9	245	9	-	3	3	3	5	12	20	129	189	85

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
359.—ATCHAM.																				
Mean Popul ⁿ , 1861-71	9674	231	221	249	259	224	1184	1152	1015	946	792	1242	1065	945	717	433	150	28		
TOTAL DEATHS	1640	300	63	39	30	20	452	55	37	57	51	101	94	114	159	249	200	62		
Small-pox	6	-	-	-	1	-	1	-	-	1	1	2	-	-	1	-	-	-		
Measles	16	3	10	-	2	-	13	-	-	-	-	-	-	-	-	-	-	-		
Scarlatina	36	2	5	9	4	3	23	8	3	1	-	-	1	-	-	-	-	-		
Diphtheria	14	2	-	-	-	2	4	6	1	1	-	1	-	-	1	-	-	-		
Whooping-cough	23	12	5	2	1	1	21	1	1	-	-	-	-	-	-	-	-	-		
Typhus	43	1	1	2	2	1	7	4	3	6	3	8	1	4	2	5	3	1		
Diarrhea & Dysentery	32	11	3	-	-	-	14	-	3	-	-	2	2	1	1	7	3	-		
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	46	8	3	4	5	3	23	7	-	-	-	5	1	1	6	3	3	-		
Cancer	30	-	-	-	-	1	1	1	-	1	-	-	2	2	9	8	4	1		
Scrophula and Tuberc	18	1	3	2	-	-	6	2	2	3	2	2	-	-	1	-	-	-		
Phthisis	171	3	2	-	1	-	6	2	6	20	22	43	27	91	14	8	7	-		
Hydrocephalus	13	4	2	2	2	1	11	1	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain	176	62	5	3	1	5	76	3	5	2	3	5	3	12	11	26	27	1		
Dis. of Heart & Dropsy	115	-	-	-	-	-	1	3	2	1	2	5	12	8	27	43	11	1		
Dis. of Lungs	255	46	10	5	4	1	66	5	8	6	1	10	12	27	30	24	27	4		
Dis. of Stom. and Liver	80	8	-	-	1	-	9	3	-	2	1	2	10	14	20	11	7	1		
Dis. of Kidneys	37	1	-	-	-	-	1	-	1	1	2	1	1	5	9	8	8	-		
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	2	-	-		
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	9	-	-	-	-	-	-	-	-	1	-	-	2	2	2	2	2	-		
Other Violent Deaths	84	1	2	1	5	1	10	5	7	9	11	12	9	6	8	8	1	-		
Other Causes	432	134	12	8	1	-	155	3	2	-	1	5	10	10	18	63	114	21		

360.—SHREWSBURY.																				
Mean Popul ⁿ , 1861-71	12514	345	316	317	296	309	1583	1403	1238	1193	1039	1849	1540	1202	840	453	153	21		
TOTAL DEATHS -	3009	780	204	88	61	48	1181	108	65	102	129	202	308	364	389	537	276	68		
Small-pox -	48	9	5	4	5	7	30	3	-	3	1	6	2	2	-	1	-	-		
Measles -	52	9	22	7	6	8	47	4	-	-	-	-	-	-	-	-	-	-		
Scarlatina -	53	4	12	8	8	8	40	11	3	1	1	-	-	-	-	-	-	-		
Diphtheria -	23	2	5	2	1	-	19	5	1	-	1	3	1	-	1	1	-	-		
Whooping-cough -	35	13	12	4	2	-	33	2	-	-	-	-	-	-	-	-	-	-		
Typhus -	120	4	5	3	5	1	18	13	10	9	15	16	10	9	10	9	2	1		
Diarrhea & Dysentery -	151	97	11	5	3	1	117	1	2	3	-	-	-	4	8	3	7	-		
Cholera -	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis. -	75	6	8	5	1	4	24	7	1	2	3	2	7	9	4	19	3	1		
Cancer -	51	-	-	-	-	-	-	-	-	-	3	1	5	15	18	9	-	-		
Scrophula and Tuberc -	48	14	7	2	1	1	25	4	3	4	1	6	1	2	2	-	-	-		
Phthisis -	404	3	5	2	3	2	17	3	8	36	50	89	80	72	35	12	-	-		
Hydrocephalus -	54	13	16	4	6	3	42	8	3	-	1	-	-	-	-	-	-	-		
Dis. of Brain -	617	221	17	7	3	1	249	8	5	8	7	34	53	70	66	66	43	4		
Dis. of Heart & Dropsy -	261	22	5	3	2	-	32	6	3	4	7	15	31	41	24	43	23	1		
Dis. of Lungs -	524	111	47	19	6	7	190	5	5	4	4	23	32	62	63	61	52	10		
Dis. of Stom. and Liver -	179	23	1	2	1	-	27	2	1	3	8	14	25	27	36	23	9	-		
Dis. of Kidneys -	91	1	-	1	-	1	3	2	-	-	5	9	12	18	18	18	7	2		
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
Dis. of Joints -	26	-	-	-	1	-	1	3	3	2	4	2	4	3	4	1	-	-		
Dis. of Skin -	13	4	-	-	-	-	4	1	2	1	-	-	2	3	-	-	-	-		
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	11	-	-	-	-	-	-	-	-	-	-	1	3	5	5	2	3	3		
Other Violent Deaths -	232	10	2	6	4	8	30	17	14	19	17	65	28	25	29	13	3	3		
Other Causes -	535	212	23	4	1	1	241	1	1	4	-	4	11	10	20	63	114	43		

361.—OSWESTRY.																				
Mean Popul ⁿ , 1861-71	12806	341	354	312	323	306	1636	1554	1371	1255	1070	1760	1361	1158	873	536	200	32		
TOTAL DEATHS -	2747	579	140	66	63	32	880	90	64	83	88	184	157	185	287	347	264	78		
Small-pox -	18	5	-	-	-	-	5	2	-	1	4	3	2	1	-	-	-	-		
Measles -	56	6	16	4	6	1	33	3	-	-	-	-	-	-	-	-	-	-		
Scarlatina -	50	4	12	13	22	10	61	23	11	2	-	1	1	1	-	-	-	-		
Diphtheria -	25	4	-	3	5	4	14	8	1	2	-	1	-	-	1	-	-	-		
Whooping-cough -	39	16	11	9	-	1	37	1	-	-	-	-	-	-	-	-	-	-		
Typhus -	101	4	5	2	1	1	11	10	6	-	8	14	7	12	10	11	4	2		
Diarrhea & Dysentery -	43	17	6	-	-	-	23	-	-	-	-	1	1	2	2	9	3	2		
Cholera -	6	1	-	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-		
Other Zymotic Dis. -	59	5	6	3	6	3	23	6	5	1	4	2	1	4	6	6	3	1		
Cancer -	48	-	-	-	-	-	-	-	1	-	1	1	2	9	17	12	4	1		
Scrophula and Tuberc -	20	8	7	-	2	-	17	-	4	2	2	3	-	2	-	-	-	-		
Phthisis -	276	5	1	1	1	1	9	6	9	31	39	78	48	25	20	12	1	-		
Hydrocephalus -	36	13	11	4	5	1	34	1	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain -	448	253	19	10	1	2	267	6	5	4	2	6	12	18	54	59	41	1		
Dis. of Heart & Dropsy -	166	2	-	-	-	1	3	1	2	3	5	12	12	19	44	41	29	1		
Dis. of Lungs -	394	71	27	6	6	4	114	4	5	5	9	8	15	64	64	76	39	9		
Dis. of Stom. and Liver -	148	11	3	1	2	-	17	5	3	2	2	17	12	25	28	27	9	-		
Dis. of Kidneys -	61	1	1	1	1	-	4	2	1	1	-	4	4	9	14	14	5	-		
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	11	-	-	-	-	-	1	1	2	1	2	1	1	5	3	2	6	-		
Dis. of Skin -	10	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	9	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	3	3		
Other Violent Deaths -	187	3	2	7	6	3	21	9	10	14	9	22	27	9	24	19	8	3		
Other Causes -	723	168	15	1	1	-	185	2	-	4	-	7	8	25	24	70	147	36		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.	
359.—ATCHAM.																			
Mean Popula- tion, 1861-71	9211	225	218	233	223	230	1129	1098	1011	828	721	1203	1003	877	654	444	203	40	
TOTAL DEATHS -	1506	342	69	29	24	18	382	60	34	60	76	117	76	88	138	197	203	105	
Small-pox - - -	5	-	-	-	-	-	-	-	8	1	-	-	2	2	-	-	-	-	
Measles - - -	17	2	4	2	3	1	12	1	8	-	-	-	-	-	1	-	-	-	
Scarlatina - - -	39	4	6	1	4	6	20	12	2	1	1	1	-	-	2	-	-	-	
Diphtheria - - -	28	-	2	1	2	2	7	11	3	2	1	-	-	1	3	-	-	-	
Whooping-cough -	24	13	6	1	1	1	22	2	-	-	-	-	-	-	-	-	-	-	
Erythra - - -	40	1	1	-	-	-	2	5	5	6	4	7	2	8	3	2	1	-	
Diarrhoea & Dysentery	87	11	3	1	1	-	16	-	-	-	2	2	1	2	1	7	5	1	
Cholera - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	33	5	1	3	2	3	14	1	2	1	1	1	-	2	4	7	2	1	
Cancer - - -	48	-	1	-	-	-	1	-	-	-	-	2	6	5	17	10	6	1	
Scrofula and Tuberc.	16	4	2	1	-	-	7	-	1	4	1	1	-	-	2	-	-	-	
Phthisis - - -	208	5	-	1	-	2	7	2	11	31	40	58	27	21	9	2	-	-	
Hydrocephalus - -	10	2	4	2	1	-	9	-	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	171	36	8	1	4	2	71	6	2	3	1	7	4	8	16	24	24	5	
Dis. of Heart & Dropsy	129	-	-	1	-	-	1	1	-	3	3	5	11	28	39	35	33	2	
Dis. of Lungs - - -	167	51	15	4	1	-	81	6	1	1	5	8	6	22	18	33	27	7	
Dis. of Stom. and Liver	75	4	1	-	-	1	6	-	-	2	4	3	5	12	12	23	8	-	
Dis. of Kidneys - -	19	-	-	-	-	-	-	3	-	-	-	1	-	4	5	3	2	1	
Dis. of Genor. Organs	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
Dis. of Joints - - -	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	
Dis. of Skin - - -	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	35	-	-	-	-	-	-	-	-	-	12	14	9	-	-	-	-	-	
Suicide - - -	4	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	
Other Violent Deaths	36	2	5	5	2	1	15	7	1	1	-	3	2	1	1	1	4	-	
Other Causes - - -	438	103	9	4	2	-	118	3	3	2	3	4	8	10	59	139	80	-	

		360.—SHREWSBURY.																		
Mean Popul ⁿ , 1861-71	14003	347	293	322	309	304	1575	1405	1337	1374	1381	2125	1639	1370	958	584	219	36		
TOTAL DEATHS -	5308	612	182	88	72	61	1015	110	56	102	135	255	227	253	200	388	352	116		
Small-pox - - -	37	3	4	5	4	4	20	7	1	-	1	3	-	2	-	-	-	-		
Measles - - -	57	12	18	10	4	5	47	8	1	-	-	-	-	-	-	-	-	-		
Scarlatina - -	89	6	12	14	14	15	61	21	3	1	1	-	1	-	-	-	-	-		
Diphtheria - -	21	1	3	3	2	5	14	1	1	1	1	1	2	-	-	-	-	-		
Whooping-cough -	44	13	11	9	4	8	43	1	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	112	2	3	3	4	1	13	13	9	15	10	13	12	10	7	8	8	2		
Diarrhea & Dysentery -	159	86	18	2	-	2	198	2	-	-	3	8	5	1	4	18	12	2		
Cholera - - -	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-		
Other Zymotic Dis. -	47	6	3	1	3	4	17	7	5	1	3	1	2	3	4	2	2	-		
Cancer - - -	103	-	-	-	-	1	1	-	1	-	-	5	7	24	32	21	8	1		
Scrofula and Tuberc -	37	11	5	-	-	-	16	4	1	3	2	5	5	1	-	-	-	-		
Phthisis - - -	403	4	1	2	1	1	9	9	14	50	65	107	70	46	27	6	-	-		
Hydrocephalus - -	30	1	5	2	4	2	24	3	1	2	-	-	-	-	-	-	-	-		
Dis. of Brain & Heart -	476	139	15	7	7	2	170	8	7	4	9	22	38	44	54	46	64	19		
Dis. of Heart & Dropsy -	235	12	3	2	4	3	24	5	5	4	5	19	15	32	50	51	20	-		
Dis. of Lungs - - -	471	80	52	19	15	8	174	9	2	3	7	13	14	29	55	90	60	16		
Dis. of Stom. and Liver -	178	18	3	-	-	-	21	1	1	4	8	19	14	39	22	29	18	2		
Dis. of Kidneys - - -	25	-	-	-	-	-	-	-	-	3	2	2	3	1	8	6	1	-		
Dis. of Gener. Organs -	24	-	-	-	-	-	-	-	-	1	2	3	3	4	4	2	-	-		
Dis. of Joints - - -	13	-	-	-	-	1	1	1	2	-	1	2	-	3	1	1	1	-		
Dis. of Skin - - -	17	5	-	-	-	-	5	-	-	-	2	2	1	-	3	2	2	-		
Childbirth and Metria -	44	-	-	-	-	-	-	-	-	3	4	20	15	2	-	-	-	-		
Suicide - - -	7	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-		
Other Violent Deaths -	65	3	4	3	4	2	16	6	3	4	2	6	4	4	6	4	6	4		
Other Causes - - -	613	197	22	6	2	4	231	2	1	1	6	6	4	8	22	90	150	77		

		361.—OSWESTRY.																		
Mean Popul ⁿ , 1861-71	12527	351	293	344	340	322	1650	1482	1321	1141	1002	1654	1375	1140	910	560	251	41		
TOTAL DEATHS -	2538	460	154	72	52	43	781	96	58	87	107	175	172	138	204	283	313	124		
Small-pox - - -	20	7	2	1	2	-	12	2	-	1	1	3	1	-	-	-	-	-		
Measles - - - -	30	3	11	5	3	3	25	5	-	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	97	3	15	15	19	15	67	19	9	1	-	-	1	-	-	-	-	-		
Diphtheria - - -	40	2	2	2	3	4	13	16	4	4	1	1	-	1	-	-	-	-		
Whooping-cough -	44	20	16	2	-	4	43	1	1	-	-	-	-	-	-	-	-	-		
Typhus - - - - -	91	3	3	7	2	1	16	5	9	5	10	6	11	4	12	6	3	1		
Diarrhoea & Dysentery	39	4	7	2	3	-	16	1	-	-	1	4	2	3	2	3	6	1		
Cholera - - - - -	5	-	1	-	-	-	1	-	-	-	2	1	1	-	-	-	1	-		
Other Zymotic Dis.	40	7	6	5	2	-	20	-	1	1	2	-	1	1	5	5	4	-		
Cancer - - - - -	73	-	-	-	-	-	-	1	-	-	-	2	7	20	16	22	5	-		
Scrofula and Tuberc.	32	10	6	1	1	1	19	3	1	1	3	2	1	-	2	-	-	-		
Phthisis - - - -	341	1	2	2	1	1	7	5	19	58	60	78	65	26	12	16	-	-		
Hydrocephalus - -	22	7	5	3	1	1	17	3	2	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	403	189	27	3	4	2	235	5	3	4	5	13	11	13	33	34	45	7		
Dis. of Heart & Dropsy	232	2	2	1	-	1	6	1	4	4	4	8	13	23	45	52	29	1		
Dis. of Lungs - - -	289	44	23	11	5	6	89	8	1	3	4	11	13	21	24	35	47	13		
Dis. of Stom. and Liver	133	12	3	2	1	1	19	5	1	3	6	16	19	9	29	27	5	1		
Dis. of Kidneys - -	28	-	-	1	-	-	1	1	-	-	1	2	4	4	5	7	3	-		
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-		
Dis. of Joints - - -	4	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-		
Dis. of Skin - - -	7	2	-	-	-	1	3	-	-	-	-	1	-	1	-	-	2	-		
Childbirth and Metria	47	-	-	-	-	-	-	-	-	1	6	21	18	1	-	-	-	-		
Swindle - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
Other Violent Deaths	51	2	4	6	2	1	15	9	1	-	2	2	3	5	1	7	4	2		
Other Causes - - -	612	142	19	3	3	1	168	3	2	-	1	2	4	3	11	55	168	87		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
362.—ELLESMERE.																				
Mean Popul ⁿ , 1861-71	7279	189	163	172	178	180	882	850	797	750	543	852	813	720	557	362	139	24		
TOTAL DEATHS -	1485	275	53	30	17	19	394	55	33	39	47	102	80	100	149	207	217	41		
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	17	5	6	1	2	-	14	3	-	-	-	-	-	-	-	1	-	-	-	-
Scarlatina -	18	-	3	1	4	1	9	3	1	2	1	-	-	-	-	-	-	-	-	-
Diphtheria -	32	-	3	1	1	4	9	3	1	2	-	1	-	-	-	1	-	-	-	-
Whooping-cough -	12	8	2	2	-	-	12	-	-	4	-	1	3	-	-	-	-	-	-	-
Typhus -	51	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa & Dysentery -	28	10	-	-	-	3	10	2	4	7	8	2	3	6	0	5	2	-	-	-
Cholera -	4	-	-	-	-	-	10	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Zymotic Dis. -	32	2	-	2	1	-	5	4	-	-	-	-	-	-	-	-	-	-	-	-
Cancer -	34	-	-	-	-	-	-	-	-	3	-	-	1	2	6	3	2	1	-	-
Scrophula and Tubercles -	29	9	4	1	-	1	15	2	2	1	1	1	1	5	12	7	4	-	-	-
Phthisis -	162	5	3	-	-	-	6	1	5	6	25	35	23	18	14	3	2	-	-	-
Hydrocephalus -	15	6	3	2	-	-	11	3	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	173	71	4	2	3	1	81	4	4	2	2	3	8	6	11	21	14	1	-	-
Dis. of Heart & Dropsy -	113	5	-	-	-	-	6	1	2	1	2	3	8	18	24	27	19	1	-	-
Dis. of Lungs -	191	42	17	8	1	2	70	6	1	-	-	6	9	12	24	35	25	4	-	-
Dis. of Stom. and Liver -	97	8	-	-	-	2	10	1	1	2	2	9	9	9	17	24	25	4	-	-
Dis. of Kidneys -	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	1	1	-	2	3	4	9	9	7	-	-	-
Dis. of Joints -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	3	-	-	-	-	-	-	1	2	-	-	1	1	1	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	79	-	3	6	4	2	15	9	5	5	-	8	6	5	15	4	4	1	-	-
Other Causes -	345	104	5	3	1	2	115	4	-	1	-	1	2	7	10	49	113	45	-	-

363 A.—WEM.																				
Mean Popul ⁿ , 1861-71	5433	162	136	140	128	133	699	652	627	523	388	649	589	536	413	245	103	9		
TOTAL DEATHS -	1047	210	55	18	22	11	310	39	24	26	26	53	44	66	110	153	140	41		
Small-pox -	6	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
Measles -	18	3	7	4	-	1	15	2	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	12	1	-	3	-	-	6	4	2	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	18	3	-	1	3	2	9	6	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	18	11	5	1	-	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	14	5	-	1	-	-	15	-	1	1	1	1	-	-	-	-	-	-	-	-
Diarrhœa & Dysentery -	23	12	2	1	-	-	15	-	-	-	-	-	-	3	1	2	3	-	-	-
Cholera -	23	3	-	1	1	1	6	1	1	1	-	-	1	1	4	5	3	-	-	-
Other Zymotic Dis. -	23	3	-	1	1	1	6	1	1	1	-	-	1	1	4	5	3	-	-	-
Cancer -	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tubercles -	12	4	3	-	1	-	8	-	1	-	1	1	-	3	9	7	3	-	-	-
Phthisis -	108	1	1	-	1	-	3	3	2	1	1	1	-	-	1	-	-	-	-	-
Hydrocephalus -	22	10	7	-	2	1	20	1	1	12	9	25	18	17	12	7	-	-	-	-
Dis. of Brain -	131	43	3	2	8	-	51	3	6	1	2	3	1	7	13	21	13	1	-	-
Dis. of Heart & Dropsy -	83	-	1	-	-	-	1	1	1	1	2	3	1	8	16	27	24	1	-	-
Dis. of Lungs -	148	58	13	3	2	2	56	2	-	-	3	2	5	8	14	21	25	4	-	-
Dis. of Stom. and Liver -	71	7	-	-	1	-	8	-	-	1	2	5	4	8	14	19	6	2	-	-
Dis. of Kidneys -	34	-	-	1	-	-	1	2	-	-	-	-	-	1	4	9	0	-	-	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	56	2	4	4	2	2	14	11	4	2	4	1	3	1	3	-	1	-	-	-
Other Causes -	210	68	9	2	1	2	60	2	1	1	1	1	3	4	9	4	62	26	-	-

363 B.—WHITCHURCH (SALOP).																				
Mean Popul ⁿ , 1861-71	5507	134	135	136	146	148	699	668	587	536	428	702	595	520	415	257	92	8		
TOTAL DEATHS -	1173	300	58	27	18	15	418	41	21	29	38	60	54	73	112	142	154	31		
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	19	9	6	2	-	2	19	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	22	3	-	3	4	-	10	10	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	5	1	1	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	10	6	3	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	35	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa & Dysentery -	50	22	5	2	1	-	89	6	2	2	2	3	5	1	3	4	5	1	-	-
Cholera -	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	29	4	2	1	-	1	8	1	1	2	-	2	3	5	2	4	5	1	-	-
Cancer -	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tubercles -	15	4	1	-	1	-	6	1	1	1	-	3	2	4	7	7	6	-	-	-
Phthisis -	129	3	2	1	-	-	6	2	3	14	23	18	15	11	8	1	-	-	-	-
Hydrocephalus -	17	4	3	4	3	-	14	3	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	146	60	6	3	1	3	73	6	2	3	2	1	1	7	13	18	13	1	-	-
Dis. of Heart & Dropsy -	67	-	-	-	-	-	-	-	2	1	1	1	4	10	15	24	14	-	-	-
Dis. of Lungs -	158	46	14	7	2	-	69	1	-	-	1	6	6	11	16	25	29	3	-	-
Dis. of Stom. and Liver -	56	7	-	-	1	1	9	3	-	-	1	3	3	8	15	5	3	-	-	-
Dis. of Kidneys -	21	-	-	-	-	-	1	-	-	-	-	2	1	1	7	4	2	-	-	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	3	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	46	1	3	1	5	4	13	2	6	3	1	1	2	2	2	1	-	-	-	-
Other Causes -	238	110	11	1	-	2	133	1	1	-	1	2	3	9	17	31	39	23	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	85 & upwards.
		Total under 1 Year.	1	2	3	4	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—				
362.—ELLESMERE.																				
Mean Populu, 1861-71	7259	187	164	165	172	172	860	867	764	700	589	833	811	679	556	367	159	24		
TOTAL DEATHS	1341	211	68	30	27	13	349	59	28	38	42	94	83	82	109	180	200	77		
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Measles	15	3	5	2	2	1	13	2	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	29	-	2	-	1	1	4	7	4	1	1	2	1	-	-	-	-	-	-	
Diphtheria	45	4	2	2	3	1	12	26	3	2	-	2	-	-	-	-	-	-	-	
Whooping-cough	19	9	6	2	1	1	19	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	42	1	1	2	3	1	8	4	1	4	7	3	2	2	4	5	2	-	-	
Diarrhoea & Dysentery	20	5	2	-	-	1	6	1	-	-	1	-	-	2	1	1	3	2	-	
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	
Other Zymotic Dis.	21	2	2	1	2	1	8	-	-	2	-	2	2	1	1	4	1	-	-	
Cancer	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc.	22	2	4	4	1	-	11	1	3	1	-	2	5	15	12	17	4	1	-	
Phthisis	175	2	2	-	1	-	5	2	8	19	24	49	83	15	15	7	-	-	-	
Hydrocephalus	11	4	2	2	2	1	11	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	151	44	5	2	3	-	54	4	-	3	4	2	5	8	19	20	25	7	-	
Dis. of Heart & Dropsy	112	15	3	1	-	-	19	1	2	1	1	5	3	10	17	33	18	2	-	
Dis. of Lungs	150	32	18	8	4	-	62	1	3	1	-	3	4	11	17	25	20	8	-	
Dis. of Stom. and Liver	67	1	-	1	1	1	4	-	-	-	-	4	9	7	15	16	9	1	-	
Dis. of Kidneys	7	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	1	-	-	
Dis. of Genes. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	
Dis. of Joints	7	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	-	-	
Dis. of Skin	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	
Childbirth and Metris	25	-	-	-	-	-	-	-	-	2	2	12	8	1	-	-	-	-	-	
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	
Other Violent Deaths	19	-	1	2	3	3	9	3	1	-	-	-	3	-	1	1	1	-	-	
Other Causes	341	87	13	1	-	1	102	2	1	1	1	4	3	4	8	44	111	60	-	

363 A.—WEM.																			
Mean Popul ⁿ , 1861-71	5329	130	112	129	134	132	637	635	538	468	405	678	608	532	408	278	130	22	
TOTAL DEATHS	1001	151	41	28	13	15	248	34	24	23	33	66	58	49	92	133	170	71	
Small-pox	5	2	-	-	-	-	2	-	-	-	-	2	-	-	1	-	-	-	-
Measles	16	3	4	2	1	1	11	1	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	17	-	1	2	4	-	7	4	2	-	-	2	2	-	-	-	-	-	-
Diphtheria	26	2	-	1	2	4	9	9	4	-	-	1	2	-	1	-	-	-	-
Whooping-cough	20	5	6	4	-	3	18	2	-	-	-	-	-	-	-	-	-	-	-
Typhus	17	2	-	2	-	-	4	2	3	-	-	-	1	2	-	1	2	-	-
Diarrhoea & Dysentery	27	8	2	2	1	-	15	-	-	-	2	-	-	1	-	8	5	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	23	3	2	-	1	-	6	2	-	1	-	2	-	1	2	2	3	1	-
Cancer	31	-	-	-	-	-	-	-	-	-	-	1	1	2	7	6	9	5	2
Scrofula and Tuberc.	15	3	4	2	-	2	10	1	1	-	-	1	2	7	6	9	5	2	-
Phthisis	117	-	2	-	-	2	12	3	5	13	20	33	19	7	19	2	1	-	-
Hydrocephalus	9	4	2	1	-	-	7	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	160	13	4	1	-	-	23	2	3	3	1	6	2	9	15	21	20	4	-
Dis. of Heart & Dropsy	94	5	-	-	-	-	5	1	-	2	-	2	2	9	27	22	17	2	-
Dis. of Lungs	125	27	7	8	1	2	45	2	2	-	-	2	2	3	7	26	31	6	-
Dis. of Stom. and Liver	58	1	1	-	-	2	4	1	1	-	2	4	7	4	13	11	10	1	-
Dis. of Kidneys	9	-	-	-	-	-	-	2	-	1	-	2	1	1	1	-	1	-	-
Dis. of Genes. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris	12	-	-	-	-	-	-	-	-	1	3	4	3	1	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Other Violent Deaths	17	2	3	3	2	1	11	-	-	-	-	-	1	2	2	1	1	-	-
Other Causes	243	67	3	1	-	-	71	-	-	-	1	3	4	1	3	29	75	56	-

363 B.—WHITCHURCH (SALOP).																			
Mean Popul ⁿ , 1861-71	5840	163	124	134	148	128	696	671	606	561	489	781	628	539	423	299	127	20	
TOTAL DEATHS	1100	228	41	21	11	14	315	50	25	24	40	77	86	70	94	162	164	53	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	20	4	5	4	1	-	14	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	2	-	2	4	4	12	10	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	12	1	1	-	-	-	2	5	2	2	-	-	1	-	-	-	-	-	-
Whooping-cough	14	6	5	2	-	-	13	1	-	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	-	1	-	-	1	4	4	2	8	4	2	6	4	3	2	-	-
Diarrhoea & Dysentery	46	25	1	1	2	-	29	1	-	-	-	-	3	-	4	4	1	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	24	2	1	1	-	2	6	2	-	-	1	-	3	1	3	4	4	-	-
Cancer	46	-	-	-	-	-	-	-	-	-	-	-	4	8	9	14	5	6	-
Scrofula and Tuberc.	11	4	-	1	-	1	6	-	3	-	-	-	2	-	-	-	-	-	-
Phthisis	140	-	1	-	-	-	1	2	4	9	24	42	31	16	9	2	-	-	-
Hydrocephalus	12	-	6	3	-	1	19	1	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	154	51	1	1	2	1	36	3	1	1	2	3	9	7	16	23	29	4	-
Dis. of Heart & Dropsy	98	-	-	-	-	-	5	3	1	5	1	10	6	11	16	24	19	2	-
Dis. of Lungs	113	27	14	3	2	1	47	3	1	-	2	4	5	5	14	19	11	8	-
Dis. of Stom. and Liver	77	4	-	1	-	-	5	2	3	1	3	5	12	10	11	19	4	2	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	-	-	-
Dis. of Genes. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Childbirth and Metris	11	-	-	-	-	-	-	-	-	2	4	4	1	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Other Violent Deaths	22	1	3	-	-	2	6	6	2	3	-	1	-	1	1	3	44	84	56
Other Causes	503	121	3	1	-	2	127	2	-	-	2	2	2	1	1	3	44	84	56

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	81-
		364.—MARKET DRAYTON.																
Mean Popul ⁿ , 1861-71	7265	204	197	198	193	186	978	904	800	689	553	896	782	666	529	332	124	12
TOTAL DEATHS—	1323	346	71	28	19	13	477	44	28	24	39	58	78	85	122	169	129	46
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Measles	19	1	8	2	1	3	15	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	19	2	3	2	2	3	11	5	2	1	-	-	-	-	-	-	-	-
Diphtheria	35	2	1	5	4	1	13	9	6	-	2	1	-	2	-	-	-	-
Whooping-cough	15	9	1	1	1	-	12	-	-	-	-	-	1	-	-	-	-	-
Typhus	21	3	2	-	1	-	6	1	1	2	2	-	4	3	2	-	-	-
Diarrhoea & Dysentery	31	17	3	-	-	-	20	1	-	-	-	-	1	-	-	3	4	8
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	9	1	2	2	2	16	2	1	2	1	2	4	-	1	4	2	2
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	-
Scrofula and Tuberc.	34	20	2	-	-	-	22	3	1	3	3	1	1	-	-	-	-	-
Phthisis	132	5	3	-	-	1	9	7	4	3	18	31	23	13	15	6	3	-
Hydrocephalus	13	4	5	1	-	-	11	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	182	79	10	3	2	1	95	3	3	6	3	1	6	8	14	13	22	3
Dis. of Heart & Dropsy	90	2	-	-	-	-	2	-	-	2	2	4	6	7	20	17	2	2
Dis. of Lungs	282	67	24	6	3	-	100	2	1	-	1	6	7	15	23	33	27	13
Dis. of Stom. and Liver	95	21	1	3	1	1	27	5	2	-	-	4	8	13	11	21	4	-
Dis. of Kidneys	24	1	1	-	-	-	2	1	-	1	-	2	1	4	4	5	2	-
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-
Other Violent Deaths	47	8	1	2	1	-	7	1	5	1	6	3	5	9	5	2	1	1
Other Causes	232	99	5	1	1	1	107	1	1	1	1	2	8	6	12	26	46	21

365.—WELLINGTON (SALOP).

Mean Popul ⁿ , 1861-71	12227	413	354	365	335	352	1819	1563	1408	1174	965	1075	1285	1018	761	394	163	12
TOTAL DEATHS—	2703	837	215	82	59	45	1238	100	64	67	66	106	129	149	253	248	221	26
Small-pox	19	1	1	3	2	1	8	5	-	3	1	-	-	-	1	-	-	-
Measles	43	11	14	5	4	4	28	3	-	1	-	-	-	-	1	-	-	-
Scarlatina	105	10	18	12	12	11	63	30	6	5	1	-	1	-	-	-	-	-
Diphtheria	13	3	5	1	2	-	11	-	-	2	-	-	-	-	-	-	-	-
Whooping-cough	49	50	8	4	3	3	48	1	-	-	-	-	-	-	-	-	-	-
Typhus	95	17	11	3	1	2	34	10	10	6	8	9	6	1	6	3	4	1
Diarrhea & Dysentery	126	78	17	6	2	-	103	-	2	-	-	-	1	4	3	8	4	1
Cholera	6	1	1	-	-	-	2	-	1	-	-	-	-	-	1	2	-	-
Other Zymotic Dis.	41	4	8	1	3	4	20	3	-	-	-	1	1	5	6	3	2	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	3	2	19	1	2	-
Scrofula and Tuberc.	85	59	19	3	-	1	62	2	6	4	2	3	1	1	3	1	-	-
Phthisis	198	11	3	1	1	-	16	6	6	17	28	37	35	34	25	6	-	-
Hydrocephalus	28	12	7	3	3	1	26	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	331	176	16	7	5	2	206	7	7	8	4	4	12	20	27	22	13	8
Dis. of Heart & Dropsy	177	32	2	1	1	2	38	4	5	3	3	9	13	14	30	26	14	3
Dis. of Lungs	454	135	47	13	9	8	212	8	4	2	2	13	16	35	61	64	30	20
Dis. of Stom. and Liver	125	17	6	5	-	2	30	3	3	2	4	5	11	16	23	19	7	1
Dis. of Kidneys	42	-	1	-	-	-	1	-	-	1	1	5	3	10	7	7	7	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	3	-
Dis. of Skin	13	10	-	-	-	-	10	-	-	-	-	-	1	-	1	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	3	-	5	3	1	-
Other Violent Deaths	126	4	7	7	8	3	29	12	10	16	8	15	18	7	9	8	1	-
Other Causes	594	246	24	7	3	1	281	5	2	2	4	4	5	7	31	68	140	26

366.—NEWPORT (SALOP).

Mean Popul ⁿ , 1861-71	7743	225	205	197	200	214	1041	974	899	759	603	936	815	742	523	311	119	27
TOTAL DEATHS—	1425	316	69	27	25	13	450	46	29	35	52	80	86	86	147	183	179	26
Small-pox	4	2	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Measles	14	3	5	1	2	-	11	2	-	-	-	1	-	-	-	-	-	-
Scarlatina	27	6	2	2	3	2	15	10	-	2	-	-	-	-	-	-	-	-
Diphtheria	10	-	-	1	2	1	4	1	4	-	-	-	-	1	-	-	-	-
Whooping-cough	11	5	3	2	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	27	2	1	1	-	-	5	1	3	3	4	-	3	2	4	3	2	1
Diarrhea & Dysentery	42	31	3	1	-	-	35	1	-	-	-	-	-	-	3	3	2	1
Cholera	4	3	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	29	2	2	2	1	1	8	3	1	2	1	1	2	-	2	-	-	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	1	2	1	4	4	4	-
Scrofula and Tuberc.	15	5	-	-	1	-	6	2	1	1	1	1	1	1	-	1	-	-
Phthisis	133	5	2	-	-	-	7	4	4	6	20	35	25	18	12	6	-	-
Hydrocephalus	17	8	3	1	1	9	15	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	173	66	12	6	3	2	89	6	2	4	2	4	12	8	16	17	11	1
Dis. of Heart & Dropsy	82	1	-	-	1	-	2	-	1	-	1	6	4	10	19	27	11	1
Dis. of Lungs	228	56	16	5	4	1	82	5	2	2	4	9	12	17	26	26	23	3
Dis. of Stom. and Liver	77	7	3	-	1	-	11	2	2	4	1	4	5	14	18	12	4	-
Dis. of Kidneys	54	-	1	-	-	-	1	-	1	2	1	1	1	3	10	8	4	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
Dis. of Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-
Other Violent Deaths	109	-	3	4	3	2	12	7	7	9	13	14	15	7	13	5	1	-
Other Causes	323	112	12	1	1	1	127	1	-	1	-	1	3	4	9	34	26	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- upwards.
		Total under 1 Year.	1	2	3	4	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- upwards.														
364.—MARKET DRAYTON.																															
Mean Popul ⁿ , 1861-71	7193	171	162	191	189	170	883	893	716	679	618	970	798	679	501	301	128	27													
TOTAL DEATHS	1261	241	60	40	17	12	370	45	26	30	43	92	74	77	108	163	175	58													
Small-pox	3	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-													
Measles	23	3	9	7	1	-	20	3	-	-	-	-	-	-	-	-	-	-													
Scarlatina	17	-	3	4	2	4	13	1	1	-	-	2	-	-	-	-	-	-													
Diphtheria	36	2	1	3	2	5	13	13	4	1	-	3	2	-	-	-	-	-													
Whooping-cough	15	11	3	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-													
Typhus	24	-	1	-	-	-	1	5	2	2	2	1	6	3	1	1	-	-													
Diarrhoea & Dysentery	20	8	2	-	1	-	11	-	-	-	-	-	1	-	-	2	3	2													
Cholera	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-													
Other Zymotic Dis.	25	2	3	2	-	-	7	-	-	3	2	1	1	3	1	3	4	3													
Cancer	33	-	-	-	-	-	-	-	-	-	-	2	1	6	17	4	3	-													
Scrofula and Tubes	29	14	2	3	2	-	21	1	1	-	2	1	1	1	2	1	-	-													
Phthisis	149	4	2	1	-	1	8	-	8	16	18	46	26	16	8	2	1	-													
Hydrocephalus	7	3	3	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-													
Dis. of Brain	179	69	9	6	2	1	87	5	3	1	4	3	8	7	10	17	29	5													
Dis. of Heart & Dropsy	122	3	-	1	-	-	4	1	2	4	4	3	10	16	20	41	17	-													
Dis. of Lungs	210	80	13	5	1	-	49	4	1	1	2	6	4	10	18	43	53	19													
Dis. of Stom. and Liver	76	11	-	2	1	-	14	5	-	-	2	4	5	9	17	18	6	1													
Dis. of Kidneys	14	-	-	-	1	-	1	-	-	-	1	5	1	1	2	2	1	-													
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
Dis. of Skin	3	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-													
Childbirth and Metris	21	-	-	-	-	-	-	-	-	-	-	6	11	4	-	-	-	-													
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-													
Other Violent Deaths	17	1	1	2	2	1	7	5	-	1	-	1	1	1	-	-	-	-													
Other Causes	235	77	7	3	1	-	88	1	4	1	-	2	2	1	7	83	57	30													

365.—WELLINGTON (SALOP).																													
Mean Popul ⁿ , 1861-71	12302	394	355	361	345	359	1814	1578	1385	1119	997	1685	1280	1000	771	461	187	24											
TOTAL DEATHS	2588	696	207	91	72	42	1108	103	58	86	65	150	100	113	178	258	233	81											
Small-pox	28	4	1	2	7	2	16	2	3	2	-	-	2	1	1	1	-	-											
Measles	39	7	13	6	8	1	35	2	1	1	-	-	-	-	-	-	-	-											
Scarlatina	192	8	14	11	12	9	64	25	8	3	1	1	-	-	-	-	-	-											
Diphtheria	17	2	3	1	1	2	9	5	2	-	-	-	-	-	-	-	-	-											
Whooping-cough	56	27	13	9	4	1	54	2	-	-	-	-	-	-	-	-	-	-											
Typhus	119	9	13	6	4	10	42	13	7	15	10	12	6	4	2	5	3	-											
Diarrhoea & Dysentery	101	62	13	4	2	-	81	-	-	-	1	2	2	-	3	7	3	2											
Cholera	5	2	1	-	-	-	3	-	-	-	1	-	-	-	1	-	-	-											
Other Zymotic Dis.	51	3	8	7	4	1	23	4	5	5	1	-	2	3	4	2	1	1											
Cancer	50	-	-	-	1	-	1	1	-	-	-	-	-	11	13	11	6	1											
Scrofula and Tuberc.	104	56	16	5	3	-	80	5	4	4	2	1	4	2	2	-	-	-											
Phthisis	275	10	3	2	2	-	17	5	11	31	27	71	56	26	27	4	-	-											
Hydrocephalus	8	3	3	-	-	-	6	-	1	1	-	-	-	-	-	-	-	-											
Dis. of Brain	299	137	15	5	6	2	165	9	5	11	3	11	12	7	14	38	21	3											
Dis. of Heart & Dropsy	163	34	1	2	-	1	38	3	2	2	1	5	11	15	35	41	9	1											
Dis. of Lungs	261	112	33	18	9	5	197	10	2	6	6	11	12	16	29	42	24	6											
Dis. of Stom. and Liver	132	21	7	3	3	1	35	2	1	1	4	6	11	20	33	53	6	-											
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	-	-											
Dis. of Genes. Organs	10	-	-	-	-	-	-	-	-	-	-	5	1	4	-	-	-	-											
Dis. of Joints	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-											
Dis. of Skin	11	3	-	-	-	-	3	-	-	-	-	-	1	1	-	3	-	-											
Childbirth and Metris	47	-	-	-	-	-	-	-	-	1	6	24	15	1	-	-	-	-											
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
Other Violent Deaths	55	3	4	9	4	4	24	11	3	2	2	2	2	-	1	2	3	2											
Other Causes	553	193	26	1	2	3	235	3	2	1	-	3	11	3	17	71	162	65											

366.—NEWPORT (SALOP).																			
Mean Popul ⁿ , 1861-71	7902	214	205	215	211	187	1032	971	904	736	659	1009	843	706	519	342	149	32	
TOTAL DEATHS	1429	266	92	33	26	19	436	51	31	46	51	82	87	90	109	167	196	83	
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	13	5	4	2	1	9	14	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	44	4	8	5	5	2	24	13	4	1	2	-	-	-	-	-	-	-	-
Diphtheria	8	-	1	-	-	-	1	6	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	20	10	5	2	2	-	19	1	-	-	-	-	-	-	-	-	-	-	-
Typhus	31	1	1	-	-	2	4	5	8	2	5	2	1	1	3	2	1	-	-
Diarrhoea & Dysentery	42	24	9	1	1	-	35	-	-	-	-	-	-	1	9	2	1	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	2	4	3	3	2	14	1	1	1	-	2	1	-	1	1	1	-	-
Cancer	40	-	-	-	-	-	-	-	-	-	-	-	1	5	11	8	7	7	1
Scrofula and Tuberc.	14	4	2	-	1	1	8	-	-	4	-	2	-	-	-	-	-	-	-
Phthisis	179	5	0	1	1	-	13	7	7	22	24	45	34	20	5	2	-	-	-
Hydrocephalus	15	6	-	4	1	9	13	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	168	50	18	-	3	5	74	7	4	4	4	1	6	7	10	24	23	4	-
Dis. of Heart & Dropsy	89	1	1	1	1	-	5	2	1	2	3	3	2	13	24	26	9	-	-
Dis. of Lungs	219	41	21	6	4	1	73	1	1	2	3	9	9	8	20	49	39	5	-
Dis. of Stom. and Liver	160	9	4	2	1	7	17	2	-	3	5	7	10	17	18	16	5	-	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	3	3	1	1	1	-	-
Dis. of Genes. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
Childbirth and Metris	20	-	-	-	-	-	-	-	-	1	1	6	11	2	-	-	-	-	-
Poisons	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Other Violent Deaths	20	1	1	3	1	2	8	3	7	2	2	2	-	-	-	1	-	-	-
Grand Total	552	102	4	9	1	9	113	1	1	1	1	2	2	2	6	39	127	12	12

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
367.—STAFFORD.																			
Mean Popul ⁿ , 1861-71	12865	358	305	319	319	311	1612	1455	1303	1233	1156	1914	1506	1183	837	475	170	21	
TOTAL DEATHS	3164	633	151	102	57	48	991	90	60	92	133	270	310	302	317	312	227	28	
Small-pox	15	3	1	1	-	-	5	1	3	2	1	2	1	-	-	-	-	-	
Measles	37	7	12	7	4	5	35	1	1	-	-	-	-	-	-	-	-	-	
Scarlatina	111	13	13	20	16	17	79	25	5	1	1	-	-	-	-	-	-	-	
Diphtheria	29	1	2	5	1	-	7	6	4	2	-	-	-	-	1	-	-	-	
Whooping-cough	29	10	9	7	2	1	29	-	-	-	-	-	-	-	-	-	-	-	
Typhus	70	1	2	1	1	1	6	8	7	9	7	5	7	4	10	5	4	1	
Diarrhoea & Dysentery	92	63	6	8	-	-	72	1	-	-	1	1	1	1	1	1	2	2	
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	73	11	7	9	6	2	35	4	7	2	-	-	3	3	2	7	9	1	
Cancer	45	-	-	-	-	-	-	-	1	1	-	-	2	2	11	16	8	1	
Scrophula and Tuberc.	44	12	9	3	-	1	25	3	3	2	1	5	5	9	9	9	2	2	
Phthisis	371	22	5	5	2	2	36	4	9	36	61	84	71	44	29	6	-	-	
Hydrocephalus	29	3	9	4	4	1	21	4	2	-	-	1	-	-	1	-	-	-	
Dis. of Brain	714	114	18	3	8	6	149	7	5	9	26	76	153	112	89	30	26	1	
Dis. of Heart & Dropsy	164	-	-	-	-	2	5	1	1	2	4	15	12	22	37	39	13	4	
Dis. of Lungs	570	105	56	20	8	1	170	9	1	3	7	16	15	28	36	23	30	4	
Dis. of Stom. and Liver	134	17	1	2	1	1	22	5	2	5	3	6	20	27	29	13	4	-	
Dis. of Kidneys	78	-	-	1	-	-	1	2	1	3	4	9	4	11	13	19	7	2	
Dis. of Genes. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Joints	9	-	-	-	-	-	-	-	1	1	-	2	-	-	1	1	-	-	
Dis. of Skin	10	3	4	-	-	-	7	-	-	-	1	-	-	-	1	1	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	20	-	-	-	-	-	-	-	1	1	-	-	4	4	4	6	-	-	
Other Violent Deaths	126	8	2	8	2	6	26	10	4	10	9	25	9	12	12	9	1	-	
Other Causes	601	239	15	4	2	2	262	5	1	3	6	14	8	20	22	72	122	65	

Mean Popul ⁿ , 1861-71	11329	348	292	320	282	302	1544	1370	1241	1071	904	1551	1293	1006	735	431	157	29													
TOTAL DEATHS	2275	546	167	65	45	28	851	82	41	55	74	106	144	161	225	273	206	43													
Small-pox	1	-	-	-	-	-	41	3	1	-	-	-	-	-	-	-	-	-													
Measles	44	9	13	10	6	3	41	-	-	-	-	-	-	-	-	-	-	-													
Scarlatina	68	2	12	14	10	6	44	22	1	-	-	1	-	-	-	-	-	-													
Diphtheria	18	-	3	2	-	1	6	7	1	1	1	-	2	-	-	-	-	-													
Whooping-cough	26	12	7	2	-	-	23	3	-	-	-	-	-	-	-	-	-	-													
Typhus	76	3	4	4	3	5	19	6	3	12	6	6	9	4	4	7	3	1													
Diarrhoea & Dysentery	74	49	5	1	-	-	56	2	1	-	1	-	1	-	-	-	-	-													
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
Other Zymotic Dis.	52	5	5	5	3	6	24	4	1	-	-	1	-	5	6	6	4	1													
Cancer	36	-	-	-	-	-	-	-	-	-	-	1	2	7	11	10	4	1													
Scrophula and Tuberc.	68	25	15	2	4	-	46	3	1	-	2	2	2	2	-	-	-	-													
Phthisis	264	10	6	2	1	-	19	3	10	23	40	52	51	36	27	3	-	-													
Hydrocephalus	24	6	8	3	3	1	21	2	1	-	-	-	-	-	-	-	-	-													
Dis. of Brain	339	153	20	5	5	2	185	6	3	4	3	14	17	22	23	23	25	1													
Dis. of Heart & Dropsy	131	1	-	-	-	-	1	3	4	2	1	3	5	18	22	23	14	3													
Dis. of Lungs	371	90	48	6	3	2	149	7	2	1	5	7	16	20	43	30	44	4													
Dis. of Stom. and Liver	174	23	2	-	-	1	28	2	3	7	2	8	10	13	37	26	13	3													
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	-	1	4	4	3	6	11	9	1													
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
Dis. of Joints	12	-	-	-	-	-	-	-	-	1	3	2	-	2	-	-	-	-													
Dis. of Skin	7	4	-	-	-	-	4	-	-	-	-	-	-	-	1	2	-	-													
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	-													
Other Violent Deaths	83	3	1	3	3	-	10	8	3	3	4	8	15	5	11	7	1	-													
Other Causes	368	150	18	4	3	-	175	1	-	1	2	5	11	9	4	21	26	41													

		369.—NEWCASTLE-UNDER-LYME.																			
Mean Popul ⁿ , 1861-71	13909	463	396	434	393	373	2059	1741	1499	1322	1198	2101	1618	1160	719	357	124	11			
TOTAL DEATHS	3182	918	255	124	83	60	1440	121	84	97	102	214	211	190	222	276	189	42			
Small-pox	8	3	-	-	-	-	3	-	-	-	1	-	3	-	-	1	-	-			
Measles	48	10	24	6	1	4	45	3	-	-	-	-	-	-	-	-	-	-			
Scarlatina	119	10	15	20	16	17	78	25	6	1	-	-	-	-	-	-	-	-			
Diphtheria	29	4	3	5	6	4	22	2	2	1	1	1	-	-	-	-	-	-			
Whooping-cough	46	25	13	5	2	1	46	-	-	-	-	-	-	-	-	-	-	-			
Typhus	104	1	3	5	6	6	21	11	8	12	7	12	13	9	3	4	1	1			
Diarrhoea & Dysentery	102	64	7	2	2	1	76	1	3	-	1	1	1	3	3	2	1	1			
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-			
Other Zymotic Dis.	63	8	11	12	9	2	42	2	1	1	1	-	2	5	5	2	-	-			
Cancer	29	-	-	-	-	-	-	-	-	-	1	1	4	4	10	7	3	1			
Scrofula and Tuberc.	46	30	8	2	2	2	34	4	2	1	1	2	-	-	1	-	-	-			
Phthisis	273	6	7	2	-	-	15	5	8	29	34	60	55	54	36	8	-	-			
Hydrocephalus	66	25	11	8	4	1	49	13	1	1	2	-	-	-	-	-	-	-			
Dis. of Brain	531	239	45	20	10	8	372	11	12	3	2	21	18	18	25	31	18	3			
Dis. of Heart & Dropsy	149	1	2	1	4	2	10	7	6	2	3	14	18	16	30	23	13	2			
Dis. of Lungs	485	132	57	24	14	7	234	13	2	3	2	17	26	41	42	33	13	3			
Dis. of Stom. and Liver	129	12	8	-	1	1	22	4	1	1	2	12	16	24	23	26	9	-			
Dis. of Kidneys	39	1	-	-	-	-	1	1	-	2	2	3	4	3	3	10	3	-			
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
Dis. of Joints	6	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-			
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-			
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Suicide	7	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-			
Other Violent Deaths	251	6	7	4	6	2	25	6	29	39	33	53	35	16	9	8	1	1			
Other Causes	642	200	34	8	-	2	344	11	1	1	3	9	11	2	20	10	2	1			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.	
		367.—STAFFORD.																	
Mean Popul ⁿ , 1861-71	12757	367	332	335	306	317	1657	1458	1296	1255	1199	1861	1392	1108	833	489	179	30	
TOTAL DEATHS	2755	522	143	82	61	40	853	111	48	93	111	211	231	216	259	290	241	82	
Small-pox	15	5	1	3	-	-	9	4	-	1	1	-	-	-	-	-	-	-	
Measles	47	11	13	12	4	2	42	4	-	-	-	-	1	-	-	-	-	-	
Scarlatina	94	7	15	12	17	8	59	23	10	1	-	-	1	-	-	-	-	-	
Diphtheria	27	1	2	4	-	-	7	14	3	1	1	1	-	-	-	-	-	-	
Whooping-cough	39	14	10	5	6	3	38	1	-	-	-	-	-	-	-	-	-	-	
Typhus	71	-	4	3	2	5	14	10	6	9	9	6	7	3	4	3	-	-	
Diarrhoea & Dysentery	84	44	7	5	2	-	58	2	-	1	-	2	1	2	5	10	2	1	
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	60	6	5	7	7	5	30	6	1	2	-	4	3	3	4	6	1	-	
Cancer	87	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Scrofula and Tubes	38	11	7	2	-	1	21	4	2	2	1	1	7	24	31	13	10	1	
Phthisis	378	22	6	2	1	2	33	11	11	42	54	98	7	3	2	2	1	-	
Hydrocephalus	17	5	5	2	2	2	16	-	-	1	-	-	-	38	17	4	-	-	
Dis. of Brain	472	76	17	5	5	3	105	7	5	14	19	44	58	75	90	55	27	2	
Dis. of Heart & Dropsy	299	1	3	-	1	-	5	1	4	2	7	10	21	28	44	51	50	2	
Dis. of Lungs	312	85	32	11	4	5	137	9	-	5	3	6	16	10	35	52	34	3	
Dis. of Stom. and Liver	91	10	-	-	-	2	12	3	-	3	-	5	12	13	20	18	5	-	
Dis. of Kidneys	23	-	-	-	-	-	-	-	-	1	1	6	10	2	2	-	-	-	
Dis. of Genes. Organs	26	-	-	-	-	-	-	-	-	-	2	6	5	5	6	3	1	-	
Dis. of Joints	9	-	1	-	-	-	1	2	1	1	1	-	1	1	1	-	-	-	
Dis. of Skin	7	3	1	1	-	1	6	-	-	1	-	-	-	-	-	-	-	-	
Childbirth and Metris	32	-	-	-	-	-	-	-	-	-	7	14	10	1	-	-	-	-	
Suicide	7	-	-	-	-	-	-	-	-	2	-	3	-	-	1	1	-	-	
Other Violent Deaths	44	6	1	5	8	1	21	4	3	1	1	2	2	-	1	3	5	1	
Other Causes	503	215	18	3	2	-	238	6	2	3	4	3	5	9	19	79	125	70	

368.—STONE.																			
Mean Popul ⁿ , 1861-71	11978	339	318	314	305	291	1567	1390	1253	1187	1090	1694	1321	1032	769	469	182	24	
TOTAL DEATHS	2321	431	138	60	39	36	770	78	42	82	104	172	153	144	183	271	232	90	
Small-pox	3	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	
Measles	42	11	11	8	3	6	39	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina	57	4	10	12	8	5	37	16	4	-	-	-	-	-	-	-	-	-	
Diphtheria	11	1	-	2	-	1	4	3	4	-	-	-	-	-	-	-	-	-	
Whooping-cough	24	10	7	2	4	1	24	-	-	-	-	-	-	-	-	-	-	-	
Typhus	70	1	2	5	2	4	14	5	4	13	8	8	5	4	6	3	4	1	
Diarrhoea & Dysentery	85	58	8	1	-	-	67	1	2	1	2	2	2	-	1	3	-	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	35	4	2	2	5	2	15	6	1	1	2	2	-	3	2	1	2	-	
Cancer	50	-	-	-	-	-	-	-	-	-	-	1	8	13	12	12	4	-	
Scrofula and Tuberc.	62	20	11	1	2	1	35	3	2	3	2	4	1	1	1	-	-	-	
Phthisis	349	8	8	4	1	3	24	7	10	47	54	89	60	39	12	6	1	-	
Hydrocephalus	31	7	10	3	3	3	26	4	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	505	156	19	11	1	1	168	10	3	4	5	8	6	15	23	32	28	4	
Dis. of Heart & Dropsy	195	3	-	-	-	-	3	1	4	2	4	11	11	21	41	63	32	2	
Dis. of Lungs	317	51	34	9	9	1	104	7	-	2	6	10	16	11	43	58	47	13	
Dis. of Stom. and Liver	160	15	8	1	1	3	23	2	2	2	8	6	16	21	23	35	18	6	
Dis. of Kidneys	23	-	-	1	-	-	1	-	1	2	-	2	1	2	4	7	2	1	
Dis. of Genes. Organs	15	-	-	-	-	-	-	-	-	-	-	2	4	5	4	-	-	-	
Dis. of Joints	12	-	1	-	-	-	1	1	-	2	3	-	1	2	1	1	-	-	
Dis. of Skin	12	4	-	-	-	-	4	-	-	1	2	1	2	-	1	-	1	-	
Childbirth and Metris	41	-	-	-	-	-	-	-	-	1	5	21	14	-	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Violent Deaths	34	4	-	1	-	5	10	7	4	1	2	1	-	2	3	2	2	-	
Other Causes	503	152	12	3	-	2	169	2	-	-	2	3	6	2	6	49	91	63	

369.—NEWCASTLE-UNDER-LYME.																			
Mean Popul ⁿ , 1861-71	13487	446	403	427	401	376	2053	1733	1435	1214	1185	2025	1529	1058	714	386	138	16	
TOTAL DEATHS	2780	704	268	103	75	67	1217	132	59	66	89	215	190	122	209	240	182	50	
Small-pox	5	3	1	-	-	-	4	-	-	-	-	-	1	-	-	-	-	-	
Measles	45	10	17	3	7	2	39	4	-	-	-	-	-	-	-	-	-	-	
Scarlatina	111	2	17	18	11	19	67	26	14	2	-	1	-	-	-	-	-	-	
Diphtheria	33	1	6	3	3	5	18	13	-	1	1	-	-	-	-	-	-	-	
Whooping-cough	63	13	22	6	7	3	51	2	-	-	-	-	-	-	-	-	-	-	
Typhus	107	4	4	5	5	7	25	29	10	7	5	9	13	4	2	1	2	-	
Diarrhoea & Dysentery	85	42	11	4	2	1	60	-	-	-	-	5	4	1	2	8	4	1	
Cholera	2	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Zymotic Dis.	60	10	15	2	3	7	37	2	1	1	1	3	2	3	5	5	-	-	
Cancer	44	-	-	-	-	-	-	-	-	-	-	4	7	5	18	7	3	-	
Scrofula and Tuberc.	39	8	8	5	3	1	25	2	2	1	1	2	2	1	3	-	-	-	
Phthisis	294	3	3	1	2	12	6	14	33	49	92	45	24	17	4	-	-	-	
Hydrocephalus	61	21	17	6	4	3	51	8	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain	423	211	38	14	10	8	281	15	3	8	9	9	8	7	23	41	10	6	
Dis. of Heart & Dropsy	162	1	5	1	3	1	11	3	2	1	6	9	28	24	29	34	13	2	
Dis. of Lungs	493	90	61	20	9	6	186	6	2	4	5	12	18	22	49	63	33	3	
Dis. of Stom. and Liver	139	17	4	1	1	-	23	4	2	4	-	21	22	15	18	19	2	-	
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	-	3	5	1	1	3	1	-	
Dis. of Genes. Organs	15	-	-	-	-	-	-	-	-	-	-	1	4	2	2	4	1	-	
Dis. of Joints	6	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	
Dis. of Skin	7	4	1	-	-	-	5	-	-	-	-	-	-	-	-	1	-	-	
Childbirth and Metris	51	-	-	-	-	-	-	-	-	2	9	21	15	4	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	3	
Other Violent Deaths	34	3	6	4	2	2	17	6	1	-	-	1	-	1	3	1	3	-	
Other Causes	595	351	32	7	4	-	304	6	5	1	2	10	15	7	34	55	110	30	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		370.—WOLSTANTON.																
Mean Popul ⁿ , 1861-71	31644	1112	979	919	935	858	4803	3901	3487	3109	3059	5129	3763	2465	1256	516	137	19
TOTAL DEATHS	8884	2965	801	361	250	161	4628	309	170	182	204	434	538	621	565	448	229	26
Small-pox	28	16	2	3	1	3	25	9	5	5	4	4	4	2	—	—	—	—
Measles	224	42	97	42	24	11	216	8	—	—	—	—	—	—	—	—	—	—
Scarlatina	381	31	70	64	68	50	283	79	10	2	1	3	3	—	—	—	—	—
Diphtheria	46	4	10	4	7	6	31	11	—	—	—	1	2	—	—	—	—	—
Whooping-cough	140	67	47	17	3	3	137	5	—	—	—	—	—	—	—	—	—	—
Typhus	257	10	15	17	16	11	69	44	20	21	28	31	22	9	7	4	3	—
Diarrhoea & Dysentery	539	374	92	12	8	3	489	4	1	—	—	3	2	9	8	10	11	3
Cholera	9	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—
Other Zymotic Dis.	207	35	30	34	23	18	140	15	5	2	4	7	9	15	5	6	1	—
Cancer	34	—	1	—	—	—	1	—	—	—	1	1	2	10	7	8	3	—
Scrofula and Tuberc.	200	90	43	11	6	4	169	12	7	5	6	3	2	2	3	—	—	—
Phthisis	570	4	3	7	3	1	18	8	24	60	67	143	139	70	29	8	1	—
Hydrocephalus	156	69	34	11	5	2	141	7	7	—	—	—	1	—	—	—	—	—
Dis. of Brain	1297	776	112	39	25	17	969	27	10	5	9	31	40	54	66	29	23	—
Dis. of Heart & Dropsy	293	6	2	2	6	2	18	10	11	11	5	23	43	22	61	48	12	—
Dis. of Lungs	1778	425	203	65	35	10	741	29	13	14	21	81	148	239	346	184	53	—
Dis. of Stom. and Liver	245	30	4	3	—	1	38	6	6	10	8	24	38	46	42	24	3	—
Dis. of Kidneys	76	3	1	1	—	—	5	2	3	—	5	7	9	9	20	13	3	—
Dis. of Gener. Organs	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	25	1	1	—	—	—	2	—	2	—	2	2	3	5	8	3	—	—
Dis. of Skin	8	4	1	1	—	—	6	—	—	—	—	1	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	10	—	—	—	—	—	—	—	—	1	1	4	—	2	1	—	—	—
Other Violent Deaths	405	11	20	20	16	17	84	30	41	38	35	55	39	47	22	8	1	—
Other Causes	1424	961	80	8	4	2	1053	4	4	3	2	10	28	27	40	24	119	26
371.—STOKE-UPON-TRENT.																		
Mean Popul ⁿ , 1861-71	40219	1448	1167	1192	1120	1113	6040	5011	4326	4073	3866	6409	4698	3129	1735	725	193	16
TOTAL DEATHS	11259	3594	1167	477	354	182	5774	411	206	268	295	657	825	851	858	671	379	64
Small-pox	49	9	9	7	4	4	23	4	1	2	1	2	5	—	1	—	—	—
Measles	245	48	97	44	28	13	239	13	2	—	—	—	—	—	—	—	—	—
Scarlatina	407	39	74	75	72	41	301	88	12	2	2	2	—	—	—	—	—	—
Diphtheria	101	12	30	15	17	6	89	11	5	2	1	—	—	2	—	—	—	—
Whooping-cough	199	89	58	30	13	2	192	6	—	1	—	—	—	—	—	—	—	—
Typhus	416	15	39	22	36	23	126	59	32	24	32	38	41	29	21	9	—	—
Diarrhoea & Dysentery	598	429	72	16	13	5	526	3	2	2	1	4	4	8	15	21	12	—
Cholera	22	2	2	—	1	—	5	2	1	1	2	—	3	3	2	2	1	—
Other Zymotic Dis.	249	39	39	36	26	15	145	29	4	4	1	13	12	14	12	7	—	—
Cancer	70	—	—	—	—	—	—	1	1	2	1	10	3	20	22	7	—	—
Scrofula and Tuberc.	217	85	50	21	12	4	172	13	9	9	2	4	3	3	1	—	—	—
Phthisis	1259	97	54	23	16	4	194	21	32	94	125	235	269	171	70	13	—	—
Hydrocephalus	192	75	64	13	9	5	166	21	2	—	—	—	—	—	—	—	—	—
Dis. of Brain	1711	961	150	48	28	8	1195	31	18	16	12	44	51	60	102	113	46	—
Dis. of Heart & Dropsy	539	15	5	9	5	6	40	15	20	14	14	44	72	90	107	84	30	—
Dis. of Lungs	2025	531	253	84	39	19	923	23	10	18	26	69	163	217	290	260	17	—
Dis. of Stom. and Liver	418	82	11	10	4	2	109	5	12	11	11	29	48	65	67	36	10	—
Dis. of Kidneys	133	—	2	—	2	1	5	4	4	5	6	20	19	20	23	22	4	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	32	2	—	—	—	1	3	9	3	6	2	2	7	12	5	3	—	—
Dis. of Skin	42	8	3	—	—	—	11	—	1	2	1	2	3	8	5	6	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	27	—	—	—	—	—	—	—	—	2	1	2	3	6	9	2	—	—
Other Violent Deaths	556	16	21	13	23	16	89	35	31	44	45	98	86	70	43	27	2	—
Other Causes	1749	1049	143	21	9	7	1259	14	4	7	9	19	38	53	80	115	279	64
372.—LEEK.																		
Mean Popul ⁿ , 1861-71	13028	420	393	385	348	355	1901	1611	1479	1206	1014	1743	1450	1143	836	455	167	23
TOTAL DEATHS	2839	771	169	106	89	38	1143	118	60	88	82	164	154	190	241	311	229	29
Small-pox	6	—	—	1	1	1	3	2	—	—	—	1	—	—	—	—	—	—
Measles	48	11	20	5	3	3	45	2	—	1	—	—	—	—	—	—	—	—
Scarlatina	100	7	11	24	12	14	68	25	3	—	2	—	—	—	—	—	—	—
Diphtheria	21	2	3	2	4	1	12	5	3	—	—	—	—	1	—	—	—	—
Whooping-cough	46	31	7	4	1	2	45	1	—	—	—	—	—	—	—	—	—	—
Typhus	93	7	6	6	3	1	23	16	8	7	6	8	9	5	3	3	—	—
Diarrhoea & Dysentery	114	72	13	3	—	—	88	3	—	—	2	1	5	2	3	3	—	—
Cholera	8	1	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—
Other Zymotic Dis.	77	9	4	6	4	2	25	9	1	2	1	5	3	4	12	12	—	—
Cancer	26	—	—	—	1	—	1	—	—	—	—	1	4	5	4	6	—	—
Scrofula and Tuberc.	43	12	3	1	1	1	18	5	2	5	3	3	1	2	3	3	—	—
Phthisis	300	3	6	1	1	2	13	4	16	41	43	76	46	29	24	6	—	—
Hydrocephalus	40	21	4	3	4	2	34	3	9	—	—	—	—	—	—	—	—	—
Dis. of Brain	419	207	28	17	2	4	258	8	5	4	2	10	9	20	27	48	—	—
Dis. of Heart & Dropsy	155	1	—	2	1	—	4	6	4	5	1	10	11	25	28	34	—	—
Dis. of Lungs	470	111	36	12	8	2	169	5	2	4	3	10	31	36	68	78	—	—
Dis. of Stom. and Liver	151	5	1	3	—	1	10	8	3	1	2	9	18	27	32	22	—	—
Dis. of Kidneys	61	1	—	—	—	—	1	1	1	2	—	6	3	8	6	23	—	—
Dis. of Gener. Organs	15	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	15	1	—	—	—	—	1	2	1	3	—	3	1	1	1	1	—	—
Dis. of Skin	8	4	—	—	—	—	4	—	—	—	—	—	—	1	1	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	12	—	—	—	—	—	—	—	—	—	—	3	1	3	5	4	—	—
Other Violent Deaths	169	3	9	9	8	1	39	11	6	10	12	12	9	6	4	4	—	—
Other Causes	517	262	15	7	5	1	299	1	2	1	3	4	8	12	18	28	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
370.—WOLSTANTON.																			
Mean Popul ⁿ , 1861-71	30000	1142	939	967	920	889	4857	3929	3303	2785	2692	4567	3471	2284	1293	619	177	23	
TOTAL DEATHS	7327	2303	886	466	233	178	4006	312	145	178	214	430	412	366	441	402	267	55	
Small-pox	54	23	8	5	3	3	42	3	1	2	1	4	1	-	-	-	-	-	
Measles	251	46	97	56	28	14	941	9	-	-	-	1	-	-	-	-	-	-	
Scarlatina	381	18	67	66	71	46	268	96	13	1	2	1	-	-	-	-	-	-	
Diphtheria	43	8	9	13	5	1	36	5	-	1	-	1	-	-	-	-	-	-	
Whooping-cough	167	72	54	21	8	6	161	6	-	-	-	-	-	-	-	-	-	-	
Erysiphus	229	10	21	25	17	24	97	34	26	19	13	23	20	14	9	3	1	-	
Bacillary & Dysentery	495	273	85	19	6	4	387	6	1	1	3	13	15	9	15	23	19	3	
Cholera	3	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	
Other Zymotic Dis.	175	19	29	23	21	13	105	19	7	1	2	8	4	9	7	10	3	-	
Cancer	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tuberc.	154	64	32	14	3	2	133	3	-	-	-	5	11	13	28	10	2	-	
Phthisis	659	4	5	2	2	2	15	25	35	3	1	3	1	3	-	-	-	-	
Hydrocephalus	81	29	17	10	5	5	66	14	1	-	-	186	135	49	20	3	-	-	
Dis. of Brain	1083	390	111	49	12	14	776	22	20	18	8	20	30	46	45	72	25	1	
Dis. of Heart & Dropsy	298	2	2	3	3	-	16	6	11	13	13	25	36	47	62	58	16	1	
Dis. of Lungs	1222	317	213	74	20	23	657	51	11	13	10	38	47	72	158	131	40	3	
Dis. of Stom. & Liver	249	16	5	8	2	1	27	10	3	4	14	20	31	39	49	38	5	1	
Dis. of Kidneys	85	-	2	-	-	1	3	2	-	3	4	5	6	5	6	1	-	-	
Dis. of Genor. Organs	26	-	-	-	-	-	-	-	-	-	-	4	9	7	2	1	-	-	
Dis. of Joints	16	-	1	1	1	1	4	1	-	-	-	2	3	-	-	-	-	-	
Dis. of Skin	9	3	2	-	-	-	5	-	2	-	-	-	-	-	1	1	-	-	
Childbirth and Metris.	157	-	-	-	-	-	-	-	-	4	34	66	49	4	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
Other Violent Deaths	102	4	14	8	10	15	51	17	6	2	2	6	1	4	4	4	4	1	
Other Causes	1357	805	91	14	6	3	919	3	3	6	8	8	11	22	38	133	143	4	

371.—STOKE-UPON-TRENT.

Mean Popul ⁿ , 1861-71	40066	1405	1196	1196	1135	1099	6031	5075	4256	3936	3818	6213	4494	3174	1884	897	256	32
TOTAL DEATHS -	9825	2891	1000	526	302	204	5013	433	178	257	338	703	571	550	625	638	405	114
Small-pox -	432	10	6	2	4	7	29	4	1	-	2	0	-	-	-	-	-	-
Measles -	232	39	102	48	34	11	234	13	3	1	-	1	-	-	-	-	-	-
Scarlatina -	481	30	77	78	64	60	306	104	9	4	2	3	-	-	1	-	-	-
Diphtheria -	108	15	16	18	12	13	70	20	4	3	-	-	2	2	1	-	-	-
Whooping-cough -	225	90	67	45	9	9	229	5	-	-	-	-	-	-	-	-	-	-
Typhus -	362	14	18	29	23	11	95	48	38	42	34	42	25	15	19	4	-	-
Diarrhœa & Dysentery -	363	353	82	17	6	2	463	2	1	82	4	15	10	11	15	27	16	3
Cholera -	19	9	3	-	-	1	13	-	-	-	-	1	1	3	1	1	-	-
Other Zymotic Dis. -	213	23	37	29	24	16	134	20	8	3	1	9	7	1	13	7	3	-
Cancer -	169	-	-	-	-	-	1	1	1	-	-	12	40	48	34	21	9	-
Scrofula and Tuberc. -	185	86	28	18	8	2	182	6	8	3	3	6	2	3	3	1	-	-
Phthisis -	1223	77	44	15	10	8	154	28	48	121	182	308	207	100	51	16	2	-
Hydrocephalus -	147	55	39	18	8	7	127	18	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -	1370	713	141	51	56	14	945	38	9	15	17	81	41	58	69	92	48	7
Dis. of Heart & Dropsy -	480	14	7	6	1	6	34	20	11	13	13	32	49	79	113	81	25	3
Dis. of Lungs -	1532	411	242	90	43	23	809	35	13	15	19	70	60	83	167	161	83	17
Dis. of Stom. and Liver -	376	44	11	4	3	2	64	8	8	5	11	40	41	71	59	62	16	1
Dis. of Kidneys -	55	1	3	4	1	-	9	4	2	1	1	11	8	4	7	6	2	-
Dis. of Genes. Organs -	55	-	-	-	-	-	-	4	1	4	4	7	10	20	10	2	-	-
Dis. of Joints -	33	-	1	1	-	3	5	7	4	3	3	3	4	1	3	-	-	-
Dis. of Skin -	27	5	2	2	-	-	9	2	1	-	1	2	1	1	6	2	1	1
Childbirth and Metrisia -	151	-	-	-	-	-	-	-	-	9	36	70	54	2	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	2	5	-	1	-	-
Other Violent Deaths -	147	9	24	10	19	4	65	35	7	5	1	5	5	3	7	8	3	2
Other Causes -	1648	886	128	41	7	5	1067	15	4	7	4	11	22	32	46	150	202	59

372.—LEEK.

Mean Populn, 1861-71	18421	421	388	351	336	332	1828	1649	1442	1312	1219	1952	1435	1121	798	457	178	30
TOTAL DEATHS	2791	577	156	93	52	36	914	102	72	113	109	225	188	185	214	311	285	73
Small-pox	4	2	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
Measles	44	15	11	10	5	2	43	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	82	3	14	16	8	6	49	24	5	2	2	-	-	-	-	-	-	-
Diphtheria	25	1	1	-	1	3	6	10	2	3	1	1	1	1	1	-	-	-
Whooping-cough	58	27	15	7	1	5	55	8	-	-	-	-	-	-	-	-	-	-
Typhus	66	2	2	5	9	4	22	11	11	12	4	7	11	11	1	8	6	2
Diarrhoea & Dysentery	104	57	8	2	1	2	70	-	1	2	-	6	3	2	6	6	6	2
Cholera	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	72	4	6	4	4	3	21	12	2	5	2	2	1	5	9	4	9	-
Cancer	55	-	-	-	-	-	-	-	-	-	-	-	9	15	11	15	5	-
Scrofula and Tuberc.	39	11	2	2	-	3	18	4	1	3	-	2	1	1	-	1	-	-
Phthisis	451	3	4	5	2	2	16	8	29	65	68	115	77	39	23	8	-	-
Hydrocephalus	34	12	5	6	4	1	28	1	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	339	113	20	13	6	1	153	6	7	8	7	10	15	19	23	53	34	7
Dis. of Heart & Dropsy	181	1	2	-	-	-	8	-	2	2	3	14	17	20	39	46	32	3
Dis. of Lungs	423	82	40	11	5	2	140	7	2	2	1	14	13	41	47	89	56	11
Dis. of Stom. and Liver	126	10	2	1	-	-	13	5	2	2	7	10	14	12	29	19	8	3
Dis. of Kidneys	17	-	-	-	-	1	1	-	-	1	-	1	-	5	6	2	1	-
Dis. of Genes. Organs	15	-	-	-	-	-	-	-	-	-	2	2	1	4	4	1	-	1
Dis. of Joints	8	1	-	-	-	-	1	-	-	-	-	1	4	2	-	-	-	-
Dis. of Skin	6	3	-	-	-	-	3	-	-	-	-	1	-	-	-	1	1	-
Childbirth and Metritis	61	-	-	-	-	-	-	-	-	5	10	29	17	-	-	-	-	-
Scalds	5	1	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	2
Other Violent Deaths	37	1	3	4	5	-	13	2	2	4	1	3	1	3	1	1	2	3
Other Causes	519	228	21	7	1	1	250	7	-	2	1	5	2	5	12	61	129	43

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
373.—CHEADLE.																	
Mean Popul ⁿ , 1861-71	10588	344	282	297	307	291	1521	1357	1185	947	875	1342	1165	972	671	392	141
TOTAL DEATHS	2305	587	165	78	44	28	902	101	49	70	75	139	119	153	193	263	199
Small-pox	8	1	2	-	-	1	4	-	-	-	-	2	1	1	-	-	-
Measles	82	6	11	5	3	2	27	4	1	-	-	-	-	-	-	-	-
Scarlatina	91	12	15	15	10	9	61	21	2	2	2	5	-	-	-	-	-
Diphtheria	23	4	3	2	2	2	13	7	1	-	1	-	-	-	1	-	-
Whooping-cough	69	27	17	9	4	-	57	2	-	-	-	-	-	-	-	-	-
Typhus	63	3	4	2	2	1	12	6	4	11	6	9	3	3	5	2	2
Diarrhoea & Dysentery	81	50	4	3	-	-	57	1	1	1	-	1	1	2	5	3	2
Cholera	5	1	1	-	1	-	3	1	-	-	-	-	-	-	-	1	1
Other Zymotic Dis.	69	8	5	9	3	2	27	7	2	5	5	4	3	5	1	7	1
Cancer	23	-	-	1	-	-	1	-	-	1	2	1	2	1	7	3	3
Scrofula and Tuberc.	47	16	5	6	1	2	30	2	3	1	2	3	4	1	1	1	1
Phthisis	192	6	6	-	-	-	12	4	5	17	39	48	33	22	11	1	-
Hydrocephalus	29	9	9	3	1	-	22	4	1	-	-	1	-	-	-	-	-
Dis. of Brain	350	150	22	6	6	3	193	7	8	8	2	11	9	18	22	43	41
Dis. of Heart & Dropsy	134	-	-	-	-	1	1	4	1	2	2	7	9	13	31	36	25
Dis. of Lungs	577	83	81	10	7	2	183	10	1	3	2	9	19	29	46	57	41
Dis. of Stom. and Liver	149	28	7	-	1	1	37	3	4	6	-	10	7	18	29	27	7
Dis. of Kidneys	44	1	1	1	-	-	3	-	1	1	-	4	4	2	8	7	13
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	16	-	-	-	-	-	2	2	1	2	5	2	1	2	1	-	-
Dis. of Skin	8	2	-	-	-	-	2	-	1	-	-	-	1	1	1	2	-
Childbirth and Metris	9	-	-	-	-	-	-	-	-	-	-	1	2	1	5	1	1
Suicide	190	5	5	5	2	2	19	8	11	9	7	21	13	13	6	9	2
Other Violent Deaths	578	169	17	1	1	-	188	8	1	2	-	2	7	9	12	42	28
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

374.—UTTOXETER.																	
Mean Popul ⁿ , 1861-71	7104	199	172	174	169	176	890	818	765	710	550	891	787	674	526	349	135
TOTAL DEATHS	1420	299	57	20	23	19	418	47	29	33	82	74	75	93	135	217	200
Small-pox	8	1	-	-	-	-	1	-	-	-	-	2	3	-	2	-	-
Measles	16	6	5	1	1	1	14	1	-	-	-	1	-	-	-	-	-
Scarlatina	37	2	4	4	4	5	19	13	3	1	-	-	1	-	-	-	-
Diphtheria	14	1	1	2	2	2	8	2	-	2	-	-	1	-	-	1	-
Whooping-cough	22	9	7	2	1	2	21	1	-	-	-	-	-	-	-	-	-
Typhus	27	-	1	-	1	1	3	2	2	7	2	4	-	3	2	1	1
Diarrhoea & Dysentery	30	11	3	-	-	-	14	1	-	-	-	-	-	2	1	4	2
Cholera	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	82	1	-	-	2	2	5	4	-	-	-	1	1	-	6	11	2
Cancer	29	-	-	-	-	-	-	-	-	-	1	2	2	5	8	9	4
Scrofula and Tuberc.	26	9	4	-	1	2	16	2	3	2	1	1	1	-	1	1	-
Phthisis	142	-	1	2	-	1	4	5	5	12	16	40	23	21	14	-	-
Hydrocephalus	35	15	5	1	-	1	22	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	295	70	8	2	5	-	85	3	-	4	3	6	7	7	20	36	26
Dis. of Heart & Dropsy	77	-	-	-	-	-	1	1	-	-	-	-	2	2	15	22	18
Dis. of Lungs	516	51	15	5	2	-	71	6	4	1	2	5	11	13	26	33	41
Dis. of Stom. and Liver	83	11	1	-	-	-	12	3	1	-	-	1	8	13	15	16	11
Dis. of Kidneys	48	-	-	-	-	-	-	-	2	-	-	1	2	6	9	17	9
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	19	-	-	-	-	-	-	-	-	1	-	2	1	1	5	1	1
Other Violent Deaths	43	-	-	2	3	2	7	3	6	1	-	4	2	3	9	2	1
Other Causes	318	109	2	1	1	-	113	2	2	-	-	3	3	9	10	42	22

375.—BURTON-ON-TRENT.																	
Mean Popul ⁿ , 1861-71	24012	807	683	713	668	653	3524	2893	2497	2332	2267	3715	2674	1898	1221	706	256
TOTAL DEATHS	5274	1454	421	179	131	100	2285	178	91	116	164	346	380	354	404	462	333
Small-pox	53	15	3	3	1	3	25	7	1	-	8	5	4	-	2	-	1
Measles	148	59	59	18	16	10	142	6	-	-	-	-	-	-	-	-	-
Scarlatina	167	13	29	21	29	24	116	42	5	1	-	2	1	-	-	-	-
Diphtheria	31	4	9	9	9	7	38	10	1	-	-	1	-	-	1	-	-
Whooping-cough	94	42	29	13	4	6	94	-	-	-	-	-	-	-	-	-	-
Typhus	116	6	-	-	5	3	14	10	6	11	12	13	15	13	8	7	4
Diarrhoea & Dysentery	180	192	27	4	2	2	157	-	4	-	-	1	1	3	3	4	14
Cholera	6	2	-	-	-	-	2	-	-	-	-	-	-	-	3	1	1
Other Zymotic Dis.	149	10	15	23	14	12	74	11	3	5	5	8	14	6	9	8	8
Cancer	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	131	65	28	8	1	1	93	11	4	-	1	5	7	11	19	5	-
Phthisis	549	13	13	3	5	37	14	9	5	7	24	34	41	73	29	29	23
Hydrocephalus	119	50	33	14	6	6	109	5	5	87	71	142	110	79	45	13	1
Dis. of Brain	828	230	38	13	12	9	460	17	8	8	15	44	76	74	61	82	43
Dis. of Heart & Dropsy	276	2	1	3	-	-	6	4	3	7	2	14	24	24	40	41	25
Dis. of Lungs	749	226	95	28	15	3	367	15	3	14	7	24	38	49	79	39	33
Dis. of Stom. and Liver	244	34	7	2	2	1	46	5	5	5	10	29	32	26	33	33	1
Dis. of Kidneys	100	1	-	-	-	-	1	-	-	-	-	1	10	11	6	21	13
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	16	-	1	-	-	2	3	-	2	-	-	-	-	1	3	1	1
Dis. of Skin	9	5	1	1	-	-	7	-	1	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	29	-	-	-	-	-	-	-	-	-	-	2	5	3	6	2	1
Other Violent Deaths	272	5	6	10	12	5	38	19	24	21	29	42	84	23	21	37	2
Other Causes	235	480	29	6	-	1	516	2	-	-	2	13	16	12	21	67	187

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
373.—CHEADLE.																			
Mean Popul ⁿ , 1861-71	10505	343	330	306	277	276	1532	1422	1101	892	830	1430	1172	902	656	393	152	23	
TOTAL DEATHS -	2122	429	135	79	59	44	746	81	58	79	74	146	154	124	152	225	219	64	
Small-pox - - -	2	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	43	5	16	7	4	6	38	4	-	-	-	1	-	-	-	-	-	-	
Scarlatina - - -	106	11	7	15	10	16	59	32	11	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	21	-	2	2	7	2	13	4	1	-	2	1	-	-	-	-	-	-	
Whooping-cough -	56	23	19	7	4	-	53	3	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	50	-	2	2	3	2	9	8	5	11	4	8	6	4	1	-	-	-	
Diarrhoea & Dysentery	83	32	6	3	1	1	43	1	-	-	-	4	7	3	4	11	10	-	
Cholera - - -	5	1	-	-	-	-	1	-	3	-	-	1	3	2	3	8	2	-	
Other Zymotic Dis.	33	5	7	6	-	2	20	3	-	-	1	3	2	3	8	8	2	-	
Cancer - - -	37	-	-	-	-	-	-	-	-	-	-	1	5	6	8	13	5	-	
Serofula and Tuberc.	61	29	7	4	1	1	33	1	4	4	1	3	2	2	1	-	-	-	
Phthisis - - -	280	7	2	1	3	-	13	7	15	44	40	73	53	22	8	2	1	-	
Hydrocephalus - -	29	13	3	4	2	1	23	2	3	1	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	262	102	18	9	7	2	133	1	6	8	2	5	9	14	13	38	27	6	
Dis. of Heart & Dropsy	157	1	-	-	1	-	2	1	2	4	7	18	21	32	39	28	24	2	
Dis. of Lungs - - -	281	45	29	5	8	5	95	3	2	3	4	10	16	37	50	45	10	1	
Dis. of Stom. & Liver	120	29	5	1	-	2	37	3	3	5	4	8	14	14	20	22	14	6	
Dis. of Kidneys - -	19	-	-	1	-	-	1	-	-	-	1	1	2	5	3	4	2	-	
Dis. of Gen. Organs -	6	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	
Dis. of Joints - - -	12	2	-	-	-	-	2	-	2	-	1	-	1	2	3	1	-	-	
Dis. of Skin - - -	6	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	2	1	
Childbirth and Metris	42	-	-	-	-	-	-	-	-	-	6	17	16	3	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Violent Deaths -	87	4	5	4	5	-	18	3	1	-	-	2	-	1	2	2	6	2	
Other Causes - - -	327	126	11	8	2	3	130	5	1	1	2	3	5	3	8	35	77	37	

374.—UTTOXETER.

Mean Populⁿ, 1861-71	7453	182	186	184	171	188	911	849	782	736	657	970	817	679	527	364	159	22
TOTAL DEATHS	1452	245	73	34	18	9	379	46	31	34	60	123	102	76	123	201	210	67
Small-pox	3	2	3	4	1	1	9	1	2	1	1	1	1	1	1	1	1	1
Measles	10	2	3	4	1	1	9	1	2	1	1	1	1	1	1	1	1	1
Scarlatina	25	2	4	5	2	1	14	4	2	1	1	3	1	1	1	1	1	1
Diphtheria	11	1	2	2	1	1	2	5	4	1	1	1	1	1	1	1	1	1
Whooping-cough	26	11	8	1	3	1	23	3	1	1	1	1	1	1	1	1	1	1
Typhus	41	1	1	1	1	1	4	5	2	5	4	10	4	2	5	6	1	1
Diarrhoea & Dysentery	30	11	4	1	1	1	16	1	1	1	1	1	1	1	2	3	6	1
Cholera	25	1	2	1	1	1	6	3	2	1	1	1	1	1	4	6	1	1
Other Zymotic Dis.	37	2	1	1	1	1	1	1	1	1	1	1	1	1	5	8	13	5
Cancer	32	5	1	1	1	1	10	3	1	1	1	1	1	1	5	8	13	5
Serofula and Tuberc.	122	1	1	1	1	1	2	4	7	18	33	68	32	14	7	1	1	1
Phthisis	186	1	1	1	1	1	16	5	1	1	1	1	1	1	1	1	1	1
Hydrocephalus	22	9	4	2	1	1	16	5	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	190	58	6	6	2	1	73	5	3	3	3	6	5	10	15	23	43	2
Dis. of Heart & Dropsy	132	2	1	1	1	1	4	1	1	2	2	6	10	12	23	33	21	3
Dis. of Lungs	272	84	19	6	4	3	66	4	1	2	4	5	9	11	20	43	29	8
Dis. of Stom. and Liver	87	5	1	1	1	1	7	1	1	1	3	4	8	8	24	23	10	1
Dis. of Kidneys	22	1	1	1	1	1	1	1	2	1	1	3	2	5	5	4	1	1
Dis. of Gen. Organs	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	23	1	1	1	1	1	1	1	1	1	3	9	15	1	1	1	1	1
Suicide	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	23	2	1	3	1	1	6	1	2	1	1	2	3	1	1	6	2	2
Other Causes	324	100	14	3	3	1	120	2	1	1	4	4	5	3	8	35	94	48

375.—BURTON-ON-TRENT.

Mean Populⁿ, 1861-71	22834	788	668	730	678	661	3525	2940	2339	1915	1961	3407	2584	1836	1275	725	291	36
TOTAL DEATHS	4712	1135	365	216	141	73	1930	179	108	136	140	358	332	280	333	443	352	122
Small-pox	52	17	6	3	6	4	86	6	2	2	1	4	1	1	1	1	1	1
Measles	126	17	54	22	15	10	118	6	1	1	1	1	1	1	1	1	1	1
Scarlatina	192	14	23	27	31	19	114	46	19	5	4	2	2	1	1	1	1	1
Diphtheria	55	7	5	11	6	5	34	15	3	1	1	1	1	1	1	1	1	1
Whooping-cough	122	47	40	22	8	1	117	5	1	1	1	1	1	1	1	1	1	1
Typhus	114	5	1	5	6	2	19	8	12	14	12	15	10	10	9	4	1	1
Diarrhoea & Dysentery	155	97	16	3	3	1	119	1	2	1	1	2	1	2	4	6	11	4
Cholera	2	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	153	19	23	19	19	11	90	14	8	3	1	8	5	5	10	6	1	1
Cancer	128	1	1	1	1	1	1	1	2	1	1	6	29	23	37	19	5	1
Serofula and Tuberc.	103	49	18	5	1	1	74	6	5	4	1	3	4	1	2	2	1	1
Phthisis	601	19	12	11	4	4	53	18	21	67	81	138	110	57	31	5	1	1
Hydrocephalus	83	45	14	7	3	3	70	10	2	2	1	1	1	1	1	1	1	1
Dis. of Brain	650	243	35	29	9	8	319	11	6	13	15	38	31	39	60	67	46	5
Dis. of Heart & Dropsy	288	3	1	1	1	1	4	5	5	4	5	19	28	39	70	61	25	2
Dis. of Lungs	596	167	75	52	16	6	298	8	6	2	4	16	18	34	45	94	54	13
Dis. of Stom. and Liver	202	29	6	4	3	1	33	9	3	3	5	15	20	34	29	24	14	3
Dis. of Kidneys	66	1	1	1	1	1	3	1	2	1	5	12	16	7	10	6	3	1
Dis. of Gen. Organs	24	1	1	1	1	1	1	1	1	1	2	2	7	5	5	2	1	1
Dis. of Joints	18	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	18	10	1	1	1	1	10	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	90	1	1	1	1	1	1	1	1	1	18	29	29	3	1	1	1	1
Suicide	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	78	10	5	8	5	2	30	7	4	2	1	3	2	5	5	8	8	4
Other Causes	787	246	27	7	3	3	286	3	1	1	1	10	7	12	15	99	170	82

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95—	100—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		376.—TAMWORTH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Mean Popul ⁿ , 1861-71	8018	245	236	230	229	230	1170	1013	892	758	618	1096	873	706	489	280	108	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & up.
376.—TAMWORTH.																		
Mean Popul ⁿ , 1861-71	8139	263	227	235	203	211	1139	1018	869	744	712	1126	894	670	488	323	135	22
TOTAL DEATHS -	1618	317	99	56	45	28	545	61	34	48	61	102	100	85	115	209	191	67
Small-pox -	12	5	-	2	-	1	8	-	-	1	1	1	-	1	-	-	-	-
Measles -	22	4	6	2	6	1	19	2	-	-	-	1	-	-	-	-	-	-
Scarlatina -	77	8	10	14	11	6	49	14	8	1	1	3	1	-	-	-	-	-
Diphtheria -	12	-	1	1	2	1	5	3	-	-	-	1	-	-	1	-	-	-
Whooping-cough -	29	13	10	5	1	-	29	-	-	-	-	-	-	-	-	-	-	-
Typhus -	63	-	4	-	1	-	5	12	9	7	7	7	6	2	4	8	1	-
Diarrhoea & Dysentery -	53	24	2	1	1	-	28	1	-	-	1	1	1	1	1	7	12	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	37	4	2	3	5	4	18	3	1	-	-	1	2	1	4	5	1	1
Cancer -	42	-	-	-	-	-	-	-	-	-	1	2	6	7	10	8	6	2
Serofula and Tuberc. -	27	13	6	-	1	1	21	2	3	-	1	1	-	-	-	-	-	-
Phthisis -	168	-	3	2	2	1	8	6	3	27	33	50	23	10	6	1	1	-
Hydrocephalus -	24	8	7	3	1	2	21	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	129	65	12	5	6	1	89	6	2	-	4	5	3	11	22	31	22	4
Dis. of Heart & Dropsy -	147	-	-	-	-	-	2	1	3	2	1	8	15	17	27	46	22	5
Dis. of Lungs -	256	52	27	12	4	5	100	3	-	1	1	3	10	8	14	43	41	12
Dis. of Stom. and Liver -	87	9	1	-	-	-	10	1	2	1	-	2	9	11	16	24	8	3
Dis. of Kidneys -	20	-	1	-	-	1	2	-	-	1	1	1	4	3	3	3	2	2
Dis. of Genes. Organs -	17	-	-	-	-	-	-	-	-	-	1	3	2	3	2	5	1	-
Dis. of Joints -	11	-	-	-	-	-	-	-	-	3	1	2	1	-	-	2	1	-
Dis. of Skin -	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metris -	26	-	-	-	-	-	-	-	-	-	5	9	10	2	-	-	-	-
Suicide -	18	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-
Other Violent Deaths -	18	2	-	1	2	4	9	1	1	2	1	1	1	1	1	1	1	2
Other Causes -	281	109	7	5	2	-	123	3	-	2	1	1	4	4	4	29	74	36
377.—LICHFIELD.																		
Mean Popul ⁿ , 1861-71	14977	428	393	420	417	400	2058	1828	1585	1285	1188	2114	1696	1298	967	654	260	44
TOTAL DEATHS -	2913	571	179	81	73	61	965	104	73	86	88	192	186	182	215	369	331	122
Small-pox -	8	1	-	-	4	2	7	-	1	-	-	-	-	-	-	-	-	-
Measles -	57	12	24	9	5	3	53	3	-	-	-	-	1	-	-	-	-	-
Scarlatina -	118	4	10	15	23	20	72	35	6	-	4	1	-	-	-	-	-	-
Diphtheria -	28	3	2	2	3	1	11	10	4	1	-	1	1	-	-	-	-	-
Whooping-cough -	45	25	10	7	-	1	43	2	-	-	-	-	-	-	-	-	-	-
Typhus -	78	2	2	3	2	3	12	9	6	12	3	14	3	5	7	5	2	-
Diarrhoea & Dysentery -	68	43	10	2	1	1	57	-	-	1	-	4	1	2	3	8	9	3
Cholera -	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	92	7	13	5	13	14	52	3	6	3	-	2	1	3	6	10	5	1
Cancer -	99	-	1	-	-	-	1	-	-	-	1	2	14	18	21	30	11	1
Serofula and Tuberc. -	50	12	12	4	-	1	29	2	2	2	4	4	1	2	2	2	-	-
Phthisis -	315	1	1	2	1	-	5	3	17	42	53	87	60	23	11	9	-	-
Hydrocephalus -	27	10	5	3	4	3	25	1	-	-	-	-	-	1	-	-	-	-
Dis. of Brain -	374	128	23	5	3	1	169	10	8	6	8	10	16	23	28	58	37	7
Dis. of Heart & Dropsy -	221	4	1	-	1	-	6	2	9	4	3	9	24	29	40	62	29	4
Dis. of Lungs -	401	90	31	16	4	6	147	8	3	4	1	12	12	16	39	78	62	19
Dis. of Stom. and Liver -	164	10	3	-	1	-	14	4	6	2	3	18	20	21	30	35	15	1
Dis. of Kidneys -	44	1	-	-	-	-	1	3	-	2	1	3	8	12	4	4	2	-
Dis. of Genes. Organs -	21	-	1	-	-	-	1	-	-	1	-	4	2	4	4	3	2	-
Dis. of Joints -	13	-	1	1	1	-	3	1	1	1	1	-	2	2	-	1	1	-
Dis. of Skin -	9	1	-	-	-	1	2	-	-	-	-	-	-	3	2	-	-	-
Childbirth and Metris -	38	-	-	-	-	-	-	-	-	1	5	22	10	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	-	22	10	-	-	-	-	-
Other Violent Deaths -	49	5	4	3	5	3	20	6	2	2	-	1	3	2	7	5	3	1
Other Causes -	564	211	24	4	2	1	242	2	2	2	-	3	5	11	9	58	147	53
378.—PENKRIDGE.																		
Mean Popul ⁿ , 1861-71	10227	314	296	295	305	290	1500	1341	1154	842	835	1415	1125	884	581	362	160	23
TOTAL DEATHS -	1849	409	120	69	42	30	670	88	39	55	56	121	92	92	145	214	212	65
Small-pox -	4	2	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	-
Measles -	24	6	5	5	2	3	21	2	-	-	-	-	1	-	-	-	-	-
Scarlatina -	78	6	9	12	9	9	45	20	8	3	-	-	2	-	-	-	-	-
Diphtheria -	16	1	1	1	-	-	8	8	1	1	1	1	-	1	-	-	-	-
Whooping-cough -	26	14	7	3	1	1	26	-	-	-	-	-	-	-	-	-	-	-
Typhus -	61	2	2	3	-	2	9	12	6	6	8	5	4	4	3	4	-	-
Diarrhoea & Dysentery -	75	33	5	2	-	1	41	3	-	1	-	1	1	1	6	8	12	2
Cholera -	6	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	2	-
Other Zymotic Dis. -	28	4	-	5	5	-	14	4	2	-	-	-	1	2	-	4	1	-
Cancer -	54	-	-	-	-	-	-	-	-	-	-	2	9	11	18	7	5	2
Serofula and Tuberc. -	32	16	4	1	-	1	22	5	1	-	1	2	1	2	-	1	-	-
Phthisis -	187	1	1	2	1	1	5	3	4	28	25	57	33	18	10	3	1	-
Hydrocephalus -	16	5	3	8	2	1	14	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	195	63	12	6	3	5	89	7	4	4	2	4	2	7	22	29	22	8
Dis. of Heart & Dropsy -	127	-	1	1	-	2	2	1	3	1	2	10	6	12	18	45	21	4
Dis. of Lungs -	265	68	38	18	7	3	151	6	2	4	2	10	3	10	27	40	25	4
Dis. of Stom. and Liver -	107	11	5	2	2	-	30	6	1	2	2	12	6	15	17	37	9	2
Dis. of Kidneys -	13	-	-	-	-	-	-	-	-	-	-	1	3	1	5	3	-	-
Dis. of Genes. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	2	-	-	1	-	-	1	2	-	-	-
Dis. of Skin -	8	4	-	-	-	-	4	-	-	-	-	1	-	-	1	1	1	-
Childbirth and Metris -	33	-	-	-	-	-	-	-	-	-	9	7	15	2	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Violent Deaths -	45	3	6	5	6	1	21	8	3	4	1	-	1	2	1	1	2	1
Other Causes -	439	109	30	2	4	3	195	2	3	1	2	6	4	3	14	48	107	31

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	over 75	
379.—WOLVERHAMPTON.																			
Mean Popul ⁿ , 1861-71	66500	2251	1939	1900	1885	1863	9888	8311	7310	6532	5843	9537	7922	5657	3408	1545	484	52	167
TOTAL DEATHS—	17052	5201	1916	888	536	391	8932	767	325	347	388	801	1010	1102	1254	1128	781	167	167
Small-pox	171	36	26	9	17	15	103	21	7	7	11	12	5	4	1	—	—	—	—
Measles	489	86	205	109	39	18	457	27	3	—	—	—	1	—	—	—	—	—	—
Scarlatina	816	52	130	137	139	121	579	194	34	3	1	4	—	1	—	—	—	—	—
Diphtheria	121	17	23	18	12	12	82	28	3	1	1	2	2	1	1	—	—	—	—
Whooping-cough	372	166	105	51	31	12	365	7	—	—	—	—	—	—	—	—	—	—	—
Typhus	652	28	35	49	36	27	175	98	56	46	25	31	69	45	52	29	6	—	—
Diarrhoea & Dysentery	988	657	182	40	8	6	893	13	2	2	3	4	5	6	13	22	29	3	—
Cholera	22	1	5	—	—	—	6	1	—	—	—	—	4	7	3	1	—	—	—
Other Zymotic Dis.	488	76	83	61	73	35	328	33	8	12	5	12	25	16	26	14	8	2	—
Cancer	118	—	—	—	1	1	2	—	—	—	1	5	18	22	29	34	4	1	—
Scrofula and Tuberc.	281	112	68	20	5	5	210	17	7	11	8	11	8	3	6	—	—	—	—
Phthisis	1391	56	34	18	10	12	130	20	38	88	154	300	290	219	197	—	—	—	—
Hydrocephalus	145	52	44	17	8	7	128	12	5	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	1867	931	160	39	33	13	1196	36	18	33	23	51	58	92	115	161	53	8	—
Dis. of Heart & Dropsy	737	12	19	13	6	7	57	23	21	16	23	35	91	133	149	139	45	8	—
Dis. of Lungs	3130	976	464	189	66	50	1749	52	17	16	16	69	132	253	361	316	125	11	—
Dis. of Stom. and Liver	646	135	24	14	2	5	180	31	11	13	16	26	60	97	106	79	25	1	—
Dis. of Kidneys	232	4	6	—	4	—	14	5	6	6	13	21	39	30	38	28	23	2	—
Dis. of Genes. Organs	9	—	1	—	—	—	1	1	—	—	—	3	2	—	—	1	—	—	—
Dis. of Joints	54	3	—	—	1	—	4	6	3	—	7	5	9	3	7	4	—	—	—
Dis. of Skin	43	12	7	—	1	—	20	—	—	—	—	3	3	2	7	6	1	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	41	—	—	—	—	—	—	—	—	1	4	4	8	14	6	2	1	—	—
Other Violent Deaths	954	34	24	30	29	33	130	107	70	82	66	125	117	94	85	27	22	—	—
Other Causes	8235	1753	267	63	15	12	2112	25	7	5	10	28	46	58	123	207	208	117	167

380.—WALSALL.

Mean Popul ⁿ , 1861-71	33618	1168	1016	1001	934	998	5117	4193	3758	3203	3056	4978	3953	2766	1634	726	311	23
TOTAL DEATHS—	8493	2808	948	453	246	200	4655	406	167	173	222	408	446	402	568	373	229	63
Small-pox	125	31	21	16	7	7	82	11	8	5	9	9	4	2	—	—	—	—
Measles	171	39	56	37	25	8	165	5	—	—	1	—	—	—	—	—	—	—
Scarlatina	336	17	44	68	41	52	222	97	11	2	1	1	1	1	—	—	—	—
Diphtheria	46	8	12	5	8	3	36	7	1	—	—	—	1	—	—	1	—	—
Whooping-cough	136	61	39	14	7	8	129	6	1	—	—	—	—	—	—	—	—	—
Typhus	481	32	48	29	30	26	172	78	37	36	36	21	35	23	17	11	8	—
Diarrhoea & Dysentery	563	353	117	31	5	5	511	5	1	1	—	3	3	6	10	14	8	—
Cholera	7	2	—	—	—	—	2	—	—	—	1	—	—	2	—	—	—	—
Other Zymotic Dis.	201	19	38	31	20	8	116	17	3	8	2	7	9	10	18	8	3	—
Cancer	60	—	—	—	1	—	1	—	—	—	—	3	5	15	16	16	3	—
Scrofula and Tuberc.	293	106	58	11	7	3	165	8	9	7	3	4	4	5	—	—	—	—
Phthisis	625	19	16	5	6	4	50	23	17	47	85	145	120	70	49	16	4	—
Hydrocephalus	58	40	27	11	5	3	86	9	2	1	—	—	—	—	—	—	—	—
Dis. of Brain	1685	555	104	28	14	19	718	22	5	8	16	18	20	48	82	85	39	8
Dis. of Heart & Dropsy	463	121	14	4	1	2	422	18	15	8	5	22	45	54	75	63	24	—
Dis. of Lungs	1460	431	231	89	32	24	811	90	2	7	17	32	57	125	128	165	27	11
Dis. of Stom. and Liver	343	69	15	12	6	4	106	13	7	4	10	14	35	55	87	52	11	1
Dis. of Kidneys	93	3	—	—	2	—	7	5	8	3	3	1	19	5	16	12	8	—
Dis. of Genes. Organs	2	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—
Dis. of Joints	19	—	—	1	4	—	5	2	2	—	1	—	—	1	1	1	—	—
Dis. of Skin	24	10	1	—	—	—	11	1	1	—	—	3	—	1	1	4	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	20	—	—	—	—	—	—	—	—	—	2	2	2	4	4	3	3	—
Other Violent Deaths	416	18	22	18	18	13	89	40	30	32	26	51	45	38	31	16	4	—
Other Causes	1566	970	110	33	9	7	1129	9	5	3	2	20	15	29	47	122	163	32

381.—WEST BROMWICH.

Mean Popul ⁿ , 1861-71	49885	1845	1534	1513	1506	1459	7857	6529	5616	5053	4596	7248	5583	3855	2217	1018	286	27
TOTAL DEATHS—	11667	3952	1403	572	381	224	6532	511	249	241	288	519	563	740	755	742	438	59
Small-pox	97	23	13	4	5	4	49	14	3	5	8	9	6	2	—	1	—	—
Measles	293	61	123	63	30	8	275	16	1	—	—	1	—	—	—	—	—	—
Scarlatina	329	44	111	93	79	68	398	116	16	6	2	1	—	—	—	—	—	—
Diphtheria	65	5	8	3	9	6	51	11	3	—	—	3	1	—	3	1	—	—
Whooping-cough	187	96	47	23	11	5	182	5	—	—	—	—	—	—	—	—	—	—
Typhus	529	24	44	29	40	22	130	80	50	41	36	51	42	31	31	19	1	—
Diarrhoea & Dysentery	732	463	149	56	10	5	662	6	5	5	—	3	4	4	12	24	9	—
Cholera	20	9	3	6	—	—	14	—	—	—	—	1	—	2	3	—	—	—
Other Zymotic Dis.	538	61	58	56	31	21	327	27	10	9	2	11	12	13	15	10	5	—
Cancer	90	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.	298	117	81	30	12	5	245	11	11	8	1	4	11	19	28	14	9	1
Phthisis	754	39	27	9	9	4	81	18	10	51	109	165	144	116	39	12	—	—
Hydrocephalus	212	103	61	16	9	3	192	14	6	—	—	—	—	—	—	—	—	—
Dis. of Brain	1190	559	99	34	21	10	723	28	16	10	15	33	48	81	91	105	46	4
Dis. of Heart & Dropsy	440	8	11	6	4	3	32	10	13	11	9	34	83	98	64	23	4	—
Dis. of Lungs	2109	693	325	95	59	18	1190	44	14	15	20	61	90	166	134	199	61	—
Dis. of Stom. and Liver	400	77	28	5	4	4	115	13	6	14	8	20	27	71	61	43	16	3
Dis. of Kidneys	138	—	8	1	4	2	10	5	—	—	3	4	13	10	15	26	21	1
Dis. of Genes. Organs	2	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—
Dis. of Joints	24	—	2	—	4	1	7	3	2	1	—	—	—	3	2	1	—	—
Dis. of Skin	25	9	2	—	—	—	11	2	2	—	2	—	2	3	3	1	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	24	—	—	—	—	—	—	—	1	—	—	5	5	3	8	—	—	—
Other Violent Deaths	691	40	25	31	26	21	143	90	74	58	47	72	67	77	49	29	3	—
Other Causes	2481	1529	185	44	14	12	1782	10	4	6	12	15	24	38	40	200	244	70

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwds.	
379.—WOLVERHAMPTON.																			
Mean Popul ⁿ , 1861-71	64978	2347	1988	1906	1836	1834	9811	8252	7178	6157	5950	9508	7390	5260	3214	1628	549	81	
TOTAL DEATHS-	14041	4181	1827	952	591	362	7913	670	246	306	402	832	822	788	970	987	776	229	
Small-pox - - -	131	32	21	17	11	8	89	18	7	4	6	4	1	-	2	-	-	-	-
Measles - - -	461	69	158	117	61	26	431	27	1	-	-	1	1	-	-	-	-	-	-
Scarlatina - - -	829	45	103	159	165	107	570	194	40	5	3	4	2	2	-	-	-	-	-
Diphtheria - - -	125	7	20	15	15	15	72	35	6	4	3	1	1	3	-	-	-	-	-
Whooping-cough - - -	481	188	142	66	37	17	445	15	-	-	-	1	-	-	-	-	-	-	-
Typhus - - -	556	20	38	37	37	42	174	77	42	46	56	49	56	40	30	23	3	-	-
Diarrhoea & Dysentery - - -	882	503	906	54	9	5	777	6	2	3	8	8	7	7	12	29	24	4	-
Cholera - - -	16	4	-	1	-	-	5	2	-	-	1	1	-	3	2	1	1	-	-
Other Zymotic Dis. - - -	422	64	76	71	51	29	291	31	14	9	3	10	7	10	10	26	10	1	-
Cancer - - -	287	-	-	1	1	-	2	2	-	-	1	19	50	75	80	42	10	4	-
Scrophula and Tuberc - - -	220	70	60	31	9	2	168	19	2	5	5	6	6	5	3	3	-	-	-
Phthisis - - -	1279	44	50	16	11	10	111	32	40	108	169	341	233	151	69	14	1	-	-
Hydrocephalus - - -	89	30	24	6	6	6	74	13	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	1627	743	119	77	33	23	995	40	19	23	35	47	69	77	131	123	68	9	-
Dis. of Heart & Dropsy - - -	690	15	15	10	3	3	46	25	19	22	17	58	91	107	156	108	34	7	-
Dis. of Lungs - - -	2585	790	432	184	87	39	1322	43	7	16	19	70	84	145	201	248	150	20	-
Dis. of Stom. and Liver - - -	548	74	23	8	4	5	114	13	11	11	19	48	72	74	95	70	19	1	-
Dis. of Kidneys - - -	94	1	2	1	-	2	6	7	2	2	7	10	15	10	18	8	9	-	-
Dis. of Gener. Organs - - -	62	-	-	1	-	-	1	-	-	-	2	9	18	13	8	8	-	-	-
Dis. of Joints - - -	31	2	1	1	1	-	5	2	3	5	3	4	3	3	2	-	1	-	-
Dis. of Skin - - -	42	14	5	-	1	1	21	1	1	1	2	2	2	1	7	3	1	-	-
Childbirth and Metria - - -	241	-	-	-	-	-	-	-	-	17	50	97	73	4	-	-	-	-	-
Suicide - - -	9	-	-	-	-	-	-	-	-	-	2	-	3	4	-	-	-	-	-
Other Violent Deaths - - -	291	29	16	19	23	13	105	48	19	16	5	15	9	18	16	13	20	7	-
Other Causes - - -	2972	1466	510	79	19	9	1889	18	8	6	11	27	27	39	78	268	425	176	-

380.—WALSALL.																			
Mean Popul ⁿ , 1861-71	32253	1181	1058	1048	968	960	5215	4313	3639	3004	2901	4803	3534	2446	1442	708	226	22	
TOTAL DEATHS—	7278	2006	926	455	253	195	3805	384	152	170	178	404	385	358	438	486	334	94	
Small-pox - - -	87	27	14	16	13	5	75	6	1	-	2	3	-	-	-	-	-	-	-
Measles - - -	186	37	56	36	25	12	166	18	-	-	-	1	-	-	-	-	-	-	-
Scarlatina - - -	375	18	51	80	50	30	249	105	14	2	1	2	1	1	-	-	-	-	-
Diphtheria - - -	73	10	11	11	7	6	45	17	5	-	1	3	2	-	-	-	-	-	-
Whooping-cough - - -	162	48	58	18	19	4	147	5	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	483	29	53	46	30	34	192	79	46	39	24	40	25	17	9	11	1	-	-
Diarrhoea & Dysentery - - -	490	267	125	21	9	2	424	8	2	-	4	7	7	5	11	17	11	-	-
Cholera - - -	6	-	-	2	-	-	2	1	-	-	2	-	-	-	-	1	-	-	-
Other Zymotic Dis. - - -	157	18	83	26	12	9	98	15	0	3	3	7	8	5	4	5	3	-	-
Cancer - - -	126	-	1	-	2	-	8	-	-	1	1	6	29	39	24	17	4	2	-
Scrophula and Tuberc - - -	154	72	36	12	3	3	126	6	4	5	4	5	3	3	-	2	1	-	-
Phthisis - - -	554	14	20	9	5	4	54	22	21	60	60	151	99	86	23	2	-	-	-
Hydrocephalus - - -	49	25	10	2	3	4	44	3	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	541	377	96	42	13	10	538	17	7	8	5	21	31	37	61	77	30	9	-
Dis. of Heart & Dropsy - - -	393	11	10	4	6	5	36	18	13	12	14	30	39	43	70	77	27	2	-
Dis. of Lungs - - -	1069	307	105	83	24	21	640	28	8	18	11	40	38	62	105	102	48	6	-
Dis. of Stom. and Liver - - -	279	39	14	3	3	5	64	5	4	5	9	24	30	42	59	28	6	-	-
Dis. of Kidneys - - -	38	5	-	1	-	-	4	1	2	2	2	6	6	4	4	3	3	-	-
Dis. of Gener. Organs - - -	31	-	-	-	-	-	-	-	-	-	1	3	4	13	6	1	3	-	-
Dis. of Joints - - -	26	1	1	1	-	1	4	2	3	3	1	5	2	1	2	1	-	-	-
Dis. of Skin - - -	17	5	2	1	-	-	8	-	-	1	-	-	-	1	2	3	1	-	-
Childbirth and Metria - - -	91	-	-	-	-	-	-	-	-	3	17	85	85	1	-	-	-	-	-
Suicide - - -	8	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-
Other Violent Deaths - - -	133	15	12	7	10	9	53	20	10	9	4	4	3	7	8	8	6	1	-
Other Causes - - -	1424	739	128	54	11	11	923	8	5	2	4	14	17	17	43	131	187	73	-

381.—WEST BROMWICH.																			
Mean Popul ⁿ , 1861-71	49668	1798	1575	1524	1469	1534	7900	6519	5684	4810	4607	7314	5375	3700	2243	1121	346	49	
TOTAL DEATHS—	10471	3053	1310	663	378	239	5643	471	221	241	274	578	508	506	594	755	480	140	
Small-pox - - -	88	18	9	12	5	7	51	19	7	3	-	2	3	2	1	-	-	-	-
Measles - - -	291	50	114	61	32	11	208	18	1	-	3	1	-	-	-	-	-	-	-
Scarlatina - - -	568	40	89	117	91	70	407	130	14	2	5	7	3	-	-	-	-	-	-
Diphtheria - - -	74	5	12	15	11	10	51	17	3	-	1	-	2	-	-	-	-	-	-
Whooping-cough - - -	222	85	74	37	18	9	225	9	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	492	19	39	32	26	24	140	83	60	41	34	39	38	26	15	11	1	1	-
Diarrhoea & Dysentery - - -	625	342	157	28	14	6	547	4	2	5	5	12	4	6	3	22	6	4	-
Cholera - - -	18	6	6	1	-	-	13	-	-	-	-	1	3	-	1	-	-	-	-
Other Zymotic Dis. - - -	360	49	53	30	35	25	203	33	11	7	2	9	5	13	9	5	1	-	-
Cancer - - -	169	-	-	-	1	-	1	-	1	-	3	6	39	44	39	31	5	-	-
Scrophula and Tuberc - - -	258	107	71	17	7	3	205	8	7	3	6	5	1	3	-	-	-	-	-
Phthisis - - -	813	20	29	29	8	4	81	13	35	92	93	233	152	86	25	3	-	-	-
Hydrocephalus - - -	125	49	33	13	9	5	109	12	2	1	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	1094	445	101	50	27	20	645	17	15	21	12	26	39	64	81	110	41	5	-
Dis. of Heart & Dropsy - - -	464	12	14	4	1	5	36	13	17	11	35	41	63	62	87	70	29	3	-
Dis. of Lungs - - -	1675	490	229	117	68	25	980	28	8	19	21	49	57	86	107	160	71	14	-
Dis. of Stom. and Liver - - -	363	32	12	5	4	2	58	10	8	8	16	55	42	54	55	58	18	1	-
Dis. of Kidneys - - -	84	1	4	1	-	1	7	3	1	-	5	16	12	11	18	8	2	1	-
Dis. of Gener. Organs - - -	59	-	-	-	-	-	-	-	-	1	1	4	15	10	4	6	-	-	-
Dis. of Joints - - -	15	-	-	1	-	-	2	2	3	1	-	2	1	1	2	1	-	-	-
Dis. of Skin - - -	23	6	5	3	2	-	16	-	2	1	-	3	-	-	-	-	-	-	-
Childbirth and Metria - - -	145	-	-	-	-	-	-	-	-	7	25	62	48	3	-	-	-	-	-
Suicide - - -	16	-	-	-	-	-	-	-	-	4	2	3	2	3	-	1	6	9	-
Other Violent Deaths - - -	195	35	13	24	15	4	97	33	13	8	6	4	8	5	3	6	20	106	-
Other Causes - - -	2333	1250	171	54	13	8	1406	17	8	6	10	18	23	27	69	245	230	178	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75			

382.—DUDLEY.

Mean Popul ⁿ , 1861-71	66420	2457	2165	2062	1982	2047	10713	8962	7803	6761	5892	9125	7092	5157	3063	1403	399	90
TOTAL DEATHS	17590	6048	2205	990	581	390	10274	753	411	386	395	723	793	877	1103	1092	629	134
Small-pox	236	74	47	14	24	17	176	10	8	7	10	11	5	2	1	-	-	-
Measles	516	106	90	118	42	31	497	18	1	-	-	-	-	-	-	-	-	-
Scarlatina	937	48	177	176	137	123	680	217	27	8	3	1	1	-	-	-	-	-
Diphtheria	83	9	25	9	15	6	64	12	1	3	-	2	-	1	-	-	-	-
Whooping-cough	318	156	83	58	21	9	309	9	-	-	-	-	-	-	-	-	-	-
Typhus	809	42	63	64	44	35	248	108	84	55	55	79	32	44	41	34	9	-
Diarrhoea & Dysentery	1150	663	280	69	16	8	1036	10	3	3	2	3	5	12	20	29	22	-
Cholera	24	4	7	-	2	1	14	2	-	-	-	1	1	1	2	3	3	-
Other Zymotic Dis.	416	60	84	44	46	26	269	39	3	15	8	14	12	24	17	14	8	2
Cancer	108	-	-	-	-	-	-	1	-	-	2	2	25	26	27	18	6	1
Scrophula and Tuberc.	237	75	80	23	5	4	137	11	9	3	6	4	8	4	4	3	1	-
Phtisis	819	28	38	14	6	2	88	15	31	63	115	187	145	98	62	13	2	-
Hydrocephalus	167	76	39	20	11	6	132	7	7	-	-	1	-	-	-	-	-	-
Dis. of Brain	1056	1059	124	61	39	16	1269	40	23	21	25	38	43	77	159	137	45	3
Dis. of Heart & Dropsy	611	13	14	10	6	4	49	18	22	13	14	55	86	100	122	105	27	9
Dis. of Lungs	3293	1111	521	155	67	40	1894	60	19	22	24	83	119	226	325	285	122	34
Dis. of Stom. and Liver	715	189	48	16	7	11	271	24	14	23	19	40	64	96	77	61	33	1
Dis. of Kidneys	205	-	7	6	4	3	20	10	3	10	7	16	20	28	44	23	15	-
Dis. of Gen. Organs	4	-	1	-	1	-	2	-	-	-	-	-	-	2	2	-	-	-
Dis. of Joints	89	-	-	-	-	-	-	5	5	6	2	5	4	4	2	5	1	-
Dis. of Skin	67	22	2	3	-	-	27	2	3	1	1	2	3	7	4	2	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	1263	25	36	64	37	89	221	119	143	128	93	152	163	76	89	40	5	2
Other Causes	3634	2279	387	96	11	8	2771	19	6	3	6	28	34	45	79	236	239	136

383.—STOURBRIDGE.

Mean Popul ⁿ , 1861-71	35494	1234	1097	1041	1033	1065	5470	4729	4184	3606	3059	4836	3740	2853	1833	891	254	29
TOTAL DEATHS -	8345	2869	908	391	235	187	4590	361	172	174	195	362	377	427	543	678	378	85
Small-pox - - -	122	34	22	14	5	8	83	10	5	7	5	4	3	3	3	-	-	-
Measles - - - -	158	28	60	33	17	7	145	12	1	-	-	-	-	-	-	-	-	-
Scarlatina - - -	472	23	94	87	73	66	343	110	14	2	-	1	-	2	-	-	-	-
Diphtheria - - -	47	16	7	5	7	5	40	4	1	-	1	-	1	-	-	-	-	-
Whooping-cough -	138	61	49	15	9	2	136	2	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	312	19	28	22	23	10	102	45	22	19	15	25	22	18	23	10	1	-
Diarrhoea & Dysentery	479	289	93	22	5	2	411	5	-	-	-	4	4	6	12	29	12	4
Cholera - - - - -	17	6	2	-	-	-	8	-	2	-	-	1	1	1	1	1	1	-
Other Zymotic Dis.	207	32	57	22	19	16	126	19	8	4	5	9	6	6	9	13	2	-
Cancer - - - - -	71	-	-	-	-	-	-	-	-	1	-	5	8	13	22	15	4	1
Scrophula and Tuberc.	129	48	36	7	3	4	98	6	8	4	4	1	2	2	3	1	-	-
Phtisis - - - - -	515	9	18	10	3	3	38	14	10	47	78	112	76	73	50	10	1	-
Hydrocephalus - -	80	34	32	6	1	2	75	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	920	458	42	21	12	9	542	19	15	12	8	13	45	48	33	107	48	3
Dis. of Heart & Dropsy	451	15	13	4	5	8	45	14	11	9	10	28	33	41	100	95	42	2
Dis. of Lungs - - -	1629	547	239	78	24	21	909	22	6	8	10	32	30	79	116	179	82	2
Dis. of Stom. and Liver	331	78	4	4	5	3	94	10	5	7	7	15	25	42	54	46	14	2
Dis. of Kidneys - -	131	-	2	1	-	3	6	3	-	2	8	13	14	14	23	39	16	1
Dis. of Gen. Organs -	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints - - -	80	2	-	-	1	-	3	1	6	5	1	5	-	6	3	3	-	-
Dis. of Skin - - - -	18	8	-	1	-	-	9	-	-	1	-	-	2	1	1	4	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	19	-	-	-	-	-	-	-	1	1	2	3	1	6	1	2	2	-
Other Violent Deaths -	493	25	17	16	13	15	86	51	46	42	38	78	64	44	27	15	3	-
Other Causes - - - -	1718	1136	118	23	10	3	1290	9	1	3	2	15	20	21	45	109	143	259

384.—KIDDERMINSTER.

Mean Popul ⁿ , 1861-71	15807	473	436	411	382	398	2100	1928	1812	1440	1240	2062	1810	1477	1033	627	256	23
TOTAL DEATHS	3507	891	256	139	97	63	1446	154	59	83	66	169	157	226	315	407	737	89
Small-pox	20	4	3	1	2	1	11	4	-	2	-	-	1	2	-	-	-	-
Measles	65	14	20	13	6	6	89	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	191	21	31	34	31	20	127	50	3	-	-	1	-	-	-	-	-	-
Diphtheria	22	1	2	3	2	3	11	9	1	-	-	1	-	-	-	-	-	-
Whooping-cough	40	19	11	5	3	2	38	2	-	-	-	-	-	-	-	-	-	-
Typhus	118	16	4	7	7	5	39	19	6	10	5	5	8	5	1	7	3	2
Diarrhoea & Dysentery	166	100	28	10	-	1	139	1	1	-	1	-	3	1	1	1	5	2
Cholera	6	1	-	-	-	-	6	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	80	15	8	10	6	4	43	6	1	1	1	2	2	3	6	7	1	-
Cancer	37	-	-	-	-	-	-	-	-	-	1	2	-	5	11	11	7	-
Scrophula and Tuberc.	98	42	14	6	4	3	69	5	4	5	4	2	4	2	3	13	1	-
Phtisis	334	35	8	4	2	1	50	13	9	26	28	76	46	42	31	12	1	-
Hydrocephalus	37	14	10	2	4	1	31	6	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	435	134	25	12	5	4	180	6	8	4	-	11	13	40	36	64	40	1
Dis. of Heart & Dropsy	232	4	1	1	2	-	9	5	4	6	6	13	21	24	56	62	27	2
Dis. of Lungs	556	127	66	32	11	4	220	7	4	7	3	13	19	54	65	106	62	2
Dis. of Stom. and Liver	163	27	1	2	-	-	30	4	3	3	2	8	11	24	23	33	11	-
Dis. of Kidneys	59	1	-	-	-	-	1	2	2	5	3	4	6	7	9	13	4	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	16	1	-	-	2	-	3	1	1	3	1	1	2	-	3	1	1	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	1	-
Other Violent Deaths	133	9	0	9	5	6	38	10	11	7	7	19	10	13	9	2	3	-
Other Causes	663	303	25	-	5	1	334	1	1	3	2	5	8	9	23	79	104	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.

382.—DUDLEY.

Mean Popul ⁿ , 1861-71	65775	2470	2146	1992	1963	1961	10532	9007	7642	6373	6007	9072	6929	4949	3024	1594	561	85
TOTAL DEATHS	15666	4816	2329	997	549	360	9051	663	316	295	374	693	746	658	854	987	783	245
Small-pox	239	76	48	38	31	20	213	19	4	3	3	9	4	4	-	-	-	-
Measles	468	77	186	100	52	31	446	21	-	-	-	1	-	-	-	-	-	-
Scarlatina	879	59	177	189	125	103	653	185	30	2	2	3	1	1	2	-	-	-
Diphtheria	87	8	16	9	15	8	53	21	6	-	-	-	2	-	2	-	-	-
Whooping-cough	438	198	139	77	19	15	448	8	1	-	-	5	1	-	-	-	-	-
Typhus	417	51	79	62	55	39	264	132	86	54	45	58	50	42	38	28	12	-
Diarrhoea & Dysentery	1111	539	335	52	20	7	973	10	5	2	11	2	12	4	22	31	55	3
Cholera	-	3	1	1	-	-	5	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	839	53	83	48	28	25	237	21	12	10	4	7	8	11	9	7	4	-
Cancer	219	-	-	-	-	-	-	1	-	1	1	9	34	63	63	31	11	2
Scrofula and Tubes	213	70	75	22	7	3	177	10	5	2	4	6	5	1	1	1	-	-
Phthisis	1012	26	34	12	7	6	85	28	39	103	157	249	198	97	42	8	-	2
Hydrocephalus	104	42	25	16	10	5	96	6	1	-	1	-	-	-	-	-	-	-
Dis. of Brain	1713	841	144	56	39	17	1097	37	25	23	19	37	49	73	127	135	84	7
Dis. of Heart & Dropsy	604	12	8	9	6	5	40	15	20	17	15	38	78	96	129	129	29	4
Dis. of Lungs	2508	779	429	199	83	33	1566	49	20	13	24	64	78	113	215	232	101	13
Dis. of Stom. and Liver	638	133	32	18	10	2	193	11	15	16	23	48	63	71	111	80	29	-
Dis. of Kidneys	107	3	9	7	1	2	22	6	1	4	1	16	16	14	18	6	3	-
Dis. of Gener. Organs	40	-	1	-	-	-	1	-	-	-	1	8	9	9	7	5	-	-
Dis. of Joints	34	2	3	-	-	-	5	4	5	3	4	6	3	1	-	3	-	-
Dis. of Skin	38	11	5	4	-	-	20	-	-	2	1	3	3	2	2	4	1	-
Childbirth and Metria	245	-	-	-	-	-	-	-	-	17	45	85	91	7	-	-	-	-
Selficide	14	-	-	-	-	-	-	-	2	2	3	2	4	-	-	1	-	-
Other Violent Deaths	294	18	25	13	25	25	106	61	28	7	4	11	12	4	5	24	24	8
Other Causes	3437	1818	405	76	18	14	2331	15	3	7	13	19	26	39	63	266	450	265

383.—STOURBRIDGE.

Mean Popul ⁿ , 1861-71	35561	1245	1088	1093	1082	1060	5568	4771	4153	3385	3127	4935	3758	2725	1796	962	329	51
TOTAL DEATHS	7463	2224	811	368	254	174	3331	353	132	175	206	335	388	362	428	613	448	142
Small-pox	97	32	20	11	5	6	74	9	2	1	3	5	-	1	-	1	-	-
Measles	132	21	60	32	16	9	138	11	1	1	1	1	-	-	-	-	-	-
Scarlatina	465	30	75	63	81	70	319	125	19	2	1	1	2	-	-	-	-	-
Diphtheria	84	-	7	8	5	2	17	8	3	1	3	-	-	-	-	-	-	-
Whooping-cough	157	80	48	12	10	4	154	5	-	-	-	-	-	-	-	-	-	-
Typhus	286	7	15	25	22	19	88	46	28	32	19	31	15	19	7	9	2	-
Diarrhoea & Dysentery	369	194	82	21	4	3	304	5	1	5	3	4	4	2	3	12	29	6
Cholera	21	4	2	1	1	1	8	2	1	-	-	-	4	2	1	1	2	-
Other Zymotic Dis.	171	23	25	23	19	9	99	18	7	7	3	11	9	5	11	4	5	-
Cancer	143	-	-	-	1	-	1	1	-	1	-	10	24	35	35	29	7	-
Scrofula and Tubes	145	63	38	9	3	2	115	1	4	5	9	5	5	5	2	1	-	-
Phthisis	287	11	8	5	1	3	28	12	15	62	61	158	122	69	28	12	-	-
Hydrocephalus	60	24	15	7	2	1	49	8	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	794	344	58	29	9	4	444	29	8	10	9	24	29	40	56	90	49	13
Dis. of Heart & Dropsy	471	10	8	3	4	1	26	7	13	19	13	32	35	62	87	115	37	5
Dis. of Lungs	1159	382	189	81	51	20	723	28	3	7	7	21	21	37	93	119	76	15
Dis. of Stom. and Liver	315	40	13	5	3	3	64	10	4	5	7	27	35	50	45	51	15	2
Dis. of Kidneys	66	-	3	2	-	-	7	3	2	1	4	7	12	4	12	9	5	-
Dis. of Gener. Organs	29	-	-	-	-	1	1	-	1	-	2	5	5	6	5	8	1	-
Dis. of Joints	16	1	-	1	-	-	2	1	2	4	3	-	1	1	1	1	-	-
Dis. of Skin	20	8	1	-	1	1	11	-	-	-	1	-	1	1	3	1	2	-
Childbirth and Metria	124	-	-	-	-	-	-	-	-	10	28	37	48	1	-	-	-	-
Selficide	6	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-
Other Violent Deaths	137	13	15	11	9	11	59	28	8	2	5	6	4	6	2	6	7	4
Other Causes	1608	937	129	25	7	2	1100	9	7	2	5	8	12	18	25	132	195	93

384.—KIDDERMINSTER.

Mean Popul ⁿ , 1861-71	16821	468	412	383	417	415	2095	1963	1808	1615	1503	2305	1948	1492	1057	704	280	51
TOTAL DEATHS	3244	637	193	134	78	60	1111	177	79	100	102	174	194	178	253	387	357	132
Small-pox	22	5	2	5	3	-	15	8	2	-	-	-	1	-	1	-	-	-
Measles	69	8	20	14	4	8	54	10	1	-	-	2	-	1	-	-	-	-
Scarlatina	175	10	15	20	27	20	104	55	9	1	-	3	-	2	-	1	-	-
Diphtheria	25	4	1	4	2	7	18	5	-	-	-	2	-	-	-	-	-	-
Whooping-cough	48	20	7	12	3	2	44	4	-	-	-	-	-	-	-	-	-	-
Typhus	130	6	7	8	5	2	28	28	17	12	6	11	2	6	5	9	6	-
Diarrhoea & Dysentery	164	97	24	7	3	2	163	2	2	-	1	2	2	2	3	8	6	3
Cholera	5	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-
Other Zymotic Dis.	81	10	7	8	12	5	42	12	2	2	1	-	2	3	5	10	3	1
Cancer	84	-	-	-	-	-	-	-	-	-	-	3	11	19	28	11	10	1
Scrofula and Tubes	69	20	12	5	3	-	40	6	2	5	2	2	1	2	-	-	-	-
Phthisis	547	21	10	7	-	1	39	18	18	44	51	81	56	50	12	2	1	-
Hydrocephalus	28	11	3	5	2	-	21	5	1	-	-	-	1	-	-	-	-	-
Dis. of Brain	519	78	21	11	4	3	117	13	4	5	10	12	16	16	45	54	20	7
Dis. of Heart & Dropsy	264	2	2	-	-	1	7	5	4	4	4	7	21	26	39	39	6	6
Dis. of Lungs	400	70	37	8	8	4	127	3	3	5	3	13	16	24	57	85	55	6
Dis. of Stom. and Liver	130	12	-	1	-	1	14	4	6	7	4	7	20	25	20	35	15	2
Dis. of Kidneys	19	-	-	-	-	-	-	2	-	1	3	1	4	3	2	1	2	-
Dis. of Gener. Organs	22	-	-	-	-	-	-	-	-	-	-	2	6	8	3	3	-	-
Dis. of Joints	15	-	-	-	-	-	-	-	1	2	-	4	1	2	4	1	-	-
Dis. of Skin	9	2	2	-	-	-	4	-	-	-	-	-	-	-	2	1	2	-
Childbirth and Metria	58	-	-	-	-	-	-	-	-	5	10	18	25	-	1	-	-	-
Selficide	4	-	-	-	-	-	-	-	-	-	1	-	2	2	3	3	3	8
Other Violent Deaths	69	8	5	2	-	5	29	7	4	8	2	2	2	4	6	14	29	102
Other Causes	847	253	18	9	2	2	284	-	3	5	3	-	4	6	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		385.—TENBURY.																
Mean Popul ⁿ , 1861-71	3905	100	98	96	105	104	503	450	434	361	297	526	453	363	282	162	60	8
TOTAL DEATHS	724	160	24	11	13	9	217	15	15	8	19	34	36	55	86	110	102	27
Small-pox	3	—	—	—	1	1	2	—	—	1	—	—	—	—	—	—	—	—
Measles	2	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Scarlatina	19	4	3	4	1	3	15	3	1	—	—	—	—	—	—	—	—	—
Diphtheria	4	—	—	—	—	1	1	1	1	—	—	1	—	—	—	—	—	—
Whooping-cough	16	13	1	—	2	—	16	—	—	—	—	—	—	—	—	—	—	—
Typhus	19	—	1	—	—	—	1	1	1	—	3	1	3	2	1	—	—	—
Diarrhea & Dysentery	7	5	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	16	—	2	2	1	1	6	—	3	—	1	—	2	—	4	—	—	—
Cancer	10	—	—	—	—	—	—	—	—	—	—	—	1	1	1	2	3	—
Scrofula and Tuberc.	7	2	—	—	—	—	2	1	—	—	—	—	—	—	1	1	1	—
Phthisis	51	—	—	—	1	1	2	—	—	1	8	18	7	6	8	1	—	—
Hydrocephalus	9	6	—	1	2	—	9	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	98	14	2	1	2	—	19	3	2	—	3	1	2	12	15	27	13	1
Dis. of Heart & Dropsy	66	—	—	—	—	1	1	—	—	—	1	1	5	12	15	19	41	—
Dis. of Lungs	99	13	10	1	1	1	26	1	—	1	1	3	6	5	21	21	4	—
Dis. of Stom. and Liver	29	2	1	—	—	—	3	—	1	1	—	1	2	5	9	6	—	—
Dis. of Kidneys	11	—	—	—	—	—	—	—	—	—	1	—	1	1	3	2	1	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Dis. of Skin	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	30	1	3	1	2	—	7	1	2	2	1	3	4	3	3	3	1	—
Other Causes	223	100	—	1	—	—	101	4	4	—	—	3	2	3	7	22	27	20
386.—MARTLEY.																		
Mean Popul ⁿ , 1861-71	7802	212	204	210	193	210	1029	922	826	699	571	999	895	743	577	372	149	20
TOTAL DEATHS	1363	257	60	33	25	21	396	62	24	24	30	74	69	106	130	187	183	58
Small-pox	3	—	—	—	—	—	3	—	1	—	—	1	—	—	1	—	—	—
Measles	11	3	2	—	3	—	8	2	1	—	—	—	—	—	—	—	—	—
Scarlatina	63	—	11	10	10	7	38	20	3	1	—	1	—	—	—	—	—	—
Diphtheria	16	1	1	2	2	2	8	6	1	—	—	—	—	1	—	—	—	—
Whooping-cough	15	8	2	2	1	1	14	1	—	—	—	—	—	—	—	—	—	—
Typhus	45	2	—	—	—	3	10	5	4	3	3	5	6	2	2	3	1	—
Diarrhea & Dysentery	53	19	4	1	—	—	24	1	—	—	—	—	—	1	1	2	4	—
Cholera	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	22	2	2	1	—	3	8	4	1	1	1	2	1	—	1	5	—	—
Cancer	21	—	—	—	—	—	—	—	—	—	1	1	—	2	4	7	6	—
Scrofula and Tuberc.	22	7	3	2	1	—	13	2	1	1	1	—	—	—	—	—	—	—
Phthisis	91	3	1	—	1	—	5	2	4	6	13	25	14	9	8	4	1	—
Hydrocephalus	15	5	6	—	—	1	12	2	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	175	28	—	2	2	—	32	1	—	2	—	5	10	22	27	38	34	4
Dis. of Heart & Dropsy	155	1	—	—	—	1	2	3	3	2	3	6	9	23	32	42	27	—
Dis. of Lungs	162	37	15	4	2	—	58	4	—	—	—	5	8	12	23	24	21	7
Dis. of Stom. and Liver	85	9	1	2	1	—	13	2	—	2	1	3	2	17	18	18	9	—
Dis. of Kidneys	28	1	—	—	—	—	1	—	1	—	1	4	3	1	2	11	3	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	3	—	—	—	—	1	1	—	—	1	—	1	—	1	—	—	—	—
Dis. of Skin	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	79	6	—	3	2	—	11	7	2	4	5	14	12	11	6	6	1	—
Other Causes	502	122	9	2	—	2	135	—	1	1	1	1	1	3	3	29	30	41
387.—WORCESTER.																		
Mean Popul ⁿ , 1861-71	15026	437	377	384	354	389	1941	1675	1590	1497	1346	2294	1791	1359	875	482	155	21
TOTAL DEATHS	4040	990	273	158	101	73	1595	142	57	96	111	285	304	324	404	357	287	78
Small-pox	41	11	3	—	1	2	17	5	1	2	2	8	3	3	—	—	—	—
Measles	55	12	18	18	6	1	55	2	—	—	—	1	—	—	—	—	—	—
Scarlatina	209	14	33	39	39	22	147	47	7	5	—	1	1	1	—	—	—	—
Diphtheria	18	2	2	2	2	4	12	6	—	—	—	—	—	—	—	—	—	—
Whooping-cough	65	38	15	6	2	1	62	2	1	—	—	—	—	—	—	—	—	—
Typhus	138	12	8	11	6	5	42	16	10	16	8	14	8	6	10	6	1	—
Diarrhea & Dysentery	235	153	31	4	5	2	195	3	1	—	—	2	3	2	7	13	9	—
Cholera	6	1	—	—	—	—	2	1	—	—	—	2	1	1	—	1	—	—
Other Zymotic Dis.	94	11	9	13	7	7	47	1	1	5	2	8	5	8	9	4	3	—
Cancer	40	1	—	—	—	—	1	1	—	1	1	3	2	6	13	12	—	—
Scrofula and Tuberc.	64	23	14	7	1	2	47	2	2	2	2	4	1	5	2	—	—	—
Phthisis	350	4	1	—	1	2	8	7	6	16	47	91	87	60	29	3	—	—
Hydrocephalus	45	20	13	5	—	3	41	3	—	1	—	—	—	—	—	—	—	—
Dis. of Brain	447	117	29	12	4	5	164	8	2	10	4	24	24	32	62	71	40	8
Dis. of Heart & Dropsy	298	8	1	2	1	3	15	2	1	6	13	22	20	45	76	53	34	3
Dis. of Lungs	624	144	55	20	11	5	235	9	1	1	7	28	28	61	83	73	30	10
Dis. of Stom. and Liver	192	28	1	—	3	2	34	5	5	4	4	13	13	34	41	25	5	1
Dis. of Kidneys	86	—	—	—	1	—	1	1	—	4	2	11	14	14	16	12	4	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	17	—	1	—	—	1	2	1	3	1	—	3	2	1	2	3	1	—
Dis. of Skin	21	4	2	—	—	—	6	—	—	1	—	3	2	5	5	1	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	16	—	—	—	—	—	—	—	—	1	1	3	4	2	3	1	1	—
Other Violent Deaths	213	7	4	8	7	4	50	17	12	17	13	54	34	23	32	13	3	—
Other Causes	755	280	36	10	4	2	432	5	4	3	6	10	11	18	24	61	129	58

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
385.—TENBURY.																			
Mean Popul ⁿ , 1861-71	3692	103	97	98	88	80	466	450	397	322	284	475	394	350	267	173	96	18	
TOTAL DEATHS	661	117	26	12	11	14	180	23	13	23	22	29	35	41	51	77	116	51	
Small-pox	3	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	
Measles	3	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	20	1	1	1	2	5	10	8	2	-	-	-	-	-	-	-	-	-	
Diphtheria	3	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	
Whooping-cough	11	8	2	1	-	-	11	-	-	-	-	-	-	-	-	-	-	-	
Typhus	22	-	-	-	-	2	2	-	1	6	2	4	2	1	1	2	1	-	
Diarrhœa & Dysentery	7	4	-	-	-	1	5	-	-	-	-	1	-	-	-	-	-	1	
Cholera	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	22	6	4	3	3	1	17	2	1	1	-	-	-	-	-	1	-	-	
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	2	6	5	5	2	-	
Scrofula and Tuberc.	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	54	2	-	-	-	2	4	2	3	5	9	12	8	7	9	1	-	-	
Hydrocephalus	9	3	1	1	1	-	6	2	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	77	18	3	2	-	-	21	2	2	2	1	1	2	5	5	10	21	5	
Dis. of Heart & Dropsy	64	-	-	-	-	-	-	-	-	2	2	3	4	8	11	17	12	5	
Dis. of Lungs	75	10	8	1	1	-	20	3	1	1	2	2	5	4	10	8	10	9	
Dis. of Stom. and Liver	34	1	1	-	-	-	2	-	-	3	3	-	2	4	10	6	3	1	
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	1	-	
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	
Dis. of Skin	4	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	1	-	
Childbirth and Metris	6	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Other Violent Deaths	18	4	1	1	-	-	6	1	1	-	-	-	-	-	1	4	-	-	
Other Causes	194	37	5	2	-	2	66	2	-	-	2	2	1	3	3	20	65	20	

386.—MARTLEY.																			
Mean Popul ⁿ , 1861-71		7901	218	177	219	193	201	1008	959	797	651	633	1052	897	741	571	387	172	33
TOTAL DEATHS		1547	233	65	31	25	29	381	39	33	32	47	82	82	80	115	184	188	84
Small-pox		1	-	-	-	-	1	6	3	-	-	-	1	-	-	-	-	-	-
Measles		10	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina		59	4	3	13	10	7	37	15	3	2	1	3	-	-	-	-	-	-
Diphtheria		9	-	-	-	-	1	1	-	3	-	-	2	-	-	-	-	-	-
Whooping-cough		19	11	3	4	1	-	19	-	-	-	-	-	-	-	-	-	-	-
Typhus		46	-	-	-	4	1	6	-	-	-	-	4	6	-	6	2	2	-
Diarrhœa & Dysentery		47	20	3	2	3	1	29	3	8	4	1	1	2	4	3	6	1	-
Cholera		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		24	4	2	1	-	1	8	2	1	1	-	-	1	2	1	6	2	-
Cancer		51	-	-	-	-	1	1	-	-	-	-	-	10	11	15	12	1	1
Scrofula and Tuberc.		21	7	7	1	-	-	15	-	-	2	1	-	-	1	1	-	-	-
Phthisis		127	5	1	-	-	-	6	1	11	8	23	37	15	14	5	2	-	-
Hydrocephalus		14	3	4	-	-	4	11	1	1	-	1	-	-	-	-	-	-	-
Dis. of Brain		124	26	8	1	-	-	55	3	-	1	-	3	8	10	14	20	26	5
Dis. of Heart & Dropsy		146	-	-	-	-	1	1	-	1	4	5	2	11	15	35	43	36	3
Dis. of Lungs		139	37	16	2	2	7	64	3	2	2	1	1	9	4	12	20	25	7
Dis. of Stom. and Liver		71	9	-	-	1	2	12	1	1	2	1	7	7	7	12	11	9	1
Dis. of Kidneys		12	-	-	-	-	-	-	1	-	3	-	1	2	3	1	-	-	-
Dis. of Gener. Organs		10	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	-
Dis. of Joints		4	-	-	1	-	-	1	-	-	-	-	1	1	1	-	-	-	-
Dis. of Skin		4	1	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-
Childbirth and Metris		29	-	-	-	-	-	-	-	-	1	5	15	7	1	-	-	-	-
Suicide		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		25	1	3	3	4	2	13	2	-	2	1	-	-	1	2	1	3	-
Other Causes		324	103	9	8	-	-	114	3	2	-	1	2	-	5	3	43	85	66

387.—WORCESTER.																			
Mean Popul ⁿ , 1861-71		16667	434	379	377	383	370	1943	1687	1618	1711	1554	2591	2007	1517	1081	669	246	43
TOTAL DEATHS		3804	825	283	152	89	79	1428	112	70	75	127	249	257	255	325	402	371	133
Small-pox		28	2	5	3	2	2	14	4	2	-	2	5	1	-	-	-	-	-
Measles		71	12	19	19	9	10	69	-	-	-	-	-	-	-	-	-	-	-
Scarlatina		155	13	50	40	31	27	141	35	11	1	2	1	2	-	-	-	-	-
Diphtheria		25	2	2	1	4	4	13	5	1	-	2	1	2	1	-	-	-	-
Whooping-cough		67	24	23	11	5	2	65	2	-	-	-	-	-	-	-	-	-	-
Typhus		126	5	7	8	7	9	96	15	10	14	9	19	14	5	6	5	3	-
Diarrhœa & Dysentery		244	168	30	5	-	-	204	2	3	-	2	2	5	3	7	8	5	3
Cholera		-	-	-	-	-	-	3	-	-	-	-	1	1	-	-	2	-	-
Other Zymotic Dis.		82	10	14	10	7	5	46	6	2	3	2	1	1	4	10	6	1	1
Cancer		107	-	-	-	-	-	-	-	-	-	-	4	17	31	33	17	5	-
Scrofula and Tuberc.		41	14	3	3	1	-	21	3	4	3	1	3	2	3	1	-	-	-
Phthisis		533	6	3	1	1	1	12	7	14	28	61	99	71	43	24	3	1	-
Hydrocephalus		25	5	3	6	2	4	20	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain		364	78	17	5	4	-	104	5	4	3	9	18	22	28	51	69	45	6
Dis. of Heart & Dropsy		307	7	3	-	1	-	11	6	5	4	11	10	32	41	70	81	32	4
Dis. of Lungs		325	131	70	22	6	6	235	9	3	1	4	13	22	32	53	94	49	10
Dis. of Stom. and Liver		187	12	-	3	1	-	16	-	1	3	8	14	20	27	30	24	13	1
Dis. of Kidneys		39	-	-	-	-	1	1	-	1	1	2	3	9	6	8	4	3	1
Dis. of Gener. Organs		37	-	-	1	-	-	1	-	-	-	3	5	7	11	7	2	1	-
Dis. of Joints		20	1	1	-	-	-	2	-	1	1	2	2	-	6	5	3	-	-
Dis. of Skin		25	8	-	1	1	2	12	-	1	-	1	-	-	2	4	3	1	1
Childbirth and Metris		72	-	-	-	-	-	-	-	-	7	12	37	16	-	-	-	-	-
Suicide		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		65	6	6	2	4	5	23	7	3	-	-	4	4	5	4	5	8	2
Other Causes		812	321	45	10	3	1	380	1	3	4	4	6	9	5	14	77	204	106

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		388.—UPTON-ON-SEVERN.																
Mean Popul ⁿ , 1861-71	10329	266	228	265	244	255	1258	1197	1180	1007	759	1400	1241	982	698	432	154	21
TOTAL DEATHS -	2282	445	79	51	31	25	631	60	37	67	71	133	219	241	230	299	234	6
Small-pox -	12	1	1	-	1	-	3	1	-	1	1	1	1	2	1	-	-	-
Measles -	21	6	3	5	3	-	17	2	-	-	-	-	1	-	-	-	-	-
Scarlatina -	49	1	5	5	8	8	27	16	4	1	1	-	-	-	-	-	-	-
Diphtheria -	11	-	1	1	3	1	6	2	1	2	-	-	-	-	-	-	-	-
Whooping-cough -	15	8	3	3	-	-	14	1	-	-	-	-	-	-	-	-	-	-
Typhus -	61	1	1	3	2	5	12	5	7	2	5	11	7	5	5	1	-	-
Diarrhoea & Dysentery -	63	38	6	1	1	-	46	-	-	1	1	4	2	2	2	4	2	-
Cholera -	4	-	-	-	-	1	1	-	-	1	-	-	-	-	2	-	-	-
Other Zymotic Dis. -	49	1	4	3	-	-	8	6	2	2	1	2	6	2	6	4	1	-
Cancer -	26	-	-	-	-	-	-	-	-	-	-	2	2	5	7	9	1	-
Scrofula and Tuberc. -	23	9	3	1	-	-	13	1	-	1	2	2	1	2	2	1	-	-
Phthisis -	145	2	1	1	-	-	4	-	3	16	21	30	35	20	11	3	-	-
Hydrocephalus -	16	10	1	1	2	-	14	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	592	122	12	6	2	1	143	4	3	8	12	39	88	95	66	38	43	-
Dis. of Heart & Dropsy -	232	2	-	-	-	2	4	2	2	3	6	11	16	34	46	70	51	2
Dis. of Lungs -	271	62	23	14	2	4	105	9	4	4	9	8	23	22	28	32	24	-
Dis. of Stom. and Liver -	107	11	1	2	1	-	15	2	3	3	-	7	12	24	11	19	19	1
Dis. of Kidneys -	46	-	1	-	-	-	1	1	-	1	-	1	6	6	13	9	7	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-
Dis. of Skin -	9	4	-	-	-	1	5	-	-	-	-	1	-	-	-	1	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Other Violent Deaths -	112	4	1	2	5	2	14	5	6	19	7	11	13	16	12	7	2	-
Other Causes -	414	163	12	3	1	-	179	1	1	1	5	3	3	7	13	28	129	32
389.—EVESHAM.																		
Mean Popul ⁿ , 1861-71	7515	235	204	195	204	205	1043	934	823	712	575	971	831	665	522	308	130	11
TOTAL DEATHS -	1597	313	68	38	35	19	475	53	30	27	27	71	74	107	136	191	165	43
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles -	12	2	4	2	2	-	10	1	-	-	-	1	-	-	-	-	-	-
Scarlatina -	40	3	6	8	8	4	29	9	4	2	1	1	-	-	-	-	-	-
Diphtheria -	12	1	1	1	2	1	6	3	2	-	-	-	-	1	-	-	-	-
Whooping-cough -	18	12	3	-	1	1	17	1	-	-	-	-	-	-	-	-	-	-
Typhus -	41	1	-	2	1	1	4	4	4	4	5	5	6	3	5	1	-	-
Diarrhoea & Dysentery -	86	38	11	5	-	1	55	3	-	-	-	-	-	1	5	12	18	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	38	2	4	1	5	2	14	4	4	2	-	2	1	2	3	5	1	-
Cancer -	20	-	-	-	-	-	-	-	-	-	-	1	1	2	5	10	1	-
Scrofula and Tuberc. -	11	2	1	1	-	-	5	2	-	-	2	2	2	-	-	-	-	-
Phthisis -	167	2	1	-	1	-	4	2	1	10	11	30	22	15	10	2	-	-
Hydrocephalus -	17	6	4	-	2	1	13	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	215	62	9	4	5	1	81	5	4	4	1	7	7	17	32	38	19	-
Dis. of Heart & Dropsy -	94	1	-	-	-	-	1	3	2	1	2	3	6	18	24	32	17	-
Dis. of Lungs -	184	46	11	9	6	-	72	2	1	1	1	5	6	17	22	32	23	-
Dis. of Stom. and Liver -	73	10	1	1	-	2	14	1	2	2	-	5	6	6	13	19	9	-
Dis. of Kidneys -	32	-	-	-	-	-	-	-	2	-	-	2	5	5	7	2	4	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Dis. of Skin -	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	58	1	1	1	1	4	8	8	2	1	4	6	6	10	2	2	2	-
Other Causes -	325	124	12	3	1	-	140	1	1	-	-	-	6	6	7	41	56	39
390.—PERSHORE.																		
Mean Popul ⁿ , 1861-71	6924	182	175	194	183	175	909	869	767	638	510	869	742	661	520	308	119	12
TOTAL DEATHS -	1272	320	57	35	13	18	443	53	28	29	26	55	64	85	123	176	131	29
Small-pox -	6	1	-	-	-	-	1	-	-	-	2	1	1	-	1	-	-	-
Measles -	8	3	4	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	42	-	4	8	3	8	23	16	2	-	-	1	-	-	-	-	-	-
Diphtheria -	15	1	1	1	-	3	6	2	3	1	-	-	2	-	1	-	-	-
Whooping-cough -	8	5	1	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Typhus -	24	-	1	-	1	-	2	6	4	1	2	3	2	2	2	-	-	-
Diarrhoea & Dysentery -	43	26	4	-	-	-	30	1	-	-	-	2	-	1	-	6	3	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	24	2	2	-	-	2	6	1	2	2	-	1	1	1	4	5	1	-
Cancer -	16	-	-	-	1	-	1	1	-	-	-	2	-	3	4	4	1	-
Scrofula and Tuberc. -	20	3	2	2	1	-	8	2	1	2	1	2	1	2	2	1	-	-
Phthisis -	79	1	2	4	1	-	8	2	5	11	10	15	18	7	3	-	-	-
Hydrocephalus -	6	1	1	-	1	2	5	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	199	61	9	2	2	1	68	1	3	2	3	5	4	10	25	40	20	1
Dis. of Heart & Dropsy -	121	4	2	1	-	1	8	2	2	3	1	4	7	17	25	33	17	-
Dis. of Lungs -	184	37	10	6	1	-	54	4	-	1	1	5	6	20	29	40	22	-
Dis. of Stom. and Liver -	29	9	2	-	-	-	11	-	-	1	-	4	6	5	14	13	9	-
Dis. of Kidneys -	15	-	-	-	-	-	-	-	1	-	-	2	1	2	2	6	1	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	5	1	-	-	1	-	2	-	-	1	-	-	1	-	-	1	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	64	5	2	3	-	1	11	7	2	4	3	8	9	8	4	5	1	-
Other Causes -	340	160	17	6	1	-	184	5	5	-	3	3	4	3	12	37	64	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.

388.—UPTON-ON-SEVERN.

Mean Popul ⁿ , 1861-71	11863	270	276	263	245	251	1305	1202	1136	1172	1096	1739	1457	1102	861	536	219	38
TOTAL DEATHS -	2073	343	65	50	38	25	521	62	46	67	71	158	166	168	176	271	205	102
Small-pox -	5	1	-	-	1	-	2	-	-	-	-	-	2	-	1	-	-	-
Measles -	15	3	2	2	2	1	10	3	2	2	-	-	-	-	-	-	-	-
Scarlatina -	55	5	9	7	12	6	39	10	2	1	-	1	1	1	-	-	-	-
Diphtheria -	26	1	1	3	1	4	10	5	5	-	-	1	1	2	1	-	-	-
Whooping-cough -	21	9	7	1	2	-	19	2	-	-	-	-	-	-	-	-	-	-
Typhus -	56	1	1	4	2	1	9	9	5	7	-	5	7	5	1	2	-	-
Diarrhoea & Dysentery -	35	19	2	1	3	-	25	1	-	-	-	-	-	-	3	5	1	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	26	2	-	1	1	2	6	1	5	1	-	3	2	4	-	2	2	-
Cancer -	32	-	-	-	-	-	-	-	-	-	-	1	10	11	10	15	5	-
Serofula and Tuberc. -	24	8	-	-	1	-	9	2	2	1	-	4	1	2	2	-	1	-
Phthisis -	215	1	-	2	1	-	4	4	8	24	39	54	41	22	12	5	2	-
Hydrocephalus -	19	6	7	3	1	1	18	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	433	106	14	7	1	3	131	8	7	13	8	29	40	48	52	53	36	8
Dis. of Heart & Dropsy -	247	2	-	-	-	-	2	2	3	1	5	9	29	29	48	82	46	-
Dis. of Lungs -	242	45	12	10	6	4	77	7	2	5	3	16	18	23	20	60	22	7
Dis. of Stom. and Liver -	110	8	2	3	-	1	14	2	4	7	3	12	9	11	14	20	10	4
Dis. of Kidneys -	18	-	-	-	1	-	1	-	1	-	-	1	4	5	2	1	2	-
Dis. of Gener. Organs -	7	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-
Dis. of Joints -	8	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Dis. of Skin -	6	1	-	-	-	-	1	-	-	-	-	1	1	-	1	2	-	-
Childbirth and Metria -	26	-	-	-	-	-	-	-	-	-	1	5	13	6	1	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	23	2	2	1	2	2	9	3	1	2	-	2	2	-	1	-	2	1
Other Causes -	402	123	6	5	1	-	133	1	-	2	-	2	1	3	7	33	137	81

389.—EVESHAM.

Mean Popul ⁿ , 1861-71	7680	204	219	208	194	180	1005	928	845	698	637	1026	833	693	518	334	146	17
TOTAL DEATHS -	1320	251	66	42	31	23	413	52	20	40	45	82	90	75	111	144	101	57
Small-pox -	2	-	-	-	-	-	11	2	-	2	-	-	-	-	-	-	-	-
Measles -	15	1	5	3	2	-	11	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	48	3	4	10	7	8	32	14	1	1	-	-	-	-	-	-	-	-
Diphtheria -	15	2	1	4	1	3	10	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	21	11	4	2	3	1	21	-	-	-	-	-	-	-	-	-	-	-
Typhus -	42	-	1	1	1	1	4	8	2	5	3	7	4	2	3	4	-	-
Diarrhoea & Dysentery -	53	22	4	1	1	2	30	-	-	-	1	1	-	6	5	2	5	3
Cholera -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis. -	25	4	-	6	1	2	18	2	1	1	1	-	-	-	2	3	2	-
Cancer -	40	-	2	-	-	-	-	-	-	-	-	1	7	14	9	4	5	-
Serofula and Tuberc. -	7	2	2	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Phthisis -	148	1	5	1	-	-	7	4	7	15	22	36	27	16	13	-	1	-
Hydrocephalus -	7	1	2	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -	138	34	7	2	4	3	50	3	4	1	4	4	7	6	14	24	17	1
Dis. of Heart & Dropsy -	117	2	-	-	-	-	4	3	-	1	5	4	11	12	21	41	14	1
Dis. of Lungs -	130	30	15	7	5	1	35	5	-	3	1	2	5	2	14	23	21	5
Dis. of Stom. and Liver -	67	6	1	1	1	-	9	-	-	6	4	7	6	3	13	11	8	-
Dis. of Kidneys -	15	-	2	-	-	-	2	-	-	-	1	1	2	4	2	1	2	-
Dis. of Gener. Organs -	11	-	-	-	-	-	-	-	-	-	1	2	-	-	2	5	1	-
Dis. of Joints -	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Dis. of Skin -	5	2	-	-	-	-	2	-	1	-	-	-	-	-	1	1	-	-
Childbirth and Metria -	34	-	-	-	-	-	-	-	-	1	2	13	18	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	20	4	2	1	1	1	9	2	-	1	-	2	1	1	2	1	5	2
Other Causes -	342	136	9	6	1	1	143	3	-	1	-	1	2	3	10	24	110	45

390.—PERSHORE.

Mean Popul ⁿ , 1861-71	7080	201	177	203	163	183	927	883	778	634	564	926	778	625	494	321	126	24
TOTAL DEATHS -	1156	206	48	31	21	11	317	43	29	48	35	81	62	74	104	146	147	70
Small-pox -	3	-	-	-	-	-	11	1	-	-	-	1	-	1	-	-	-	-
Measles -	15	3	4	2	-	2	11	3	-	-	-	-	-	-	-	1	-	-
Scarlatina -	54	2	2	7	9	2	22	8	2	1	-	-	1	-	-	-	-	-
Diphtheria -	12	2	1	-	1	1	5	2	3	-	2	-	-	-	-	-	-	-
Whooping-cough -	10	4	3	3	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus -	50	-	2	-	-	-	2	5	6	5	4	4	1	2	1	4	5	1
Diarrhoea & Dysentery -	40	17	2	3	1	-	23	-	1	-	-	-	-	-	2	4	3	1
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	59	7	1	1	3	1	13	5	-	2	2	1	1	1	1	9	3	1
Cancer -	34	-	-	-	-	-	-	-	-	-	-	3	4	12	5	8	2	-
Serofula and Tuberc. -	8	5	-	-	-	-	3	2	-	-	2	-	1	-	-	-	-	-
Phthisis -	125	2	2	1	-	1	6	4	5	2	20	42	14	7	4	1	-	-
Hydrocephalus -	5	1	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-
Dis. of Brain -	137	35	3	1	1	-	40	3	2	2	2	3	3	5	18	29	25	5
Dis. of Heart & Dropsy -	133	4	1	-	-	-	5	-	2	5	1	6	13	14	27	40	14	4
Dis. of Lungs -	148	32	13	9	2	1	57	3	-	3	1	2	8	11	11	24	17	11
Dis. of Stom. and Liver -	61	4	2	-	1	-	7	3	2	2	1	4	5	9	15	11	4	-
Dis. of Kidneys -	10	1	-	-	-	-	1	1	-	2	-	-	1	1	-	2	2	-
Dis. of Gener. Organs -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Dis. of Joints -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria -	10	-	-	-	-	-	-	-	-	1	-	11	7	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths -	19	8	2	-	2	-	7	2	-	-	-	1	2	-	3	2	1	1
Other Causes -	239	84	10	3	1	2	100	1	3	1	-	1	-	3	6	18	77	47

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		391.—DROITWICH.																
Mean Popul ⁿ , 1861-71	10180	306	270	298	272	299	1445	1305	1151	915	745	1348	1100	934	667	385	154	12
TOTAL DEATHS	2024	526	123	66	38	22	775	73	43	35	30	100	83	146	192	247	232	94
Small-pox	20	5	4	2	—	—	11	1	—	—	—	2	2	1	—	1	2	—
Measles	27	4	9	5	3	1	22	5	—	—	—	—	—	—	—	—	—	—
Scarlatina	83	9	13	15	8	7	52	23	5	2	—	1	—	—	—	—	—	—
Diphtheria	8	2	2	—	1	—	5	—	2	—	—	—	—	—	—	—	—	—
Whooping-cough	28	19	6	2	1	—	28	—	—	—	—	—	—	—	—	—	—	—
Typhus	50	5	1	1	—	2	9	6	—	8	4	3	5	—	5	3	—	—
Diarrhoea & Dysentery	114	74	11	—	—	2	89	1	—	—	—	—	—	5	3	1	—	—
Cholera	3	—	1	—	3	1	1	—	—	—	—	—	—	2	2	—	—	—
Other Zymotic Dis.	43	3	4	7	4	2	20	1	3	2	—	3	1	3	5	3	1	—
Cancer	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Serofula and Tabes	32	10	4	2	2	1	19	3	—	—	—	—	—	6	6	7	4	—
Phthisis	109	1	—	—	1	—	2	4	2	1	1	—	1	2	1	1	1	—
Hydrocephalus	35	18	9	3	1	1	32	3	1	—	5	12	40	17	17	9	—	—
Dis. of Brain	232	54	7	9	3	2	75	5	6	1	5	8	5	29	23	42	24	—
Dis. of Heart & Dropsy	171	8	1	—	—	—	4	2	—	2	3	6	12	21	24	42	24	—
Dis. of Lungs	280	62	25	14	7	2	110	4	—	1	3	9	12	30	29	40	22	—
Dis. of Stom. and Liver	96	11	3	1	—	1	16	1	2	3	—	2	13	13	13	11	7	—
Dis. of Kidneys	36	1	—	—	1	—	2	3	1	2	—	1	2	2	6	7	8	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	9	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	6	1	—	1	—	—	2	—	2	—	—	—	—	—	1	1	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Suicide	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	114	6	6	2	2	2	18	6	9	2	1	1	3	—	—	—	—	—
Other Causes	475	237	17	1	1	2	266	4	—	10	6	18	9	16	12	8	2	—

392.—BROMSGROVE.																	
Mean Popul ⁿ , 1861-71	13565	417	348	364	383	376	1988	1638	1585	1333	1043	1738	1521	1260	895	480	195
TOTAL DEATHS	3018	870	257	120	57	43	1346	130	66	56	78	134	134	180	244	300	27
Small-pox	7	2	—	—	—	1	3	—	—	—	—	1	—	—	—	—	—
Measles	71	21	25	14	3	4	67	4	—	—	2	—	—	—	—	—	—
Scarlatina	97	3	12	19	9	13	46	42	7	1	—	—	—	—	—	—	—
Diphtheria	24	—	3	3	—	6	11	7	—	—	—	1	—	—	—	—	—
Whooping-cough	46	22	13	6	4	1	46	—	—	—	—	—	1	—	—	—	—
Typhus	144	6	5	5	6	—	25	24	13	9	10	17	14	15	9	7	1
Diarrhoea & Dysentery	139	60	10	6	2	1	86	—	2	1	1	2	—	4	3	1	—
Cholera	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	82	9	9	8	9	4	39	8	2	3	—	2	3	5	7	14	3
Cancer	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Serofula and Tabes	41	18	5	3	—	—	26	4	2	—	—	1	—	2	9	3	—
Phthisis	275	16	12	1	—	—	50	3	—	2	—	1	—	2	1	—	—
Hydrocephalus	37	18	11	5	—	3	37	—	3	20	40	29	51	42	21	6	—
Dis. of Brain	820	111	21	12	9	2	148	5	7	—	4	13	7	14	22	32	2
Dis. of Heart & Dropsy	220	6	4	2	1	—	13	4	—	—	—	—	—	—	—	—	—
Dis. of Lungs	416	134	67	24	7	2	234	9	2	5	7	6	15	20	24	47	2
Dis. of Stom. and Liver	138	29	5	3	1	2	40	6	7	4	5	11	6	17	24	32	7
Dis. of Kidneys	51	—	—	—	—	—	2	2	—	—	—	—	—	5	18	7	1
Dis. of Gen. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	10	—	1	—	—	—	1	—	1	—	—	2	5	5	18	7	1
Dis. of Skin	7	2	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	89	5	8	3	6	2	24	9	10	5	3	12	8	3	5	1	—
Other Causes	749	400	45	15	2	—	462	3	—	1	3	1	2	10	17	26	45

393.—KING'S NORTON.																	
Mean Popul ⁿ , 1861-71	26367	870	797	783	746	744	3940	3344	2967	2620	2220	3761	3059	2312	1367	660	193
TOTAL DEATHS	4865	1412	409	199	121	86	2327	197	94	92	139	237	284	374	419	437	227
Small-pox	37	13	1	5	2	1	22	2	1	—	2	7	5	—	—	—	—
Measles	84	18	34	13	6	3	76	8	—	—	—	—	—	—	—	—	—
Scarlatina	294	17	37	49	43	31	177	62	18	1	2	3	1	—	—	—	—
Diphtheria	65	6	6	6	8	7	33	19	3	—	3	—	—	—	—	—	—
Whooping-cough	96	42	31	12	2	7	94	2	—	—	—	—	—	—	—	—	—
Typhus	155	7	10	10	6	4	37	14	2	—	—	—	—	—	—	—	—
Diarrhoea & Dysentery	275	177	84	6	4	2	228	2	14	13	11	16	13	12	13	7	—
Cholera	12	4	—	1	—	—	6	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	137	30	19	10	9	5	63	10	4	5	4	6	8	12	16	6	—
Cancer	56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Serofula and Tabes	88	38	14	3	2	3	60	7	8	3	1	3	—	13	19	14	—
Phthisis	428	5	4	1	1	2	13	6	30	30	66	107	95	59	33	11	—
Hydrocephalus	82	30	20	16	8	1	75	4	2	1	—	—	—	—	—	—	—
Dis. of Brain	537	167	33	11	8	5	236	14	8	8	11	17	24	43	68	73	60
Dis. of Heart & Dropsy	559	7	—	—	—	—	8	4	3	9	13	15	28	40	61	50	19
Dis. of Lungs	863	287	93	29	15	6	430	18	5	5	4	21	39	78	85	108	38
Dis. of Stom. and Liver	296	58	11	3	1	2	76	7	3	4	6	9	23	43	59	29	14
Dis. of Kidneys	102	1	—	1	—	—	4	1	3	2	—	—	—	1	6	4	—
Dis. of Gen. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	24	2	—	—	—	—	5	1	2	—	—	—	—	18	17	20	6
Dis. of Skin	14	6	2	—	—	—	8	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	141	18	7	11	3	4	43	14	10	1	3	3	6	8	9	3	—
Other Causes	851	483	48	12	1	—	549	2	—	1	2	2	16	12	11	8	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.					Total under 5 Years.											80 & upwards.
			1	2	3	4		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	

391.—DROITWICH.

Mean Popul ⁿ , 1861-71	10686	312	275	300	263	259	1409	1284	1118	911	924	1542	1158	954	722	447	189	28
TOTAL DEATHS	1872	444	101	60	30	27	662	69	37	61	59	122	98	118	149	211	210	76
Small-pox	6	3	1	—	—	—	4	—	—	2	—	—	—	—	—	—	—	—
Measles	23	2	10	2	3	2	19	3	—	—	—	—	—	—	—	—	1	—
Scarlatina	81	4	11	14	8	13	90	25	4	2	—	—	2	1	—	—	—	—
Diphtheria	12	2	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	53	20	5	5	2	1	33	—	—	—	—	—	—	—	—	—	—	—
Typhus	57	1	1	1	—	—	6	6	9	12	5	5	4	2	3	2	3	—
Diarrhoea & Dysentery	83	54	3	2	1	—	62	1	—	—	1	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	52	9	7	8	5	1	30	4	3	2	—	3	—	3	1	2	3	1
Cancer	20	—	—	—	—	—	—	—	—	—	—	—	11	10	17	17	3	1
Scrofula and Tuberc.	26	17	3	4	—	—	24	2	—	3	—	4	2	—	—	—	—	—
Phthisis	178	3	2	—	—	2	7	2	8	22	33	53	26	16	10	1	—	—
Hydrocephalus	32	17	5	2	1	—	25	4	3	—	—	—	—	—	—	—	—	—
Dis. of Brain	177	38	6	4	—	—	43	3	2	4	2	6	7	19	26	31	24	5
Dis. of Heart & Dropsy	165	1	1	—	—	—	2	2	3	3	3	10	12	29	39	44	27	1
Dis. of Lungs	242	63	29	12	3	4	111	1	2	1	1	6	6	16	18	44	31	5
Dis. of Stom. and Liver	105	6	4	1	—	1	12	1	2	3	1	12	10	16	15	15	17	1
Dis. of Kidneys	14	1	—	—	1	—	2	—	1	—	1	1	—	1	3	2	3	—
Dis. of Genes. Organs	11	—	—	—	—	—	—	—	—	—	1	3	—	3	1	3	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Dis. of Skin	5	3	—	—	—	—	3	—	—	—	—	—	—	—	—	2	—	—
Childbirth and Metris.	35	—	—	—	—	—	—	—	3	6	—	14	11	1	—	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Other Violent Deaths	48	10	2	1	1	—	14	10	—	3	2	1	3	1	4	4	3	5
Other Causes	414	190	8	2	2	—	302	3	—	2	1	2	5	8	7	40	89	65

392.—BROMSGROVE.

Mean Popul ⁿ , 1861-71	14040	464	391	393	351	353	1952	1738	1513	1323	1240	1956	1571	1223	843	472	183	26
TOTAL DEATHS	2827	652	251	94	66	52	1115	121	63	79	94	167	155	137	233	297	274	92
Small-pox	5	1	1	2	1	—	5	—	—	1	2	1	—	—	—	—	—	—
Measles	38	9	22	10	5	3	49	8	1	—	—	—	—	—	—	—	—	—
Scarlatina	91	0	13	10	11	9	49	29	9	1	—	—	1	—	1	—	—	—
Diphtheria	28	—	8	1	2	4	15	8	2	2	1	—	—	—	—	—	—	—
Whooping-cough	49	21	13	7	5	3	49	—	—	—	—	—	—	—	—	—	—	—
Typhus	129	5	4	4	7	—	23	17	20	9	—	12	9	14	9	3	3	—
Diarrhoea & Dysentery	112	46	13	8	6	2	75	3	—	—	10	12	2	3	5	9	10	4
Cholera	9	1	—	—	—	—	1	1	—	—	1	1	1	1	1	1	1	—
Other Zymotic Dis.	67	12	11	7	10	7	47	5	—	1	1	1	3	3	3	2	—	1
Cancer	67	—	—	—	—	—	—	1	—	—	—	4	11	13	21	13	4	—
Scrofula and Tuberc.	39	12	7	1	2	1	23	6	1	2	1	3	2	—	1	—	—	—
Phthisis	273	3	4	2	1	—	10	6	9	34	44	79	48	23	16	4	—	—
Hydrocephalus	30	11	9	2	1	—	23	6	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	290	74	27	4	2	2	169	8	3	5	5	12	10	17	40	46	41	3
Dis. of Heart & Dropsy	238	2	1	1	—	—	6	2	9	9	8	16	19	23	49	71	20	6
Dis. of Lungs	336	109	63	16	13	3	204	11	3	3	5	9	7	8	30	38	33	5
Dis. of Stom. and Liver	134	14	4	1	—	1	20	2	2	4	4	8	12	17	29	20	12	4
Dis. of Kidneys	21	1	—	—	—	1	2	2	—	—	2	1	2	3	3	4	2	—
Dis. of Genes. Organs	12	—	—	—	—	—	—	—	—	—	—	—	4	4	4	—	—	—
Dis. of Joints	13	2	1	—	—	—	3	2	1	2	1	1	1	2	—	—	—	—
Dis. of Skin	5	2	1	—	—	—	3	—	—	—	—	—	—	—	—	2	—	—
Childbirth and Metris.	35	—	—	—	—	—	—	—	—	1	6	13	15	—	—	—	—	—
Suicide	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Other Violent Deaths	57	10	6	3	—	2	21	2	2	—	—	2	2	1	1	3	3	—
Other Causes	715	311	44	15	3	5	378	3	—	4	2	3	6	5	20	81	145	69

393.—KING'S NORTON.

Mean Popul ⁿ , 1861-71	30709	820	742	764	744	714	3784	3349	3034	3314	3434	5049	3512	2454	1549	899	290	41
TOTAL DEATHS	4798	1069	427	202	123	91	1942	171	114	120	186	290	354	320	351	516	377	107
Small-pox	22	9	1	2	1	—	15	2	2	1	1	2	—	1	—	—	—	—
Measles	97	15	84	24	16	3	92	43	—	—	—	—	—	—	—	—	—	—
Scarlatina	209	13	36	32	28	3	141	43	14	3	2	4	2	—	—	—	—	—
Diphtheria	66	4	12	8	3	3	35	16	7	—	3	1	1	3	—	—	—	—
Whooping-cough	156	53	26	22	7	4	122	3	1	—	—	—	—	—	—	—	—	—
Typhus	179	5	7	9	6	10	37	31	18	14	13	21	12	13	8	8	2	—
Diarrhoea & Dysentery	274	180	40	2	—	1	223	1	—	—	1	1	7	1	9	16	14	—
Cholera	5	1	—	—	—	—	1	1	—	1	—	1	1	1	—	—	—	—
Other Zymotic Dis.	127	15	16	16	10	6	63	8	6	4	5	4	9	7	13	3	5	—
Cancer	155	—	—	—	—	—	—	—	—	1	—	4	23	50	43	25	8	1
Scrofula and Tuberc.	69	23	9	1	2	1	41	6	6	4	3	2	4	1	—	2	—	—
Phthisis	480	15	8	2	3	1	29	7	18	44	65	123	116	49	27	3	—	—
Hydrocephalus	66	22	15	11	5	1	54	9	2	—	1	—	—	—	—	—	—	—
Dis. of Brain	462	132	20	9	8	8	180	7	9	13	9	17	19	34	80	83	48	7
Dis. of Heart & Dropsy	286	4	1	1	1	1	8	4	10	8	8	10	29	40	62	79	24	4
Dis. of Lungs	843	191	106	40	29	12	569	8	3	9	8	23	26	41	68	144	83	21
Dis. of Stom. and Liver	244	34	5	2	—	1	42	5	12	5	5	20	23	33	39	57	22	1
Dis. of Kidneys	49	—	1	—	—	—	1	—	1	1	2	4	9	9	11	10	1	—
Dis. of Genes. Organs	40	—	—	—	—	—	—	—	—	1	—	3	3	11	10	5	1	—
Dis. of Joints	23	1	—	1	—	2	4	5	1	—	—	4	3	4	2	2	4	—
Dis. of Skin	20	2	2	—	—	—	4	1	—	—	—	2	1	—	—	—	—	—
Childbirth and Metris.	81	—	—	—	—	—	—	—	1	2	8	35	3	1	—	—	—	—
Suicide	10	—	—	—	—	—	—	—	—	—	—	5	1	1	1	—	—	—
Other Violent Deaths	83	23	6	11	4	4	48	6	1	3	—	1	5	5	1	8	4	1
Other Causes	822	352	63	9	4	1	429	5	1	3	1	5	19	12	27	90	100	72

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-

		396.—MERIDEN.																
Mean Popul ⁿ , } 1861-71 - }	5546	155	132	142	133	148	710	664	648	502	375	672	623	526	442	267	108	9
TOTAL DEATHS.—	1050	228	54	17	13	22	334	32	27	33	26	47	59	64	88	115	121	34
Small-pox - - -	9	1	-	-	1	-	2	1	-	-	1	1	3	-	1	-	-	-
Measles - - -	10	2	7	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	33	2	-	-	3	4	20	10	3	-	-	-	-	-	-	-	-	-
Diphtheria - - -	21	1	1	1	1	6	10	4	2	2	-	-	2	-	1	-	-	-
Whooping-cough -	9	6	2	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	17	-	-	-	-	-	1	-	-	2	2	1	2	-	2	1	1	1
Dysentery & Dysentery	35	18	3	1	-	1	1	-	-	-	2	-	2	4	2	2	2	2
Cholera - - -	1	-	-	-	-	-	22	1	-	-	-	-	-	-	1	1	1	1
Other Zymotic Dis.	23	1	-	-	-	3	4	3	3	1	1	12	1	2	2	2	2	2
Anæmæ - - -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tabes -	9	1	1	-	1	-	8	-	2	1	1	-	-	2	2	2	2	2
Phtisie - - -	81	2	-	-	1	-	3	-	4	11	13	23	13	1	1	1	1	1
Hydrocephalus - -	7	2	4	-	-	1	7	-	-	-	-	-	-	6	-	-	-	-
Dis. of Brain - - -	138	20	6	2	2	2	32	7	3	3	1	4	5	10	13	20	20	20
Dis. of Heart & Dropsy	77	4	1	-	-	-	5	1	3	4	3	4	5	6	7	10	10	10
Dis. of Lungs - - -	155	32	11	1	2	3	69	1	3	3	3	1	3	6	11	13	13	13
Dis. of Stom. and Liver	70	6	1	-	-	-	7	1	2	2	-	-	2	6	13	22	13	13
Dis. of Kidneys - -	42	-	1	-	-	-	1	-	-	2	1	3	4	5	6	11	8	8
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin - - -	7	2	1	-	-	-	3	-	1	-	-	1	-	1	-	-	1	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	43	3	3	3	1	1	13	-	2	2	2	2	2	1	4	3	3	3
Other Causes - - -	205	165	4	3	1	1	174	1	2	2	1	4	2	3	6	11	11	11

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 upwards.	
394.—BIRMINGHAM.																			
Mean Popul ⁿ , 1861-71	113116	3697	3029	3029	3013	2869	15637	13159	11570	11357	11480	18003	13549	9258	5522	2687	792	102	
TOTAL DEATHS -	28220	7234	3359	1601	1038	681	13913	1311	400	584	806	1639	1772	1835	2125	2076	1360	309	
Small-pox - - -	169	47	20	12	10	7	96	19	10	8	15	11	4	6	-	-	-	-	
Measles - - -	768	130	298	171	82	37	718	46	2	-	-	2	-	-	-	-	-	-	
Scarlatina - - -	1443	65	206	230	251	189	941	395	62	18	12	10	2	3	-	-	-	-	
Diphtheria - - -	320	37	80	61	51	47	276	76	17	5	5	3	3	2	3	-	-	-	
Whooping-cough -	1066	307	388	184	88	44	1011	32	1	1	-	1	-	-	-	-	-	-	
Typhus - - -	885	19	59	63	66	42	249	140	83	61	55	82	72	58	47	24	12	-	
Diarrhoea & Dysentery	2161	1335	393	95	35	23	1881	18	4	8	1	14	12	30	45	79	38	11	
Cholera - - -	30	8	4	2	1	1	16	1	-	-	1	-	1	4	1	5	1	-	
Other Zymotic Dis.	729	147	136	94	67	46	490	66	17	15	17	19	26	21	26	56	6	-	
Cancer - - -	601	-	2	-	-	-	2	1	2	2	9	45	111	167	158	71	30	3	
Scrophula and Tuberc.	969	161	77	23	15	2	278	19	13	13	10	15	9	6	4	1	1	-	
Phtisis - - -	2614	36	47	30	23	19	153	62	77	234	339	605	663	357	115	84	4	-	
Hydrocephalus - -	333	122	88	40	20	19	289	32	10	-	-	-	1	-	-	-	-	-	
Dis. of Brain - - -	2384	680	236	115	70	34	1135	70	42	43	53	132	149	236	293	291	129	11	
Dis. of Heart & Dropsy	1469	20	22	11	6	10	69	44	38	40	55	115	197	257	329	241	94	10	
Dis. of Lungs - - -	4210	1171	747	229	148	94	2459	190	28	28	31	123	216	379	622	622	255	21	
Dis. of Stom. and Liver	1003	110	36	12	9	6	163	18	10	18	48	88	147	151	172	134	67	7	
Dis. of Kidneys - -	235	2	11	4	3	1	21	15	6	7	7	28	33	40	42	26	7	-	
Dis. of Gen. Organs -	145	2	-	-	-	-	2	-	-	3	8	22	36	35	22	12	5	-	
Dis. of Joints - - -	87	3	-	3	1	3	10	13	14	7	1	7	7	9	12	4	-	-	
Dis. of Skin - - -	87	25	10	1	-	1	37	1	3	1	4	9	7	9	6	6	4	-	
Childbirth and Metria	307	-	-	-	-	-	-	-	-	19	65	135	85	3	-	-	-	-	
Suicide - - -	45	-	-	-	-	-	-	-	1	4	8	5	12	10	4	3	1	-	
Other Violent Deaths	1118	371	88	61	65	45	659	97	49	32	19	43	40	47	47	52	45	17	
Other Causes - - -	4669	2436	421	30	27	11	2955	29	2	10	17	34	41	35	177	439	651	229	

395.—ASTON.

Mean Popul ⁿ , 1861-71	62733	2148	1924	1983	1780	1705	9540	7844	6571	6029	5868	9985	7193	4870	2914	1424	436	59
TOTAL DEATHS—	12646	3699	1400	712	435	267	6603	536	229	279	331	736	733	762	816	824	619	178
Small-pox - - -	55	13	2	4	3	3	25	6	6	5	8	3	-	-	2	-	-	-
Measles - - -	329	63	107	77	47	16	310	17	-	1	1	-	-	-	-	-	-	-
Scarlatina - - -	681	38	91	125	130	86	470	157	37	7	6	4	-	-	-	-	-	-
Diphtheria - - -	258	29	58	36	24	20	167	62	11	1	4	9	1	1	1	-	-	-
Whooping-cough -	476	179	160	74	35	17	465	10	1	-	-	-	-	-	-	-	-	-
Typhus - - -	451	21	33	32	28	24	138	67	38	40	25	46	46	20	17	14	6	-
Diarrhoea & Dysentery	1043	654	217	46	14	4	935	2	2	-	4	6	7	12	18	26	23	8
Cholera - - -	20	4	3	1	-	-	9	1	-	-	-	1	2	2	2	1	1	-
Other Zymotic Dis.	815	58	66	46	32	17	219	26	8	4	3	9	9	10	11	9	5	2
Cancer - - -	238	-	-	-	-	-	-	-	-	1	2	10	80	74	70	29	7	4
Scrophula and Tuberc.	217	100	45	15	4	5	169	17	6	5	7	4	1	7	1	-	-	-
Phtisis - - -	1130	16	19	11	5	4	35	23	86	127	148	306	251	144	49	9	9	-
Hydrocephalus - -	198	70	58	21	9	7	174	29	3	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	1299	394	87	41	29	12	563	34	21	18	16	38	49	95	113	142	100	30
Dis. of Heart & Dropsy	646	11	10	5	2	2	30	12	22	18	13	29	70	114	140	119	45	4
Dis. of Lungs - - -	2106	600	341	119	44	29	1133	37	10	12	24	59	78	129	232	232	131	21
Dis. of Stom. and Liver	534	66	15	10	4	4	99	10	8	9	17	45	68	73	96	72	32	5
Dis. of Kidneys - -	122	2	-	3	2	3	10	5	3	3	8	20	24	21	12	10	4	-
Dis. of Gen. Organs -	62	1	-	-	-	-	1	-	1	1	1	9	12	16	16	4	2	-
Dis. of Joints - - -	32	-	1	2	-	-	3	4	4	3	1	1	5	3	3	4	1	-
Dis. of Skin - - -	46	10	7	4	1	1	23	1	2	-	2	5	3	3	5	2	-	-
Childbirth and Metria	171	-	-	-	-	-	-	-	8	30	83	47	3	3	-	-	-	-
Suicide - - -	24	-	-	-	-	-	-	-	-	2	2	2	7	7	4	-	-	-
Other Violent Deaths	363	147	30	9	10	6	192	19	8	10	8	7	9	12	10	9	10	3
Other Causes - - -	1938	1214	149	31	10	7	1411	6	3	3	1	10	11	14	24	121	244	110

396.—MERIDEN.

Mean Popul ⁿ , 1861-71	5597	141	148	140	148	136	713	675	575	447	443	731	650	538	407	278	123	17
TOTAL DEATHS—	1001	142	51	29	16	17	255	38	32	36	25	61	62	69	71	140	182	50
Small-pox - - -	3	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Measles - - -	13	2	5	3	-	2	12	-	-	1	-	-	-	-	-	-	-	-
Scarlatina - - -	33	-	2	5	4	4	15	8	7	1	-	-	1	-	-	-	-	-
Diphtheria - - -	27	1	6	1	3	-	10	6	4	3	-	1	3	-	-	-	-	-
Whooping-cough -	17	7	4	3	-	-	14	3	-	-	-	-	-	-	-	-	-	-
Typhus - - -	21	1	-	1	-	4	8	4	-	1	1	-	2	1	1	-	-	-
Diarrhoea & Dysentery	33	10	2	2	-	1	15	-	2	1	-	1	1	-	-	3	11	-
Cholera - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	26	1	1	2	1	-	5	1	4	-	-	1	1	-	2	4	7	-
Cancer - - -	33	-	-	-	-	-	-	-	-	-	-	1	6	3	8	11	4	-
Scrophula and Tuberc.	15	2	1	-	2	-	5	-	2	3	-	2	3	3	-	-	-	-
Phtisis - - -	98	1	-	-	-	-	1	-	6	12	15	33	17	11	3	-	-	-
Hydrocephalus - -	4	-	2	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	121	19	3	4	2	2	40	7	2	5	3	4	7	9	8	24	21	1
Dis. of Heart & Dropsy	96	-	-	-	-	-	-	2	2	1	-	1	4	9	17	38	29	3
Dis. of Lungs - - -	163	24	16	7	1	3	51	3	2	3	-	1	7	9	15	31	29	12
Dis. of Stom. and Liver	74	4	1	-	-	-	5	2	1	-	2	4	4	14	10	20	10	3
Dis. of Kidneys - -	11	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	-	-
Dis. of Gen. Organs -	16	-	-	-	-	-	-	-	-	-	-	3	1	3	2	4	-	-
Dis. of Joints - - -	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
Dis. of Skin - - -	8	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-
Suicide - - -	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	-
Other Violent Deaths	9	1	2	-	-	-	3	1	-	1	-	-	-	-	-	1	3	-
Other Causes - - -	167	65	6	1	-	-	72	-	-	-	1	-	1	3	1	10	47	39

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and upwards.		
397.—ATHERSTONE.																				
Mean Popul ⁿ , 1861-71	5952	177	167	166	151	161	822	769	666	559	452	738	618	557	395	260	105	11		
TOTAL DEATHS	1231	305	94	47	30	20	406	46	23	21	26	49	61	61	103	165	144	38		
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	25	6	12	4	-	2	24	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	50	2	6	12	6	10	36	11	2	-	-	-	1	-	-	-	-	-	-	-
Diphtheria	10	-	1	2	-	-	3	-	4	-	-	-	2	1	-	-	-	-	-	-
Whooping-cough	24	10	11	2	1	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	39	-	3	1	4	1	9	6	3	4	2	3	4	3	3	1	1	1	1	1
Diarrhoea & Dysentery	89	56	9	6	1	1	73	1	-	-	-	-	-	1	2	2	9	1	1	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	3	5	3	2	3	16	1	1	-	1	1	3	-	3	6	2	1	1	1
Cancer	19	-	-	-	-	-	-	-	-	-	1	-	-	2	-	7	3	4	-	-
Scrofula and Tabes	21	6	2	1	3	-	12	1	2	1	1	3	1	-	-	-	-	-	-	-
Phthisis	89	2	2	1	1	-	6	2	2	4	12	28	18	10	3	2	-	-	-	-
Hydrocephalus	19	7	3	1	2	-	13	5	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	144	60	6	-	1	-	67	5	1	3	3	3	6	6	8	24	16	10	2	2
Dis. of Heart & Dropsy	104	1	-	-	-	-	1	1	1	1	1	3	8	14	16	44	14	1	1	1
Dis. of Lungs	171	28	20	5	5	3	61	3	2	1	-	2	5	9	25	32	24	4	4	4
Dis. of Stom. and Liver	74	8	1	-	1	-	10	1	-	-	-	1	1	4	10	19	19	9	3	3
Dis. of Kidneys	19	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	9	2	1	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	1	-	-	-	-	1	1	1	-	-	-	-	-	-	1	1	-	-	-
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-
Other Violent Deaths	58	1	2	7	3	-	13	5	3	5	2	4	4	3	9	4	5	1	1	1
Other Causes	225	111	11	2	-	-	124	1	-	1	-	1	1	2	2	24	22	25	27	27
398.—NUNEATON.																				
Mean Popul ⁿ , 1861-71	6044	174	167	160	162	156	819	716	694	570	446	725	712	577	412	256	104	13		
TOTAL DEATHS	1460	382	114	44	39	22	601	66	22	44	36	58	59	91	120	175	144	44		
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	30	9	11	1	6	1	28	-	1	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	45	-	7	10	5	3	25	18	1	-	-	-	-	-	1	-	-	-	-	-
Diphtheria	5	-	1	-	1	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	11	3	4	3	-	-	10	1	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	64	2	3	-	2	5	12	12	6	9	6	5	3	5	5	1	-	-	-	-
Diarrhoea & Dysentery	38	23	4	1	1	-	29	-	-	-	-	-	-	-	-	2	3	2	2	2
Cholera	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	7	6	3	4	3	23	3	1	-	-	2	2	2	-	1	1	1	1	1
Cancer	29	-	-	-	-	-	-	1	1	2	-	2	2	2	12	3	5	-	-	-
Scrofula and Tabes	35	8	11	3	1	2	25	-	1	-	1	1	1	4	1	1	-	-	-	-
Phthisis	109	1	-	2	-	1	4	4	2	16	16	25	15	16	7	3	-	-	-	-
Hydrocephalus	19	6	6	-	1	2	15	4	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	196	66	9	4	3	1	83	6	-	1	3	7	4	12	24	33	27	8	1	1
Dis. of Heart & Dropsy	88	1	-	1	-	-	2	3	-	3	2	4	8	14	22	17	19	1	1	1
Dis. of Lungs	230	54	23	12	8	1	98	5	1	2	4	2	8	15	19	43	26	5	1	1
Dis. of Stom. and Liver	47	3	2	-	-	-	5	1	2	2	-	2	2	5	9	13	5	1	1	1
Dis. of Kidneys	22	-	1	1	-	-	2	-	1	1	1	2	3	3	9	9	1	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	1	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Other Violent Deaths	57	4	5	-	4	1	14	2	5	4	3	5	6	8	5	3	4	1	1	1
Other Causes	373	191	21	3	3	1	219	5	-	1	-	1	1	3	8	24	74	27	27	27
399.—FOLESHILL.																				
Mean Popul ⁿ , 1861-71	8961	298	269	240	243	262	1317	1190	1021	833	671	1045	973	797	611	363	128	12		
TOTAL DEATHS	2114	604	192	85	52	29	1052	66	54	58	53	75	84	85	143	207	185	34		
Small-pox	13	7	-	-	-	-	7	-	2	-	-	3	1	-	-	-	-	-	-	-
Measles	39	7	15	11	2	1	36	3	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	75	9	15	15	16	12	67	7	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	17	8	2	4	2	1	12	2	2	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	19	10	5	3	1	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	84	5	1	4	8	4	22	13	11	11	3	7	5	8	2	2	4	1	1	1
Diarrhoea & Dysentery	86	49	17	-	1	-	67	-	-	-	1	-	2	2	4	6	4	1	1	1
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	45	9	4	8	4	2	27	4	2	1	-	2	2	-	4	4	1	1	1	1
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tabes	83	35	18	6	3	2	64	3	6	4	2	1	2	2	7	3	2	1	1	1
Phthisis	125	4	8	3	-	-	13	5	6	16	33	25	23	15	6	3	-	-	-	-
Hydrocephalus	17	4	7	2	-	-	13	4	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	216	88	11	3	3	1	106	4	5	1	2	5	3	10	22	35	22	2	2	2
Dis. of Heart & Dropsy	98	3	1	-	2	-	6	2	3	3	2	4	10	13	23	19	9	1	1	1
Dis. of Lungs	315	100	55	17	5	3	186	9	4	1	5	2	5	8	27	40	26	4	4	4
Dis. of Stom. and Liver	107	30	5	2	1	1	39	1	2	4	-	2	6	15	23	9	2	1	1	1
Dis. of Kidneys	16	1	-	-	-	-	1	-	-	-	1	1	4	1	2	4	2	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-
Dis. of Skin	7	3	1	-	-	-	4	-	-	2	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-
Other Violent Deaths	93	8	1	5	1	2	12	8	8	13	3	12	11	7	7	5	4	1	1	1
Other Causes	593	317	31	2	-	-	350	1	1	-	-	-	2	9	21	62	144	46	46	46

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																Total under 5 Years.	Total under 5 Years.
		Total under 1 Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

397.—ATHERSTONE.																			
Mean Popul ⁿ , 1861-71	6044	183	171	165	171	164	854	732	647	494	508	821	638	539	417	273	106	15	
TOTAL DEATHS -	1175	223	93	30	24	19	389	40	21	34	42	69	75	70	105	154	126	50	
Small-pox - - -	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	16	-	8	2	2	1	13	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	47	3	8	9	6	6	32	13	1	-	-	-	1	-	-	-	-	-	-
Diphtheria - - -	11	-	2	-	2	2	6	3	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	23	15	8	2	2	-	27	1	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	39	-	2	2	-	3	7	4	5	5	4	6	8	1	3	1	-	-	-
Diarrhoea & Dysentery	84	39	12	1	1	1	54	2	-	-	-	2	1	1	6	5	11	2	-
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	15	2	1	1	4	-	8	1	1	-	1	-	-	-	-	3	-	-	-
Cancer - - -	27	-	-	-	-	-	-	-	-	-	1	1	3	7	9	4	1	1	-
Scrophula and Tuberc.	28	7	5	1	-	-	13	2	2	2	4	1	3	1	1	-	-	-	-
Phthisis - - -	123	2	1	1	-	1	5	3	15	25	32	21	12	7	2	-	-	-	-
Hydrocephalus - -	15	4	4	1	-	-	9	1	3	1	-	1	-	-	-	-	-	-	-
Dis. of Brain - - -	187	43	6	3	-	1	53	3	-	1	1	4	7	15	11	23	14	5	-
Dis. of Heart & Dropsy	105	1	-	-	-	-	1	1	1	2	-	3	10	10	25	37	14	1	-
Dis. of Lungs - - -	146	21	20	4	3	3	51	3	2	-	1	1	5	4	18	27	22	9	-
Dis. of Stom. and Liver	85	4	-	1	1	-	6	1	1	1	1	2	6	15	18	26	9	1	-
Dis. of Kidneys - -	19	1	-	-	-	-	1	-	-	-	-	2	2	-	2	2	1	-	-
Dis. of Genes. Organs	5	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-
Dis. of Joints - - -	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
Dis. of Skin - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Childbirth and Metris	25	-	-	-	-	-	-	-	3	2	10	10	-	-	-	-	-	-	-
Suicide - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Other Violent Deaths	19	-	1	1	2	1	5	-	-	3	1	-	1	1	-	1	2	5	-
Other Causes - - -	198	77	14	1	1	-	95	2	-	-	-	2	1	2	2	20	51	25	-

398.—NUNEATON.																			
Mean Popul ⁿ , 1861-71	6699	181	172	157	152	166	828	769	694	642	601	892	781	651	448	276	102	15	
TOTAL DEATHS -	1501	330	114	46	35	35	560	55	36	42	59	99	85	80	110	188	139	48	
Small-pox - - -	9	3	1	-	-	3	7	-	1	1	-	-	-	-	-	-	-	-	-
Measles - - -	27	3	12	6	2	8	26	-	-	-	-	1	-	-	-	-	-	-	-
Scarlatina - - -	57	3	11	9	10	11	44	9	-	1	-	3	-	-	-	-	-	-	-
Diphtheria - - -	13	-	-	1	2	1	4	8	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough -	14	8	2	1	1	1	13	-	1	-	-	-	-	-	-	-	-	-	-
Typhus - - -	63	1	3	3	3	3	13	5	7	8	9	8	3	5	1	3	1	-	-
Diarrhoea & Dysentery	44	23	4	-	-	-	27	-	1	-	1	1	3	-	-	7	4	-	-
Cholera - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	33	6	9	3	1	1	29	5	1	-	-	1	1	1	3	-	1	-	-
Cancer - - -	40	-	-	-	-	-	-	-	2	-	-	-	8	7	7	12	2	2	-
Scrophula and Tuberc.	24	9	4	2	1	-	16	3	1	1	1	1	1	1	-	-	-	-	-
Phthisis - - -	198	1	2	1	1	1	6	3	14	21	36	51	33	29	10	2	-	-	-
Hydrocephalus - -	21	5	3	2	2	2	14	5	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	170	53	17	1	3	2	76	2	2	3	-	2	7	6	21	27	16	8	-
Dis. of Heart & Dropsy	112	-	1	-	-	1	2	1	2	2	2	8	6	14	26	38	11	-	-
Dis. of Lungs - - -	189	46	31	9	5	5	98	8	1	2	1	2	4	9	12	26	23	5	-
Dis. of Stom. and Liver	79	5	1	2	-	-	8	2	1	-	2	6	8	11	16	18	4	6	-
Dis. of Kidneys - -	10	-	-	-	-	-	-	-	1	-	1	3	-	-	-	4	1	-	-
Dis. of Genes. Organs	9	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	-	-	-
Dis. of Joints - - -	5	1	-	-	-	-	1	1	-	-	2	-	-	-	-	1	-	-	-
Dis. of Skin - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metris	14	-	-	-	-	-	-	-	-	-	1	5	7	1	-	-	-	-	-
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths	16	-	-	2	1	-	3	1	2	1	1	1	1	1	2	3	-	-	-
Other Causes - - -	330	163	13	4	2	1	183	2	-	-	-	3	-	2	10	45	78	39	-

399.—FOLESHILL.																			
Mean Popul ⁿ , 1861-71	9662	274	261	270	257	259	1321	1179	1064	872	859	1260	1069	858	623	396	140	21	
TOTAL DEATHS -	2099	516	150	79	60	40	845	78	54	67	72	156	97	85	148	237	199	61	
Small-pox - - -	5	-	-	1	-	1	2	-	1	-	1	1	-	-	-	-	-	-	-
Measles - - -	50	5	20	6	9	2	44	16	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	73	8	7	14	17	11	37	4	1	1	-	-	-	-	-	-	-	-	-
Diphtheria - - -	21	4	1	-	6	5	16	4	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	19	9	6	2	2	-	19	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	119	2	1	4	5	3	15	19	17	14	13	12	4	3	6	4	-	1	-
Diarrhoea & Dysentery	75	46	10	4	-	-	69	1	-	-	-	1	-	1	2	4	6	-	-
Cholera - - -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	42	10	6	6	5	3	30	2	2	-	-	-	2	2	2	-	-	-	-
Cancer - - -	34	-	-	1	-	-	1	-	-	1	1	2	3	4	11	7	3	1	-
Scrophula and Tuberc.	67	28	14	7	1	3	53	3	1	4	3	1	1	1	-	-	-	-	-
Phthisis - - -	234	3	9	6	1	2	21	2	14	26	35	77	37	15	4	3	-	-	-
Hydrocephalus - -	15	3	4	3	1	-	11	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	167	66	7	5	4	1	73	-	3	4	4	5	4	10	16	34	12	2	-
Dis. of Heart & Dropsy	169	4	-	-	1	1	6	5	8	4	6	11	15	14	20	47	13	1	-
Dis. of Lungs - - -	237	36	54	12	2	2	103	10	1	3	1	9	5	6	20	38	28	4	-
Dis. of Stom. and Liver	105	22	6	1	2	1	82	2	2	1	3	7	8	15	21	10	5	1	-
Dis. of Kidneys - -	7	-	1	-	1	-	2	-	-	-	-	1	-	-	1	2	1	-	-
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints - - -	7	-	-	1	-	1	2	2	-	1	-	-	-	-	-	1	-	-	-
Dis. of Skin - - -	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metris	43	-	-	-	-	-	-	-	-	3	3	25	11	1	-	-	-	-	-
Suicide - - -	6	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	3	3	-
Other Violent Deaths	34	7	1	1	3	2	14	1	4	1	1	-	-	-	-	-	-	-	-
Other Causes - - -	578	253	22	3	-	1	279	5	-	2	-	2	5	8	22	78	128	49	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	80—	
400.—COVENTRY.																			
Mean Popul ⁿ , 1861-71		19313	590	522	520	493	498	2623	2299	2093	1825	1629	2695	2249	1792	1240	658	190	30
TOTAL DEATHS		4347	1224	376	154	98	79	1931	191	87	104	127	201	242	260	381	440	311	72
Small-pox		38	8	7	5	—	3	23	11	1	—	2	1	—	—	—	—	—	—
Measles		85	13	43	13	8	2	79	5	1	—	—	—	—	—	—	—	—	—
Scarlatina		188	11	25	26	33	24	119	60	6	1	—	2	—	—	—	—	—	—
Diphtheria		23	4	5	3	—	4	16	5	1	—	—	—	1	—	—	—	—	—
Whooping-cough		90	38	29	14	6	1	88	2	—	—	—	—	—	—	—	—	—	—
Typhus		132	5	6	8	13	5	87	30	19	12	5	8	10	5	10	11	4	—
Diarrhoea & Dysentery		329	224	60	9	3	2	288	1	—	—	—	2	—	—	6	10	17	5
Cholera		8	2	—	—	—	—	2	—	—	—	—	—	—	1	2	1	1	—
Other Zymotic Dis.		98	12	0	6	11	8	46	7	3	3	4	3	7	2	12	8	1	2
Cancer		32	—	—	—	—	—	1	—	—	1	—	3	7	10	13	15	1	1
Scrofula and Tuberc.		94	36	17	9	3	5	70	4	5	4	2	1	2	1	—	4	1	—
Phthisis		419	9	7	2	1	3	22	10	9	49	77	93	81	60	26	2	—	—
Hydrocephalus		53	17	13	10	5	—	45	7	1	2	—	—	—	—	—	—	—	—
Dis. of Brain		536	162	32	10	2	7	213	14	7	4	6	16	24	43	64	83	33	10
Dis. of Heart & Dropsy		257	5	2	—	—	2	9	6	9	10	5	22	30	35	55	51	25	3
Dis. of Lungs		666	154	71	20	9	7	265	7	1	7	5	16	25	52	82	121	179	3
Dis. of Stom. and Liver		206	22	4	1	1	1	29	9	7	5	6	12	22	25	46	30	14	2
Dis. of Kidneys		88	2	—	—	—	1	3	1	2	1	3	5	8	13	18	22	10	2
Dis. of Gener. Organs		3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Dis. of Joints		20	1	—	1	—	—	2	—	2	—	4	2	3	—	2	—	1	—
Dis. of Skin		8	4	—	—	—	—	4	1	1	—	—	—	1	—	—	—	—	—
Childbirth and Metris		90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		30	—	—	—	—	—	—	—	—	—	1	3	4	6	12	5	1	—
Other Violent Deaths		104	8	6	5	—	2	21	7	10	3	1	3	11	9	9	23	7	2
Other Causes		798	483	80	12	3	2	559	3	2	—	1	7	5	11	8	23	24	107

401.—RUGBY.																			
Mean Popul ⁿ , 1861-71		12389	356	324	306	287	304	1577	1458	1573	1464	903	1524	1308	1082	813	495	170	22
TOTAL DEATHS		2297	567	161	60	48	46	882	75	65	45	46	117	146	119	194	289	264	73
Small-pox		1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles		25	4	12	2	—	3	21	4	—	—	—	—	—	—	—	—	—	—
Scarlatina		63	5	12	6	9	9	41	13	6	2	—	—	1	—	—	—	—	—
Diphtheria		29	3	4	2	2	2	13	7	6	—	—	1	—	1	1	1	—	—
Whooping-cough		38	22	8	4	2	2	38	—	—	—	—	—	—	—	—	—	—	—
Typhus		95	2	1	4	5	3	15	8	9	9	4	9	8	10	11	9	3	—
Diarrhoea & Dysentery		92	40	15	3	1	1	60	1	—	2	1	—	—	4	6	9	2	2
Cholera		2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Other Zymotic Dis.		63	1	7	5	11	4	28	5	3	2	1	3	3	6	5	4	4	1
Cancer		33	—	—	—	—	—	—	—	1	—	—	—	3	2	7	11	9	—
Scrofula and Tuberc.		29	8	4	4	—	—	16	—	1	3	—	3	1	3	—	—	—	—
Phthisis		165	6	2	2	—	—	10	4	10	11	16	42	39	11	11	11	—	—
Hydrocephalus		25	8	7	3	1	1	20	2	2	1	—	—	—	—	—	—	—	—
Dis. of Brain		329	115	17	5	2	3	142	6	6	2	6	8	13	15	22	62	41	4
Dis. of Heart & Dropsy		157	5	2	—	—	—	9	2	4	2	4	12	11	12	20	32	20	3
Dis. of Lungs		370	106	47	11	8	9	181	7	6	3	1	12	18	23	39	39	52	10
Dis. of Stom. and Liver		165	12	3	2	3	1	21	2	3	1	3	9	6	12	21	25	13	1
Dis. of Kidneys		57	1	—	—	—	—	1	2	1	1	—	2	10	7	14	11	9	—
Dis. of Gener. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		6	—	—	1	—	—	1	—	—	—	2	2	—	—	1	—	—	—
Dis. of Skin		6	1	—	—	—	—	1	—	—	—	—	—	—	—	2	1	—	—
Childbirth and Metris		13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		107	4	4	4	1	7	20	10	—	—	—	1	4	1	4	3	—	—
Other Violent Deaths		513	224	16	2	1	1	244	1	8	6	8	10	16	11	9	23	7	2
Other Causes		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

402.—SOLIHULL.																			
Mean Popul ⁿ , 1861-71		6941	194	167	201	184	181	927	855	741	598	515	885	790	661	522	328	106	14
TOTAL DEATHS		1172	282	48	24	20	14	388	50	23	22	29	59	61	83	119	155	132	21
Small-pox		2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Measles		14	2	4	1	2	1	10	4	—	—	—	—	—	—	1	—	—	—
Scarlatina		34	2	3	5	7	3	20	8	3	2	1	—	—	—	—	—	—	—
Diphtheria		21	2	2	2	3	2	11	6	—	1	—	2	—	—	—	—	—	—
Whooping-cough		16	11	1	2	1	—	15	1	—	—	—	—	—	—	—	—	—	—
Typhus		27	—	2	1	1	1	5	1	2	1	4	3	4	1	3	3	—	—
Diarrhoea & Dysentery		40	25	2	—	1	—	28	—	—	—	—	—	1	2	—	2	—	—
Cholera		2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		22	4	3	—	2	—	9	1	—	1	—	1	2	—	3	4	—	—
Cancer		28	—	—	—	—	—	—	—	—	1	—	1	1	4	2	13	—	—
Scrofula and Tuberc.		30	22	2	2	—	2	28	2	2	1	—	1	1	1	—	—	—	—
Phthisis		97	2	—	—	—	1	3	1	4	6	14	30	17	13	7	1	—	—
Hydrocephalus		7	4	1	1	1	—	7	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain		132	40	5	2	1	2	50	6	1	2	—	2	5	3	14	17	30	—
Dis. of Heart & Dropsy		94	1	—	—	—	—	1	2	1	—	3	7	6	15	24	21	33	1
Dis. of Lungs		200	57	13	4	1	1	78	5	1	—	1	5	9	16	31	24	30	—
Dis. of Stom. and Liver		73	9	1	—	—	—	10	3	1	2	2	2	5	8	17	18	—	—
Dis. of Kidneys		37	—	1	—	—	—	1	—	—	—	—	1	4	3	8	14	—	—
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		5	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—
Dis. of Skin		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		10	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—
Other Violent Deaths		34	3	2	2	—	1	8	4	6	1	1	3	4	6	1	1	—	—
Other Causes		240	96	4	2	—	—	162	4	—	1	1	1	1	2	7	20	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
400.—COVENTRY.																			
Mean Popul ⁿ , 1861-71	21567	601	546	531	540	524	2742	2313	2209	2213	2007	3269	2568	1937	1320	735	222	32	
TOTAL DEATHS-	4822	974	825	198	135	83	1715	172	75	129	154	277	254	269	341	463	366	107	
Small-pox - - -	29	10	1	2	5	2	20	4	1	1	-	-	1	2	-	-	-	-	
Measles - - -	97	11	81	25	15	4	86	11	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	198	15	19	34	42	32	142	53	3	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	30	1	7	5	5	3	21	6	-	2	-	1	-	-	-	-	-	-	
Whooping-cough -	105	33	30	23	11	5	102	3	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	137	2	6	10	9	11	38	15	15	15	13	15	10	7	4	4	1	-	
Diarrhoea & Dysentery	289	166	48	8	1	-	243	5	-	-	-	2	1	5	3	13	10	5	
Cholera - - -	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	
Other Zymotic Dis.	94	9	10	5	8	4	42	9	4	6	2	5	2	10	2	6	5	1	
Cancer - - -	115	-	1	-	-	1	2	-	-	1	1	4	20	31	31	17	7	1	
Scrofula and Tuberc.	95	35	12	9	6	-	62	9	5	6	4	5	1	-	4	1	-	-	
Phthisis - - -	422	6	6	-	3	-	15	7	15	63	72	125	78	32	13	2	-	-	
Hydrocephalus - -	40	11	6	5	4	3	29	8	2	-	1	-	-	-	-	-	-	-	
Dis. of Brain - - -	485	123	30	12	7	5	167	12	6	9	13	21	20	32	61	84	60	4	
Dis. of Heart & Dropsy	584	4	2	1	2	-	9	4	7	5	6	12	28	38	61	75	35	4	
Dis. of Lungs - - -	703	131	69	38	9	4	261	12	3	4	10	21	20	40	83	141	97	18	
Dis. of Stom. and Liver	206	11	3	2	1	3	20	5	7	4	10	18	19	40	40	28	14	3	
Dis. of Kidneys - -	49	-	-	1	-	-	1	1	1	1	6	-	12	5	5	8	3	-	
Dis. of Gener. Organs	23	-	-	1	-	-	1	-	-	-	-	4	7	1	2	2	-	-	
Dis. of Joints - - -	17	-	2	-	1	1	4	1	2	2	1	2	1	1	2	1	-	-	
Dis. of Skin - - -	11	4	-	1	-	-	5	-	1	-	-	-	-	2	-	2	1	-	
Childbirth and Metris	59	-	-	-	-	-	-	-	-	3	8	26	21	1	-	-	-	-	
Suicide - - -	19	-	-	-	-	-	-	-	-	2	-	2	1	2	2	-	1	-	
Other Violent Deaths	51	8	2	1	3	3	17	5	1	-	3	2	1	4	3	8	6	1	
Other Causes - - -	770	373	44	15	8	2	437	4	2	5	4	5	11	9	22	71	130	70	

401.—RUGBY.

Mean Popul ⁿ , 1861-71	12354	320	309	318	281	298	1526	1406	1294	1109	1069	1753	1469	1160	826	519	200	23
TOTAL DEATHS	2201	420	123	79	38	32	692	86	47	69	65	150	146	118	186	205	258	80
Small-pox	3	-	-	-	-	-	17	3	-	-	2	1	-	-	-	-	-	-
Measles	20	2	8	3	1	3	17	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	58	3	7	11	8	5	34	15	4	3	1	1	-	-	-	-	-	-
Diphtheria	24	-	4	3	4	1	12	9	-	1	1	-	-	1	-	-	-	-
Whooping-cough	36	12	7	10	2	1	32	3	1	-	-	-	-	-	-	-	-	-
Typhus	74	-	1	5	-	3	9	20	5	9	9	5	4	-	6	3	4	-
Diarrhoea & Dysentery	93	30	13	2	-	1	46	1	-	1	1	3	2	2	6	13	13	5
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	49	3	5	5	4	3	20	5	4	3	1	1	2	2	5	3	3	-
Cancer	64	-	-	-	-	-	-	-	1	-	1	2	8	14	12	13	12	1
Scrofula and Tuberc.	40	13	3	1	1	-	18	-	3	2	2	3	5	4	4	1	-	-
Phthisis	220	4	-	-	-	1	9	5	11	30	28	62	43	20	8	4	-	-
Hydrocephalus	16	6	5	2	-	-	15	1	-	1	1	-	-	-	-	-	-	-
Dis. of Brain	230	65	14	6	6	3	94	4	3	7	2	10	8	14	22	33	26	7
Dis. of Heart & Dropsy	181	2	1	-	-	-	4	-	6	1	5	9	14	24	30	58	25	5
Dis. of Lungs	225	69	31	19	5	6	130	10	6	3	7	13	16	14	21	26	11	-
Dis. of Stom. and Liver	122	5	3	1	-	1	10	1	1	4	3	13	15	14	21	28	11	-
Dis. of Kidneys	23	2	-	-	2	-	4	-	-	1	-	4	1	1	9	2	1	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	-	3	2	2	6	-	-
Dis. of Joints	10	-	-	-	-	-	-	1	1	1	-	-	2	-	1	3	1	-
Dis. of Skin	6	3	-	-	-	-	3	-	-	-	-	1	-	-	1	-	-	-
Childbirth and Metris	57	-	-	-	-	-	-	-	-	-	1	21	15	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths	34	9	3	1	3	2	18	3	1	2	-	3	1	1	1	2	1	2
Other Causes	494	192	15	9	1	2	219	5	1	-	-	3	4	-	25	58	121	69

402.—SOLIHULL.

Mean Popul ⁿ , 1861-71	7344	196	190	197	171	177	931	844	759	687	625	1031	827	660	507	317	137	19
TOTAL DEATHS	1150	197	50	31	17	10	305	45	19	29	31	79	77	72	96	169	169	59
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	-	3	-	1	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	3	7	1	6	2	19	9	2	-	-	-	-	-	-	-	-	-
Diphtheria	20	-	1	2	1	1	5	8	2	2	-	1	1	1	-	-	-	-
Whooping-cough	17	9	3	2	1	1	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	22	-	-	2	-	-	2	3	4	2	2	5	2	1	-	-	1	-
Diarrhoea & Dysentery	28	6	5	1	-	-	12	1	-	-	-	1	-	-	-	5	8	1
Cholera	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Other Zymotic Dis.	17	3	1	-	-	1	5	1	1	1	-	-	3	1	2	3	-	-
Cancer	51	-	-	1	-	-	1	-	-	-	-	-	6	9	10	8	6	3
Scrofula and Tuberc.	25	15	2	2	-	-	19	1	-	-	1	-	2	2	1	-	1	-
Phthisis	110	-	-	-	-	-	2	2	2	12	15	38	26	12	2	-	1	-
Hydrocephalus	8	2	2	2	1	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	143	23	5	4	4	2	38	5	4	3	5	4	4	11	10	29	16	5
Dis. of Heart & Dropsy	112	2	1	-	-	-	3	1	-	-	-	7	8	3	23	34	25	2
Dis. of Lungs	185	48	12	6	-	2	68	6	2	1	3	13	13	9	16	30	18	6
Dis. of Stom. and Liver	70	7	-	-	1	-	8	3	1	2	2	4	4	10	9	26	7	-
Dis. of Kidneys	8	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	2	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metris	11	-	-	-	-	-	-	-	-	-	1	4	6	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Other Violent Deaths	19	4	2	2	1	-	9	-	-	1	1	-	-	-	3	5	7	-
Other Causes	244	72	9	3	2	-	86	1	-	-	-	-	1	4	5	29	78	49

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— upwards.
403.—WARWICK.																		
Mean Popul ⁿ , 1861-71	21044	608	513	513	464	528	2626	2409	2253	1958	1644	2355	2482	2070	1505	913	236	33
TOTAL DEATHS	4742	1035	281	123	88	57	1584	167	102	110	144	305	316	396	450	593	478	30
Small-pox	25	6	6	-	1	-	13	1	-	1	1	2	4	2	1	-	-	-
Measles	102	19	35	19	10	10	363	4	2	-	-	2	1	2	-	-	-	-
Scarlatina	134	6	15	15	17	12	65	47	11	5	-	2	2	-	-	2	-	-
Diphtheria	28	3	1	1	6	2	13	6	4	1	-	-	5	-	1	-	-	-
Whooping-cough	64	29	19	8	5	3	64	-	-	-	-	-	-	-	-	-	-	-
Erythra	149	5	5	4	7	8	29	18	15	14	7	19	9	10	14	12	2	-
Diarrhoea & Dysentery	181	129	23	3	-	-	155	3	-	-	-	1	5	1	4	7	6	1
Cholera	5	4	-	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-
Other Zymotic Dis.	112	11	9	10	9	4	43	6	4	4	6	5	6	7	16	8	7	-
Cancer	55	-	-	-	-	-	-	-	-	-	-	2	2	12	17	18	4	-
Serofula and Tuberc.	90	36	16	4	3	4	63	7	6	2	2	4	1	2	2	1	-	-
Phthisis	538	13	2	5	1	-	21	6	12	35	67	130	109	93	46	19	1	-
Hydrocephalus	62	20	21	5	6	1	53	6	1	2	-	-	-	-	-	-	-	-
Dis. of Brain	707	138	28	15	5	2	188	21	12	12	16	33	26	69	96	122	76	19
Dis. of Heart & Dropsy	538	10	2	1	1	-	14	8	3	3	7	14	21	37	61	109	44	6
Dis. of Lungs	558	171	61	10	10	-	265	1	4	3	6	21	24	57	89	177	82	8
Dis. of Stom. and Liver	208	36	5	2	2	-	45	6	7	6	6	12	25	39	57	58	29	-
Dis. of Kidneys	136	-	1	-	1	-	2	3	1	2	4	9	13	10	22	31	30	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints	29	-	1	-	-	-	1	-	4	1	2	4	-	2	2	1	3	-
Dis. of Skin	21	9	-	-	-	-	9	-	-	2	-	-	2	2	4	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	26	-	-	-	-	-	-	-	-	-	2	7	6	4	2	4	1	-
Other Violent Deaths	199	12	2	5	4	5	28	12	16	16	15	26	22	23	18	13	7	2
Other Causes	899	378	29	7	-	1	415	2	-	2	3	7	5	11	37	122	223	10

		404.—STRATFORD-ON-AVON.																	
Mean Popul ⁿ , 1861-71	10831	301	297	291	275	302	1466	1306	1168	952	818	1390	1234	1041	775	476	188	17	
TOTAL DEATHS -	1991	431	107	47	32	27	644	70	32	43	52	113	100	136	210	276	239	76	
Small-pox -	6	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	
Measles -	27	5	11	7	1	1	25	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	42	4	7	4	5	6	20	15	-	1	-	-	-	-	-	-	-	-	
Diphtheria -	19	1	2	3	4	3	13	4	2	-	-	-	-	-	-	-	-	-	
Whooping-cough -	24	14	7	1	2	-	24	-	-	-	-	-	-	-	-	-	-	-	
Typhus -	39	-	1	-	-	1	2	4	-	4	3	3	4	-	3	3	3	1	
Dysentery & Cholera -	68	35	6	3	-	-	44	1	-	-	1	1	-	2	1	1	1	1	
Other Zymotic Dis.	42	10	4	4	4	2	24	-	4	1	-	-	-	3	3	2	2	2	
Cancer -	18	-	-	-	-	-	-	-	-	-	-	1	1	5	5	6	-	-	
Scrofula and Tuberc.	46	21	4	5	-	2	32	3	2	2	2	3	1	-	-	-	-	-	
Phthisis -	177	-	2	1	1	-	4	4	5	15	28	55	27	10	18	2	-	-	
Hydrocephalus -	33	12	7	2	1	-	22	9	1	-	-	-	1	-	-	-	-	-	
Dis. of Brain -	233	51	5	1	3	2	62	5	3	5	3	10	6	18	36	61	34	2	
Dis. of Heart & Dropsy	134	-	1	1	2	-	4	-	2	2	3	6	9	16	37	44	24	2	
Dis. of Lungs -	293	71	25	10	6	4	116	6	-	2	1	6	9	22	39	57	30	3	
Dis. of Stom. and Liver	110	16	1	1	-	-	18	4	3	1	4	5	13	11	23	15	10	1	
Dis. of Kidneys -	81	-	-	-	-	-	-	-	1	2	3	5	8	10	13	24	12	1	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	5	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin -	9	2	1	-	-	-	3	-	1	-	-	1	-	-	2	-	-	-	
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	9	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	1	
Other Violent Deaths -	80	6	3	1	1	5	16	11	7	4	4	12	9	9	5	3	3	1	
Other Cause -	494	183	20	3	2	1	209	2	1	1	-	5	7	14	15	49	131	41	

		405.—ALCESTER.																	
Mean Popul ⁿ , 1861-71		8716	237	243	251	232	200	1163	1063	1026	787	687	1086	942	814	605	384	146	13
TOTAL DEATHS -		1673	397	106	42	38	21	604	65	28	51	43	61	65	124	148	230	205	51
Small-pox	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Measles	-	17	1	10	3	2	-	16	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	64	3	11	8	14	6	42	19	3	-	-	-	-	-	-	-	-	-
Diphtheria	-	8	2	2	1	-	1	6	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	13	6	3	-	2	-	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	-	28	1	1	1	1	1	5	3	5	6	2	2	-	2	1	2	-	-
Diarrhoea & Dysentery	-	66	28	9	1	1	-	89	-	-	-	3	-	2	4	4	5	11	-
Cholera	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	-	32	5	1	4	2	1	13	2	-	3	1	1	2	3	2	3	2	-
Cancer	-	23	-	-	-	-	-	-	-	-	-	-	2	-	3	10	4	3	1
Scrofula and Tuberc.	-	31	13	4	3	-	-	20	2	1	4	1	1	-	-	1	1	1	-
Phthisis	-	143	1	2	1	1	-	5	3	6	14	20	31	18	27	8	8	1	2
Hydrocephalus	-	15	6	2	1	2	-	11	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	-	214	44	6	8	4	4	66	9	3	2	2	4	3	13	19	52	31	4
Dis. of Heart & Dropsy	-	133	1	-	-	1	2	4	3	1	4	5	6	7	10	31	50	21	-
Dis. of Lungs	-	201	22	31	5	2	4	134	8	1	4	4	4	15	24	32	45	23	3
Dis. of Stom. and Liver	-	97	9	3	2	-	-	14	2	1	5	1	3	8	16	15	21	11	-
Dis. of Kidneys	-	29	-	-	-	-	1	1	-	-	1	1	1	1	4	8	4	4	-
Dis. of Gener. Organs	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Dis. of Joints	-	7	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-
Dis. of Skin	-	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	8	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	2	-
Other Violent Deaths	-	62	6	4	4	2	1	17	5	6	6	1	3	5	7	4	6	2	-
Other Causes	-	374	176	17	-	4	-	197	2	-	-	-	2	1	8	10	22	63	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
		403.—WARWICK.																	
Mean Popul ⁿ , 1861-71	25400	546	502	531	516	523	2618	2439	2282	2472	2534	3883	3123	2604	1818	1150	422	55	
TOTAL DEATHS	4831	809	285	145	95	62	1396	179	116	142	175	329	279	365	475	640	563	172	
Small-pox	18	3	1	-	2	1	7	1	2	3	1	-	3	1	1	-	-	-	
Measles	101	17	30	18	11	4	89	6	4	1	-	-	1	-	-	-	-	-	
Scarlatina	137	8	12	23	19	16	78	37	13	5	1	-	1	1	-	1	-	-	
Diphtheria	41	2	2	5	7	7	23	12	2	1	1	-	-	-	1	1	-	-	
Whooping-cough	86	30	25	16	9	3	83	3	-	-	-	-	-	-	-	-	-	-	
Typhus	155	3	5	7	9	8	32	32	10	19	21	7	10	6	6	8	4	-	
Diarrhoea & Dysentery	165	85	26	2	-	-	113	1	-	1	-	2	1	2	5	6	15	9	
Cholera	5	-	1	-	-	-	1	-	-	-	1	-	1	-	-	2	-	-	
Other Zymotic Dis.	106	12	3	8	8	5	36	11	3	2	1	7	2	5	13	10	13	3	
Cancer	188	1	-	-	-	-	1	-	-	1	-	12	21	49	51	35	14	3	
Serofula and Tabes	93	33	14	5	3	-	55	6	3	4	7	3	3	6	4	1	1	-	
Phthisis	607	7	1	6	1	4	19	12	34	53	89	169	95	76	45	13	2	-	
Hydrocephalus	42	6	17	4	3	2	32	7	2	1	-	-	-	-	-	-	-	-	
Dis. of Brain	576	108	25	12	7	4	156	13	10	14	11	29	39	49	79	100	66	10	
Dis. of Heart & Dropsy	435	5	2	1	1	1	10	6	8	7	11	21	27	56	100	128	55	6	
Dis. of Lungs	519	125	61	29	7	4	236	13	4	6	7	11	14	32	46	99	52	9	
Dis. of Stom. and Liver	397	30	3	1	2	2	38	6	6	7	6	17	29	32	64	60	35	7	
Dis. of Kidneys	57	-	1	-	1	-	2	3	1	1	3	5	8	12	8	11	3	-	
Dis. of Gener. Organs	27	-	-	-	-	-	-	-	-	1	1	-	1	5	10	7	3	-	
Dis. of Joints	18	1	-	-	-	-	1	1	-	2	2	-	-	3	1	4	1	-	
Dis. of Skin	27	5	2	3	-	-	10	-	2	1	-	3	-	-	6	2	2	1	
Childbirth and Metris	54	-	-	-	-	-	-	-	-	2	9	30	12	1	-	-	-	-	
Suicide	14	-	-	-	-	-	-	-	1	3	1	1	-	6	1	1	-	-	
Other Violent Deaths	84	13	9	2	4	-	28	3	6	5	2	6	2	3	5	9	10	3	
Other Causes	979	315	35	3	1	1	356	4	4	2	1	5	5	13	22	145	290	122	

404.—STRATFORD-ON-AVON.																		
Mean Popul ⁿ , 1861-71	10980	311	270	292	278	275	1426	1323	1155	927	864	1527	1260	1052	737	494	187	28
TOTAL DEATHS	2006	381	114	47	32	32	606	71	45	73	64	127	116	118	163	273	275	75
Small-pox	8	2	1	—	—	—	3	—	—	1	1	—	1	—	1	1	—	—
Measles	42	7	18	7	5	2	39	1	1	1	—	—	—	—	—	—	—	—
Scarlatina	46	1	6	10	5	5	27	10	4	2	—	2	1	—	—	—	—	—
Diphtheria	25	1	1	4	1	5	12	10	1	1	—	—	1	—	—	—	—	—
Whooping-cough	29	13	8	4	2	1	28	—	1	—	—	—	—	—	—	—	—	—
Typhus	44	—	—	—	2	—	2	9	3	11	2	5	2	3	3	3	1	—
Diarrhoea & Dysentery	74	32	7	—	1	3	43	1	—	1	1	1	1	1	2	12	11	—
Cholera	2	—	—	—	1	1	1	—	—	—	—	—	—	—	1	7	5	1
Other Zymotic Dis.	48	8	3	3	5	4	23	4	3	—	—	2	2	—	1	7	5	1
Cancer	70	—	—	—	—	—	—	—	—	—	—	3	3	20	19	18	7	—
Serofula and Tabes	46	13	10	2	—	—	25	3	3	4	—	6	1	2	1	1	—	—
Phthisis	202	4	2	3	1	1	11	8	9	28	27	63	33	15	9	—	—	—
Hydrocephalus	13	3	7	—	—	—	10	3	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	317	58	4	1	2	2	45	6	6	5	5	9	11	20	17	48	40	5
Dis. of Heart & Dropsy	165	2	—	—	—	—	2	2	2	3	6	8	9	17	35	57	23	1
Dis. of Lungs	235	61	25	8	5	5	104	2	4	4	—	5	11	12	35	41	40	8
Dis. of Stom. and Liver	122	17	2	—	—	1	20	4	4	3	3	5	8	18	29	22	8	—
Dis. of Kidneys	50	—	1	—	—	—	1	2	1	—	2	2	4	3	5	10	—	—
Dis. of Gener. Organs	10	—	—	—	—	—	—	—	—	—	1	1	1	3	2	1	—	—
Dis. of Joints	2	—	—	—	1	—	1	—	1	1	—	2	1	—	—	—	—	—
Dis. of Skin	13	7	—	—	—	—	7	—	—	—	—	—	1	—	—	—	—	—
Childbirth and Metris	41	—	—	—	—	—	—	—	—	3	7	16	15	—	—	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Other Violent Deaths	33	8	1	1	1	1	12	4	2	1	—	1	5	1	1	2	3	1
Other Causes	460	166	18	4	1	1	190	2	2	2	3	4	3	2	11	47	135	59

405.—ALCESTER.																		
Mean Popul ⁿ , 1861-71	8809	237	232	221	226	234	1150	1079	909	824	741	1177	960	811	597	383	155	23
TOTAL DEATHS	1682	343	80	66	33	19	541	75	34	60	59	114	88	93	159	193	203	63
Small-pox	3	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—
Measles	19	2	5	5	3	—	15	2	—	1	—	—	1	—	—	—	—	—
Scarlatina	72	5	6	15	8	11	45	22	4	—	—	1	—	—	—	—	—	—
Diphtheria	15	—	1	1	1	1	4	6	1	2	1	—	—	—	1	—	—	—
Whooping-cough	29	13	4	9	—	1	27	2	—	—	—	—	—	—	—	—	—	—
Typhus	31	2	1	2	2	1	8	4	4	6	1	2	1	2	2	2	2	—
Diarrhoea & Dysentery	33	25	5	1	2	—	33	6	1	—	—	1	2	2	2	2	2	—
Cholera	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	39	1	—	2	2	—	11	12	2	2	1	2	1	5	2	—	1	—
Cancer	45	—	—	—	—	—	—	—	—	—	—	4	2	8	19	8	3	1
Serofula and Tabes	25	16	5	3	2	—	26	—	1	2	1	1	1	2	1	—	—	—
Phthisis	173	2	1	—	—	—	3	4	8	25	29	47	34	9	6	3	5	—
Hydrocephalus	10	2	3	2	1	1	9	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	185	37	6	3	5	—	53	7	7	3	3	8	7	7	22	37	27	4
Dis. of Heart & Dropsy	185	1	1	—	—	—	2	2	2	4	7	14	10	25	62	48	28	3
Dis. of Lungs	236	58	25	15	5	2	105	5	1	6	5	11	12	8	21	37	29	6
Dis. of Stom. and Liver	99	7	—	—	—	—	7	—	2	2	4	6	7	12	20	22	15	2
Dis. of Kidneys	6	—	—	—	—	—	—	—	—	—	—	1	—	1	2	2	—	—
Dis. of Gener. Organs	9	—	—	—	—	—	—	—	1	—	1	2	—	1	2	2	—	—
Dis. of Joints	6	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—
Dis. of Skin	5	1	—	1	—	—	2	—	—	—	—	—	—	—	1	2	—	—
Childbirth and Metris	24	—	—	—	—	—	—	—	—	4	3	8	8	1	—	—	—	—
Suicide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	—
Other Violent Deaths	30	10	1	3	2	1	17	1	1	—	—	2	1	2	1	1	4	—
Other Causes	361	153	14	3	—	1	171	2	—	2	1	1	1	7	6	34	89	47

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--

406.—SHIPSTON-ON-STOUR.

Mean Popul ⁿ , 1861-71	9933	272	249	278	260	246	1305	1249	1142	910	701	1187	1067	913	740	512	190	17
TOTAL DEATHS	1875	443	108	56	36	32	675	64	39	40	33	86	85	101	172	256	265	61
Small-pox	3	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Measles	18	3	8	2	3	1	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	80	6	6	17	15	9	51	19	4	2	2	-	-	1	-	1	-	-
Diphtheria	6	1	1	1	1	-	3	2	-	-	-	1	-	-	-	-	-	-
Whooping-cough	32	18	6	3	2	3	32	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	1	1	1	1	2	6	4	2	3	3	3	3	1	7	4	2	-
Diarrhoea & Dysentery	52	20	10	2	-	1	33	-	-	-	-	-	1	5	2	4	6	3
Cholera	4	1	1	1	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	52	9	5	4	3	2	23	1	2	1	1	4	1	5	6	5	3	-
Cancer	23	-	-	1	-	-	1	-	-	-	-	2	2	3	4	8	3	-
Scrofula and Tubes	41	9	6	2	1	2	20	1	3	6	3	5	6	2	1	-	-	-
Phthisis	162	6	2	2	1	3	14	8	4	11	15	45	32	22	3	8	-	-
Hydrocephalus	51	6	11	3	-	1	21	8	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	196	43	8	2	1	1	55	2	1	3	2	4	7	13	23	29	42	7
Dis. of Heart & Dropsy	146	3	1	-	-	-	4	1	1	1	-	3	6	15	31	44	31	7
Dis. of Lungs	238	72	26	6	1	-	105	3	4	1	-	2	8	11	22	33	36	12
Dis. of Stom. and Liver	93	14	-	2	1	1	18	3	2	1	-	3	5	10	22	20	9	3
Dis. of Kidneys	43	-	-	-	-	-	-	-	1	1	-	1	2	2	10	17	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	1	1	-	1	2	-	-	1	-	-
Dis. of Skin	7	1	1	-	-	-	2	1	-	-	-	-	1	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	-	2	1	-	2	4	2	-
Other Violent Deaths	74	2	1	3	5	4	15	2	10	5	4	6	8	7	13	4	1	1
Other Causes	513	228	14	4	3	2	251	6	2	2	2	4	6	4	17	58	125	29

407.—SOUTHAM.

Mean Popul ⁿ , 1861-71	5343	143	140	131	144	141	699	654	601	487	381	675	581	532	403	239	84	7
TOTAL DEATHS	901	245	59	24	8	13	349	42	32	27	28	39	48	65	90	137	116	18
Small-pox	6	2	-	-	-	-	2	-	-	-	-	-	1	1	-	1	1	-
Measles	18	3	3	3	-	1	10	3	4	1	-	-	-	-	-	-	-	-
Scarlatina	16	1	3	4	-	-	8	5	2	-	1	-	-	-	-	-	-	-
Diphtheria	9	2	-	-	1	2	5	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	14	5	5	1	1	1	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	44	3	2	3	1	1	10	7	1	3	3	4	6	4	3	2	1	-
Diarrhoea & Dysentery	18	5	1	-	-	-	6	-	-	-	1	1	-	1	-	3	4	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	14	2	2	2	1	-	7	2	-	-	-	1	1	1	1	1	-	-
Cancer	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scrofula and Tubes	14	6	8	1	-	-	10	1	-	1	-	1	-	-	-	-	-	-
Phthisis	83	6	-	-	-	1	7	1	5	5	13	19	14	-	6	11	2	-
Hydrocephalus	5	2	2	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	113	22	9	2	2	1	56	1	3	4	1	1	3	14	9	29	11	1
Dis. of Heart & Dropsy	72	1	-	-	-	1	2	-	3	3	-	-	5	20	21	16	3	-
Dis. of Lungs	144	49	12	6	1	1	69	5	1	2	3	3	5	9	14	17	14	7
Dis. of Stom. and Liver	69	7	3	1	-	-	11	2	1	-	1	2	8	12	12	13	7	-
Dis. of Kidneys	26	-	-	-	-	-	-	1	-	2	2	-	1	3	2	7	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	-
Other Violent Deaths	52	1	2	-	1	3	7	7	10	1	1	5	3	1	6	8	2	-
Other Causes	235	128	12	1	-	1	142	3	-	3	-	1	1	4	9	31	23	8

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	per 1000.	
406.—SHIPSTON-ON-STOUR.																				
Mean Popul ⁿ , 1861-71	9831	281	245	280	262	257	1325	1242	1061	792	750	1251	1106	919	702	481	180	22		
TOTAL DEATHS	1734	268	105	57	33	20	483	61	49	59	57	113	89	103	151	261	242	66		
Small-pox	7	1	—	1	1	1	4	2	—	1	—	—	—	—	—	—	—	—	—	—
Measles	10	2	3	2	1	—	8	2	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	67	4	14	10	8	9	45	14	—	3	4	—	1	—	—	—	—	—	—	—
Diphtheria	7	—	—	—	2	—	2	2	2	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	32	9	12	6	1	2	30	1	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	57	1	1	—	—	—	2	10	1	6	8	7	3	5	3	4	—	—	—	—
Diarrhoea & Dysentery	59	20	5	3	2	—	30	1	—	—	2	3	1	2	1	3	11	5	—	—
Cholera	10	3	1	1	1	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	34	6	4	4	1	—	15	2	2	—	—	—	1	2	7	3	2	—	—	—
Cancer	47	—	—	—	—	—	—	—	—	—	—	1	3	6	17	16	4	—	—	—
Scrophula and Tuberc.	52	15	5	7	2	—	29	2	2	2	2	3	4	5	3	—	—	—	—	—
Phthisis	176	—	—	—	1	—	1	2	14	30	25	41	26	21	9	1	3	—	—	—
Hydrocephalus	11	4	2	1	1	—	8	1	2	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	155	19	12	5	2	2	40	3	2	5	2	12	8	18	22	36	34	3	—	—
Dis. of Heart & Dropsy	173	1	—	—	—	—	1	1	2	4	1	7	9	13	34	60	38	5	—	—
Dis. of Lungs	201	36	16	8	3	3	66	1	4	3	3	5	8	6	26	38	33	8	—	—
Dis. of Stom. and Liver	102	2	5	1	—	—	8	3	2	1	4	13	5	13	13	20	17	3	—	—
Dis. of Kidneys	14	—	—	—	—	—	—	1	—	—	1	—	1	2	1	6	2	—	—	—
Dis. of Gener. Organs	4	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
Dis. of Joints	4	—	1	—	—	—	1	—	—	—	—	—	—	2	1	—	—	—	—	—
Dis. of Skin	6	2	1	1	—	—	4	1	—	—	—	1	—	—	—	—	—	—	—	—
Childbirth and Metria	30	—	—	—	—	—	—	—	—	—	3	17	10	—	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	37	3	1	3	5	2	14	9	—	—	—	—	3	—	1	5	5	2	—	—
Other Causes	409	140	22	4	2	1	169	3	2	3	4	3	5	6	13	67	92	42	—	—
407.—SOUTHAM.																				
Mean Popul ⁿ , 1861-71	5115	147	154	148	150	138	737	681	566	411	348	670	567	473	354	215	83	10		
TOTAL DEATHS	936	197	60	28	16	13	314	34	22	33	37	61	49	45	55	132	121	33		
Small-pox	2	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—
Measles	23	7	9	3	1	2	22	1	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	19	—	3	3	3	4	13	3	1	1	1	—	—	—	—	—	—	—	—	—
Diphtheria	8	1	1	—	1	—	3	3	2	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	16	10	3	2	1	—	16	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	56	1	4	6	—	1	12	10	5	5	2	8	6	1	2	4	1	—	—	—
Diarrhoea & Dysentery	24	7	3	—	—	—	10	—	—	—	1	1	1	1	3	2	5	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	20	2	1	2	2	3	10	—	—	—	1	2	—	1	1	3	2	—	—	—
Cancer	15	—	—	—	—	—	—	—	—	—	—	—	2	3	2	7	1	—	—	—
Scrophula and Tuberc.	17	5	3	—	—	—	8	—	—	1	5	2	—	1	—	—	—	—	—	—
Phthisis	103	6	2	1	1	1	11	7	8	14	14	29	13	6	2	—	—	—	—	—
Hydrocephalus	8	3	3	—	1	—	7	1	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	89	17	5	4	1	—	27	1	—	2	2	3	2	5	8	17	18	4	—	—
Dis. of Heart & Dropsy	82	—	—	—	—	—	—	1	2	1	4	4	5	7	14	27	13	4	—	—
Dis. of Lungs	117	36	16	6	2	—	60	2	1	3	—	2	3	2	4	22	16	2	—	—
Dis. of Stom. and Liver	56	6	2	—	1	—	9	3	1	1	3	3	5	6	11	8	5	1	—	—
Dis. of Kidneys	10	—	—	—	—	—	—	—	—	1	—	2	1	5	1	—	—	—	—	—
Dis. of Gener. Organs	6	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Dis. of Joints	2	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Dis. of Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	14	—	—	—	—	—	—	—	—	—	3	3	7	1	—	—	—	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	15	4	—	—	2	1	7	4	—	—	—	—	—	—	—	1	1	—	—	—
Other Causes	232	92	5	1	—	1	99	—	—	1	1	—	4	3	6	33	28	22	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																Total under 5 Years.	5-10-	10-15-	15-20-	20-25-	25-35-	35-45-	45-55-	55-65-	65-75-	75-85-	85 & over.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-												

408.—LUTTERWORTH.

Mean Popul ⁿ , 1861-71	7390	202	172	176	191	193	934	936	872	661	449	796	844	774	587	382	137	18
TOTAL DEATHS -	1364	307	78	28	17	15	445	50	27	31	33	56	52	70	136	267	194	42
Small-pox -	5	2	1	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Measles -	11	8	6	-	-	-	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	30	1	4	4	5	4	18	7	4	1	-	-	-	-	-	-	-	-
Diphtheria -	12	1	1	1	1	-	4	5	3	-	-	-	-	-	-	-	-	-
Whooping-cough -	11	7	3	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus -	30	1	-	1	-	1	5	6	4	5	1	4	-	2	5	-	-	-
Diarrhoea & Dysentery -	25	9	-	-	-	-	14	-	1	-	-	-	1	-	2	4	1	2
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	30	4	4	1	2	2	14	6	-	-	-	2	2	1	2	1	2	-
Cancer -	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc. -	23	12	1	-	-	-	13	1	2	-	-	1	2	1	2	1	2	1
Phthisis -	101	1	-	1	-	2	4	-	2	12	16	28	13	15	6	5	-	-
Hydrocephalus -	14	5	6	1	-	-	10	2	1	-	-	1	-	-	-	-	-	-
Dis. of Brain -	192	63	18	1	2	1	85	5	4	4	1	4	5	6	23	22	23	8
Dis. of Heart & Dropsy -	108	1	-	2	1	-	4	1	-	-	1	4	9	9	19	40	18	2
Dis. of Lungs -	193	46	14	8	3	1	72	4	3	2	4	3	2	10	29	36	39	6
Dis. of Stom. and Liver -	85	13	1	1	1	1	17	4	4	3	1	6	9	12	19	19	-	-
Dis. of Kidneys -	41	-	-	1	-	-	1	-	-	-	4	-	5	3	10	13	19	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	28	1	2	1	-	1	5	2	3	-	2	4	3	2	4	2	-	-
Other Causes -	364	139	12	4	2	-	157	2	-	-	-	1	3	4	6	50	88	87

409.—MARKET HARBOROUGH.

Mean Popul ⁿ , 1861-71	7892	217	220	192	196	206	1031	966	888	688	613	996	862	774	580	365	119	10
TOTAL DEATHS -	1488	406	92	51	26	21	590	41	23	24	36	79	69	88	140	186	164	42
Small-pox -	5	1	-	1	-	-	2	-	-	-	2	-	-	1	-	-	-	-
Measles -	40	7	13	10	2	4	36	4	-	-	-	-	-	-	-	-	-	-
Scarlatina -	19	-	1	4	6	-	11	6	1	-	1	-	-	-	-	-	-	-
Diphtheria -	9	1	2	2	1	-	6	1	-	1	-	-	1	-	-	-	-	-
Whooping-cough -	24	15	4	2	1	1	23	1	-	-	-	-	-	-	-	-	-	-
Typhus -	33	-	-	2	3	1	6	5	4	3	3	2	2	2	3	3	-	-
Diarrhoea & Dysentery -	24	33	5	1	-	-	39	-	-	1	-	1	1	1	1	5	3	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	34	2	4	5	3	3	17	2	2	2	-	5	4	3	-	-	-	-
Cancer -	25	-	1	-	-	-	1	-	-	1	-	2	1	4	11	4	1	-
Scrophula and Tuberc. -	19	5	1	2	1	-	9	1	3	-	2	2	1	-	1	-	-	-
Phthisis -	129	1	3	1	1	-	6	5	2	7	17	43	21	13	9	4	-	-
Hydrocephalus -	26	10	6	2	1	6	25	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	195	89	6	3	1	1	100	3	1	2	1	-	4	14	16	33	36	1
Dis. of Heart & Dropsy -	110	1	1	-	-	-	2	1	1	1	4	5	10	10	30	21	14	1
Dis. of Lungs -	177	53	27	12	3	-	95	6	2	1	1	6	6	11	21	13	12	1
Dis. of Stom. and Liver -	79	6	1	1	-	1	9	3	3	3	1	3	6	13	12	21	4	-
Dis. of Kidneys -	11	-	-	-	-	-	-	-	-	-	1	-	2	1	4	1	2	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Dis. of Skin -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	4	1
Other Violent Deaths -	64	16	3	-	2	2	23	1	3	1	3	10	5	8	2	4	2	-
Other Causes -	423	165	14	3	1	2	185	1	1	1	-	-	3	4	27	60	102	39

410.—BILLESDON.

Mean Popul ⁿ , 1861-71	3683	104	90	92	90	92	468	413	371	362	301	477	440	351	263	171	61	5
TOTAL DEATHS -	496	74	24	13	16	8	129	21	9	6	15	19	36	37	53	72	88	11
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles -	5	1	-	4	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	17	3	5	2	3	3	16	1	-	-	-	-	-	-	-	-	-	-
Diphtheria -	9	1	1	-	-	3	5	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	6	4	2	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Typhus -	14	-	2	-	-	-	2	2	-	1	4	3	1	-	-	1	-	-
Diarrhoea & Dysentery -	8	5	-	-	-	-	5	-	-	-	-	-	-	-	1	-	-	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Other Zymotic Dis. -	15	-	2	2	-	-	4	1	3	-	-	-	2	1	1	-	-	-
Cancer -	7	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	2	-
Scrophula and Tuberc. -	6	1	2	-	-	-	3	-	1	-	-	1	1	-	-	-	-	-
Phthisis -	28	-	1	-	-	-	1	1	1	2	-	6	8	7	1	1	-	-
Hydrocephalus -	4	1	1	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	75	22	2	2	1	1	28	4	-	-	1	3	8	9	7	6	8	-
Dis. of Heart & Dropsy -	45	1	-	-	1	-	2	-	1	-	1	4	6	12	12	12	13	-
Dis. of Lungs -	57	8	3	2	2	1	16	2	-	-	1	3	1	5	9	7	13	-
Dis. of Stom. and Liver -	25	3	-	-	1	-	4	-	-	1	1	-	3	8	7	3	-	-
Dis. of Kidneys -	10	-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	2	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-
Other Violent Deaths -	19	1	1	-	-	-	2	3	1	1	1	-	4	1	4	3	1	-
Other Causes -	140	23	2	1	-	-	26	3	1	-	-	-	1	3	3	22	36	6

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.

408.—LUTTERWORTH.

Mean Popul ⁿ , 1861-71	7495	195	172	169	180	189	905	901	793	618	576	941	903	747	558	378	159	16
TOTAL DEATHS	1506	266	71	44	21	18	420	40	34	42	48	108	88	114	141	210	198	63
Small-pox	6	2	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	1
Measles	16	-	8	6	1	1	16	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	1	6	12	7	5	31	3	2	1	1	-	-	-	-	-	-	-
Diphtheria	10	2	-	-	-	2	5	3	1	-	-	1	-	-	-	-	-	-
Whooping-cough	18	6	8	1	-	-	15	3	-	-	-	-	-	-	-	-	-	-
Typhus	49	1	-	1	-	1	3	10	7	5	-	4	3	3	1	2	2	-
Diarrhoea & Dysentery	38	14	1	-	-	-	15	1	-	-	-	-	1	1	6	8	4	2
Cholera	6	1	-	-	-	-	1	-	-	1	-	-	-	-	1	3	2	-
Other Zymotic Dis.	31	3	3	4	4	1	15	4	-	2	-	-	3	1	3	-	-	-
Cancer	43	-	-	-	-	-	-	-	-	-	-	-	-	7	16	11	7	2
Scrofula and Tuberc.	14	2	-	2	1	1	6	2	-	-	1	2	2	1	-	-	-	-
Phthisis	173	1	1	-	-	-	2	2	10	20	25	62	21	23	9	1	-	-
Hydrocephalus	16	4	2	4	2	2	14	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	189	59	9	4	4	2	78	3	3	3	-	5	7	14	25	29	18	4
Dis. of Heart & Dropsy	138	2	-	-	-	-	3	-	3	2	7	10	7	21	27	41	17	1
Dis. of Lungs	179	19	15	5	-	3	62	1	2	4	5	8	6	12	19	25	35	16
Dis. of Stom. and Liver	117	10	4	2	1	-	17	-	2	2	4	9	14	13	25	36	4	2
Dis. of Kidneys	16	1	-	-	-	-	1	-	-	-	1	1	2	2	3	2	4	-
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	-	1	1	2	3	1	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metris	12	-	-	-	-	-	-	-	-	-	5	4	5	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Other Violent Deaths	22	9	2	-	-	-	11	1	1	-	-	-	1	1	1	5	2	-
Other Causes	357	109	12	2	1	-	124	1	2	1	-	1	4	1	5	62	115	43

409.—MARKET HARBOROUGH.

Mean Popul ⁿ , 1861-71	8179	213	215	213	212	193	1046	995	872	699	653	1088	933	755	582	387	153	16
TOTAL DEATHS	1507	333	77	42	39	22	513	41	27	50	47	84	91	94	110	191	207	52
Small-pox	3	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Measles	33	3	13	5	5	5	31	-	1	1	-	-	-	-	-	-	-	-
Scarlatina	28	3	1	5	8	-	17	8	2	1	-	-	-	-	-	-	-	-
Diphtheria	15	2	-	2	2	-	6	6	2	1	-	-	-	-	-	-	-	-
Whooping-cough	27	10	4	6	5	2	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	53	-	1	2	1	1	5	6	3	13	4	5	4	6	3	4	5	1
Diarrhoea & Dysentery	55	30	3	-	1	1	35	-	-	-	-	1	1	4	3	5	5	1
Cholera	33	7	4	4	4	3	22	2	1	1	-	-	1	-	1	4	1	-
Other Zymotic Dis.	44	-	-	-	-	-	-	-	-	-	-	3	6	16	7	7	3	2
Cancer	6	1	1	-	1	-	3	-	1	-	-	1	1	-	-	-	-	-
Scrofula and Tuberc.	171	6	2	1	-	-	9	3	8	18	33	36	38	20	5	2	1	-
Phthisis	18	7	2	4	2	-	15	-	2	1	-	-	-	-	-	-	-	-
Hydrocephalus	169	29	5	5	3	3	75	7	5	3	-	2	4	7	18	28	17	3
Dis. of Brain	131	1	1	1	-	-	3	2	3	3	3	9	13	14	34	37	12	1
Dis. of Heart & Dropsy	144	41	23	3	3	5	75	2	1	4	1	5	4	6	7	26	15	-
Dis. of Lungs	73	6	-	1	-	-	7	2	1	1	3	8	6	13	10	17	4	1
Dis. of Stom. and Liver	9	-	-	-	1	-	1	-	-	-	2	-	-	2	2	1	1	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	1	-	-	1	-	4	-	1	-
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Dis. of Skin	16	-	-	-	-	-	-	-	1	-	-	7	7	1	-	-	-	-
Childbirth and Metris	5	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-
Suicide	19	7	1	-	2	-	10	1	-	-	1	2	-	-	-	1	4	-
Other Violent Deaths	445	145	16	3	1	2	170	2	-	-	-	5	4	2	15	38	145	44

410.—BILLESDON.

Mean Popul ⁿ , 1861-71	3737	91	88	94	85	91	449	442	349	327	329	555	444	330	258	176	71	7
TOTAL DEATHS	458	81	35	8	8	8	140	16	13	13	19	31	22	31	33	69	54	17
Small-pox	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Measles	14	2	3	2	-	2	9	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	13	1	4	-	1	2	8	2	2	-	1	-	-	-	-	-	-	-
Diphtheria	11	5	5	-	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	13	-	2	1	-	-	3	-	2	3	1	-	-	-	4	-	-	-
Typhus	6	5	-	-	-	-	5	-	-	-	-	-	-	1	-	-	-	-
Diarrhoea & Dysentery	10	1	1	1	1	1	5	3	2	-	-	-	-	-	-	-	-	-
Cholera	7	-	-	-	-	-	-	-	-	-	-	2	-	2	-	3	-	-
Other Zymotic Dis.	5	-	2	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-
Cancer	62	2	1	-	-	-	3	4	1	8	12	16	7	10	1	-	-	-
Scrofula and Tuberc.	5	1	1	-	-	1	3	-	-	1	-	1	-	-	-	-	-	-
Phthisis	60	19	6	2	-	1	28	1	2	-	-	1	8	4	2	9	4	1
Hydrocephalus	40	1	1	-	-	-	2	-	1	-	2	5	1	6	12	9	2	-
Dis. of Brain	32	2	7	1	1	-	11	1	1	-	-	2	2	-	5	7	3	-
Dis. of Heart & Dropsy	18	3	-	-	2	1	6	-	1	-	-	1	-	3	1	5	1	-
Dis. of Lungs	4	1	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
Dis. of Stom. and Liver	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Dis. of Kidneys	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	6	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-
Childbirth and Metris	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	2	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	-
Other Violent Deaths	157	30	2	1	1	-	34	-	-	1	-	-	-	1	7	35	43	16

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
411.—BLABY.																			
Mean Popul ⁿ , 1861-71	7089	211	203	197	173	186	970	912	828	661	505	832	745	646	521	328	137	14	
TOTAL DEATHS	1477	493	112	64	35	26	730	34	20	23	36	73	50	67	106	157	149	41	
Small-pox	16	2	1	5	4	1	13	-	1	-	-	9	-	-	-	-	-	-	
Measles	30	7	13	5	3	2	39	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	32	-	5	6	5	9	25	4	3	-	-	-	-	-	-	-	-	-	
Diphtheria	6	-	2	2	1	1	6	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	26	13	6	5	2	-	26	-	-	-	-	-	-	-	-	-	-	-	
Typhus	81	-	5	-	2	1	8	2	-	2	7	5	3	-	1	2	2	1	
Diarrhoea & Dysentery	81	51	8	1	3	-	68	-	-	-	-	1	1	-	-	1	11	1	
Cholera	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	36	7	4	5	-	-	16	2	2	1	-	-	2	3	3	1	2	2	
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	2	-	
Serofula and Tabes	52	21	9	7	-	-	37	4	-	2	1	-	4	1	1	1	1	1	
Phthisis	98	2	2	1	1	1	7	1	2	8	21	29	15	12	4	-	-	-	
Hydrocephalus	16	10	1	1	-	3	15	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	229	100	14	8	7	1	125	11	2	2	1	3	7	9	29	27	21	1	
Dis. of Heart & Dropsy	85	8	-	1	-	-	9	-	2	1	-	4	16	19	19	9	7	1	
Dis. of Lungs	223	65	22	11	5	1	103	4	1	2	1	8	6	17	25	31	14	4	
Dis. of Stom. and Liver	61	14	4	3	1	-	22	1	3	1	1	5	2	2	8	12	6	1	
Dis. of Kidneys	35	2	-	1	-	-	3	-	1	-	1	2	1	2	8	10	6	1	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Joints	9	-	-	-	-	1	1	-	1	1	2	3	-	-	1	-	-	-	
Dis. of Skin	6	2	-	-	-	-	2	-	1	-	-	1	-	-	-	1	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	5	-	-	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	
Other Violent Deaths	22	3	4	4	2	4	17	5	1	2	-	10	2	3	3	7	2	1	
Other Causes	326	183	19	3	1	1	200	-	-	-	1	2	1	3	4	22	27	1	

412.—HINCKLEY.																	
Mean Popul ⁿ , 1861-71	8003	241	213	224	205	211	1094	1013	900	768	577	932	879	750	568	369	135
TOTAL DEATHS	1803	551	135	78	40	20	842	59	24	37	48	69	76	74	110	225	180
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Measles	48	7	18	8	6	3	42	6	-	-	-	-	-	-	-	-	-
Scarlatina	84	9	10	22	20	6	67	15	2	1	-	1	-	-	-	-	-
Diphtheria	6	1	1	1	1	-	4	-	-	-	-	-	1	-	-	-	-
Whooping-cough	37	18	13	4	2	-	37	-	-	-	-	-	-	-	-	-	-
Typhus	85	4	7	8	3	2	24	8	9	10	7	6	8	4	2	2	4
Diarrhoea & Dysentery	79	46	8	-	-	1	55	-	-	-	-	-	2	4	2	8	6
Cholera	7	2	1	-	-	-	3	-	-	-	-	-	1	2	2	1	1
Other Zymotic Dis.	35	7	5	2	2	1	17	3	3	-	-	-	-	-	-	-	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes	51	9	6	2	-	1	18	4	1	2	1	1	2	2	2	3	4
Phthisis	140	2	6	3	1	1	13	1	4	16	26	35	22	10	9	5	1
Hydrocephalus	25	9	5	7	1	1	23	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	254	125	9	3	2	3	142	4	1	3	1	3	3	14	12	49	27
Dis. of Heart & Dropsy	89	4	-	1	1	-	6	2	1	1	1	5	8	7	14	18	9
Dis. of Lungs	246	64	19	6	2	2	93	2	1	1	3	6	12	16	25	39	26
Dis. of Stom. and Liver	86	18	4	-	2	1	25	3	2	1	2	2	3	5	10	25	6
Dis. of Kidneys	39	-	1	1	1	1	4	3	-	-	2	1	3	2	7	5	9
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	-	-	-	-	1	1	2	-	-	1	-	-	3	2	1	1
Dis. of Skin	8	4	-	-	-	1	3	-	-	-	-	-	1	-	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	42	5	2	2	4	4	17	4	-	1	-	6	4	3	1	2	2
Other Causes	431	216	20	8	1	-	245	2	1	-	-	2	2	1	6	49	62

413.—MARKET BOSWORTH.																	
Mean Popul ⁿ , 1861-71	6848	188	183	181	179	171	902	841	796	701	515	786	728	633	491	318	117
TOTAL DEATHS	1334	363	61	36	32	22	514	41	25	24	44	48	44	79	106	194	163
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	15	3	2	6	3	-	14	1	-	-	-	-	-	-	-	-	-
Scarlatina	54	8	8	9	6	9	40	9	-	1	1	-	1	-	-	-	-
Diphtheria	11	3	2	-	2	3	10	-	-	-	-	-	-	-	-	-	-
Whooping-cough	19	12	6	-	1	-	19	-	-	-	-	-	-	-	-	-	-
Typhus	40	1	-	-	2	1	4	6	1	4	2	4	3	5	7	3	4
Diarrhoea & Dysentery	27	14	2	-	-	-	16	1	-	-	-	1	-	-	1	3	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	2	2	2	4	4	14	2	-	-	1	-	-	3	2	4	3
Cancer	25	-	-	-	1	-	-	-	-	1	1	-	1	2	4	16	2
Serofula and Tabes	23	4	2	3	-	-	9	1	2	2	2	3	2	1	-	-	-
Phthisis	113	2	-	1	-	1	4	2	4	8	24	26	15	10	11	8	-
Hydrocephalus	13	4	2	2	-	2	10	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	258	168	6	5	4	-	183	2	3	1	-	2	3	9	13	34	14
Dis. of Heart & Dropsy	109	-	-	1	1	-	1	3	2	4	2	5	3	7	28	38	23
Dis. of Lungs	163	46	20	3	4	1	74	2	1	2	2	3	3	15	14	29	23
Dis. of Stom. and Liver	50	3	1	2	-	-	6	1	1	-	1	2	2	8	9	17	7
Dis. of Kidneys	33	-	-	-	-	-	-	-	1	1	-	1	2	3	9	13	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-
Dis. of Skin	6	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	47	1	1	1	3	1	7	1	4	-	4	3	6	10	1	8	1
Other Causes	294	92	6	1	2	-	101	1	-	1	-	1	-	2	6	40	41

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.	

411.—BLABY.

Mean Popul ⁿ , 1861-71	7404	212	194	194	182	191	973	912	781	664	638	1010	836	672	490	299	113	16
TOTAL DEATHS	1459	370	104	44	29	15	562	42	30	46	39	65	80	81	116	186	164	48
Small-pox	17	4	-	2	2	-	8	3	2	-	1	-	1	-	1	1	-	-
Measles	35	6	18	10	3	-	32	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	33	8	15	3	4	2	27	4	1	1	-	-	-	-	-	-	-	-
Diphtheria	4	2	-	-	1	-	5	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	26	10	9	2	1	1	23	3	-	-	-	-	-	-	-	-	-	-
Cyphus	47	1	-	1	1	2	5	6	4	12	2	4	3	3	4	3	1	-
Diarrhoea & Dysentery	84	45	5	1	1	1	63	1	1	1	1	2	1	3	2	8	12	1
Cholera	7	1	-	-	-	-	1	-	1	-	-	-	-	2	2	-	1	-
Other Zymotic Dis.	35	5	2	4	2	2	15	3	-	1	1	2	1	3	3	4	2	2
Cancer	56	-	-	-	-	-	-	-	-	-	-	-	3	6	8	12	6	1
Scrofula and Tuberc.	43	19	8	-	1	1	29	3	-	4	2	2	1	2	-	-	-	-
Eclampsia	121	-	-	-	-	-	-	-	10	29	24	19	23	16	5	2	1	-
Hydrocephalus	12	5	2	3	1	-	11	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	182	60	12	8	5	2	87	6	2	-	2	1	6	5	19	27	22	5
Dis. of Heart & Dropsy	85	2	1	-	-	-	3	2	3	1	1	1	8	9	21	23	8	1
Dis. of Lungs	214	48	23	8	4	3	86	1	3	4	2	7	8	10	21	41	26	5
Dis. of Stom. and Liver	83	8	3	-	1	-	12	2	-	1	-	8	14	12	15	11	7	1
Dis. of Kidneys	18	-	-	-	-	-	-	-	1	-	-	1	3	3	5	3	2	-
Dis. of Gen. Organs	8	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	1	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis	18	-	-	-	-	-	-	-	-	2	3	8	5	-	-	-	-	-
Infanticide	21	3	1	-	1	1	6	3	-	-	-	1	1	-	-	3	3	-
Other Violent Deaths	323	148	10	2	1	-	161	-	2	-	-	1	1	2	-	4	8	2
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

412.—HINCKLEY.

Mean Popul ⁿ , 1861-71	8257	261	225	222	198	222	1128	1001	921	781	686	1097	917	714	524	346	132	10
TOTAL DEATHS	1771	423	133	69	43	28	696	51	36	82	63	110	102	93	124	185	178	40
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	48	4	25	7	7	3	46	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	97	7	19	22	16	13	77	17	-	1	2	-	-	-	-	-	-	-
Diphtheria	7	-	1	1	-	-	2	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	37	16	11	8	2	-	37	-	-	-	-	-	-	-	-	-	-	-
Cyphus	95	3	6	2	2	5	17	10	11	15	5	9	9	5	3	7	4	-
Diarrhoea & Dysentery	75	35	13	2	1	1	32	1	-	-	1	3	2	3	2	6	5	-
Cholera	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	27	6	3	1	2	-	12	3	-	-	-	1	-	3	3	3	2	-
Cancer	38	-	-	-	-	-	-	-	-	-	-	-	8	10	9	7	2	-
Scrofula and Tuberc.	35	6	4	2	1	-	13	2	7	3	2	2	2	4	-	-	-	-
Eclampsia	192	3	1	3	2	1	7	1	6	47	35	49	21	17	8	1	-	-
Hydrocephalus	17	6	2	3	2	1	14	1	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	215	85	12	2	2	4	105	2	2	2	4	5	6	14	19	30	25	1
Dis. of Heart & Dropsy	117	1	1	-	1	-	3	-	3	1	1	5	10	11	29	31	16	4
Dis. of Lungs	185	55	20	8	4	1	83	1	2	2	2	8	8	8	16	36	20	4
Dis. of Stom. and Liver	80	12	3	-	2	-	17	2	1	1	6	4	9	12	16	9	2	1
Dis. of Kidneys	29	-	-	-	-	-	-	-	-	-	2	2	5	3	5	5	-	-
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	-	-	3	1	2	-	2	1	-
Dis. of Joints	6	-	-	1	-	-	1	-	-	1	-	1	1	1	2	2	1	-
Dis. of Skin	6	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	1	1
Childbirth and Metritis	37	-	-	-	-	-	-	-	-	4	6	11	16	-	-	-	-	-
Infanticide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths	20	7	2	2	-	-	11	3	-	-	1	1	1	1	-	1	1	1
Other Causes	290	173	10	5	-	-	188	4	1	3	-	2	3	2	10	45	98	34

413.—MARKET BOSWORTH.

Mean Popul ⁿ , 1861-71	6739	213	175	179	168	172	907	859	722	547	537	852	733	636	512	299	114	21
TOTAL DEATHS	1273	285	83	36	27	15	446	49	19	54	48	83	64	62	106	153	145	49
Small-pox	23	6	8	3	3	-	20	1	1	-	-	-	1	-	-	-	-	-
Measles	45	4	7	5	8	6	30	14	1	-	-	-	-	-	-	-	-	-
Scarlatina	10	1	1	3	1	-	6	4	-	-	-	-	-	-	-	-	-	-
Diphtheria	27	14	9	1	1	1	36	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	63	1	4	-	-	-	6	10	6	8	4	6	4	2	6	1	2	1
Diarrhoea & Dysentery	26	17	3	-	-	-	20	-	-	-	-	2	1	-	1	-	-	-
Cholera	26	6	1	5	3	2	17	3	-	-	-	-	-	-	2	3	1	-
Other Zymotic Dis.	32	-	-	-	-	-	-	-	-	-	-	-	3	9	10	7	3	-
Cancer	16	4	2	1	-	1	8	-	1	-	-	2	-	-	-	2	-	-
Scrofula and Tuberc.	172	2	1	3	2	-	4	2	5	31	27	42	24	16	13	4	-	-
Eclampsia	7	-	2	-	-	2	4	3	-	-	-	-	-	-	-	-	-	-
Hydrocephalus	21	113	13	3	1	-	130	3	1	6	5	7	4	9	18	21	7	-
Dis. of Brain	103	1	-	-	-	-	1	1	-	2	1	6	4	14	24	34	18	-
Dis. of Heart & Dropsy	121	25	20	8	4	2	61	3	-	2	2	2	4	3	14	28	7	2
Dis. of Lungs	60	9	1	2	-	-	12	1	-	1	4	5	6	3	7	9	1	1
Dis. of Stom. and Liver	12	1	-	-	-	-	1	1	-	-	-	2	1	2	4	1	-	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gen. Organs	5	-	-	-	1	-	1	-	-	1	-	-	-	1	1	1	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis	18	-	-	-	-	-	-	-	-	3	6	9	-	-	-	-	-	-
Infanticide	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Other Violent Deaths	20	3	-	1	2	-	6	2	3	2	-	1	1	1	-	5	1	1
Other Causes	267	78	11	1	-	-	89	-	-	1	-	1	1	1	3	40	106	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	Total under 1 Year.	Total under 5 Years.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85				
414.—ASHBY-DE-LA-ZOUCH.																				
Mean Popul ⁿ , 1861-71	15174	482	453	432	409	394	2170	1924	1792	1634	1155	1913	1620	1279	895	541	294	27		
TOTAL DEATHS	3093	974	251	90	54	40	1409	81	63	105	98	128	147	167	228	236	280	33		
Small-pox	10	5	1	-	-	-	6	1	-	1	1	1	-	-	-	-	-	-		
Measles	53	15	24	13	3	2	57	1	-	-	-	-	-	-	-	-	-	-		
Scarlatina	54	8	9	7	11	10	45	6	3	-	-	-	-	-	-	-	-	-		
Diphtheria	15	1	3	2	2	1	9	4	-	2	-	-	-	-	-	-	-	-		
Whooping-cough	22	14	6	-	-	1	21	1	-	-	-	-	-	-	-	-	-	-		
Typhus	128	6	5	5	7	3	26	14	16	18	17	9	12	4	7	3	1	-		
Diarrhoea & Dysentery	77	42	13	2	1	-	68	1	1	-	-	-	1	2	2	1	1	-		
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	1	4	2	7	2	3		
Other Zymotic Dis.	70	9	8	11	8	3	39	3	2	3	1	2	4	2	7	2	3	-		
Cancer	33	-	-	-	-	-	-	-	-	-	1	1	2	7	10	6	4	2		
Scrofula and Tuberc.	38	13	7	2	-	-	22	2	2	4	1	2	1	2	1	2	3	-		
Phthisis	225	8	10	1	-	1	20	-	4	28	37	52	36	23	17	6	2	-		
Hydrocephalus	36	7	12	5	1	-	25	11	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	559	323	45	11	4	2	385	7	4	9	6	11	12	29	20	46	28	1		
Dis. of Heart & Dropsy	198	2	-	-	-	-	3	3	-	5	2	7	11	24	43	66	39	-		
Dis. of Lungs	487	196	66	16	8	7	291	8	3	6	6	12	16	26	35	49	31	-		
Dis. of Stom. and Liver	147	21	4	2	3	2	37	5	3	4	3	14	15	21	22	27	17	-		
Dis. of Kidneys	50	-	1	-	-	1	2	-	-	3	3	3	4	7	11	15	3	1		
Dis. of Genes. Organs	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	9	-	-	-	-	-	-	-	2	1	1	1	1	-	3	-	-	-		
Dis. of Skin	11	2	-	-	-	-	2	-	1	-	-	-	1	-	1	3	2	1		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	11	-	-	-	-	-	-	-	-	-	-	2	1	4	2	1	1	-		
Other Violent Deaths	170	4	6	5	3	5	23	11	22	18	18	17	21	19	15	5	2	-		
Other Causes	652	293	81	7	3	1	335	3	-	-	-	5	10	13	22	62	100	70		

415.—LOUGHBOROUGH.																				
Mean Popul ⁿ , 1861-71	11787	375	338	302	304	327	1646	1484	1354	1094	813	1459	1278	1066	817	562	192	23		
TOTAL DEATHS	2774	835	187	104	57	37	1220	82	54	60	71	113	122	161	208	332	279	73		
Small-pox	14	2	2	-	-	1	6	2	5	-	3	-	-	-	-	-	-	-		
Measles	41	8	15	9	7	2	41	2	-	-	-	-	-	-	-	-	-	-		
Scarlatina	57	1	6	12	12	8	39	13	3	-	-	-	-	2	-	-	-	-		
Diphtheria	18	2	1	3	-	1	7	7	3	-	-	-	1	-	-	-	-	-		
Whooping-cough	37	22	8	6	-	-	26	1	-	-	-	-	-	-	-	-	-	-		
Typhus	193	3	5	4	6	2	20	10	10	6	11	8	4	5	6	4	1	-		
Diarrhoea & Dysentery	129	80	19	-	1	-	100	1	-	-	1	1	1	1	2	6	4	1		
Cholera	4	-	1	1	-	-	2	1	-	-	-	-	-	1	-	-	-	-		
Other Zymotic Dis.	54	6	5	9	5	4	29	4	4	1	1	1	2	2	3	5	3	-		
Cancer	36	-	-	-	1	-	1	-	-	-	-	-	2	7	10	11	4	-		
Scrofula and Tuberc.	77	48	16	4	-	2	70	2	2	1	-	-	-	1	-	-	-	-		
Phthisis	253	14	5	3	-	-	22	11	30	40	56	45	32	13	4	-	-	-		
Hydrocephalus	33	11	5	7	4	-	27	1	5	-	-	-	-	-	-	-	-	-		
Dis. of Brain	375	187	7	9	7	3	213	5	2	2	8	6	9	23	21	49	26	-		
Dis. of Heart & Dropsy	148	2	1	-	2	-	5	2	3	-	8	8	7	25	40	49	19	-		
Dis. of Lungs	452	140	62	22	5	7	236	7	2	5	4	11	20	19	42	66	31	-		
Dis. of Stom. and Liver	118	11	-	1	-	3	15	3	1	1	3	8	9	21	24	33	19	-		
Dis. of Kidneys	51	-	-	-	-	-	1	-	-	-	1	2	3	11	8	15	9	-		
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
Dis. of Skin	6	2	1	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	17	-	-	-	-	-	-	-	-	-	-	1	4	3	4	4	1	-		
Other Violent Deaths	82	4	1	6	3	2	16	9	6	6	5	6	6	4	7	11	6	-		
Other Causes	676	291	27	7	3	2	330	4	-	-	-	2	5	5	19	30	109	23		

416.—BARROW-ON-SOAR.																				
Mean Popul ⁿ , 1861-71	10263	311	282	275	289	284	1441	1292	1204	935	727	1233	1091	921	752	471	173	23		
TOTAL DEATHS	2173	638	141	77	41	27	924	76	56	48	60	82	81	91	211	273	215	33		
Small-pox	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
Measles	55	11	10	6	3	3	33	1	-	-	-	-	-	-	-	-	-	-		
Scarlatina	56	2	8	14	9	6	39	15	2	1	-	1	-	-	-	-	-	-		
Diphtheria	11	4	1	2	4	-	11	-	-	-	-	-	-	-	-	-	-	-		
Whooping-cough	50	29	11	8	2	-	50	-	-	-	-	-	-	-	-	-	-	-		
Typhus	56	3	2	2	4	1	12	13	5	5	2	6	3	4	5	2	1	-		
Diarrhoea & Dysentery	105	57	16	-	3	-	76	-	1	-	-	-	1	2	5	6	9	-		
Cholera	4	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
Other Zymotic Dis.	50	6	5	4	4	1	20	2	3	-	1	1	2	2	5	3	4	-		
Cancer	19	-	-	-	-	-	-	-	1	1	-	1	2	2	3	2	1	-		
Scrofula and Tuberc.	63	39	7	3	-	-	49	3	1	3	-	9	3	3	2	1	-	-		
Phthisis	179	7	3	2	-	1	13	5	8	28	30	37	24	17	11	5	1	-		
Hydrocephalus	28	9	4	2	1	2	18	6	4	-	-	-	-	-	-	-	-	-		
Dis. of Brain	309	150	14	6	2	2	174	6	4	1	3	8	5	10	24	46	28	-		
Dis. of Heart & Dropsy	156	3	-	-	-	-	3	2	1	-	3	6	8	12	38	57	29	-		
Dis. of Lungs	346	88	34	14	7	3	146	5	7	3	4	7	10	16	43	60	37	-		
Dis. of Stom. and Liver	96	12	2	3	-	3	20	2	2	-	1	5	8	3	29	19	3	-		
Dis. of Kidneys	49	-	1	1	-	-	2	1	1	-	-	1	-	4	13	19	9	-		
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	5	-	-	-	-	1	1	1	-	-	-	-	1	-	1	1	-	-		
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths	96	9	2	7	2	3	23	8	11	5	11	3	1	6	8	4	4	-		
Other Causes	438	208	20	3	-	1	232	8	6	1	1	4	3	4	9	41	6	-		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
414.—ASHBY-DE-LA-ZOUCH.																			
Mean Popul ⁿ , 1861-71	14832	477	428	427	463	391	2186	1977	1608	1303	1202	2015	1613	1263	864	541	226	34	
TOTAL DEATHS -	2896	724	185	105	47	43	1104	87	56	78	98	290	170	166	220	318	311	88	
Small-pox -	8	2	-	1	1	1	5	2	-	-	1	-	-	-	-	-	-	-	
Measles -	57	11	19	14	9	1	54	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	34	3	4	7	4	1	19	9	2	1	-	1	1	-	1	-	-	-	
Diphtheria -	9	-	2	2	2	1	7	1	1	-	-	-	-	-	-	-	-	-	
Whooping-cough -	34	14	13	3	2	1	33	1	-	-	-	-	-	-	-	-	-	-	
Cyphus -	159	4	4	5	3	4	20	18	20	23	15	27	14	7	8	7	-	-	
Diarrhoea & Dysentery -	103	46	10	3	-	1	60	1	-	1	1	7	1	1	9	12	10	-	
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Ether Zymotic Dis. -	54	4	3	8	4	6	25	5	-	1	1	3	2	-	3	10	4	-	
Cancer -	60	-	-	-	-	-	-	-	-	-	-	2	5	19	16	11	7	-	
Scrophula and Tubercles -	25	9	3	5	-	-	17	1	2	-	-	1	1	-	1	1	1	-	
Phthisis -	892	3	6	5	2	2	18	4	15	30	48	79	52	32	18	8	-	-	
Hydrocephalus -	28	5	7	4	3	2	21	6	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	463	244	28	12	3	2	289	10	6	3	6	7	15	21	23	45	35	1	
Dis. of Heart & Dropsy -	255	3	2	2	-	1	8	-	2	7	5	15	25	38	54	62	33	6	
Dis. of Lungs -	413	182	39	20	10	10	281	8	2	4	5	10	10	15	38	48	37	-	
Dis. of Stom. and Liver -	105	9	1	4	3	2	19	4	3	2	4	7	4	17	14	25	6	-	
Dis. of Kidneys -	23	-	2	1	-	-	3	-	-	-	1	3	3	3	6	4	-	-	
Dis. of Gen. Organs -	14	-	-	-	-	-	-	-	-	-	3	2	6	-	2	1	-	-	
Dis. of Joints -	8	-	-	-	1	-	1	-	-	-	-	1	-	3	2	1	-	-	
Dis. of Skin -	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	
Childbirth and Metria -	56	-	-	-	-	-	-	-	-	4	6	22	22	2	-	-	-	-	
Infanticide -	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	
Other Violent Deaths -	41	4	4	3	-	7	18	10	1	-	-	3	1	-	-	3	5	-	
Other Causes -	636	231	18	6	-	1	236	4	3	2	1	9	9	5	23	79	170	75	

415.—LOUGHBOROUGH.																		
Mean Popul ⁿ , 1861-71	12477	334	327	313	326	300	1600	1447	1316	1170	1047	1712	1370	1149	855	571	209	31
TOTAL DEATHS -	2789	656	186	74	70	39	1025	93	59	95	105	186	154	143	235	333	280	81
Small-pox -	9	3	1	2	1	-	7	1	-	-	-	1	-	-	-	-	-	-
Measles -	39	7	15	6	3	2	66	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -	50	4	9	4	10	6	33	11	3	1	-	1	1	-	-	-	-	-
Diphtheria -	31	2	2	2	7	4	17	8	6	-	-	-	-	-	-	-	-	-
Whooping-cough -	43	26	7	3	2	4	42	1	-	-	-	-	-	-	-	-	-	-
Cyphus -	125	4	3	8	7	7	29	24	17	17	7	12	5	4	5	4	1	-
Diarrhoea & Dysentery -	100	55	9	5	1	1	71	-	1	1	-	1	4	2	7	5	8	1
Cholera -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ether Zymotic Dis. -	34	3	4	4	4	1	16	2	2	-	1	-	2	-	3	6	1	1
Cancer -	63	-	-	-	-	-	-	-	-	-	-	1	5	16	23	9	8	-
Scrophula and Tubercles -	76	11	11	6	2	-	69	-	2	4	5	1	2	1	-	1	-	-
Phthisis -	339	9	8	1	4	2	24	7	10	49	57	102	61	30	9	2	-	-
Hydrocephalus -	36	11	9	-	4	-	24	9	2	1	-	-	-	-	-	-	-	-
Dis. of Brain -	301	133	13	4	5	-	145	8	1	4	5	9	13	17	30	41	21	4
Dis. of Heart & Dropsy -	245	3	-	1	2	-	1	-	4	7	13	26	35	65	57	25	3	-
Dis. of Lungs -	382	91	52	19	11	10	186	9	4	3	8	13	14	14	35	65	27	4
Dis. of Stom. and Liver -	124	16	2	1	1	-	29	3	2	2	3	12	10	16	22	28	6	-
Dis. of Kidneys -	15	-	-	-	-	-	-	-	-	-	1	1	3	1	5	3	1	-
Dis. of Gen. Organs -	12	-	-	-	-	-	-	-	-	-	-	1	3	4	3	1	-	-
Dis. of Joints -	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
Dis. of Skin -	6	2	-	-	-	-	2	-	-	-	-	1	-	1	2	1	-	-
Childbirth and Metria -	42	-	-	-	-	-	-	-	-	7	7	14	13	1	-	-	-	-
Infanticide -	5	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-
Other Violent Deaths -	41	8	1	2	2	3	16	5	5	-	-	1	-	2	2	7	4	1
Other Causes -	607	245	40	6	1	1	236	1	-	1	-	2	2	2	22	101	175	68

416.—BARROW-ON-SOAR.																		
Mean Popul ⁿ , 1861-71	10406	314	292	263	260	248	1377	1305	1088	905	826	1420	1165	955	716	455	173	21
TOTAL DEATHS -	2139	560	133	62	45	27	825	65	26	71	65	160	130	85	171	253	215	73
Small-pox -	8	-	2	2	-	-	4	1	-	-	-	2	-	-	-	1	-	-
Measles -	37	7	16	6	3	2	34	3	-	-	-	-	-	-	-	-	-	-
Scarlatina -	49	6	6	5	3	6	26	15	1	-	-	-	-	-	-	-	-	-
Diphtheria -	19	1	1	3	-	1	6	3	-	-	-	-	1	-	-	-	-	-
Whooping-cough -	48	26	10	5	5	1	47	1	-	-	-	-	-	-	-	-	-	-
Cyphus -	81	-	-	3	3	3	9	13	8	11	5	18	10	1	4	10	12	2
Diarrhoea & Dysentery -	118	61	16	3	2	1	83	-	1	-	1	-	2	1	-	-	-	-
Cholera -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ether Zymotic Dis. -	56	2	7	3	6	2	20	5	-	1	-	4	4	3	2	13	4	-
Cancer -	46	-	-	-	-	-	-	-	-	1	-	-	5	6	13	14	5	-
Scrophula and Tubercles -	47	28	6	2	-	1	37	2	1	-	2	1	1	1	1	1	-	-
Phthisis -	277	7	5	1	1	3	17	3	9	40	43	83	48	23	7	3	-	1
Hydrocephalus -	22	4	1	3	4	2	14	6	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -	312	154	12	7	6	-	159	5	3	2	4	7	7	12	34	46	31	2
Dis. of Heart & Dropsy -	151	2	-	-	-	1	3	2	-	4	-	10	12	17	35	48	19	1
Dis. of Lungs -	270	64	24	11	5	3	107	3	-	3	2	10	6	7	27	37	38	10
Dis. of Stom. and Liver -	93	11	2	1	1	-	15	1	2	2	4	5	9	7	25	16	7	-
Dis. of Kidneys -	15	-	-	-	-	1	1	-	-	1	-	-	3	2	4	3	1	-
Dis. of Gen. Organs -	10	1	-	-	-	-	1	-	-	-	1	-	-	2	3	1	1	-
Dis. of Joints -	6	1	2	-	-	-	3	-	-	1	-	1	-	1	-	-	-	-
Dis. of Skin -	8	-	1	-	-	-	1	-	-	-	-	2	5	-	1	-	-	-
Childbirth and Metria -	18	-	-	-	-	-	-	-	-	1	2	6	9	-	-	-	-	-
Infanticide -	11	-	-	-	-	-	-	-	-	1	-	2	2	1	1	3	1	-
Other Violent Deaths -	25	5	4	1	3	-	13	2	-	2	-	1	-	-	1	3	1	-
Other Causes -	426	199	18	6	1	-	224	2	-	-	1	5	6	-	9	32	91	66

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
417.—LEICESTER.																			
Mean Popul ⁿ , 1861-71	43302	1324	1113	1076	1020	970	5503	4640	4291	4706	4455	6757	4995	3704	2452	1326	423	50	
TOTAL DEATHS	10454	3175	1025	471	233	163	5070	279	203	207	345	625	603	618	720	887	630	171	
Small-pox	62	15	5	7	7	6	40	12	2	3	2	1	1	1	-	-	-	-	
Measles	313	57	123	73	34	16	303	10	-	-	-	-	-	-	-	-	-	-	
Scarlatina	304	19	50	70	47	30	216	65	10	5	2	0	-	-	-	-	-	-	
Diphtheria	42	10	8	11	1	5	35	4	-	1	-	-	-	2	-	-	-	-	
Whooping-cough	245	92	77	39	19	12	239	6	-	-	-	-	-	-	-	-	-	-	
Dysentery	361	18	25	29	19	15	109	50	45	42	29	38	23	11	11	4	1	1	
Bacillary & Dysentery	992	695	150	20	6	5	883	2	2	3	3	8	4	9	23	28	20	5	
Cholera	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Zymotic Dis.	175	25	18	20	13	8	54	10	5	7	4	5	10	7	15	16	12	-	
Consumption	226	-	-	-	-	-	-	-	-	-	-	-	5	42	59	68	32	19	
Scrophulous and Tuberc.	174	70	24	8	1	1	104	4	9	8	11	9	4	8	9	7	1	-	
Phtisis	1292	45	56	13	4	2	100	16	51	153	100	514	250	126	40	10	2	-	
Hydrocephalus	103	45	31	9	3	5	93	5	3	2	-	-	-	-	-	-	-	-	
Dis. of Brain	1267	551	96	47	28	15	717	23	18	19	20	40	55	73	94	117	69	0	
Dis. of Heart & Dropsy	584	9	3	2	5	2	21	7	16	17	18	34	63	104	125	127	44	3	
Dis. of Lungs	1306	346	211	80	29	24	600	24	15	9	17	33	46	94	147	209	96	16	
Dis. of Stom. and Liver	441	68	11	3	3	3	88	7	8	9	20	42	46	56	79	68	16	2	
Dis. of Kidneys	91	1	-	-	-	3	4	1	3	1	7	8	9	21	13	16	5	3	
Dis. of Genes. Organs	67	-	-	-	-	-	-	-	-	1	2	7	20	9	17	7	4	-	
Dis. of Joints	23	1	-	-	-	-	1	3	6	1	-	1	2	3	2	2	4	2	
Dis. of Skin	26	8	-	-	1	-	9	-	-	-	3	2	3	2	5	1	1	-	
Childbirth and Metris	92	-	-	-	-	-	-	-	-	5	21	42	23	1	-	-	-	-	
Infanticide	26	-	-	-	-	-	-	-	1	4	2	3	5	6	4	1	-	-	
Other Violent Deaths	149	31	16	13	5	5	70	11	3	7	5	7	4	5	8	13	13	3	
Other Causes	2087	1087	141	21	8	6	1263	16	6	-	8	20	12	21	58	229	532	122	

418.—MELTON MOWBRAY.

Mean Popul ⁿ , 1861-71		10153	279	241	255	257	251	1233	1185	1113	911	839	1352	1141	946	727	460	172	24
TOTAL DEATHS		1843	368	97	40	24	19	548	57	50	61	75	116	114	138	138	200	219	60
Small-pox		3	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Measles		39	8	5	2	6	1	22	6	1	-	-	-	-	-	-	-	-	-
Scarlatina		23	2	2	6	6	3	19	3	-	1	-	-	-	-	-	-	-	-
Diphtheria		17	2	1	-	1	-	4	7	3	2	-	-	-	1	-	-	-	-
Whooping-cough		24	15	7	3	-	-	25	1	-	-	-	-	-	-	-	-	-	-
Dysentery		79	1	2	2	-	-	5	7	-	13	10	8	10	15	4	-	-	-
Bacillary Dysentery		79	24	10	1	1	1	47	1	-	-	2	2	5	1	3	11	8	1
Cholera		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		53	2	4	-	1	2	9	4	1	-	-	1	4	-	-	5	8	1
Consumption		46	-	-	-	-	-	-	-	-	-	-	1	9	14	11	9	2	-
Scrophulous and Tuberc.		19	9	2	-	1	1	15	-	1	-	1	1	2	1	-	-	-	-
Phtisis		245	2	4	-	2	3	11	3	14	32	41	59	33	56	12	4	-	-
Hydrocephalus		8	4	2	-	-	1	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		180	69	5	7	1	-	82	5	5	1	6	5	4	13	17	29	15	-
Dis. of Heart & Dropsy		161	2	-	1	-	-	3	1	1	2	4	6	9	25	24	49	32	4
Dis. of Lungs		233	56	28	11	4	2	101	6	4	4	2	4	10	8	22	33	51	8
Dis. of Stom. and Liver		112	10	1	1	-	-	12	1	1	2	3	9	10	13	19	26	13	5
Dis. of Kidneys		14	-	-	-	-	1	1	1	-	1	1	4	1	-	4	1	-	-
Dis. of Genes. Organs		6	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-
Dis. of Joints		11	1	-	-	-	-	1	-	3	1	1	2	1	-	1	-	1	-
Dis. of Skin		7	1	-	-	-	-	1	1	1	-	-	1	1	-	2	-	-	-
Childbirth and Metris		20	-	-	-	-	-	-	-	2	2	5	11	-	-	-	-	-	-
Infanticide		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Other Violent Deaths		30	3	2	1	1	2	9	4	2	2	-	-	-	2	1	4	4	2
Other Causes		449	147	22	4	-	2	175	4	1	-	2	6	4	4	15	83	165	60

419.—OAKHAM.

Mean Popul ⁿ , 1861-71		5645	155	145	138	148	141	727	674	604	489	428	754	641	497	426	288	107	10
TOTAL DEATHS		1060	200	38	32	18	21	309	39	19	27	48	63	70	83	87	128	143	44
Small-pox		1	-	-	-	-	-	9	2	-	-	-	1	-	-	-	-	-	-
Measles		11	1	5	4	-	1	23	15	3	1	-	-	1	-	-	-	-	-
Scarlatina		42	2	3	7	6	3	13	3	-	-	-	-	-	-	-	-	-	-
Diphtheria		11	1	2	1	1	1	6	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough		19	7	2	4	2	3	18	1	-	-	-	-	-	-	-	-	-	-
Dysentery		41	-	-	1	-	2	3	4	-	2	4	5	4	10	4	2	1	2
Bacillary Dysentery		42	16	6	-	1	-	23	-	-	-	-	2	1	2	4	4	4	-
Cholera		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		18	2	-	1	-	3	6	-	-	1	-	1	1	2	1	0	3	-
Consumption		31	-	-	-	-	-	-	-	-	-	-	-	2	5	11	9	5	1
Scrophulous and Tuberc.		11	1	1	-	-	1	5	1	1	2	-	1	1	1	1	-	-	-
Phtisis		127	-	2	2	2	-	6	2	6	13	30	50	20	13	7	-	-	-
Hydrocephalus		8	4	2	2	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		110	29	3	3	3	1	39	2	3	1	3	8	2	9	10	24	13	1
Dis. of Heart & Dropsy		81	1	-	-	-	-	1	2	1	1	-	4	10	7	14	25	15	1
Dis. of Lungs		113	25	5	5	-	-	30	4	1	1	2	4	5	11	9	21	18	1
Dis. of Stom. and Liver		68	5	-	-	-	1	4	2	-	2	-	2	8	17	13	10	1	-
Dis. of Kidneys		8	-	-	-	-	-	-	-	-	-	1	1	-	4	2	-	-	-
Dis. of Genes. Organs		13	-	-	-	-	-	-	-	-	-	-	3	3	3	2	1	-	1
Dis. of Joints		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin		6	2	-	-	1	1	4	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metris		13	-	-	-	-	-	-	-	-	-	4	6	3	-	-	-	-	-
Infanticide		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Violent Deaths		10	2	1	-	-	-	3	1	-	-	-	-	-	2	2	2	2	1
Other Causes		272	104	9	8	1	-	117	1	1	-	-	2	2	2	10	18	81	38

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	80			
420.—UPPINGHAM.																			
Mean Popul ⁿ , } 1861-71 }	6175	177	160	160	155	155	807	721	795	671	406	695	637	567	440	310	106	11	
TOTAL DEATHS -	1126	253	57	36	16	20	382	49	33	26	29	57	54	72	102	140	143	27	
Small-pox - - -	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Measles - - - -	18	2	7	5	-	3	17	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	59	4	5	15	7	8	37	14	4	3	-	1	-	-	-	-	-	-	
Diphtheria - - -	10	1	2	1	-	1	5	2	3	-	-	-	-	-	-	-	-	-	
Whooping-cough -	19	10	6	1	1	-	18	1	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	35	-	-	1	-	2	3	5	5	3	3	3	5	5	1	2	2	2	
Diarrhoea & Dysentery	30	18	-	-	-	-	18	-	-	-	1	-	1	1	-	7	2	-	
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	22	3	1	1	1	-	6	2	2	-	-	2	1	1	3	3	3	3	
Cancer - - - - -	14	-	-	-	-	-	-	-	-	-	-	-	1	3	5	2	1	1	
Scrofula and Tuberc -	13	4	-	-	1	-	5	3	-	2	-	1	-	2	-	-	-	-	
Phthisis - - - - -	66	3	2	1	-	-	6	2	2	4	12	24	16	12	5	3	1	1	
Hydrocephalus - -	10	4	3	1	-	-	8	1	-	-	1	-	-	-	-	-	-	-	
Dis. of Brain - - -	163	67	9	7	2	-	85	3	2	2	3	2	6	11	15	18	13	7	
Dis. of Heart & Dropsy	61	-	-	-	1	-	1	3	3	1	1	2	1	9	17	14	8	1	
Dis. of Lungs - - -	132	30	13	3	2	3	51	3	3	3	1	5	9	10	24	23	18	1	
Dis. of Stom. and Liver	49	6	-	-	-	-	6	2	3	1	2	2	1	7	11	7	1	1	
Dis. of Kidneys - -	19	-	-	-	-	-	-	-	2	1	-	4	-	1	2	5	2	1	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	
Dis. of Skin - - - -	3	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	12	-	-	-	-	-	-	-	-	-	2	2	1	2	2	3	3	3	
Other Violent Deaths -	42	2	-	-	-	2	4	7	4	3	5	7	4	3	2	3	2	2	
Other Causes - - - -	501	96	9	2	1	1	109	-	-	1	2	1	5	3	14	53	25	28	

421.—STAMFORD.																	
Mean Popul ⁿ , 1861-71	8690	244	239	222	215	218	1138	1082	966	872	662	1079	915	783	639	400	134
TOTAL DEATHS	1780	406	92	45	32	34	609	71	40	35	47	86	91	143	167	242	291
Small-pox	3	2	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
Measles	33	8	15	5	1	1	39	1	-	-	1	-	-	-	-	-	-
Scarlatina	73	3	8	10	10	10	39	23	4	3	1	2	1	-	-	-	-
Diphtheria	12	-	-	2	3	2	7	4	1	-	-	-	-	-	-	-	-
Whooping-cough	24	11	8	1	1	2	23	1	-	-	-	-	-	-	-	-	-
Typhus	63	2	2	3	1	1	9	7	6	7	3	8	8	5	5	3	2
Diarrhoea & Dysentery	68	38	9	2	-	-	49	-	-	-	-	2	-	1	3	7	4
Cholera	6	1	-	1	-	-	2	-	-	-	-	-	-	1	-	3	1
Other Zymotic Dis.	69	10	4	5	4	2	23	5	2	2	1	4	5	6	2	13	2
Cancer	33	-	-	-	-	1	1	-	-	-	-	1	4	6	9	9	5
Scrofula and Tuberc.	40	16	6	1	1	1	23	3	3	1	3	2	3	1	-	-	-
Phthisis	118	2	-	-	-	-	5	1	3	0	22	37	20	16	8	1	-
Hydrocephalus	14	7	3	1	1	1	13	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	237	58	5	4	1	2	70	4	5	2	2	6	7	17	35	50	34
Dis. of Heart & Dropsy	103	1	-	1	-	2	4	1	2	1	2	3	11	17	22	28	13
Dis. of Lungs	288	70	23	5	6	2	106	6	1	-	3	7	9	21	38	53	38
Dis. of Stom. and Liver	98	13	-	-	-	1	14	4	2	2	-	5	5	18	19	20	2
Dis. of Kidneys	50	-	-	-	-	1	1	-	-	3	1	1	7	6	8	13	56
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	14	-	-	-	-	-	-	1	2	3	-	1	2	1	1	3	-
Dis. of Skin	7	2	-	-	-	-	2	-	-	-	1	-	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	1	1	1	1	1	3	1	4	1
Other Violent Deaths	82	8	1	1	1	4	15	5	5	4	6	5	7	14	8	27	21
Other Causes	591	134	8	2	2	1	167	-	-	1	-	1	1	4	7	27	32

422.—BOURN.																	
Mean Popul ⁿ , 1861-71	10032	285	267	274	299	250	1375	1230	1164	934	746	1215	1051	965	714	450	163
TOTAL DEATHS	1946	521	89	53	26	24	713	82	44	46	51	90	92	106	170	237	225
Small-pox	4	-	1	-	-	-	1	-	-	-	-	2	1	-	-	-	-
Measles	15	4	6	3	1	-	14	1	-	-	-	-	-	-	-	-	-
Scarlatina	66	4	7	11	7	9	38	24	2	3	-	-	1	-	-	-	-
Diphtheria	21	2	-	1	1	4	8	8	1	-	-	-	1	-	3	-	-
Whooping-cough	30	22	7	-	-	-	29	1	-	-	-	-	-	-	-	-	-
Typhus	106	1	2	5	4	3	15	12	11	8	6	12	13	5	12	11	2
Diarrhoea & Dysentery	80	29	4	2	1	1	47	1	-	-	1	-	2	2	3	9	14
Cholera	5	1	2	-	-	-	3	-	-	-	-	-	-	-	1	-	1
Other Zymotic Dis.	40	4	3	5	2	1	15	6	3	1	1	1	1	3	4	3	1
Cancer	28	-	-	-	-	-	-	-	-	-	-	1	-	5	8	6	4
Scrofula and Tuberc.	37	19	1	2	-	-	22	3	3	1	2	-	1	1	4	-	-
Phthisis	143	2	3	2	-	-	7	2	1	11	23	38	20	23	11	8	-
Hydrocephalus	25	9	5	3	-	1	18	5	1	1	-	-	-	-	-	-	-
Dis. of Brain	267	104	11	8	2	-	123	5	8	8	4	6	11	10	23	32	28
Dis. of Heart & Dropsy	144	7	-	-	-	1	8	4	2	-	3	6	2	13	26	44	32
Dis. of Lungs	234	67	18	9	1	2	97	4	1	1	2	8	13	18	23	42	22
Dis. of Stom. and Liver	119	21	4	1	2	1	29	1	2	4	5	5	8	10	20	29	16
Dis. of Kidneys	35	1	-	-	-	-	1	1	-	-	-	4	4	4	6	7	6
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	-	1	4	-	1	-	1	1	1	-
Dis. of Skin	9	4	-	-	1	1	6	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	-	-	-	2	-	1	2	6	4
Other Violent Deaths	68	8	4	1	2	-	15	-	5	4	4	4	10	5	15	20	20
Other Causes	444	202	11	2	2	-	217	-	5	-	1	-	2	2	11	30	36

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
420.—UPPINGHAM.																			
Mean Popul ⁿ , 1861-71	6130	153	143	170	151	145	767	773	667	532	443	788	690	584	452	303	112	14	
TOTAL DEATHS	1145	207	71	25	26	18	347	38	35	31	37	73	77	65	85	156	163	38	
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Measles	23	2	8	3	5	-	18	3	1	1	-	-	-	-	-	-	-	-	
Scarlatina	62	4	6	8	7	8	33	10	6	1	-	1	1	-	-	-	-	-	
Diphtheria	6	1	2	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	16	6	4	2	2	1	15	1	-	-	-	-	-	-	-	-	-	-	
Typhus	32	-	-	2	2	-	4	5	4	5	2	6	3	2	1	-	-	-	
Diarrhoea & Dysentery	27	12	4	-	-	1	17	1	-	1	1	-	-	-	1	4	-	2	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	19	2	-	-	2	1	5	1	2	2	-	2	-	1	1	2	3	-	
Cancer	27	-	-	-	-	-	-	-	-	-	-	1	2	7	6	9	2	-	
Scrofula and Tuberc.	7	2	2	-	-	1	5	-	-	-	-	-	-	1	1	-	-	-	
Phthisis	130	2	1	-	1	-	4	1	10	14	21	34	27	16	2	1	-	-	
Hydrocephalus	9	3	-	1	1	1	6	3	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	145	50	9	2	2	-	63	2	3	2	4	4	9	6	17	22	11	2	
Dis. of Heart & Dropsy	73	1	-	-	-	-	1	1	3	1	5	4	6	9	12	28	4	1	
Dis. of Lungs	190	29	16	2	3	3	44	3	3	-	2	7	7	7	10	22	23	2	
Dis. of Stom. and Liver	68	10	2	-	-	1	13	2	2	1	-	4	8	10	11	11	5	1	
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	1	-	-	4	1	1	-	-	-	
Dis. of Joints	3	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	2	7	3	-	-	-	-	-	
Selficide	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	
Other Violent Deaths	16	4	2	-	-	-	6	1	-	-	-	-	1	1	2	3	2	-	
Other Causes	332	85	15	8	1	1	103	2	1	2	1	3	4	3	16	52	113	50	

421.—STAMFORD.

Mean Popul ⁿ , 1861-71	9336	243	209	225	229	224	1130	1023	1044	884	830	1262	992	868	681	428	165	19
TOTAL DEATHS	1644	310	91	53	52	28	514	65	43	52	47	108	99	85	154	213	191	73
Small-pox	10	1	2	1	-	-	4	1	-	-	1	1	3	-	-	-	-	-
Measles	34	5	15	10	1	2	33	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	70	4	6	11	11	8	40	19	8	2	-	1	-	-	-	-	-	-
Diphtheria	19	1	3	2	2	-	8	9	2	-	-	-	-	-	-	-	-	-
Whooping-cough	34	15	8	6	1	4	34	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	1	1	1	-	2	5	3	6	5	3	3	6	3	1	4	1	-
Diarrhoea & Dysentery	64	42	7	3	-	2	54	-	-	-	1	1	-	1	1	4	6	-
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	55	10	3	3	3	3	22	3	-	1	2	1	4	4	5	6	6	1
Cancer	54	-	-	-	-	-	-	-	-	-	-	-	8	15	20	10	3	-
Scrofula and Tuberc.	22	6	2	2	-	-	10	2	4	-	-	-	1	2	2	1	-	-
Phthisis	133	5	3	-	-	-	8	4	5	24	22	44	32	9	6	3	1	-
Hydrocephalus	10	4	2	-	1	-	7	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	193	36	4	2	3	1	46	3	2	3	2	7	12	16	23	48	28	3
Dis. of Heart & Dropsy	124	1	1	-	-	1	3	1	4	2	2	5	8	8	27	39	24	1
Dis. of Lungs	241	51	20	5	8	1	84	9	-	-	-	10	4	8	28	42	45	8
Dis. of Stom. and Liver	109	3	-	-	-	1	4	5	2	4	3	9	10	8	23	27	9	2
Dis. of Kidneys	23	-	-	-	-	-	-	1	3	2	2	6	1	-	4	7	2	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	-	1	6	-	3	-	2	-
Dis. of Joints	9	-	1	-	-	-	1	-	-	-	-	1	3	-	-	1	-	-
Dis. of Skin	9	-	2	-	-	-	2	-	2	-	-	1	-	-	-	-	2	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	6	12	3	1	-	-	-	-
Selficide	8	-	-	-	-	-	-	-	-	-	1	3	1	-	3	-	-	-
Other Violent Deaths	29	5	1	1	1	2	10	2	1	-	-	3	1	-	2	3	1	7
Other Causes	280	119	10	6	1	1	137	1	2	3	1	3	-	2	6	18	61	49

422.—BOURN.

Mean Popul ⁿ , 1861-71	10016	285	277	267	267	262	1358	1264	1108	922	774	1275	1056	894	692	461	191	31
TOTAL DEATHS	1764	389	98	45	36	29	597	73	43	47	72	101	97	84	140	184	240	86
Small-pox	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	18	3	6	3	2	1	15	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	55	1	7	6	8	6	28	16	5	1	-	1	1	-	-	-	-	-
Diphtheria	20	3	-	2	1	2	8	7	3	1	1	-	-	-	-	-	-	-
Whooping-cough	35	18	13	3	-	1	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	117	7	2	-	1	4	14	15	15	15	8	13	10	6	5	8	7	1
Diarrhoea & Dysentery	79	34	9	3	1	1	48	1	1	-	-	2	1	2	1	5	13	6
Cholera	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	49	6	2	5	7	5	25	2	1	1	2	1	3	2	5	3	3	1
Cancer	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	21	8	3	1	-	-	12	2	1	-	-	3	6	9	17	14	2	1
Phthisis	167	4	1	-	-	1	6	1	7	22	32	58	36	8	13	4	-	-
Hydrocephalus	23	8	7	-	2	1	18	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	198	77	5	7	4	1	94	3	3	1	6	9	3	8	17	29	20	5
Dis. of Heart & Dropsy	145	5	-	1	1	2	7	2	2	1	6	4	9	14	30	41	24	3
Dis. of Lungs	181	44	22	10	1	2	79	8	2	1	-	7	5	6	15	22	30	9
Dis. of Stom. and Liver	104	13	1	2	1	-	17	2	1	-	5	5	9	13	20	17	14	1
Dis. of Kidneys	20	-	-	-	1	-	1	-	-	-	2	5	2	2	6	2	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	1	4	1	1	1	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	7	3	-	-	-	-	3	-	-	-	-	1	-	-	-	1	2	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	2	7	5	1	-	-	-	-
Selficide	8	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	2	-
Other Violent Deaths	34	5	6	1	4	1	17	3	-	-	2	2	-	1	1	1	7	-
Other Causes	307	150	13	1	2	1	167	5	1	-	-	2	4	5	8	24	114	59

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 & upward.
		423.—SPALDING.																
Mean Popul ⁿ , 1861-71	11213	322	270	301	307	278	1487	1371	1276	1169	816	1313	1182	1097	812	493	186	17
TOTAL DEATHS—	2280	682	164	56	41	39	922	90	67	58	65	98	112	157	201	250	236	49
Small-pox	6	4	—	—	—	—	4	—	—	—	1	—	—	1	—	—	—	—
Measles	35	10	14	6	3	—	33	2	—	—	—	—	—	—	—	—	—	—
Scarlatina	83	5	15	8	9	12	49	21	10	—	—	2	1	—	—	—	—	—
Diphtheria	36	2	3	3	5	5	18	9	6	1	1	—	—	1	—	—	—	—
Whooping-cough	64	42	14	1	1	2	69	3	1	—	—	—	—	—	—	—	—	—
Typhus	68	1	5	2	3	3	14	10	7	6	6	4	4	6	7	4	8	—
Diarrhoea & Dysentery	73	35	0	1	3	1	46	3	—	—	—	—	1	2	4	1	19	1
Cholera	4	2	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—
Other Zymotic Dis.	60	13	7	4	2	2	28	7	2	1	—	3	4	1	6	3	5	—
Cancer	32	—	—	—	—	—	—	1	—	—	—	—	1	5	7	13	14	8
Scrofula and Tuberc.	17	2	3	1	1	—	7	5	—	—	2	1	—	—	—	—	—	—
Phthisis	211	1	3	1	—	1	6	3	4	20	20	36	31	27	26	6	1	—
Hydrocephalus	18	0	4	—	1	1	15	2	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	281	119	14	6	3	1	143	6	1	1	7	5	5	22	17	42	27	1
Dis. of Heart & Dropsy	151	5	—	—	1	—	4	3	5	2	—	4	22	21	29	29	21	1
Dis. of Lungs	330	70	38	10	3	1	128	3	5	3	4	8	9	29	35	69	39	3
Dis. of Stom. and Liver	87	9	2	3	—	1	15	1	4	4	2	2	7	9	19	17	7	—
Dis. of Kidneys	53	—	—	—	—	—	—	—	1	—	2	2	2	8	10	12	13	3
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	8	—	—	—	—	—	—	—	1	—	2	—	—	2	—	—	1	—
Dis. of Skin	7	1	—	—	—	—	1	—	—	—	—	—	—	1	—	1	1	—
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	14	—	—	—	—	—	—	—	—	2	—	1	1	5	2	3	—	—
Other Violent Deaths	113	3	4	6	4	9	36	9	12	14	8	6	10	7	13	8	2	—
Other Causes	497	225	32	4	2	—	323	2	1	2	1	—	9	10	10	53	76	36
424.—HOLBEACH.																		
Mean Popul ⁿ , 1861-71	9452	259	235	260	245	248	1247	1149	1028	986	734	1157	1007	892	694	398	145	15
TOTAL DEATHS—	1802	563	101	46	27	24	761	59	47	45	47	86	76	117	164	187	170	43
Small-pox	4	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—
Measles	35	12	8	6	4	3	33	1	1	—	—	—	—	—	—	—	—	—
Scarlatina	17	2	—	7	1	3	13	3	1	—	—	—	—	—	—	—	—	—
Diphtheria	33	1	3	5	3	6	18	19	8	3	3	1	—	—	—	1	—	—
Whooping-cough	29	18	7	2	1	—	28	—	—	—	—	—	—	—	—	—	—	—
Typhus	66	3	1	5	2	—	11	7	6	4	3	11	4	5	7	6	2	—
Diarrhoea & Dysentery	64	28	6	2	—	—	46	—	1	—	—	2	1	—	1	3	10	—
Cholera	5	1	—	—	—	—	1	—	—	—	—	—	—	—	2	2	—	—
Other Zymotic Dis.	39	3	2	4	—	4	13	1	1	1	1	3	3	2	5	6	2	—
Cancer	29	—	—	—	—	—	—	—	—	—	—	—	2	4	8	11	4	—
Scrofula and Tuberc.	20	0	4	—	—	—	10	2	2	3	—	3	1	—	—	—	—	—
Phthisis	146	1	3	—	—	—	4	1	8	19	24	30	20	35	15	3	1	—
Hydrocephalus	51	10	6	2	2	2	22	5	8	—	—	—	—	—	—	—	—	—
Dis. of Brain	242	110	10	1	6	1	128	5	5	5	3	4	5	11	15	29	29	4
Dis. of Heart & Dropsy	68	4	1	—	1	—	6	3	—	—	—	6	5	14	17	29	21	1
Dis. of Lungs	290	73	24	8	3	2	112	—	2	5	2	16	15	32	40	52	32	3
Dis. of Stom. and Liver	83	11	1	—	—	—	13	2	—	1	1	3	5	15	15	59	11	1
Dis. of Kidneys	42	—	—	—	—	1	1	4	1	2	1	2	1	3	8	9	10	1
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	5	—	—	—	—	—	—	—	—	2	—	2	1	—	—	—	—	—
Dis. of Skin	5	2	—	—	—	—	2	—	1	2	—	—	—	—	—	—	—	—
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	15	—	—	—	—	—	—	—	—	—	—	2	3	2	2	3	—	—
Other Violent Deaths	71	5	4	1	2	2	14	3	4	1	8	8	5	3	15	7	3	—
Other Causes	424	261	21	2	2	—	286	3	2	—	—	2	3	4	18	25	42	20
425.—BOSTON.																		
Mean Popul ⁿ , 1861-71	18665	536	497	482	476	491	2432	2345	2051	1899	1433	2302	1968	1728	1333	789	304	41
TOTAL DEATHS—	3646	924	192	97	79	58	1350	150	80	102	113	196	201	242	313	413	569	126
Small-pox	6	3	1	—	1	—	5	—	—	—	1	—	—	—	—	—	—	—
Measles	30	10	8	3	7	—	28	2	—	—	—	—	—	—	—	—	—	—
Scarlatina	139	12	15	22	21	16	84	55	9	3	5	2	1	—	—	—	—	—
Diphtheria	44	6	1	4	4	9	24	8	7	1	1	2	—	—	—	1	—	—
Whooping-cough	73	48	12	7	4	1	72	1	—	—	—	—	—	—	—	—	—	—
Typhus	124	4	1	6	1	4	16	22	6	10	11	12	10	10	9	9	4	1
Diarrhoea & Dysentery	114	69	6	2	1	1	79	—	—	—	1	—	—	—	7	17	8	1
Cholera	6	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	85	12	2	9	4	3	30	8	3	3	1	2	4	6	8	23	4	1
Cancer	37	—	—	—	—	—	—	—	—	—	—	—	5	3	9	11	—	—
Scrofula and Tuberc.	35	11	3	2	—	—	16	4	3	1	2	2	1	4	2	—	—	—
Phthisis	375	9	2	1	1	1	14	9	9	40	53	100	63	42	39	11	3	—
Hydrocephalus	45	16	8	3	7	3	27	5	2	1	—	—	—	—	—	—	—	—
Dis. of Brain	504	294	34	16	6	4	294	8	5	6	2	10	30	23	45	64	49	9
Dis. of Heart & Dropsy	193	6	1	1	1	1	10	4	2	6	3	11	11	26	43	42	35	9
Dis. of Lungs	420	109	56	9	8	7	169	5	—	8	3	3	23	34	50	87	59	19
Dis. of Stom. and Liver	187	11	3	—	4	2	20	8	9	2	2	15	20	31	31	34	13	3
Dis. of Kidneys	95	—	1	—	1	—	2	2	1	5	3	5	7	12	15	39	13	1
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	5	—	—	1	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Dis. of Skin	6	1	—	—	—	—	1	—	—	—	—	—	—	—	1	2	1	—
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	19	—	—	—	—	—	—	—	—	1	4	2	3	2	2	3	2	—
Other Violent Deaths	120	8	12	4	5	3	32	16	21	15	18	18	15	8	29	9	2	1
Other Causes	224	383	45	7	2	3	442	12	3	1	3	10	15	33	59	162	159	36

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
423.—SPALDING.																			
Mean Popul ⁿ , 1861-71	11443	295	287	291	294	292	1459	1372	1237	1163	904	1452	1250	1058	818	514	191	25	
TOTAL DEATHS	1928	412	97	56	35	41	641	89	47	66	82	127	107	112	169	207	210	61	
Small-pox	3	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	
Measles	17	1	0	3	1	2	13	3	1	-	-	-	-	-	-	-	-	-	
Scarlatina	72	7	6	9	9	10	41	23	7	-	-	-	-	-	-	-	-	-	
Diphtheria	42	2	1	5	5	5	18	14	7	5	-	1	-	-	-	-	-	1	
Whooping-cough	54	28	13	6	4	1	32	2	-	-	-	-	-	-	-	-	-	-	
Typhus	64	2	1	5	-	3	11	9	8	10	7	7	2	3	5	2	-	-	
Diarrhea & Dysentery	72	24	4	5	1	-	34	1	-	-	1	3	2	1	6	8	10	0	
Cholera	5	1	1	-	-	-	2	1	-	-	1	1	-	-	-	-	-	-	
Other Zymotic Dis.	62	11	3	1	4	6	25	8	2	4	2	4	5	1	4	4	2	1	
Cancer	48	-	-	-	-	-	-	-	-	-	-	-	7	13	11	11	4	-	
Scrophula and Tuberc.	12	1	1	-	1	-	3	1	1	1	-	-	-	2	2	1	-	1	
Phthisis	234	4	1	1	-	1	7	4	9	33	42	55	41	18	17	3	-	-	
Hydrocephalus	18	3	3	2	1	3	12	3	2	-	-	1	-	-	-	-	-	-	
Dis. of Brain	226	72	12	4	2	3	98	9	3	3	8	3	7	15	23	24	34	1	
Dis. of Heart & Dropsy	140	2	-	-	1	-	3	5	2	-	-	9	8	23	33	35	22	-	
Dis. of Lungs	228	46	17	4	4	3	74	3	2	1	4	6	4	12	23	49	36	7	
Dis. of Stom. and Liver	81	2	-	1	-	-	3	2	1	2	6	5	6	7	10	20	7	-	
Dis. of Kidneys	20	-	1	2	-	-	3	1	1	-	-	3	3	-	6	2	1	-	
Dis. of Gen. Organs	7	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	
Dis. of Skin	9	1	1	-	-	-	2	-	-	-	1	-	1	-	3	1	2	-	
Childbirth and Metris	41	-	-	-	-	-	-	-	-	-	8	22	11	-	-	-	-	-	
Selficide	7	-	-	-	-	-	-	-	1	-	-	-	3	-	2	1	-	-	
Other Violent Deaths	23	6	4	3	2	2	17	2	2	-	-	1	1	2	2	4	2	-	
Other Causes	429	198	22	5	-	2	227	8	1	1	1	1	5	9	5	37	87	44	

424.—HOLBEACH.

Mean Popul ⁿ , 1861-71	9425	288	239	258	247	239	1271	1137	1049	934	784	1207	1026	864	617	374	142	20
TOTAL DEATHS	1699	413	108	41	26	24	612	61	40	58	65	124	95	116	136	100	175	48
Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	20	4	13	5	1	—	23	1	2	—	—	—	—	—	—	—	—	—
Scarlatina	23	—	—	—	1	2	7	12	2	—	—	2	—	—	—	—	—	—
Diphtheria	42	1	1	3	4	6	15	15	8	—	1	2	2	1	—	—	—	—
Whooping-cough	44	21	12	4	2	4	43	1	—	—	—	—	—	—	—	—	—	—
Typhus	69	2	5	2	3	1	13	9	5	—	8	5	10	5	4	6	1	3
Diarrhea & Dysentery	32	22	5	3	—	—	30	1	—	—	1	1	1	1	3	1	7	5
Cholera	5	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—
Other Zymotic Dis.	42	6	1	4	2	1	14	3	4	2	1	1	1	3	6	4	2	1
Cancer	51	—	—	—	—	—	—	—	—	—	—	—	7	16	13	8	5	2
Scrophula and Tuberc.	22	5	1	1	2	—	9	—	—	2	5	4	1	—	—	—	—	—
Phthisis	213	3	3	—	—	—	6	4	12	27	33	62	33	19	13	4	—	—
Hydrocephalus	18	3	3	—	2	2	15	1	—	2	—	—	—	—	—	—	—	—
Dis. of Brain	187	65	13	4	—	1	84	4	1	3	2	7	5	12	11	37	25	6
Dis. of Heart & Dropsy	111	1	—	1	—	—	2	—	5	—	3	4	6	19	23	27	20	2
Dis. of Lungs	219	47	21	6	3	3	80	2	2	—	4	1	5	17	15	23	35	7
Dis. of Stom. and Liver	90	11	1	1	1	1	15	3	—	—	1	6	3	4	14	12	17	1
Dis. of Kidneys	33	1	—	1	—	1	3	2	1	1	2	2	3	4	9	4	2	—
Dis. of Gen. Organs	12	—	—	—	—	—	—	—	—	—	—	1	1	1	3	3	2	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	5	3	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—	—
Childbirth and Metris	20	—	—	—	—	—	—	—	—	—	1	3	12	4	—	—	—	—
Selficide	5	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Other Violent Deaths	28	6	1	—	2	2	11	2	3	—	—	3	2	—	1	1	5	—
Other Causes	389	206	25	5	—	2	238	3	4	1	—	—	4	2	5	9	26	28

425.—BOSTON.

Mean Popul ⁿ , 1861-71	19737	540	467	500	483	475	2465	2334	2047	1914	1672	2644	2117	1850	1390	885	358	61
TOTAL DEATHS	3542	677	186	92	58	49	1092	172	96	114	113	249	201	231	284	395	457	168
Small-pox	8	5	—	—	1	—	6	—	1	1	—	—	—	—	—	—	—	—
Measles	40	9	10	8	6	9	34	4	—	1	—	—	—	—	—	—	—	—
Scarlatina	135	2	18	18	8	16	62	28	19	4	—	2	4	1	—	1	—	—
Diphtheria	63	5	3	8	3	1	20	20	11	5	—	2	2	2	1	—	—	—
Whooping-cough	68	31	20	6	2	1	60	6	—	—	—	—	—	—	—	—	—	—
Typhus	123	3	3	2	2	2	12	27	15	—	8	15	7	10	11	7	10	1
Diarrhea & Dysentery	99	38	9	3	1	2	53	2	—	—	1	8	2	3	3	8	18	4
Cholera	10	3	—	—	—	—	3	—	—	—	1	—	—	1	2	—	—	—
Other Zymotic Dis.	68	10	4	4	3	1	22	8	—	—	8	4	2	6	6	13	4	—
Cancer	108	—	—	—	—	1	1	—	—	—	1	9	15	21	28	20	9	—
Scrophula and Tuberc.	38	14	6	1	1	2	24	2	5	3	—	3	1	—	—	—	—	—
Phthisis	434	4	—	1	3	2	10	9	22	56	61	135	68	41	22	9	1	—
Hydrocephalus	42	13	9	2	4	2	30	10	1	—	—	1	—	—	—	—	—	—
Dis. of Brain	485	158	21	9	5	7	200	14	5	7	5	16	16	31	47	65	67	14
Dis. of Heart & Dropsy	293	3	1	1	2	—	7	2	1	2	6	8	14	29	42	27	32	5
Dis. of Lungs	268	67	40	17	9	—	133	6	2	4	—	7	15	14	35	22	34	15
Dis. of Stom. and Liver	202	8	3	1	—	3	17	4	2	4	10	10	7	18	31	35	43	4
Dis. of Kidneys	46	—	1	—	—	—	1	2	1	2	—	5	6	6	6	10	8	—
Dis. of Gen. Organs	13	—	—	—	—	—	—	—	—	—	—	2	4	6	1	2	—	—
Dis. of Joints	12	—	—	—	—	1	1	—	—	—	—	1	3	2	1	—	—	—
Dis. of Skin	6	1	—	—	—	—	1	—	—	—	—	1	1	2	1	—	—	—
Childbirth and Metris	38	—	—	—	—	—	—	—	—	8	3	9	12	1	—	—	—	—
Selficide	8	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—
Other Violent Deaths	70	4	4	5	4	2	19	9	4	1	5	1	—	6	7	6	9	3
Other Causes	822	209	32	6	4	4	345	1	3	4	4	9	11	14	24	32	219	118

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--	
426.—SLEAFORD.																			
Mean Popul ⁿ , 1861-71	12684	361	354	338	347	343	1743	1593	1453	1293	962	1532	1339	1123	884	533	201	28	
TOTAL DEATHS	2332	639	125	59	45	33	901	97	45	57	60	126	118	126	180	291	248	53	
Small-pox	6	3	-	-	1	-	4	-	-	1	-	1	-	-	-	-	-	-	
Measles	28	9	11	3	1	1	25	1	-	-	-	1	1	-	-	-	-	-	
Scarlatina	51	2	15	16	11	8	52	23	3	1	-	2	-	-	-	-	-	-	
Diphtheria	34	2	3	1	1	3	10	17	3	1	-	1	-	-	1	1	-	-	
Whooping-cough	49	28	11	3	4	2	48	1	-	-	-	-	-	-	-	-	-	-	
Typhus	81	3	1	3	2	1	10	5	7	3	12	10	12	8	6	4	2	1	
Diarrhoea & Dysentery	118	51	7	5	1	1	65	2	-	-	-	1	6	2	6	13	15	3	
Cholera	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	54	4	4	1	4	2	15	5	-	2	3	5	4	5	4	7	4	3	
Cancer	25	-	-	-	-	-	-	-	-	-	1	2	1	2	7	8	4	-	
Scrofula and Tuberc.	59	28	6	1	1	2	38	4	2	4	1	4	2	1	1	2	-	-	
Phthisis	179	7	2	1	2	-	12	3	2	20	25	46	31	25	8	5	2	-	
Hydrocephalus	83	15	5	3	3	1	27	4	1	-	-	1	-	-	-	-	-	-	
Dis. of Brain	321	138	7	2	5	4	156	9	4	5	5	8	9	12	33	45	39	7	
Dis. of Heart & Dropsy	145	2	-	-	3	1	6	4	3	1	2	8	11	13	27	39	36	4	
Dis. of Lungs	306	86	24	10	2	1	123	4	3	1	2	14	14	13	22	49	27	10	
Dis. of Stom. and Liver	124	17	-	2	-	-	19	4	3	3	2	6	8	16	31	26	14	2	
Dis. of Kidneys	50	-	1	-	-	1	2	-	1	4	2	2	5	9	8	12	2	3	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	9	-	-	-	-	-	-	-	2	2	-	2	-	-	-	3	1	-	
Dis. of Skin	7	2	-	-	-	-	2	-	1	-	-	-	1	-	2	-	1	1	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	
Other Violent Deaths	104	9	5	6	2	3	25	7	10	6	4	10	9	9	9	19	4	1	
Other Causes	510	233	23	2	1	2	261	4	1	2	1	5	4	10	24	44	205	40	

427.—GRANTHAM.																		
Mean Popul ⁿ , 1861-71	14680	447	409	414	383	378	2031	1842	1616	1409	1068	1931	1634	1338	965	598	225	28
TOTAL DEATHS	2901	771	150	83	53	39	1096	101	57	85	93	167	138	172	240	367	367	72
Small-pox	6	5	-	-	-	-	5	-	-	-	-	-	-	-	1	-	-	-
Measles	29	6	13	4	3	1	27	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	75	7	11	11	16	10	55	16	3	1	-	-	-	-	-	-	-	-
Diphtheria	28	1	3	1	3	4	12	9	4	2	-	1	-	-	-	-	-	-
Whooping-cough	55	32	12	5	4	1	54	1	-	-	-	-	-	-	-	-	-	-
Typhus	164	2	3	5	5	5	33	27	15	16	8	18	15	21	15	5	1	-
Diarrhoea & Dysentery	136	91	9	6	-	-	106	1	-	-	1	-	1	-	1	12	14	1
Cholera	6	-	2	1	-	1	4	-	-	-	-	1	-	-	1	-	-	-
Other Zymotic Dis.	74	13	5	8	3	2	31	6	3	1	-	3	2	3	8	10	4	1
Cancer	66	1	-	-	-	1	2	-	1	-	-	2	4	7	21	18	9	4
Scrofula and Tuberc.	60	24	11	3	1	2	41	4	5	1	2	1	2	3	1	-	-	-
Phthisis	265	7	5	-	1	1	13	6	9	32	51	65	34	28	19	6	2	-
Hydrocephalus	46	22	7	8	2	-	39	6	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	342	181	14	5	3	1	154	6	2	4	4	13	13	23	30	49	80	8
Dis. of Heart & Dropsy	198	4	1	-	2	-	7	1	1	4	9	9	14	9	45	60	34	3
Dis. of Lungs	420	134	30	12	5	2	183	3	2	4	5	9	14	27	39	70	32	11
Dis. of Stom. and Liver	178	21	1	1	-	1	24	2	2	7	2	11	13	21	51	46	13	-
Dis. of Kidneys	50	-	-	-	-	-	-	-	-	1	1	5	4	7	7	13	13	2
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1	-	-
Dis. of Skin	8	3	1	-	-	-	4	-	-	-	-	-	-	1	1	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	26	-	-	-	-	-	-	-	-	1	1	5	3	4	6	5	1	-
Other Violent Deaths	111	4	2	5	5	3	19	9	6	9	8	14	12	9	8	12	4	1
Other Causes	356	263	20	5	1	3	292	8	2	1	1	10	7	9	10	39	127	47

428.—LINCOLN.																		
Mean Popul ⁿ , 1861-71	24657	735	650	641	646	640	3312	3034	2717	2443	2068	3373	2777	2144	1537	918	303	33
TOTAL DEATHS	5593	1666	314	164	102	69	2255	204	113	124	182	338	363	300	481	335	425	114
Small-pox	42	10	4	2	-	3	19	3	1	3	10	4	1	-	1	-	-	-
Measles	51	14	14	14	3	4	49	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	253	14	33	43	35	23	148	54	13	11	1	3	2	-	1	-	-	-
Diphtheria	56	5	6	4	5	4	24	15	8	2	1	2	-	1	2	1	-	-
Whooping-cough	90	40	24	12	4	1	87	6	-	-	-	-	-	-	-	-	-	-
Typhus	199	4	3	6	5	5	23	28	12	18	15	32	20	15	13	19	8	-
Diarrhoea & Dysentery	196	129	19	3	1	1	153	2	-	-	1	1	2	1	4	17	14	3
Cholera	15	2	-	1	-	-	3	3	-	-	-	-	1	2	4	2	-	-
Other Zymotic Dis.	93	11	15	9	3	7	45	3	5	1	4	5	2	7	11	11	3	-
Cancer	68	-	-	-	-	1	1	-	-	-	-	8	6	8	9	22	8	11
Scrofula and Tuberc.	75	35	8	2	2	-	47	8	6	2	4	3	1	1	-	1	-	-
Phthisis	460	11	1	1	3	1	17	6	11	45	79	109	88	54	60	8	1	2
Hydrocephalus	63	26	13	4	5	1	49	9	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	1045	479	48	17	15	11	570	14	10	7	9	39	30	80	87	94	104	8
Dis. of Heart & Dropsy	277	6	2	-	-	-	8	2	4	5	5	52	28	45	63	27	27	11
Dis. of Lungs	623	151	20	21	10	2	254	8	4	3	12	56	43	53	88	87	89	11
Dis. of Stom. and Liver	203	17	5	5	1	-	26	4	3	5	5	12	23	34	55	28	19	-
Dis. of Kidneys	99	5	1	-	-	1	8	5	3	2	2	9	10	14	20	24	8	-
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	57	1	1	-	-	-	3	6	4	3	5	3	4	-	5	3	-	-
Dis. of Skin	10	4	-	-	-	-	4	-	-	-	-	1	-	1	1	2	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	19	-	-	-	-	-	-	-	-	-	-	1	3	4	5	3	1	-
Other Violent Deaths	227	21	8	7	4	4	44	20	21	16	23	23	21	29	17	13	4	-
Other Causes	1315	617	61	12	6	-	696	7	2	1	7	12	13	23	43	104	262	40

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.	
426.—SLEAFORD.																			
Mean Popul ⁿ , 1861-71	12693	378	334	354	344	352	1762	1605	1341	1240	990	1657	1384	1126	815	515	226	32	
TOTAL DEATHS -	2175	518	131	73	42	24	788	87	66	53	73	126	118	122	165	239	239	99	
Small-pox -	7	2	-	3	-	-	5	-	-	-	-	1	1	-	-	-	-	-	
Scarlet -	13	4	4	1	2	-	11	2	-	-	-	-	-	-	-	-	-	-	
Cariatina -	76	2	17	16	7	4	46	22	6	-	1	-	1	-	-	-	-	-	
Diphtheria -	34	3	3	6	2	3	17	10	2	2	1	-	-	-	1	-	-	1	
Whooping-cough -	51	29	16	8	-	-	48	2	-	-	1	-	-	-	-	-	-	-	
Typhus -	95	-	3	2	3	3	11	10	21	7	8	12	4	8	4	7	3	-	
Diarrhoea & Dysentery -	98	40	10	7	2	1	60	-	1	-	-	1	-	2	2	9	15	8	
Measles -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	48	8	2	5	3	2	20	4	3	2	1	3	-	2	3	5	3	2	
Cancer -	68	-	-	-	-	-	-	-	-	-	-	1	9	12	20	17	8	1	
Erysipelas and Tuberc -	49	24	5	2	2	-	33	5	3	2	-	6	-	-	-	-	-	-	
Rheumatism -	230	5	4	-	-	-	7	5	15	27	42	52	38	28	12	4	-	-	
Hydrocephalus -	29	9	4	1	4	-	18	1	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	304	90	10	8	5	8	116	10	4	1	2	13	12	19	30	51	39	7	
Dis. of Heart & Dropsy -	123	1	2	-	2	-	5	-	3	8	2	8	11	16	22	36	27	1	
Dis. of Lungs -	269	68	21	12	6	2	113	2	3	2	-	5	9	16	22	42	33	9	
Dis. of Stom. and Liver -	109	11	2	-	-	1	14	5	2	-	4	8	10	9	22	35	10	-	
Dis. of Kidneys -	19	-	-	-	1	1	2	-	-	1	-	1	1	4	4	8	3	-	
Dis. of Gen. Organs -	12	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	3	-	
Dis. of Joints -	7	-	-	-	-	-	-	1	-	-	1	1	1	1	1	1	1	-	
Dis. of Skin -	11	3	-	-	-	-	3	-	-	-	-	-	2	-	2	2	2	-	
Childbirth and Metris -	35	-	-	-	-	-	-	-	-	2	5	14	13	-	-	-	-	-	
Violence -	5	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	
Other Violent Deaths -	36	5	6	5	1	2	19	3	2	-	1	-	-	-	3	2	3	3	
Other Causes -	458	215	18	2	2	2	239	5	-	3	-	2	5	2	11	32	92	6	

		427.—GRANTHAM.																	
Mean Populn., 1861-71	15066	430	384	399	422	386	2021	1828	1624	1356	1258	2055	1692	1328	978	633	268	25	
TOTAL DEATHS -	2893	641	165	73	65	52	996	123	62	91	96	190	186	183	185	351	319	105	
Small-pox -	9	6	-	-	-	-	6	-	-	-	-	2	-	-	1	-	-	-	
Measles -	81	5	7	4	12	2	39	-	-	-	1	-	-	-	-	-	-	-	
Scarlatina -	89	11	11	6	9	10	47	94	1	2	9	1	1	-	-	-	-	-	
Diphtheria -	38	2	1	4	2	5	14	14	3	1	3	1	2	-	-	-	-	-	
Whooping-cough -	67	27	23	10	3	1	64	3	-	-	-	-	-	-	-	-	-	-	
Rhynus -	125	2	4	4	5	7	22	16	18	24	15	21	13	8	7	8	3	2	
Diarrhea & Dysentery -	117	66	16	4	1	-	57	1	-	-	1	1	2	1	1	6	15	2	
Cholera -	5	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Zymotic Dis. -	71	14	1	2	5	4	26	5	7	2	2	3	3	3	9	8	8	3	
Cancer -	97	-	-	-	-	-	-	-	-	-	-	5	8	28	18	32	5	1	
Scrophula and Tabes -	49	15	6	5	2	-	28	3	4	1	1	4	2	2	1	3	1	-	
Ethiols -	303	1	3	-	-	4	13	14	35	42	92	54	54	33	12	6	-	-	
Hydrocephalus -	27	9	6	4	1	2	22	2	8	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	319	93	15	2	5	8	123	8	5	2	4	9	14	26	23	43	31	9	
Dis. of Heart & Dropsy -	245	1	-	-	1	-	2	3	2	4	4	15	23	27	47	71	40	7	
Dis. of Lungs -	367	82	41	19	10	5	157	11	1	5	2	9	13	16	18	61	58	16	
Dis. of Stom. and Liver -	173	19	2	2	2	-	25	5	2	6	3	9	17	21	25	41	16	3	
Dis. of Kidneys -	21	-	-	-	-	-	-	-	1	1	2	3	5	1	-	3	8	-	
Dis. of Genes. Organs -	21	-	-	-	-	-	-	-	-	-	-	4	6	3	5	3	-	-	
Dis. of Joints -	8	-	-	-	-	-	-	1	-	1	1	-	2	3	3	-	-	-	
Dis. of Skin -	12	6	-	-	1	1	8	1	-	-	-	1	1	1	-	1	-	-	
Childbirth and Metris -	28	-	-	-	-	-	-	-	-	-	6	13	9	-	-	-	-	-	
Suicide -	8	-	-	-	-	-	-	-	-	3	-	1	-	2	1	1	-	-	
Other Violent Deaths -	57	11	8	1	5	4	29	3	-	2	2	1	2	4	1	7	3	3	
Other Causes -	374	257	21	6	1	3	258	-	1	2	4	1	9	7	14	55	119	6	

		428.—LINCOLN.																	
Mean Popul'n, 1861-71	25019	737	683	665	640	631	3356	2978	2658	2321	2170	3539	2818	2214	1593	965	353	54	
TOTAL DEATHS -	5040	1184	307	150	115	69	1825	196	118	169	186	423	324	289	375	516	458	161	
Small-pox -	85	8	-	3	5	1	17	7	-	2	-	2	2	2	1	2	-	-	
Measles -	66	9	20	11	5	19	58	4	1	-	-	-	-	-	-	-	-	-	
Scarlatina -	178	16	24	27	27	14	108	45	12	7	1	4	-	-	-	1	-	-	
Diphtheria -	65	3	8	7	11	4	33	12	7	2	4	4	-	1	2	-	-	-	
Whooping-cough -	99	41	28	17	7	3	96	3	-	-	-	-	-	-	-	-	-	-	
Cyphus -	215	2	10	15	7	6	38	29	30	20	13	34	19	15	8	7	5	-	
Diarrhœa & Dysentery -	169	160	16	7	3	-	126	5	-	-	3	1	1	3	11	10	11	1	
Typhoid -	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	89	10	8	7	8	4	87	10	7	4	1	3	4	8	5	4	6	-	
Cancer -	125	-	-	-	2	-	2	-	-	-	-	5	19	33	34	33	5	2	
Gonorrhea and Syphilis -	55	19	16	3	-	1	53	3	2	4	3	5	3	4	-	-	-	-	
Rheumatism -	630	3	3	2	2	1	11	14	25	82	102	190	111	57	28	4	-	-	
Hydrocephalus -	89	13	11	5	3	1	33	5	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	783	330	47	11	13	6	427	17	7	15	5	31	34	38	80	79	47	8	
Dis. of Heart & Dropsy -	261	5	1	-	-	1	7	3	8	7	8	17	29	35	54	67	22	4	
Dis. of Lungs -	481	116	49	19	10	9	197	13	5	4	9	30	19	24	53	82	47	8	
Dis. of Stom. and Liver -	221	12	1	3	2	-	20	8	2	5	11	23	32	33	41	35	11	-	
Dis. of Kidneys -	24	-	1	-	-	-	1	1	4	1	-	5	4	8	2	-	3	-	
Dis. of Gener. Organs -	31	-	-	-	-	-	-	3	-	1	2	1	9	1	5	3	4	-	
Dis. of Joints -	17	-	-	-	-	-	-	-	-	-	1	2	1	2	1	2	1	-	
Dis. of Skin -	16	5	2	-	-	-	7	-	-	-	-	2	1	1	2	1	3	-	
Childbirth and Metria -	80	-	-	-	-	-	-	-	-	5	15	39	20	3	-	-	-	-	
Infants -	7	-	-	-	-	-	-	-	-	2	-	2	1	1	1	-	-	-	
Other Violent Deaths -	67	9	7	2	5	4	27	5	5	2	4	7	5	6	4	3	1	-	
Violent Causes -	1769	447	99	11	5	1	544	9	4	6	3	17	14	17	42	179	297	137	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
429.—HORNCASTLE.																		
Mean Popul ⁿ , 1861-71 -	12064	337	320	332	312	314	1615	1517	1346	1212	867	1464	1318	1139	826	518	216	57
TOTAL DEATHS -	2161	552	83	45	41	26	747	91	72	54	72	96	115	136	180	228	222	42
Small-pox - - -	10	4	-	-	1	1	6	-	-	-	-	1	1	1	1	-	-	-
Measles - - -	10	1	2	4	2	-	9	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	54	2	5	6	5	8	28	10	10	3	1	1	-	-	-	-	-	-
Diphtheria - - -	61	1	2	2	6	3	14	24	13	4	3	1	-	2	-	-	-	-
Whooping-cough -	39	23	11	2	-	1	37	2	-	-	-	-	-	-	-	-	-	-
Typhus - - -	79	2	4	2	3	1	12	16	9	3	7	6	5	7	3	18	2	1
Diarrhoea & Dysentery -	37	16	-	2	1	-	19	1	-	1	1	-	2	-	3	2	2	1
Cholera - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	87	7	2	4	1	2	16	4	3	3	1	2	2	-	2	2	2	-
Cancer - - -	22	-	-	-	-	-	-	-	-	-	-	-	1	5	1	4	1	-
Serofula and Tubercles -	43	12	3	-	1	1	16	6	4	1	2	3	4	1	5	3	1	-
Phtisis - - -	191	-	2	-	1	1	4	3	5	17	35	43	39	19	19	4	-	-
Hydrocephalus - -	27	7	6	1	5	1	19	3	4	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	345	189	13	5	3	1	202	6	4	3	4	5	6	17	34	43	26	4
Dis. of Heart & Dropsy -	159	3	-	-	1	4	1	4	1	3	7	16	13	23	26	24	1	-
Dis. of Lungs - - -	191	40	16	5	1	3	65	12	2	1	4	7	9	33	24	33	11	-
Dis. of Stom. and Liver -	116	12	1	2	3	1	19	3	3	2	5	5	16	18	29	29	3	-
Dis. of Kidneys - - -	32	-	-	-	-	-	-	-	1	-	1	-	2	1	3	12	7	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints - - -	5	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-
Dis. of Skin - - -	7	2	1	-	-	-	3	-	-	-	-	-	-	-	2	2	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	11	-	-	-	-	-	-	-	-	1	-	-	1	4	1	3	4	1
Other Violent Deaths -	89	5	2	4	5	1	13	6	4	10	4	5	8	9	19	4	7	1
Other Causes - - -	620	236	14	4	4	-	228	2	4	2	1	8	4	11	22	26	26	7

430.—SPILSBY.

Mean Popul ⁿ , 1861-71	14342	376	387	381	388	387	1919	1894	1871	1402	1054	1603	1530	1303	977	640	235	33
TOTAL DEATHS -	2642	655	181	85	51	35	957	124	47	73	95	164	126	159	192	218	345	39
Small-pox -	15	4	1	-	-	-	5	2	-	-	1	3	3	1	-	-	-	-
Measles -	14	4	4	4	1	-	13	-	1	-	-	-	-	-	-	-	-	-
Scarlatina -	50	3	7	7	14	5	24	14	5	2	1	1	1	1	1	-	-	-
Diphtheria -	61	6	2	7	5	6	26	25	5	3	1	-	-	1	-	-	-	-
Whooping-cough -	36	17	11	5	-	1	34	2	-	-	-	-	-	-	-	-	-	-
Typhus -	87	1	1	2	1	3	8	14	10	6	5	11	8	6	6	19	1	-
Diarrhoea & Dysentery -	54	23	3	-	2	3	56	5	-	-	-	-	1	1	2	3	4	-
Cholera -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis. -	44	12	3	1	4	-	20	9	1	4	1	1	-	1	4	1	2	-
Cancer -	40	-	-	-	-	-	-	-	-	-	1	2	4	4	14	8	7	-
Scrofula and Tuberc. -	31	6	2	2	-	1	11	2	-	5	2	-	4	2	3	2	-	-
Phtisis -	817	6	4	3	5	1	19	9	9	32	51	80	43	43	26	9	-	-
Hydrocephalus -	43	14	12	4	5	2	35	5	3	-	-	-	-	-	-	-	-	-
Dis. of Brain -	469	273	20	13	4	8	312	5	2	4	10	12	10	18	23	45	28	4
Dis. of Heart & Dropsy -	144	1	1	1	1	1	5	5	1	1	1	9	7	19	22	47	28	1
Dis. of Lungs -	216	40	26	9	4	3	82	6	1	2	9	10	5	15	26	39	17	-
Dis. of Stom. and Liver -	156	12	1	2	-	1	16	8	3	2	3	11	10	20	25	28	14	-
Dis. of Kidneys -	45	1	-	-	-	1	2	1	-	1	-	1	4	6	11	31	8	-
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints -	5	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-
Dis. of Skin -	6	2	-	-	-	-	2	-	-	-	-	1	1	1	-	-	1	-
Childbirth and Metrisa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	21	-	-	-	-	-	-	-	-	-	-	-	4	5	7	6	1	-
Other Violent Deaths -	178	9	7	18	5	2	36	8	4	6	7	13	12	11	5	4	2	-
Other Causes -	688	215	26	13	2	4	200	6	2	3	1	7	9	7	20	24	208	7

431.—LOUTH.

Mean Popul ⁿ , } 1861-71 }	17201	514	474	482	481	476	2427	2171	1948	1626	1285	2189	1854	1531	1142	748	345	35
TOTAL DEATHS -	3218	876	164	77	54	45	1214	126	63	103	83	157	147	193	268	424	339	81
Small-pox - - -	3	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
Measles - - - -	22	5	8	3	3	1	20	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	56	5	3	11	9	8	96	10	2	3	2	2	-	1	-	-	-	-
Diphtheria - - -	81	4	-	2	2	2	10	8	3	4	-	4	-	-	2	-	-	-
Whooping-cough -	58	39	10	5	5	-	57	1	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	79	2	1	2	2	8	15	16	2	8	0	5	4	4	7	3	1	3
Dysentery & Cholera -	80	46	3	1	1	-	51	1	-	-	1	1	2	3	4	7	7	1
Cholera - - - - -	7	5	-	-	-	-	5	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	79	19	8	3	6	10	46	9	1	2	-	-	5	6	4	8	3	3
Cancer - - - - -	44	-	-	-	-	-	1	-	-	-	-	1	1	6	16	15	3	-
Scrofula and Tuberc.	35	9	3	-	-	-	12	4	2	4	4	4	2	1	2	-	-	-
Phthisis - - - -	288	10	8	4	2	-	24	13	7	44	44	76	33	53	12	3	-	-
Hydrocephalus -	42	10	9	6	2	2	29	12	-	1	-	-	-	-	-	-	-	-
Dis. of Brain - -	217	280	21	5	8	3	317	9	8	4	3	11	10	25	35	60	28	4
Dis. of Heart & Dropsy	210	3	-	-	-	1	4	1	5	3	3	5	21	33	43	63	79	3
Dis. of Lungs - -	362	51	23	5	2	1	85	5	4	6	5	14	22	25	64	43	30	3
Dis. of Stom. and Liver	125	9	5	4	1	-	17	4	3	3	3	6	15	11	22	20	10	1
Dis. of Kidneys -	29	-	-	1	-	-	1	1	1	1	-	2	5	6	13	74	26	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	19	1	1	-	-	1	3	2	2	2	-	3	1	1	2	3	1	1
Dis. of Skin - - -	9	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	13	-	-	-	-	-	-	-	-	1	-	-	1	4	3	3	1	-
Other Violent Deaths -	122	4	11	9	5	2	33	11	5	8	10	8	3	13	11	19	4	1
Other Causes - - -	1055	263	49	16	8	4	445	16	12	9	3	12	12	27	47	140	264	4

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and above.
429.—HORNCASTLE.																		
Mean Popul ⁿ , 1861-71	12177	344	332	330	318	306	1628	1477	1369	1118	1001	1594	1391	1081	820	528	241	49
TOTAL DEATHS -	2219	405	83	52	39	30	699	112	75	98	93	151	142	116	165	224	270	114
Small-pox - - -	6	2	-	1	-	-	5	-	1	-	1	-	1	-	-	-	-	-
Measles - - -	14	6	2	2	2	-	12	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	69	5	4	4	6	8	27	19	8	5	-	-	1	-	-	-	-	-
Diphtheria - - -	82	3	3	6	6	6	26	26	19	5	1	2	1	1	-	1	-	-
Whooping-cough -	47	28	10	6	-	1	45	2	-	-	-	-	-	-	-	-	-	-
Typhus - - -	87	2	2	4	1	2	11	11	12	16	10	11	7	1	3	3	2	-
Diarrhoea & Dysentery	29	14	1	1	2	1	19	-	-	1	1	-	2	1	3	2	-	-
Cholera - - -	3	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-
Other Zymotic Dis.	30	4	-	4	1	2	11	6	-	1	-	-	1	1	3	2	3	-
Cancer - - -	57	-	-	-	-	-	-	-	-	-	-	-	11	20	16	8	2	-
Scrofula and Tuberc.	44	11	3	-	1	3	18	4	3	4	3	10	2	2	2	2	-	-
Phthisis - - -	267	2	-	-	-	-	2	4	13	45	59	71	43	20	6	4	-	-
Hydrocephalus - -	20	4	7	2	1	1	15	4	-	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	306	187	11	9	4	-	161	11	6	6	1	5	14	13	21	30	24	3
Dis. of Heart & Dropsy	134	2	-	-	-	4	4	1	1	4	2	6	15	13	33	25	25	5
Dis. of Lungs - - -	145	29	11	5	2	1	48	6	2	1	2	6	4	10	20	20	15	5
Dis. of Stom. and Liver	112	5	-	-	2	-	7	5	-	1	3	12	14	12	24	28	5	5
Dis. of Kidneys - -	6	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-
Dis. of Genes. Organs	14	-	-	-	-	-	-	-	-	-	-	2	4	7	1	-	-	-
Dis. of Joints - - -	5	1	1	-	-	-	2	-	-	1	-	-	-	1	1	-	-	-
Dis. of Skin - - -	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	26	-	-	-	-	-	-	-	-	1	6	13	13	1	-	-	-	-
Suicide - - -	9	-	-	-	-	-	-	-	-	-	1	3	-	-	2	2	-	-
Other Violent Deaths	32	2	5	-	4	1	13	6	1	1	1	-	1	1	1	1	1	1
Other Causes - - -	668	208	22	8	2	5	245	6	9	3	2	5	7	6	19	89	186	106

430.—SPILSBY.																		
Mean Popul ⁿ , 1861-71	14681	414	408	388	396	389	1995	1772	1692	1383	1149	1854	1595	1288	1008	686	242	47
TOTAL DEATHS	2551	518	104	79	48	35	775	131	91	106	99	203	141	146	183	279	293	104
Small-pox	3	2	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Measles	17	3	6	2	1	1	13	3	1	1	1	1	1	1	1	1	1	1
Scarlatina	65	1	2	8	6	6	25	28	2	7	1	1	1	1	1	1	1	1
Diphtheria	78	1	5	3	7	3	18	31	29	3	1	2	1	1	1	1	1	1
Whooping-cough	42	24	10	4	3	1	41	1	1	1	1	1	1	1	1	1	1	1
Typhus	119	2	2	5	2	3	14	15	23	8	17	11	11	8	4	8	5	1
Diarrhoea & Dysentery	39	19	2	1	1	1	23	2	1	1	1	1	1	1	2	4	4	2
Cholera	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	71	12	6	13	2	3	36	5	6	2	2	2	5	5	2	5	3	1
Cancer	77	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tuberc.	29	10	1	2	1	1	14	2	2	1	1	2	14	21	17	16	8	1
Phthisis	423	5	6	4	2	1	18	13	24	66	59	122	87	83	27	4	1	1
Hydrocephalus	25	9	3	3	3	1	19	4	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	346	182	23	7	4	1	217	3	3	4	2	9	5	13	22	39	22	7
Dis. of Heart & Dropsy	147	4	2	2	2	2	6	6	3	3	2	6	15	8	16	40	35	11
Dis. of Lungs	138	31	13	8	4	7	61	6	3	3	2	3	6	2	13	22	14	2
Dis. of Stom. and Liver	108	14	1	1	1	1	15	3	1	2	4	10	5	20	21	17	7	2
Dis. of Kidneys	13	1	1	1	1	1	2	2	1	1	1	2	4	1	1	1	1	1
Dis. of Genes. Organs	7	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	8	1	1	1	1	1	2	1	1	1	1	2	1	1	1	1	1	1
Dis. of Skin	3	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	31	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1
Suicide	5	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	43	6	6	6	2	5	25	4	1	1	1	1	1	1	3	5	1	1
Other Causes	691	194	16	4	6	2	222	5	3	4	1	2	4	9	16	116	221	89

431.—LOUTH.																		
Mean Popul ⁿ , 1861-71	17558	491	460	485	482	458	2376	2181	1912	1595	1446	2366	1894	1520	1140	777	307	54
TOTAL DEATHS	3236	740	178	82	55	51	1106	105	81	139	142	255	190	157	238	353	323	147
Small-pox	6	2	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Measles	32	8	12	4	2	2	28	3	1	1	1	1	1	1	1	1	1	1
Scarlatina	69	5	12	7	6	11	41	12	9	2	2	2	2	1	1	1	1	1
Diphtheria	41	2	5	3	4	2	14	16	6	1	1	1	1	1	1	1	1	1
Whooping-cough	82	61	17	6	8	1	79	3	1	1	1	1	1	1	1	1	1	1
Typhus	82	1	4	5	3	4	17	6	8	11	9	12	4	5	1	4	5	2
Diarrhoea & Dysentery	82	43	6	1	1	3	64	2	1	1	1	1	1	1	1	1	1	1
Cholera	6	2	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	68	17	7	9	3	5	41	4	3	1	1	2	4	5	2	3	1	1
Cancer	70	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tuberc.	21	4	1	1	1	1	8	2	1	1	3	1	4	1	2	2	1	1
Phthisis	463	7	8	4	1	8	22	5	29	79	79	131	68	36	19	1	1	1
Hydrocephalus	38	9	7	5	4	3	28	4	8	1	1	2	1	1	1	1	1	1
Dis. of Brain	494	211	15	8	6	1	241	5	4	10	11	12	7	16	32	47	32	7
Dis. of Heart & Dropsy	298	5	2	1	1	1	7	3	4	3	1	6	19	24	45	63	29	4
Dis. of Lungs	258	40	22	10	6	4	82	7	2	8	4	11	16	12	25	38	17	6
Dis. of Stom. and Liver	124	7	1	2	1	1	11	3	3	6	4	12	12	15	24	22	10	1
Dis. of Kidneys	18	1	1	1	1	1	5	1	1	1	1	1	2	3	4	1	2	1
Dis. of Genes. Organs	10	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	6	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	7	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	56	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1
Suicide	9	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	47	7	5	4	1	1	17	10	8	2	1	4	1	2	1	3	3	2
Other Causes	1089	321	53	21	3	9	400	21	5	10	12	18	18	24	44	163	211	124

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
432.—CAISTOR.																			
Mean Popul ⁿ , 1861-71		21996	649	589	595	594	562	2989	2608	2309	2371	1895	3131	2511	1917	1234	739	261	31
TOTAL DEATHS -		4202	1242	295	141	128	89	1895	200	108	116	132	235	230	220	272	332	332	86
Small-pox - - -		36	11	-	-	2	3	16	5	2	2	1	2	5	2	1	-	-	-
Measles - - -		59	10	16	5	3	2	36	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -		228	18	34	37	39	33	161	71	26	4	2	-	-	-	-	-	-	-
Diphtheria - - -		63	1	6	7	5	10	29	20	4	5	3	3	-	1	1	-	-	-
Whooping-cough - -		77	36	25	8	5	1	75	2	-	-	-	-	-	-	-	-	-	-
Typhus - - -		163	4	6	4	13	3	50	15	15	11	12	27	18	11	14	12	2	-
Diarrhoea & Dysentery -		217	152	27	7	2	1	189	1	-	-	-	1	1	1	3	11	9	2
Cholera - - -		12	5	-	-	-	1	6	1	-	-	-	2	-	3	-	-	-	-
Other Zymotic Dis. -		95	29	9	10	0	1	58	4	1	4	-	4	1	3	7	4	7	-
Cancer - - -		54	-	-	-	-	-	-	-	2	-	-	1	1	8	5	13	4	-
Scrophula and Tubercles -		68	21	18	1	1	1	40	6	3	4	1	6	3	1	2	2	-	-
Phthisis - - -		306	6	8	2	-	-	16	8	16	25	59	76	53	29	13	9	-	-
Hydrocephalus - - -		87	23	22	13	12	4	74	13	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -		689	343	29	12	13	3	400	11	4	10	10	12	26	29	50	77	31	6
Dis. of Heart & Dropsy -		278	2	1	2	-	1	6	1	4	4	4	18	37	55	52	69	45	4
Dis. of Lungs - - -		450	133	42	18	13	11	217	9	5	6	9	22	24	22	42	32	25	7
Dis. of Stom. and Liver -		201	39	3	-	2	4	48	6	4	7	6	5	23	26	35	55	6	-
Dis. of Kidneys - - -		85	1	1	-	1	-	3	3	-	3	1	7	6	12	8	23	14	4
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -		11	-	-	-	-	-	-	2	4	2	1	-	-	1	-	1	-	-
Dis. of Skin - - -		13	4	1	-	-	1	6	2	-	-	-	1	1	1	1	-	1	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -		20	-	-	-	-	-	-	1	-	-	-	3	5	4	5	2	-	-
Other Violent Deaths -		252	14	7	8	7	7	43	14	20	25	22	41	23	19	14	7	3	1
Other Causes - - -		765	390	42	7	1	2	442	3	3	4	1	4	8	12	17	62	135	2

433.—GLANFORD BRIGG.

Mean Popul ⁿ , 1861-71	17565	542	518	470	483	484	2497	2184	1931	1699	1349	2228	1859	1561	1185	761	273	39
TOTAL DEATHS -	3502	929	182	113	70	49	1343	1194	98	99	121	183	152	201	264	405	353	112
Small-pox -	17	5	1	1	2	-	7	-	-	-	1	6	1	1	-	1	-	-
Measles -	38	11	15	7	-	1	34	4	-	-	-	-	-	-	-	-	-	-
Scarlatina -	165	8	16	28	18	14	84	59	14	2	1	2	3	-	-	-	-	-
Diphtheria -	53	3	3	2	8	3	19	19	5	3	1	1	2	3	-	-	-	-
Whooping-cough -	57	25	13	10	4	2	54	3	-	-	-	-	-	-	-	-	-	-
Typhus -	138	5	2	1	6	1	15	24	18	13	6	9	13	18	11	12	4	-
Diarrhoea & Dysentery -	157	91	10	3	1	-	105	-	-	-	-	2	2	1	2	8	11	5
Cholera -	9	1	-	1	-	-	2	-	-	-	-	-	4	2	-	1	-	-
Other Zymotic Dis. -	86	10	7	8	4	5	84	13	6	3	-	4	2	5	8	5	6	-
Cancer -	43	-	-	-	-	-	-	-	-	-	-	2	2	9	9	15	4	3
Scrophula and Tubercles -	29	12	5	3	3	2	25	5	8	5	6	2	5	2	2	1	-	-
Phthisis -	299	4	2	1	1	2	10	6	10	38	54	80	46	27	21	6	1	-
Hydrocephalus -	67	11	19	10	3	4	47	11	8	-	-	-	1	-	-	-	-	-
Dis. of Brain -	544	269	14	5	4	4	296	6	3	4	8	16	15	23	44	76	49	6
Dis. of Heart & Dropsy -	204	1	1	1	2	1	6	4	6	-	3	5	13	30	48	28	25	5
Dis. of Lungs -	465	121	35	19	7	4	186	9	5	5	8	9	14	32	43	73	67	15
Dis. of Stom. and Liver -	188	14	2	3	-	-	19	5	3	6	2	13	15	36	56	43	34	7
Dis. of Kidneys -	75	-	-	-	1	1	2	-	-	2	1	6	4	5	14	22	13	4
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	12	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Dis. of Skin -	8	2	-	-	-	-	2	1	-	-	4	1	2	1	3	-	1	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	13	-	-	-	-	-	-	-	-	2	2	4	1	3	1	-	-	-
Other Violent Deaths -	136	9	4	4	5	4	26	13	6	13	23	16	9	8	11	7	3	-
Other Causes -	689	329	33	6	1	1	370	11	6	1	4	4	2	8	14	62	130	74

434.—GAINSBOROUGH.

Mean Popul ⁿ , 1861-71	13245	369	350	347	358	345	1769	1573	1421	1310	1047	1686	1394	1211	960	601	238	25
TOTAL DEATHS -	2876	771	155	87	54	43	1000	138	65	81	89	140	124	163	243	336	302	104
Small-pox -	10	5	-	-	-	-	5	-	-	1	-	2	1	-	-	1	-	-
Measles -	26	4	-	-	5	1	20	6	-	-	-	-	-	-	-	-	-	-
Scarlatina -	129	2	15	15	18	14	64	47	7	1	-	1	-	-	-	-	-	-
Diphtheria -	43	6	4	5	5	1	21	13	3	-	-	1	1	1	-	-	-	-
Whooping-cough -	25	18	10	5	-	-	33	2	-	-	-	-	-	-	-	-	-	-
Typhus -	141	4	1	5	2	2	14	11	7	12	19	15	15	15	18	11	4	-
Diarrhoea & Dysentery -	150	84	5	5	3	-	97	2	-	1	-	1	1	2	7	9	8	2
Cholera -	13	1	-	-	-	-	1	1	-	-	-	1	1	2	2	3	1	-
Other Zymotic Dis. -	69	10	9	10	2	5	56	4	3	3	1	3	2	5	5	5	1	1
Cancer -	44	-	-	-	-	-	1	-	-	-	-	1	2	9	9	11	8	3
Scrophula and Tubercles -	41	11	8	1	2	2	23	4	4	8	-	1	-	2	3	1	-	-
Phthisis -	187	-	2	-	-	1	3	4	2	28	58	50	23	16	14	1	-	-
Hydrocephalus -	31	10	6	1	3	2	22	5	3	-	-	-	-	-	-	1	-	-
Dis. of Brain -	387	169	14	5	4	3	195	6	6	6	1	3	12	11	15	31	44	9
Dis. of Heart & Dropsy -	154	2	1	-	1	3	3	4	1	3	12	11	13	21	31	34	24	3
Dis. of Lungs -	388	112	50	14	3	3	162	9	6	5	6	15	14	24	43	54	37	12
Dis. of Stom. and Liver -	194	37	2	2	-	1	42	2	2	3	2	6	19	34	57	81	30	2
Dis. of Kidneys -	55	-	-	-	-	-	-	-	2	-	1	-	-	1	7	9	24	3
Dis. of Gen. Organs -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Dis. of Joints -	8	-	-	-	-	-	-	1	1	-	-	2	-	1	1	5	-	-
Dis. of Skin -	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	14	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	-	-
Other Violent Deaths -	120	6	2	5	5	7	25	11	12	9	10	13	11	7	12	7	3	-
Other Causes -	658	290	22	6	1	1	320	7	3	2	2	6	8	7	19	64	132	56

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	33--	45--	55--	65--	75--	85 upwards.			
432.—CAISTOR.																					
Mean Popul ⁿ , 1861-71	21205	645	616	573	576	577	2987	2586	2258	1957	1932	3081	2362	1782	1215	737	265	43			
TOTAL DEATHS	3868	949	271	133	97	58	1508	173	107	134	173	300	217	207	251	342	333	133			
Small-pox	21	4	2	-	-	2	8	-	3	2	8	3	2	-	-	-	-	-	-	-	-
Measles	43	8	17	11	2	2	40	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	220	10	27	39	31	20	127	83	23	5	2	4	1	-	-	-	-	-	-	-	-
Diphtheria	83	2	9	14	10	4	39	23	13	4	1	2	1	-	-	-	-	-	-	-	-
Whooping-cough	77	31	30	5	6	2	74	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	177	2	5	5	4	9	25	23	10	23	18	21	15	10	11	12	-	-	-	-	-
Diarrhoea & Dysentery	200	117	34	5	1	-	157	3	-	-	-	3	1	-	5	14	11	6	-	-	-
Cholera	9	4	1	-	1	-	6	1	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Zymotic Dis.	88	13	13	6	4	6	42	6	-	4	8	3	4	6	6	6	6	-	-	-	-
Cancer	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	53	15	11	1	1	1	29	1	5	8	3	3	8	22	18	16	5	-	-	-	-
Phthisis	444	5	4	2	2	-	13	10	18	57	87	138	68	32	17	3	1	-	-	-	-
Hydrocephalus	45	20	5	7	9	-	41	5	2	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	563	246	30	7	6	3	232	10	5	6	12	17	20	19	36	70	60	14	-	-	-
Dis. of Heart & Dropsy	239	3	1	-	1	2	7	5	6	1	6	11	17	38	43	77	45	3	-	-	-
Dis. of Lungs	277	83	31	18	7	4	145	7	4	7	9	19	16	14	41	49	51	15	-	-	-
Dis. of Stom. and Liver	233	22	6	3	3	-	34	4	4	8	6	24	22	31	39	41	20	2	-	-	-
Dis. of Kidneys	25	2	1	-	-	-	3	2	-	-	1	6	4	6	3	-	-	-	-	-	-
Dis. of Gen. Organs	37	-	-	-	-	-	-	-	-	1	3	5	5	10	9	4	-	-	-	-	-
Dis. of Joints	7	1	-	-	-	-	1	-	2	-	-	1	1	3	2	-	-	-	-	-	-
Dis. of Skin	12	5	-	-	-	-	5	-	1	-	-	-	1	3	2	-	-	-	-	-	-
Childbirth and Metris	64	-	-	-	-	-	-	-	-	3	12	29	17	3	-	-	-	-	-	-	-
Selficide	5	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-
Other Violent Deaths	58	11	5	6	7	-	29	5	1	2	1	2	2	6	3	3	2	2	-	-	-
Other Causes	687	343	39	4	2	3	391	5	1	1	3	5	5	3	13	47	132	81	-	-	-

433.—GLANFORD BRIGG.

Mean Popul ⁿ , 1861-71	17920	500	505	490	474	485	2454	2271	1927	1658	1424	2423	1918	1546	1182	787	281	44			
TOTAL DEATHS	3440	767	161	115	63	63	1169	170	110	138	132	249	217	176	238	351	373	118			
Small-pox	16	6	1	-	1	-	8	4	1	1	-	-	1	1	-	-	-	-	-	-	-
Measles	29	2	9	8	4	-	23	3	1	-	-	1	1	-	-	-	-	-	-	-	-
Scarlatina	180	7	16	31	18	24	96	57	18	2	3	4	-	-	-	-	-	-	-	-	-
Diphtheria	64	2	6	7	7	4	26	20	10	1	2	2	1	1	1	-	-	-	-	-	-
Whooping-cough	69	34	11	13	4	4	65	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	160	2	6	4	5	7	24	22	21	23	12	15	10	13	10	6	4	-	-	-	-
Diarrhoea & Dysentery	125	75	9	3	1	-	88	1	-	2	-	5	-	1	8	9	8	3	-	-	-
Cholera	6	-	2	1	-	-	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Other Zymotic Dis.	61	3	5	5	4	3	20	5	4	4	-	5	8	1	6	6	5	2	-	-	-
Cancer	85	-	-	-	1	-	1	-	-	-	-	3	14	15	17	23	10	9	-	-	-
Scrofula and Tuberc.	51	9	5	1	-	2	17	4	5	4	6	4	6	4	3	-	-	-	-	-	-
Phthisis	396	3	2	4	-	-	9	3	19	65	71	127	63	28	9	3	-	-	-	-	-
Hydrocephalus	57	12	12	4	4	5	37	12	4	3	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	465	208	19	9	2	-	238	7	5	6	6	11	11	19	34	60	57	7	-	-	-
Dis. of Heart & Dropsy	272	2	1	1	-	1	5	1	5	6	5	17	19	31	54	75	45	9	-	-	-
Dis. of Lungs	390	89	24	13	6	3	135	10	3	1	5	12	13	20	39	63	75	12	-	-	-
Dis. of Stom. and Liver	189	21	2	1	1	3	28	-	4	4	3	11	24	23	31	56	29	3	-	-	-
Dis. of Kidneys	23	-	-	-	-	-	-	2	1	2	1	3	6	2	4	4	3	-	-	-	-
Dis. of Gen. Organs	15	-	-	-	-	-	-	1	1	-	1	-	3	4	3	2	1	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	1	1	-	-	2	-	1	1	-	-	-	-	-	-
Dis. of Skin	9	4	-	-	-	-	4	1	-	-	1	-	-	2	-	1	-	-	-	-	-
Childbirth and Metris	65	-	-	-	-	-	-	-	4	9	20	31	1	-	-	-	-	-	-	-	-
Selficide	7	-	-	-	-	-	-	-	1	-	2	2	2	2	-	-	-	-	-	-	-
Other Violent Deaths	55	5	7	4	1	5	22	6	1	3	2	1	4	4	1	1	7	8	-	-	-
Other Causes	642	283	26	5	3	2	319	8	1	6	4	5	4	5	12	62	136	77	-	-	-

434.—GAINSBOROUGH.

Mean Popul ⁿ , 1861-71	13357	379	344	323	351	358	1755	1579	1364	1232	1105	1769	1428	1211	965	626	283	40
TOTAL DEATHS	2044	597	129	88	54	44	882	127	57	97	124	174	140	134	211	270	331	97
Small-pox	6	2	-	1	-	-	3	1	1	-	-	1	-	-	-	-	-	-
Measles	31	5	6	9	4	3	27	2	1	-	-	1	-	-	-	-	-	-
Scarlatina	126	9	11	27	15	15	76	35	11	2	2	-	-	-	-	-	-	-
Diphtheria	54	4	4	4	6	7	25	18	2	1	-	4	-	8	-	1	-	-
Whooping-cough	50	27	11	7	2	1	48	2	-	-	-	-	-	-	-	-	-	-
Typhus	116	4	1	1	4	3	15	14	7	14	19	10	16	4	9	6	3	1
Diarrhœa & Dysentery	111	51	8	2	1	-	62	3	-	-	2	2	3	3	6	12	15	4
Cholera	19	-	-	1	-	-	1	-	-	-	-	5	3	5	2	1	2	-
Other Zymotic Dis.	50	8	2	5	4	5	24	5	1	2	-	5	1	5	3	7	1	2
Cancer	68	-	-	-	-	-	-	-	-	-	-	2	6	17	21	17	5	-
Scrofula and Tuberc.	28	12	4	3	1	2	22	2	1	-	1	2	-	-	-	-	-	-
Phthisis	263	4	-	-	-	1	5	6	11	83	68	82	45	21	10	1	1	-
Hydrocephalus	24	7	8	3	3	1	22	1	-	-	-	1	-	-	-	-	-	-
Dis. of Brain	329	125	13	7	7	1	153	6	1	4	4	6	7	14	26	43	80	6
Dis. of Heart & Dropsy	174	3	-	-	-	-	3	6	3	2	3	11	9	23	33	50	20	3
Dis. of Lungs	311	80	34	10	3	3	129	8	4	4	6	11	9	11	35	45	39	11
Dis. of Stom. and Liver	142	25	2	-	2	-	29	1	3	1	6	9	14	15	29	15	16	4
Dis. of Kidneys	15	-	-	1	-	-	1	2	-	1	-	1	5	-	2	1	2	-
Dis. of Gen. Organs	12	-	-	-	-	-	-	-	-	-	1	1	4	1	4	1	-	-
Dis. of Joints	14	1	-	1	1	-	3	-	5	1	-	1	-	1	3	-	-	-
Dis. of Skin	7	4	-	-	-	-	4	-	-	-	-	-	-	2	-	1	-	-
Childbirth and Metris	26	-	-	-	-	-	-	-	-	4	6	10	6	-	-	-	-	-
Selficide	3	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	7	2
Other Violent Deaths	39	6	3	1	-	1	11	11	3	4	1	2	3	4	2	6	16	4
Other Causes	375	191	22	5	1	1	220	5	3	4	4	7	8	5	25	67	163	64

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 5 Years.										Total under 5 Years.						
		1	2	3	4	5	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
435.—EAST RETFORD.																		
Mean Popul ⁿ , 1861-71	11116	322	292	207	272	284	1467	1387	1261	1017	807	1331	1189	1031	813	571	239	27
TOTAL DEATHS	2204	569	104	55	84	38	800	89	42	46	46	106	108	110	179	276	339	82
Small-pox	5	2	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-
Measles	25	7	9	4	2	1	23	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	5	9	6	8	7	35	20	2	1	-	-	-	-	-	-	-	-
Diphtheria	18	1	2	3	1	1	8	5	2	-	-	-	1	1	-	1	-	-
Whooping-cough	33	13	10	5	2	2	52	1	-	-	-	-	-	-	-	-	-	-
Typhus	70	1	4	1	1	2	9	8	11	9	4	4	3	3	6	6	4	1
Diarrhoea & Dysentery	53	29	2	1	-	2	84	1	-	1	-	-	-	-	4	3	13	4
Cholera	7	1	1	1	-	-	3	-	-	-	-	-	-	-	-	1	1	-
Other Zymotic Dis.	65	6	4	6	4	3	23	8	1	2	1	1	1	2	8	4	5	1
Cancer	20	-	-	-	-	-	-	-	-	-	-	1	1	3	11	9	8	1
Scrofula and Tuberc.	47	10	5	1	1	1	18	4	3	5	5	4	1	4	2	-	-	-
Phthisis	108	3	1	2	-	-	6	3	5	11	26	51	28	24	10	4	-	-
Hydrocephalus	16	7	2	4	-	-	15	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	371	185	15	2	2	4	208	11	3	5	2	5	13	14	51	37	29	2
Dis. of Heart & Dropsy	120	2	-	-	-	1	-	-	-	1	-	2	9	14	23	29	22	1
Dis. of Lungs	339	79	21	10	7	6	123	2	1	-	3	6	17	11	25	26	43	16
Dis. of Stom. and Liver	109	11	-	-	2	1	14	5	3	4	2	11	16	24	27	33	17	3
Dis. of Kidneys	53	-	-	-	-	-	-	2	1	-	-	2	4	4	6	28	12	2
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	1	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	5	1
Other Violent Deaths	81	3	1	3	2	3	12	11	6	7	3	12	6	6	9	8	4	1
Other Causes	455	201	18	6	2	2	229	3	1	1	-	2	4	5	17	43	134	46

Mean Popul ⁿ , 1861-71	11855	366	332	304	294	292	1588	1375	1185	1165	1101	1736	1342	1033	752	409	155	14	
TOTAL DEATHS	2366	636	158	75	52	40	661	106	39	48	70	119	160	152	192	214	228	47	
Small-pox	12	2	1	1	1	1	6	1	1	1	1	2	-	-	1	-	-	-	-
Measles	24	4	7	5	2	2	22	-	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	73	4	13	7	9	12	45	26	2	3	1	-	1	-	-	-	-	-	-
Diphtheria	22	2	1	6	3	2	14	3	-	-	-	-	-	1	-	1	-	-	-
Whooping-cough	33	19	8	2	2	2	53	11	11	5	11	14	10	6	6	4	4	1	1
Typhus	30	2	2	3	2	3	12	-	-	-	-	-	-	-	5	3	1	1	1
Diarrhoea & Dysentery	73	37	8	6	2	2	55	1	1	-	-	-	-	-	-	-	-	-	-
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	72	4	11	4	8	1	28	10	3	2	1	1	4	8	3	3	3	3	3
Cancer	28	-	-	-	-	-	-	-	-	-	-	1	3	3	9	9	8	-	-
Scrofula and Tuberc.	41	21	9	1	1	1	33	1	-	-	1	1	1	1	1	1	1	1	1
Phthisis	204	6	1	1	-	1	9	6	3	11	32	51	43	24	15	19	-	-	-
Hydrocephalus	25	12	5	2	2	-	21	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	357	181	17	11	5	1	215	7	3	7	3	4	13	21	23	28	16	1	1
Dis. of Heart & Dropsy	145	3	-	-	-	2	6	4	4	3	3	7	9	27	23	28	17	2	2
Dis. of Lungs	369	101	53	15	8	4	166	10	5	5	5	10	17	19	43	43	42	7	7
Dis. of Stom. and Liver	105	12	1	2	3	-	18	5	1	1	1	8	18	12	20	13	6	1	1
Dis. of Kidneys	38	-	2	1	-	-	3	1	-	3	-	1	8	3	3	9	6	-	-
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
Dis. of Skin	7	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	1	1	1	-	-	5	1	5	3	1
Other Violent Deaths	92	3	1	3	4	2	13	11	4	4	9	9	13	14	4	5	5	1	1
Other Causes	626	219	33	4	2	2	238	4	3	1	-	6	9	9	21	42	129	31	

Mean Popul ⁿ , 1861-71	16720	504	494	426	462	441	2327	2025	1785	1623	1361	2371	1878	1453	1107	626	235	19	
TOTAL DEATHS	3626	1127	253	95	68	68	1611	147	71	115	100	160	166	179	277	396	334	67	
Small-pox	19	8	5	2	-	-	15	-	-	-	-	1	2	-	1	-	-	-	-
Measles	54	20	22	6	3	2	53	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	133	8	18	17	21	17	81	40	7	2	1	-	-	-	1	-	-	-	-
Diphtheria	16	2	3	2	1	1	9	5	-	-	-	-	1	1	-	-	-	-	-
Whooping-cough	44	24	11	4	2	1	42	1	1	-	-	-	-	-	-	-	-	-	-
Typhus	131	2	5	7	2	7	23	24	15	23	13	12	6	6	7	4	4	1	1
Diarrhoea & Dysentery	94	55	13	4	-	2	74	1	-	1	1	1	1	1	1	1	1	1	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	50	10	5	2	4	4	25	2	1	2	-	1	3	2	6	3	6	1	1
Cancer	35	-	-	-	1	-	1	-	1	-	-	2	3	5	13	7	3	-	-
Scrofula and Tuberc.	58	10	11	6	2	-	38	3	5	2	-	2	1	3	-	4	-	-	-
Phthisis	310	5	7	1	1	-	14	7	9	56	56	78	46	33	24	7	-	-	-
Hydrocephalus	67	25	19	7	7	3	61	4	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	601	325	32	10	5	10	382	24	3	9	2	10	19	22	33	43	23	2	2
Dis. of Heart & Dropsy	237	4	5	1	3	1	14	1	5	14	6	1	17	24	34	69	39	1	1
Dis. of Lungs	360	129	52	9	11	8	219	16	2	6	8	17	29	25	55	73	19	1	1
Dis. of Stom. and Liver	163	16	1	2	-	1	29	3	6	5	2	9	15	25	30	23	19	1	1
Dis. of Kidneys	47	1	-	-	-	-	1	-	-	-	2	4	4	6	9	11	9	1	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	17	-	-	-	-	2	2	-	8	2	-	2	-	-	1	3	2	-	-
Dis. of Skin	8	2	1	-	-	-	3	-	-	-	1	2	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	28	-	-	-	-	-	-	-	-	1	1	1	4	8	5	6	4	1	1
Other Violent Deaths	113	8	2	3	1	5	19	13	13	8	5	12	13	5	11	9	4	1	1
Other Causes	900	454	41	12	4	4	513	2	-	13	4	2	4	13	5	21	56	19	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	5- 10-	10- 15-	15- 20-	20- 25-	25- 35-	35- 45-	45- 55-	55- 65-	65- 75-	75- 85 years.					
		Total under 1 Year.	1	2	3	4																												

435.—EAST RETFORD.

Mean Popul ⁿ , 1861-71	11740	333	288	307	294	306	1528	1378	1235	1074	949	1584	1237	1057	851	574	240	33
TOTAL DEATHS—	2141	428	101	58	31	29	647	68	47	74	78	147	119	135	152	274	284	116
Small-pox - - -	25	3	-	-	-	-	8	-	-	-	3	1	1	-	-	-	-	-
Measles - - - -	6	-	10	5	1	1	23	1	-	-	1	-	-	-	-	-	-	-
Scarlatina - - -	45	5	8	8	4	5	30	9	5	-	-	-	3	-	-	-	-	-
Diphtheria - - -	28	3	1	3	3	2	12	5	5	2	2	1	1	-	-	-	-	-
Whooping-cough -	42	19	8	9	3	1	40	2	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	88	1	3	3	2	4	13	8	8	12	5	8	7	9	4	12	3	-
Diarrhoea & Dysentery	55	29	6	1	1	-	37	1	-	-	-	-	1	-	3	6	2	5
Cholera - - - - -	5	3	1	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	41	3	3	2	6	2	16	3	4	1	1	2	2	-	2	8	5	3
Cancer - - - - -	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc	42	9	6	1	-	1	17	4	3	3	3	4	8	23	2	10	7	-
Phthisis - - - -	241	1	3	-	-	-	4	6	9	90	36	73	42	28	10	8	-	-
Hydrocephalus - -	14	2	1	1	-	2	6	5	3	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	315	141	9	5	-	3	158	9	2	4	2	9	6	14	19	38	47	7
Dis. of Heart & Dropsy	142	2	-	-	-	-	2	1	1	2	5	9	8	14	33	42	22	3
Dis. of Lungs - - -	304	68	18	13	6	3	108	8	1	1	4	7	4	13	21	39	37	21
Dis. of Stom. and Liver	131	1	-	1	2	-	4	-	3	9	7	10	9	14	19	37	19	-
Dis. of Kidneys - -	11	-	1	-	-	-	1	-	-	-	1	1	-	1	2	4	1	-
Dis. of Genes. Organs	14	-	-	-	-	-	-	-	-	-	-	2	1	4	4	3	-	-
Dis. of Joints - - -	13	1	-	-	-	-	1	-	-	3	2	2	1	2	-	-	1	2
Dis. of Skin - - -	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metris	23	-	-	-	-	-	-	-	-	2	4	7	10	-	-	-	-	-
Suicide - - - - -	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-
Other Violent Deaths	48	3	5	2	2	3	15	3	1	-	2	2	3	5	3	5	7	3
Other Causes - - -	417	128	18	4	-	2	152	3	1	6	1	4	6	6	6	47	110	73

Mean Popul ⁿ , 1861-71	11171	352	323	320	312	297	1604	1339	1238	931	978	1559	1233	985	705	427	152	20
TOTAL DEATHS—	2129	459	152	69	61	34	775	94	55	66	62	146	127	132	170	211	218	75
Small-pox	6	4	—	—	1	—	5	—	—	—	—	—	—	1	—	—	—	—
Measles	33	5	15	5	2	3	80	2	—	—	1	—	—	—	—	—	—	—
Scarlatina	112	4	13	18	22	14	71	26	8	2	—	2	1	1	1	—	—	—
Diphtheria	25	—	1	2	2	1	6	16	3	—	—	—	—	—	—	—	—	—
Whooping-cough	44	23	0	7	1	2	42	2	—	—	—	—	—	—	—	—	—	—
Typhus	56	4	1	4	4	4	17	11	12	12	8	13	11	2	2	3	—	—
Diarrhoea & Dysentery	53	24	10	1	—	—	35	—	—	—	—	1	2	—	8	7	3	2
Cholera	3	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Other Zymotic Dis.	56	8	7	5	6	3	29	5	1	3	1	1	4	—	—	5	7	—
Cancer	47	—	—	—	—	—	—	1	—	1	—	3	7	16	15	6	4	—
Scrophula and Tuberc.	49	15	5	4	2	2	28	1	2	1	—	3	1	2	1	—	—	—
Phthisis	222	1	1	1	1	—	4	5	12	28	28	67	37	27	14	3	1	—
Hydrocephalus	9	—	4	1	—	—	9	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	275	122	29	7	5	2	156	2	6	2	2	10	7	14	22	25	35	1
Dis. of Heart & Dropsy	159	4	1	—	—	1	6	4	1	5	3	4	18	27	34	30	18	4
Dis. of Lungs	240	37	54	9	7	2	109	6	3	2	1	5	7	9	15	41	32	7
Dis. of Stom. and Liver	121	6	2	—	2	—	10	4	4	5	4	8	12	15	31	23	8	2
Dis. of Kidneys	18	1	—	—	1	—	2	1	—	—	4	1	1	4	2	2	—	1
Dis. of Genes. Organs	13	—	—	—	—	—	—	—	—	—	1	1	2	4	2	2	1	—
Dis. of Joints	10	1	1	—	—	—	2	—	1	2	—	2	1	1	1	—	—	—
Dis. of Skin	10	3	1	—	—	—	4	—	—	—	—	2	1	—	1	1	1	—
Childbirth and Metris.	34	—	—	—	—	—	—	—	—	—	7	10	11	—	—	—	—	—
Suicide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Other Violent Deaths	22	1	3	2	2	—	8	3	1	4	—	2	2	1	—	—	1	—
Other Causes	428	172	24	3	3	—	202	6	1	1	1	4	6	9	22	60	117	54

Mean Popul ⁿ , 1861-71	16493	508	490	431	436	463	2333	2056	1792	1587	1387	2287	1785	1393	1012	637	209	25
TOTAL DEATHS—	3576	834	248	129	74	45	1380	122	90	129	158	230	224	167	255	402	341	78
Small-pox	11	4	2	—	2	—	8	1	—	—	2	—	—	—	—	—	—	—
Measles	75	13	25	15	9	4	66	18	1	—	—	—	—	—	—	—	—	—
Scarlatina	106	3	12	28	19	10	72	27	5	1	—	1	—	—	—	—	—	—
Diphtheria	25	3	3	3	3	4	15	5	—	1	—	1	—	—	—	—	—	—
Whooping-cough	64	31	14	9	5	3	63	2	—	—	—	—	—	—	—	—	—	—
Typhus	127	1	3	6	11	3	24	8	19	25	13	10	12	6	5	5	2	—
Diarrhoea & Dysentery	119	62	17	2	—	—	82	2	—	—	—	8	2	—	2	12	5	3
Cholera	3	1	—	1	—	—	2	—	—	—	—	1	—	—	—	—	—	—
Other Zymotic Dis.	83	7	4	10	4	1	56	7	2	—	2	2	2	5	8	7	2	—
Cancer	74	1	—	—	—	—	1	—	—	—	—	4	11	15	18	18	6	1
Scrophula and Tuberc.	59	23	8	8	—	1	38	4	5	1	4	1	2	3	1	—	—	—
Phthisis	430	6	5	3	—	—	16	9	23	63	78	107	81	33	15	3	—	—
Hydrocephalus	41	14	11	3	3	2	33	5	2	1	—	—	—	—	—	—	—	—
Dis. of Brain	470	231	50	10	4	6	281	8	5	8	7	6	12	15	35	39	27	5
Dis. of Heart & Dropsy	257	2	—	—	1	—	3	4	7	8	10	22	16	44	51	74	24	4
Dis. of Lungs	444	118	37	10	6	4	291	13	9	7	10	16	19	15	41	63	44	4
Dis. of Stom. and Liver	209	6	2	1	1	—	10	4	1	6	8	15	22	18	53	29	12	3
Dis. of Kidneys	31	—	2	—	2	—	4	—	1	1	1	3	4	1	6	7	3	—
Dis. of Genes. Organs	21	—	—	—	—	—	—	—	—	—	—	2	8	4	5	1	1	—
Dis. of Joints	12	2	—	—	—	1	5	1	1	1	—	1	—	1	2	—	—	—
Dis. of Skin	4	2	—	—	—	—	2	—	—	—	—	1	—	—	—	1	—	—
Childbirth and Metris.	59	—	—	—	—	—	—	—	—	2	19	10	18	1	—	—	—	—
Suicide	5	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—
Other Violent Deaths	43	3	4	3	—	2	12	5	4	—	8	3	1	1	4	2	7	1
Other Causes	874	351	49	19	4	3	419	9	3	3	1	8	12	4	39	129	107	59

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 5 Years.															
		1	2	3	4	5	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.

438.—BASFORD.

Mean Popul ⁿ , 1861-71	40092	1344	1160	1121	1145	1148	5918	5037	4537	3987	3331	5337	4298	3383	2363	1382	469	50
TOTAL DEATHS—	8642	3014	721	319	220	144	4418	342	183	235	259	346	360	399	597	728	588	187
Small-pox	59	17	4	1	3	2	27	8	1	1	1	3	1	2	1	—	—	—
Measles	201	36	67	41	24	13	183	15	3	—	—	—	—	—	—	—	—	—
Scarlatina	362	32	54	56	53	45	240	100	13	4	—	—	—	2	—	—	—	—
Diphtheria	38	9	11	13	8	6	47	8	—	—	—	—	—	—	1	—	—	—
Whooping-cough	157	89	44	12	5	5	155	2	—	—	—	—	—	—	—	—	—	—
Typhus	801	6	17	21	10	12	66	33	32	42	33	26	18	16	13	13	4	1
Diarrhoea & Dysentery	347	234	44	11	1	3	295	2	1	2	1	2	6	8	7	12	13	—
Cholera	42	19	6	—	—	2	27	3	—	—	—	1	2	3	2	3	1	—
Other Zymotic Dis.	106	24	23	13	18	5	83	19	5	5	3	9	5	5	12	13	8	1
Cancer	64	1	—	—	—	—	1	—	1	—	1	2	8	9	16	23	3	1
Serofula and Tabes	159	57	31	12	5	3	108	7	8	11	9	7	4	4	4	—	—	—
Phthisis	772	43	21	6	2	2	74	28	28	89	128	158	109	78	61	21	—	—
Hydrocephalus	106	50	25	5	1	8	89	12	3	1	—	1	—	—	—	—	—	—
Dis. of Brain	1233	759	62	19	12	9	861	24	14	10	6	17	20	48	77	102	20	5
Dis. of Heart & Dropsy	490	7	—	—	4	1	13	9	8	10	7	31	90	75	106	117	20	7
Dis. of Lungs	1831	504	198	73	43	15	835	25	7	9	15	22	46	55	122	115	64	26
Dis. of Stom. and Liver	549	67	7	10	5	3	12	10	5	9	11	12	27	40	58	55	24	6
Dis. of Kidneys	118	2	—	—	2	—	4	2	2	—	4	11	10	10	16	20	17	3
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	34	1	1	2	—	—	4	3	3	3	—	1	2	4	2	1	—	—
Dis. of Skin	17	8	—	—	—	—	8	2	1	—	—	—	—	1	—	2	1	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	27	—	—	—	—	—	—	—	—	—	1	—	—	5	11	7	—	—
Other Violent Deaths	360	22	14	9	14	6	65	30	46	57	31	33	35	25	51	15	11	—
Other Causes	1918	1025	91	15	10	4	1145	6	2	2	8	5	14	25	56	154	237	130

439.—RADFORD.

Mean Popul ⁿ , 1861-71	15129	481	452	429	399	402	2163	1922	1650	1468	1262	2154	1738	1302	900	440	113	8
TOTAL DEATHS—	3594	1171	343	138	102	67	1821	165	74	100	96	187	183	201	251	515	160	34
Small-pox	8	1	4	—	—	—	5	—	—	1	2	—	—	—	—	—	—	—
Measles	82	24	27	17	11	2	81	1	—	—	—	—	—	—	—	—	—	—
Scarlatina	156	9	22	20	84	16	101	46	8	1	—	—	—	—	—	—	—	—
Diphtheria	25	5	4	2	3	2	16	7	1	1	—	—	—	—	—	—	—	—
Whooping-cough	59	17	21	13	1	4	56	8	—	—	—	—	—	—	—	—	—	—
Typhus	147	6	9	9	12	7	43	22	18	8	5	9	4	1	13	11	9	2
Diarrhoea & Dysentery	292	219	29	5	3	—	256	1	—	—	1	—	1	1	6	15	11	2
Cholera	11	2	1	—	—	—	4	2	1	—	—	—	—	—	1	2	—	—
Other Zymotic Dis.	79	11	12	3	5	3	34	10	3	4	1	1	4	6	7	7	2	—
Cancer	34	—	—	—	—	—	—	—	1	—	1	—	4	12	5	9	1	1
Serofula and Tabes	570	25	10	4	2	2	49	4	4	3	2	3	2	1	1	1	—	—
Phthisis	394	18	10	4	—	3	35	9	18	48	62	90	58	45	25	8	—	—
Hydrocephalus	64	21	22	8	6	2	59	4	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	663	280	26	11	5	10	332	22	6	10	9	45	54	47	49	62	30	7
Dis. of Heart & Dropsy	132	2	—	1	—	2	5	6	3	4	3	8	11	18	27	40	7	—
Dis. of Lungs	576	184	90	25	12	6	317	12	1	6	5	11	16	24	50	61	43	4
Dis. of Stom. and Liver	117	19	5	2	2	1	29	2	—	3	2	4	6	17	24	20	8	—
Dis. of Kidneys	51	1	1	—	3	1	6	—	—	2	1	4	5	7	8	11	8	1
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	17	1	—	1	—	—	2	1	—	2	—	—	—	1	4	2	2	—
Dis. of Skin	12	4	1	—	—	—	5	1	—	—	—	—	—	2	1	2	1	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	64	10	4	2	1	4	21	6	6	6	1	5	3	2	3	4	4	—
Other Causes	518	312	30	10	2	2	395	6	3	1	1	2	0	7	17	30	30	13

440.—NOTTINGHAM.

Mean Popul ⁿ , 1861-71	36668	1151	1011	930	877	901	4870	4151	3869	3542	3169	5542	4441	3279	2232	1191	358	23
TOTAL DEATHS—	9635	2899	785	390	264	158	4496	321	158	241	289	508	614	619	776	876	660	127
Small-pox	29	5	2	13	3	1	14	2	2	2	7	—	1	1	—	—	—	—
Measles	173	43	38	41	18	9	166	78	14	1	2	2	1	—	—	—	—	—
Scarlatina	332	23	65	57	70	51	254	7	—	—	—	—	—	—	—	—	—	—
Diphtheria	97	5	7	6	5	3	26	7	—	—	1	—	—	—	—	—	—	—
Whooping-cough	173	68	44	33	29	4	169	4	—	—	—	—	—	—	—	—	—	—
Typhus	328	14	19	14	14	14	75	37	50	28	36	35	81	20	22	18	7	—
Diarrhoea & Dysentery	568	441	47	7	5	—	509	5	1	—	2	2	3	5	7	10	18	—
Cholera	18	3	—	—	—	—	—	1	1	—	—	1	—	—	—	3	2	—
Other Zymotic Dis.	168	19	24	22	21	8	94	8	1	8	2	7	11	7	15	9	7	—
Cancer	81	—	1	—	—	—	1	—	—	—	1	5	12	21	17	19	4	1
Serofula and Tabes	326	159	78	29	11	7	273	13	13	4	6	2	5	7	5	—	—	—
Phthisis	1005	23	17	5	2	4	51	23	35	110	154	239	201	107	64	174	3	—
Hydrocephalus	184	68	89	23	11	6	107	18	2	2	—	—	—	—	—	—	—	—
Dis. of Brain	1356	700	70	35	17	4	832	28	19	19	10	32	60	90	96	178	11	8
Dis. of Heart & Dropsy	465	5	2	3	5	1	10	7	11	11	13	25	63	74	114	101	32	—
Dis. of Lungs	1490	345	191	74	41	24	673	24	5	14	16	46	74	117	250	217	94	11
Dis. of Stom. and Liver	383	64	3	5	—	1	63	9	7	8	13	23	30	26	65	69	19	3
Dis. of Kidneys	212	1	1	4	—	—	6	6	—	5	4	20	24	35	43	45	28	1
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	39	—	2	1	—	—	3	7	6	6	—	—	—	5	3	2	—	—
Dis. of Skin	50	9	—	2	—	—	11	—	—	—	2	1	2	3	6	2	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	298	35	8	9	12	14	79	36	16	14	19	10	12	14	8	4	—	—
Other Causes	1844	880	98	26	9	7	1629	9	1	6	4	15	31	50	79	230	202	67

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		
		438.—BASFORO.															
Mean Popul ⁿ , 1861-71	30367	1342	1245	1162	1105	1117	5971	5117	4255	3629	3397	5571	4246	3263	2200		
TOTAL DEATHS	8408	2295	719	360	216	169	3759	325	205	317	333	572	438	424	597		
Small-pox	22	10	1	1	1	—	13	2	3	2	1	—	—	1	—		
Measles	195	26	85	32	25	9	177	17	1	—	—	—	—	—	—		
Scarlatina	424	28	68	84	60	55	295	101	19	1	1	5	2	—	—		
Diphtheria	69	11	6	11	7	8	43	10	4	2	3	5	1	—	—		
Whooping-cough	170	71	53	24	15	4	168	2	—	—	—	—	—	—	—		
Typhus	332	9	13	18	8	16	64	41	50	44	30	44	18	22	20		
Diarrhoea & Dysentery	233	168	33	16	1	—	218	1	1	1	3	4	5	10	12		
Cholera	29	17	2	—	—	1	20	—	1	—	—	1	—	1	3		
Other Zymotic Dis.	172	23	24	21	16	8	92	17	6	3	3	11	4	6	12		
Cancer	168	—	—	—	1	—	1	1	—	—	2	9	26	44	49		
Scrofula and Tuberc.	129	36	31	7	2	7	83	11	9	5	—	6	5	4	3		
Phthisis	1189	37	29	10	5	4	76	30	49	176	203	303	173	95	53		
Hydrocephalus	74	20	25	10	8	2	65	6	3	—	—	—	—	—	—		
Dis. of Brain	978	521	61	26	15	10	653	23	9	10	11	14	25	43	55		
Dis. of Heart & Dropsy	594	7	1	—	1	2	11	10	17	15	16	44	47	78	160		
Dis. of Lungs	1123	380	164	68	27	21	690	32	15	16	11	16	30	42	84		
Dis. of Stom. and Liver	285	38	5	4	4	2	53	8	4	8	9	26	28	32	67		
Dis. of Kidneys	43	1	2	—	—	1	4	1	2	2	3	6	5	7	4		
Dis. of Gener. Organs	35	—	—	—	—	—	—	—	—	1	—	4	8	9	10		
Dis. of Joints	25	—	1	1	1	3	6	2	4	1	2	2	2	2	1		
Dis. of Skin	19	6	2	—	—	1	9	1	—	1	1	—	—	—	—		
Childbirth and Metria	130	—	—	—	—	—	—	—	—	10	21	56	41	2	—		
Suicide	16	—	—	—	—	—	—	—	—	1	3	1	3	5	3		
Other Violent Deaths	140	28	16	10	13	4	71	11	5	5	6	6	2	6	8		
Other Causes	1899	838	100	17	5	11	997	3	3	13	4	7	13	20	51		
439.—RADFORD.																	
Mean Popul ⁿ , 1861-71	17005	524	449	417	412	407	2209	1852	1727	1738	1657	2720	1975	1487	992		
TOTAL DEATHS	3835	972	354	167	105	63	1651	141	81	163	160	279	218	244	312		
Small-pox	12	3	1	—	3	2	9	1	1	—	—	1	—	—	—		
Measles	92	13	24	20	16	6	89	3	—	—	—	—	—	—	—		
Scarlatina	132	7	26	28	24	20	105	41	3	1	—	2	—	—	—		
Diphtheria	26	2	8	3	5	2	15	7	1	—	1	—	1	1	—		
Whooping-cough	98	31	34	18	8	5	96	2	—	—	—	—	—	—	—		
Typhus	197	8	15	11	5	8	47	24	24	15	13	10	11	11	7		
Diarrhoea & Dysentery	271	194	29	2	2	—	227	1	1	2	1	2	3	1	6		
Cholera	6	3	—	—	1	—	4	—	—	—	—	—	—	—	1		
Other Zymotic Dis.	76	9	13	5	2	4	33	5	7	—	2	5	3	5	6		
Cancer	93	—	—	—	—	—	—	—	—	1	1	8	16	25	23		
Scrofula and Tuberc.	66	17	15	3	2	1	38	9	2	6	1	3	3	3	1		
Phthisis	573	24	4	3	3	1	35	11	25	98	91	156	72	64	27		
Hydrocephalus	43	5	20	7	—	2	34	7	2	—	—	—	—	—	—		
Dis. of Brain	538	215	29	9	10	5	266	9	6	10	15	28	34	27	58		
Dis. of Heart & Dropsy	218	1	1	—	—	—	3	5	4	14	5	12	17	39	64		
Dis. of Lungs	547	135	72	31	14	4	236	5	1	3	5	8	10	36	77		
Dis. of Stom. and Liver	180	6	2	3	1	—	12	6	1	3	8	16	15	22	29		
Dis. of Kidneys	31	1	—	—	—	—	1	1	—	3	2	6	5	2	—		
Dis. of Gener. Organs	16	—	—	—	—	—	—	—	—	—	1	2	5	4	1		
Dis. of Joints	10	—	—	—	—	—	—	—	2	3	1	1	—	—	2		
Dis. of Skin	9	8	—	—	—	—	8	—	—	—	—	—	—	1	—		
Childbirth and Metria	35	—	—	—	—	—	—	—	—	2	9	12	11	1	—		
Suicide	5	—	—	—	—	—	—	—	1	1	1	—	—	—	—		
Other Violent Deaths	50	13	4	3	3	1	24	2	—	1	1	1	1	3	5		
Other Causes	540	279	52	10	6	2	349	2	—	—	—	6	8	6	14		
440.—NOTTINGHAM.																	
Mean Popul ⁿ , 1861-71	43989	1110	1005	918	888	894	4815	4414	4261	4894	4676	7263	5330	3811	2632		
TOTAL DEATHS	9888	2262	832	402	244	166	3906	311	204	352	419	781	622	653	869		
Small-pox	37	7	6	1	1	3	18	2	—	4	10	—	—	2	1		
Measles	178	29	71	45	15	12	172	4	1	—	1	—	—	—	—		
Scarlatina	348	18	50	69	61	43	241	79	21	3	3	1	—	—	—		
Diphtheria	47	7	8	6	3	10	34	8	2	—	—	1	1	1	—		
Whooping-cough	237	83	75	44	20	9	231	6	—	—	—	—	—	—	—		
Typhus	390	10	22	17	24	18	91	38	26	57	36	34	16	21	11		
Diarrhoea & Dysentery	488	325	55	11	3	2	304	3	—	1	4	4	8	5	14		
Cholera	7	2	—	—	—	—	2	—	—	—	—	—	—	—	—		
Other Zymotic Dis.	143	15	12	13	14	9	68	8	6	5	6	9	12	6	10		
Cancer	295	1	1	—	—	—	2	—	1	1	1	15	40	71	85		
Scrofula and Tuberc.	500	131	75	27	9	4	246	21	8	4	5	4	6	5	1		
Phthisis	1385	23	21	2	4	2	52	28	57	193	238	402	206	112	62		
Hydrocephalus	98	30	27	15	8	5	85	8	3	—	—	1	—	—	—		
Dis. of Brain	1135	516	79	32	19	15	652	33	12	11	21	35	39	59	83		
Dis. of Heart & Dropsy	672	2	2	1	—	—	7	12	11	20	18	35	91	108	258		
Dis. of Lungs	1540	290	208	79	40	21	647	29	11	15	19	33	61	127	218		
Dis. of Stom. and Liver	393	38	4	2	2	1	47	9	10	8	18	47	48	46	84		
Dis. of Kidneys	104	3	2	—	1	—	6	2	3	4	4	25	14	19	16		
Dis. of Gener. Organs	27	—	—	—	—	—	—	—	—	2	2	9	9	17	11		
Dis. of Joints	31	—	—	—	1	—	1	—	1	1	1	3	3	5	5		
Dis. of Skin	30	7	2	2	1	—	12	—	1	1	1	4	4	2	4		
Childbirth and Metria	98	—	—	—	—	—	—	—	—	1	6	18	48	25	1		
Suicide	19	—	—	—	—	—	—	—	—	—	3	3	1	4	8		
Other Violent Deaths	122	27	10	6	9	1	53	13	5	6	2	5	4	4	11		
Other Causes	1791	691	111	23	9	9	845	4	4	7	8	13	30	37	99		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
441.—SOUTHWELL.																			
Mean Popula., 1861-71	11443	300	292	297	294	297	1480	1336	1227	1101	812	1337	1213	1100	946	613	343	37	
TOTAL DEATHS	2321	470	112	48	27	31	688	65	47	67	78	107	93	135	195	328	361	191	
Small-pox	9	8	-	-	-	1	4	-	-	-	2	2	-	1	-	-	-	-	
Measles	16	8	8	2	2	-	15	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	45	8	10	4	2	8	27	15	1	2	-	-	-	-	-	-	-	-	
Diphtheria	24	1	2	2	4	7	16	3	-	1	1	-	-	1	2	-	-	-	
Whooping-cough	22	11	8	2	-	-	21	1	-	-	-	-	-	-	-	-	-	-	
Cyphus	72	-	1	-	2	1	4	9	12	8	5	7	4	7	8	5	3	1	
Diarrhea & Dysentery	44	17	4	-	-	-	21	-	1	-	-	-	2	1	2	13	4	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	42	5	3	2	1	1	12	-	1	2	1	1	4	1	3	9	7	-	
Cancer	56	-	-	1	-	-	9	-	1	-	-	1	-	11	9	11	2	1	
Serofula and Tubes	17	6	2	1	-	-	11	1	6	26	48	44	50	24	15	2	-	-	
Phthisis	208	3	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrocephalus	63	13	6	5	-	2	35	4	2	1	-	-	1	-	-	-	-	-	
Dis. of Brain	421	233	14	8	7	1	283	5	3	3	4	9	6	14	34	48	36	2	
Dis. of Heart & Dropsy	137	1	-	2	-	-	3	3	3	3	2	16	8	26	26	33	17	1	
Dis. of Lungs	275	60	20	10	3	5	98	6	4	6	6	6	9	16	33	44	28	3	
Dis. of Stom. and Liver	117	8	-	3	1	1	13	6	3	4	4	8	10	17	14	29	6	1	
Dis. of Kidneys	52	1	-	-	-	-	1	1	-	2	1	3	3	4	11	23	8	-	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	9	-	-	-	-	-	-	-	1	1	-	1	2	1	2	1	1	-	
Dis. of Skin	6	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	23	-	-	-	-	-	-	-	-	-	2	2	1	4	8	6	-	-	
Other Violent Deaths	80	5	3	4	1	4	17	8	8	5	2	4	8	12	7	6	1	-	
Other Causes	512	96	25	5	8	-	137	3	1	2	-	2	2	8	10	73	234	66	

		442.—NEWARK.																	
Mean Popul ⁿ , } 1861-71 - }		14637	423	396	397	397	408	2021	1838	1669	1400	1012	1772	1500	1327	1043	682	269	10
TOTAL DEATHS -		3043	788	182	93	54	40	1157	135	66	72	98	152	160	149	238	354	342	100
Small-pox	-	10	3	1	-	-	-	4	-	-	-	4	1	-	1	-	-	-	-
Measles	-	23	9	30	12	3	6	50	1	3	-	1	-	-	-	-	-	-	-
Scarlatina	-	110	9	16	12	14	16	61	33	7	3	6	1	2	-	-	-	-	-
Diphtheria	-	43	6	5	9	8	2	23	11	2	-	4	1	1	1	-	-	-	-
Whooping-cough	-	32	16	8	3	8	-	36	1	-	1	-	-	-	-	-	-	-	-
Typhus	-	98	5	4	4	8	3	13	10	8	9	5	6	15	0	19	5	3	-
Dysentery & Cholera	-	113	62	10	2	1	1	66	-	-	1	1	2	2	1	5	14	21	-
Cholera	-	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	-	61	10	3	9	1	4	37	9	2	2	-	2	4	4	3	3	3	-
Cancer	-	50	1	-	-	-	-	1	1	-	-	1	2	5	6	14	12	1	-
Scrophula and Tuberc.	-	77	43	10	4	-	1	58	9	2	2	2	2	-	2	2	3	-	-
Phthisis	-	267	5	2	3	2	-	12	12	5	29	46	63	53	23	16	8	-	-
Hydrocephalus	-	63	22	12	8	3	4	49	10	2	-	1	-	1	-	-	-	-	-
Dis. of Brain	-	267	180	19	8	5	1	217	5	6	6	4	16	30	18	24	40	20	-
Dis. of Heart & Dropsy	-	236	5	1	-	-	-	4	2	6	7	3	8	15	20	31	67	43	-
Dis. of Lungs	-	404	103	32	16	4	3	161	10	5	8	6	12	14	28	42	73	43	-
Dis. of Stom. and Liver	-	128	7	-	2	-	-	10	2	4	1	6	15	8	10	24	32	10	-
Dis. of Kidneys	-	67	1	-	-	-	-	1	2	2	2	-	2	1	7	20	15	13	-
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	15	-	-	1	-	1	2	2	-	-	1	1	3	2	-	2	-	-
Dis. of Skin	-	8	4	1	-	-	-	5	-	-	-	-	-	-	-	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	9	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	-	-
Other Violent Deaths	-	124	6	5	4	5	2	23	9	12	6	7	13	15	9	18	6	9	-
Other Causes	-	680	292	37	7	2	1	539	3	-	-	1	4	6	5	16	42	20	-

		443.—BINGHAM.																	
Mean Popul ⁿ , } 1861-71 - }	1788	220	190	203	196	216	1025	943	850	651	449	831	790	693	598	391	150	18	
TOTAL DEATHS -	1395	328	61	41	18	23	471	48	33	46	40	62	68	80	134	174	120	44	
Small-pox - - -	5	1	1	1	-	-	8	-	1	1	-	-	-	-	-	-	-	-	
Measles - - -	14	4	1	3	1	2	11	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	45	5	6	9	4	5	29	12	3	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	6	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	
Whooping-cough -	4	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	28	-	-	1	1	3	6	3	2	3	2	2	4	1	1	2	2	2	
Diarrhoea & Dysentery	63	34	5	3	-	-	44	1	-	-	-	-	1	-	3	1	3	1	
Cholera - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	14	1	1	1	-	-	3	-	-	1	-	-	-	1	2	4	3	-	
Cancer - - -	18	-	-	-	-	-	-	-	-	-	-	1	3	2	5	4	3	-	
Scrophula and Tuberc.	46	18	5	3	1	2	29	4	3	1	2	3	3	16	23	23	23	23	
Phtisica - - -	122	4	3	-	-	1	8	2	5	17	25	24	30	14	7	1	1	-	
Hydrocephalus - -	13	3	5	1	2	-	11	-	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	205	95	11	6	-	1	113	6	3	1	2	3	9	5	15	29	28	28	
Dis. of Heart & Dropsy	115	-	-	-	-	-	-	-	2	1	3	3	13	23	23	23	23	23	
Dis. of Lungs - - -	283	63	10	8	4	7	92	6	3	7	1	5	10	8	27	43	43	43	
Dis. of Stom. and Liver	162	4	1	1	1	-	7	4	1	1	1	5	6	12	22	24	25	25	
Dis. of Kidneys - -	88	-	-	-	-	-	-	-	1	1	1	1	3	3	6	3	11	11	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	14	-	1	1	-	1	3	2	-	-	1	1	1	-	3	3	1	-	
Dis. of Skin - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	71	3	5	3	3	1	14	4	7	9	3	10	4	4	7	7	7	7	
Other Causes - - -	178	88	4	-	-	-	92	-	-	-	1	2	1	2	3	14	14	14	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & above.
441.—SOUTHWELL.																		
Mean Popul ⁿ , 1861-71	11738	298	277	284	282	282	1423	1380	1259	1023	927	1458	1271	1180	889	634	250	39
TOTAL DEATHS	2193	377	92	63	36	29	597	74	46	77	86	154	113	131	177	309	314	115
Small-pox	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	15	3	4	4	4	-	15	-	-	-	-	3	-	-	-	-	-	-
Scarlatina	60	1	11	11	11	6	40	11	3	1	-	3	1	1	-	-	-	-
Diphtheria	30	4	1	4	2	4	15	9	1	-	1	1	1	-	1	1	-	-
Whooping-cough	89	17	8	8	2	1	86	2	1	-	-	-	-	-	-	-	-	-
Typhus	58	2	-	2	-	2	6	7	8	10	8	6	3	4	2	4	-	-
Diarrhea & Dysentery	37	11	2	2	1	-	16	1	1	-	1	1	1	-	9	0	1	-
Cholera	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.	45	6	-	5	2	3	16	2	1	1	-	1	1	4	2	7	5	5
Cancer	71	-	-	-	-	-	-	1	-	-	-	2	2	8	12	22	4	2
Scrofula and Tuberc.	24	4	1	-	1	-	6	1	2	4	-	4	3	-	2	-	-	-
Phthisis	631	6	2	1	3	1	13	6	15	44	54	93	48	25	24	3	-	-
Hydrocephalus	28	11	8	-	-	-	19	6	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	350	179	10	11	2	2	204	6	2	4	1	8	5	16	26	43	31	4
Dis. of Heart & Dropsy	195	2	-	-	-	-	2	2	4	2	2	6	9	25	32	74	36	1
Dis. of Lungs	210	46	24	8	2	2	82	4	2	1	5	2	8	15	27	37	23	4
Dis. of Stom. and Liver	98	7	1	2	1	-	11	3	1	4	3	9	11	12	29	16	8	-
Dis. of Kidneys	10	-	-	-	-	-	-	1	2	1	1	2	1	1	-	1	-	-
Dis. of Genes. Organs	8	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	1	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	6	1	1	-	-	-	2	-	-	-	-	-	-	-	-	4	-	-
Childbirth and Metris	18	-	-	-	-	-	-	-	-	-	-	7	6	-	-	-	-	-
Selficide	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-
Other Violent Deaths	59	4	2	1	2	3	15	1	1	-	-	1	1	2	1	4	3	1
Other Causes	523	72	16	3	3	3	97	11	2	2	1	3	3	9	20	81	197	97
442.—NEWARK.																		
Mean Popul ⁿ , 1861-71	15264	415	381	414	373	404	1987	1865	1687	1361	1193	1990	1659	1381	1077	728	289	47
TOTAL DEATHS	3078	674	145	75	68	57	1019	131	82	106	99	209	196	186	241	352	336	121
Small-pox	10	1	-	-	-	1	2	1	1	2	-	3	-	-	-	-	1	-
Measles	43	6	11	12	6	4	39	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	88	4	8	6	14	20	62	20	10	3	1	2	-	-	-	-	-	-
Diphtheria	66	1	5	4	10	6	26	16	8	1	3	2	-	-	-	-	-	-
Whooping-cough	44	22	12	5	2	2	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	137	3	3	3	4	5	18	24	16	10	7	16	16	6	8	4	3	-
Diarrhea & Dysentery	107	57	9	4	-	1	71	-	-	-	-	3	2	3	2	0	11	9
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Other Zymotic Dis.	65	7	5	5	8	2	27	4	4	2	2	5	-	-	6	9	6	-
Cancer	126	-	-	-	-	-	-	1	-	-	-	2	7	17	27	32	14	1
Scrofula and Tuberc.	37	18	13	2	2	-	35	7	3	3	2	4	1	-	2	-	-	-
Phthisis	339	8	7	-	2	1	18	11	15	51	58	100	70	45	20	9	1	1
Hydrocephalus	50	22	6	3	3	4	38	6	2	3	1	-	-	-	-	-	-	-
Dis. of Brain	566	150	7	5	3	1	168	8	9	8	2	10	14	16	30	64	38	6
Dis. of Heart & Dropsy	253	-	-	2	2	-	4	3	5	6	1	11	23	34	65	65	37	3
Dis. of Lungs	362	103	32	16	5	7	163	7	1	1	3	10	12	12	34	62	47	10
Dis. of Stom. and Liver	138	10	1	2	2	-	15	4	2	1	3	13	11	19	19	22	18	1
Dis. of Kidneys	19	-	1	-	-	-	1	1	1	-	-	2	3	3	6	2	-	-
Dis. of Genes. Organs	20	-	-	-	-	-	-	-	-	-	-	3	4	5	4	3	-	-
Dis. of Joints	13	-	1	-	-	-	1	1	2	-	-	-	2	1	-	4	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	23	-	-	-	-	-	-	-	-	-	0	9	8	-	-	-	-	-
Selficide	11	-	-	-	-	-	-	-	-	2	1	1	3	3	1	1	-	-
Other Violent Deaths	50	8	3	1	1	1	14	5	2	4	1	4	5	2	7	-	5	1
Other Causes	642	253	21	5	4	2	285	7	1	2	3	4	5	8	13	71	156	87
443.—BINGHAM.																		
Mean Popul ⁿ , 1861-71	7779	214	190	202	194	191	991	1003	807	665	582	989	867	746	588	367	153	21
TOTAL DEATHS	1487	310	61	25	28	10	443	49	37	68	61	94	87	79	111	192	169	49
Small-pox	8	1	1	-	-	1	3	2	2	-	-	-	1	-	-	-	-	-
Measles	11	3	2	1	3	-	9	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	46	2	-	3	13	7	25	15	6	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough	11	6	4	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	51	1	1	-	1	1	3	7	8	11	5	8	3	4	-	1	1	-
Diarrhea & Dysentery	56	31	3	-	-	-	34	1	-	2	-	2	-	1	2	4	6	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	13	2	-	-	-	-	2	2	-	1	-	-	-	1	1	5	1	-
Cancer	30	-	-	-	-	-	-	-	-	1	-	-	-	4	8	6	3	-
Scrofula and Tuberc.	35	18	5	2	-	1	25	2	-	2	2	-	-	8	6	2	1	-
Phthisis	219	6	3	-	1	-	10	1	9	37	50	48	35	22	14	4	3	-
Hydrocephalus	11	4	2	1	-	2	9	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	196	89	8	5	2	1	105	4	-	4	3	4	4	3	11	24	22	2
Dis. of Heart & Dropsy	127	-	-	-	-	-	1	-	-	2	-	7	3	14	25	45	18	3
Dis. of Lungs	288	63	27	9	8	2	169	7	2	-	1	3	5	5	19	27	39	21
Dis. of Stom. and Liver	107	3	-	1	-	1	5	-	3	3	6	11	17	14	17	20	12	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
Dis. of Genes. Organs	20	-	-	-	-	-	-	-	-	-	1	-	3	3	7	4	1	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
Childbirth and Metris	10	-	-	-	-	-	-	-	-	-	3	4	3	-	-	-	-	-
Selficide	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
Other Violent Deaths	19	5	-	2	-	2	7	2	2	1	1	1	-	1	1	3	-	-
Other Causes	128	78	4	1	-	1	84	2	1	-	1	3	1	-	1	4	41	30

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-
444.—SHARDLOW.																			
Mean Popul ⁿ , 1861-71	16047	491	447	447	416	431	2232	1996	1875	1563	1236	1997	1640	1403	1095	710	271	29	
TOTAL DEATHS -	3109	738	169	80	65	46	1098	119	93	69	91	154	174	169	274	413	354	99	
Small-pox -	7	3	-	-	-	-	3	-	-	1	-	1	-	1	-	-	-	-	
Measles -	40	10	15	6	3	4	38	1	-	-	1	-	-	-	-	-	-	-	
Scarlatina -	111	11	17	14	11	12	67	31	10	-	1	1	1	-	-	-	-	-	
Diphtheria -	18	3	-	1	6	2	12	1	4	-	-	1	-	-	-	-	-	-	
Whooping-cough -	34	21	8	1	1	-	31	3	-	-	-	-	-	-	-	-	-	-	
Typhus -	85	3	6	7	2	1	18	10	9	3	4	13	6	4	19	5	3	1	
Diarrhoea & Dysentery -	82	43	7	-	-	-	50	1	2	-	2	-	1	1	4	12	1	-	
Cholera -	21	3	2	-	1	-	6	-	-	-	-	-	-	-	1	2	1	-	
Other Zymotic Dis. -	64	2	13	4	7	3	29	6	1	-	1	1	7	3	6	8	2	-	
Cancer -	42	-	-	-	-	-	-	-	-	1	-	-	2	6	13	13	2	-	
Scrophula and Tuberc -	65	23	7	2	-	3	35	5	7	5	1	3	2	5	2	-	-	-	
Phthisis -	300	6	4	1	2	-	13	5	11	23	53	67	62	35	35	11	-	-	
Hydrocephalus -	57	19	10	3	6	2	46	7	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	457	185	19	8	9	2	223	20	11	6	4	13	20	18	30	57	86	4	
Dis. of Heart & Dropsy -	302	3	1	-	1	1	6	6	4	1	2	11	15	24	34	61	32	3	
Dis. of Lungs -	444	115	33	15	7	5	175	5	2	1	3	10	19	21	47	97	58	3	
Dis. of Stom. and Liver -	190	20	4	3	-	2	29	1	1	2	1	6	12	22	58	53	14	7	
Dis. of Kidneys -	74	1	-	-	-	-	1	3	2	-	-	-	4	6	13	20	19	1	
Dis. of Gen. Organs -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	15	1	-	-	-	-	1	2	5	1	3	-	-	-	2	-	-	-	
Dis. of Skin -	10	4	-	-	-	-	4	-	1	-	-	-	-	1	1	1	1	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	22	-	-	-	-	-	-	-	-	2	-	-	4	3	4	5	4	-	
Other Violent Deaths -	163	9	5	8	8	9	39	8	19	12	12	14	17	11	14	12	5	-	
Other Causes -	647	252	13	6	1	-	271	4	1	2	3	4	9	10	29	83	163	72	
445.—DERBY.																			
Mean Popul ⁿ , 1861-71	27213	909	815	741	718	700	3883	3220	2788	2659	2669	4207	3134	2275	1470	695	189	24	
TOTAL DEATHS -	6587	1912	593	259	206	120	3090	285	126	187	207	411	350	454	533	523	330	81	
Small-pox -	45	8	8	3	2	3	24	8	3	2	2	3	1	2	-	-	-	-	
Measles -	147	30	59	26	19	5	130	6	1	-	1	-	-	-	-	-	-	-	
Scarlatina -	313	15	43	48	55	46	207	84	13	4	1	4	-	-	-	-	-	-	
Diphtheria -	26	3	2	6	5	-	16	6	1	1	-	-	-	-	-	1	-	-	
Whooping-cough -	123	45	42	17	10	5	119	7	-	-	-	1	-	-	-	-	-	-	
Typhus -	300	6	6	10	14	8	44	20	19	24	12	32	20	16	14	8	1	-	
Diarrhoea & Dysentery -	317	219	40	15	7	2	283	5	1	1	-	1	-	2	3	13	7	2	
Cholera -	9	2	1	-	-	-	3	-	-	-	1	1	-	1	-	3	-	-	
Other Zymotic Dis. -	123	22	19	13	7	9	70	6	5	2	1	6	4	3	14	13	4	-	
Cancer -	89	-	-	-	-	-	-	-	-	-	1	-	4	19	14	7	3	-	
Scrophula and Tuberc -	85	35	16	2	4	1	58	4	7	5	-	1	3	1	2	5	-	-	
Phthisis -	796	28	10	1	4	2	45	17	13	81	100	203	137	107	38	23	4	-	
Hydrocephalus -	80	28	20	11	3	6	68	10	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	1159	621	90	29	23	8	780	27	13	11	11	31	33	55	84	89	39	2	
Dis. of Heart & Dropsy -	368	6	1	-	1	-	8	12	10	13	12	29	44	41	73	71	30	2	
Dis. of Lungs -	901	228	120	47	29	12	434	12	8	9	14	54	42	81	104	110	39	6	
Dis. of Stom. and Liver -	246	33	0	8	3	1	54	9	5	7	5	15	15	37	49	38	11	1	
Dis. of Kidneys -	125	1	1	1	4	1	8	7	3	4	2	9	17	30	23	20	11	-	
Dis. of Gen. Organs -	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	29	1	1	-	-	1	3	4	-	4	3	5	2	4	5	1	-	-	
Dis. of Skin -	13	5	5	-	1	-	9	-	-	1	-	-	-	-	1	2	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	31	-	-	-	-	-	-	-	-	1	1	3	1	13	9	2	1	-	
Other Violent Deaths -	290	20	12	8	8	5	53	31	22	15	26	30	18	23	21	14	7	1	
Other Causes -	1146	456	81	14	7	6	663	10	1	2	5	12	10	14	38	123	172	66	
446.—BELPER.																			
Mean Popul ⁿ , 1861-71	26525	818	746	719	700	728	3711	3219	2864	2668	2310	3662	2836	2281	1705	934	306	29	
TOTAL DEATHS -	5697	1601	406	207	127	98	2439	234	146	153	178	310	274	345	474	607	456	87	
Small-pox -	50	14	3	4	-	1	22	1	1	-	2	2	1	-	1	-	-	-	
Measles -	103	27	37	12	16	4	96	6	-	1	-	-	-	-	-	-	-	-	
Scarlatina -	194	13	31	35	29	22	150	46	11	4	2	1	-	-	-	-	-	-	
Diphtheria -	28	4	5	8	2	1	20	5	-	1	-	-	-	-	-	1	-	-	
Whooping-cough -	74	80	22	12	4	3	71	3	-	-	-	-	-	-	-	-	-	-	
Typhus -	316	12	15	16	13	14	72	36	28	34	27	33	23	16	19	38	3	-	
Diarrhoea & Dysentery -	175	103	13	4	-	3	123	2	-	-	-	2	1	5	7	8	27	-	
Cholera -	18	-	1	-	1	1	3	-	-	-	-	1	2	1	3	5	1	-	
Other Zymotic Dis. -	157	20	17	18	10	11	76	18	5	5	1	6	5	9	12	8	18	1	
Cancer -	47	-	-	-	-	-	-	-	-	-	-	-	2	5	6	14	11	6	
Scrophula and Tuberc -	112	36	22	8	3	4	73	10	8	4	-	8	3	1	4	-	-	-	
Phthisis -	515	10	16	5	1	1	32	21	21	32	84	100	73	54	47	17	-	-	
Hydrocephalus -	72	29	20	7	3	2	61	8	2	1	-	-	-	-	-	-	-	-	
Dis. of Brain -	1604	578	49	29	8	13	677	19	4	6	9	17	25	41	39	62	86	9	
Dis. of Heart & Dropsy -	440	7	6	1	3	2	19	9	9	6	6	24	24	29	29	121	31	1	
Dis. of Lungs -	806	232	99	33	16	9	580	17	9	6	5	18	29	34	33	123	44	3	
Dis. of Stom. and Liver -	244	23	4	2	2	1	37	7	3	1	2	16	24	34	43	49	18	-	
Dis. of Kidneys -	105	1	-	-	2	1	4	1	1	2	2	10	7	10	19	32	15	2	
Dis. of Gen. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	31	4	-	1	1	-	6	5	2	1	-	6	3	4	3	1	-	-	
Dis. of Skin -	13	7	-	-	-	-	7	-	-	-	1	-	-	-	-	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	29	-	-	-	-	-	-	-	-	3	2	3	3	7	4	-	-	-	
Other Violent Deaths -	283	15	14	6	6	4	43	15	38	21	20	41	21	29	23	14	4	-	
Other Causes -	902	451	42	6	5	1	483	4	4	3	4	8	9	13	23	81	124	6	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			Total under 5 Years.	5- 10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.																																																																																		
		Total under 1 Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18												19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

| 444.—SHARDLOW. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mean Populⁿ, 1861-71 | 16472 | 444 | 459 | 448 | 420 | 391 | 2162 | 1860 | 1670 | 1514 | 1422 | 2225 | 1862 | 1532 | 1168 | 737 | 286 | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | </ |

445.—DERBY.																														
Mean Popul ⁿ , 1861-71		29479	888	791	794	718	692		3883	3244	2942	2943	2913	4741	3451	2518	1647	874	288	35										
TOTAL DEATHS		6593	1472	556	232	185	131		2576	270	132	239	294	543	489	403	535	500	425	118										
Small-pox		49	14	6	4	8	1		33	6	2	-	4	4	-	-	-	-	-	-										
Scarlatina		148	23	66	26	11	12		138	8	2	-	-	-	-	-	-	-	-	-										
Diphtheria		293	15	47	33	46	40		201	74	14	2	-	1	1	-	-	-	-	-										
Whooping-cough		120	41	40	14	14	8		117	3	-	-	-	-	-	-	-	-	-	-										
Typhus		225	3	11	12	8	10		44	42	27	24	15	24	15	9	16	6	3	-										
Marasmus & Dysentery		309	193	47	6	2	1		249	5	1	4	1	6	2	2	2	13	13	2										
Cholera		8	3	-	1	-	-		4	1	-	-	-	1	-	-	-	-	-	-										
Other Zymotic Dis.		98	12	14	7	12	3		48	10	4	1	2	2	4	5	6	9	6	1										
Scarlatina		129	-	-	-	-	-		-	-	-	-	1	3	28	31	28	22	6	-										
Tuberculosis		1038	31	13	7	5	3		69	9	36	146	185	303	173	97	37	13	-	-										
Hydrocephalus		50	14	11	4	6	4		39	10	1	-	-	-	-	-	-	-	-	-										
Dis. of Brain		225	439	82	33	29	13		280	29	9	12	8	29	35	45	76	66	31	8										
Dis. of Heart & Dropsy		483	-	2	1	1	-		5	13	8	8	23	36	68	87	99	91	42	3										
Dis. of Lungs		814	175	102	31	21	14		343	23	5	9	11	34	41	40	114	121	61	12										
Dis. of Stom. and Liver		278	21	4	3	3	4		35	9	4	8	7	20	39	20	56	34	14	2										
Dis. of Kidneys		67	-	-	1	-	1		2	1	4	2	6	8	12	8	14	8	2	-										
Dis. of Gen. Organs		49	-	-	-	-	-		-	-	-	-	1	8	16	9	8	7	-	-										
Dis. of Joints		20	-	1	1	-	1		3	2	1	3	1	5	-	-	4	1	-	-										
Dis. of Skin		13	3	2	1	1	-		7	-	-	-	-	-	2	-	2	1	1	-										
Childbirth and Metritis		80	-	-	-	-	-		-	-	-	6	23	29	50	1	-	-	-	-										
Infanticide		12	-	-	-	-	-		-	-	-	1	-	2	3	3	1	2	-	-										
Other Violent Deaths		113	18	7	3	8	7		43	14	5	6	2	9	6	6	8	6	7	1										
Other Causes		1113	430	76	15	11	4		536	9	1	1	2	11	9	10	43	164	238	89										

		446.—BELPER.																			
Mean Popul ⁿ , 1861-71	25762	841	779	738	727	721	3806	3137	2796	2266	2181	3629	2858	2219	1594	917	324	35			
TOTAL DEATHS	5612	1217	370	184	120	94	1985	246	132	201	217	462	342	342	479	589	409	148			
Small-pox	34	9	6	1	3	2	21	4	1	2	1	4	-	-	1	-	-	-			
Measles	83	13	24	16	13	10	81	6	-	2	-	1	-	-	-	-	-	-			
Scarlatina	202	14	33	23	24	22	123	65	8	2	-	2	1	-	-	-	-	-			
Diphtheria	48	6	3	7	5	5	26	15	2	1	-	2	1	-	1	-	-	-			
Whooping-cough	97	44	26	9	2	2	93	4	-	-	-	-	-	-	-	-	-	-			
Typhus	271	8	16	9	11	9	33	36	35	31	16	33	19	15	16	10	6	1			
Marasmus & Dysentery	156	72	16	-	2	1	91	1	1	-	1	5	3	8	9	16	18	3			
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Zymotic Dis.	111	12	13	16	6	5	62	8	1	6	1	5	3	5	8	9	11	2			
Erysipelas	50	-	-	-	-	-	-	2	-	-	-	3	9	2	20	26	18	6			
Erysipelas and Tabes	121	44	13	4	2	2	67	8	6	7	10	8	7	7	-	-	-	-			
Ethelias	725	14	9	6	3	1	33	13	81	94	126	221	105	58	34	9	1	-			
Hydrocephalus	50	10	13	7	1	4	13	5	2	1	-	-	1	-	-	-	-	-			
Pla. of Brain	630	403	48	19	11	12	493	18	11	15	11	19	34	37	61	79	51	7			
Pla. of Heart & Dropsy	645	2	-	1	2	2	7	12	10	9	8	34	51	84	130	143	82	13			
Pla. of Lungs	721	175	81	56	19	6	317	12	7	8	14	21	25	33	79	102	83	12			
Pla. of Stom. and Liver	273	10	5	7	2	3	27	8	8	8	9	31	27	49	58	35	20	2			
Pla. of Kidneys	40	-	-	-	-	1	1	1	1	-	2	5	4	5	10	10	1	-			
Pla. of Genes. Organs	40	-	-	-	-	-	-	-	-	-	-	7	10	9	5	2	1	-			
Pla. of Joints	17	1	-	-	-	-	1	1	1	-	-	4	2	2	1	5	-	-			
Pla. of Skin	13	5	1	-	-	-	6	-	-	-	-	-	-	-	-	5	2	-			
Childbirth and Metris	102	-	-	-	-	-	-	-	-	8	13	48	51	2	-	-	-	-			
Gravid	6	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-			
Other Violent Deaths	67	8	7	5	5	6	81	14	2	2	2	3	2	1	2	2	4	1			
Other Causes	329	256	44	13	7	1	421	14	2	7	8	2	6	10	31	127	212	17			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
447.—ASHBORNE.																			
Mean Popul ⁿ . 1861-71		10139	274	255	269	266	253	1317	1234	1098	981	743	1251	1008	966	750	501	184	95
TOTAL DEATHS		1981	397	101	43	28	29	598	63	50	49	46	93	111	128	197	363	279	74
Small-pox		4	2	-	1	-	-	3	-	-	-	-	1	-	-	-	-	-	-
Measles		15	2	10	-	-	-	12	1	-	1	1	-	-	-	-	-	-	-
Scarlatina		19	-	2	3	4	3	11	5	1	-	-	-	1	1	-	-	-	-
Diphtheria		18	1	2	2	2	3	10	6	-	-	-	-	-	-	1	1	-	-
Whooping-cough		29	13	10	11	2	1	27	2	-	-	-	-	-	-	-	-	-	-
Typhus		78	8	8	1	1	1	19	8	11	7	7	7	7	2	3	4	2	1
Diarrhoea & Dysentery		43	21	3	2	-	1	27	-	-	-	1	1	-	-	3	7	3	1
Cholera		2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.		74	7	2	3	2	8	22	7	2	1	1	3	2	5	6	10	13	2
Cancer		26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tuberc.		52	18	6	2	3	-	29	2	-	2	-	2	3	3	6	8	4	-
Phthisis		163	1	-	2	-	-	3	5	7	4	2	2	1	1	1	1	1	-
Hydrocephalus		30	8	9	4	2	1	24	5	-	1	-	-	-	-	9	5	-	-
Dis. of Brain		324	154	9	6	1	2	172	7	3	2	2	9	9	16	23	41	26	1
Dis. of Heart & Dropsy		164	1	-	1	-	-	2	1	5	2	1	4	2	12	43	69	30	1
Dis. of Lungs		345	33	15	7	4	3	6	6	2	5	1	5	15	23	31	67	31	3
Dis. of Stom. and Liver		114	4	1	1	-	3	9	3	2	2	1	4	15	14	29	39	12	3
Dis. of Kidneys		44	-	-	-	-	-	-	1	2	-	-	1	2	5	7	14	3	1
Dis. of Genecr. Organs		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		8	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
Dis. of Skin		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		14	-	-	-	-	-	-	-	-	-	-	-	2	5	5	-	1	1
Other Violent Deaths		69	4	2	3	4	1	14	1	6	2	6	6	10	8	6	4	2	1
Other Causes		449	119	22	5	3	2	151	2	2	2	-	8	7	10	23	58	137	2

		448.—CHESTERFIELD.																	
Mean Popul ⁿ , 1861-71	36442	1216	1070	1020	985	995	5286	4413	3877	3607	3411	5666	4216	2931	1848	963	295	29	
TOTAL DEATHS	8087	2608	691	825	202	143	3969	344	185	238	286	419	422	400	539	658	463	11	
Small-pox	87	28	12	7	3	6	54	8	3	8	9	2	2	2	2	-	-	-	
Measles	175	41	67	33	16	8	164	10	1	-	-	-	-	-	-	-	-	-	
Scarlatina	422	27	67	69	67	52	272	117	23	6	1	2	-	1	-	-	-	-	
Diphtheria	56	4	9	8	4	4	29	15	4	2	1	1	-	1	2	-	1	-	
Whooping-cough	153	79	49	13	9	3	153	-	-	-	-	-	-	-	-	-	-	-	
Typh	372	15	22	16	22	17	92	44	31	37	45	26	29	19	24	19	8	4	
Diarrhoea & Dysentery	298	179	41	10	1	-	231	2	-	-	1	2	3	7	8	17	18	-	
Cholera	28	6	1	1	1	1	10	-	1	-	-	2	2	2	7	4	1	1	
Other Zymotic Dis.	154	33	29	20	13	7	102	9	5	-	2	3	5	2	9	18	3	-	
Cancer	49	-	-	-	-	-	-	-	-	-	-	1	6	10	9	10	22	-	
Scrofula and Tuberc.	144	58	27	14	4	2	105	4	-	3	10	4	7	6	4	1	-	-	
Phthisis	610	17	14	6	3	4	44	18	18	67	90	126	109	78	42	13	2	-	
Hydrocephalus	123	48	45	12	8	2	115	8	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	3351	878	79	26	10	9	997	22	4	10	13	25	26	41	67	94	69	-	
Dis. of Heart & Dropsy	412	9	2	2	2	5	20	13	12	12	14	28	37	62	73	92	41	-	
Dis. of Lungs	1275	442	151	54	25	10	682	31	10	12	18	29	58	78	126	132	74	-	
Dis. of Stom. and Liver	335	60	8	4	2	3	77	11	8	8	17	33	28	45	56	48	7	-	
Dis. of Kidneys	102	3	1	2	-	1	7	2	-	2	6	10	18	14	12	20	18	-	
Dis. of Genec. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	44	2	1	-	2	-	5	6	5	7	-	7	3	5	4	1	1	-	
Dis. of Skin	19	7	2	-	-	-	9	-	-	-	-	1	1	-	3	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	34	-	-	-	-	-	-	-	-	2	3	5	3	10	8	2	3	-	
Other Violent Deaths	566	28	20	13	7	12	80	19	56	62	67	93	74	58	40	29	6	-	
Other Causes	1288	649	54	13	3	-	719	19	4	-	1	11	11	19	37	161	207	-	

		449.—BAKEWELL.																
Mean Popul ⁿ , 1861-71		14940	419	412	394	359	375	1959	1778	1635	1387	1171	1923	1682	1420	1078	668	321
TOTAL DEATHS -		3279	668	189	83	52	61	1051	98	64	102	116	218	198	238	313	458	378
Small-pox	-	18	6	1	2	-	-	9	2	-	1	2	2	-	2	-	-	-
Measles	-	62	3	11	8	1	3	26	6	-	-	-	-	-	-	-	-	-
Scarlatina	-	36	6	12	17	12	10	57	19	4	5	-	2	1	-	-	-	-
Diphtheria	-	32	3	6	1	1	3	14	10	2	4	-	-	1	-	1	-	-
Whooping-cough	-	42	13	22	2	1	2	40	2	-	-	-	-	-	-	-	-	-
Typhus	-	91	-	-	-	-	6	9	10	13	12	13	15	6	2	7	4	-
Dysentery & Dysentery	-	47	16	4	1	1	1	23	-	-	1	-	-	1	4	2	8	5
Cholera	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	-	82	12	8	8	6	4	38	6	2	1	1	6	5	3	5	7	8
Cancer	-	38	-	-	-	-	-	-	-	-	-	-	2	2	9	12	10	3
Scrofula and Tuberc.	-	37	7	6	-	-	-	13	2	2	6	1	4	4	3	2	1	-
Phthisis	-	310	5	4	2	-	7	18	2	9	50	49	60	43	20	28	10	7
Hydrocephalus	-	33	7	9	2	5	4	27	4	1	-	1	-	-	-	-	-	-
Dis. of Brain	-	284	323	24	13	5	5	370	8	3	9	1	11	14	16	36	64	66
Dis. of Heart & Dropsy	-	299	4	1	2	1	-	8	7	6	4	4	7	15	35	36	40	29
Dis. of Lungs	-	394	64	25	7	6	5	106	2	4	11	11	23	24	38	53	68	43
Dis. of Stom. and Liver	-	173	17	5	1	2	2	27	3	1	4	4	9	18	32	34	28	15
Dis. of Kidneys	-	64	-	-	-	2	-	2	1	3	-	1	6	9	10	10	12	4
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	12	-	-	-	-	-	-	-	-	-	-	5	1	2	1	3	-
Dis. of Skin	-	8	2	1	-	-	-	3	-	-	-	-	-	-	1	-	3	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	17	-	-	-	-	-	-	-	-	1	1	-	5	8	4	1	2
Other Violent Deaths	-	117	6	5	1	2	1	15	5	3	10	14	19	17	15	11	8	2
Other Causes	-	601	172	43	13	8	8	246	9	11	8	13	18	30	20	63	122	208

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
447.—ASHBORNE.																		
Mean Popul ⁿ , 1861-71	10463	278	252	251	248	253	1282	1211	1076	1028	889	1349	1135	988	767	503	205	30
TOTAL DEATHS -	2098	819	109	43	40	20	531	72	51	92	92	159	124	144	179	291	278	85
Small-pox - - -	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Measles - - -	22	9	5	2	1	1	18	2	1	-	-	-	1	-	-	-	-	-
Scarlatina - -	19	2	4	1	1	-	8	6	2	2	-	-	1	-	-	-	-	-
Diphtheria - -	24	2	1	4	2	1	10	9	3	1	-	-	-	-	1	-	-	-
Whooping-cough -	30	9	9	3	6	-	27	3	-	-	-	-	-	-	-	-	-	-
Cyphus - - -	96	5	4	6	4	1	30	13	8	18	11	8	7	3	3	4	1	-
Barrhus & Dysentery	43	12	4	2	1	-	19	-	-	-	-	3	1	1	4	12	6	2
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	86	6	4	2	5	5	22	7	-	4	2	4	3	4	7	14	17	2
Cancer - - -	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	35	10	3	4	1	-	18	3	3	1	3	2	3	1	-	1	-	-
Phthisis - - -	329	-	1	-	1	1	3	3	21	46	53	90	57	31	15	8	2	-
Hydrocephalus -	20	5	5	3	4	1	18	-	1	-	1	-	-	-	-	-	-	-
Dis. of Brain -	306	109	16	2	3	2	132	11	7	9	7	4	7	14	26	46	50	7
Dis. of Heart & Dropsy	203	3	-	-	-	-	3	1	-	1	3	9	11	21	46	71	31	6
Dis. of Lungs -	203	29	24	5	5	2	65	3	-	3	5	9	7	15	21	34	34	7
Dis. of Stom. and Liver	107	4	1	2	2	2	11	-	1	3	2	10	8	15	23	25	10	1
Dis. of Kidneys -	9	-	-	1	-	-	1	-	-	-	-	2	-	5	-	1	-	-
Dis. of Gen. Organs	16	-	-	-	-	-	-	-	-	-	1	2	1	3	4	3	-	-
Dis. of Joints -	9	-	-	-	-	-	-	1	1	1	1	1	-	-	2	1	-	-
Dis. of Skin -	5	-	-	-	-	1	1	-	1	-	-	-	-	1	-	2	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	2	1	12	5	2	-	-	-	-
Infantile - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	28	6	2	2	2	1	13	5	-	-	1	-	-	3	-	1	3	2
Other Causes - -	427	166	26	4	2	2	140	5	1	1	-	3	4	8	17	55	135	35

448.—CHESTERFIELD.																	
Mean Popul ⁿ , 1861-71	33150	1217	1088	1098	1019	979	5401	4546	3686	2798	2714	4805	3675	2532	1687	964	305
TOTAL DEATHS -	7221	2031	626	315	247	142	3361	353	167	225	244	491	404	342	431	597	492
Small-pox -	82	29	12	5	11	3	60	7	3	3	4	2	1	1	-	1	-
Measles -	167	29	68	26	16	11	159	15	1	-	1	-	-	-	-	-	-
Scarlatina -	437	28	54	67	74	49	272	125	27	4	2	4	1	-	-	-	1
Diphtheria -	55	3	10	4	8	3	28	17	5	1	2	1	1	-	-	-	-
Whooping-cough -	163	73	50	17	14	2	166	7	-	-	-	-	-	-	-	-	-
Cyphus -	314	14	20	35	18	19	97	40	29	32	19	88	23	15	14	5	2
Barrhus & Dysentery	265	162	44	7	1	-	204	6	1	-	3	4	5	1	13	16	11
Cholera -	12	5	1	2	-	-	8	1	-	-	1	-	1	1	-	-	-
Other Zymotic Dis.	159	24	20	29	10	13	96	18	4	3	2	4	6	2	9	6	-
Cancer -	119	-	-	-	-	-	-	-	-	-	-	-	5	18	38	29	7
Scrofula and Tuberc.	116	54	17	6	5	2	84	6	6	6	-	2	2	8	4	3	1
Phthisis -	822	23	15	9	5	6	58	13	43	90	135	245	120	67	38	11	2
Hydrocephalus -	93	30	28	14	6	5	83	8	-	1	1	-	-	-	-	-	-
Dis. of Brain -	999	629	45	30	14	5	723	16	9	18	7	15	24	28	49	64	39
Dis. of Heart & Dropsy	496	4	3	2	3	2	14	9	14	13	12	29	44	74	97	132	64
Dis. of Lungs -	289	311	154	45	36	14	569	29	7	16	15	25	35	44	81	113	58
Dis. of Stom. and Liver	272	83	8	2	3	-	43	6	4	10	11	21	36	35	40	44	16
Dis. of Kidneys -	35	-	-	1	-	-	1	-	1	-	2	7	8	6	2	7	1
Dis. of Gen. Organs	22	-	-	1	-	-	1	-	-	-	1	3	7	5	2	3	-
Dis. of Joints -	26	3	-	-	1	-	4	3	4	-	1	1	1	-	7	-	-
Dis. of Skin -	19	4	-	-	2	-	6	1	-	-	-	2	2	3	1	4	-
Childbirth and Metria	143	-	-	-	-	-	-	-	-	12	20	68	43	-	-	-	-
Infantile -	17	-	-	-	-	-	-	-	-	3	-	4	2	5	3	-	-
Other Violent Deaths	17	80	17	11	15	3	76	15	8	2	2	3	6	6	5	8	9
Other Causes -	1264	553	60	11	5	3	634	19	1	5	3	8	14	12	38	154	235

449.—BAKEWELL.																	
Mean Popul ⁿ , 1861-71	15546	419	407	403	375	400	2004	1801	1690	1422	1357	2125	1789	1434	1054	639	218
TOTAL DEATHS -	3102	527	148	72	62	36	845	111	74	139	142	236	243	185	322	408	338
Small-pox -	13	3	2	-	-	-	5	-	1	2	3	1	1	-	-	-	-
Measles -	31	6	8	2	3	4	23	7	1	-	-	-	-	-	-	-	-
Scarlatina -	67	4	13	8	8	4	37	21	6	2	2	-	-	-	-	-	-
Diphtheria -	34	1	3	5	7	3	16	12	3	1	-	2	-	-	-	-	-
Whooping-cough -	47	22	10	11	1	2	46	1	-	-	-	-	-	-	-	-	-
Cyphus -	91	5	-	4	1	1	11	8	11	14	10	15	14	3	3	2	-
Barrhus & Dysentery	37	12	1	1	-	-	14	-	-	-	1	1	1	1	5	7	7
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	66	10	5	4	6	3	28	4	-	1	1	3	5	2	9	9	4
Cancer -	58	-	-	-	-	-	-	-	-	-	-	-	1	6	13	24	12
Scrofula and Tuberc.	34	6	3	2	-	-	11	3	4	3	3	5	3	3	2	-	-
Phthisis -	431	3	5	1	2	1	12	8	23	79	64	112	73	29	23	8	-
Hydrocephalus -	22	8	7	1	4	2	22	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	463	226	30	9	8	5	278	11	3	6	5	14	13	26	29	41	33
Dis. of Heart & Dropsy	286	4	1	-	1	2	8	3	5	9	5	15	23	30	76	66	36
Dis. of Lungs -	262	64	25	13	4	2	108	5	6	6	9	8	29	19	47	73	48
Dis. of Stom. and Liver	145	10	1	3	1	4	19	2	3	3	7	7	13	19	53	39	5
Dis. of Kidneys -	17	-	-	-	-	-	-	1	-	-	2	1	2	4	3	3	1
Dis. of Gen. Organs	14	-	-	-	-	-	-	-	-	-	-	-	6	5	2	1	-
Dis. of Joints -	10	-	-	-	-	-	-	1	-	1	1	-	-	3	1	1	-
Dis. of Skin -	12	3	-	1	-	-	4	1	1	-	-	-	1	-	2	1	-
Childbirth and Metria	43	-	-	-	-	-	-	-	-	1	7	21	14	-	1	1	-
Infantile -	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Other Violent Deaths	31	1	1	1	4	1	8	4	1	-	-	3	1	4	-	7	2
Other Causes -	731	180	33	5	10	3	123	10	10	10	61	93	31	25	61	145	197

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		450.—CHAPEL-EN-LE-FRITH.																
Mean Popul ⁿ , 1861-71	7699	213	204	199	197	188	1001	872	752	695	676	1183	926	720	511	268	99	6
TOTAL DEATHS	1618	380	87	38	24	25	554	54	42	44	44	102	114	156	187	172	136	29
Small-pox	10	2	—	1	—	1	4	1	—	—	—	2	1	—	2	—	—	—
Measles	12	3	4	—	1	1	9	3	—	—	—	—	—	—	—	—	—	—
Scarlatina	25	2	1	4	2	4	13	8	2	1	1	—	—	—	—	—	—	—
Diphtheria	16	2	2	1	3	3	11	1	2	1	—	—	—	1	—	—	—	—
Whooping-cough	26	14	6	2	1	—	23	3	—	—	—	—	—	—	—	—	—	—
Typhus	56	—	—	—	2	3	5	10	5	2	7	6	9	4	5	2	—	—
Diarrhoea & Dysentery	43	15	3	—	—	—	18	1	1	—	2	1	—	3	6	1	6	4
Cholera	2	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	45	8	3	4	4	3	17	2	2	—	—	—	4	2	5	9	4	—
Cancer	18	—	—	—	—	—	—	—	—	—	—	—	1	1	2	4	2	—
Scrofula and Tuberc.	30	14	2	3	—	—	18	5	1	—	—	1	1	2	2	—	—	—
Phthisis	123	—	7	5	—	1	11	2	7	17	13	31	16	11	15	—	1	—
Hydrocephalus	23	11	5	3	2	—	21	1	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	313	128	16	7	3	1	154	4	6	4	5	8	21	22	34	28	13	2
Dis. of Heart & Dropsy	100	1	—	—	1	—	2	4	2	4	3	10	6	14	19	21	11	—
Dis. of Lungs	245	51	22	7	3	3	86	3	2	3	3	8	19	33	27	24	23	2
Dis. of Stom. and Liver	116	7	1	1	2	1	12	2	1	5	—	7	10	26	32	17	4	—
Dis. of Kidneys	23	1	—	—	—	—	1	1	2	—	1	2	2	5	5	5	2	1
Dis. of Gener. Organs	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Dis. of Joints	7	1	—	—	—	—	1	2	1	—	—	1	—	1	—	—	1	—
Dis. of Skin	4	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	9	—	—	—	—	—	—	—	—	—	—	1	3	4	1	—	—	—
Other Violent Deaths	99	1	4	—	1	4	10	1	4	7	9	18	14	16	9	8	1	2
Other Causes	271	121	11	3	—	—	135	—	1	1	—	2	6	6	16	20	22	27
451.—HAYFIELD.																		
Mean Popul ⁿ , 1861-71	15414	444	412	399	397	377	2029	1849	1691	1582	1365	2139	1752	1484	956	434	119	14
TOTAL DEATHS	3540	957	299	115	83	64	1518	161	96	128	123	178	161	240	350	347	199	29
Small-pox	15	2	2	—	1	2	7	4	1	—	1	1	1	—	—	—	—	—
Measles	23	18	20	5	7	3	48	3	—	—	—	—	—	—	—	—	—	—
Scarlatina	112	8	17	24	10	16	75	28	6	2	—	—	1	—	—	—	—	—
Diphtheria	30	3	5	—	10	8	21	5	2	1	1	—	—	—	—	—	—	—
Whooping-cough	83	41	28	7	3	1	80	3	—	—	—	—	—	—	—	—	—	—
Typhus	141	4	3	8	7	7	29	18	16	13	14	11	8	10	9	11	2	—
Diarrhoea & Dysentery	143	86	18	2	3	—	169	2	1	—	1	1	1	5	4	5	4	—
Cholera	4	1	—	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—
Other Zymotic Dis.	125	15	20	14	11	9	69	19	3	6	3	4	4	8	4	5	—	—
Cancer	26	—	—	—	—	—	—	—	1	—	—	2	4	7	10	2	—	—
Scrofula and Tuberc.	69	25	11	3	3	—	42	8	2	7	3	3	1	—	3	—	—	—
Phthisis	370	7	3	2	2	1	15	5	17	58	65	85	44	38	33	10	—	—
Hydrocephalus	88	21	55	6	5	4	71	11	5	—	—	—	—	—	1	—	—	—
Dis. of Brain	499	241	29	10	7	6	293	22	8	10	7	9	11	25	31	50	23	4
Dis. of Heart & Dropsy	224	4	1	2	1	2	10	4	5	7	9	11	23	28	58	47	20	2
Dis. of Lungs	504	153	49	14	8	4	233	13	1	3	4	14	25	54	99	82	47	6
Dis. of Stom. and Liver	200	25	1	2	2	—	30	5	5	5	7	13	17	31	45	60	8	—
Dis. of Kidneys	55	1	2	—	—	—	3	—	1	4	2	4	4	4	10	18	8	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	12	—	1	—	—	—	1	1	1	2	1	2	—	—	—	2	1	—
Dis. of Skin	13	6	—	—	—	1	7	—	1	1	1	—	—	2	1	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	9	—	—	—	—	—	—	—	—	1	—	2	—	—	3	1	—	—
Other Violent Deaths	123	9	6	9	3	3	50	7	16	8	5	12	10	14	14	5	2	—
Other Causes	546	287	48	7	—	2	344	3	3	—	—	2	5	14	23	45	87	20

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
		450.—CHAPEL-EN-LE-FRITH.																	
Mean Popul ⁿ , 1861-71	7200	209	187	196	177	199	968	826	712	669	706	1082	865	650	414	215	85	8	
TOTAL DEATHS	1487	289	93	49	32	16	479	50	46	69	66	128	99	106	133	159	127	25	
Small-pox	10	2	1	2	2	1	8	—	—	—	1	—	—	—	—	1	—	—	
Measles	14	2	5	2	3	—	12	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	24	1	3	4	4	3	15	4	1	—	—	1	—	—	1	—	—	—	
Diphtheria	17	1	1	2	5	—	9	4	2	—	1	—	—	—	—	1	—	—	
Whooping-cough	33	18	14	2	1	1	36	1	1	—	—	—	—	—	—	—	—	—	
Typhus	62	1	1	2	1	2	7	8	1	9	—	5	13	2	5	4	—	1	
Diarrhoea & Dysentery	41	17	3	1	2	—	23	6	1	1	1	—	—	—	1	4	5	5	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	51	6	6	6	3	2	23	6	1	1	—	5	1	3	4	6	—	1	
Cancer	27	—	—	—	—	—	—	—	—	—	—	1	—	2	8	11	4	1	
Scrofula and Tuberc.	27	11	2	3	—	1	17	1	1	1	1	4	2	—	—	—	—	—	
Phthisis	127	4	2	—	—	2	8	1	13	56	28	59	26	18	7	1	—	—	
Hydrocephalus	16	8	5	—	—	—	13	1	2	—	—	—	—	—	—	—	—	—	
Dis. of Brain	234	88	12	11	3	1	115	3	3	5	6	9	7	17	23	30	15	3	
Dis. of Heart & Dropsy	109	—	—	—	1	—	1	—	3	4	3	6	12	16	26	33	5	—	
Dis. of Lungs	185	34	24	9	5	3	75	6	2	3	5	9	12	12	15	26	19	1	
Dis. of Stom. and Liver	103	5	3	—	—	—	8	2	2	4	6	7	17	11	24	16	5	1	
Dis. of Kidneys	12	—	1	—	—	—	1	—	1	—	1	1	3	1	2	2	—	—	
Dis. of Gener. Organs	8	—	—	—	—	—	—	—	—	—	1	—	2	4	1	—	—	—	
Dis. of Joints	5	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	
Dis. of Skin	3	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	
Childbirth and Metria	18	—	—	—	—	—	—	—	—	1	5	8	4	—	—	—	—	—	
Suicide	4	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	
Other Violent Deaths	39	9	1	1	—	—	11	4	3	—	1	1	2	2	1	2	2	1	
Other Causes	247	82	9	4	2	—	97	3	2	2	—	1	4	6	8	32	74	18	
451.—HAYFIELD.																			
Mean Popul ⁿ , 1861-71	16887	456	407	425	415	377	2080	1900	1768	1730	1654	2565	2044	1555	975	470	133	13	
TOTAL DEATHS	3419	760	228	116	57	42	1203	113	102	159	132	265	224	270	350	356	213	32	
Small-pox	18	4	1	4	—	2	11	1	3	2	—	1	—	1	—	—	—	—	
Measles	43	6	16	8	7	—	37	4	1	—	—	—	—	—	—	—	—	—	
Scarlatina	91	6	15	29	13	7	61	22	4	3	—	1	—	—	—	—	—	—	
Diphtheria	21	1	3	6	2	3	15	4	1	1	—	—	—	—	—	—	—	—	
Whooping-cough	89	31	26	14	4	2	77	1	1	1	—	—	—	—	—	—	—	—	
Typhus	144	—	3	7	2	4	18	24	20	14	15	15	10	12	9	8	1	—	
Diarrhoea & Dysentery	135	78	11	4	1	—	94	3	—	1	—	2	1	3	12	9	7	3	
Cholera	5	1	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	92	11	12	11	10	5	49	2	4	4	—	4	9	6	8	5	1	—	
Cancer	68	—	—	—	—	—	—	—	—	—	1	2	7	18	20	15	4	1	
Scrofula and Tuberc.	41	14	9	2	—	1	26	2	2	3	2	1	2	—	—	3	—	—	
Phthisis	501	10	1	—	2	3	16	12	25	97	73	132	62	51	27	5	1	—	
Hydrocephalus	61	24	18	6	1	3	52	8	1	—	—	—	—	—	—	—	—	—	
Dis. of Brain	446	172	28	11	5	7	223	12	9	8	10	13	11	33	49	49	27	2	
Dis. of Heart & Dropsy	269	3	1	—	1	—	5	3	4	4	7	22	28	53	61	61	30	1	
Dis. of Lungs	532	137	45	11	5	3	291	7	6	5	9	17	31	41	82	90	40	2	
Dis. of Stom. and Liver	217	14	1	1	2	1	19	2	10	9	5	18	19	37	55	84	9	—	
Dis. of Kidneys	14	—	—	—	—	—	—	—	—	—	1	3	2	3	1	4	—	—	
Dis. of Gener. Organs	16	—	—	—	—	—	—	—	1	—	1	3	4	2	4	1	—	—	
Dis. of Joints	12	2	—	—	—	—	2	1	3	2	1	—	—	1	—	2	—	—	
Dis. of Skin	11	1	1	1	—	—	3	—	—	—	—	1	—	—	3	3	1	—	
Childbirth and Metria	39	—	—	—	—	—	—	—	—	—	5	26	28	—	—	—	—	—	
Suicide	7	—	—	—	—	—	—	—	—	1	—	1	1	2	1	—	1	—	
Other Violent Deaths	34	3	—	6	1	—	10	2	5	1	—	1	3	3	2	6	1	—	
Other Causes	594	242	86	4	1	1	284	3	1	3	2	2	6	4	16	61	100	22	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
452.—STOCKPORT.																				
Mean Popul ⁿ , 1861-71	44629	1392	1172	1183	1103	1148	5998	5296	4788	4669	3994	6386	5189	4071	2629	1344	341	24	10	5
TOTAL DEATHS -	12257	3454	1078	493	348	243	5616	537	249	319	400	622	729	892	1157	1092	273	181	101	51
Small-pox -	49	15	4	6	2	1	28	10	5	1	2	2	2	1	-	-	-	-	-	-
Measles -	341	77	123	62	59	18	319	17	4	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	663	47	102	113	107	85	454	175	27	3	1	-	-	-	-	-	-	-	-	-
Diphtheria -	63	5	7	5	8	9	84	15	5	1	1	3	2	1	-	-	-	-	-	-
Whooping-cough -	267	127	75	30	19	6	257	10	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	495	29	26	22	19	20	116	74	35	46	35	46	39	31	28	20	7	1	1	1
Diarrhea & Dysentery -	795	555	119	20	7	2	703	3	2	1	1	4	6	12	17	21	23	1	1	1
Cholera -	29	6	-	-	1	-	7	1	-	2	1	4	3	4	1	1	1	1	1	1
Other Zymotic Dis. -	267	40	60	33	28	23	180	19	13	2	2	7	9	8	13	4	10	-	-	-
Cancer -	69	-	1	-	-	-	1	-	1	-	-	1	9	12	19	19	3	1	1	1
Scrofula and Tuberc. -	139	43	27	15	5	3	93	18	8	14	7	7	5	3	4	-	-	-	-	-
Phthisis -	1101	4	8	3	4	2	21	16	35	156	216	245	182	135	75	17	-	-	-	-
Hydrocephalus -	181	86	46	15	9	7	163	11	7	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	1799	823	91	46	33	12	1005	46	19	8	11	59	90	109	151	200	43	3	1	1
Dis. of Heart & Dropsy -	591	7	4	2	2	5	29	13	15	21	22	44	74	94	181	125	20	1	1	1
Dis. of Lungs -	2583	621	238	84	40	26	1009	44	7	10	33	72	125	272	426	572	174	25	1	1
Dis. of Stom. and Liver -	451	45	14	4	2	2	67	10	16	14	13	30	64	93	126	71	22	1	1	1
Dis. of Kidneys -	133	1	-	-	3	-	4	6	4	6	7	10	14	19	40	31	18	3	1	1
Dis. of Gen. Organs -	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Dis. of Joints -	29	1	-	-	-	2	3	6	4	2	3	1	3	3	5	2	-	-	-	-
Dis. of Skin -	82	10	4	-	-	-	14	-	-	-	2	-	3	3	5	4	1	-	-	-
Childbirth and Metria Suiida -	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	484	50	17	22	13	17	91	32	28	28	36	64	62	48	51	29	10	7	1	1
Other Causes -	1533	892	116	11	8	3	1027	11	3	1	3	15	25	33	37	24	189	63	10	5
453.—MACCLESFIELD.																				
Mean Popul ⁿ , 1861-71	28629	819	749	735	705	720	3728	3376	3141	2741	2143	3697	3537	2898	2010	1019	302	32	10	5
TOTAL DEATHS -	6884	1690	469	233	149	107	2648	266	139	243	229	358	412	519	662	893	494	111	101	51
Small-pox -	19	6	1	2	1	1	11	4	-	3	1	-	-	-	-	-	-	-	-	-
Measles -	136	29	56	22	9	6	122	13	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	224	14	28	41	34	21	188	72	8	4	1	-	1	-	-	-	-	-	-	-
Diphtheria -	59	2	6	5	5	9	27	23	2	8	1	-	4	-	-	-	-	-	-	-
Whooping-cough -	135	70	37	15	7	1	150	5	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	235	13	4	13	10	7	47	22	16	25	13	18	21	26	17	25	4	1	1	1
Diarrhea & Dysentery -	225	125	18	3	1	2	149	4	1	1	2	1	4	9	13	21	17	1	1	1
Cholera -	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
Other Zymotic Dis. -	140	15	12	13	18	2	55	10	7	7	2	6	3	4	19	15	23	-	-	-
Cancer -	71	-	-	2	-	-	2	-	-	1	-	4	6	11	26	15	6	-	-	-
Scrofula and Tuberc. -	152	43	20	13	5	5	85	9	4	3	8	7	5	1	5	2	1	1	1	1
Phthisis -	854	4	4	3	2	4	17	17	38	138	139	181	137	105	61	15	3	1	1	1
Hydrocephalus -	98	39	25	15	5	5	89	7	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	1010	459	51	21	11	10	552	22	21	9	13	23	46	63	89	119	47	3	1	1
Dis. of Heart & Dropsy -	469	7	2	2	9	1	14	9	4	11	11	24	55	72	94	151	27	3	1	1
Dis. of Lungs -	1274	303	120	48	23	18	522	16	6	4	10	29	55	105	172	218	122	13	1	1
Dis. of Stom. and Liver -	313	84	8	2	-	3	42	2	10	5	8	26	20	54	63	86	17	1	1	1
Dis. of Kidneys -	125	-	1	2	1	1	5	3	3	5	1	9	6	17	22	22	21	1	1	1
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	50	-	-	-	2	1	8	4	1	4	3	1	2	2	3	7	-	-	-	-
Dis. of Skin -	16	6	1	-	-	-	7	-	1	2	-	1	1	-	-	-	-	-	-	-
Childbirth and Metria Suiida -	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	228	16	15	5	9	7	62	21	11	17	9	17	23	23	29	18	3	1	1	1
Other Causes -	1000	505	55	6	9	3	578	4	2	1	5	8	17	16	42	127	126	27	10	5
454.—ALTRINCHAM.																				
Mean Popul ⁿ , 1861-71	21615	641	605	590	594	584	3014	2585	2365	2013	1870	3050	2505	1892	1338	730	229	24	10	5
TOTAL DEATHS -	4411	1071	285	137	89	73	1655	184	86	106	123	290	307	331	379	517	346	86	101	51
Small-pox -	18	2	-	-	1	1	4	2	-	2	2	3	3	-	1	1	-	-	-	-
Measles -	57	14	20	10	5	6	55	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	185	12	21	24	25	19	114	49	14	7	-	1	-	-	-	-	-	-	-	-
Diphtheria -	61	7	5	8	4	8	32	19	5	1	-	2	1	-	-	-	-	-	-	-
Whooping-cough -	60	35	18	7	3	1	64	2	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	114	-	3	4	3	4	14	12	10	11	10	18	8	11	8	11	1	1	1	1
Diarrhea & Dysentery -	191	129	18	8	2	2	159	1	-	-	1	-	1	1	1	1	1	1	1	1
Cholera -	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	117	18	18	12	4	6	58	12	6	1	3	8	12	3	5	4	3	-	-	-
Cancer -	45	-	-	-	-	-	-	-	-	-	-	-	6	7	12	14	4	-	-	-
Scrofula and Tuberc. -	52	10	9	3	1	1	24	10	4	2	2	5	4	-	-	-	-	-	-	-
Phthisis -	455	12	4	5	2	-	23	12	7	42	58	128	108	72	59	7	-	-	-	-
Hydrocephalus -	80	37	16	8	4	3	63	9	1	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	555	244	53	12	8	8	305	10	7	8	7	11	23	41	69	89	29	3	1	1
Dis. of Heart & Dropsy -	293	2	4	1	-	1	6	8	3	4	2	15	26	38	60	42	25	3	1	1
Dis. of Lungs -	725	179	65	29	9	7	280	11	3	4	2	32	87	53	117	117	117	117	117	117
Dis. of Stom. and Liver -	508	28	6	1	2	-	57	7	4	3	6	17	35	51	51	51	51	51	51	51
Dis. of Kidneys -	99	1	1	1	1	-	4	1	1	2	1	8	8	16	15	15	15	15	15	15
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	18	-	-	-	1	-	1	1	2	2	1	2	1	3	1	1	1	1	1	1
Dis. of Skin -	17	7	-	1	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria Suiida -	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	203	12	10	7	5	6	40	13	15	13	22	25	27	16	25	7	1	1	1	1
Other Causes -	794	322	24	5	5	-	336	4	3	3	2	13	9	19	30	33	140	36	10	5

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 upwards.	
		452.—STOCKPORT.																	
Mean Popul ⁿ , 1861-71	51406	1398	1159	1283	1143	1088	6071	5270	5008	5372	5344	8369	6344	4768	3007	1424	378	51	
TOTAL DEATHS	11985	2721	978	481	362	271	4813	512	237	347	439	816	869	937	1195	1100	501	120	
Small-pox	25	5	4	3	1	1	14	3	3	1	1	—	2	1	—	—	—	—	
Measles	319	55	125	56	29	23	288	18	2	—	—	1	1	—	—	—	—	—	
Scarlatina	661	28	73	122	117	101	441	187	19	7	6	1	—	—	—	—	—	—	
Diphtheria	51	6	4	7	9	8	34	11	1	2	2	—	1	—	—	—	—	—	
Whooping-cough	313	141	96	35	29	18	395	7	—	—	—	—	—	—	1	—	—	—	
Typhus	907	16	23	28	33	27	127	79	51	41	30	55	44	30	31	14	5	—	
Diarrhoea & Dysentery	728	464	113	14	3	8	692	9	2	2	4	5	11	9	26	31	20	1	
Cholera	27	9	3	1	—	—	13	3	—	1	2	2	2	1	3	—	—	—	
Other Zymotic Dis.	263	32	39	42	37	18	158	17	9	5	4	6	13	14	19	12	5	1	
Cancer	222	—	—	—	1	—	1	—	—	—	—	10	49	62	69	35	5	—	
Scrophula and Tuberc.	114	40	16	13	1	7	77	14	4	1	4	4	3	4	2	1	—	—	
Phthisis	1433	12	7	1	5	3	28	27	73	21	251	367	242	151	61	19	—	—	
Hydrocephalus	104	45	30	10	10	8	98	5	1	—	—	—	—	—	—	—	—	—	
Dis. of Brain	1499	608	75	30	29	16	758	36	21	9	16	56	65	113	148	183	89	4	
Dis. of Heart & Dropsy	700	6	2	1	4	3	16	16	17	24	22	66	88	147	193	183	49	8	
Dis. of Lungs	2411	481	290	76	46	28	861	37	15	13	20	74	147	254	403	409	134	21	
Dis. of Stom. and Liver	564	38	7	7	4	1	57	10	7	7	11	59	80	83	140	86	24	—	
Dis. of Kidneys	73	—	3	1	5	—	9	3	3	—	5	9	11	11	16	4	2	—	
Dis. of Genes. Organs	43	—	—	—	—	—	—	—	—	—	—	5	8	16	10	3	1	—	
Dis. of Joints	43	—	—	—	—	1	1	7	1	—	—	7	5	3	6	5	1	—	
Dis. of Skin	19	3	2	1	—	1	7	1	—	—	1	1	1	1	2	3	1	—	
Childbirth and Metris	188	—	—	—	—	—	—	—	—	8	49	72	58	1	—	—	—	—	
Suicide	17	—	—	—	—	—	—	—	—	2	3	3	1	2	4	1	1	—	
Other Violent Deaths	155	18	14	13	10	7	62	15	3	4	3	8	15	8	9	12	13	8	
Other Causes	1455	714	112	20	8	2	856	7	5	2	3	15	21	26	59	150	222	89	

453.—MACCLESFIELD.

Mean Popul ⁿ , 1861-71		31812	806	747	726	687	702	3668	3520	3183	3180	2925	4808	4014	3111	1959	1084	320	40
TOTAL DEATHS		7292	1356	475	242	151	97	2321	261	173	272	280	611	547	565	670	844	532	126
Small-pox		17	6	—	1	1	1	9	2	2	—	1	—	1	—	—	—	—	—
Measles		113	23	43	22	13	5	106	6	—	—	—	1	—	—	—	—	—	—
Scarlatina		238	12	32	44	33	29	169	60	15	1	—	1	—	—	—	—	—	—
Diphtheria		44	2	7	7	1	4	21	14	6	3	—	—	1	—	—	—	—	—
Whooping-cough		188	83	58	21	12	6	180	7	1	—	—	—	—	—	—	—	—	—
Typhus		228	10	7	4	10	6	87	35	29	17	20	18	15	22	16	15	4	—
Diarrhoea & Dysentery		250	110	33	10	1	2	156	4	1	—	—	5	8	5	14	23	25	5
Cholera		8	1	—	—	—	—	—	—	—	—	—	—	—	—	2	4	1	—
Other Zymotic Dis.		125	10	16	9	8	4	47	13	5	6	6	6	9	7	7	16	2	2
Cancer		190	—	—	1	—	—	1	—	—	—	—	14	26	47	65	36	9	1
Scrophula and Tuberc.		117	37	23	10	3	2	75	4	4	5	3	5	5	5	6	4	1	—
Phthisis		1131	2	2	3	3	2	12	20	63	181	175	318	187	115	44	15	1	—
Hydrocephalus		77	23	22	14	6	3	79	6	1	—	—	—	—	—	—	—	—	—
Dis. of Brain		828	305	43	23	10	11	322	29	11	11	10	33	34	72	85	99	51	10
Dis. of Heart & Dropsy		581	—	1	2	—	—	3	10	7	15	11	42	60	104	122	137	62	8
Dis. of Lungs		1230	213	105	44	28	11	402	31	7	10	6	41	66	95	169	265	123	13
Dis. of Stom. and Liver		565	18	5	4	1	3	51	11	5	9	9	35	36	53	76	69	29	3
Dis. of Kidneys		46	—	—	—	—	—	—	1	5	1	—	6	9	10	6	5	2	1
Dis. of Genes. Organs		36	—	—	—	—	—	—	—	—	—	—	3	8	9	9	5	1	—
Dis. of Joints		20	2	—	1	—	—	3	1	3	—	2	2	1	3	2	2	1	—
Dis. of Skin		17	6	—	—	—	1	7	—	—	—	—	—	2	2	1	4	—	—
Childbirth and Metris		144	—	—	—	—	—	—	—	—	2	10	65	55	3	—	—	—	—
Suicide		7	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—
Other Violent Deaths		82	12	7	7	5	7	38	10	4	2	1	2	4	3	8	6	3	—
Other Causes		1119	479	70	15	6	—	570	7	4	6	13	11	19	8	58	156	227	79

454.—ALTRINCHAM.

Mean Popul ⁿ , 1861-71		23600	614	580	587	551	559	2891	2673	2307	2319	2316	3792	2819	1982	1409	804	253	30
TOTAL DEATHS		4183	796	244	118	90	78	1326	203	97	114	153	316	318	283	389	494	393	97
Small-pox		12	2	1	—	—	1	4	1	2	—	2	—	1	—	—	1	—	—
Measles		45	7	17	7	6	2	85	8	1	—	—	—	—	—	—	—	—	—
Scarlatina		139	11	10	16	18	13	68	47	13	5	3	3	—	—	—	—	—	—
Diphtheria		87	4	9	7	11	11	49	31	9	—	5	—	—	—	—	—	—	—
Whooping-cough		75	28	19	17	2	2	68	5	—	—	—	—	—	—	—	—	—	—
Typhus		96	—	3	2	1	3	9	12	10	12	5	13	9	9	10	3	2	—
Diarrhoea & Dysentery		169	87	21	1	1	—	110	5	1	1	1	2	4	2	8	11	21	3
Cholera		4	1	—	—	—	—	1	—	—	—	—	—	—	—	2	7	3	—
Other Zymotic Dis.		91	13	3	8	9	6	41	10	4	3	3	11	5	2	7	3	—	—
Cancer		102	—	—	—	—	—	—	—	—	—	—	1	3	14	22	36	18	3
Scrophula and Tuberc.		55	12	9	4	1	1	27	14	5	1	1	1	3	3	4	4	1	—
Phthisis		559	7	6	2	1	4	20	8	22	26	79	140	115	61	31	17	—	1
Hydrocephalus		61	22	16	5	6	4	53	6	2	—	—	—	—	—	—	—	—	—
Dis. of Brain		529	183	33	14	7	10	247	16	8	10	8	17	22	29	51	88	51	7
Dis. of Heart & Dropsy		316	1	—	1	—	—	3	3	8	6	3	26	26	45	70	81	28	7
Dis. of Lungs		612	128	58	17	14	13	230	13	2	6	8	19	29	42	73	168	65	15
Dis. of Stom. and Liver		281	19	7	3	2	2	24	7	3	5	7	28	35	25	63	64	19	8
Dis. of Kidneys		49	1	—	1	—	2	4	1	1	—	3	7	14	3	11	4	1	—
Dis. of Genes. Organs		80	—	—	—	1	—	1	—	—	—	1	6	4	8	5	4	1	—
Dis. of Joints		22	—	—	—	—	—	—	—	4	1	1	4	2	2	2	2	—	—
Dis. of Skin		10	3	1	—	—	—	4	—	—	—	1	1	1	—	—	—	—	—
Childbirth and Metris		72	—	—	—	—	—	—	—	—	2	18	28	23	1	—	—	—	—
Suicide		10	—	—	—	—	—	—	—	1	1	1	—	—	2	2	—	—	—
Other Violent Deaths		69	11	3	6	4	2	36	10	3	4	2	2	3	7	7	3	4	—
Other Causes		671	235	26	7	5	2	305	7	3	—	1	8	6	7	21	83	127	33

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 15 Years.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—			
455.—RUNCORN.																				
Mean Popul ⁿ , 1861-71	14749	448	421	411	407	389	2076	1826	1643	1441	1367	2179	1618	1223	808	427	128	13		
TOTAL DEATHS	3487	925	281	124	103	62	1495	167	82	106	110	231	234	214	299	207	200	42		
Small-pox	41	9	4	3	4	2	22	4	—	3	3	4	1	2	3	—	—	—		
Measles	100	19	37	17	12	10	95	5	—	—	—	—	—	—	—	—	—	—		
Scarlatina	129	7	15	21	19	12	74	33	7	3	1	1	1	—	—	—	—	—		
Diphtheria	57	5	7	5	7	5	29	13	6	5	1	2	—	—	—	1	—	—		
Whooping-cough	61	32	16	4	6	—	58	3	—	—	—	—	—	—	—	—	—	—		
Typhus	138	5	5	2	5	1	18	22	5	12	12	19	17	14	8	6	1	—		
Diarrhoea & Dysentery	184	99	23	5	1	2	130	2	—	1	—	2	5	4	10	14	12	—		
Cholera	17	2	—	—	—	—	5	—	—	—	—	1	3	4	2	1	1	—		
Other Zymotic Dis.	111	22	17	10	7	7	63	5	3	2	2	6	4	2	5	10	2	—		
Cancer	42	—	—	—	—	—	—	—	—	—	—	3	7	7	12	9	—	—		
Scrofula and Tuberc.	71	26	18	2	6	1	53	6	3	3	2	—	2	2	—	—	—	—		
Phthisis	346	14	8	6	7	—	35	6	9	32	47	80	62	33	53	6	1	—		
Hydrocephalus	38	12	14	3	—	—	30	7	1	—	—	—	—	—	—	—	—	—		
Dis. of Brain	414	186	22	9	9	2	228	10	5	5	2	13	21	17	20	40	21	—		
Dis. of Heart & Dropsy	161	2	3	—	—	—	7	3	3	6	4	7	15	23	36	28	18	—		
Dis. of Lungs	324	175	45	14	10	5	219	5	3	2	5	20	31	38	62	72	39	—		
Dis. of Stom. and Liver	209	35	6	4	2	3	50	6	3	—	5	13	21	12	38	40	19	—		
Dis. of Kidneys	68	—	1	2	1	—	4	1	1	1	4	8	6	11	13	13	5	—		
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Dis. of Joints	18	1	2	—	—	—	5	1	4	—	—	1	—	1	4	1	—	—		
Dis. of Skin	9	2	—	—	—	1	3	1	—	—	—	—	—	2	2	1	—	—		
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Suicide	14	—	—	—	—	—	—	—	—	1	2	1	3	1	4	1	—	—		
Other Violent Deaths	255	10	5	6	5	8	34	32	28	27	19	41	31	19	15	12	2	—		
Other Causes	494	262	82	6	2	1	303	2	1	2	1	9	4	11	12	47	21	11		

456.—NORTHWICH.																		
Mean Popul ⁿ , 1861-71	17821	555	507	526	507	516	2611	2408	1941	1716	1383	2447	1910	1492	1081	601	211	20
TOTAL DEATHS	4085	1176	318	163	107	85	1849	200	105	92	99	200	222	236	305	408	287	32
Small-pox	15	3	—	1	1	—	5	—	—	—	—	4	3	1	—	—	—	—
Measles	83	18	32	8	8	7	73	10	—	—	—	—	—	—	—	—	—	—
Scarlatina	199	10	30	41	23	24	128	61	6	—	—	—	—	1	—	—	—	—
Diphtheria	33	6	5	4	1	4	20	12	—	—	—	1	—	—	—	—	—	—
Whooping-cough	46	23	11	4	5	2	45	1	—	—	—	—	—	—	—	—	—	—
Typhus	138	2	6	8	3	5	24	16	16	9	10	17	19	14	8	4	1	—
Diarrhoea & Dysentery	126	68	21	8	1	1	99	4	1	—	—	1	4	4	3	3	—	—
Cholera	45	—	4	4	2	1	11	3	3	2	2	4	7	4	3	6	—	—
Other Zymotic Dis.	78	10	8	11	9	3	41	9	2	4	2	2	1	7	5	3	—	—
Cancer	45	—	—	—	—	—	—	—	—	2	—	1	1	10	16	11	9	—
Scrofula and Tuberc.	94	39	17	7	5	5	73	3	6	5	1	—	1	1	3	1	—	—
Phthisis	296	5	6	—	—	—	11	11	14	26	34	79	62	30	26	12	1	—
Hydrocephalus	66	29	18	7	5	4	63	1	2	—	—	—	—	—	—	—	—	—
Dis. of Brain	651	338	36	12	10	4	400	11	12	2	5	18	22	23	38	68	48	—
Dis. of Heart & Dropsy	248	4	2	—	—	—	7	4	3	9	4	16	25	33	32	62	28	—
Dis. of Lungs	390	195	71	26	12	5	309	11	3	5	8	13	21	33	61	78	45	—
Dis. of Stom. and Liver	192	28	4	2	4	2	38	2	5	2	7	10	22	28	30	28	19	—
Dis. of Kidneys	68	—	1	—	—	—	2	5	2	2	1	6	10	10	9	23	17	—
Dis. of Gen. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	17	2	—	—	1	—	3	—	—	1	—	—	—	2	3	3	—	—
Dis. of Skin	8	1	1	—	1	—	3	1	—	—	2	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	9	—	—	—	—	—	—	—	—	—	—	1	3	1	3	—	—	—
Other Violent Deaths	236	10	8	14	11	12	55	28	24	20	15	17	22	21	14	13	3	—
Other Causes	786	387	37	6	5	4	439	6	5	3	4	8	12	14	22	37	122	64

457.—CONGLETON.																		
Mean Popul ⁿ , 1861-71	17292	543	453	509	466	465	2436	2134	1975	1684	1389	2329	1981	1513	1061	567	195	28
TOTAL DEATHS	3837	1104	261	120	106	68	1649	155	83	113	124	203	202	243	320	391	279	79
Small-pox	7	2	1	—	1	—	4	—	1	1	—	—	—	—	1	—	—	—
Measles	76	16	27	16	6	5	70	5	—	1	—	—	—	—	—	—	—	—
Scarlatina	118	4	16	16	24	16	76	38	2	2	—	—	—	—	—	—	—	—
Diphtheria	24	6	5	—	1	3	15	5	2	1	—	1	—	—	—	—	—	—
Whooping-cough	50	24	16	4	3	1	48	2	—	—	—	—	—	—	—	—	—	—
Typhus	126	7	3	4	6	3	23	14	13	11	6	16	14	12	7	4	—	—
Diarrhoea & Dysentery	125	80	7	3	2	3	101	1	1	—	—	1	2	3	4	4	1	—
Cholera	9	1	—	—	—	—	3	1	—	—	—	—	—	—	3	1	—	—
Other Zymotic Dis.	82	15	11	4	13	4	47	6	2	2	2	1	2	4	6	6	—	—
Cancer	96	—	—	—	1	—	1	—	—	—	—	2	1	7	15	7	—	—
Scrofula and Tuberc.	105	42	13	7	5	8	70	6	5	4	3	5	1	6	2	7	—	—
Phthisis	298	7	4	4	2	—	17	6	18	47	77	94	60	36	20	3	—	—
Hydrocephalus	100	24	21	14	12	5	76	15	5	3	—	—	—	1	—	—	—	—
Dis. of Brain	447	227	20	12	4	1	264	13	9	3	4	11	16	20	39	48	17	—
Dis. of Heart & Dropsy	169	—	—	—	2	1	74	2	2	3	6	14	20	20	33	43	12	—
Dis. of Lungs	606	172	62	14	16	3	297	14	8	4	5	20	21	33	75	103	14	—
Dis. of Stom. and Liver	212	36	6	1	1	1	45	—	3	9	4	12	20	32	46	53	—	—
Dis. of Kidneys	52	—	—	1	—	—	1	1	2	—	1	3	1	9	16	11	—	—
Dis. of Gen. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	15	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	—	—
Dis. of Skin	5	2	—	—	—	—	2	1	—	—	1	—	—	—	1	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	14	—	—	—	—	—	—	—	—	1	1	—	3	1	8	2	—	—
Other Violent Deaths	182	9	6	9	6	9	39	19	13	10	11	21	29	20	19	8	—	—
Other Causes	880	424	41	9	1	—	475	4	—	4	1	3	11	14	22	106	62	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and over.
455.—RUNCORN.																		
Mean Popul ⁿ , 1861-71	13915	485	403	405	406	379	2078	1741	1546	1204	1148	1989	1562	1161	807	485	171	23
TOTAL DEATHS -	3107	718	200	127	85	62	1282	123	68	87	108	209	188	197	265	316	200	64
Small-pox - - -	30	8	4	4	4	1	21	2	2	1	-	3	1	-	-	-	-	-
Measles - - - -	80	11	23	19	13	2	73	6	-	-	-	1	-	-	-	-	-	-
Scarlatina - - -	108	2	20	18	15	13	68	24	10	3	2	1	-	-	-	-	-	-
Diphtheria - - -	47	4	6	3	9	5	27	6	6	1	1	2	3	-	1	-	-	-
Whooping-cough -	79	37	22	12	4	2	77	2	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	1061	1	1	4	4	3	13	14	12	9	3	18	12	10	11	3	1	-
Diarrhoea & Dysentery	176	68	88	7	8	2	118	5	1	-	2	4	5	1	7	21	10	2
Cholera - - - - -	9	1	1	-	-	-	2	-	-	-	-	1	-	2	2	2	-	-
Other Zymotic Dis.	85	14	15	7	11	8	55	9	1	2	1	1	-	5	2	6	3	-
Cancer - - - - -	64	-	-	-	-	-	-	-	-	-	1	2	12	12	20	13	2	1
Scrofula and Tuberc.	71	33	7	5	2	2	49	6	1	4	2	1	1	2	4	1	-	-
Phthisis - - - -	308	13	7	-	3	2	24	6	20	49	61	91	53	45	15	4	-	-
Hydrocephalus - -	54	17	7	4	1	-	29	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	354	133	19	7	5	6	168	9	2	5	10	9	12	28	48	45	24	4
Dis. of Heart & Dropsy	165	-	2	1	-	1	4	4	4	6	3	13	21	20	86	42	13	-
Dis. of Lungs - - -	455	114	62	18	4	10	208	5	7	-	3	7	13	18	51	89	49	10
Dis. of Stomach and Liver	172	27	7	2	2	2	40	5	1	2	3	19	18	25	28	20	19	1
Dis. of Kidneys - -	32	-	1	-	-	-	1	-	-	-	-	1	4	5	9	8	3	1
Dis. of Genes. Organs	16	-	-	-	-	-	-	-	-	-	-	1	2	3	5	-	-	-
Dis. of Joints - - -	18	-	-	-	1	-	1	3	1	2	-	2	1	3	1	2	-	-
Dis. of Skin - - -	9	3	1	-	-	-	4	-	-	-	-	-	2	2	-	2	1	-
Childbirth and Metris	55	-	-	-	-	-	-	-	-	1	9	27	18	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths	71	4	7	7	4	3	25	10	-	-	-	7	7	7	7	4	4	-
Other Causes - - -	491	229	35	9	2	-	275	2	-	2	2	5	4	7	17	54	80	43

456.—NORTHWICH.

Mean Populⁿ, 1861-71	17503	577	523	530	527	519	2676	2281	1905	1488	1418	2453	1933	1461	1039	588	228	33
TOTAL DEATHS	3746	920	288	155	161	83	1547	164	77	88	130	253	250	188	266	386	306	91
Small-pox	13	2	-	1	2	1	6	2	1	-	1	2	1	-	-	-	-	-
Measles	75	19	18	13	7	7	64	11	-	-	-	-	-	-	-	-	-	-
Scarlatina	180	9	29	37	26	23	124	43	9	1	1	2	-	-	-	-	-	-
Diphtheria	50	3	7	9	5	8	32	11	5	-	1	-	-	1	-	-	-	-
Whooping-cough	83	36	23	16	3	2	80	3	-	-	-	-	-	-	-	-	-	-
Typhus	143	3	7	5	5	5	25	21	10	13	11	18	14	5	9	7	1	-
Diarrhoea & Dysentery	160	89	10	3	1	2	75	-	-	-	-	1	2	1	3	7	10	1
Cholera	40	1	1	1	1	2	6	5	2	1	3	4	5	4	3	6	1	-
Other Zymotic Dis.	79	2	13	10	9	8	42	6	2	3	-	3	4	2	7	5	3	2
Cancer	76	-	-	1	-	-	1	-	1	2	-	3	16	20	16	14	3	-
Scrofula and Tuberc.	75	26	20	1	3	-	69	4	2	1	2	-	2	9	2	1	-	-
Phthisis	377	6	5	3	3	3	20	4	9	94	64	100	82	26	24	12	2	-
Hydrocephalus	33	10	12	5	3	-	30	1	1	-	-	1	-	-	-	-	-	-
Dis. of Brain	493	232	26	9	5	8	280	10	4	7	9	15	19	24	37	86	31	1
Dis. of Heart & Dropsy	249	1	-	1	1	1	4	2	7	6	6	25	32	20	34	63	17	2
Dis. of Lungs	534	143	74	17	12	7	238	15	1	5	4	17	15	25	46	87	49	12
Dis. of Stomach and Liver	193	14	2	4	1	1	22	6	5	4	5	18	19	29	34	37	18	1
Dis. of Kidneys	32	-	-	-	1	-	1	1	1	1	-	7	6	5	3	7	-	-
Dis. of Genes. Organs	12	-	-	-	-	-	-	-	-	-	-	2	4	2	2	-	2	-
Dis. of Joints	11	-	1	-	1	-	2	1	1	1	2	-	1	1	1	2	-	-
Dis. of Skin	12	3	1	-	-	-	4	-	-	-	1	1	2	-	2	1	1	-
Childbirth and Metris	60	-	-	-	-	-	-	-	-	2	13	25	20	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-
Other Violent Deaths	75	8	8	4	4	4	28	10	5	5	4	2	3	5	4	4	3	2
Other Causes	745	323	31	15	8	1	383	8	2	2	3	7	5	7	18	72	165	70

457.—CONGLETON.

Mean Populⁿ, 1861-71	18012	563	476	480	451	445	2415	2141	1954	1867	1687	2587	2043	1522	1017	565	191	23
TOTAL DEATHS	3782	797	245	119	83	60	1304	118	98	159	192	331	284	242	302	367	312	73
Small-pox	5	-	-	1	-	-	1	-	-	-	2	2	-	-	-	-	-	-
Measles	80	17	28	16	9	8	73	5	1	1	-	-	-	-	-	-	-	-
Scarlatina	117	3	13	23	13	14	68	35	10	2	1	1	-	-	-	-	-	-
Diphtheria	19	-	1	4	2	3	10	2	4	-	1	1	-	-	-	-	-	-
Whooping-cough	48	26	8	6	5	8	48	-	-	-	-	-	-	-	-	-	-	-
Typhus	141	1	4	4	4	8	23	14	11	18	12	23	13	8	15	4	-	-
Diarrhoea & Dysentery	58	45	15	1	-	-	61	1	-	1	5	2	1	3	5	6	4	1
Cholera	3	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	79	14	9	12	5	6	46	6	3	2	1	3	4	6	2	-	4	-
Cancer	70	-	-	-	-	-	-	-	-	-	-	2	7	19	26	11	5	-
Scrofula and Tuberc.	95	42	13	8	2	2	67	2	4	4	3	5	5	2	2	1	-	-
Phthisis	647	1	5	2	1	-	9	6	35	100	127	175	119	53	19	4	-	-
Hydrocephalus	68	19	19	5	5	5	53	8	5	1	-	1	-	-	-	-	-	-
Dis. of Brain	396	151	20	7	13	1	192	7	5	7	15	12	17	29	30	55	24	3
Dis. of Heart & Dropsy	172	1	1	1	-	-	3	2	5	1	2	19	29	22	40	32	15	2
Dis. of Lungs	533	110	63	16	13	9	211	7	5	5	2	17	27	40	77	94	42	6
Dis. of Stomach and Liver	193	11	1	3	-	-	15	4	5	6	4	20	15	37	40	38	9	-
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	-	5	2	5	5	1	1	-
Dis. of Genes. Organs	19	-	-	-	-	-	-	-	1	-	-	3	1	2	3	6	3	-
Dis. of Joints	17	-	-	-	2	-	2	2	1	3	1	4	2	1	-	-	1	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metris	71	-	-	-	-	-	-	-	-	4	9	28	29	1	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	3	1
Other Violent Deaths	34	6	6	2	4	4	22	9	-	1	-	1	2	4	3	8	8	1
Other Causes	838	349	39	6	2	2	305	6	3	2	5	5	7	7	31	115	159	60

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
458.—NANTWICH.																				
Mean Populn, 1861-71	23923	824	663	692	694	661	3534	3040	2567	2193	2081	3477	2648	2002	1318	760	273	30		
TOTAL DEATHS	4938	1472	375	185	122	86	2240	247	84	104	163	267	232	294	352	468	384	113		
Small-pox	14	2	1	1	-	-	4	1	-	-	3	4	2	-	-	-	-	-		
Measles	89	15	34	12	9	7	77	11	-	-	-	-	1	-	-	-	-	-		
Scarlatina	185	10	35	30	29	23	127	46	6	2	-	3	1	-	-	-	-	-		
Diphtheria	66	6	7	9	10	7	39	18	3	1	-	2	1	-	2	-	-	-		
Whooping-cough	65	35	19	6	4	1	65	-	-	-	-	-	-	-	-	-	-	-		
Typhus	212	9	11	9	12	6	47	41	14	8	22	20	15	16	17	9	2	1		
Diarrhoea & Dysentery	194	73	17	4	1	2	97	-	-	1	-	2	1	3	6	12	17	1		
Cholera	10	-	1	-	-	-	1	2	-	-	-	2	-	3	-	1	1	1		
Other Zymotic Dis.	133	19	20	13	7	9	68	16	1	7	3	6	4	1	11	10	6	1		
Cancer	65	-	-	-	-	-	-	-	-	-	1	2	2	5	12	17	20	7		
Scrofula and Tuberc.	169	82	25	10	6	5	128	9	5	7	4	2	3	4	2	2	1	1		
Phthisis	409	5	3	3	2	1	14	11	13	38	70	111	74	44	24	9	1	-		
Hydrocephalus	95	45	24	7	4	2	82	9	3	-	-	1	-	-	-	-	-	-		
Dis. of Brain	792	448	40	25	7	8	528	26	4	5	10	17	18	28	42	24	22	1		
Dis. of Heart & Dropsy	304	2	7	3	-	-	12	14	6	7	5	22	31	41	67	64	28	1		
Dis. of Lungs	654	201	75	25	15	7	323	15	2	3	4	14	19	39	64	81	44	1		
Dis. of Stom. and Liver	267	35	1	6	3	1	46	4	8	7	5	17	23	35	62	82	16	1		
Dis. of Kidneys	78	-	-	-	1	1	2	2	9	2	3	4	5	11	8	22	10	1		
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	13	-	1	1	1	-	3	-	2	1	1	1	-	2	3	-	-	-		
Dis. of Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	22	-	-	-	-	-	-	-	-	-	2	2	1	11	4	3	-	-		
Other Violent Deaths	211	12	6	10	6	5	41	15	14	15	20	23	24	30	8	12	6	1		
Other Causes	946	471	48	11	3	1	534	7	1	-	-	10	4	14	22	106	179	63		

459.—CHESTER.

Mean Popul'n, 1861-71	30586	886	798	885	782	831	4182	3709	3457	3048	2642	4304	3455	2668	1773	972	334	42		
TOTAL DEATHS -	7543	1680	665	268	164	121	2798	276	164	176	276	570	634	645	646	670	531	137		
Small-pox - - -	69	23	7	6	1	1	28	11	-	2	1	6	7	2	1	1	-	-		
Measles - - -	107	27	39	20	4	6	86	9	-	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	229	15	44	49	50	29	187	55	10	3	1	1	1	1	-	-	-	-		
Diphtheria - - -	68	10	11	7	9	8	45	14	3	-	-	2	-	-	-	1	-	-		
Whooping-cough -	129	60	43	15	4	2	124	5	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	316	14	17	17	7	10	65	29	22	21	37	41	50	24	31	17	8	1		
Diarrhoea & Dysentery	247	152	28	7	2	1	190	2	-	2	4	5	8	8	25	8	1	-		
Cholera - - -	80	7	3	2	2	-	14	7	6	1	3	12	10	9	11	7	-	-		
Other Zymotic Dis.	154	14	23	13	17	9	76	12	3	2	3	5	11	10	12	11	6	1		
Cancer - - -	104	-	-	-	-	-	-	-	-	2	-	3	7	22	34	28	7	1		
Scrofula and Tuberc.	82	19	17	5	3	2	46	5	9	1	4	6	5	1	4	3	-	-		
Phthisis - - -	780	3	12	4	2	-	21	9	15	65	120	209	161	103	52	22	3	-		
Hydrocephalus -	113	34	31	15	11	6	97	14	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain -	1310	538	76	17	13	12	656	22	13	6	20	76	130	106	105	107	65	14		
Dis. of Heart & Dropsy	209	4	2	4	2	-	12	12	12	15	14	47	58	73	99	104	38	4		
Dis. of Lungs -	850	210	94	34	18	20	376	12	8	3	13	23	42	99	98	112	67	1		
Dis. of Stom. and Liver	332	32	3	7	-	2	44	6	12	3	8	34	37	71	65	138	14	1		
Dis. of Kidneys -	138	3	3	-	-	-	6	1	-	3	3	13	20	21	19	29	13	1		
Dis. of Genes. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-		
Dis. of Joints -	38	-	-	4	1	1	6	8	-	2	3	4	3	6	3	2	-	-		
Dis. of Skin -	23	6	3	1	-	-	10	-	2	-	1	-	1	4	1	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	23	-	-	-	-	-	-	-	-	-	2	3	-	5	6	1	4	3		
Other Violent Deaths -	494	11	18	16	11	8	64	26	33	30	59	61	59	39	39	12	12	1		
Other Causes - -	1415	498	91	25	7	4	625	22	7	12	12	19	10	32	39	83	163	104		

460.—WIRRAL.

Mean Popul'n, 1861-71	10125	300	266	288	289	267	1410	1296	1260	1134	816	1343	1055	862	539	286	109	15		
TOTAL DEATHS -	1936	429	115	76	50	39	709	162	55	75	63	139	114	146	146	188	124	45		
Small-pox - - -	14	3	-	1	2	1	7	1	-	1	2	2	1	-	-	-	-	-		
Measles - - -	29	1	8	9	3	3	24	3	2	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	76	5	5	13	9	12	44	27	4	-	1	-	-	-	-	-	-	-		
Diphtheria - - -	33	5	3	3	5	1	17	10	2	1	-	1	-	-	1	1	-	-		
Whooping-cough -	16	7	2	3	3	1	16	-	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	70	1	3	3	2	1	10	8	5	9	7	10	6	3	5	6	1	1		
Diarrhoea & Dysentery	61	86	6	1	-	-	43	1	1	1	1	-	-	2	2	2	2	1		
Cholera - - -	37	2	2	2	3	1	10	2	2	1	1	1	5	3	6	3	2	1		
Other Zymotic Dis.	46	7	11	5	1	5	29	5	1	1	1	2	1	-	-	4	2	-		
Cancer - - -	22	-	-	-	-	-	-	-	-	-	-	1	3	-	10	7	1	-		
Scrofula and Tuberc.	46	15	5	3	2	2	27	4	5	3	2	3	1	1	-	-	-	-		
Phthisis - - -	217	3	2	1	-	2	8	5	6	32	26	54	32	26	17	1	-	-		
Hydrocephalus -	35	16	8	5	2	2	33	1	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain -	217	91	14	6	6	2	119	6	3	4	3	10	7	9	13	23	15	1		
Dis. of Heart & Dropsy	135	1	1	-	-	-	2	4	6	4	2	7	15	23	25	22	17	1		
Dis. of Lungs -	290	72	20	12	4	2	110	8	3	4	1	11	8	18	27	35	14	1		
Dis. of Stom. and Liver	93	16	1	1	1	-	19	1	3	1	2	6	7	18	14	17	4	1		
Dis. of Kidneys -	42	-	1	1	2	-	4	3	-	2	-	3	4	7	4	2	1	-		
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin -	7	2	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1		
Other Violent Deaths -	128	4	2	1	4	2	13	9	8	9	13	23	20	18	5	6	1	1		
Other Causes - -	321	142	21	6	1	2	172	1	3	1	2	1	4	7	12	23	22	2		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
		458.—NANTWICH.																	
Mean Popul ⁿ , 1861-71	23438	763	707	741	667	661	3539	3009	2457	2152	1949	3479	2609	1880	1241	780	293	50	
TOTAL DEATHS	4540	1133	332	202	139	86	1897	197	93	115	155	286	296	254	304	418	386	145	
Small-pox	18	6	1	—	1	—	8	2	—	2	2	—	4	—	—	—	—	—	
Measles	91	14	23	15	15	5	82	9	—	—	—	—	—	—	—	—	—	—	
Scarlatina	183	8	25	28	40	18	119	44	6	3	5	5	—	—	1	—	—	—	
Diphtheria	81	3	7	16	7	6	39	26	8	5	2	—	—	1	—	—	—	—	
Whooping-cough	83	31	26	13	4	6	80	2	1	—	—	—	—	—	—	—	—	—	
Typhus	200	8	7	13	4	14	46	30	13	14	20	21	15	17	19	5	—	—	
Diarrhoea & Dysentery	137	71	15	3	7	1	97	2	—	—	1	2	—	5	6	15	7	—	
Cholera	4	1	—	1	—	—	2	1	—	—	—	—	—	—	1	—	—	—	
Other Zymotic Dis.	107	12	13	14	10	8	57	11	2	3	4	6	2	4	7	9	2	—	
Cancer	96	—	—	—	2	1	3	—	—	1	2	5	9	25	23	17	11	—	
Scrofula and Tuberc.	160	77	23	9	8	3	122	8	7	3	3	6	4	8	2	2	—	—	
Phthisis	478	6	6	7	2	—	21	7	21	48	68	131	94	62	20	5	1	—	
Hydrocephalus	56	26	14	8	1	4	63	2	1	—	—	—	—	—	—	—	—	—	
Dis. of Brain	632	284	42	20	15	5	366	11	11	9	8	19	12	25	36	69	53	13	
Dis. of Heart & Dropsy	305	4	—	4	1	—	9	7	6	6	8	15	44	39	68	68	31	4	
Dis. of Lungs	574	170	72	27	13	12	294	9	2	3	5	10	23	33	51	72	44	18	
Dis. of Stom. and Liver	293	19	3	2	—	1	23	11	4	4	4	15	27	29	40	37	12	5	
Dis. of Kidneys	23	1	—	—	1	—	2	1	1	1	1	1	3	2	8	3	—	—	
Dis. of Gen. Organs	15	—	—	—	—	—	—	—	—	—	—	1	4	5	1	—	—	—	
Dis. of Joints	18	1	—	1	—	—	2	1	2	2	1	1	2	3	1	3	—	—	
Dis. of Skin	14	6	1	—	—	—	7	—	1	—	—	—	—	—	1	4	1	—	
Childbirth and Metria	100	—	—	—	—	—	—	—	—	6	18	54	42	—	—	—	—	—	
Suicide	7	—	—	—	—	—	—	—	—	8	1	2	—	—	1	—	—	—	
Other Violent Deaths	58	6	5	11	4	—	26	8	1	1	—	3	3	1	3	3	7	2	
Other Causes	906	384	37	10	4	2	437	5	6	1	—	9	8	10	15	116	195	104	

459.—CHESTER.

Mean Popul ⁿ , 1861-71	31803	897	757	841	779	794	4068	3572	3387	3036	2871	4714	3643	2806	1943	1196	486	81
TOTAL DEATHS	6879	1339	484	284	181	120	2408	262	131	211	249	523	506	507	558	717	596	211
Small-pox	40	11	4	4	3	1	23	5	2	1	3	2	2	1	1	—	—	—
Measles	99	26	32	22	6	6	92	6	1	—	—	—	—	—	—	—	—	—
Scarlatina	248	14	39	59	48	34	174	59	7	1	1	2	3	1	—	—	—	—
Diphtheria	91	10	12	9	10	6	47	27	6	8	1	—	—	2	—	—	—	—
Whooping-cough	135	38	39	26	14	10	127	8	—	—	—	—	—	—	—	—	—	—
Typhus	272	11	11	13	10	4	49	27	17	24	24	28	27	29	15	23	8	1
Diarrhoea & Dysentery	259	122	28	11	5	1	174	2	—	1	5	7	7	9	16	29	3	—
Cholera	89	3	4	2	5	1	15	5	1	—	4	17	13	14	10	8	1	1
Other Zymotic Dis.	143	17	22	14	8	8	69	13	2	4	4	7	4	8	11	12	6	3
Cancer	197	—	—	—	—	—	—	—	—	2	—	13	19	45	50	40	18	—
Scrofula and Tuberc.	66	9	9	2	5	7	32	6	—	5	2	4	7	4	—	—	—	—
Phthisis	735	7	3	2	3	5	29	10	32	102	124	330	163	73	39	12	—	—
Hydrocephalus	80	26	18	13	5	2	64	13	3	—	—	—	—	—	—	—	—	—
Dis. of Brain	971	385	67	33	11	10	596	20	8	8	17	44	50	80	69	98	59	6
Dis. of Heart & Dropsy	205	2	1	—	5	1	9	6	15	11	15	40	56	63	104	115	85	8
Dis. of Lungs	750	176	84	43	23	10	333	13	4	7	6	18	33	37	75	121	73	10
Dis. of Stom. and Liver	335	28	5	5	2	1	41	11	8	8	11	27	45	47	83	53	19	2
Dis. of Kidneys	45	—	1	—	1	—	2	1	—	1	2	4	11	9	6	7	—	—
Dis. of Gen. Organs	33	—	—	—	—	—	—	—	—	2	—	6	9	8	4	4	—	—
Dis. of Joints	24	1	1	—	—	—	2	2	7	2	1	2	2	3	1	2	—	—
Dis. of Skin	16	4	1	2	—	—	7	1	—	—	—	2	2	3	1	1	—	—
Childbirth and Metria	95	—	—	—	—	—	—	—	4	15	44	32	—	—	—	—	—	—
Suicide	7	—	—	—	—	—	—	—	1	3	1	1	—	—	1	—	—	—
Other Violent Deaths	107	14	8	8	8	6	44	10	3	8	4	4	4	7	6	9	6	2
Other Causes	1466	428	98	36	9	7	578	17	9	11	11	22	26	35	65	106	323	179

460.—WIRRAL.

Mean Popul ⁿ , 1861-71	10794	290	289	285	288	259	1411	1244	1142	1070	1062	1675	1209	891	599	337	131	23
TOTAL DEATHS	1847	319	131	75	41	43	600	99	54	73	65	129	106	119	107	194	163	69
Small-pox	9	2	—	—	—	—	2	—	1	2	1	1	—	—	2	—	—	—
Measles	17	5	4	7	—	1	17	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	107	3	11	12	14	14	55	35	13	2	—	1	1	—	—	—	—	—
Diphtheria	37	2	7	3	4	4	20	12	1	2	—	—	1	—	1	—	—	—
Whooping-cough	51	15	8	3	1	3	59	1	—	—	—	—	—	—	—	—	—	—
Typhus	81	2	1	5	2	1	91	9	6	10	5	8	4	9	7	9	3	—
Diarrhoea & Dysentery	51	19	9	1	1	1	31	—	2	—	—	3	1	—	3	1	9	1
Cholera	28	1	2	1	2	—	6	—	—	3	3	1	4	5	3	2	1	—
Other Zymotic Dis.	41	4	6	4	3	3	20	4	2	—	—	1	2	2	1	4	2	—
Cancer	49	—	—	—	—	—	1	—	1	—	—	—	3	11	17	11	5	—
Scrofula and Tuberc.	47	11	12	6	2	2	33	7	3	1	—	1	2	—	—	—	—	—
Phthisis	202	2	2	1	—	1	6	4	7	32	36	59	31	15	12	—	—	—
Hydrocephalus	23	7	4	4	1	2	18	3	2	—	—	—	—	—	—	—	—	—
Dis. of Brain	220	67	17	12	1	3	100	6	3	1	2	8	8	12	21	31	23	2
Dis. of Heart & Dropsy	132	1	1	—	—	2	4	—	6	3	2	7	11	14	20	39	17	9
Dis. of Lungs	227	48	24	10	3	1	86	5	1	3	3	6	4	15	28	39	27	10
Dis. of Stom. and Liver	168	10	4	2	1	1	18	2	1	2	3	5	13	20	18	13	10	1
Dis. of Kidneys	26	—	1	1	—	1	3	—	1	1	—	4	5	3	2	6	1	—
Dis. of Gen. Organs	10	—	—	—	—	—	—	—	—	—	—	1	2	4	—	—	—	—
Dis. of Joints	10	—	1	—	—	—	1	1	2	—	—	—	1	1	1	1	—	—
Dis. of Skin	14	5	—	—	—	—	5	—	—	—	—	—	1	—	4	1	2	1
Childbirth and Metria	36	—	—	—	—	—	—	—	3	4	20	9	—	—	—	—	—	—
Suicide	5	—	—	—	—	—	—	—	1	—	—	—	—	2	4	3	2	3
Other Violent Deaths	36	4	2	3	2	1	12	5	1	2	1	—	1	2	4	3	2	3
Other Causes	804	111	15	3	1	1	131	4	2	2	1	2	3	6	19	34	58	42

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	100 years.	
460B.—BIRKENHEAD.																			
Mean Popul ⁿ , 1861-71	34017	1122	991	1038	984	919	5054	4229	3507	3240	3310	5695	4142	2761	1413	532	123	12	
TOTAL DEATHS—	8404	2300	923	437	295	209	4164	448	178	201	250	568	663	682	558	436	311	36	
Small-pox	123	26	21	7	15	10	79	10	2	1	7	12	11	1	—	—	—	—	
Measles	218	36	95	38	23	14	206	11	—	1	—	—	—	—	—	—	—	—	
Scarlatina	531	23	82	87	90	64	348	142	25	8	5	2	2	1	—	—	—	—	
Diphtheria	102	10	15	17	17	10	69	22	4	2	1	2	—	2	—	—	—	—	
Whooping-cough	219	100	54	31	17	8	210	8	1	—	—	—	—	—	—	—	—	—	
Typhus	332	10	10	16	10	12	58	32	19	29	22	50	54	50	16	9	2	—	
Diarrhœa & Dysentery	446	239	111	17	5	2	395	4	1	2	1	1	3	11	6	12	7	—	
Cholera	49	4	4	2	1	1	12	4	4	1	4	4	14	9	4	8	—	—	
Other Zymotic Dis.	236	29	40	27	19	15	151	22	3	7	8	14	14	14	8	4	—	—	
Cancer	54	—	—	—	—	1	1	—	—	—	—	5	8	18	12	9	—	—	
Scrophula and Tuberc.	156	50	38	13	4	2	107	20	6	7	7	1	2	—	—	—	—	—	
Phtisis	739	5	11	5	3	4	28	23	17	60	99	161	164	109	87	11	1	—	
Hydrocephalus	303	75	55	39	11	14	185	20	4	—	—	—	—	—	—	—	—	—	
Dis. of Brain	977	440	71	82	15	11	699	35	11	15	8	34	55	65	74	73	23	—	
Dis. of Heart & Dropsy	388	6	6	5	4	—	19	10	11	12	9	42	61	85	66	49	18	—	
Dis. of Lungs	1341	382	185	61	39	18	683	27	6	10	18	62	94	132	159	117	41	—	
Dis. of Stom. and Liver	313	72	9	5	—	1	87	10	3	3	11	29	42	58	51	38	9	—	
Dis. of Kidneys	114	2	2	4	1	2	11	5	4	1	5	17	10	17	17	17	19	—	
Dis. of Gener. Organs	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
Dis. of Joints	34	4	1	1	1	—	7	5	4	—	—	3	1	6	3	—	—	—	
Dis. of Skin	21	8	3	1	—	—	12	1	—	—	—	—	2	5	2	3	1	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	19	—	—	—	—	—	—	—	—	1	1	6	4	5	2	—	—	—	
Other Violent Deaths	571	30	10	18	11	9	78	28	51	46	48	109	84	62	41	21	2	—	
Other Causes	1205	728	100	22	9	5	894	9	2	—	6	25	35	35	59	84	59	—	

461.—LIVERPOOL.																	
Mean Popul ⁿ , 1861-71	124810	3715	2926	3246	2997	2970	15854	13325	12291	11858	12360	22116	16855	11628	5944	2080	449
TOTAL DEATHS—	51131	12163	5527	2615	1566	1077	22948	2194	821	1120	1757	4419	5009	5084	4217	2479	874
Small-pox	447	110	50	37	28	24	240	53	12	14	45	43	23	6	1	1	—
Measles	1316	390	408	258	143	78	1237	73	2	1	1	2	—	—	—	—	—
Scarlatina	1938	137	310	316	394	250	1349	520	61	6	12	9	—	—	—	—	—
Diphtheria	225	40	53	34	28	14	174	24	4	7	4	5	2	5	—	—	—
Whooping-cough	1406	491	445	219	113	74	1342	61	3	—	—	—	—	—	—	—	—
Typhus	4046	63	99	92	61	89	424	236	137	218	285	628	837	695	412	163	38
Diarrhœa & Dysentery	3048	1570	741	160	67	20	2558	50	11	9	19	65	72	80	92	62	28
Cholera	802	70	45	47	26	21	206	82	58	22	38	90	113	109	52	20	9
Other Zymotic Dis.	957	138	185	144	83	46	600	54	7	17	21	47	57	57	51	34	11
Cancer	299	—	—	—	2	—	2	2	—	7	2	21	42	88	89	41	5
Scrophula and Tuberc.	823	223	200	77	44	30	574	60	38	24	22	28	13	16	6	2	—
Phtisis	5130	62	76	67	30	26	251	131	129	371	630	1468	1225	803	331	81	19
Hydrocephalus	918	358	229	110	57	42	835	64	14	3	—	—	—	—	—	—	—
Dis. of Brain	4257	1895	597	175	88	57	2612	123	43	44	62	180	232	297	327	229	73
Dis. of Heart & Dropsy	2116	18	25	10	23	17	102	87	52	54	81	304	440	417	327	192	55
Dis. of Lungs	9447	2059	1185	473	201	140	4036	192	41	66	150	511	757	1263	1408	713	236
Dis. of Stom. and Liver	1405	201	94	14	12	12	273	34	24	32	47	134	238	235	202	91	34
Dis. of Kidneys	649	7	6	7	13	9	42	25	8	13	21	95	124	118	100	71	23
Dis. of Gener. Organs	8	—	—	—	—	—	—	—	—	—	—	—	—	1	4	2	—
Dis. of Joints	217	8	4	5	5	9	31	37	29	19	18	29	21	14	15	5	1
Dis. of Skin	127	15	11	3	1	1	31	5	2	9	9	22	11	15	18	6	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	167	—	—	—	—	—	—	—	1	3	11	31	48	36	24	12	1
Other Violent Deaths	3137	857	90	83	72	51	853	130	112	151	218	471	450	367	260	186	11
Other Causes	7916	3001	808	276	110	67	5162	108	33	26	22	210	313	277	492	635	383

462.—WEST DERBY.																	
Mean Popul ⁿ , 1861-71	134571	4676	4027	4113	3964	3817	20597	17062	14720	12001	11899	23241	16513	11047	5674	2334	533
TOTAL DEATHS—	37655	10764	4332	1969	1348	872	19225	1916	730	794	1016	2573	2997	3011	2512	1824	832
Small-pox	423	84	59	38	21	19	201	39	19	27	46	55	26	11	1	—	—
Measles	912	169	353	180	107	48	848	61	1	—	1	—	1	—	—	—	—
Scarlatina	2239	148	320	377	382	297	1524	582	79	21	11	15	5	2	—	—	—
Diphtheria	325	62	61	41	45	33	232	66	10	3	3	6	2	1	2	—	—
Whooping-cough	1163	400	368	160	87	46	1121	42	—	—	—	—	—	—	—	—	—
Typhus	2636	56	95	80	92	49	389	219	111	151	188	448	449	393	299	93	29
Diarrhœa & Dysentery	2254	1424	479	75	30	12	2020	20	4	11	7	25	22	32	36	42	7
Cholera	373	80	23	15	8	13	139	89	10	15	7	44	47	40	19	12	1
Other Zymotic Dis.	911	132	183	100	89	61	565	49	17	26	21	43	41	57	45	35	12
Cancer	246	—	1	2	—	1	4	—	—	1	2	1	9	54	71	70	13
Scrophula and Tuberc.	772	509	191	71	22	15	608	62	37	19	9	18	11	6	5	2	—
Phtisis	4138	103	76	52	32	23	296	138	136	501	459	935	926	618	284	62	2
Hydrocephalus	1108	444	327	125	79	39	1017	79	8	1	—	1	—	—	—	—	—
Dis. of Brain	3975	1776	335	125	64	65	2405	118	41	83	37	144	236	271	310	232	120
Dis. of Heart & Dropsy	1568	81	21	9	13	7	81	60	42	66	39	185	249	278	304	244	95
Dis. of Lungs	5621	1665	895	292	148	61	2972	163	42	31	61	194	322	371	610	449	174
Dis. of Stom. and Liver	1578	300	45	23	10	10	368	44	37	23	29	100	145	247	223	113	24
Dis. of Kidneys	484	5	8	7	14	7	41	25	11	7	15	49	67	88	84	72	30
Dis. of Gener. Organs	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	144	6	9	—	6	2	23	23	28	14	9	14	12	11	7	3	1
Dis. of Skin	99	44	10	3	—	—	27	2	3	1	—	3	3	7	8	3	1
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	168	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	1426	321	65	49	26	26	405	90	76	66	61	163	182	187	96	47	13
Other Causes	5928	3099	500	144	48	28	3814	88	17	12	33	91	122	131	183	243	269

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85					
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85					
460B.—BIRKENHEAD.																					
Mean Popul ⁿ , 1861-71	36425	1099	977	1000	961	943	4980	4208	3612	3552	3724	6305	4455	2910	1661	769	219	30			
TOTAL DEATHS	7688	1355	886	448	313	190	3692	410	163	182	214	581	541	519	507	504	304	71			
Small-pox	100	25	14	13	11	5	68	13	3	1	3	8	1	2	1	-	-	-	-		
Measles	232	35	81	55	31	10	213	15	1	2	-	1	-	-	-	-	-	-	-		
Scarlatina	503	21	68	69	87	62	307	139	29	9	8	8	1	2	-	-	-	-	-		
Diphtheria	111	6	24	16	14	13	73	25	4	3	-	1	1	2	-	-	2	-	-		
Whooping-cough	289	107	95	48	24	6	281	7	1	-	-	-	-	-	-	-	-	-	-		
Typhus	333	3	12	14	22	12	63	37	17	21	25	47	39	46	27	9	2	-	-		
Diarrhoea & Dysentery	423	213	110	16	3	3	345	6	2	1	2	3	6	11	14	18	8	7	-		
Cholera	47	5	3	1	1	1	11	5	2	1	1	6	7	3	6	4	1	-	-		
Other Zymotic Dis.	209	32	47	32	21	5	137	14	7	4	1	6	5	7	8	7	3	1	-		
Cancer	155	-	-	-	-	-	-	1	-	1	1	8	32	34	43	27	7	1	-		
Scrophulous and Tuberc.	115	35	17	18	6	4	75	9	6	9	4	5	4	1	1	1	-	-	-		
Phthisis	993	5	16	7	4	5	37	17	27	81	80	307	169	103	35	11	-	-	-		
Hydrocephalus	744	42	43	19	10	13	127	15	2	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	793	336	61	28	18	14	457	24	13	13	11	27	35	51	53	73	35	1	-		
Dis. of Heart & Dropsy	379	7	5	1	3	1	17	8	20	10	13	34	63	55	67	59	31	2	-		
Dis. of Lungs	1124	292	169	89	28	23	571	50	6	7	13	45	47	78	123	122	72	10	-		
Dis. of Stom. and Liver	333	56	7	6	5	3	59	7	7	4	10	31	44	53	51	49	18	-	-		
Dis. of Kidneys	84	-	2	1	-	2	5	5	4	3	6	12	15	16	13	5	2	-	-		
Dis. of Genes. Organs	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	19	-	1	1	-	-	3	8	3	2	1	5	8	8	2	4	2	-	-		
Dis. of Skin	34	11	1	2	-	-	14	-	-	1	3	5	1	5	2	2	1	-	-		
Childbirth and Metris	125	-	-	-	-	-	-	-	-	5	16	67	34	3	-	-	-	-	-		
Suicide	7	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-		
Other Violent Deaths	119	12	10	15	10	4	51	13	8	2	5	10	5	11	6	7	2	1	-		
Other Causes	1188	631	99	32	14	2	778	12	3	2	4	12	22	24	53	108	118	48	1		

461.—LIVERPOOL.

Mean Popul ⁿ , 1861-71	129267	3648	3033	3148	3055	2930	15814	13167	12059	12011	13353	23422	17518	11671	6590	2754	796	112		
TOTAL DEATHS	46999	10326	5492	2654	1646	1109	21237	1994	740	910	1472	4097	4218	4320	3796	2634	1296	285		
Small-pox	366	85	59	46	34	23	247	39	14	15	21	15	12	3	-	-	-	-	-	-
Measles	1278	233	478	269	146	81	1297	57	5	2	3	4	-	-	-	-	-	-	-	-
Scarlatina	1781	112	286	267	303	218	1216	436	78	16	9	18	7	1	-	-	-	-	-	-
Diphtheria	204	27	82	81	26	15	151	32	4	3	3	5	1	1	1	4	1	-	-	-
Whooping-cough	1808	585	599	315	182	101	1782	83	2	1	-	-	-	-	-	-	-	-	-	-
Typhus	3326	81	93	99	90	104	407	265	149	292	235	206	734	605	386	134	31	2	-	-
Diarrhoea & Dysentery	2502	1451	741	158	60	21	2411	48	15	4	12	36	59	67	84	63	36	7	-	-
Cholera	875	68	39	33	23	81	199	91	35	22	37	101	137	96	67	31	0	3	-	-
Other Zymotic Dis.	853	133	173	123	82	47	558	46	14	16	14	40	34	46	41	30	13	1	-	-
Cancer	661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	709	185	181	87	45	40	543	61	26	20	18	12	7	5	8	3	1	-	-	-
Phthisis	4935	44	80	37	27	20	250	117	142	358	610	1325	1120	577	196	62	8	1	-	-
Hydrocephalus	638	244	193	94	44	25	690	51	5	-	-	2	-	-	-	-	-	-	-	-
Dis. of Brain	3667	1464	365	199	107	70	2175	97	39	39	52	173	153	298	298	244	80	19	-	-
Dis. of Heart & Dropsy	2049	10	25	19	21	18	93	64	55	52	57	272	335	408	393	294	64	3	-	-
Dis. of Lungs	8836	1680	1118	471	232	124	3239	185	49	48	104	498	725	1222	1294	815	273	44	-	-
Dis. of Stom. and Liver	1869	125	33	10	13	12	193	25	18	25	47	173	292	275	213	113	43	1	-	-
Dis. of Kidneys	339	3	4	5	6	-	18	12	10	11	33	63	56	60	45	26	6	-	-	-
Dis. of Genes. Organs	145	-	1	1	-	-	2	-	-	1	10	39	45	35	15	5	2	-	-	-
Dis. of Joints	146	4	5	5	9	5	28	24	17	19	9	21	5	8	12	8	-	-	-	-
Dis. of Skin	104	23	8	3	3	1	38	8	3	4	7	7	13	11	6	3	1	-	-	-
Childbirth and Metris	465	-	-	-	-	-	-	-	19	83	225	131	7	-	-	-	-	-	-	-
Suicide	46	-	-	-	-	-	-	-	1	5	3	7	17	9	3	-	1	-	-	-
Other Violent Deaths	1424	525	78	78	55	51	790	131	31	18	30	82	69	95	94	51	39	4	-	-
Other Causes	7539	3334	579	229	122	86	4630	110	27	28	35	135	191	289	499	737	670	198	-	-

462.—WEST DERBY.

Mean Popul ⁿ , 1861-71	149813	4663	3978	4073	3985	3693	20392	16968	14698	13834	14827	26723	18618	12224	7094	3348	959	128
TOTAL DEATHS	37204	8858	4160	1906	1317	911	17206	1791	753	850	1108	2887	2934	2889	2718	2365	1377	326
Small-pox	362	84	59	81	21	21	196	52	11	21	22	39	15	5	-	1	-	-
Measles	970	157	876	173	133	55	894	63	7	2	-	4	-	-	-	-	-	-
Scarlatina	2174	139	319	363	319	294	1425	364	108	25	11	31	6	3	1	-	-	-
Diphtheria	589	44	60	63	44	45	255	73	20	6	5	10	2	4	2	-	1	-
Whooping-cough	1491	494	504	235	138	65	1494	53	4	-	-	-	-	-	-	-	-	-
Typhus	2595	39	74	91	84	65	351	214	142	161	150	307	433	380	235	102	28	3
Diarrhoea & Dysentery	2182	1243	445	81	27	12	1308	29	4	3	8	58	28	41	55	75	53	7
Cholera	363	67	30	12	10	13	122	22	12	9	10	51	85	37	26	8	1	-
Other Zymotic Dis.	789	139	124	118	74	41	499	74	25	13	15	29	22	55	57	82	11	-
Cancer	792	-	1	-	-	9	3	2	-	3	7	46	158	239	269	95	27	3
Scrophula and Tuberc.	634	231	180	62	27	19	519	85	19	11	12	10	9	10	5	3	1	-
Phthisis	4325	92	84	39	22	30	267	137	197	365	518	1239	892	492	167	45	6	-
Hydrocephalus	774	292	219	102	59	43	714	60	7	1	2	-	-	-	-	-	-	-
Dis. of Brain	3539	1351	321	149	83	61	1955	113	32	38	59	108	194	291	345	346	187	21
Dis. of Heart & Dropsy	1789	20	16	15	8	8	67	40	54	54	62	197	241	331	358	297	81	7
Dis. of Lungs	8287	1326	731	247	151	80	2535	126	24	34	47	171	280	466	682	895	278	49
Dis. of Stom. and Liver	1535	198	33	21	13	10	281	30	25	41	45	143	233	272	246	169	59	11
Dis. of Kidneys	273	6	5	6	9	3	29	14	14	9	12	49	38	34	42	25	7	-
Dis. of Genes. Organs	130	-	-	-	-	-	1	-	-	1	4	25	24	40	23	11	1	-
Dis. of Joints	112	6	8	5	6	3	26	23	14	9	7	8	4	11	3	4	1	-
Dis. of Skin	107	41	9	4	1	1	56	2	3	2	1	7	5	7	10	8	8	1
Childbirth and Metris	569	-	-	-	-	-	-	-	-	18	99	279	162	2	-	-	-	-
Selficide	43	-	-	-	-	-	-	-	-	1	3	8	9	10	12	1	-	1
Other Violent Deaths	711	325	57	33	23	22	460	34	10	11	10	54	54	55	38	31	21	3
Other Causes	5304	2273	512	120	65	33	3393	45	21	12	19	66	89	144	222	537	626	220

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
463.—PRESCOT.																			
Mean Popul ⁿ , 1861-71	42056	1497	1332	1339	1275	1201	6644	5366	4570	3903	3898	6619	4947	3256	1906	805	213	24	
TOTAL DEATHS	10381	2792	1144	589	392	249	5166	551	226	237	327	665	706	767	712	599	333	79	
Small-pox	134	30	24	15	14	9	92	17	2	4	3	6	7	2	1	—	—	—	
Measles	312	45	85	45	18	6	199	11	1	—	—	1	—	—	—	—	—	—	
Scarlatina	655	62	71	132	116	87	468	155	16	4	8	3	1	—	—	—	—	—	
Diphtheria	190	5	21	14	19	13	73	16	3	5	2	1	—	—	1	—	—	—	
Whooping-cough	165	70	52	16	13	5	156	9	—	—	—	—	—	—	—	—	—	—	
Typhus	424	18	14	23	20	15	90	52	36	34	45	52	42	40	16	14	5	—	
Diarrhoea & Dysentery	809	284	115	21	4	3	437	6	4	2	—	7	10	9	13	36	13	—	
Cholera	35	5	3	1	—	—	9	3	—	—	—	2	4	8	2	6	1	—	
Other Zymotic Dis.	305	40	66	44	49	23	213	30	5	4	4	8	8	6	14	8	7	—	
Cancer	70	—	—	1	1	—	2	1	—	—	—	—	10	19	14	13	9	—	
Scrofula and Tuberc.	185	66	44	19	8	5	142	19	5	4	4	4	2	5	—	—	—	—	
Phtisis	375	23	28	8	4	4	71	23	18	68	112	208	179	118	64	15	1	—	
Hydrocephalus	252	90	70	30	20	9	219	29	7	—	—	—	—	—	—	—	—	—	
Dis. of Brain	1360	588	77	36	15	14	730	30	15	18	28	76	130	114	97	64	22	6	
Dis. of Heart & Dropsy	408	7	10	4	3	3	27	15	15	9	7	41	47	68	72	78	27	1	
Dis. of Lungs	2019	580	810	113	65	31	1060	55	14	7	19	70	98	174	218	168	19	13	
Dis. of Stom. and Liver	397	64	15	8	2	5	94	21	12	10	10	33	46	88	66	44	11	7	
Dis. of Kidneys	129	3	2	1	—	1	7	4	3	6	8	16	13	30	25	21	7	1	
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	40	—	—	3	1	—	4	7	4	6	1	5	2	8	3	1	—	—	
Dis. of Skin	29	10	1	—	1	2	14	2	—	—	1	3	1	3	2	—	—	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	37	—	—	—	—	—	—	—	1	—	—	4	8	7	4	7	3	—	
Other Violent Deaths	689	16	30	30	16	10	192	42	69	52	73	169	87	74	54	27	2	—	
Other Causes	1360	786	160	25	8	4	929	7	5	4	3	12	20	37	53	100	244	49	

464.—ORMSKIRK.																		
Mean Popul ⁿ , 1861-71	25037	764	710	748	709	672	3603	3254	2863	2490	2108	3430	2664	2043	1488	806	258	30
TOTAL DEATHS	5879	1403	436	223	148	119	2328	276	154	146	196	403	445	421	489	529	263	101
Small-pox	25	8	—	1	—	—	9	2	—	1	4	6	1	1	—	1	—	—
Measles	79	20	26	15	11	4	74	3	—	—	—	—	—	—	—	—	—	—
Scarlatina	311	19	44	54	46	35	198	85	18	4	3	2	1	—	—	—	—	—
Diphtheria	57	5	8	4	6	5	29	18	7	1	1	—	—	1	1	—	—	—
Whooping-cough	69	36	20	4	3	2	63	3	1	—	—	—	—	—	—	—	—	—
Typhus	227	4	4	5	8	8	29	22	21	23	20	28	26	24	19	10	5	—
Diarrhoea & Dysentery	231	149	44	8	2	1	165	2	—	1	2	3	2	5	7	16	14	—
Cholera	61	14	6	3	1	1	25	4	1	1	1	2	8	5	8	5	1	—
Other Zymotic Dis.	192	17	33	29	15	16	110	16	7	4	5	6	7	13	11	7	6	—
Cancer	48	—	—	1	—	—	1	1	—	—	2	2	2	9	13	9	7	—
Scrofula and Tuberc.	91	27	12	5	3	1	46	7	14	5	9	5	3	9	5	3	—	—
Phtisis	634	33	11	7	—	2	48	8	20	57	88	148	121	80	56	13	—	—
Hydrocephalus	85	34	17	0	7	4	68	11	5	—	—	1	—	—	—	—	—	—
Dis. of Brain	803	336	59	16	14	11	416	28	11	8	5	29	44	59	60	73	30	7
Dis. of Heart & Dropsy	307	1	—	2	—	3	6	4	6	4	12	27	35	43	65	80	20	1
Dis. of Lungs	930	225	92	30	13	13	373	23	7	11	5	44	57	59	100	164	20	1
Dis. of Stom. and Liver	322	40	4	1	1	5	51	8	5	5	7	29	45	51	51	56	24	1
Dis. of Kidneys	92	—	1	2	1	—	4	3	1	1	3	11	13	9	15	16	14	2
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	24	1	1	2	—	1	5	4	4	2	1	2	2	1	3	—	—	—
Dis. of Skin	15	6	1	1	—	—	8	—	—	—	—	—	3	1	—	1	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	28	—	—	—	—	—	—	—	—	—	—	2	3	10	6	6	1	—
Other Violent Deaths	324	12	15	18	13	5	61	12	24	19	51	65	64	39	25	73	2	—
Other Causes	904	435	60	8	4	2	509	14	2	5	2	10	18	18	25	60	132	60

465.—WIGAN.																		
Mean Popul ⁿ , 1861-71	52018	1874	1623	1619	1511	1410	8037	6392	5923	5367	5021	7561	5676	4046	2461	1138	360	27
TOTAL DEATHS	15576	4787	1945	878	523	330	8513	773	880	445	468	742	787	841	949	953	594	131
Small-pox	114	22	10	18	10	4	64	14	3	4	13	10	5	1	—	—	—	—
Measles	228	94	219	108	49	33	269	15	9	—	—	—	1	—	—	—	—	—
Scarlatina	691	62	134	148	134	104	584	253	81	8	1	3	1	—	—	—	—	—
Diphtheria	44	6	7	2	5	5	23	13	1	—	1	2	—	1	1	—	—	—
Whooping-cough	369	185	101	28	23	13	360	9	—	—	—	—	—	—	—	—	—	—
Typhus	725	81	71	37	25	22	213	102	42	65	33	28	64	64	35	22	8	—
Diarrhoea & Dysentery	1191	693	271	61	29	12	1057	8	7	4	3	13	11	12	27	20	14	—
Cholera	90	5	5	4	4	2	30	4	2	—	6	12	15	14	10	11	2	—
Other Zymotic Dis.	572	58	129	110	66	45	408	54	12	12	3	14	13	14	14	19	7	—
Cancer	50	—	—	—	—	—	—	—	—	—	—	2	4	10	14	13	8	—
Scrofula and Tuberc.	209	83	44	15	7	3	152	14	8	14	9	4	1	2	3	2	—	—
Phtisis	902	24	21	19	5	6	68	32	44	101	134	191	161	100	62	16	—	—
Hydrocephalus	133	44	37	19	11	8	119	14	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	1810	1113	140	61	30	18	1562	42	24	18	18	38	48	47	86	108	31	4
Dis. of Heart & Dropsy	478	5	8	9	7	6	35	16	19	11	16	31	62	94	89	78	24	—
Dis. of Lungs	2729	903	367	99	62	32	1468	50	15	19	32	67	123	217	317	308	112	—
Dis. of Stom. and Liver	455	80	26	8	6	2	117	9	5	8	15	24	42	66	85	67	39	—
Dis. of Kidneys	102	3	1	2	1	1	8	5	1	1	2	4	8	12	22	33	14	—
Dis. of Genes. Organs	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	47	8	2	2	—	3	10	7	5	8	3	1	5	2	2	2	1	—
Dis. of Skin	54	16	5	3	1	—	25	—	1	4	—	1	—	1	1	1	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	34	—	—	—	—	—	—	—	—	—	—	2	7	6	9	8	1	—
Other Violent Deaths	1341	44	34	40	21	21	169	48	142	162	154	236	188	124	74	69	72	—
Other Causes	29	1308	313	68	36	35	1748	54	15	5	5	24	28	33	116	261	272	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—

463.—PRESCOT.																	
Mean Popul ⁿ , 1861-71	40783	1450	1286	1271	1264	1309	6480	5466	4445	3647	3551	6283	4604	3092	1935	934	298
TOTAL DEATHS	9209	2246	1064	575	408	266	4559	453	188	185	271	591	617	580	636	606	411
Small-pox	140	34	18	21	24	9	106	15	4	2	2	5	3	3	—	—	—
Measles	296	41	81	44	24	11	201	5	—	—	—	—	—	—	—	—	—
Scarlatina	591	43	102	113	97	74	429	125	19	3	8	5	2	2	—	—	—
Diphtheria	128	18	18	20	23	14	88	29	4	4	1	—	1	—	—	1	—
Whooping-cough	227	88	57	43	18	11	217	9	1	—	—	—	—	—	—	—	—
Cyphus	302	15	16	19	26	17	93	56	31	29	18	37	34	30	20	10	4
Diarrhoea & Dysentery	482	253	115	23	9	1	405	2	1	—	1	8	10	5	19	20	11
Cholera	23	4	1	—	2	2	9	2	1	—	1	—	2	1	5	2	—
Other Zymotic Dis.	313	35	62	59	42	24	222	30	8	2	5	5	7	11	8	5	9
Canoe	139	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.	180	65	49	16	7	5	142	10	8	3	2	4	25	38	32	29	9
Phthisis	933	17	16	7	6	7	53	21	38	17	141	273	185	88	46	9	2
Hydrocephalus	193	76	46	20	17	14	172	14	7	—	—	—	—	—	—	—	—
Dis. of Brain	1065	426	73	35	14	13	571	23	13	8	14	46	78	56	89	85	48
Dis. of Heart & Dropsy	439	4	2	4	5	3	22	17	9	10	6	30	51	64	86	92	39
Dis. of Lungs	1643	369	253	99	57	33	941	47	19	13	20	44	54	128	195	178	100
Dis. of Stom. and Liver	364	45	15	8	4	4	76	13	7	8	14	24	49	50	60	41	22
Dis. of Kidneys	65	—	—	1	—	1	2	2	2	3	1	9	10	10	14	9	2
Dis. of Genes. Organs	27	—	1	—	—	—	1	—	—	—	1	3	5	10	4	1	2
Dis. of Joints	32	3	1	—	2	—	6	5	6	2	3	1	3	3	3	—	—
Dis. of Skin	22	8	3	—	—	1	13	—	—	—	—	—	—	4	2	4	—
Childbirth and Metris	168	—	—	—	—	—	—	—	—	8	20	72	63	5	—	—	—
Selficide	6	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
Other Violent Deaths	171	10	24	20	17	10	81	20	4	6	6	6	12	11	11	6	3
Other Causes	1290	655	112	23	14	8	812	8	13	4	3	11	21	28	49	113	159

464.—ORMSKIRK.																	
Mean Popul ⁿ , 1861-71	27745	742	737	711	700	676	3566	3173	2906	2746	2702	4187	3112	2363	1701	921	319
TOTAL DEATHS	5583	1090	431	224	174	115	2034	272	141	100	192	447	413	371	459	551	405
Small-pox	21	3	4	2	—	9	2	—	2	—	2	3	—	—	3	—	—
Measles	91	8	23	18	14	6	79	10	2	—	—	—	—	—	—	—	—
Scarlatina	311	18	35	39	45	42	199	78	24	3	2	2	—	1	—	—	—
Diphtheria	63	2	3	6	6	6	23	21	8	4	3	2	1	1	—	—	—
Whooping-cough	99	48	28	9	10	2	97	2	—	—	—	—	—	—	—	—	—
Cyphus	247	3	10	11	10	7	41	32	24	26	17	28	23	23	22	5	6
Diarrhoea & Dysentery	253	190	36	4	6	1	177	2	—	2	3	12	9	9	11	15	8
Cholera	67	17	8	4	1	2	32	4	2	1	2	4	6	5	6	4	2
Other Zymotic Dis.	162	19	29	19	19	17	103	14	7	6	—	6	6	3	5	7	5
Canoe	99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.	75	22	15	4	1	1	43	4	5	—	4	5	7	26	30	18	5
Phthisis	751	8	15	4	9	4	40	18	28	81	100	210	141	71	4	2	—
Hydrocephalus	75	26	19	6	9	5	64	9	—	—	1	—	—	—	—	—	—
Dis. of Brain	692	246	44	20	12	5	327	14	10	6	6	30	35	48	69	89	51
Dis. of Heart & Dropsy	279	4	—	1	—	—	7	4	3	—	—	—	—	—	—	—	—
Dis. of Lungs	821	171	82	31	19	7	310	26	6	10	9	21	42	51	84	151	96
Dis. of Stom. and Liver	328	21	5	2	1	2	31	4	2	6	8	30	36	49	72	61	29
Dis. of Kidneys	53	1	—	—	1	—	2	1	—	—	—	5	11	16	3	5	2
Dis. of Genes. Organs	23	—	—	—	—	—	—	—	—	—	3	3	2	6	4	6	2
Dis. of Joints	10	—	—	—	—	—	—	—	1	—	1	2	2	1	1	1	—
Dis. of Skin	22	8	—	2	—	—	10	—	—	—	1	1	4	1	1	3	—
Childbirth and Metris	95	—	—	—	—	—	—	—	—	5	18	44	20	—	—	—	—
Selficide	11	—	—	—	—	—	—	—	1	1	—	1	2	5	1	—	—
Other Violent Deaths	80	4	10	7	7	4	31	7	6	2	—	5	6	5	8	7	8
Other Causes	565	331	65	16	4	4	410	15	11	6	1	8	9	19	26	97	167

465.—WIGAN.																	
Mean Popul ⁿ , 1861-71	51199	1853	1563	1597	1523	1417	7953	6525	5627	5074	4727	7399	5655	4055	2468	1266	398
TOTAL DEATHS	14002	3839	1959	857	475	317	7450	743	278	387	405	754	727	707	827	923	607
Small-pox	94	25	11	12	8	4	60	14	2	7	8	4	1	—	—	—	—
Measles	519	102	216	105	44	22	489	28	1	—	—	1	—	—	—	—	—
Scarlatina	863	42	141	156	125	68	532	235	38	10	3	8	—	—	—	—	—
Diphtheria	43	3	12	5	3	3	26	10	4	1	1	—	—	—	1	—	—
Whooping-cough	469	199	151	65	27	17	449	18	1	1	—	—	—	—	—	—	—
Cyphus	777	44	61	51	44	24	221	108	50	71	55	54	63	67	42	29	10
Diarrhoea & Dysentery	1128	617	281	67	19	13	368	13	2	3	4	20	14	11	21	24	18
Cholera	84	2	2	5	4	—	12	10	4	3	3	9	11	14	10	7	1
Other Zymotic Dis.	524	61	139	98	60	33	382	51	6	7	8	14	7	17	19	8	5
Canoe	117	—	1	—	—	—	1	—	—	—	—	—	—	16	29	23	4
Scrofula and Tuberc.	172	64	32	12	1	—	129	5	5	7	8	5	4	4	3	2	—
Phthisis	1135	22	38	17	11	7	95	50	66	160	188	273	190	94	35	13	1
Hydrocephalus	89	35	27	10	3	5	80	7	1	—	1	—	—	—	—	—	—
Dis. of Brain	1498	815	129	64	26	20	1044	40	15	14	13	33	37	57	82	107	45
Dis. of Heart & Dropsy	529	8	11	3	4	—	80	13	21	21	21	50	64	84	98	93	31
Dis. of Lungs	2061	649	363	107	50	39	1193	51	16	20	35	76	115	204	254	224	93
Dis. of Stom. and Liver	486	50	16	9	2	6	83	12	8	13	9	46	49	81	85	70	20
Dis. of Kidneys	40	1	3	1	—	—	5	2	3	2	1	5	10	5	6	1	—
Dis. of Genes. Organs	30	—	—	—	—	—	—	—	1	—	—	2	10	6	6	4	1
Dis. of Joints	31	1	2	1	1	2	7	4	6	3	—	3	3	2	1	2	—
Dis. of Skin	33	10	5	1	1	2	19	—	—	—	2	—	—	5	3	1	—
Childbirth and Metris	244	—	—	—	—	—	—	—	—	20	37	97	88	4	—	—	—
Selficide	11	—	—	—	—	—	—	—	—	1	1	2	2	4	—	—	—
Other Violent Deaths	252	87	27	18	16	7	105	42	23	9	2	10	10	9	11	17	19
Other Causes	2519	1032	290	82	29	20	1473	30	15	10	7	34	33	60	114	257	334

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total					Total											
		under 1 Year.	1	2	3	4	under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—

466.—WARRINGTON.

Mean Popul ⁿ , 1861-71	24916	888	747	771	719	724	3849	3066	2658	2459	2340	3940	2883	1874	1117	542	158	20
TOTAL DEATHS	6899	1883	700	310	232	160	3275	339	148	190	220	429	463	450	471	485	244	20
Small-pox	62	12	3	6	1	8	30	7	3	5	3	8	2	4	—	—	—	—
Measles	251	59	110	44	25	8	237	18	1	1	—	—	—	—	—	—	—	—
Scarlatina	405	29	54	64	99	58	294	94	13	2	—	1	—	—	—	—	—	—
Diphtheria	47	2	10	9	4	5	30	10	4	—	—	—	1	—	1	—	—	—
Whooping-cough	159	83	46	17	6	3	155	3	1	—	—	—	—	—	—	—	—	—
Typhus	267	2	10	5	13	6	33	30	16	22	20	32	44	48	13	6	3	1
Diarrhea & Dysentery	401	249	78	12	5	1	546	5	2	1	1	2	4	5	8	28	1	1
Cholera	29	1	3	1	1	1	7	1	2	1	—	—	1	4	1	2	1	1
Other Zymotic Dis.	309	23	32	32	30	20	140	26	2	5	6	4	5	8	8	7	3	—
Cancer	43	—	—	—	—	—	—	—	—	—	—	—	5	5	7	15	10	2
Scrofula and Tabes	111	42	28	10	1	2	81	9	4	7	—	3	5	2	1	2	—	—
Phthisis	562	14	10	11	9	5	49	20	10	59	83	134	108	63	25	11	—	—
Hydrocephalus	124	46	45	9	4	8	112	12	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	988	488	48	21	6	5	568	24	11	12	15	49	79	63	69	66	36	4
Dis. of Heart & Dropsy	243	2	3	2	1	1	9	9	9	8	8	17	21	46	56	59	4	3
Dis. of Lungs	1033	292	120	41	10	14	477	17	7	10	18	46	61	96	135	104	26	3
Dis. of Stom. and Liver	258	30	5	3	2	2	42	7	7	6	12	28	35	40	47	30	7	1
Dis. of Kidneys	69	1	1	—	—	—	5	3	2	2	1	5	12	8	16	4	9	2
Dis. of Gen. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	19	—	1	1	—	—	2	4	1	—	—	3	—	3	2	1	1	—
Dis. of Skin	8	—	2	—	—	—	2	—	1	—	1	—	—	1	1	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	25	—	—	—	—	—	—	—	—	—	2	1	9	5	7	1	1	—
Other Violent Deaths	478	11	22	11	10	10	64	36	60	43	44	83	61	37	31	16	7	1
Other Causes	916	503	72	12	—	3	589	9	5	1	3	8	15	15	34	62	212	14

Mean Popul ⁿ , 1861-71	19200	658	582	534	543	511	2828	2382	2066	1885	1685	2672	2158	1617	1112	583	193	19
TOTAL DEATHS	5015	1490	508	204	139	94	2444	204	99	134	160	229	278	301	570	435	245	24
Small-pox	10	3	—	2	—	1	6	1	1	—	—	1	1	—	—	—	—	—
Measles	162	39	66	28	21	7	152	10	—	—	—	—	—	—	—	—	—	—
Scarlatina	306	13	33	34	33	28	141	58	5	1	—	1	—	—	—	—	—	—
Diphtheria	9	1	4	1	—	—	6	2	—	1	—	—	—	—	—	—	—	—
Whooping-cough	75	37	20	9	4	3	73	2	—	—	—	—	—	—	—	—	—	—
Typhus	222	17	17	14	11	8	67	18	13	17	23	18	22	14	14	13	4	—
Diarrhea & Dysentery	279	155	59	5	6	5	230	2	1	—	4	2	1	3	7	16	3	—
Cholera	21	5	—	—	—	1	6	1	—	—	2	—	1	3	5	3	—	—
Other Zymotic Dis.	145	21	23	17	11	7	79	22	1	1	4	6	5	11	4	2	4	1
Cancer	42	—	—	—	—	—	—	1	—	—	—	—	6	8	15	11	1	—
Scrofula and Tabes	225	139	37	10	4	3	193	7	3	7	2	4	5	1	1	2	—	—
Phthisis	439	8	7	6	5	2	28	15	39	62	70	76	71	42	27	16	—	—
Hydrocephalus	74	40	18	8	2	1	69	4	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	700	354	39	17	9	7	456	14	5	4	8	15	19	32	43	74	43	8
Dis. of Heart & Dropsy	271	5	2	2	2	2	13	7	4	8	5	12	26	33	64	58	4	—
Dis. of Lungs	949	301	113	31	19	12	476	19	6	6	9	28	39	67	95	99	24	11
Dis. of Stom. and Liver	263	39	10	3	—	1	53	6	8	8	9	13	31	51	54	42	19	1
Dis. of Kidneys	66	1	1	—	—	—	2	1	—	1	—	1	3	6	4	22	22	4
Dis. of Gen. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	18	—	—	2	1	—	3	3	3	3	—	1	1	1	1	—	—	—
Dis. of Skin	13	6	—	—	—	—	6	1	1	—	—	1	—	1	1	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	32	—	—	—	—	—	—	—	—	1	1	1	5	8	10	2	2	—
Other Violent Deaths	232	5	18	10	8	6	47	9	16	12	21	43	30	26	11	14	2	—
Other Causes	561	309	41	5	3	—	358	2	—	2	1	4	12	12	18	54	74	26

Mean Popul ⁿ , 1861-71	69323	2403	2080	1912	1917	1858	10170	8541	7807	7155	6317	10164	7881	5799	3510	1661	475	43
TOTAL DEATHS	19487	5616	2095	922	559	456	9648	838	431	587	563	1006	1101	1362	1563	1805	822	134
Small-pox	71	16	5	7	3	3	34	11	1	7	8	5	3	2	—	—	—	—
Measles	662	129	277	121	60	44	631	26	4	1	—	—	—	—	—	—	—	—
Scarlatina	1081	65	168	187	161	158	739	267	64	5	10	4	2	—	—	—	—	—
Diphtheria	54	7	12	4	7	3	33	11	2	4	—	1	1	1	1	—	—	—
Whooping-cough	387	155	128	47	25	14	369	18	—	—	—	—	—	—	—	—	—	—
Typhus	690	59	57	31	32	22	201	81	44	63	50	68	55	67	50	22	1	—
Diarrhea & Dysentery	1128	733	296	34	13	9	995	10	6	8	8	10	7	15	21	16	3	—
Cholera	149	86	15	4	4	3	82	4	1	2	2	3	11	7	29	13	1	—
Other Zymotic Dis.	555	77	102	75	43	41	338	55	19	12	11	31	19	24	24	19	17	1
Cancer	140	—	—	—	—	—	—	1	1	1	2	5	21	36	46	25	10	—
Scrofula and Tabes	373	149	83	18	12	5	270	23	18	16	7	14	9	4	8	2	1	—
Phthisis	3038	101	77	27	19	15	239	39	73	245	274	403	310	239	129	94	—	—
Hydrocephalus	212	73	38	23	15	11	180	24	6	2	—	—	—	—	—	—	—	—
Dis. of Brain	3571	1366	148	80	32	22	1888	63	33	27	21	51	75	119	169	194	101	4
Dis. of Heart & Dropsy	685	6	5	1	2	5	19	13	20	34	25	44	68	138	168	136	42	—
Dis. of Lungs	4221	1148	474	164	86	64	1936	76	37	42	43	128	219	404	532	496	22	—
Dis. of Stom. and Liver	753	155	29	17	5	3	211	27	15	16	15	59	84	92	131	96	23	—
Dis. of Kidneys	248	3	9	3	3	5	23	14	4	14	7	30	16	29	47	28	29	—
Dis. of Gen. Organs	4	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	86	3	9	1	2	2	10	8	8	14	8	11	6	5	3	3	—	—
Dis. of Skin	36	11	3	1	—	1	16	3	2	1	1	2	1	2	3	3	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	81	—	—	—	—	—	—	—	—	—	—	2	10	11	23	28	9	—
Other Violent Deaths	838	37	39	39	26	18	159	48	73	68	67	99	109	98	84	61	12	—
Other Causes	2644	1427	795	37	9	6	1674	16	10	8	7	37	44	71	100	209	229	139

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	80 and above.	
466.—WARRINGTON.																			
Mean Popul ⁿ , 1861-71		24219	845	751	747	716	695	3754	3031	2575	2388	2195	3732	2842	1809	1151	610	206	26
TOTAL DEATHS		6219	1522	723	374	206	161	2936	280	100	145	189	381	401	385	443	488	528	84
Small-pox		60	21	9	3	4	3	40	4	2	3	2	6	1	1	1			
Measles		220	46	96	48	18	17	225	4				1						
Scarlatina		423	28	67	92	58	49	294	100	14	3	2	3		1				
Diphtheria		61	5	11	9	8	10	43	12	4	1		1						
Whooping-cough		182	77	39	29	10	3	178	4										
Typhus		245	7	7	5	10	9	38	37	19	20	25	25	25	24	20	10	2	
Diarrhoea & Dysentery		370	206	83	22	6	3	320	2	1		1	6	8	3	7	13	8	1
Cholera		20	4	4			1	9	5					3	1	1	2	1	
Other Zymotic Dis.		223	37	45	45	25	11	163	11	6	2	9	4	6	5	6	7	5	2
Cancer		97					2	2						15	25	25	15	9	
Scrofula and Tuberc.		102	31	23	8	4	4	70	9	7	3	1	2	3	4	2	1		
Phthisis		574	13	15	8	10	9	55	14	23	37	69	137	117	65	28	8	1	
Hydrocephalus		93	29	24	11	6	7	81	10	2									
Dis. of Brain		784	350	61	21	16	7	455	15	5	14	20	34	37	50	61	53	33	5
Dis. of Heart & Dropsy		267	1	2	1		1	5	4	7	6	9	22	35	34	65	64	16	
Dis. of Lungs		916	187	97	46	24	15	909	22	11	9	6	35	54	83	114	130	68	9
Dis. of Stom. and Liver		282	24	4	2		1	31	6	4	9	12	39	34	53	48	43	11	1
Dis. of Kidneys		34							2	3	2	3	5	5	4	3	1	1	
Dis. of Gen. Organs		17											1	1	5	4	2		
Dis. of Joints		20		1			2	3	4					4	1	1	1	1	
Dis. of Skin		10	4					4								1	2		1
Childbirth and Metris		94									3	16	44	31					
Suicide		12									2	1	2	3		1	1		
Other Violent Deaths		113	17	18	12	4	3	54	8	1	4	4	6	5	6	10	7	5	3
Other Causes		987	435	93	12	3	4	647	3		5	5	9	10	16	46	118	167	61

467.—LEIGH.																			
Mean Popul ⁿ , 1861-71		20612	622	585	575	504	530	2816	2434	2207	2137	1918	3048	2327	1739	1141	600	223	22
TOTAL DEATHS		5077	1194	484	264	157	103	2202	211	93	191	205	354	318	315	347	432	338	71
Small-pox		21	9	5	2	—	2	16	—	1	—	2	1	1	—	—	—	—	—
Measles		201	52	66	45	18	8	189	12	—	—	—	—	—	—	—	—	—	—
Scarlatina		219	11	22	44	40	35	152	51	10	2	4	—	—	—	—	—	—	—
Diphtheria		9	—	3	1	1	3	8	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough		128	50	34	19	11	6	130	3	—	—	—	—	—	—	—	—	—	—
Typhus		224	13	15	11	13	6	58	24	19	22	15	16	15	17	13	11	4	—
Diarrhoea & Dysentery		210	124	46	8	2	1	181	8	—	1	3	4	1	6	9	15	15	3
Cholera		24	9	1	—	—	—	10	—	—	—	2	1	2	5	4	1	1	—
Other Zymotic Dis.		146	17	23	19	12	9	80	9	3	4	5	6	5	10	7	9	7	1
Cancer		95	—	—	—	—	—	—	—	—	—	—	3	21	14	26	28	7	2
Scrofula and Tuberc.		209	116	42	13	5	1	177	7	2	6	1	3	1	—	—	—	—	—
Phthisis		636	6	5	5	3	3	21	21	21	110	109	176	89	57	23	6	1	—
Hydrocephalus		50	21	9	8	4	3	45	3	—	1	1	—	—	—	—	—	—	—
Dis. of Brain		583	249	33	19	12	8	321	18	10	8	10	9	29	32	47	67	45	6
Dis. of Heart & Dropsy		246	4	1	2	1	1	9	10	4	7	7	32	43	55	66	75	52	6
Dis. of Lungs		901	238	111	45	23	7	424	12	4	8	10	26	40	45	81	124	161	23
Dis. of Stom. and Liver		265	27	9	4	1	3	44	4	10	10	7	18	30	39	42	44	15	2
Dis. of Kidneys		13	—	—	1	2	—	3	—	1	2	1	1	3	—	1	1	—	—
Dis. of Gen. Organs		20	—	—	—	—	—	—	—	—	—	—	2	6	7	2	3	—	—
Dis. of Joints		15	—	—	—	1	1	2	4	1	2	—	1	2	2	—	1	—	—
Dis. of Skin		4	2	1	—	—	—	3	—	—	—	—	—	—	—	1	—	—	—
Childbirth and Metris		100	—	—	—	—	—	—	—	—	10	23	43	26	2	—	—	—	—
Suicide		9	—	—	—	—	—	—	—	—	—	—	1	2	3	1	1	1	—
Other Violent Deaths		87	6	11	12	7	4	40	14	3	2	1	8	1	8	3	3	4	—
Other Causes		532	241	49	6	1	2	299	6	4	1	1	2	11	10	17	48	107	28

468.—BOLTON.																			
Mean Popul ⁿ , 1861-71		75015	2369	2043	2050	1901	1883	10246	8686	7811	7654	7282	11853	8779	6226	3863	1944	607	64
TOTAL DEATHS		17799	4394	1913	850	586	431	8174	820	341	581	610	1134	1174	1084	1375	1307	953	186
Small-pox		65	18	5	8	5	2	33	10	5	2	3	10	1	—	—	—	—	—
Measles		545	94	240	107	62	33	830	26	—	—	—	1	—	—	—	—	—	—
Scarlatina		1079	69	146	193	165	137	710	193	47	12	2	10	2	1	—	—	—	—
Diphtheria		64	7	19	5	6	6	45	10	2	2	1	1	1	—	1	1	—	—
Whooping-cough		507	185	132	67	49	19	482	22	2	1	—	—	—	—	—	—	—	—
Typhus		676	48	51	27	30	28	184	82	66	64	44	64	43	57	31	19	8	2
Diarrhoea & Dysentery		1031	635	223	24	10	6	868	12	1	2	2	11	15	6	33	67	50	7
Cholera		112	43	16	1	—	—	62	2	—	—	2	5	10	7	15	8	—	—
Other Zymotic Dis.		519	74	87	58	39	40	318	55	6	12	7	24	19	22	16	29	9	2
Cancer		305	—	—	—	—	1	1	—	—	—	1	17	46	86	63	65	15	1
Scrofula and Tuberc.		379	126	71	18	5	6	220	15	5	13	3	4	4	—	—	—	—	—
Phthisis		2104	67	52	29	10	13	171	46	94	291	331	477	388	173	93	23	6	—
Hydrocephalus		180	57	39	22	14	10	142	30	6	2	—	—	—	—	—	—	—	—
Dis. of Brain		2035	844	131	62	35	26	1098	59	18	36	31	47	68	112	230	232	118	16
Dis. of Heart & Dropsy		905	6	2	3	2	1	14	17	29	32	29	99	126	160	192	147	57	3
Dis. of Lungs		3418	845	419	160	87	56	1565	61	25	47	49	122	179	231	433	415	233	29
Dis. of Stom. and Liver		728	103	20	8	10	6	150	19	16	16	27	53	74	95	141	101	34	2
Dis. of Kidneys		149	7	3	2	—	2	14	5	6	0	6	21	29	27	19	11	2	—
Dis. of Gen. Organs		49	—	—	1	—	—	1	—	—	—	2	10	11	13	7	3	—	—
Dis. of Joints		41	1	2	1	—	2	6	5	4	9	1	2	4	5	2	3	—	—
Dis. of Skin		33	15	3	1	—	—	19	1	1	—	1	2	—	3	3	3	—	—
Childbirth and Metris		248	—	—	—	—	—	—	—	—	8	51	119	77	2	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		466.—WARRINGTON.																
Mean Popul ⁿ , 1861-71	24916	888	747	771	719	724	3849	3066	2658	2459	2340	3940	2983	1874	1117	542	28	20
TOTAL DEATHS	6099	1883	700	310	222	160	3275	339	148	190	220	429	463	450	471	465	194	6
Small-pox	62	12	3	6	1	8	30	7	3	5	2	8	2	4	-	-	-	-
Measles	251	50	110	44	25	8	247	13	1	1	-	-	-	-	-	-	-	-
Scarlatina	405	29	64	63	99	58	294	94	18	2	1	1	-	-	-	-	-	-
Diphtheria	47	2	10	9	4	5	30	10	4	-	-	-	1	1	1	-	-	-
Whooping-cough	159	83	46	17	6	3	155	3	1	-	-	-	-	-	-	-	-	-
Typhus	267	2	10	5	13	6	34	30	16	22	20	32	44	44	13	7	2	1
Diarrhoea & Dysentery	401	249	78	12	6	1	346	5	2	1	1	2	4	5	8	19	1	1
Cholera	20	1	3	1	1	1	7	1	2	1	-	-	1	4	1	2	1	1
Other Zymotic Dis.	209	26	32	32	30	20	140	26	2	5	6	4	3	5	8	7	3	3
Cancer	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes	111	42	56	10	1	2	81	9	4	-	-	3	5	7	15	10	1	1
Phthisis	562	14	10	11	9	5	49	20	10	59	-	3	2	1	2	-	-	-
Hydrocephalus	124	46	45	9	4	8	112	12	-	-	83	134	108	63	25	11	-	-
Dis. of Brain	988	488	48	21	6	5	568	24	11	12	15	49	79	63	69	62	26	2
Dis. of Heart & Dropsy	243	2	3	2	1	1	9	9	8	8	17	21	45	56	59	59	2	1
Dis. of Lungs	1033	292	180	41	10	14	477	17	10	18	46	61	96	133	104	26	2	1
Dis. of Stom. and Liver	238	30	5	3	2	2	42	7	7	6	12	28	35	40	47	26	7	1
Dis. of Kidneys	69	1	1	-	3	-	5	3	2	2	1	5	12	8	10	4	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	19	-	1	1	-	-	-	-	-	-	2	3	-	3	2	1	2	-
Dis. of Skin	8	-	2	-	-	-	2	-	4	1	-	-	-	-	-	-	-	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	478	11	22	11	10	10	64	36	59	43	44	83	61	87	31	28	7	1
Other Violent Deaths	918	503	71	12	3	3	589	9	3	1	3	8	15	15	24	82	113	14
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

467.—LEIGH.																		
Mean Popul ⁿ , 1861-71	19200	658	582	534	543	511	2828	2382	2066	1885	1685	2672	2158	1617	1112	583	193	19
TOTAL DEATHS	5015	1490	508	204	139	94	2444	204	90	134	160	229	278	301	570	433	233	24
Small-pox	10	3	-	2	-	1	6	1	1	-	-	1	1	-	-	-	-	-
Measles	162	30	66	24	21	7	152	10	-	-	-	-	-	-	-	-	-	-
Scarlatina	206	13	33	34	33	28	141	58	5	1	-	-	-	-	-	-	-	-
Diphtheria	9	1	4	1	-	-	6	2	-	1	-	-	-	-	-	-	-	-
Whooping-cough	75	37	20	9	4	3	73	2	-	-	-	-	-	-	-	-	-	-
Typhus	222	17	17	14	11	8	67	18	13	17	23	18	22	14	14	12	4	1
Diarrhoea & Dysentery	279	153	69	5	6	5	230	9	1	-	2	2	1	3	7	16	10	1
Cholera	21	5	-	-	-	1	6	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	145	21	23	17	11	7	79	22	1	1	2	4	5	11	4	5	6	1
Cancer	42	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes	223	139	37	10	4	8	193	7	3	7	2	4	6	8	15	11	1	-
Phthisis	439	8	7	6	5	2	28	15	39	62	70	70	71	42	27	16	-	-
Hydrocephalus	74	40	18	8	2	1	69	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	700	364	39	17	9	7	436	14	5	4	8	15	19	32	42	74	43	4
Dis. of Heart & Dropsy	271	5	3	2	2	2	18	7	4	8	5	12	26	35	64	58	23	1
Dis. of Lungs	949	301	113	31	19	13	476	19	6	8	9	28	39	67	95	99	14	1
Dis. of Stom. and Liver	263	39	10	3	-	1	53	6	8	8	9	13	31	31	51	43	14	1
Dis. of Kidneys	66	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	18	-	-	2	1	-	3	3	3	-	1	3	1	1	1	1	1	-
Dis. of Skin	13	6	-	-	-	-	6	1	1	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	232	5	18	10	8	6	47	9	16	12	21	43	50	8	11	3	2	1
Other Causes	561	309	41	5	3	-	338	2	-	2	1	4	12	12	18	53	74	23

468.—BOLTON.																		
Mean Popul ⁿ , 1861-71	69323	2403	2080	1912	1917	1858	10170	8541	7607	7155	6317	10164	7881	5799	3510	1861	473	43
TOTAL DEATHS	19487	5616	2005	923	559	456	9648	838	431	587	563	1000	1101	1362	1565	1403	827	154
Small-pox	71	16	5	7	3	3	34	11	1	7	8	5	3	2	-	-	-	-
Measles	602	129	277	121	60	44	631	26	-	1	-	-	-	-	-	-	-	-
Scarlatina	1081	65	168	187	161	158	739	267	54	5	10	4	2	-	-	-	-	-
Diphtheria	84	7	12	4	7	3	33	11	2	4	-	-	-	-	-	-	-	-
Whooping-cough	387	155	128	47	25	14	369	18	-	-	-	-	-	-	-	-	-	-
Typhus	690	59	57	31	32	22	301	81	44	65	30	68	55	67	36	23	1	1
Diarrhoea & Dysentery	1128	733	296	24	13	9	995	10	6	3	5	10	7	15	21	28	16	4
Cholera	149	66	15	4	4	3	82	4	1	2	2	3	11	7	20	13	2	1
Other Zymotic Dis.	565	77	102	75	43	41	338	55	19	12	11	31	19	24	19	13	1	1
Cancer	149	-	-	-	-	-	-	1	1	1	2	5	21	3	46	23	10	2
Serofula and Tabes	373	149	88	17	12	5	270	23	18	16	7	14	9	4	2	1	1	-
Phthisis	2008	101	77	27	19	15	235	39	73	245	274	403	310	239	129	54	5	-
Hydrocephalus	212	73	58	23	15	11	180	24	6	2	-	-	-	-	-	-	-	-
Dis. of Brain	3271	1306	148	80	32	22	1188	63	33	27	21	51	79	119	169	194	101	4
Dis. of Heart & Dropsy	685	6	5	1	2	5	19	13	20	34	23	44	64	136	146	120	43	4
Dis. of Lungs	4221	1148	474	164	80	64	1936	76	37	42	43	128	232	490	525	433	237	25
Dis. of Stom. and Liver	733	153	29	17	5	5	211	27	15	16	13	50	84	92	121	98	35	1
Dis. of Kidneys	248	8	9	3	3	5	25	14	4	14	7	30	16	29	47	23	2	2
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	86	3	2	1	2	2	10	8	8	14	8	11	8	5	9	1	1	-
Dis. of Skin	36	11	0	1	-	1	16	3	2	1	1	2	1	2	3	0	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	838	37	39	39	26	18	159	48	72	68	67	79	11	23	26	6	1	1
Other Causes	2644	1427	195	37	9	6	1674	18	10	8	7	37	44	71	100	219	269	113

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and above.	
466.—WARRINGTON.																			
Mean Popul ⁿ , 1861-71	24219	845	751	747	716	695	3754	3031	2575	2288	2195	3732	2842	1809	1151	610	206	26	
TOTAL DEATHS -	6219	1532	723	374	206	161	2986	230	109	145	189	381	401	385	443	488	328	84	
Small-pox - - -	60	21	9	3	4	3	40	4	2	3	2	6	1	1	1	-	-	-	
Measles - - - -	230	46	96	48	18	17	225	4	-	-	-	1	-	-	-	-	-	-	
Scarlatina - - -	423	58	67	92	58	49	294	106	14	3	2	3	-	1	-	-	-	-	
Diphtheria - - -	61	5	11	9	8	10	43	12	4	1	-	1	-	-	-	-	-	-	
Whooping-cough -	182	77	59	29	10	3	178	4	-	-	-	23	25	24	20	10	2	-	
Typhus - - - - -	245	7	7	5	10	9	38	37	19	20	23	23	25	24	20	10	2	-	
Diarrhoea & Dysentery	370	266	83	22	6	3	330	2	1	-	1	6	8	3	7	13	8	1	
Cholera - - - - -	20	4	-	-	1	9	3	2	-	-	-	3	1	1	2	1	-	-	
Other Zymotic Dis.	228	37	45	45	25	11	163	11	6	2	9	4	6	5	6	7	5	2	
Cancer - - - - -	97	-	-	-	-	2	2	-	-	-	-	6	15	23	23	15	0	-	
Scrofula and Tuberc.	102	81	23	8	4	4	70	9	7	3	1	2	3	4	2	1	-	-	
Phthisis - - - -	674	13	15	8	10	9	55	14	23	57	69	137	117	65	28	8	1	-	
Hydrocephalus - -	93	29	23	11	6	7	81	10	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	784	350	61	21	16	7	435	15	5	14	20	34	37	50	61	55	33	5	
Dis. of Heart & Dropsy	267	1	2	1	-	1	5	4	7	6	9	21	35	34	43	64	16	0	
Dis. of Lungs - - -	916	187	97	46	24	15	369	22	11	9	6	35	83	114	125	68	0	-	
Dis. of Stom. and Liver	282	24	4	2	-	1	31	6	4	9	12	39	54	53	46	43	11	1	
Dis. of Kidneys - -	34	-	-	-	-	-	2	3	2	3	5	5	5	4	3	1	1	-	
Dis. of Genes. Organs -	17	-	-	-	-	-	-	-	-	-	1	1	5	4	4	2	1	-	
Dis. of Joints - - -	20	-	1	-	-	2	3	4	-	2	3	-	4	1	1	1	1	-	
Dis. of Skin - - - -	10	4	-	-	-	-	4	-	-	-	-	2	-	-	1	2	-	1	
Childbirth and Metris	94	-	-	-	-	-	-	-	-	3	16	44	31	-	-	-	-	-	
Suicide - - - - -	12	-	-	-	-	-	-	-	-	2	1	2	3	2	1	1	-	-	
Other Violent Deaths -	113	17	18	12	4	3	54	8	1	4	4	6	5	6	10	7	5	3	
Other Causes - - -	387	435	93	12	3	4	547	3	-	5	5	9	10	16	46	118	167	81	

467.—LEIGH.

Mean Popul ⁿ , 1861-71		20612	622	585	575	504	530	2816	2434	2207	2137	1918	3048	2327	1739	1141	600	223	22
TOTAL DEATHS -		5977	1194	484	264	157	103	2202	211	93	191	205	354	318	315	347	432	338	71
Small-pox -		21	9	5	2	-	2	16	-	1	-	2	1	1	-	-	-	-	-
Measles -		301	52	65	45	18	8	189	12	-	-	-	-	-	-	-	-	-	-
Scarlatina -		219	11	22	44	40	35	152	54	10	-	4	-	-	-	-	-	-	-
Diphtheria -		9	-	3	1	1	3	8	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough -		123	50	34	19	11	6	130	3	-	-	-	-	-	-	-	-	-	-
Typhus -		224	13	15	11	13	6	58	24	19	22	15	16	15	17	13	11	4	-
Diarrhoea & Dysentery -		210	124	46	8	2	1	181	2	-	1	3	4	1	6	9	15	15	3
Cholera -		24	9	1	-	-	-	10	-	-	-	-	2	1	5	4	1	1	-
Other Zymotic Dis. -		146	17	23	19	12	9	80	2	3	4	5	6	5	10	7	9	7	1
Cancer -		95	-	-	-	-	-	-	-	-	-	-	3	21	11	26	22	7	2
Scrofula and Tuberc. -		200	116	42	15	5	1	177	7	2	6	1	3	1	1	2	2	1	-
Phthisis -		638	5	5	3	3	3	21	21	21	110	109	176	89	57	25	6	1	-
Hydrocephalus -		50	21	9	8	4	3	45	3	-	1	1	-	-	-	-	-	-	-
Dis. of Brain -		585	249	31	19	12	8	321	18	10	8	10	9	29	32	47	67	45	6
Dis. of Heart & Dropsy -		346	4	1	2	1	1	9	10	4	7	7	32	43	55	66	75	52	6
Dis. of Lungs -		901	238	111	45	25	7	424	12	4	8	10	26	40	49	81	124	101	23
Dis. of Stom. and Liver -		265	27	9	4	1	3	44	4	10	10	7	18	30	39	42	44	17	2
Dis. of Kidneys -		13	-	-	1	2	-	3	-	1	2	1	1	3	-	1	1	-	-
Dis. of Genes. Organs -		20	-	-	-	-	-	-	-	-	-	-	2	6	7	2	5	-	-
Dis. of Joints -		15	-	-	-	1	1	2	4	1	2	-	1	2	2	1	1	-	-
Dis. of Skin -		4	2	1	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris -		109	-	-	-	-	-	-	-	-	10	28	43	26	2	-	-	-	-
Suicide -		9	-	-	-	-	-	-	-	-	-	-	1	2	5	1	1	1	-
Other Violent Deaths -		87	6	11	12	7	4	40	14	3	2	1	8	1	8	3	8	4	-
Other Causes -		534	241	49	6	1	2	299	6	4	1	1	2	11	10	17	48	105	28

468.—BOLTON.

Mean Popul ⁿ , 1861-71		75015	2369	2043	2050	1901	1883	10246	8686	7811	7654	7282	11853	8779	6226	3863	1944	607	64
TOTAL DEATHS -		17799	4394	1913	850	586	431	8174	820	341	581	610	1134	1174	1084	1375	1307	953	186
Small-pox -		65	13	5	8	5	2	33	10	-	5	2	3	10	2	-	-	-	-
Measles -		545	91	240	107	62	33	829	26	-	9	-	1	-	-	-	-	-	-
Scarlatina -		1079	69	146	193	137	710	295	47	12	2	10	2	-	1	-	-	-	-
Diphtheria -		64	7	19	5	6	8	45	10	2	2	1	1	1	-	1	1	-	-
Whooping-cough -		507	105	132	67	49	19	482	22	2	1	-	-	-	-	-	-	-	-
Typhus -		676	48	51	27	30	28	184	82	50	64	44	61	45	57	31	19	8	4
Diarrhoea & Dysentery -		1061	635	225	24	10	6	868	12	1	2	2	11	13	6	53	57	39	7
Cholera -		112	43	16	1	2	-	62	2	-	-	2	5	10	7	15	6	1	-
Other Zymotic Dis. -		519	74	87	58	39	40	318	55	6	13	7	24	19	22	16	22	9	2
Cancer -		305	-	-	-	-	1	1	-	-	-	1	17	40	86	68	55	15	1
Scrofula and Tuberc. -		279	126	71	18	5	6	226	15	5	13	8	4	4	-	6	5	-	-
Phthisis -		2104	67	52	20	10	13	171	46	91	291	331	477	388	173	95	23	6	-
Hydrocephalus -		130	57	39	22	14	10	142	30	0	2	-	-	-	-	-	-	-	-
Dis. of Brain -		2035	844	151	62	35	26	1098	59	18	56	51	47	68	112	290	232	118	16
Dis. of Heart & Dropsy -		905	6	2	3	2	1	14	17	29	32	29	99	126	160	102	147	57	8
Dis. of Lungs -		3418	845	419	160	87	56	1565	61	25	47	49	122	179	251	435	415	232	29
Dis. of Stom. and Liver -		728	203	20	8	10	6	130	19	16	16	27	53	74	93	141	101	34	2
Dis. of Kidneys -		149	7	3	2	-	2	14	5	6	0	6	21	29	27	19	11	2	-
Dis. of Genes. Organs -		49	-	-	1	-	-	1	-	-	-	2	10	11	15	7	3	-	-
Dis. of Joints -		41	1	2	1	-	2	6	5	4	0	1	2	4	5	2	3	-	-
Dis. of Skin -		85	15	3	1	-	-	19	1	1	-	1	2	-	3	5	3	-	-
Childbirth and Metris -		248	-	-	-	-	-	-	-	-	8	51	110	77	2	-	-	-	-
Suicide -		28	-	-	-	-	-	-	-	-	-	3	4	4	6	5	5	1	-
Other Violent Deaths -		229	23	24	27	25	24	123	33	9	7	7	10	16	8	15	19	12	5
Other Causes -		2335	1161	298	26	19	11	1403	15	7	14	7	80	93	46	73	225	414	120

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
469.—BURY.																		
Mean Popul ⁿ , 1861-71	50545	1601	1359	1371	1316	1229	6876	6015	5492	5229	4928	7468	5807	4380	2681	1282	300	31
TOTAL DEATHS	12788	3444	1152	518	313	205	5092	546	801	407	417	690	785	939	1151	1086	603	104
Small-pox	107	22	5	8	2	3	50	13	4	11	6	17	2	2	2	-	-	-
Measles	208	85	70	35	13	16	195	10	-	8	-	-	-	-	-	-	-	-
Scarlatina	601	44	95	111	79	61	390	171	27	10	2	-	-	1	-	-	-	-
Diphtheria	43	12	10	2	5	1	30	9	1	-	-	-	-	2	1	-	-	-
Whooping-cough	176	92	48	13	7	11	172	4	-	-	-	-	-	-	-	-	-	-
Typhus	553	14	29	25	10	16	94	55	42	68	45	64	45	52	53	20	7	1
Diarrhoea & Dysentery	637	383	111	19	10	6	329	9	4	1	2	9	9	12	15	19	19	4
Cholera	40	4	-	-	-	1	5	1	1	-	-	3	4	9	5	8	3	-
Other Zymotic Dis.	354	35	68	51	37	29	220	20	6	7	11	10	20	14	18	11	8	-
Cancer	74	-	-	-	-	-	-	-	1	1	2	3	7	16	23	17	4	-
Scrofula and Tabes	150	54	31	12	8	1	105	14	9	7	5	4	3	4	-	-	-	-
Phthisis	1338	24	19	10	12	8	73	23	54	162	217	287	229	166	100	29	2	-
Hydrocephalus	254	86	71	28	22	12	219	20	9	3	1	-	-	1	-	-	-	-
Dis. of Brain	3001	1000	139	49	35	28	1251	42	29	24	21	56	70	119	135	171	72	11
Dis. of Heart & Dropsy	729	15	11	12	7	8	33	30	22	21	20	42	68	124	174	139	44	7
Dis. of Lungs	2207	549	276	104	37	41	1007	42	16	14	15	52	125	204	339	325	157	25
Dis. of Stom. and Liver	300	39	10	5	2	1	57	9	14	21	12	32	58	64	112	71	29	1
Dis. of Kidneys	171	2	-	-	1	2	5	7	6	8	10	19	18	14	24	31	22	1
Dis. of Gener. Organs	6	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	89	1	1	1	-	1	4	2	6	3	4	3	2	3	4	7	1	-
Dis. of Skin	13	2	3	1	-	-	6	1	-	-	-	-	1	2	1	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	70	-	-	-	-	-	-	-	-	1	-	5	6	21	27	18	4	-
Other Violent Deaths	478	13	13	10	16	18	70	40	43	34	37	59	70	46	33	29	12	-
Other Causes	2041	985	130	22	10	1	1154	15	2	8	10	24	44	63	119	258	78	10

470.—BARTON-UPON-IRWELL.

Mean Popul ⁿ , 1861-71	21199	660	581	604	576	529	2250	2652	2458	2066	1863	3084	2356	1819	1168	610	161
TOTAL DEATHS	4903	1300	407	189	125	100	2121	264	140	134	164	292	305	353	429	454	201
Small-pox	15	5	1	-	-	1	7	3	-	2	2	-	-	1	-	-	-
Measles	104	23	39	20	6	5	93	10	1	-	-	-	-	-	-	-	-
Scarlatina	233	7	36	34	34	27	188	77	13	3	2	-	-	-	-	-	-
Diphtheria	29	2	4	6	2	4	18	4	2	2	-	1	-	1	-	1	-
Whooping-cough	77	35	23	7	5	1	71	6	-	-	-	-	-	-	-	-	-
Typhus	226	17	14	8	10	2	51	28	16	12	24	26	24	18	14	11	3
Diarrhoea & Dysentery	275	172	45	5	4	2	228	2	-	-	-	2	4	7	8	15	2
Cholera	21	5	1	-	-	-	6	3	-	1	-	2	2	5	1	3	1
Other Zymotic Dis.	127	19	23	19	5	8	74	8	5	5	2	7	5	5	9	6	1
Cancer	58	-	-	-	-	-	-	1	-	-	-	4	5	10	20	15	3
Scrofula and Tabes	109	40	8	8	4	4	64	14	12	7	2	3	1	5	-	1	-
Phthisis	464	18	7	2	4	3	84	15	23	54	79	103	84	41	27	4	-
Hydrocephalus	53	15	15	6	2	8	49	8	1	-	-	-	-	-	-	-	-
Dis. of Brain	617	268	87	14	8	7	334	14	9	7	4	23	25	40	54	70	32
Dis. of Heart & Dropsy	232	4	2	2	1	1	10	6	8	11	3	11	23	28	39	65	25
Dis. of Lungs	829	201	80	36	22	14	333	19	2	4	7	36	50	74	107	113	77
Dis. of Stom. and Liver	245	40	9	1	4	2	56	5	6	2	6	16	15	28	50	40	11
Dis. of Kidneys	98	-	4	2	8	-	9	4	3	2	3	11	11	8	24	18	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	20	-	-	-	1	-	1	2	5	1	2	3	2	-	2	1	-
Dis. of Skin	9	4	-	-	-	-	4	-	-	-	-	1	3	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	205	7	10	13	6	8	44	32	30	21	25	46	33	30	19	9	4
Other Causes	814	415	49	6	4	3	489	10	4	-	2	7	15	29	31	96	123

471.—CHORLTON.

Mean Popul ⁿ , 1861-71	90299	3081	2642	2587	2516	2357	13183	10653	9184	8876	9171	15256	10901	7201	3938	1541	363
TOTAL DEATHS	23060	6916	2682	1200	738	538	12083	1086	407	592	712	1475	1716	1796	1858	1478	651
Small-pox	110	25	7	4	3	6	46	7	3	5	15	14	10	7	1	2	-
Measles	537	105	212	99	51	29	497	39	1	-	-	-	-	-	-	-	-
Scarlatina	1315	97	187	202	212	178	876	309	42	13	3	11	-	1	-	-	-
Diphtheria	100	22	25	23	14	20	104	36	8	3	1	3	1	-	3	1	-
Whooping-cough	726	279	236	103	53	35	700	19	-	-	-	-	1	-	-	-	-
Typhus	957	20	44	45	40	40	189	105	66	89	74	105	101	105	76	45	22
Diarrhoea & Dysentery	1687	1128	518	50	18	12	1826	12	1	3	4	8	14	25	16	39	14
Cholera	45	11	3	1	-	1	16	2	1	2	-	3	6	7	2	7	1
Other Zymotic Dis.	549	84	104	75	47	30	340	35	19	9	9	27	21	32	32	18	9
Cancer	160	-	1	2	-	-	3	-	-	-	-	9	24	45	46	34	7
Scrofula and Tabes	423	154	90	54	21	8	307	34	26	21	9	11	7	5	9	5	-
Phthisis	2975	22	21	14	9	7	75	31	89	279	282	607	584	336	155	27	-
Hydrocephalus	606	219	181	94	59	25	545	48	11	2	-	-	-	-	-	-	-
Dis. of Brain	8944	1271	241	130	65	34	1731	83	59	37	44	65	174	311	380	369	98
Dis. of Heart & Dropsy	840	9	18	9	5	3	39	21	16	30	35	100	149	153	184	102	37
Dis. of Lungs	4457	1087	383	187	108	38	2023	83	31	32	42	183	304	300	414	479	159
Dis. of Stom. and Liver	855	136	34	15	6	4	195	25	18	16	26	55	112	146	149	94	39
Dis. of Kidneys	310	3	1	2	5	9	29	17	6	11	10	34	44	44	62	62	18
Dis. of Gener. Organs	1	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	89	2	2	4	5	3	15	13	15	9	9	7	8	8	5	9	1
Dis. of Skin	45	22	2	1	1	1	27	1	-	-	2	-	2	3	6	2	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	499	58	34	37	24	17	170	50	23	18	23	50	45	35	43	35	5
Other Causes	3823	2167	345	90	26	16	2634	36	14	10	18	50	90	128	171	514	29

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 & upwards.
469.—BURY.																		
Mean Popul ⁿ , 1861-71	54600	1562	1376	1404	1304	1308	6954	6108	5617	5624	5454	8660	6526	4762	2945	1448	461	41
TOTAL DEATHS	12199	2738	1109	524	351	243	4970	506	252	430	489	872	870	856	900	1033	714	157
Small-pox	78	20	13	5	8	5	51	8	5	2	3	5	3	2	1	-	-	-
Measles	209	44	77	46	18	14	199	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	365	27	89	88	89	68	361	167	24	9	2	2	-	1	-	-	-	-
Diphtheria	63	6	14	8	3	7	38	19	1	1	1	1	-	1	1	-	-	-
Whooping-cough	225	84	71	30	24	12	221	4	-	-	-	-	-	-	-	-	-	-
Typhus	321	12	20	30	24	22	108	67	49	52	39	57	44	40	30	25	4	-
Diarrhoea & Dysentery	672	262	122	20	4	6	514	4	4	5	3	15	19	10	29	69	26	8
Cholera	23	1	-	-	-	-	1	-	-	-	2	3	3	3	7	3	1	-
Other Zymotic Dis.	350	34	55	56	41	25	212	35	7	10	9	16	15	15	15	5	2	-
Cancer	232	-	-	-	-	1	1	1	-	-	4	9	22	58	61	34	12	1
Scrofula and Tuberc.	142	63	35	11	5	1	109	4	2	8	1	9	8	3	1	1	-	-
Phthisis	1585	18	21	13	6	2	60	22	67	227	253	392	306	140	61	22	3	-
Hydrocephalus	165	50	42	17	9	10	128	22	6	3	1	-	1	3	1	-	-	-
Dis. of Brain	1733	724	138	78	32	24	994	81	21	22	16	52	63	90	150	161	93	8
Dis. of Heart & Dropsy	832	15	14	2	4	6	41	30	16	22	19	79	109	147	182	152	135	-
Dis. of Lungs	1580	425	258	78	51	30	842	38	18	16	22	56	90	143	236	236	145	27
Dis. of Stom. and Liver	531	35	7	4	4	2	62	13	11	17	20	45	69	102	118	62	24	1
Dis. of Kidneys	88	-	2	3	3	2	10	6	-	7	3	17	10	11	12	6	5	1
Dis. of Gen. Organs	64	-	1	-	-	-	1	-	1	3	4	4	6	3	6	0	1	-
Dis. of Joints	43	1	-	2	-	-	3	4	2	6	1	4	1	1	4	6	1	1
Dis. of Skin	13	2	-	-	-	-	2	-	-	-	-	-	1	1	4	-	-	-
Childbirth and Metris	195	-	-	-	-	-	-	-	-	7	36	82	67	3	-	-	-	-
Suicide	24	-	-	-	-	-	-	-	-	-	2	5	2	7	6	1	1	-
Other Violent Deaths	142	10	9	15	21	6	61	18	10	7	1	8	10	3	6	11	5	2
Other Causes	1543	802	130	18	5	4	959	16	7	6	9	18	19	45	76	236	351	106

470.—BARTON-UPON-IRWELL.

Mean Popul ⁿ , 1861-71	24105	679	604	638	597	548	3056	2674	2536	2443	2522	3832	2810	2049	1262	689	213	19
TOTAL DEATHS	4826	1080	358	167	137	95	1857	195	140	162	189	376	322	327	445	430	327	76
Small-pox	22	4	1	-	1	1	7	3	2	-	-	6	1	1	-	-	-	-
Measles	95	18	39	15	7	8	87	8	-	-	-	-	-	-	-	-	-	-
Scarlatina	200	15	19	32	37	21	124	60	12	4	-	-	-	-	-	-	-	-
Diphtheria	36	6	3	4	5	2	20	9	3	2	1	1	-	-	-	-	-	-
Whooping-cough	78	32	25	11	5	4	77	1	-	-	-	-	-	-	-	-	-	-
Typhus	248	18	10	7	10	9	54	32	25	18	17	44	24	11	12	7	3	1
Diarrhoea & Dysentery	258	135	25	6	1	-	173	4	1	1	1	1	1	1	14	15	20	4
Cholera	26	2	1	-	-	-	3	-	2	-	2	2	2	1	1	2	1	-
Other Zymotic Dis.	114	11	14	11	11	13	69	9	2	5	4	6	5	7	7	6	3	-
Cancer	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	76	25	13	9	2	1	49	5	8	-	4	15	24	32	32	18	10	-
Phthisis	655	15	14	3	5	3	40	31	49	98	108	166	111	54	24	4	1	-
Hydrocephalus	40	11	12	4	-	5	32	5	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	263	206	43	20	16	6	288	16	8	9	4	15	17	57	63	61	43	4
Dis. of Heart & Dropsy	313	2	2	2	2	2	19	7	8	5	8	30	32	50	80	25	20	2
Dis. of Lungs	739	164	80	27	20	9	302	9	6	4	5	28	29	70	110	109	59	8
Dis. of Stom. and Liver	265	26	5	1	3	-	33	2	4	5	8	22	29	39	62	18	1	-
Dis. of Kidneys	39	-	1	-	-	1	2	1	1	1	5	3	5	12	4	4	1	-
Dis. of Gen. Organs	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	15	1	-	-	1	-	2	1	1	3	2	4	1	1	1	1	1	-
Dis. of Skin	16	2	-	2	-	-	4	1	-	-	1	3	-	1	2	-	-	-
Childbirth and Metris	75	-	-	-	-	-	-	-	-	1	17	33	23	1	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-
Other Violent Deaths	64	6	4	5	6	5	26	8	3	2	1	4	8	7	1	2	6	1
Other Causes	799	382	42	8	5	5	442	8	4	-	2	10	14	13	27	92	134	53

471.—CHORLTON.

Mean Popul ⁿ , 1861-71	100183	3123	2561	2632	2447	2351	13134	10817	9251	9396	10910	17907	12528	8528	5046	2239	560	67
TOTAL DEATHS	23778	5730	2571	1281	742	508	10832	1630	424	619	805	1750	1608	1759	1981	1771	937	163
Small-pox	107	32	7	7	6	5	37	9	1	10	11	11	5	1	1	1	-	-
Measles	686	84	107	112	67	22	482	29	2	-	11	1	-	-	-	-	-	-
Scarlatina	1304	71	212	245	184	158	870	849	69	9	13	9	3	-	-	-	-	-
Diphtheria	203	18	34	19	33	25	129	55	11	3	-	1	1	-	-	2	1	-
Whooping-cough	907	500	302	146	89	48	866	41	-	-	-	-	-	-	-	-	-	-
Typhus	1093	38	44	49	46	42	509	132	70	97	76	108	118	109	61	34	8	-
Diarrhoea & Dysentery	1555	361	262	69	11	5	1539	11	5	3	4	11	12	31	38	57	40	4
Cholera	27	6	2	-	-	-	8	2	1	-	2	4	2	4	5	3	-	-
Other Zymotic Dis.	453	78	70	60	46	27	291	58	6	6	9	22	22	22	24	14	8	-
Cancer	442	-	-	-	-	-	-	-	-	-	-	1	28	77	144	107	67	15
Scrofula and Tuberc.	533	132	65	27	18	8	250	23	23	15	12	10	9	5	6	-	-	-
Phthisis	2694	25	23	11	11	7	77	52	88	303	417	827	594	536	92	34	1	-
Hydrocephalus	473	153	101	67	22	24	427	67	8	-	1	-	-	-	-	-	-	-
Dis. of Brain	2625	990	241	113	61	34	1429	86	41	29	59	88	135	204	271	246	115	12
Dis. of Heart & Dropsy	1096	17	14	5	12	3	51	21	27	28	67	119	139	208	232	170	46	-
Dis. of Lungs	6020	844	500	216	111	56	1737	77	53	41	40	158	235	459	705	691	227	24
Dis. of Stom. and Liver	907	97	26	18	6	7	150	17	18	25	28	88	125	160	110	85	1	-
Dis. of Kidneys	169	1	2	1	4	4	12	5	4	7	9	26	32	31	27	10	6	-
Dis. of Gen. Organs	111	-	-	-	-	-	-	-	2	8	17	21	29	20	13	1	-	-
Dis. of Joints	69	2	1	2	1	2	8	7	5	12	4	5	11	3	8	3	1	-
Dis. of Skin	39	10	3	1	1	-	15	-	-	-	2	6	5	3	6	2	-	-
Childbirth and Metris	340	-	-	-	-	-	-	-	-	17	63	162	88	7	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	-	1	3	4	4	1	5	2	-	-
Other Violent Deaths	267	37	33	27	11	12	119	19	9	5	4	14	18	25	22	12	17	6
Other Causes	3078	1553	332	85	29	19	2320	36	11	11	18	42	67	90	175	269	410	115

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and over.
		Year.																
472.—SALFORD.																		
Mean Popul ⁿ , 1861-71	55403	1948	1631	1644	1514	1473	8210	6559	5729	5493	5454	9004	6626	4548	2512	1030	221	17
TOTAL DEATHS -	15950	4540	1899	771	491	341	8042	720	302	370	428	951	1121	1240	1259	1006	446	71
Small-pox - - -	93	19	7	11	4	6	47	13	6	7	9	6	3	2	-	-	-	-
Measles - - -	432	91	190	91	42	17	431	39	1	-	-	-	-	-	-	-	-	-
Scarlatina - - -	732	48	137	107	120	97	509	188	27	2	2	1	1	-	-	-	-	-
Diphtheria - - -	119	16	36	18	19	7	96	16	2	2	1	1	-	-	1	-	-	-
Whooping-cough -	513	212	149	77	35	24	497	15	1	-	-	-	-	-	-	-	-	-
Typhus - - -	757	28	81	48	37	33	172	97	60	61	58	77	64	53	53	28	3	1
Diarrhoea & Dysentery	1429	903	317	45	18	7	1291	11	3	2	-	7	20	18	21	37	13	4
Cholera - - -	45	7	2	-	1	1	11	3	-	-	-	4	5	8	8	4	2	-
Other Zymotic Dis.	382	88	67	47	32	20	254	34	10	5	5	5	19	13	19	14	4	-
Cancer - - -	117	-	-	1	-	-	1	1	-	3	1	3	15	24	43	20	6	-
Scrofula and Tuberc	263	72	70	25	13	7	187	25	11	7	7	11	7	7	7	1	-	-
Phthisis - - -	1615	9	16	16	8	14	63	59	44	100	220	405	330	175	69	9	-	-
Hydrocephalus - -	299	118	77	45	23	12	273	23	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	2037	983	183	88	31	23	1230	41	24	23	15	37	94	123	179	173	47	4
Dis. of Heart & Dropsy	559	12	8	7	9	6	42	21	13	17	13	70	89	115	102	67	18	3
Dis. of Lungs - - -	2290	652	353	166	61	33	1203	61	9	16	37	116	231	381	468	232	134	2
Dis. of Stom. and Liver	498	67	6	5	3	5	86	19	16	12	17	38	73	98	82	48	8	1
Dis. of Kidneys - -	302	3	2	5	4	4	18	9	7	6	5	23	19	36	33	32	11	-
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	75	3	-	2	1	2	8	15	14	6	4	0	7	5	6	4	1	-
Dis. of Skin - - -	33	15	1	2	-	1	19	1	1	-	-	1	1	2	1	3	2	1
Childbirth and Metria Suite	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	598	21	22	16	15	15	89	61	49	51	30	75	61	59	59	27	2	2
Other Causes - - -	2259	1173	223	43	15	7	1461	17	12	10	6	23	82	90	125	139	134	4

473.—MANCHESTER.																	
Mean Popul ⁿ , 1861-71	118020	3890	3267	3231	3079	2989	16456	13560	12199	11660	11171	19132	14549	10453	5838	2408	552
TOTAL DEATHS -	41759	10728	4458	2015	1233	967	19401	1990	794	1095	1304	2811	3382	3611	3513	2619	1158
Small-pox -	212	39	22	17	10	13	101	40	11	14	15	20	10	-	1	-	-
Measles -	941	192	553	198	110	46	899	29	-	1	2	-	-	-	-	-	-
Scarlatina -	2020	114	302	335	320	309	1330	530	92	11	4	1	2	-	-	-	-
Diphtheria -	186	30	46	26	20	14	136	26	6	6	2	3	1	2	3	1	-
Whooping-cough -	1139	415	353	186	82	48	1084	51	5	-	1	-	-	-	-	-	-
Typhus -	2095	46	78	79	74	80	357	242	111	170	150	253	289	284	167	69	13
Diarrhoea & Dysentery -	3183	1085	708	124	39	10	2873	25	5	5	5	19	22	49	79	71	23
Cholera -	81	13	1	3	2	-	19	4	1	2	2	7	10	16	15	6	2
Other Zymotic Dis. -	833	135	171	102	73	69	550	71	14	15	19	25	45	29	34	30	11
Cancer -	205	-	-	-	-	1	1	1	4	7	16	27	37	63	64	56	14
Scrofula and Tuberc. -	756	270	183	77	33	23	589	50	27	21	19	22	11	4	8	3	-
Phthisis -	4528	68	65	30	26	21	210	99	135	422	604	1098	882	361	267	56	4
Hydrocephalus -	743	285	190	84	48	41	632	73	14	3	1	-	-	-	-	-	-
Dis. of Brain -	4842	2058	844	190	77	51	2630	100	47	48	62	231	302	379	438	320	138
Dis. of Heart & Dropsy -	1448	14	16	18	12	16	76	62	41	54	49	186	243	295	256	181	32
Dis. of Lungs -	7840	1639	925	331	175	89	3139	139	40	61	58	327	696	995	1224	858	395
Dis. of Stom. and Liver -	1886	141	27	19	10	7	504	38	28	36	33	117	177	214	209	121	29
Dis. of Kidneys -	629	5	9	14	10	15	53	26	12	20	21	62	97	133	110	73	26
Dis. of Gen. Organs -	5	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	-
Dis. of Joints -	103	4	8	2	2	4	15	21	18	24	19	21	18	20	21	7	3
Dis. of Skin -	93	30	7	1	2	40	3	2	2	2	5	4	4	12	4	15	4
Childbirth and Metria Suite -	120	-	-	-	-	-	-	-	-	3	5	17	41	31	32	13	6
Other Violent Deaths -	2168	104	73	73	57	75	384	190	164	139	139	230	502	268	183	43	23
Other Causes -	6390	3158	573	137	54	27	2929	45	22	24	25	122	221	266	404	652	548

474.—ASHTON-UNDER-LYNE.																	
Mean Popul ⁿ , 1861-71	62280	2012	1730	1709	1592	1612	8655	7379	6779	6479	5784	9157	7222	5567	3420	1446	373
TOTAL DEATHS -	16838	5611	1644	678	436	331	8100	692	352	535	540	891	946	1238	1407	1263	588
Small-pox -	48	11	6	4	2	4	27	6	1	3	3	4	3	1	-	-	-
Measles -	412	84	145	91	46	25	391	19	2	-	-	-	-	-	-	-	-
Scarlatina -	845	65	148	124	157	115	589	214	31	7	-	2	-	-	-	-	-
Diphtheria -	59	8	13	6	8	5	35	18	2	1	1	-	-	1	1	-	-
Whooping-cough -	266	154	97	30	22	4	287	11	-	-	-	-	-	-	-	-	-
Typhus -	578	18	36	30	26	23	133	83	49	51	49	55	63	35	41	23	4
Diarrhoea & Dysentery -	986	632	179	31	6	6	854	5	2	1	3	8	8	23	33	31	19
Cholera -	43	12	1	4	1	-	18	1	-	-	1	4	3	7	4	5	2
Other Zymotic Dis. -	376	47	69	47	42	30	235	26	7	10	5	16	10	21	20	13	3
Cancer -	98	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc. -	192	79	37	10	3	4	153	11	10	13	5	10	2	28	27	11	8
Phthisis -	1775	27	29	11	7	7	72	33	69	248	312	399	266	214	124	57	-
Hydrocephalus -	226	116	85	28	13	22	264	22	8	2	-	-	-	-	-	-	-
Dis. of Brain -	2440	1293	187	73	43	22	1619	64	34	25	28	49	72	118	173	167	63
Dis. of Heart & Dropsy -	835	16	18	6	5	7	46	36	17	40	18	77	112	157	220	174	47
Dis. of Lungs -	2792	794	314	98	35	28	1959	84	15	21	32	94	133	200	428	260	126
Dis. of Stom. and Liver -	645	72	18	7	5	6	168	13	20	30	21	59	67	122	118	69	22
Dis. of Kidneys -	291	-	4	1	4	1	19	2	6	8	3	20	17	21	29	23	8
Dis. of Gen. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	75	5	4	1	2	1	13	8	-	14	2	7	7	6	6	1	1
Dis. of Skin -	45	19	3	1	-	-	23	-	-	6	4	1	1	4	4	3	1
Childbirth and Metria Suite -	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	627	22	17	23	18	13	95	51	52	48	47	73	77	78	51	46	2
Other Causes -	2974	1556	248	61	18	8	1878	14	9	8	5	29	64	69	131	239	204

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.			
472.—SALFORD.																					
Mean Popul ⁿ . 1861-71		61709	1962	1630	1616	1517	1453	8178	6614	5919	5982	6519	10732	7554	5217	3118	1430	407	39		
TOTAL DEATHS -		15545	3721	1817	843	510	333	7229	623	276	411	533	1026	1103	1174	1249	1166	616	134		
Small-pox - - -		81	23	8	7	6	5	43	7	5	5	3	7	4	1	-	-	-	-		
Measles - - - -		394	67	151	92	41	20	374	15	5	1	1	-	-	-	-	-	-	-		
Scarlatina - - -		725	48	120	121	120	90	501	183	25	8	5	2	-	-	1	-	-	-		
Diphtheria - - -		113	18	20	18	22	9	82	17	6	3	1	-	2	1	-	1	-	-		
Whooping-cough -		642	187	227	114	56	26	610	30	1	-	1	-	-	-	-	-	-	-		
Typhus - - - - -		818	24	33	48	36	27	108	98	67	60	52	85	120	85	53	29	5	1		
Diarrhoea & Dysentery		1377	796	817	81	15	8	1187	8	3	-	5	13	17	29	28	52	28	7		
Cholera - - - - -		37	5	3	2	-	1	9	1	1	-	-	2	1	6	1	-	-	-		
Other Zymotic Dis. -		529	61	71	50	33	20	235	23	9	4	4	12	10	4	15	7	6	-		
Cancer - - - - -		292	-	-	-	-	-	-	-	-	-	3	22	48	87	83	50	11	2		
Scrofula and Tuberc. -		203	64	63	23	9	5	164	18	7	6	2	-	4	1	1	-	-	-		
Phthisis - - - -		1561	11	11	14	10	7	33	63	33	60	205	282	444	307	127	40	10	-		
Hydrocephalus - -		236	75	70	29	17	15	201	17	2	-	1	-	-	-	-	-	-	-		
Dis. of Brain - - -		1834	813	138	65	34	27	1077	40	16	25	26	55	77	124	155	169	65	4		
Dis. of Heart & Dropsy		705	9	4	6	3	8	39	30	22	29	28	78	98	135	129	103	27	3		
Dis. of Lungs - - -		2771	493	319	114	66	30	1022	68	12	18	22	97	193	334	444	419	151	21		
Dis. of Stom. and Liver		524	38	31	8	7	2	76	12	13	10	16	38	64	101	108	29	25	2		
Dis. of Kidneys - -		128	1	4	2	1	2	10	10	5	9	7	17	21	21	13	15	-	-		
Dis. of Gen. Organs -		47	-	1	-	-	-	1	-	-	-	5	4	9	16	10	2	1	-		
Dis. of Joints - - -		57	3	1	1	-	3	8	6	7	8	5	1	2	4	6	3	2	-		
Dis. of Skin - - - -		43	15	3	3	-	-	21	1	-	2	2	3	1	4	3	4	2	-		
Childbirth and Metris		218	-	-	-	-	-	-	-	-	7	49	102	58	2	-	-	-	-		
Suicide - - - - -		17	-	-	-	-	-	-	-	-	-	1	1	5	9	1	-	-	-		
Other Violent Deaths -		239	25	22	24	12	9	92	37	6	4	4	20	17	8	16	17	16	5		
Other Causes - - - -		2174	932	210	54	19	19	1234	19	6	10	22	45	70	131	242	277	92	-		

473.—MANCHESTER.																										
Mean Popul ⁿ . 1861-71		129952	3919	3285	3205	3156	2977	16542	13677	12297	12696	13439	22164	16651	11654	6788	3081	852	111							
TOTAL DEATHS -		39583	8855	4440	2036	1309	878	17518	1576	712	940	1284	2897	3207	3352	3415	2904	1474	204							
Small-pox -		201	48	22	16	11	5	102	21	9	17	19	21	9	2	1	-	-	-							
Measles -		949	182	355	227	98	41	903	44	-	1	-	-	-	-	-	-	-	-							
Scarlatina -		1859	111	288	221	236	253	1299	431	88	17	5	8	2	-	-	-	-	-							
Diphtheria -		203	19	54	40	21	23	157	22	6	5	4	3	8	-	3	-	-	-							
Whooping-cough -		1449	464	486	220	147	73	1390	58	1	-	-	-	-	-	-	-	-	-							
Typhus -		2127	29	64	90	80	81	344	200	166	163	159	202	314	285	173	69	14	-							
Diarrhoea & Dysentery -		3185	1748	770	157	52	14	2711	26	4	4	33	39	50	80	84	34	10	-							
Cholera -		67	5	4	-	2	-	13	4	1	3	8	9	11	10	2	-	-	-							
Other Zymotic Dis. -		729	97	144	124	81	51	497	58	18	21	15	34	31	21	32	22	9	1							
Cancer -		676	-	-	1	-	-	2	1	3	2	8	40	149	216	128	85	19	4							
Scrofula and Tuberc. -		634	205	171	74	28	16	494	45	25	13	16	11	11	6	9	3	1	-							
Phthisis -		4264	60	53	32	17	23	175	84	173	423	636	1216	907	490	177	41	3	-							
Hydrocephalus -		558	189	173	32	35	29	490	55	11	-	-	2	-	-	-	-	-	-							
Dis. of Brain -		4067	1602	303	103	54	24	2151	86	23	28	67	183	250	346	404	344	127	20							
Dis. of Heart & Dropsy -		1690	19	13	12	18	9	73	36	41	33	66	189	273	331	346	203	65	4							
Dis. of Lungs -		7358	1208	890	331	186	117	2768	139	47	63	77	299	833	933	1215	944	318	19							
Dis. of Stom. and Liver -		1327	117	36	23	16	12	204	54	12	21	38	131	212	240	263	136	63	3							
Dis. of Kidneys -		538	-	4	4	8	-	20	9	4	11	25	53	67	68	48	26	4	-							
Dis. of Gen. Organs -		156	-	1	1	-	-	2	-	-	3	6	33	32	40	17	20	3	-							
Dis. of Joints -		131	2	5	1	1	3	12	30	17	5	15	11	13	11	10	5	2	-							
Dis. of Skin -		77	25	10	3	1	2	41	2	3	-	3	1	8	7	5	8	4	-							
Childbirth and Metris -		472	-	-	-	-	-	-	-	-	29	89	205	140	8	-	-	-	-							
Suicide -		42	-	-	-	-	-	-	-	1	-	1	10	11	9	5	4	1	-							
Other Violent Deaths -		848	85	76	43	35	36	275	140	30	27	25	49	65	71	78	45	31	7							
Other Causes -		6203	2599	540	140	60	21	3353	51	10	21	28	84	134	245	403	843	784	235							

474.—ASHTON-UNDER-LYNE.																			
Mean Popul ⁿ . 1861-71	70410	2020	1704	1653	1636	1610	8623	7433	6984	7212	7187	11380	8732	6536	3998	1810	478	37	
TOTAL DEATHS -	16563	3901	1542	665	463	317	6897	661	350	553	644	1271	1101	1210	1478	1372	816	137	
Small-pox - - -	42	10	6	7	1	3	27	2	3	2	3	2	-	2	1	-	-	-	
Measles - - -	437	82	167	89	32	15	405	28	3	1	-	-	-	-	-	-	-	-	
Scarlatina - - -	788	54	114	135	133	103	510	214	35	10	3	2	2	-	-	-	-	-	
Diphtheria - - -	73	6	14	6	6	10	43	15	5	-	3	1	2	1	-	-	-	-	
Whooping-cough -	379	147	127	49	17	27	967	9	2	-	1	-	-	-	-	-	-	-	
Typhus - - -	854	17	27	25	35	30	135	79	50	53	46	67	46	41	33	22	6	-	
Dysentery & Dysentery	822	496	148	18	15	3	659	8	1	4	4	10	22	19	37	48	27	3	
Cholera - - -	36	11	6	-	-	-	16	2	-	-	-	2	3	3	4	4	2	-	
Other Zymotic Dis.	571	37	56	47	56	16	122	34	12	16	11	15	12	19	25	10	12	-	
Cancer - - -	231	-	-	-	-	1	1	-	-	-	2	21	47	62	50	39	9	-	
Scrophula and Tuberc.	163	51	37	9	6	2	105	9	7	4	8	6	9	8	7	-	-	-	
Phthisis - - -	2167	20	12	12	12	6	62	27	93	329	371	600	366	193	97	25	4	-	
Hydrocephalus - -	192	66	26	21	16	10	169	16	5	1	-	-	1	-	-	-	-	-	
Dis. of Brain - - -	2185	978	167	79	48	30	1302	57	33	23	24	65	84	150	166	166	77	6	
Dis. of Heart & Dropsy	1196	7	17	6	5	5	40	25	29	31	40	118	137	231	261	264	44	-	
Dis. of Lungs - - -	2579	583	317	95	60	25	1070	60	21	10	23	102	143	265	397	321	149	12	
Dis. of Stom. and Liver	693	67	16	2	3	9	99	19	16	25	24	60	85	115	122	92	24	1	
Dis. of Kidneys - -	59	1	-	1	1	-	1	4	3	4	6	19	15	17	16	9	3	-	
Dis. of Genital Organs	64	-	1	-	-	-	1	-	-	2	2	9	13	20	13	4	1	-	
Dis. of Joints - - -	74	-	1	1	2	1	5	6	6	6	5	9	6	9	13	7	2	-	
Dis. of Skin - - -	20	9	2	-	-	-	11	-	-	-	-	-	-	2	4	2	1	-	
Childbirth and Metritis	237	-	-	-	-	-	-	-	-	7	46	126	74	4	-	-	-	-	
Salutaria - - -	25	-	-	-	-	-	-	-	-	2	-	3	3	7	5	4	1	-	
Other Violent Deaths -	216	19	18	19	11	13	80	25	21	11	6	3	16	17	14	12	10	1	
Other Causes - - -	2830	1261	234	41	17	8	1561	14	8	15	13	23	59	85	153	371	444	10	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
475.—OLDHAM.																				
Mean Popul ⁿ , 1861-71		58019	1874	1620	1601	1551	1486	8132	6795	6148	5825	5711	9074	6946	4897	2891	1246	229	25	
TOTAL DEATHS		15808	4684	1628	739	453	380	7884	758	853	399	468	797	929	1084	1289	1099	654	34	
Small-pox		77	22	3	4	7	4	40	12	1	7	5	8	2	2	-	-	-	-	
Measles		357	83	161	76	53	12	367	18	1	-	-	-	-	-	-	-	-	-	
Scarlatina		1036	57	147	186	146	145	679	286	51	12	3	8	1	1	-	-	-	-	
Diphtheria		92	17	21	6	11	8	63	19	2	1	-	1	3	1	2	-	-	-	
Whooping-cough		324	145	96	44	16	15	316	7	1	-	-	-	-	-	-	-	-	-	
Typhus		380	24	20	12	22	18	96	59	48	51	32	65	58	43	30	14	8	3	
Diarrhoea & Dysentery		755	462	143	29	10	2	646	10	2	4	1	2	7	9	23	26	18	3	
Cholera		60	12	3	-	1	1	17	2	1	1	1	2	6	10	12	7	1	1	
Other Zymotic Dis.		476	62	83	53	46	32	276	33	16	17	11	21	26	24	22	18	14	1	
Cancer		70	-	-	-	-	-	-	-	2	-	1	3	4	13	30	31	6	-	
Scrophula and Tuberc.		369	162	60	11	7	5	245	13	11	12	7	6	4	4	7	-	-	-	
Phthisis		1568	28	26	16	6	13	89	47	66	179	246	339	261	297	95	22	7	-	
Hydrocephalus		241	97	64	23	16	9	214	21	5	1	-	-	-	-	-	-	-	-	
Dis. of Brain		2129	1666	193	75	44	38	1386	71	38	24	25	53	75	95	132	145	61	-	
Dis. of Heart & Dropsy		777	17	11	3	6	10	47	35	23	15	18	58	100	132	178	129	36	3	
Dis. of Lungs		2754	822	322	103	42	30	1325	41	15	10	24	64	162	271	375	368	143	16	
Dis. of Stom. and Liver		605	84	10	8	7	2	111	20	17	21	14	46	61	108	113	75	30	-	
Dis. of Kidneys		129	1	1	2	3	1	8	5	4	1	7	10	15	19	27	38	18	3	
Dis. of Genes. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		46	-	-	2	-	1	8	4	4	6	4	3	7	4	7	5	1	-	
Dis. of Skin		30	15	-	3	-	2	20	1	3	1	1	1	1	1	-	-	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		88	-	-	-	-	-	-	-	1	-	2	12	13	27	18	12	3	-	
Other Violent Deaths		302	9	22	31	19	15	96	34	26	28	35	67	69	58	49	20	10	-	
Other Causes		2793	1229	242	47	9	15	1840	20	15	8	11	24	54	53	168	235	268	62	
476.—ROCHDALE.																				
Mean Popul ⁿ , 1861-71		48366	1497	1336	1266	1210	1207	6516	5662	5258	4993	4597	7335	5851	4163	2515	1142	314	20	
TOTAL DEATHS		12333	3207	1183	508	375	259	5532	565	263	364	370	702	818	980	1087	976	521	36	
Small-pox		94	23	11	7	6	6	53	7	3	10	19	7	4	-	-	-	-	-	
Measles		327	60	127	57	29	18	311	16	-	-	-	-	-	-	-	-	-	-	
Scarlatina		715	38	106	103	129	93	469	197	33	11	2	3	-	-	-	-	-	-	
Diphtheria		63	13	13	6	5	7	44	11	2	1	2	-	3	-	-	-	-	-	
Whooping-cough		218	95	78	32	4	6	210	8	-	-	-	-	-	-	-	-	-	-	
Typhus		490	14	21	10	18	11	74	45	44	46	30	55	50	37	15	29	4	-	
Diarrhoea & Dysentery		322	313	91	16	2	5	427	9	4	2	3	4	7	11	22	13	26	1	
Cholera		42	5	2	1	4	-	12	-	-	1	-	4	5	6	5	2	4	-	
Other Zymotic Dis.		327	56	88	48	29	27	198	28	5	8	9	13	19	15	17	7	8	-	
Cancer		85	-	-	-	-	1	1	-	-	-	3	2	9	22	22	17	7	-	
Scrophula and Tuberc.		237	93	56	14	6	6	172	18	14	7	9	8	2	5	7	-	-	-	
Phthisis		1920	15	15	13	7	1	51	22	42	175	177	268	230	186	83	13	1	-	
Hydrocephalus		246	89	70	28	16	8	211	25	6	1	-	1	1	-	-	-	-	-	
Dis. of Brain		1669	675	123	51	56	28	913	56	26	20	25	41	66	99	127	139	55	5	
Dis. of Heart & Dropsy		611	14	12	6	5	6	43	24	14	15	18	50	71	114	134	98	33	3	
Dis. of Lungs		2244	550	209	68	48	17	901	38	11	12	29	75	160	235	343	256	130	16	
Dis. of Stom. and Liver		569	84	17	4	3	6	114	16	17	17	14	38	55	99	115	69	31	-	
Dis. of Kidneys		165	1	5	3	3	3	15	6	6	4	4	10	18	29	31	28	12	1	
Dis. of Genes. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		46	-	2	2	2	2	8	2	7	5	4	4	1	6	5	4	-	-	
Dis. of Skin		28	10	3	1	-	-	14	2	1	2	-	1	1	1	5	2	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		68	-	-	-	-	-	-	-	-	1	-	6	12	13	15	9	2	-	
Other Violent Deaths		404	12	16	17	14	9	68	31	19	24	26	44	55	63	47	34	11	2	
Other Causes		2695	1018	175	21	9	2	1223	4	9	2	9	23	49	76	104	221	258	62	
477.—HASLINGDEN.																				
Mean Popul ⁿ , 1861-71		36097	1137	956	992	957	894	4936	4192	4064	3846	3516	5408	4156	3103	1862	792	205	17	
TOTAL DEATHS		8584	2551	708	315	238	137	4050	427	221	250	265	431	503	577	705	693	379	78	
Small-pox		20	3	2	-	-	-	5	1	1	-	-	3	5	3	2	-	-	-	
Measles		186	48	82	28	17	10	185	2	-	-	-	-	1	-	-	-	-	-	
Scarlatina		516	38	71	61	66	48	504	164	37	8	2	1	-	-	-	-	-	-	
Diphtheria		45	5	14	7	2	5	33	8	-	-	-	-	-	-	-	-	1	-	
Whooping-cough		168	86	54	19	9	5	167	1	-	-	-	-	-	-	-	-	-	-	
Typhus		308	12	13	10	7	8	50	45	17	26	33	40	51	18	26	15	8	-	
Diarrhoea & Dysentery		342	294	47	6	6	2	263	1	1	1	-	9	3	11	24	18	3	-	
Cholera		28	3	1	-	-	-	4	1	1	-	1	4	4	6	4	5	1	-	
Other Zymotic Dis.		299	40	46	35	35	12	168	23	7	11	4	9	14	11	9	6	6	1	
Cancer		51	1	-	-	-	-	1	-	1	-	1	1	6	14	15	11	2	-	
Scrophula and Tuberc.		197	93	40	7	5	-	145	11	15	3	6	6	5	3	1	2	-	-	
Phthisis		803	26	14	7	5	5	57	15	32	119	136	179	129	76	52	12	9	-	
Hydrocephalus		208	86	66	18	11	7	178	23	6	1	-	-	-	-	-	-	-	-	
Dis. of Brain		1182	506	73	22	16	18	635	43	24	15	10	27	45	80	98	131	74	4	
Dis. of Heart & Dropsy		411	4	3	2	6	-	15	7	15	6	14	27	40	73	92	88	32	3	
Dis. of Lungs		1556	468	172	48	32	19	739	39	10	12	15	47	30	114	184	230	69	17	
Dis. of Stom. and Liver		597	159	27	4	5	4	199	12	19	17	12	22	53	69	110	71	25	1	
Dis. of Kidneys		109	2	3	3	2	1	10	4	4	1	6	6	19	22	23	21	12	5	
Dis. of Genes. Organs		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Joints		51	2	2	1	1	-	6	8	-	0	2	5	5	4	3	2	1	-	
Dis. of Skin		24	9	4	-	-	1	14	1	-	1	-	1	-	2	1	-	-	-	
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		28	-	-	-	-	-	-	-	-	-	1	5	6	7	6	2	1	-	
Other Violent Deaths		309	11	19	15	11	11	67	19	17	17	18	35	41	48	30	18	3	-	
Other Causes		1141	745	65	9	2	1	812	3	5	6	1	10	13	26	26	50	117	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.
475.—OLDHAM.																		
Mean Popul ⁿ , 1861-71	61110	1917	1646	1636	1526	1603	8323	6870	6198	6032	5984	9916	7467	5261	3140	1463	410	41
TOTAL DEATHS	14644	3923	1005	708	454	338	6733	702	276	456	512	1010	906	952	1114	1133	673	117
Small-pox	55	6	2	6	4	2	29	6	7	8	5	8	1	1	-	-	-	-
Measles	400	90	154	91	24	15	380	19	-	-	-	-	-	-	-	-	-	-
Scarlatina	950	51	158	159	139	123	630	263	42	8	4	2	1	-	-	-	-	-
Diphtheria	99	13	14	17	7	11	62	24	6	-	2	3	1	-	-	-	1	-
Whooping-cough	401	160	124	52	29	20	385	16	-	-	-	-	-	-	-	-	-	-
Typhus	487	17	23	15	23	19	97	50	43	37	41	52	44	45	81	21	6	2
Diarrhea & Dysentery	698	364	154	15	10	5	548	5	3	1	6	15	7	9	26	47	29	1
Cholera	46	8	3	1	-	3	15	2	1	-	-	4	6	5	8	4	1	-
Other Zymotic Dis.	440	53	75	83	48	37	269	52	8	7	11	17	16	15	20	17	5	-
Cancer	200	-	-	-	-	-	1	-	-	-	1	8	30	38	53	38	11	-
Scrofula and Tuberc.	244	124	56	20	3	3	206	6	7	5	5	4	2	4	3	1	1	-
Phthisis	1713	32	27	7	5	5	76	44	69	226	264	473	290	151	59	90	1	-
Hydrocephalus	169	72	48	17	10	5	132	14	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	1700	698	184	63	59	35	1021	69	32	17	29	41	64	76	129	150	73	5
Dis. of Heart & Dropsy	901	18	11	7	4	9	49	35	20	86	25	84	124	186	186	155	38	3
Dis. of Lungs	2336	672	502	101	57	33	1665	38	8	15	23	72	129	228	323	314	124	12
Dis. of Stom. and Liver	614	71	14	9	8	4	108	14	10	10	17	51	74	91	117	99	25	-
Dis. of Kidneys	61	1	-	1	3	-	5	4	1	4	4	9	8	9	11	5	1	-
Dis. of Gener. Organs	53	-	-	-	-	-	-	-	-	-	-	4	17	12	13	6	1	-
Dis. of Joints	38	2	1	-	-	-	3	5	1	4	2	6	5	5	4	3	-	-
Dis. of Skin	30	8	4	3	1	2	18	-	-	-	-	2	1	2	4	2	1	-
Childbirth and Metris.	293	-	-	-	-	-	-	-	-	-	11	61	122	96	3	-	-	-
Suicide	24	-	-	-	-	-	-	-	-	-	3	2	5	3	6	3	1	1
Other Violent Deaths	131	12	10	17	8	6	53	22	8	5	2	5	11	3	5	10	5	2
Other Causes	2475	1250	241	54	21	10	1576	13	7	9	6	24	35	45	108	230	330	92

476.—ROCHDALE.

Mean Popul ⁿ , 1861-71		52440	1507	1304	1350	1221	1203	6585	5745	5341	5476	5356	8492	6443	4587	2705	1293	383 34
TOTAL DEATHS		11727	2582	1168	524	348	265	4887	566	283	408	482	854	824	768	948	978	620 109
Small-pox		64	12	8	9	3	5	37	6	5	5	6	5	-	-	-	-	-
Measles		284	66	123	62	21	9	271	11	1	1	-	-	-	-	-	-	-
Scarlatina		708	45	28	101	169	94	447	205	33	5	7	7	3	1	-	-	-
Diphtheria		49	8	6	7	7	8	36	7	4	-	1	-	-	-	1	-	-
Whooping-cough		294	113	98	56	29	12	279	15	-	-	35	61	48	30	22	17	9
Typhus		467	11	23	18	14	17	87	64	46	56	5	3	6	10	19	38	18
Diarrhea & Dysentery		457	267	72	18	1	2	360	6	-	-	5	3	2	2	3	3	3
Cholera		23	7	2	-	-	1	10	3	1	-	1	1	2	2	2	7	1
Other Zymotic Dis.		285	41	44	31	38	22	176	29	6	3	6	6	13	9	12	17	7
Cancer		217	-	-	-	-	-	1	-	-	-	1	7	44	57	74	21	11
Scrofula and Tuberc.		164	55	48	4	9	8	124	8	4	6	6	2	7	5	2	-	-
Phthisis		1422	7	14	6	6	10	43	24	65	218	244	378	251	131	49	16	3
Hydrocephalus		206	64	59	21	10	14	168	26	11	-	-	1	-	-	-	-	-
Dis. of Brain		1425	503	153	65	37	23	761	60	29	21	27	36	53	88	116	157	71
Dis. of Heart & Dropsy		749	11	9	2	8	2	27	16	33	26	35	74	87	122	161	129	37
Dis. of Lungs		1835	451	228	91	35	22	827	33	11	21	26	77	96	136	244	243	108
Dis. of Stom. and Liver		613	64	16	2	3	1	86	18	12	19	22	47	79	99	119	81	30
Dis. of Kidneys		98	1	2	2	6	6	17	3	3	8	1	17	15	14	10	6	4
Dis. of Gener. Organs		41	-	-	-	-	-	-	-	-	-	1	8	7	12	6	6	1
Dis. of Joints		37	2	1	1	1	-	5	5	3	4	2	1	9	5	1	2	-
Dis. of Skin		20	6	2	1	-	-	-	-	-	-	-	2	2	1	1	3	1
Childbirth and Metris.		302	-	-	-	-	-	-	-	-	7	42	91	60	2	-	-	-
Suicide		23	-	-	-	-	-	-	-	-	4	3	3	8	5	6	4	-
Other Violent Deaths		125	7	8	12	8	5	40	13	10	1	6	6	5	10	8	13	9
Other Causes		1904	851	172	85	15	4	1077	12	6	3	5	21	29	39	93	232	306 79

477.—HASLINGDEN.

Mean Popul ⁿ , 1861-71		38772	1165	1028	976	959	941	5069	4355	4197	4192	3980	6047	4558	3308	1913	888	236 29
TOTAL DEATHS		8326	1967	809	523	249	188	3536	390	187	322	342	635	532	560	633	684	383 108
Small-pox		17	5	1	1	-	1	8	-	-	2	3	1	1	2	-	-	-
Measles		221	53	102	81	18	10	214	4	1	1	-	1	-	-	-	-	-
Scarlatina		823	28	65	82	76	74	325	132	32	7	4	3	-	-	-	-	-
Diphtheria		41	7	5	5	5	4	26	12	1	1	1	-	-	-	-	-	-
Whooping-cough		225	89	86	29	20	5	220	4	-	1	-	-	-	-	-	-	-
Typhus		335	11	20	7	13	11	62	38	25	60	25	37	32	29	18	14	5
Diarrhea & Dysentery		358	176	48	9	3	-	236	4	1	2	4	13	12	13	17	28	28
Cholera		28	8	2	-	1	-	11	2	1	-	1	1	2	2	2	1	-
Other Zymotic Dis.		293	37	42	32	41	24	176	30	6	7	10	11	13	14	12	9	4
Cancer		142	-	-	-	-	1	1	-	-	-	1	2	18	44	43	28	5
Scrofula and Tuberc.		170	79	39	10	1	1	130	6	7	7	6	5	5	3	1	-	-
Phthisis		922	21	12	3	5	3	44	13	56	167	166	1	242	159	84	85	11
Hydrocephalus		162	60	51	13	9	7	140	17	3	1	-	-	-	-	-	-	-
Dis. of Brain		1035	373	55	33	21	21	503	26	12	21	13	34	42	78	106	132	52
Dis. of Heart & Dropsy		519	3	5	2	1	2	13	5	13	11	13	60	69	100	114	82	36
Dis. of Lungs		1307	340	177	55	20	16	608	25	8	12	16	45	61	81	185	197	95
Dis. of Stom. and Liver		561	98	23	3	3	1	128	19	9	12	27	57	61	78	90	74	13
Dis. of Kidneys		74	2	1	-	-	1	4	3	2	3	4	7	13	7	14	13	3
Dis. of Gener. Organs		19	-	-	-	-	-	-	-	-	-	6	2	6	4	1	-	-
Dis. of Joints		37	-	-	-	-	-	-	3	3	1	3	1	2	8	6	4	3
Dis. of Skin		21	7	2	-	-	-	9	2	1	-	-	1	-	2	-	-	-
Childbirth and Metris.		194	-	-	-	-	-	-	-	-	7	41	95	61	4	-	-	-
Suicide		12	-	-	-	-	-	-	-	-	-	2	2	4	3	9	10	1
Other Violent Deaths		102	9	12	7	6	3	37	22	4	2	2	5	3	3	10	5	9
Other Causes		978	561	61	19	6	2	641	3	2	-	1	7	9	14	20	82	130 64

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--
		478.—BURNLEY.															
Mean Popul ⁿ . 1861-71	39860	1234	1142	1110	1052	1041	5579	4765	4348	4166	3794	5837	4588	3390	2081	961	274
TOTAL DEATHS—	10054	3089	1045	418	260	190	5002	445	216	339	310	468	527	591	776	799	499
Small-pox	37	9	4	8	1	—	22	2	1	2	1	6	1	—	2	—	—
Measles	234	59	94	35	20	15	223	10	1	—	—	—	—	—	—	—	—
Scarlatina	502	27	87	87	71	68	340	136	14	5	3	3	1	—	—	—	—
Diphtheria	55	10	8	14	6	7	45	5	2	1	1	—	—	1	—	—	—
Whooping-cough	214	96	73	19	15	8	211	3	—	—	—	—	—	—	—	—	—
Typhus	441	20	24	21	16	11	98	70	38	41	41	43	36	24	27	14	2
Diarrhoea & Dysentery	391	254	60	7	5	2	328	7	3	1	2	3	1	8	15	12	11
Cholera	49	15	4	2	1	1	23	1	—	1	1	2	2	8	6	4	1
Other Zymotic Dis.	279	26	54	36	30	20	166	33	4	5	3	11	14	12	13	12	8
Cancer	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.	193	63	44	7	6	1	126	14	11	13	6	10	4	4	5	3	1
Phthisis	1100	31	39	17	11	6	104	19	49	162	163	204	133	118	85	34	1
Hydrocephalus	117	38	32	14	7	6	97	16	4	—	—	—	—	—	—	—	—
Dis. of Brain	1597	925	92	33	18	8	1076	24	14	24	13	19	42	71	116	125	21
Dis. of Heart & Dropsy	327	10	6	4	3	4	27	19	16	14	18	39	65	75	112	194	62
Dis. of Lungs	1361	476	221	58	33	18	866	32	6	21	13	39	67	116	162	182	52
Dis. of Stom. and Liver	487	75	17	11	3	3	109	14	21	11	9	31	35	76	78	57	7
Dis. of Kidneys	136	1	—	2	1	1	5	7	5	7	7	4	7	15	23	24	1
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	47	4	3	1	—	—	8	11	7	1	4	3	4	5	9	1	—
Dis. of Skin	25	7	1	2	1	—	11	—	—	2	—	—	—	5	1	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	26	—	—	—	—	—	—	—	—	—	—	3	8	6	7	3	—
Other Violent Deaths	271	5	16	12	9	7	49	15	18	18	19	31	23	25	26	22	1
Other Causes	1665	927	165	28	3	4	1128	7	2	7	1	12	21	16	48	144	22
479.—CLITHEROE.																	
Mean Popul ⁿ . 1861-71	10469	292	284	254	262	258	1350	1199	1222	1076	862	1347	1182	954	691	498	154
TOTAL DEATHS—	2139	494	153	55	46	24	772	70	52	68	55	94	123	116	195	292	236
Small-pox	11	3	—	2	1	—	6	—	—	—	1	—	2	1	1	—	—
Measles	84	9	15	5	2	—	31	3	—	—	—	—	—	—	—	—	—
Scarlatina	72	8	10	7	18	4	47	16	4	3	2	—	—	—	—	—	—
Diphtheria	15	—	3	2	—	3	8	1	3	—	—	—	—	1	—	—	—
Whooping-cough	35	17	10	2	1	2	32	3	—	—	—	—	—	—	—	—	—
Typhus	66	2	2	3	2	2	11	7	7	5	5	6	7	4	8	6	1
Diarrhoea & Dysentery	48	29	5	1	—	—	35	—	2	—	—	2	2	1	—	1	—
Cholera	5	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Other Zymotic Dis.	62	8	4	3	5	—	20	8	5	1	1	2	4	—	8	7	—
Cancer	9	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1	—
Scrofula and Tuberc.	45	19	5	5	—	1	30	3	4	2	1	1	2	1	1	1	—
Phthisis	156	—	1	—	—	1	1	3	2	32	27	46	34	19	15	7	—
Hydrocephalus	22	13	2	2	1	—	18	4	—	—	—	—	—	—	—	—	—
Dis. of Brain	815	167	22	7	6	1	143	6	4	2	1	9	11	25	37	44	7
Dis. of Heart & Dropsy	126	—	1	1	1	2	5	—	3	2	2	5	10	12	27	47	2
Dis. of Lungs	947	77	43	6	5	3	124	4	6	4	5	7	17	39	45	61	2
Dis. of Stom. and Liver	134	7	2	—	1	—	10	2	6	6	5	5	15	16	19	30	2
Dis. of Kidneys	40	—	—	—	—	—	—	—	—	—	2	1	3	5	9	17	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	17	—	—	—	—	1	1	3	—	3	—	—	—	2	2	4	—
Dis. of Skin	8	1	1	—	—	1	3	—	—	—	—	—	—	—	2	2	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
Other Violent Deaths	54	2	1	1	1	2	7	4	4	7	2	3	8	5	5	5	—
Other Causes	479	192	25	8	2	2	229	1	2	1	1	3	7	0	13	60	112
480.—BLACKBURN.																	
Mean Popul ⁿ . 1861-71	63162	2247	1920	1645	1797	1663	9472	7726	7279	6437	5894	9348	7215	4976	2978	1400	397
TOTAL DEATHS—	17432	5878	1952	813	489	343	9475	689	330	519	500	809	947	1063	1148	1163	423
Small-pox	37	8	1	5	2	—	16	2	6	6	4	1	2	—	—	—	—
Measles	487	123	203	79	49	21	475	10	1	—	—	1	—	—	—	—	—
Scarlatina	794	38	122	137	125	98	570	188	22	8	4	2	—	—	—	—	—
Diphtheria	36	5	10	4	3	4	26	4	1	1	3	1	—	—	—	—	—
Whooping-cough	226	163	92	45	18	10	318	8	—	—	—	—	—	—	—	—	—
Typhus	677	30	40	41	28	26	165	96	53	69	64	76	49	35	23	9	—
Diarrhoea & Dysentery	1090	635	154	21	4	5	809	6	5	2	7	12	11	10	17	27	11
Cholera	44	4	5	3	—	1	13	4	—	—	—	3	2	9	4	1	—
Other Zymotic Dis.	513	76	124	82	60	31	363	36	12	8	11	9	18	18	29	24	—
Cancer	89	—	—	—	—	—	—	—	—	—	1	1	5	8	16	28	—
Scrofula and Tuberc.	425	204	84	55	10	6	341	22	22	10	6	11	6	9	4	1	—
Phthisis	1689	70	37	11	7	—	161	35	52	228	248	335	278	169	67	26	1
Hydrocephalus	298	120	75	25	15	8	243	20	3	1	—	—	—	—	—	—	—
Dis. of Brain	2227	1173	152	73	33	30	1511	63	28	36	30	65	75	115	155	123	36
Dis. of Heart & Dropsy	760	70	22	9	8	9	118	24	19	29	21	53	93	103	126	129	9
Dis. of Lungs	5481	1121	482	166	72	49	1880	81	19	35	37	92	191	258	361	342	29
Dis. of Stom. and Liver	697	135	24	6	2	5	191	19	27	23	23	42	73	101	91	81	22
Dis. of Kidneys	192	5	3	3	1	3	15	6	2	9	4	21	16	23	27	28	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	73	—	2	1	1	1	5	7	0	13	3	3	6	13	6	3	—
Dis. of Skin	29	8	2	2	—	—	12	1	—	2	1	1	2	1	5	4	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	60	—	—	—	—	—	—	—	—	—	1	3	10	12	14	7	—
Other Violent Deaths	321	5	30	26	29	23	113	50	44	27	25	42	42	65	76	44	—
Other Causes	2900	1797	235	24	8	6	2079	7	5	7	5	23	43	71	95	390	22

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
478.—BURNLEY.																		
Mean Popul ⁿ , 1861-71	41841	1259	1189	1125	1071	1033	5677	4780	4486	4376	4162	6488	4833	3537	2134	1035	302	31
TOTAL DEATHS—	9537	2320	952	418	280	187	4157	437	210	363	400	664	633	591	727	768	470	97
Small-pox - - -	48	16	7	2	9	2	36	5	-	4	1	1	1	-	-	-	-	-
Measles - - - -	247	46	107	52	19	8	232	12	1	-	1	1	1	-	-	-	-	-
Scarlatina - - -	303	34	66	75	89	63	317	142	57	4	1	1	1	-	1	-	-	-
Diphtheria - - -	52	8	9	7	6	4	34	12	3	1	1	1	-	-	-	-	-	-
Whooping-cough -	229	96	66	28	21	10	221	8	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	424	23	41	23	26	18	135	64	34	47	26	38	26	24	14	12	3	-
Diarrhoea & Dysentery	336	233	54	10	5	1	301	2	1	5	2	11	6	6	21	28	12	1
Cholera - - - - -	49	14	3	-	2	5	24	5	-	-	3	2	-	5	4	5	1	-
Other Zymotic Dis.	235	33	37	29	27	13	141	29	6	8	5	6	8	14	12	10	1	-
Cancer - - - - -	153	-	-	-	1	-	1	1	-	1	-	4	21	40	49	32	5	1
Scrofula and Tuberc.	136	59	33	9	4	2	107	1	7	7	3	5	8	5	6	1	-	-
Phthisis - - - -	1353	42	25	15	3	4	89	25	56	211	205	332	227	109	71	26	1	1
Hydrocephalus - -	100	37	30	11	5	6	89	7	2	1	-	1	-	-	-	-	-	-
Dis. of Brain - -	1313	577	117	37	19	18	768	31	15	17	25	34	51	79	115	115	35	8
Dis. of Heart & Dropsy	653	8	7	1	4	2	22	19	13	15	25	38	103	110	143	104	38	1
Dis. of Lungs - -	1249	542	174	57	26	20	619	23	9	15	24	32	50	84	126	164	91	9
Dis. of Stom. and Liver	463	40	9	6	2	2	69	17	7	13	19	34	64	73	90	76	15	1
Dis. of Kidneys -	68	3	1	-	-	-	4	2	2	3	1	5	7	8	18	7	8	3
Dis. of Genes. Organs	29	-	-	-	-	-	-	-	1	2	4	1	8	5	5	1	2	2
Dis. of Joints - -	41	1	-	1	2	-	4	3	7	2	1	6	6	3	5	1	3	-
Dis. of Skin - - -	18	5	3	1	-	-	9	-	1	-	-	-	1	2	2	2	1	-
Childbirth and Metris	170	-	-	-	-	-	-	-	-	6	41	72	48	3	-	-	-	-
Suicide - - - - -	7	-	-	-	-	-	-	-	1	-	-	1	2	-	-	2	1	-
Other Violent Deaths	98	6	11	16	5	6	44	16	3	3	3	5	5	2	6	5	5	1
Other Causes - - -	1476	705	132	33	7	3	900	10	5	4	5	11	15	16	39	173	229	63

479.—CLITHEROE.																			
Mean Popul ⁿ , 1861-71	10310	308	275	281	241	248	1353	1121	1069	978	912	1444	1196	946	691	430	154	16	
TOTAL DEATHS—	2087	387	115	54	39	28	623	83	47	83	93	174	158	108	173	265	221	59	
Small-pox - - -	11	5	-	-	-	-	5	1	-	-	3	1	1	-	-	-	-	-	
Measles - - - -	34	8	11	4	3	2	28	5	-	-	-	-	1	-	-	-	-	-	
Scarlatina - - -	74	3	11	7	9	10	40	22	7	1	-	2	1	1	-	-	-	-	
Diphtheria - - -	12	-	-	3	2	-	5	3	3	-	-	-	1	-	-	-	-	-	
Whooping-cough -	48	26	12	5	1	2	46	2	-	-	-	5	-	-	-	-	-	-	
Typhus - - - - -	67	1	4	1	5	1	12	13	9	8	3	5	5	5	5	2	-	-	
Diarrhoea & Dysentery	84	17	2	1	-	-	20	-	2	-	-	3	2	1	1	4	1	1	
Cholera - - - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Zymotic Dis.	51	4	4	9	2	1	20	7	-	3	1	3	3	1	5	6	1	1	
Cancer - - - - -	53	-	-	-	-	-	-	-	-	-	-	1	1	8	12	8	3	-	
Scrofula and Tuberc.	32	12	4	4	1	-	21	1	1	-	1	2	3	2	-	1	-	-	
Phthisis - - - -	281	2	1	1	-	1	5	2	11	46	59	78	47	18	16	6	2	-	
Hydrocephalus - -	22	9	4	6	1	1	21	-	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain - -	225	77	8	3	6	4	98	7	4	1	3	6	6	12	22	26	26	4	
Dis. of Heart & Dropsy	147	1	2	-	1	-	4	1	4	7	4	16	12	13	32	36	17	1	
Dis. of Lungs - -	296	48	26	7	3	4	88	9	1	6	6	13	18	24	30	61	33	7	
Dis. of Stom. and Liver	127	6	2	-	-	-	8	2	3	2	6	12	17	9	30	30	8	-	
Dis. of Kidneys -	14	-	-	-	-	-	-	-	-	1	-	3	3	1	2	3	1	-	
Dis. of Genes. Organs	8	-	-	-	-	-	-	-	-	1	1	-	1	1	3	1	-	-	
Dis. of Joints - -	8	-	-	-	1	-	1	1	-	2	1	-	1	-	-	-	2	-	
Dis. of Skin - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	50	-	-	-	-	-	-	-	-	1	10	26	21	1	-	-	-	-	
Suicide - - - - -	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	
Other Violent Deaths	26	1	4	2	3	-	10	5	-	1	1	-	1	-	8	1	3	1	
Other Causes - - -	471	165	20	1	1	2	189	2	2	2	3	3	12	9	12	69	124	44	

480.—BLACKBURN.																			
Mean Popul ⁿ , 1861-71	68714	2174	1916	1902	1818	1699	9509	8044	7458	7265	6923	10843	7840	5521	3284	1529	449	49	
TOTAL DEATHS—	16339	4592	1823	853	482	339	8089	721	329	577	651	1120	1051	981	1170	1045	655	150	
Small-pox - - -	33	9	2	5	1	4	21	2	2	4	1	2	1	-	-	-	-	-	
Measles - - - -	456	93	196	100	29	17	435	18	1	-	1	-	-	-	-	1	-	-	
Scarlatina - - -	788	50	135	127	124	89	525	209	34	10	3	4	3	-	-	-	-	-	
Diphtheria - - -	63	9	12	7	5	4	42	12	3	2	-	-	-	2	1	-	1	-	
Whooping-cough -	400	171	128	40	31	12	382	17	1	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	776	54	25	42	36	33	189	117	75	107	79	84	47	94	58	12	3	-	
Diarrhoea & Dysentery	933	601	138	29	7	5	780	8	3	1	19	11	8	16	33	33	20	3	
Cholera - - - - -	33	1	2	2	1	2	8	2	1	-	-	4	5	3	7	-	-	-	
Other Zymotic Dis.	460	63	88	87	59	37	334	29	10	10	11	16	10	7	15	11	7	-	
Cancer - - - - -	298	-	-	-	-	-	-	1	1	3	11	33	62	59	25	11	-	-	
Scrofula and Tuberc.	301	156	64	23	6	6	255	18	6	6	5	4	6	5	1	1	1	-	
Phthisis - - - -	1267	48	37	19	9	5	118	43	100	293	332	323	305	152	73	17	1	-	
Hydrocephalus - -	183	83	47	15	15	8	168	8	2	1	2	-	-	1	-	-	-	-	
Dis. of Brain - -	1951	863	164	72	34	40	1173	64	19	23	25	54	65	113	180	157	69	11	
Dis. of Heart & Dropsy	842	61	23	16	2	4	106	27	17	19	51	91	124	143	143	108	30	3	
Dis. of Lungs - -	3210	854	495	185	93	45	1678	65	23	28	45	105	182	238	355	321	142	21	
Dis. of Stom. and Liver	685	97	10	7	6	2	122	18	10	22	31	33	97	115	114	77	24	2	
Dis. of Kidneys -	90	1	3	5	1	-	10	3	4	6	3	14	12	10	18	8	2	-	
Dis. of Genes. Organs	49	-	-	-	-	-	-	1	-	1	4	7	10	8	10	6	2	-	
Dis. of Joints - -	46	2	2	1	-	1	6	4	-	4	9	3	6	1	5	6	2	-	
Dis. of Skin - - -	30	9	1	1	-	-	11	-	-	-	1	-	6	2	4	2	1	1	
Childbirth and Metris	226	-	-	-	-	-	-	-	-	17	54	97	85	3	-	-	-	-	
Suicide - - - - -	15	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	
Other Violent Deaths	201	20	23	28	7	14	92	33	11	6	2	5	7	9	11	13	10	1	
Other Causes - - -	2373	1267	221	37	11	7	1643	26	2	11	9	22	37	51	105	245	313	100	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	Total under 1 Year.	
481.—CHORLEY.																			
Mean Popul ⁿ , 1861-71		20692	640	597	603	594	537	2971	2526	2386	2096	1761	2675	2172	1809	1322	706	235	34
TOTAL DEATHS		4885	1353	408	170	118	86	2135	245	118	162	145	204	261	278	411	480	332	113
Small-pox		27	6	3	3	2	1	14	-	-	4	3	4	2	-	-	-	-	-
Measles		89	13	48	14	3	4	82	7	-	-	-	-	-	-	-	-	-	-
Scarlatina		211	15	29	28	32	28	132	65	8	5	1	-	-	-	-	-	-	-
Diphtheria		26	4	2	1	4	2	13	9	2	-	2	-	-	-	-	-	-	-
Whooping-cough		57	57	20	8	8	1	94	3	-	-	-	-	-	-	-	-	-	-
Typhus		191	9	11	10	6	9	45	28	17	18	10	18	11	13	14	12	5	-
Diarrhoea & Dysentery		164	82	27	9	5	2	125	-	1	1	1	5	3	1	5	13	8	1
Cholera		19	7	1	-	-	-	8	2	-	-	-	-	1	-	4	2	2	-
Other Zymotic Dis.		188	25	34	24	22	9	114	28	6	4	3	3	9	8	3	6	4	-
Cancer		26	-	-	-	-	-	-	-	-	-	-	-	4	5	6	8	2	1
Scrofula and Tuberc		99	53	17	2	3	-	60	7	7	1	4	5	7	5	3	1	-	-
Phthisis		440	5	12	2	-	1	20	10	24	72	76	69	65	51	39	21	3	-
Hydrocephalus		43	23	10	1	2	2	40	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		560	263	28	17	3	4	315	18	10	10	6	10	25	24	54	51	32	1
Dis. of Heart & Dropsy		215	8	-	1	1	2	7	15	5	6	3	11	19	23	58	62	21	1
Dis. of Lungs		791	192	65	30	11	10	308	21	7	7	9	29	43	64	108	122	39	14
Dis. of Stom. and Liver		194	10	1	-	1	2	20	-	6	5	7	13	23	28	61	59	19	2
Dis. of Kidneys		84	-	-	-	1	-	1	1	-	5	4	5	11	7	7	26	18	1
Dis. of Genes. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints		16	-	-	1	-	-	1	3	4	-	1	1	2	-	3	1	-	-
Dis. of Skin		8	4	1	-	-	-	5	-	-	1	-	1	-	-	-	-	1	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		27	-	-	-	-	-	-	-	-	-	1	5	4	6	7	4	3	4
Other Violent Deaths		236	11	19	10	8	10	58	20	16	30	8	21	22	26	28	8	3	4
Other Causes		1133	378	80	9	6	-	673	3	5	3	4	4	10	15	51	117	167	64

482.—PRESTON.																			
Mean Populn., 1861-71		53198	1731	1570	1487	1471	1376	7635	6404	5886	5568	4845	7611	5937	4399	2923	1479	459	53
TOTAL DEATHS -		15887	5036	1650	690	424	265	8065	656	316	416	455	885	932	995	1106	1128	744	158
Small-pox -		39	9	1	3	1	2	16	5	4	2	4	6	-	2	-	-	-	-
Measles -		412	90	176	78	31	20	395	12	8	1	1	-	-	-	-	-	-	-
Scarlatina -		963	51	99	104	110	55	419	180	45	10	4	3	1	1	-	-	-	-
Diphtheria -		137	17	36	24	17	12	106	22	3	1	1	1	2	-	-	-	1	-
Whooping-cough -		339	165	87	44	21	8	227	11	-	-	-	1	-	-	-	-	-	-
Typhus -		465	10	19	18	23	17	87	49	25	37	28	60	52	53	26	26	7	3
Diarrhoea & Dysentery -		1376	988	214	23	5	5	1238	12	3	10	6	8	15	10	22	109	13	6
Cholera -		62	20	5	2	2	1	30	3	-	-	1	3	1	12	7	3	2	1
Other Zymotic Dis. -		432	70	103	56	44	23	306	33	8	7	3	11	13	11	10	17	12	1
Cancer -		120	-	-	-	-	1	1	1	-	-	-	1	1	16	19	31	29	1
Scrofula and Tuberc -		332	126	70	27	10	7	240	25	22	8	11	13	5	3	2	1	-	-
Phthisis -		1063	32	27	15	16	7	97	39	54	201	245	441	500	162	87	62	7	-
Hydrocephalus -		232	124	63	19	9	9	224	22	6	-	-	-	-	-	-	-	-	-
Dis. of Brain -		1558	895	140	62	35	26	1158	69	22	20	16	46	67	62	128	163	79	3
Dis. of Heart & Dropsy -		596	8	1	2	1	6	18	15	22	17	25	50	70	101	127	103	42	6
Dis. of Lungs -		2918	804	363	133	46	39	1385	65	20	23	29	91	168	272	365	329	133	29
Dis. of Stom. and Liver -		613	124	17	9	8	6	164	14	16	16	16	39	72	91	97	66	22	1
Dis. of Kidneys -		241	11	5	3	3	5	18	16	7	5	6	10	32	40	41	55	19	1
Dis. of Genes. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		69	1	3	2	4	-	10	8	11	6	8	3	7	5	4	2	5	-
Dis. of Skin -		32	7	2	2	1	-	12	-	1	2	2	-	4	2	1	4	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		49	21	34	25	20	10	110	43	30	35	45	51	53	43	28	36	6	5
Other Violent Deaths -		494	21	34	25	20	10	110	43	30	35	45	51	53	43	28	36	6	5
Other Causes -		2727	1471	185	85	7	6	1704	12	5	8	10	32	55	74	91	215	263	128

483.—FYLDE.																			
Mean Populn., 1861-71		13371	410	365	378	365	347	1865	1691	1705	1402	986	1624	1399	1185	845	485	180	29
TOTAL DEATHS -		3036	742	214	105	99	45	1203	113	54	98	111	193	197	187	259	311	256	78
Small-pox -		13	5	-	2	-	-	5	-	1	-	2	2	2	-	1	-	-	-
Measles -		89	9	15	9	3	1	37	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -		92	3	18	17	16	9	60	26	3	2	-	1	-	-	-	-	-	-
Diphtheria -		14	1	2	1	3	1	8	2	1	2	-	-	1	-	-	-	-	-
Whooping-cough -		85	12	12	6	3	1	34	1	-	-	-	-	-	-	-	-	-	-
Typhus -		93	18	4	3	8	1	34	9	6	10	8	7	5	2	7	4	1	6
Diarrhoea & Dysentery -		89	68	7	-	1	-	76	-	-	-	-	-	-	1	1	5	8	1
Cholera -		11	3	2	-	-	-	5	-	-	-	1	1	1	1	1	1	1	1
Other Zymotic Dis. -		108	12	21	11	18	10	72	9	4	2	1	2	1	2	5	8	7	4
Cancer -		29	-	-	-	-	-	-	-	-	-	-	2	1	3	5	8	7	4
Scrofula and Tuberc -		64	25	13	7	2	1	48	3	2	4	1	8	1	1	1	1	1	1
Phthisis -		274	1	2	-	4	-	7	6	8	32	35	71	47	27	50	11	-	-
Hydrocephalus -		70	24	15	8	6	5	88	6	5	1	-	-	-	-	-	-	-	-
Dis. of Brain -		338	112	18	12	7	5	152	9	6	11	9	16	22	30	36	44	21	8
Dis. of Heart & Dropsy -		145	6	2	2	1	-	11	10	-	2	-	6	23	13	35	26	15	3
Dis. of Lungs -		398	113	40	16	9	4	162	7	3	1	6	16	29	27	32	38	27	1
Dis. of Stom. and Liver -		215	28	3	1	-	2	84	3	2	4	6	18	27	27	33	48	9	3
Dis. of Kidneys -		43	-	-	-	-	-	3	-	1	1	3	3	6	4	5	11	4	1
Dis. of Genes. Organs -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -		15	3	2	-	1	-	6	-	3	1	-	-	1	1	1	1	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		180	8	5	5	8	4	25	8	-	18	35	64	19	13	14	2	7	2
Other Causes -		715	295	56	5	6	1	346	10	-	4	3	8	16	19	25	36	16	8

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
481.—CHORLEY.																			
Mean Popul ⁿ , 1861-71		21649	635	592	617	558	560	2962	2537	2397	2276	1997	3096	2353	1871	1248	634	246	32
TOTAL DEATHS		4083	1082	403	198	100	71	1854	202	110	212	201	317	289	271	380	393	337	92
Small-pox		26	7	3	3	1	2	16	2	1	2	3	1		1				
Measles		92	21	36	20	9	1	87	4	1									
Scarlatina		189	12	24	39	17	22	114	62	11		1	1						
Diphtheria		22	3	4	3	1	2	13	6	2						1			
Whooping-cough		130	64	37	14	6	3	124	6										
Typhus		213	7	7	10	11	4	39	34	21	32	28	20	16	9	7	5	2	
Diarrhoea & Dysentery		147	72	24	5			101	1	2	2	2	4	6	9	4	10	6	
Cholera		9	2				1	4	2							1			
Other Zymotic Dis.		171	54	31	25	18	13	121	11	7	4	3	5	1	3	7	9	2	
Cancer		53										1	5	3	13	18	13	2	
Scrophula and Tuberc.		80	28	20	3	2	1	56		3	6	2	5	3	8	1			
Phthisis		664	5	12	5		1	23	17	37	123	111	168	94	53	36	11		
Hydrocephalus		27	15	5	2	2	1	25	1										
Dis. of Brain		487	202	29	16	5	1	233	11	7	5	4	16	19	22	35	59	81	5
Dis. of Heart & Dropsy		243	4	2			2	10	1	5	2	12	28	27	40	49	48	21	
Dis. of Lungs		710	140	75	27	19	10	271	23	4	20	3	24	36	55	103	103	60	6
Dis. of Stom. and Liver		190	17	4	3	1		25	4	1	4	5	15	22	29	46	30	7	2
Dis. of Kidneys		20	1					1	2		1	2	2	2	2	5	2		
Dis. of Genes. Organs		14											2	4	3	4	1		
Dis. of Joints		6		1			1	2	1	1			1					1	
Dis. of Skin		9	4	2			1	7			1				1				
Childbirth and Metris.		95									4	19	30	40	2				
Suicide		6									1	1		2	1		1		
Other Violent Deaths		59	3	8	3	5	3	22	8	3	2	1	1	1	5	2	7	5	2
Other Causes		1001	441	79	13	3	2	540	6	4	8	3	2	8	21	41	97	200	76

482.—PRESTON.																			
Mean Popul ⁿ , 1861-71	59987	1765	1563	1490	1467	1398	7673	6454	6108	6139	6161	9665	7071	5209	3287	1650	507	63	
TOTAL DEATHS	15634	4089	1520	684	448	306	7047	509	293	527	576	1162	1099	1014	1242	1163	764	178	
Small-pox	46	12	1	2	2	2	19	5	5	5	4	5	2		1				
Measles	430	99	163	71	41	29	403	15				2							
Scarlatina	648	59	106	106	101	81	433	165	30	9	4	5	2						
Diphtheria	142	27	35	19	29	17	118	18	3	2						1			
Whooping-cough	433	178	136	74	37	15	440	13											
Typhus	287	10	27	28	16	17	98	78	40	50	34	59	81	62	50	82	3		
Diarrhoea & Dysentery	1207	825	179	84	3	3	1049	10	2	5	4	16	15	19	29	31	26	1	
Cholera	37	20	2	1	2		25	2	1				3	3	3				
Other Zymotic Dis.	421	55	83	64	62	39	503	27	8	5	5	10	13	14	18	14	4		
Cancer	273				1	1	2				6	13	33	69	69	57	15	2	
Scrophula and Tuberc.	250	80	60	24	13	8	185	22	12	9	3	9	1	2	2				
Phthisis	2078	52	27	14	13	7	93	30	88	303	338	584	381	138	75	22	6		
Hydrocephalus	215	77	67	23	15	11	183	20	8	1		1	1		1				
Dis. of Brain	1619	676	111	41	33	22	883	37	25	24	16	43	68	95	156	176	81	15	
Dis. of Heart & Dropsy	769	11	2	2	7	2	24	19	19	31	29	77	109	124	168	110	45	5	
Dis. of Lungs	2732	641	334	118	47	34	1174	42	12	27	43	114	157	238	408	345	160	22	
Dis. of Stom. and Liver	662	106	25	4	5	3	143	14	14	15	19	67	80	87	102	89	11	1	
Dis. of Kidneys	151	2	5	4	1		12	2	4	4	10	26	19	25	27	19	3		
Dis. of Genes. Organs	61									2	1	7	7	18	16	6	4		
Dis. of Joints	59	2	2	1	1	1	7	6	10	4	2	4	8	7	5	5	1		
Dis. of Skin	29	9	5	1	2	1	18				1	1	3	2		2	2		
Childbirth and Metris.	221									12	43	66	72	8					
Suicide	15										2	1	2	8	2				
Other Violent Deaths	193	17	18	17	9	8	69	26	9	7	2	10	10	14	13	9	10	4	
Other Causes	2345	1171	142	36	12	5	1366	8	3	12	5	27	30	41	97	245	383	128	

483.—FYLDE.																			
Mean Popul ⁿ , 1861-71	14783	384	358	365	361	328	1796	1655	1566	1423	1415	2170	1741	1360	910	522	198	27	
TOTAL DEATHS	2958	577	164	115	79	60	935	137	71	88	119	218	208	199	270	307	258	88	
Small-pox	19	6	-	1	1	-	8	2	-	1	2	-	5	1	-	-	-	-	
Measles	36	6	19	9	4	4	35	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina	112	9	12	13	16	17	67	83	6	1	3	-	-	1	-	-	-	-	
Diphtheria	30	2	4	5	4	3	18	9	-	2	-	1	-	1	-	-	-	-	
Whooping-cough	39	14	13	7	-	1	35	3	1	-	-	-	-	-	-	-	-	-	
Typhus	117	13	4	9	4	3	33	12	10	9	13	9	6	10	7	7	1	-	
Diarrhoea & Dysentery	26	55	10	1	-	1	67	1	1	1	3	1	1	3	11	6	2	1	
Cholera	10	2	-	-	-	-	2	-	-	-	-	3	1	1	2	-	1	-	
Other Zymotic Dis.	85	6	9	19	8	7	49	7	6	1	3	4	1	2	6	4	1	-	
Cancer	44	-	-	-	-	-	-	-	-	-	-	1	-	4	10	17	11	1	
Scrophula and Tuberc.	53	13	13	4	-	1	51	6	-	5	2	6	1	1	1	-	-	-	
Phthisis	307	3	4	1	1	2	11	4	15	36	55	85	71	53	24	11	2	-	
Hydrocephalus	44	14	9	3	3	3	32	10	1	-	1	-	-	-	-	-	-	-	
Dis. of Brain	338	90	10	14	8	5	127	14	8	8	2	16	23	11	41	57	23	8	
Dis. of Heart & Dropsy	166	-	2	-	3	3	8	3	7	5	5	11	16	26	39	27	18	1	
Dis. of Lungs	369	71	33	13	15	7	139	10	3	1	6	11	18	24	30	59	34	5	
Dis. of Stom. and Liver	216	19	2	1	1	1	24	5	8	6	6	24	26	29	50	82	16	1	
Dis. of Kidneys	25	1	-	-	-	-	1	1	-	2	-	1	4	6	4	0	-	-	
Dis. of Genes. Organs	15	-	-	-	-	-	-	-	-	-	1	2	3	4	4	1	-	-	
Dis. of Joints	22	1	2	-	1	-	4	1	1	1	1	4	2	2	3	2	1	-	
Dis. of Skin	6	1	-	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-	
Childbirth and Metris.	56	-	-	-	-	-	-	-	-	2	9	28	14	3	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
Other Violent Deaths	47	4	7	4	4	2	21	3	3	2	2	1	3	2	3	3	3	1	
Other Causes	649	247	15	11	6	-	282	9	-	3	5	5	11	11	18	80	153	79	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and upwards.	
484.—GARSTANG.																			
Mean Popul ⁿ , 1861-71	6370	185	174	172	159	169	859	770	711	679	506	762	676	543	440	295	115	14	
TOTAL DEATHS	1157	234	62	42	25	22	835	63	28	50	26	76	60	37	107	126	138	41	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	11	4	2	1	2	1	10	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	37	4	2	7	5	4	22	10	1	3	1	-	-	-	-	-	-	-	
Diphtheria	17	2	1	2	4	2	11	6	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	10	7	3	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	
Typhus	26	-	1	2	-	1	4	3	2	8	2	1	1	-	1	3	1	-	
Diarrhoea & Dysentery	44	23	1	1	-	1	26	1	-	-	-	-	-	3	2	5	7	-	
Cholera	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
Other Zymotic Dis.	60	4	5	7	3	3	22	13	1	2	-	1	2	-	2	3	11	2	
Cancer	14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	6	3	-	
Scrofula and Tuberc.	17	2	2	1	-	-	5	1	4	2	1	2	-	1	1	-	-	-	
Phthisis	126	-	6	3	2	1	12	3	2	12	13	34	22	7	17	4	-	-	
Hydrocephalus	5	3	-	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	152	51	6	5	2	2	66	3	4	3	1	3	6	5	26	16	16	1	
Dis. of Heart & Dropsy	46	-	-	-	-	-	1	1	2	1	-	3	2	1	10	17	1	-	
Dis. of Lungs	149	37	12	6	5	1	61	6	2	4	1	11	5	6	12	29	12	-	
Dis. of Stom. and Liver	79	13	2	-	1	1	17	4	1	4	3	5	6	13	8	10	6	-	
Dis. of Kidneys	21	1	-	-	-	-	1	1	-	-	1	-	-	-	1	4	3	-	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	6	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	
Dis. of Skin	5	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	1	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	
Other Violent Deaths	73	3	7	5	1	1	17	4	8	7	1	9	6	4	4	4	3	2	
Other Causes	233	79	19	2	-	3	90	4	1	1	1	6	6	12	11	27	41	22	

Mean Populⁿ, 1861-71	18499	525	500	519	516	488	2548	2258	2098	1862	1437	3387	2094	1742	1173	643	235	27
TOTAL DEATHS	4258	879	267	130	82	75	1453	131	85	114	143	327	382	386	596	415	538	53
Small-pox	5	3	-	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Measles	65	15	22	15	5	3	60	4	-	-	1	-	-	-	-	-	-	-
Scarlatina	126	7	21	31	11	17	87	27	10	-	-	1	1	-	-	-	-	-
Diphtheria	23	3	4	1	3	2	18	6	3	1	-	-	-	-	-	-	-	-
Whooping-cough	55	24	19	6	1	2	52	3	-	-	-	-	-	-	-	-	-	-
Typhus	77	2	2	4	1	4	13	8	9	3	3	18	8	5	3	6	1	-
Diarrhoea & Dysentery	162	62	8	1	-	-	71	-	-	1	1	3	3	6	4	4	9	-
Cholera	5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
Other Zymotic Dis.	137	20	21	9	14	14	78	8	-	4	3	8	4	6	6	12	7	-
Cancer	47	-	-	1	-	-	1	-	-	-	-	2	-	9	13	13	6	-
Scrofula and Tuberc.	96	29	16	6	4	3	58	15	3	5	4	3	3	2	4	1	-	-
Phthisis	473	10	7	2	2	3	24	7	15	7	54	72	111	100	60	79	6	-
Hydrocephalus	107	47	27	8	11	3	96	10	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	794	182	26	11	6	4	229	8	8	11	21	62	126	99	92	73	33	-
Dis. of Heart & Dropsy	253	-	1	-	-	-	1	3	8	3	3	6	16	36	68	61	50	-
Dis. of Lungs	600	116	51	17	10	7	201	9	6	5	12	37	33	61	84	101	33	-
Dis. of Stom. and Liver	172	34	3	-	1	2	30	4	4	6	2	12	22	30	57	29	5	-
Dis. of Kidneys	91	1	-	-	-	1	2	1	-	-	2	7	10	16	14	21	18	-
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	19	-	-	1	-	1	2	5	3	1	1	4	1	1	1	-	-	-
Dis. of Skin	14	3	1	-	-	-	4	-	-	-	1	1	-	2	2	2	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	31	-	-	-	-	-	-	-	-	-	-	2	5	7	9	8	-	-
Other Violent Deaths	216	5	4	11	10	7	37	12	12	16	19	35	29	27	18	8	3	-
Other Causes	738	326	34	5	3	2	370	2	3	3	2	11	22	18	29	72	130	26

Mean Populⁿ, 1861-71	23792	787	698	694	673	660	3512	2900	2496	2186	2241	3748	2658	1927	1223	649	230	27
TOTAL DEATHS	4096	1252	304	195	117	109	2068	212	121	160	194	354	323	332	376	425	349	54
Small-pox	34	9	-	2	4	-	15	1	3	1	3	6	2	2	1	-	-	-
Measles	129	24	53	19	13	8	117	9	-	2	-	-	-	-	1	-	-	-
Scarlatina	231	9	53	35	33	28	138	58	20	7	5	3	-	-	-	-	-	-
Diphtheria	31	4	5	8	4	3	22	5	2	1	1	-	-	-	-	-	-	-
Whooping-cough	86	36	24	17	3	4	84	2	-	-	-	-	-	-	-	-	-	-
Typhus	178	5	14	4	8	9	36	27	9	14	16	25	19	17	7	5	3	-
Diarrhoea & Dysentery	186	86	19	2	1	2	110	1	-	-	2	1	1	1	3	4	2	-
Cholera	15	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
Other Zymotic Dis.	127	31	15	16	4	9	75	12	3	-	2	8	2	2	5	16	1	-
Cancer	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	123	29	20	10	4	8	77	6	6	10	7	5	2	4	15	12	2	-
Phthisis	628	5	5	4	2	3	19	29	21	61	71	125	81	63	49	14	4	-
Hydrocephalus	124	56	32	11	10	3	112	10	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	650	243	28	18	10	10	310	30	9	12	10	17	25	59	55	42	31	-
Dis. of Heart & Dropsy	267	4	1	1	1	2	9	5	4	7	11	31	21	30	20	75	64	-
Dis. of Lungs	639	197	76	23	14	10	235	6	3	8	6	41	38	53	64	89	41	-
Dis. of Stom. and Liver	238	34	7	6	1	-	48	10	6	5	5	23	27	41	50	35	8	-
Dis. of Kidneys	65	-	-	-	-	-	-	4	1	5	2	3	3	10	5	16	11	-
Dis. of Genes. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	18	1	-	-	-	-	1	3	-	2	-	2	1	2	1	-	-	-
Dis. of Skin	14	5	2	-	1	-	8	-	1	-	1	1	-	-	1	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	21	-	-	-	-	-	-	-	-	-	-	3	6	3	2	1	-	-
Other Violent Deaths	354	8	10	8	5	5	36	6	21	23	41	59	64	54	38	14	4	-
Other Causes	1029	463	45	7	1	3	524	5	7	4	5	17	26	23	23	118	168	22

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.
484.—GARSTANG.																		
Mean Popul ⁿ , 1861-71	5935	174	160	181	154	166	835	740	657	557	496	783	650	482	375	253	92	15
TOTAL DEATHS -	1114	191	54	26	33	24	323	60	36	39	47	82	69	58	80	131	142	42
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	16	3	6	3	2	-	14	1	1	-	-	-	-	-	-	-	-	-
Scarlatina - -	46	2	3	5	8	4	22	17	3	1	-	2	1	-	-	-	-	-
Diphtheria - -	28	2	1	2	2	5	12	8	6	1	1	-	-	-	-	-	-	-
Whooping-cough -	19	10	4	2	2	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	38	2	1	-	3	-	6	7	4	3	5	4	4	-	4	-	1	-
Diarrhoea & Dysentery -	30	19	1	-	-	1	21	-	-	-	-	4	2	1	-	1	1	-
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	41	3	3	4	7	2	19	5	-	1	-	2	1	1	2	3	5	-
Cancer - - -	21	-	-	1	-	-	1	-	-	-	2	-	3	2	5	3	4	1
Scrofula and Tuberc. -	6	-	-	1	1	-	2	-	1	-	-	1	1	-	1	-	-	-
Phtisis - - -	162	1	2	2	1	1	7	4	9	23	28	37	22	14	11	6	1	-
Hydrocephalus - -	4	2	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Dis. of Brain - -	124	32	8	2	1	-	43	3	5	1	3	3	6	6	13	21	16	2
Dis. of Heart & Dropsy -	65	-	-	-	-	-	-	2	-	-	-	5	4	12	11	29	10	1
Dis. of Lungs - -	144	28	18	2	4	2	54	8	2	2	2	5	5	7	7	28	21	3
Dis. of Stom. and Liver -	63	14	2	-	-	1	17	1	-	1	1	4	3	4	16	11	6	-
Dis. of Kidneys - -	6	-	-	-	-	-	-	-	1	-	-	1	-	3	1	-	-	-
Dis. of Gener. Organs -	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1
Dis. of Joints - -	5	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	-
Dis. of Skin - - -	6	1	-	-	-	1	2	-	-	-	-	-	2	-	-	1	1	-
Childbirth and Metris -	29	-	-	-	-	-	-	-	-	1	2	7	9	1	-	-	-	-
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	17	-	1	1	2	4	8	2	-	1	-	-	1	-	2	-	3	-
Other Causes - - -	213	72	4	1	-	2	79	3	1	3	1	5	3	7	5	33	74	34

485.—LANCASTER.

Mean Popul ⁿ , 1861-71	18969	518	493	487	469	452	2419	2201	1959	1805	1581	2673	2203	1781	1269	737	301	40
TOTAL DEATHS -	3975	673	243	123	85	56	1181	136	83	123	141	306	322	321	374	406	406	116
Small-pox -	7	-	1	-	2	-	3	-	-	1	3	-	-	-	-	-	-	-
Measles -	72	9	24	17	8	2	60	8	2	-	1	-	-	-	-	-	-	-
Scarlatina -	104	14	12	19	13	13	71	22	6	2	1	2	-	1	-	-	-	-
Diphtheria -	23	3	3	2	3	1	12	7	1	-	1	1	-	1	-	-	-	-
Whooping-cough -	58	32	23	17	5	7	87	1	-	-	-	-	-	-	-	-	-	-
Typhus -	63	2	1	1	7	3	15	3	5	7	7	4	9	3	4	3	3	-
Diarrhoea & Dysentery -	97	43	4	1	-	-	48	3	-	1	5	4	6	1	7	10	10	2
Cholera -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis. -	135	10	24	13	10	5	62	15	6	3	6	2	4	5	6	10	13	3
Cancer -	97	-	-	-	-	-	-	-	-	-	1	3	11	25	23	20	13	1
Scrofula and Tuberc. -	84	21	17	4	2	4	48	7	3	5	6	4	5	3	3	-	-	-
Phtisis -	583	10	5	3	4	-	22	9	27	70	74	162	167	73	38	11	-	-
Hydrocephalus -	82	54	13	12	6	4	69	10	1	1	-	-	1	-	-	-	-	-
Dis. of Brain -	372	112	25	10	6	3	156	10	6	10	9	40	55	65	71	93	61	6
Dis. of Heart & Dropsy -	267	1	-	-	-	1	2	2	7	5	2	19	28	33	60	73	30	0
Dis. of Lungs -	540	92	48	12	12	9	173	17	6	7	14	29	29	47	71	81	82	11
Dis. of Stom. and Liver -	194	20	4	4	3	1	82	6	3	5	3	7	22	19	43	46	7	1
Dis. of Kidneys -	62	-	-	2	1	-	3	1	1	-	2	7	6	7	11	11	3	-
Dis. of Gener. Organs -	16	-	-	-	-	-	-	-	-	-	-	-	4	6	3	3	-	-
Dis. of Joints -	21	1	-	-	-	-	1	3	2	4	-	2	-	5	3	1	-	-
Dis. of Skin -	11	2	-	-	-	-	2	-	-	-	-	-	-	-	2	4	-	3
Childbirth and Metris -	32	-	-	-	-	-	-	-	-	-	5	23	21	3	-	-	-	-
Suicide -	8	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-
Other Violent Deaths -	48	4	6	2	2	2	16	6	1	-	1	4	4	5	6	2	4	3
Other Causes -	743	262	30	4	1	1	293	6	6	2	1	13	17	17	23	63	190	89

486.—ULVERSTON.

Mean Popul ⁿ , 1861-71	21613	731	667	702	638	615	3353	2882	2336	1859	1725	3146	2373	1750	1159	697	292	46
TOTAL DEATHS -	4581	910	362	209	106	109	1696	214	127	155	164	337	256	270	279	361	399	123
Small-pox -	23	5	3	-	2	1	11	1	1	1	1	3	3	3	-	1	-	-
Measles -	107	13	40	25	6	13	97	6	2	2	-	-	-	-	-	-	-	-
Scarlatina -	218	13	23	25	22	33	118	61	18	6	4	5	3	-	-	-	-	-
Diphtheria -	45	3	3	7	2	6	21	14	5	1	-	-	-	3	1	-	-	-
Whooping-cough -	106	45	38	13	5	2	105	3	-	-	-	-	-	-	-	-	-	-
Typhus -	163	10	4	13	8	9	46	17	16	14	12	17	7	12	9	8	4	1
Diarrhoea & Dysentery -	131	70	22	5	-	2	90	1	-	1	1	2	1	3	7	10	3	3
Cholera -	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-
Other Zymotic Dis. -	122	10	19	17	10	9	65	9	3	3	7	7	3	5	6	9	4	1
Cancer -	74	-	-	-	-	-	-	-	-	-	-	3	10	26	15	12	7	1
Scrofula and Tuberc. -	124	33	23	15	9	4	84	10	5	6	2	6	4	3	2	-	-	-
Phtisis -	610	4	10	1	4	3	22	19	40	83	90	171	87	53	34	8	3	-
Hydrocephalus -	81	37	24	8	4	3	76	4	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	597	108	21	25	6	6	226	24	10	13	11	19	25	30	42	52	49	6
Dis. of Heart & Dropsy -	217	-	-	-	-	3	3	8	7	6	7	13	26	35	40	41	25	1
Dis. of Lungs -	460	125	73	27	17	6	248	12	5	4	3	11	11	25	39	57	44	10
Dis. of Stom. and Liver -	222	23	8	5	3	3	42	7	6	2	2	18	18	37	40	31	19	-
Dis. of Kidneys -	22	-	1	-	-	-	1	2	-	-	-	3	4	4	4	4	-	-
Dis. of Gener. Organs -	39	-	-	-	-	-	-	-	-	1	1	5	6	9	4	3	-	-
Dis. of Joints -	21	1	1	-	1	-	3	2	1	2	1	5	1	1	1	1	1	-
Dis. of Skin -	11	4	-	1	-	-	5	1	-	-	-	-	-	1	1	1	-	-
Childbirth and Metris -	86	-	-	-	-	-	-	-	-	3	14	43	26	-	-	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Other Violent Deaths -	70	9	2	5	4	2	22	12	4	3	1	1	7	1	9	4	3	2
Other Causes -	911	357	43	13	3	4	404	13	4	2	6	4	12	18	23	107	230	98

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+
		487.—SEDBERGH.																
Mean Popul ⁿ , 1861-71	2476	65	61	50	53	51	280	290	255	230	194	335	289	268	180	105	41	9
TOTAL DEATHS -	378	60	22	7	3	5	97	15	9	20	19	25	15	24	35	55	40	24
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	3	1	2	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-
Scarlatina -	7	1	2	-	-	2	5	1	1	-	-	-	-	-	-	-	-	-
Diphtheria -	5	1	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough -	8	5	3	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus -	12	1	-	-	-	-	1	1	3	1	-	-	2	1	2	1	-	-
Diarrhoea & Dysentery -	8	1	1	-	-	-	2	-	-	-	-	1	-	1	-	3	1	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	19	1	2	2	-	1	6	1	-	1	2	-	2	2	1	1	7	1
Cancer -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc. -	7	-	1	-	-	-	1	1	1	1	1	1	-	-	1	-	-	-
Phthisis -	57	-	-	-	-	1	1	1	-	13	13	16	-	2	6	1	-	-
Hydrocephalus -	7	1	1	-	1	-	3	3	-	-	1	-	-	-	-	-	-	-
Dis. of Brain -	42	17	1	-	1	-	19	-	-	1	-	-	-	1	4	7	6	4
Dis. of Heart & Dropsy -	23	-	1	-	1	-	2	-	-	-	-	-	2	1	3	3	3	3
Dis. of Lungs -	87	7	3	1	-	-	11	3	-	-	-	1	1	4	4	11	1	7
Dis. of Stom. and Liver -	83	2	-	3	-	-	5	-	2	-	1	1	2	2	6	10	4	4
Dis. of Kidneys -	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	5	1	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-
Dis. of Skin -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	11	-	1	-	-	-	1	1	-	2	1	2	-	-	1	1	1	1
Other Causes -	62	21	3	1	-	-	25	2	-	-	-	1	-	4	3	11	29	16
488.—SETTLE.																		
Mean Popul ⁿ , 1861-71	6995	201	177	165	181	176	900	779	748	630	568	939	812	691	488	297	125	18
TOTAL DEATHS -	1347	255	68	26	27	17	393	43	29	30	30	67	46	94	127	158	171	29
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	10	5	4	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	48	8	7	2	6	3	26	14	1	5	-	1	-	2	-	-	-	-
Diphtheria -	9	-	3	1	-	1	5	3	-	-	-	-	-	1	-	-	-	-
Whooping-cough -	14	10	2	-	-	-	12	2	-	-	-	-	-	-	-	-	-	-
Typhus -	26	-	1	2	1	-	4	2	6	2	-	4	1	3	4	-	-	-
Diarrhoea & Dysentery -	13	7	1	-	-	-	8	-	-	-	-	-	-	-	1	1	3	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	48	7	5	4	4	1	21	2	1	2	1	3	2	5	4	4	4	1
Cancer -	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc. -	18	3	2	1	-	-	6	-	-	2	2	3	-	2	4	3	3	-
Phthisis -	123	-	-	-	-	1	2	3	5	14	16	29	18	15	18	-	-	-
Hydrocephalus -	21	6	5	4	1	4	20	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	297	104	10	3	4	-	121	4	1	1	2	5	3	15	12	30	17	4
Dis. of Heart & Dropsy -	108	-	-	-	1	-	1	1	1	2	2	5	7	11	24	20	22	3
Dis. of Lungs -	144	38	12	6	5	3	64	2	1	2	1	4	8	12	16	17	14	3
Dis. of Stom. and Liver -	83	9	1	-	2	2	14	3	4	1	2	2	8	14	13	18	10	2
Dis. of Kidneys -	32	-	-	-	-	-	-	1	2	1	-	1	2	2	3	14	3	1
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
Dis. of Skin -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	44	4	2	-	2	2	10	5	1	-	2	7	-	6	7	5	1	1
Other Causes -	272	52	13	2	1	-	68	-	-	-	-	3	2	5	20	28	60	43
489.—SKIPTON.																		
Mean Popul ⁿ , 1861-71	15811	438	442	403	392	365	2040	1831	1697	1541	1338	2108	1908	1486	1020	608	215	19
TOTAL DEATHS -	3305	818	294	103	75	45	1245	161	84	118	98	201	197	216	294	383	321	17
Small-pox -	81	9	4	1	2	2	18	2	1	3	4	-	1	1	1	-	-	-
Measles -	45	15	15	9	3	4	46	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	127	10	20	20	13	12	75	33	11	5	1	2	-	-	-	-	-	-
Diphtheria -	8	2	1	-	2	-	5	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough -	48	31	10	5	1	2	47	1	-	-	-	-	-	-	-	-	-	-
Typhus -	108	4	5	6	-	5	18	29	10	10	5	11	9	7	1	3	3	-
Diarrhoea & Dysentery -	46	15	7	-	-	-	22	1	2	1	1	1	1	3	3	7	4	1
Cholera -	11	3	-	-	1	-	4	1	-	1	1	1	1	-	-	-	-	-
Other Zymotic Dis. -	95	11	10	11	10	5	47	11	-	1	1	2	8	8	7	11	3	-
Cancer -	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc. -	53	17	7	4	2	-	30	2	5	5	5	2	5	3	9	19	1	-
Phthisis -	328	5	6	5	2	-	14	17	15	67	47	103	64	32	52	7	-	-
Hydrocephalus -	53	22	6	5	6	5	44	6	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	538	264	29	10	11	5	319	11	16	3	11	14	23	25	28	39	30	8
Dis. of Heart & Dropsy -	193	1	-	-	-	-	1	4	5	7	1	11	8	60	47	39	23	2
Dis. of Lungs -	498	111	38	22	9	3	183	8	3	6	4	20	16	46	79	85	43	5
Dis. of Stom. and Liver -	142	10	3	-	3	1	16	8	4	1	7	6	12	22	30	33	5	3
Dis. of Kidneys -	70	-	3	-	1	-	4	-	-	-	-	4	5	6	12	29	19	-
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	12	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	15	4	2	1	1	-	8	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	104	1	3	4	4	1	15	9	6	6	6	12	12	11	14	8	1	1
Other Causes -	788	285	85	2	4	-	336	9	4	1	1	7	17	14	23	29	29	12

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and upwards.	
		487.—SEDBERGH.																	
Mean Popul ⁿ , 1861-71	2214	61	61	61	63	54	300	269	252	199	169	287	239	214	149	94	36	6	
TOTAL DEATHS	398	51	14	7	2	3	77	11	14	23	26	27	28	27	38	46	59	17	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	5	-	-	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-	
Diphtheria	5	-	-	1	-	-	1	-	3	-	1	-	-	-	-	-	-	-	
Whooping-cough	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	
Typhus	19	-	-	1	-	2	3	1	-	3	3	3	2	-	3	1	-	-	
Diarrhoea & Dysentery	11	4	-	1	-	-	5	-	-	-	-	1	1	-	1	1	1	1	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Zymotic Dis.	16	2	1	-	-	-	3	1	-	-	-	-	-	-	1	2	4	5	
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	
Scrofula and Tabes	13	-	-	-	-	-	2	1	2	2	1	-	1	2	2	2	-	-	
Phthisis	84	-	1	1	-	-	2	-	5	16	16	14	16	6	6	3	-	-	
Hydrocephalus	8	2	1	-	-	-	3	4	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	34	12	2	-	1	-	15	-	-	-	1	1	-	-	6	6	5	-	
Dis. of Heart & Dropsy	27	-	-	-	-	-	-	-	-	-	1	4	2	8	4	4	4	-	
Dis. of Lungs	35	5	4	1	-	-	10	-	1	-	2	2	2	2	4	8	5	1	
Dis. of Stom. and Liver	26	1	-	-	-	-	1	2	-	1	1	1	2	5	5	5	2	1	
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
Dis. of Joints	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Dis. of Skin	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	3	-	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	
Other Causes	87	18	2	1	-	-	21	1	-	-	-	1	1	1	8	11	35	13	

488.—SETTLE.																					
Mean Popul ⁿ , 1861-71	6836	176	169	187	171	167	870	804	745	658	607	916	751	609	432	293	137	14			
TOTAL DEATHS	1257	203	67	34	24	18	346	51	26	55	56	103	67	91	99	137	181	45			
Small-pox	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-			
Measles	12	3	7	2	-	-	12	-	-	-	-	-	-	-	-	-	-	-			
Scarlatina	49	3	11	8	4	3	29	13	3	1	2	1	-	-	-	-	-	-			
Diphtheria	9	-	-	1	-	-	1	6	1	-	-	-	1	-	-	-	-	-			
Whooping-cough	28	14	6	3	1	1	25	3	-	-	-	-	-	-	-	-	-	-			
Typhus	41	-	-	1	2	3	6	6	5	5	4	6	2	3	1	3	-	-			
Diarrhoea & Dysentery	12	6	1	-	-	-	7	1	-	-	-	1	1	-	1	1	-	-			
Cholera	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-			
Other Zymotic Dis.	86	5	4	4	3	1	17	1	-	-	-	5	-	2	3	6	1	-			
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	1	4	4	1	2	-			
Scrofula and Tabes	20	2	3	-	1	-	6	-	2	5	1	5	1	-	-	-	-	-			
Phthisis	180	2	3	-	1	-	6	1	4	30	35	52	27	16	4	5	-	-			
Hydrocephalus	21	8	5	2	1	1	17	4	-	-	-	-	-	-	-	-	-	-			
Dis. of Brain	191	65	9	2	5	4	85	4	4	4	2	9	6	13	19	20	22	3			
Dis. of Heart & Dropsy	135	-	-	-	-	1	1	-	-	-	5	4	4	24	29	36	26	6			
Dis. of Lungs	114	29	8	5	3	3	48	4	2	1	2	2	1	5	7	22	18	2			
Dis. of Stom. and Liver	70	5	-	-	-	-	5	-	3	1	-	2	9	14	18	10	7	-			
Dis. of Kidneys	9	-	-	-	1	-	1	-	1	-	-	2	1	1	-	2	1	-			
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-			
Childbirth and Metria	21	-	-	-	-	-	-	-	1	3	10	7	7	-	-	-	-	-			
Suicide	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-			
Other Violent Deaths	17	-	3	2	-	-	5	3	2	-	1	-	1	1	2	1	1	-			
Other Causes	207	60	10	3	-	1	74	3	-	3	-	2	4	6	10	28	103	24			

489.—SKIPTON.																			
Mean Popul ⁿ , 1861-71	16060	455	413	432	391	388	2079	1778	1710	1637	1486	2318	1844	1450	965	556	212	25	
TOTAL DEATHS	3433	614	194	87	61	62	1018	142	103	182	153	275	228	219	280	425	318	90	
Small-pox	10	1	-	-	-	1	2	-	-	3	-	1	-	3	-	1	-	-	
Measles	53	10	23	9	2	-	44	6	1	-	-	2	-	-	-	-	-	-	
Scarlatina	143	6	11	13	16	27	73	45	12	8	2	2	1	-	-	-	-	-	
Diphtheria	29	2	3	3	1	3	12	13	3	-	-	-	1	-	-	-	-	-	
Whooping-cough	40	15	16	5	2	2	40	-	-	-	-	-	-	-	-	-	-	-	
Typhus	124	4	5	6	5	4	24	11	18	23	18	14	6	7	9	7	1	-	
Diarrhoea & Dysentery	49	21	6	1	-	-	28	-	2	1	-	1	2	1	3	8	2	1	
Cholera	11	2	1	1	-	2	6	-	-	-	-	1	-	2	2	1	1	-	
Other Zymotic Dis.	112	10	14	12	9	6	51	16	7	4	3	3	8	8	8	6	9	1	
Cancer	51	-	-	-	-	-	-	-	-	2	-	2	6	11	19	10	1	-	
Scrofula and Tuberc.	62	16	17	2	-	4	30	5	5	2	-	3	2	2	1	2	1	-	
Phthisis	552	6	8	2	3	-	14	7	24	103	95	151	80	45	29	4	-	-	
Hydrocephalus	29	6	10	2	2	1	21	8	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	425	190	20	8	3	2	223	13	11	10	1	10	10	29	36	64	40	6	
Dis. of Heart & Dropsy	246	3	2	1	2	-	8	3	3	6	4	21	34	35	50	57	21	4	
Dis. of Lungs	301	75	33	11	7	6	132	8	1	2	4	15	14	19	38	91	36	11	
Dis. of Stom. and Liver	189	19	3	1	1	1	25	4	3	7	7	16	19	30	30	36	10	2	
Dis. of Kidneys	33	-	-	-	-	-	-	1	6	-	-	4	1	5	3	6	4	-	
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	1	1	3	4	1	-	-	
Dis. of Joints	12	-	-	-	-	-	-	1	-	-	-	1	1	3	1	4	1	-	
Dis. of Skin	7	3	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-	
Childbirth and Puerp.	59	-	-	-	-	-	-	-	-	4	0	19	26	1	-	-	-	-	
Swindlers	7	-	-	-	-	-	-	-	-	1	-	3	-	1	1	1	-	1	
Unlabeled	7	-	-	-	-	-	-	-	-	-	-	3	-	1	1	4	8	1	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														Total under 15 Years.	Total under 1 Year.		
		1	2	3	4	5	6	10	15	20	25	35	45	55	65			75	85
490.—PATELEY BRIDGE.																			
Mean Popul ⁿ , 1861-71	4631	124	123	128	124	118	617	602	529	438	311	528	530	440	328	206	90	12	
TOTAL DEATHS	1013	227	44	29	20	12	332	37	23	30	51	49	44	53	98	131	123	32	
Small-pox	6	1	1	-	-	-	2	-	1	-	-	-	-	2	1	-	-	-	
Measles	7	2	2	-	-	1	5	1	-	1	-	-	-	-	-	-	-	-	
Scarlatina	20	1	2	3	2	2	10	8	2	-	-	-	-	-	-	-	-	-	
Diphtheria	7	-	-	-	3	-	3	2	1	-	-	-	1	-	-	-	-	-	
Whooping-cough	8	6	1	1	-	-	8	-	-	-	-	-	-	-	-	-	-	-	
Typhus	25	1	1	-	1	-	3	2	-	3	2	2	4	5	3	2	4	1	
Diarrhoea & Dysentery	35	14	3	1	2	1	21	-	1	1	-	1	1	1	1	1	1	1	
Cholera	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	42	8	1	6	2	-	17	7	1	-	1	1	1	2	3	8	2	1	
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tabes	17	6	2	-	-	1	9	1	2	2	-	-	-	6	4	2	-	-	
Phthisis	119	1	3	2	3	2	16	5	5	10	31	39	9	1	1	1	1	1	
Hydrocephalus	20	8	1	2	3	2	16	4	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	155	66	15	5	2	1	89	4	2	4	2	2	5	5	13	11	19	1	
Dis. of Heart & Dropsy	64	-	-	-	-	-	1	-	-	1	5	5	8	13	19	12	12	1	
Dis. of Lungs	139	21	3	5	4	2	35	-	1	-	-	-	-	4	5	10	19	1	
Dis. of Stom. and Liver	56	8	1	-	-	-	9	1	2	3	3	3	-	-	-	-	-	-	
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	-	1	2	2	-	2	9	4	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	10	-	-	1	-	-	1	-	2	2	2	-	1	-	3	-	-	-	
Dis. of Skin	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	
Other Violent Deaths	40	3	3	2	1	2	11	1	2	2	1	3	5	1	2	3	3	1	
Other Causes	205	81	4	1	-	-	86	1	-	-	-	1	3	1	6	25	25	1	

491.—RIPON.																	
Mean Popul ⁿ , 1861-71	7669	210	177	194	208	189	978	910	833	775	578	954	846	722	558	338	156
TOTAL DEATHS	1588	357	64	35	25	31	515	58	25	43	44	89	86	109	159	100	109
Small-pox	15	2	1	-	-	1	4	4	1	1	-	1	1	3	-	-	-
Measles	15	-	4	4	3	2	13	2	-	-	-	-	-	-	-	-	-
Scarlatina	60	4	7	6	8	9	34	17	6	1	1	1	-	-	-	-	-
Diphtheria	11	3	1	2	-	1	7	-	1	-	-	3	-	-	-	-	-
Whooping-cough	20	12	5	2	1	-	20	-	-	-	-	-	-	-	-	-	-
Typhus	56	3	-	-	-	-	3	5	1	6	4	5	-	4	5	1	2
Diarrhoea & Dysentery	28	20	1	1	-	-	22	-	-	-	-	1	-	-	-	2	1
Cholera	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	46	8	6	3	1	2	20	4	-	-	-	3	3	5	3	3	2
Cancer	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes	45	16	6	4	-	1	27	7	1	1	3	2	1	1	1	1	1
Phthisis	174	4	1	-	-	-	6	1	5	23	22	35	29	27	18	13	2
Hydrocephalus	23	6	5	2	1	5	19	2	2	-	-	-	-	-	-	-	-
Dis. of Brain	265	150	12	4	4	5	155	1	-	1	1	9	5	15	19	21	29
Dis. of Heart & Dropsy	113	2	-	-	-	-	3	-	-	1	1	5	5	12	25	27	21
Dis. of Lungs	122	23	7	2	4	2	43	5	-	1	4	10	7	10	23	29	23
Dis. of Stom. and Liver	87	8	-	-	1	1	10	-	-	2	1	4	9	10	21	22	7
Dis. of Kidneys	26	-	1	-	-	-	1	1	-	2	2	4	1	1	4	6	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	1	-	-	1	-	-	-	-	-	1	-	1	3	-
Dis. of Skin	6	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	-	1	-	2	4	5	3	1
Other Violent Deaths	70	4	5	2	1	-	10	7	8	1	3	5	10	8	7	5	3
Other Causes	333	103	4	4	-	1	115	1	-	1	1	2	5	5	13	22	124

492A.—GREAT OUSEBURN;* 492C.—WETHERBY;* 493.—WHARFEDALE;* 514.—TADCASTER.*																	
Mean Popul ⁿ , 1861-71	37716	1105	978	987	963	941	4974	4530	4352	3744	2988	4925	4112	3483	2532	1493	517
TOTAL DEATHS	8115	2601	517	231	171	160	3029	327	209	223	271	418	435	518	720	843	843
Small-pox	73	19	3	4	1	2	29	7	3	4	10	11	4	3	-	-	-
Measles	73	24	26	7	8	2	67	7	-	1	-	1	-	-	-	-	-
Scarlatina	274	23	35	46	47	54	185	69	18	5	2	2	-	-	-	-	-
Diphtheria	86	4	8	10	15	7	44	21	12	3	-	-	1	2	3	-	-
Whooping-cough	119	66	29	13	7	2	117	2	-	-	-	-	-	-	-	-	-
Typhus	258	7	9	11	8	8	43	36	18	23	17	27	20	19	23	26	26
Diarrhoea & Dysentery	239	132	22	4	2	2	162	1	3	2	1	1	3	4	18	20	26
Cholera	14	-	2	1	-	-	3	1	-	1	-	-	-	2	4	2	1
Other Zymotic Dis.	228	37	24	17	13	8	99	21	6	7	4	8	6	12	17	24	23
Cancer	197	-	-	-	-	-	-	-	1	-	2	3	7	8	26	29	17
Serofula and Tabes	150	41	35	8	7	1	92	11	7	4	5	8	8	7	7	1	-
Phthisis	832	8	10	4	3	4	29	15	41	94	145	181	129	114	64	23	2
Hydrocephalus	132	21	41	25	12	3	132	17	2	-	-	-	1	-	-	-	-
Dis. of Brain	1409	688	77	20	13	10	803	56	22	12	16	32	48	61	195	144	113
Dis. of Heart & Dropsy	839	6	4	3	3	2	18	13	15	11	6	22	28	69	119	142	59
Dis. of Lungs	1063	237	103	34	15	12	404	23	5	13	9	40	35	81	119	177	100
Dis. of Stom. and Liver	492	37	7	1	1	2	48	6	6	12	8	17	44	47	63	96	31
Dis. of Kidneys	156	2	3	1	1	-	7	1	5	2	9	7	12	14	22	26	11
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Joints	46	2	1	3	1	-	7	5	2	4	-	8	-	8	5	1	2
Dis. of Skin	21	7	2	-	-	-	9	2	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	40	-	-	-	-	-	-	-	-	-	1	4	4	7	11	7	2
Other Violent Deaths	325	11	15	6	11	7	50	50	27	20	20	32	33	40	28	16	16

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
490.—PATELEY BRIDGE.																			
Mean Popul ⁿ , 1861-71	4478	128	125	111	117	117	598	574	514	419	328	587	506	381	293	193	72	13	
TOTAL DEATHS -	931	172	42	28	11	9	262	40	19	42	48	60	73	51	78	110	112	36	
Small-pox -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Measles -	15	5	2	3	-	-	10	2	-	-	2	1	-	-	-	-	-	-	
Scarlatina -	19	3	2	1	2	1	9	7	-	-	2	-	-	1	-	-	-	-	
Diphtheria -	26	1	2	5	-	3	11	8	1	2	2	1	-	-	-	1	-	-	
Whooping-cough -	18	8	8	-	-	-	16	2	-	-	-	-	-	-	-	-	-	-	
Typhus -	25	2	-	1	1	-	4	2	2	6	3	1	3	1	2	-	1	-	
Diarrhoea & Dysentery -	12	3	-	-	-	-	3	-	-	-	-	1	1	3	-	1	3	-	
Cholera -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	40	7	3	2	4	-	16	3	1	1	-	1	2	1	1	9	3	-	
Cancer -	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc. -	13	8	3	-	2	-	8	3	-	-	-	-	2	6	3	6	1	-	
Phthisis -	146	1	1	5	1	-	8	1	7	24	29	28	29	9	9	-	-	-	
Hydrocephalus -	13	4	2	1	1	1	9	1	1	-	1	1	-	-	-	-	-	-	
Dis. of Brain -	199	65	4	1	-	2	72	4	1	1	1	4	3	7	13	19	11	2	
Dis. of Heart & Dropsy -	74	-	-	-	-	-	1	1	1	1	1	1	5	7	22	16	14	1	
Dis. of Lungs -	110	11	11	5	-	-	27	1	3	5	1	4	5	6	12	21	20	6	
Dis. of Stom. and Liver -	41	3	-	-	-	-	3	1	-	-	2	5	5	7	6	6	6	1	
Dis. of Kidneys -	9	-	-	-	-	-	-	1	-	-	-	1	-	-	1	5	1	-	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	3	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Childbirth and Metria -	17	-	-	-	-	-	-	-	-	1	1	7	8	-	-	-	-	-	
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	11	-	-	3	-	2	5	1	1	-	-	-	1	-	-	-	-	-	
Other Causes -	179	56	3	1	-	-	60	-	1	1	1	1	6	3	2	31	49	25	

491.—RIPON.																		
Mean Popul ⁿ , 1861-71	8186	221	204	182	194	195	996	928	849	802	692	1056	916	762	593	399	164	29
TOTAL DEATHS	4578	255	74	38	30	30	427	60	32	41	57	103	65	113	133	194	232	101
Small-pox	14	1	1	2	—	1	5	2	—	2	—	—	3	2	—	—	—	—
Measles	15	3	3	5	1	2	14	1	—	—	—	—	—	—	—	—	—	—
Scarlatina	69	4	7	9	9	5	34	19	4	—	1	2	—	—	—	—	—	—
Diphtheria	16	—	2	—	1	4	7	5	1	—	—	3	—	—	—	—	—	—
Whooping-cough	19	11	4	3	1	—	19	—	—	—	—	—	—	—	—	—	—	—
Typhus	65	4	—	—	2	4	10	12	5	4	7	7	5	4	6	4	1	—
Diarrhoea & Dysentery	45	13	4	—	1	—	18	2	—	2	2	2	—	—	—	5	11	1
Cholera	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	34	2	3	4	4	3	16	1	1	—	1	1	2	—	3	2	6	1
Cancer	63	—	—	—	—	—	—	—	—	—	—	1	3	11	10	18	9	1
Scrofula and Tuberc.	25	8	2	1	—	1	12	3	2	3	—	3	—	1	1	—	—	—
Phthisis	181	2	—	1	1	—	4	5	7	17	29	51	32	24	9	4	1	—
Hydrocephalus	18	7	5	—	—	3	15	1	2	—	—	—	—	—	—	—	—	—
Dis. of Brain	211	82	12	3	2	1	100	1	3	4	2	2	3	18	20	22	26	4
Dis. of Heart & Dropsy	146	—	—	—	—	—	—	3	—	—	—	6	9	23	32	38	30	5
Dis. of Lungs	171	21	19	7	3	4	54	—	4	8	2	7	4	7	17	84	27	12
Dis. of Stom. and Liver	87	6	1	—	2	2	11	1	1	3	2	4	7	14	17	16	9	2
Dis. of Kidneys	13	—	—	—	—	—	—	—	—	—	2	3	2	—	—	6	—	—
Dis. of Gener. Organs	7	—	—	—	—	—	—	—	—	—	—	1	—	1	3	1	—	—
Dis. of Joints	7	—	—	—	—	—	—	—	—	1	—	—	—	2	—	2	1	—
Dis. of Skin	2	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Childbirth and Metria	25	—	—	—	—	—	—	—	—	1	3	8	11	2	—	—	—	—
Suicide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Other Violent Deaths	26	1	3	1	1	—	5	4	—	—	1	—	—	2	4	4	5	1
Other Causes	338	90	9	2	2	—	103	2	1	1	4	2	3	1	10	32	105	74

492a.—GREAT OUSEBURN;* 492c.—WETHERBY;* 493.—WHARFEDALE;* 514.—TADCASTER.*

Mean Popul ⁿ , 1861-71	37574	1077	1004	991	947	957	4976	4389	4003	3508	3227	5288	4269	3376	2446	1456	561	75
TOTAL DEATHS	7835	1586	498	223	169	120	2596	335	215	327	339	902	483	482	603	852	784	217
Small-pox	71	20	10	4	5	2	41	9	2	8	1	2	3	2	3	—	—	—
Measles	32	19	36	14	9	5	83	6	2	3	—	—	—	—	—	—	—	—
Scarlatina	306	27	40	37	42	33	179	83	23	10	2	8	1	—	—	—	—	—
Diphtheria	95	10	5	6	6	9	39	32	16	5	4	—	1	—	—	1	—	—
Whooping-cough	145	63	26	20	14	3	136	8	—	—	—	1	—	—	—	—	—	—
Typhus	293	6	11	13	8	13	51	31	33	56	30	32	21	20	16	15	8	—
Diarrhoea & Dysentery	216	91	29	6	—	1	127	—	8	—	2	8	5	6	16	22	21	6
Cholera	11	2	2	—	—	—	—	—	—	—	—	—	1	—	2	—	3	—
Other Zymotic Dis.	183	13	14	22	12	14	75	15	6	8	1	8	12	8	11	26	8	5
Cancer	193	—	—	—	—	—	—	—	—	1	—	10	27	50	63	26	15	1
Scrofula and Tuberc.	149	36	33	7	7	2	85	9	10	10	8	8	5	3	4	5	2	—
Phthisis	1119	11	14	6	4	4	30	27	54	189	193	511	151	95	47	11	9	—
Hydrocephalus	119	47	28	11	10	5	101	15	3	—	—	—	—	—	—	—	—	—
Dis. of Brain	1119	494	72	23	14	7	610	34	16	15	16	36	35	55	72	137	60	13
Dis. of Heart & Dropsy	618	8	3	—	4	3	18	14	16	10	19	42	61	82	112	138	79	7
Dis. of Lungs	930	189	100	31	20	9	349	20	9	8	14	27	43	69	104	171	117	9
Dis. of Stom. and Liver	442	41	3	2	4	2	52	6	7	10	19	35	43	60	86	86	33	5
Dis. of Kidneys	42	—	—	1	1	2	4	1	2	3	4	4	9	6	5	3	1	—
Dis. of Gener. Organs	32	—	—	—	—	—	—	—	—	—	2	5	8	7	5	4	1	—
Dis. of Joints	33	2	—	1	—	—	3	1	5	3	2	3	4	3	4	4	1	—
Dis. of Skin	26	5	2	—	—	—	7	—	—	—	1	—	1	2	1	6	8	—
Childbirth and Metria	101	—	—	—	—	—	—	—	—	2	16	49	32	2	—	—	—	—
Suicide	16	—	—	—	—	—	—	—	—	3	1	3	1	4	2	1	1	—
Other Violent Deaths	94	15	4	7	6	3	32	14	4	3	2	3	7	3	4	10	10	2
Other Causes	1390	487	86	12	6	3	564	9	4	3	2	6	12	15	46	166	594	169

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
492b.—KNARESBOROUGH.																		
Mean Popul ⁿ , 1861-71	8674	235	200	208	239	218	1100	983	952	777	705	1145	1030	878	613	346	126	17
TOTAL DEATHS -	1928	428	95	43	26	30	622	77	36	50	53	101	144	155	218	241	173	28
Small-pox -	14	4	2	-	-	-	6	2	-	1	1	-	8	-	1	-	-	-
Measles -	12	-	2	4	-	1	7	4	-	-	-	-	-	1	-	-	-	-
Scarlatina -	33	8	2	4	5	7	21	9	2	1	-	-	-	-	-	-	-	-
Diphtheria -	17	2	1	1	4	2	10	1	3	1	-	1	-	1	-	-	-	-
Whooping-cough -	22	12	8	-	1	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus -	63	2	-	3	1	2	8	2	3	-	6	2	10	7	6	9	4	1
Diarrhoea & Dysentery -	94	54	9	1	2	1	67	2	-	-	2	1	2	2	2	10	3	1
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	51	7	4	3	5	4	23	4	2	1	-	1	4	7	5	3	1	-
Cancer -	34	-	-	-	-	-	-	-	-	1	1	2	-	2	4	19	8	4
Scrofula and Tuberc -	36	12	7	2	1	-	22	5	3	4	2	-	-	1	1	-	-	-
Phthisis -	216	2	3	-	3	-	8	5	5	17	24	47	51	21	21	13	-	-
Hydrocephalus -	40	17	6	6	-	1	30	9	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	325	131	14	4	2	1	152	9	3	5	4	9	17	21	32	23	14	4
Dis. of Heart & Dropsy -	167	5	2	-	1	-	8	4	-	4	3	8	13	26	38	23	12	1
Dis. of Lungs -	283	53	21	9	1	7	91	10	1	2	4	7	11	24	49	27	14	4
Dis. of Stom. and Liver -	126	16	1	2	-	1	20	3	2	-	5	7	12	17	28	22	6	1
Dis. of Kidneys -	37	-	-	1	-	-	1	2	2	1	2	3	5	4	6	7	4	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	1	1	1	-	-	-	-	1	-	4	-	-	-
Dis. of Skin -	4	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	-	1	4	2	2	1	1	1
Other Violent Deaths -	63	5	2	2	-	1	10	5	8	5	1	3	5	5	22	7	7	1
Other Causes -	272	101	11	1	-	1	114	1	1	-	2	1	5	8	29	29	6	1

[For DISTRICTS 492c.—WETHERBY, and 493.—WHARFEDALE, see p. 351.]

494.—KEIGHLEY.																	
Mean Popul ⁿ , 1861-71		22972	673	604	598	567	537	2979	2748	2483	2375	2032	3221	2771	2090	1370	690
TOTAL DEATHS		5835	1649	489	188	148	101	2575	285	161	204	188	298	315	371	529	510
Small-pox		57	14	7	3	2	1	27	10	3	3	3	8	3	2	3	-
Measles		109	22	54	17	5	5	103	6	-	-	-	-	-	-	-	-
Scarlatina		332	10	44	42	45	45	198	97	26	8	8	-	-	-	-	-
Diphtheria		10	-	2	3	5	1	11	7	-	-	-	-	-	1	-	-
Whooping-cough		102	58	23	9	4	2	99	3	-	-	-	-	-	-	-	-
Typhus		268	3	10	5	16	8	42	36	29	24	28	30	21	22	37	11
Diarrhoea & Dysentery		175	103	25	1	2	1	132	4	1	4	2	3	5	5	5	3
Cholera		23	10	-	-	-	-	10	2	2	-	1	-	2	1	4	1
Other Zymotic Dis.		168	37	20	16	19	11	163	11	4	3	2	5	8	10	13	6
Cancer		32	-	-	-	-	-	-	1	-	-	-	1	7	10	6	4
Scrofula and Tuberc.		70	19	13	8	2	-	42	4	5	3	-	5	5	2	2	-
Phthisis		743	15	10	6	1	2	34	13	41	105	96	147	109	84	82	30
Hydrocephalus		85	29	21	8	3	5	66	12	6	1	-	-	1	-	-	-
Dis. of Brain		980	564	54	22	8	4	632	94	12	13	9	22	26	35	71	69
Dis. of Heart & Dropsy		285	1	-	1	2	2	6	12	5	8	7	18	23	42	60	49
Dis. of Lungs		892	239	116	34	18	7	414	13	6	2	8	23	37	76	132	137
Dis. of Stom. and Liver		211	24	7	1	3	-	35	2	3	4	7	13	10	35	41	35
Dis. of Kidneys		64	-	-	-	1	1	2	3	2	4	2	5	5	4	11	19
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		19	3	1	-	-	-	4	2	1	2	-	-	3	2	2	2
Dis. of Skin		8	6	-	-	-	-	6	-	-	1	-	-	-	2	1	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		28	-	-	-	-	-	-	-	-	-	-	4	6	7	8	2
Other Violent Deaths		154	3	4	1	7	5	20	18	10	13	10	16	19	15	14	14
Other Causes		1010	480	75	11	2	1	269	5	5	11	6	6	8	17	45	113

495.—TODMORDEN.																	
Mean Popul ⁿ , 1861-71		15351	437	385	374	385	360	1941	1717	1637	1528	1464	2211	1841	1455	928	480
TOTAL DEATHS		3534	894	257	107	74	58	1390	127	83	126	101	194	200	278	343	397
Small-pox		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles		64	12	29	9	3	6	59	5	-	-	-	-	-	-	-	-
Scarlatina		147	10	20	24	22	10	93	43	8	2	-	-	-	-	-	-
Diphtheria		8	1	-	2	-	-	3	1	2	-	1	-	-	-	-	1
Whooping-cough		67	40	16	6	3	1	63	1	-	-	-	-	-	-	-	-
Typhus		149	23	18	4	8	2	55	11	10	18	11	14	9	6	4	9
Diarrhoea & Dysentery		112	66	17	2	1	-	86	4	1	2	-	6	1	2	3	2
Cholera		80	5	3	1	1	-	10	-	-	-	-	3	1	3	5	7
Other Zymotic Dis.		130	16	20	16	9	11	81	8	5	4	2	5	8	5	10	4
Cancer		21	-	-	-	-	-	-	-	-	-	-	2	1	3	8	4
Scrofula and Tuberc.		54	13	9	3	-	2	27	6	2	6	2	4	3	2	1	1
Phthisis		324	-	-	-	-	-	2	2	10	32	47	73	45	66	32	6
Hydrocephalus		29	13	8	5	-	1	27	2	-	-	-	-	-	-	-	-
Dis. of Brain		434	163	14	9	10	3	201	14	9	5	8	13	20	27	47	67
Dis. of Heart & Dropsy		138	-	1	-	-	1	2	2	3	5	1	9	14	22	19	43
Dis. of Lungs		644	111	39	13	8	6	177	10	8	9	11	28	41	76	103	129
Dis. of Stom. and Liver		222	23	2	2	2	2	31	3	5	11	6	13	34	35	49	37
Dis. of Kidneys		44	-	-	-	-	1	1	1	-	2	1	2	4	3	11	10
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Joints		20	-	-	-	-	-	-	1	3	-	2	1	1	3	2	1
Dis. of Skin		8	3	-	1	1	-	5	-	-	-	-	1	-	-	1	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		8	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
492 b.—KNARESBOROUGH.																			
Mean Popul ⁿ , 1861-71	9458	230	210	209	213	214	1076	1020	931	860	884	1392	1129	898	677	416	155	20	
TOTAL DEATHS -	1931	357	110	40	32	26	574	71	48	71	66	139	138	145	170	227	219	63	
Small-pox - - -	5	5	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	
Measles - - -	23	4	10	5	-	1	20	2	-	1	-	-	-	-	-	-	-	-	
Scarlatina - - -	43	2	5	8	6	4	25	7	7	1	-	2	1	-	-	-	-	-	
Diphtheria - - -	30	6	-	8	1	2	17	5	4	3	-	-	1	-	-	-	-	-	
Whooping-cough - -	22	10	7	4	1	-	22	-	-	-	-	-	-	-	-	-	-	-	
Cyphus - - -	63	-	-	-	1	2	3	11	7	5	5	10	2	8	3	7	1	1	
Diarrhoea & Dysentery	84	38	7	1	1	1	48	4	-	-	1	4	-	4	4	9	8	2	
Cholera - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	45	1	6	2	6	5	20	4	3	6	2	1	2	2	3	4	1	-	
Cancer - - -	84	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Scrofula and Tubercles	31	8	5	1	-	-	15	3	4	1	1	2	3	17	15	24	11	1	
Rheumatism - - -	245	-	2	2	1	2	7	9	-	36	32	59	48	22	15	8	1	-	
Hydrocephalus - - -	23	8	6	3	1	-	19	4	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	319	116	21	5	9	-	151	7	5	3	3	12	10	22	25	43	32	6	
Dis. of Heart & Dropsy	143	-	2	2	1	1	7	1	1	2	7	10	21	35	35	24	5	-	
Dis. of Lungs - - -	275	55	20	6	4	2	87	7	4	2	3	11	16	15	35	43	44	8	
Dis. of Stom. and Liver	128	14	1	-	-	-	18	2	2	6	5	9	9	20	23	22	11	1	
Dis. of Kidneys - - -	15	-	-	-	-	-	-	-	-	-	2	-	4	2	3	3	1	-	
Dis. of Gener. Organs -	11	-	-	-	-	-	-	-	-	-	-	1	5	2	1	-	2	-	
Dis. of Joints - - -	7	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	1	-	
Dis. of Skin - - -	5	1	-	-	-	-	1	-	1	-	-	-	-	1	-	2	-	-	
Childbirth and Metritis	28	-	-	-	-	-	-	-	-	2	5	12	9	-	-	-	-	-	
Selficide - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Other Violent Deaths -	31	3	5	-	-	-	8	4	-	1	-	3	1	3	-	-	9	3	
Other Causes - - -	260	88	13	2	-	1	104	-	-	1	4	5	3	5	4	25	73	36	

[For DISTRICTS 492c.—WETHERBY, and 493.—WHARFEDALE, *see* p. 353.]

494.—KEIGHLEY.

Mean Popul ⁿ , 1861-71 - }	24659	680	643	602	583	550	3058	2718	2569	2631	2410	3823	2971	2205	1354	703	192	25
TOTAL DEATHS -	5629	1215	483	176	137	113	2124	266	179	275	285	420	382	369	455	520	339	75
Small-pox - -	64	16	8	-	2	6	32	8	4	3	10	4	-	3	-	-	-	-
Measles - - -	112	31	39	16	10	7	163	7	1	-	1	1	-	-	-	-	-	-
Diphtheria - -	810	18	46	23	39	35	176	96	29	4	2	3	1	-	-	-	-	-
Whooping-cough -	143	69	49	11	5	5	139	4	-	-	31	32	21	11	17	10	2	1
Cyphus - - -	273	4	7	7	8	13	30	40	36	1	2	2	4	2	11	30	12	-
Scarletina & Dysentery	138	69	23	5	1	-	28	-	-	1	2	-	-	2	1	1	-	-
Cholera - - -	13	4	8	1	-	-	8	2	-	1	-	-	-	2	1	5	4	-
Other Zymotic Dis.	155	28	25	20	20	13	106	8	2	2	2	2	6	7	11	5	4	-
Jaeger - - -	82	-	-	-	-	-	-	-	-	-	1	3	18	27	18	0	6	-
Erofula and Tabes -	48	9	10	2	6	-	27	3	3	4	-	5	2	2	1	1	-	-
Typhoid - - -	971	8	14	5	4	3	34	12	53	177	163	221	146	71	68	23	1	-
Hydrocephalus - -	67	21	12	7	7	5	52	8	5	2	-	-	-	-	-	-	-	-
Dis. of Brain - - -	793	356	60	16	13	6	481	24	8	13	12	16	21	30	67	96	34	1
Dis. of Heart & Droopy	380	1	1	-	-	-	2	12	13	12	11	30	46	67	88	80	26	3
Dis. of Lungs - - -	692	171	108	25	10	11	335	16	3	8	8	15	29	46	90	118	31	3
Dis. of Stom. and Liver	208	12	4	4	1	2	23	3	5	6	11	20	28	28	44	23	7	-
Dis. of Kidneys - -	24	-	-	1	-	1	2	1	2	1	2	5	2	5	2	2	-	-
Dis. of Generr. Organs	9	-	-	-	-	-	-	-	-	-	2	1	-	3	1	2	-	-
Dis. of Joints - - -	11	-	-	-	-	-	-	1	3	-	1	1	1	1	1	2	-	-
Dis. of Skin - - -	11	2	1	-	-	-	3	-	-	-	1	2	2	-	-	1	-	-
Childbirth and Metria	112	-	-	-	-	-	-	-	-	2	25	48	36	1	-	-	-	-
suicide - - -	4	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-
Other Violent Deaths	49	6	4	5	3	4	22	8	2	1	-	-	6	1	2	3	1	3
Other Causes - - -	320	357	68	11	4	2	442	8	7	4	1	7	11	11	29	124	212	63

495.—TODMORDEN.

Mean Popul ⁿ , 1861-71	16368	449	391	385	386	341	1952	1757	1657	1634	1566	2566	2016	1571	981	504	148	16
TOTAL DEATHS -	3352	639	231	104	84	56	1114	165	80	128	128	259	239	255	316	377	241	50
Small-pox -	5	1	1	1	-	-	3	-	-	1	1	-	1	-	-	-	-	-
Scarlet -	68	12	18	10	9	5	54	3	-	-	-	-	-	-	-	-	-	-
Dysentery -	135	14	22	20	16	72	72	37	11	3	-	2	-	-	-	-	-	-
Rhitharia -	7	-	-	-	2	-	3	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough -	74	39	23	6	1	-	69	4	-	-	-	-	-	-	-	1	-	-
Typhus -	157	10	11	8	5	5	39	17	17	19	13	13	11	13	6	4	5	-
Scarlet & Dysentery -	119	43	14	1	1	1	62	4	-	4	1	3	10	4	14	10	5	1
Cholera -	18	5	-	1	-	-	4	1	-	-	2	1	4	2	4	-	-	-
Other Zymotic Dis. -	125	14	17	21	9	6	67	13	3	2	4	9	5	5	2	14	1	-
Measles -	58	-	-	-	-	-	-	-	-	-	1	4	10	12	11	18	6	1
Scrofula and Tuberc -	41	10	5	-	3	-	18	6	1	3	2	5	2	3	1	-	-	-
Rheumatism -	361	1	-	-	-	-	1	8	19	69	55	109	45	41	23	4	1	-
Hydrocephalus -	31	10	9	4	4	1	28	2	1	-	-	-	-	-	-	-	-	-
Use of Brain -	419	112	23	7	7	4	153	25	5	7	6	12	26	38	52	63	28	4
Use of Heart & Dropsy -	191	3	1	-	1	-	5	4	5	6	8	12	23	27	43	45	14	-
Use of Lungs -	497	64	53	10	19	12	149	11	5	5	15	32	32	50	70	79	46	3
Use of Stom. and Liver -	230	22	8	3	4	1	53	7	6	5	7	12	23	33	48	42	9	1
Use of Kidneys -	23	-	1	1	-	-	2	-	-	1	-	-	4	4	5	7	-	-
Use of Genes. Organs -	11	-	-	-	-	-	-	-	-	-	-	2	5	2	2	-	-	-
Use of Joints -	11	1	-	-	-	1	2	2	-	2	1	-	2	1	-	1	-	-
Use of Skin -	6	-	1	-	-	-	1	-	-	-	-	-	-	-	1	8	-	-
Birth & Metris -	63	-	-	-	-	-	-	-	-	3	13	27	19	1	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85					
496.—SADDLEWORTH.																					
Mean Popul ⁿ , 1861-71	9357	286	251	243	235	243	1258	1095	1041	939	844	1284	1081	861	563	314	77	4			
TOTAL DEATHS	2286	601	185	75	48	44	953	89	70	80	75	129	101	150	216	246	183	10			
Small-pox	11	3	-	2	-	-	5	2	-	2	-	2	-	-	-	-	-	-	-		
Measles	50	17	18	10	2	2	49	1	-	-	-	-	-	-	-	-	-	-	-		
Scarlatina	83	11	11	11	10	12	55	23	4	1	-	1	-	-	-	-	-	-	-		
Diphtheria	9	1	1	1	-	-	6	2	-	-	-	-	-	-	1	-	-	-	-		
Whooping-cough	38	23	12	2	1	-	38	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus	88	8	1	5	2	8	19	14	8	5	6	0	8	7	6	5	1	1	-		
Diarrhoea & Dysentery	63	32	13	1	-	1	47	-	1	1	-	-	-	-	2	4	4	5	-		
Cholera	11	1	1	-	1	-	3	-	1	-	-	-	1	-	4	1	1	1	-		
Other Zymotic Dis.	61	6	3	8	4	1	22	6	4	2	3	8	4	4	6	6	3	2	-		
Cancer	19	-	-	1	-	-	1	-	-	-	-	-	-	4	8	2	3	-	-		
Scrofula and Tuberc.	51	18	11	1	2	2	29	1	4	6	2	4	3	3	2	-	-	-	-		
Phthisis	260	3	4	2	1	1	11	6	12	41	43	55	80	27	26	9	-	-	-		
Hydrocephalus	31	13	9	6	2	-	30	1	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	285	202	33	9	8	3	255	10	5	2	1	9	3	16	29	27	18	1	-		
Dis. of Heart & Dropsy	133	3	-	1	4	2	10	2	5	7	5	9	3	21	30	28	16	-	-		
Dis. of Lungs	374	102	37	11	6	4	160	7	3	6	4	10	18	44	24	23	10	1	-		
Dis. of Stom. and Liver	102	7	2	-	1	1	11	9	2	3	2	5	8	14	26	23	10	-	-		
Dis. of Kidneys	31	-	-	-	2	-	2	1	2	-	1	4	1	3	4	6	8	1	-		
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
Dis. of Joints	13	-	1	-	-	-	1	1	2	1	1	2	2	-	1	1	1	-	-		
Dis. of Skin	5	3	1	-	-	-	4	-	-	-	-	-	1	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	12	-	-	-	-	-	-	-	-	-	1	2	3	3	3	1	-	-	-		
Other Violent Deaths	71	3	1	-	1	4	9	7	10	2	4	9	6	7	9	4	4	-	-		
Other Causes	383	155	26	4	1	-	186	4	7	1	2	5	5	6	13	29	13	-	-		

497.—HUDDERSFIELD.																			
Mean Popul ⁿ , 1861-71	66437	2149	1962	1805	1825	1791	9532	8247	7356	6660	5738	9281	7614	5772	3727	1922	549	39	
TOTAL DEATHS -	16901	4638	1543	619	415	325	7540	781	408	536	548	894	968	1127	1490	1516	965	153	
Small-pox - - -	131	36	10	16	12	11	85	12	7	6	7	6	4	2	1	1	-	-	-
Measles - - -	406	100	164	65	35	16	380	25	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	895	53	123	119	124	113	532	255	76	17	8	6	1	1	1	1	-	-	-
Diphtheria - - -	94	10	11	6	14	10	51	24	9	3	1	1	2	1	1	1	-	-	-
Whooping-cough -	338	178	100	28	14	7	327	10	-	1	-	-	-	-	-	-	-	-	-
Typhus - - -	763	17	31	39	19	29	135	76	57	85	61	103	89	48	58	29	18	1	-
Diarrhoea & Dysentery	576	323	90	21	2	1	437	4	1	4	2	2	11	13	37	24	32	-	-
Cholera - - -	87	27	8	1	2	3	41	-	3	3	1	2	3	11	16	8	3	-	-
Other Zymotic Dis.	383	52	86	48	37	24	197	33	10	10	8	18	20	22	27	22	13	-	-
Cancer - - -	108	-	-	-	1	1	-	-	-	2	1	2	14	21	34	25	7	-	-
Scrofula and Tuberc.	353	68	56	12	4	8	148	17	21	15	11	15	10	5	5	-	-	-	-
Phthisis - - -	1949	32	44	15	14	2	107	51	76	210	292	403	503	941	174	139	11	-	-
Hydrocephalus - -	313	125	83	23	12	13	253	46	9	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	2564	1276	183	62	36	38	1395	80	27	30	20	59	68	129	175	252	118	4	-
Dis. of Heart & Dropsy	709	8	5	8	4	1	96	13	16	24	13	34	75	113	179	156	26	2	-
Dis. of Lungs - - -	2509	592	323	87	41	25	1063	40	14	15	20	75	115	212	320	393	232	1	-
Dis. of Stom. and Liver	820	83	15	12	6	1	117	18	17	19	14	42	103	130	174	144	44	1	-
Dis. of Kidneys - -	312	12	6	5	3	1	25	7	7	9	7	22	54	54	60	67	24	2	-
Dis. of Gen. Organs -	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Joints - - -	110	1	5	3	1	1	11	11	16	18	11	7	12	9	10	5	-	-	-
Dis. of Skin - - -	54	17	6	2	1	1	27	1	1	3	3	2	1	3	3	3	2	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	78	-	-	-	-	-	-	-	-	6	3	7	13	19	30	8	1	-	-
Other Violent Deaths -	585	19	33	21	18	12	103	41	30	45	47	65	71	67	67	23	13	2	-
Other Causes - - -	2862	1608	211	26	16	7	1868	17	10	10	12	23	30	43	84	232	420	102	-

498.—HALIFAX.																			
Mean Popul ⁿ , 1861-71	68141	2097	1859	1821	1752	1735	9264	8163	7502	6971	6062	9959	8096	6081	3727	1777	501	36	
TOTAL DEATHS -	17569	4730	1875	702	443	322	7872	771	429	613	585	944	1096	1247	1509	1228	422	143	
Small-pox - - -	52	12	5	3	2	2	24	5	2	2	8	6	2	2	-	1	-	-	-
Measles - - -	317	66	151	41	28	15	391	13	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	287	28	124	146	131	110	829	233	37	8	1	3	1	1	1	2	-	-	-
Diphtheria - - -	56	11	6	4	4	8	33	12	4	-	-	1	1	1	-	-	-	-	-
Whooping-cough -	237	111	71	34	11	8	230	7	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	644	25	23	26	20	18	121	60	63	75	47	75	55	55	47	34	18	1	-
Diarrhoea & Dysentery	471	251	90	12	-	-	357	6	6	2	5	5	7	11	14	27	23	1	-
Cholera - - -	44	6	6	1	-	-	13	1	-	3	2	7	9	5	4	-	-	-	-
Other Zymotic Dis.	458	56	69	49	47	35	256	42	6	16	14	19	29	27	23	14	19	-	-
Cancer - - -	111	-	-	-	-	1	1	1	-	-	-	2	14	16	30	24	13	-	-
Scrofula and Tuberc.	331	162	55	20	5	10	192	24	27	27	13	14	14	9	5	8	-	-	-
Phthisis - - -	1898	32	15	7	7	8	59	42	92	282	291	381	343	228	134	82	1	-	-
Hydrocephalus - -	387	116	101	45	50	19	511	53	17	6	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	3518	1850	281	98	51	26	2266	73	40	44	23	67	93	117	212	243	207	7	-
Dis. of Heart & Dropsy	729	11	4	7	3	7	32	22	19	32	16	63	78	126	164	130	27	-	-
Dis. of Lungs - - -	2968	639	287	102	53	27	1110	48	24	35	47	108	171	233	478	426	286	1	-
Dis. of Stom. and Liver	852	117	27	12	4	5	165	29	14	31	20	45	89	132	141	142	39	-	-
Dis. of Kidneys - -	272	1	3	3	-	1	8	10	7	5	12	17	27	38	43	62	26	-	-
Dis. of Gen. Organs -	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Dis. of Joints - - -	77	1	3	2	3	1	10	15	11	6	6	4	6	3	13	2	-	-	-
Dis. of Skin - - -	54	14	4	2	-	-	20	-	-	1	-	4	2	4	13	3	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	77	-	-	-	-	-	-	-	-	3	2	16	18	10	16	-	-	-	-
Other Violent Deaths -	638	13	31	27	28	17	116	44	46	27	42	76	90	87	67	-	-	-	-
Other Causes - - -	2716	1268	320	51	10	9	1638	26	10	11	8	33	43	49	104	229	102	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
		1861-71	9920	278	275	241	244	227	1265	1117	1038	983	941	1496	1218	902	564	306	83
496.—SADDLEWORTH.																			
Mean Popul ⁿ , 1861-71		9920	278	275	241	244	227	1265	1117	1038	983	941	1496	1218	902	564	306	83	7
TOTAL DEATHS		2159	434	180	71	50	46	781	81	68	93	89	168	149	145	180	227	166	32
Small-pox		2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Measles		45	11	19	2	6	-	88	6	-	-	1	-	-	-	-	-	-	-
Scarlatina		85	4	18	12	15	12	61	18	2	2	1	1	-	-	-	-	-	-
Diphtheria		11	-	-	3	3	1	7	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough		43	23	11	4	-	-	42	1	-	-	-	-	-	-	-	-	-	-
Typhus		102	-	6	4	1	8	19	14	13	18	6	7	12	5	6	1	1	-
Diarrhoea & Dysentery		63	32	11	1	-	-	44	-	-	-	-	-	1	1	2	2	8	5
Cholera		9	-	1	1	-	-	2	-	-	-	-	1	1	2	1	2	-	1
Other Zymotic Dis.		53	8	4	2	7	1	22	8	2	-	3	4	3	2	3	5	-	1
Cancer		35	-	-	-	-	-	-	-	-	-	-	2	3	11	7	7	5	-
Scrofula and Tuberc.		45	19	8	6	-	2	55	2	3	1	-	2	3	1	1	-	-	-
Phthisis		323	3	2	2	2	1	19	5	21	52	41	60	55	26	18	9	-	-
Hydrocephalus		20	9	3	4	2	-	18	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		301	136	23	11	2	9	181	9	8	4	6	7	6	12	19	32	16	1
Dis. of Heart & Dropsy		172	1	1	2	1	-	5	2	8	2	5	10	21	35	38	33	13	-
Dis. of Lungs		272	62	41	8	5	4	129	3	3	4	5	8	15	21	35	32	23	3
Dis. of Stom. and Liver		100	6	4	1	1	1	13	1	2	1	5	6	8	11	21	25	5	-
Dis. of Kidneys		12	-	-	-	1	-	1	-	-	-	-	-	3	2	4	-	1	1
Dis. of Genes. Organs		9	-	-	-	-	-	-	-	-	-	1	-	3	2	3	-	-	-
Dis. of Joints		17	-	1	-	-	1	2	-	-	-	1	2	3	4	3	2	-	-
Dis. of Skin		2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris		38	-	-	-	-	-	-	-	-	3	8	16	9	2	-	-	-	-
Childbed Fever		8	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-
Other Violent Deaths		38	5	4	3	8	2	17	2	3	3	2	2	1	2	3	1	3	1
Other Causes		854	115	22	5	1	-	143	5	1	3	2	1	2	5	14	70	84	20

497.—HUDDERSFIELD.																	
Mean Popul ⁿ , 1861-71	69306	2116	1948	1860	1801	1823	9548	8343	7467	7039	6592	10360	7947	5760	3699	1892	594
TOTAL DEATHS	15231	3500	1329	619	426	337	6211	740	401	616	623	1100	972	809	1159	1334	910
Small-pox	109	24	14	4	11	6	59	11	6	6	6	7	11	2	1	-	-
Measles	418	75	138	83	39	23	378	33	2	-	-	1	-	-	-	-	-
Scarlatina	837	46	100	116	107	123	402	247	60	16	10	11	2	-	-	-	-
Diphtheria	91	5	11	14	13	12	55	25	9	1	-	-	1	-	-	-	-
Whooping-cough	377	174	118	49	18	9	368	6	1	-	1	-	1	-	-	-	-
Typhus	741	10	29	26	30	25	121	88	79	75	67	100	64	48	58	34	8
Diarrhoea & Dysentery	593	284	92	15	9	1	401	12	4	2	6	16	11	15	29	40	47
Cholera	62	18	8	-	1	2	29	5	-	1	1	5	3	4	7	5	2
Other Zymotic Dis.	362	51	46	48	38	35	219	37	7	9	10	14	6	13	19	23	6
Cancer	234	-	1	-	1	-	2	-	1	1	-	12	34	71	61	38	13
Scrofula and Tuberc.	246	66	49	22	5	5	147	19	11	17	10	14	12	9	4	3	-
Phthisis	2144	81	89	29	6	7	94	46	100	341	344	539	329	169	110	56	8
Hydrocephalus	264	84	67	29	22	16	215	81	10	3	1	8	-	-	1	-	-
Dis. of Brain	2552	917	150	76	47	21	1211	71	36	27	31	60	65	93	165	185	106
Dis. of Heart & Dropsy	765	5	4	1	2	6	18	14	20	23	19	61	88	131	172	164	51
Dis. of Lungs	1263	413	228	61	35	20	732	45	17	24	21	59	85	124	233	268	161
Dis. of Stom. and Liver	704	50	13	8	7	4	82	11	13	20	24	68	73	103	149	109	54
Dis. of Kidneys	175	10	7	3	1	1	22	4	3	2	11	21	24	30	21	28	6
Dis. of Genes. Organs	65	-	-	-	-	-	-	-	-	1	4	7	10	14	13	6	3
Dis. of Joints	87	4	3	3	2	1	13	6	5	6	7	15	17	6	4	1	1
Dis. of Skin	31	6	1	-	1	-	8	-	1	1	-	5	4	1	5	4	2
Childbirth and Metris	272	-	-	-	-	-	-	-	-	13	48	112	97	2	-	-	-
Childbed Fever	38	-	-	-	-	-	-	-	-	5	2	9	4	9	7	1	1
Other Violent Deaths	173	15	19	12	15	6	67	22	10	8	5	9	9	6	6	14	15
Other Causes	2425	1192	181	27	16	3	1419	16	7	10	5	17	22	32	66	245	435

498.—HALIFAX.																	
Mean Popul ⁿ , 1861-71	72828	2103	1825	1734	1701	1730	9093	8305	7414	7511	7127	11449	8802	6427	3987	2030	622
TOTAL DEATHS	16056	3807	1523	652	430	312	6724	698	479	786	714	1179	1054	1064	1299	1451	1030
Small-pox	57	15	4	4	1	4	28	10	8	1	8	4	2	1	-	-	-
Measles	340	63	148	67	31	12	321	17	2	-	-	-	-	-	-	-	-
Scarlatina	827	46	100	135	134	121	545	213	45	12	6	4	1	1	-	-	-
Diphtheria	50	3	4	7	9	8	31	10	5	-	3	1	-	-	-	-	-
Whooping-cough	297	188	106	24	9	8	283	11	-	1	-	-	-	-	-	-	-
Typhus	737	21	32	29	22	29	133	89	77	118	60	73	44	56	42	22	13
Diarrhoea & Dysentery	482	243	77	10	7	2	329	6	1	5	2	15	15	15	22	28	33
Cholera	59	6	6	-	-	-	13	2	-	2	2	3	6	6	5	7	1
Other Zymotic Dis.	378	44	40	40	41	18	189	35	15	11	7	19	17	27	29	15	13
Cancer	295	-	-	-	-	-	-	-	-	1	2	13	41	86	79	32	20
Scrofula and Tuberc.	265	68	48	16	8	8	148	22	19	17	13	14	15	8	6	-	-
Phthisis	2291	20	15	8	7	4	54	42	132	461	416	580	330	162	77	25	2
Hydrocephalus	292	79	87	44	24	11	245	32	13	1	1	-	-	-	-	-	-
Dis. of Brain	2757	1422	237	59	51	22	1821	51	44	24	26	56	67	127	122	193	108
Dis. of Heart & Dropsy	848	12	6	5	5	5	93	10	30	23	32	76	103	131	178	162	57
Dis. of Lungs	2536	448	297	95	49	44	933	57	22	37	36	79	141	200	367	445	205
Dis. of Stom. and Liver	861	80	22	7	8	5	122	25	14	24	32	62	96	128	174	133	46
Dis. of Kidneys	97	1	1	-	-	1	8	3	8	4	6	18	12	14	13	12	9
Dis. of Genes. Organs	84	1	-	-	-	-	1	-	-	-	4	8	27	21	12	10	1
Dis. of Joints	70	2	4	3	1	-	10	6	10	6	6	7	2	7	6	8	2
Dis. of Skin	32	13	-	-	-	-	13	1	-	3	-	3	3	5	1	3	-
Childbirth and Metris	252	-	-	-	-	-	-	-	-	8	38	118	88	-	-	-	-
Childbed Fever	24	-	-	-	-	-	-	-	-	1	1	8	4	9	1	12	17
Other Violent Deaths	210	30	19	16	6	6	73	27	15	6	5	10	8	15	17	12	17
Other Causes	2945	1056	255	63	16	4	1384	23	9	10	8	13	23	45	78	316	605

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
499.—BRADFORD.																			
Mean Popul ⁿ , 1861-71	108458	3509	3048	2893	2845	2801	15096	12837	11421	11003	9853	16847	12987	9534	5660	2505	658	57	
TOTAL DEATHS—	28919	9338	3083	1108	720	556	14805	1164	592	778	878	1535	1690	1908	2164	2048	1178	20	
Small-pox - - -	217	80	15	10	20	8	133	28	5	12	11	14	6	6	2	-	-	-	
Measles - - -	605	157	202	102	89	26	639	27	1	-	-	1	-	-	-	-	-	-	
Scarlatina - - -	1221	88	182	206	298	141	825	520	56	11	2	4	2	1	-	-	-	-	
Diphtheria - - -	183	29	30	18	15	11	103	23	8	4	6	4	2	3	-	-	-	-	
Whooping-cough - -	538	271	155	65	25	11	527	11	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	1204	38	67	54	50	62	261	145	91	109	95	150	109	109	81	44	14	1	
Diarrhoea & Dysentery -	1525	975	256	80	9	8	1238	11	5	2	3	10	13	31	44	66	81	1	
Cholera - - -	85	24	7	4	1	-	36	6	-	1	3	6	4	7	13	5	4	-	
Other Zymotic Dis. - -	650	109	91	65	75	37	577	68	19	10	12	29	33	83	24	31	23	1	
Cancer - - -	218	1	-	-	-	-	1	1	2	2	4	10	24	39	71	45	39	1	
Scrophula and Tuberc -	525	184	119	38	17	15	351	39	96	96	90	28	11	7	10	6	-	-	
Phthisis - - -	2889	33	55	29	11	15	103	52	104	225	429	612	528	872	184	47	9	-	
Hydrocephalus - - -	725	278	127	64	32	51	642	61	13	7	-	1	-	-	1	-	-	-	
Dis. of Brain - - -	4846	2653	426	114	54	55	5392	118	44	46	55	161	129	236	506	343	140	3	
Dis. of Heart & Dropsy -	3692	36	22	18	8	14	94	39	50	56	50	132	215	249	331	260	85	1	
Dis. of Lungs - - -	4749	1386	645	163	66	49	2302	76	32	34	54	185	232	413	592	373	220	2	
Dis. of Stom. and Liver -	1173	240	34	9	13	8	618	37	23	34	32	78	107	130	190	162	102	1	
Dis. of Kidneys - - -	376	1	1	4	3	2	11	10	9	16	15	42	44	48	69	79	37	1	
Dis. of Gener. Organs - -	6	-	-	-	-	-	2	1	-	-	-	1	1	1	1	-	-	-	
Dis. of Skin - - -	140	9	6	3	2	1	21	13	18	15	12	19	16	9	12	13	2	1	
Dis. of Joints - - -	63	20	3	-	-	1	24	1	2	1	5	6	3	7	9	-	-	-	
Childbirth and Metrisa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	99	-	-	-	-	-	-	-	-	2	3	11	23	24	28	7	1	-	
Other Violent Deaths -	969	60	43	42	33	31	221	59	62	50	53	113	112	99	76	22	22	1	
Other Causes - - -	4391	2647	417	57	22	19	3102	30	10	9	9	88	35	64	112	208	439	13	

500*b*.—HUNSLET;* 500*c*.—HOLBECK;* 500*d*.—BRAMLEY.*

Mean Popul ⁿ , 1861-71	57757	2044	1679	1660	1626	1555	8564	7245	5965	5667	5342	9074	6805	4673	2221	1260	330	21
TOTAL DEATHS -	15371	5275	1724	653	383	310	8345	597	322	398	419	757	832	936	1049	1047	577	82
Small-pox -	100	40	18	9	8	6	81	4	-	3	6	9	3	2	-	-	-	-
Measles -	346	82	132	62	33	18	334	10	2	-	-	-	-	-	-	-	-	-
Scarlatina -	659	34	103	108	102	97	464	149	30	6	4	4	1	1	-	-	-	-
Diphtheria -	110	11	19	14	13	9	66	80	6	1	2	2	-	1	1	-	1	-
Whooping-cough -	323	155	108	29	18	8	518	5	-	-	-	-	-	-	-	-	-	-
Typhoid -	605	12	16	25	16	15	84	77	59	60	51	91	59	32	56	22	14	-
Dysentery & Cholera -	915	622	150	20	9	1	802	6	3	3	1	7	5	9	20	22	27	2
Cholera -	46	22	5	-	-	-	27	-	3	-	-	2	4	3	4	3	2	1
Other Zymotic Dis. -	367	64	59	41	31	27	222	28	10	6	5	7	21	25	18	14	16	1
Cancer -	114	-	-	-	-	-	-	2	1	-	-	6	14	32	28	23	7	-
Scrofula and Tuberc. -	317	183	68	18	5	5	229	22	20	14	12	9	4	2	-	-	1	-
Phthisis -	1350	30	28	13	2	8	81	37	55	172	204	303	247	170	89	18	4	-
Hydrocephalus -	369	133	121	42	25	14	335	26	6	2	-	-	-	-	-	-	-	-
Dis. of Brain -	2373	1255	197	69	28	40	1369	45	31	21	25	67	48	116	159	183	74	10
Dis. of Heart & Dropsy -	753	24	9	4	3	10	50	17	18	20	16	75	104	120	109	123	27	-
Dis. of Lungs -	2711	893	427	136	39	23	1508	45	12	17	25	62	139	200	289	228	106	-
Dis. of Stom. and Liver -	631	137	35	12	7	5	196	20	16	22	14	29	75	82	86	71	19	-
Dis. of Kidneys -	267	1	3	2	1	2	9	4	5	9	9	17	24	28	39	43	19	-
Dis. of Gener. Organs -	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Dis. of Joints -	63	4	2	-	4	-	10	7	8	4	2	6	5	12	6	3	-	-
Dis. of Skin -	32	16	1	2	1	-	20	-	-	1	-	1	2	2	1	-	1	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	49	26	22	13	15	15	91	44	36	29	32	44	47	41	43	30	11	-
Other Violent Deaths -	437	26	22	13	15	15	91	44	36	29	32	44	47	41	43	30	11	-
Other Causes -	2453	1591	201	87	13	7	1819	16	4	5	7	19	21	22	46	178	233	-

501.—LEEDS.†

Mean Popul ⁿ , 1861-71	62098	2050	1712	1683	1614	1631	8670	7273	6154	6058	6008	10361	7528	5277	3153	1307	288	25
TOTAL DEATHS -	19977	5848	2195	850	538	359	9790	760	358	483	619	1549	1436	1545	1618	1299	641	79
Small-pox -	57	29	6	5	10	3	51	9	8	5	10	8	3	1	-	-	-	-
Measles -	396	70	173	82	37	17	379	16	1	-	-	-	-	-	-	-	-	-
Scarlatina -	836	66	146	156	132	100	698	269	33	7	1	7	-	-	1	-	-	-
Diphtheria -	77	9	16	12	12	4	53	10	3	3	2	3	1	1	1	-	-	-
Whooping-cough -	847	141	123	40	21	10	337	10	-	-	-	-	-	-	-	-	-	-
Typhus -	925	14	20	24	32	24	114	82	59	76	88	148	126	99	73	48	11	1
Diarrhoea & Dysentery -	1535	1044	274	49	13	7	1387	10	6	6	5	9	10	12	53	39	22	1
Cholera -	29	13	2	1	1	-	17	-	-	-	-	3	2	3	4	-	-	-
Other Zymotic Dis. -	588	72	57	37	25	23	232	39	9	7	6	15	21	25	30	16	4	-
Cancer -	158	-	-	-	1	-	1	3	-	5	3	5	28	33	48	27	9	-
Scrofula and Tuberc. -	429	152	109	94	13	13	307	43	24	14	12	15	9	6	-	1	-	-
Phthisis -	1754	17	18	9	5	5	54	29	49	199	248	450	385	223	91	95	1	-
Hydrocephalus -	411	156	128	42	27	23	376	25	10	-	-	-	-	-	-	-	-	-
Dis. of Brain -	2296	1292	251	78	56	36	1793	72	27	50	26	71	116	163	253	243	102	9
Dis. of Heart & Dropsy -	1941	79	8	7	3	3	105	23	16	24	33	144	128	186	197	139	49	1
Dis. of Lungs -	3967	894	551	166	91	45	1747	64	18	26	53	172	261	419	634	442	186	21
Dis. of Stom. and Liver -	698	90	12	13	6	6	127	22	18	12	23	67	90	132	114	70	29	1
Dis. of Kidneys -	325	5	4	2	4	4	19	9	5	8	14	34	44	64	58	23	14	1
Dis. of Genes. Organs -	4	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Dis. of Joints -	91	1	3	-	1	1	6	9	8	7	9	15	9	16	14	6	-	-
Dis. of Skin -	58	11	4	1	-	1	17	2	3	-	1	5	7	9	6	3	2	-
Childbirth and Metrisia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	69	48	27	27	21	30	183	58	48	49	71	145	115	90	65	84	30	1
Other Violent Deaths -	847	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes -	2628	1645	272	55	17	8	1907	21	7	4	7	25	44	62	69	181	260	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upward.	
499.—BRADFORD.																			
Mean Popul ⁿ , 1861-71	118637	3576	3155	2959	2885	2791	15366	13292	11879	12345	11922	19427	14696	10046	5963	2813	806	82	
TOTAL DEATHS	28244	7475	2886	1169	741	506	12777	1112	652	1117	1206	2212	1838	1675	1946	2119	1334	256	
Small-pox	253	64	39	17	11	13	144	56	11	16	18	19	9	-	2	-	-	-	
Measles	691	143	287	104	74	38	646	42	8	-	-	-	-	-	-	-	-	-	
Scarlatina	1142	75	166	187	181	144	753	302	56	10	7	9	4	-	1	-	-	-	
Diphtheria	147	24	17	22	18	15	96	33	10	1	2	3	1	1	-	-	-	-	
Whooping-cough	752	842	226	98	38	19	725	23	2	1	1	-	-	-	-	-	-	-	
Typhus	1210	30	54	63	46	52	245	129	128	156	100	130	97	80	80	52	12	1	
Diarrhœa & Dysentery	1473	833	268	45	8	7	1161	13	1	9	11	16	35	38	56	75	51	7	
Cholera	79	23	6	5	-	-	34	8	1	2	2	7	4	8	8	2	1	-	
Other Zymotic Dis.	609	104	87	57	55	41	544	60	20	16	16	24	88	18	29	80	14	-	
Cancer	569	-	1	-	-	1	5	1	-	3	6	38	119	165	183	76	22	3	
Scrofula and Tuberc.	463	127	112	32	25	8	304	28	15	23	19	26	22	13	7	5	1	-	
Phthisis	366	40	55	29	21	13	158	61	166	808	646	1023	863	273	116	55	5	-	
Hydrocephalus	582	208	161	70	54	29	602	82	19	6	2	1	-	-	-	-	-	-	
Dis. of Brain	4000	1973	550	116	70	37	2546	100	58	59	49	104	135	180	270	316	166	17	
Dis. of Heart & Dropsy	1870	35	22	11	6	5	80	40	60	67	82	291	230	312	338	331	98	11	
Dis. of Lungs	4117	1070	606	200	101	41	2018	94	39	43	46	142	191	297	457	594	237	19	
Dis. of Stomach and Liver	1155	154	37	16	8	10	225	15	15	57	42	116	116	168	296	158	54	6	
Dis. of Kidneys	181	2	1	4	2	4	13	6	5	4	16	30	34	20	37	11	4	1	
Dis. of Gen. Organs	89	-	-	-	-	-	-	-	-	-	8	18	28	13	16	7	3	1	
Dis. of Joints	118	1	5	1	3	3	18	9	19	19	5	13	11	8	14	7	-	-	
Dis. of Skin	69	19	4	2	1	2	28	-	1	1	7	8	4	4	4	7	4	1	
Childbirth and Metria	504	-	-	-	-	-	-	-	-	24	99	243	130	8	-	-	-	-	
Suicide	33	-	-	-	-	-	-	-	1	8	6	2	3	7	6	5	-	-	
Other Violent Deaths	305	48	30	30	25	15	148	38	12	9	2	14	9	12	16	10	21	8	
Other Causes	4165	2160	349	60	18	0	2391	22	10	10	19	33	52	52	130	423	640	180	

500b.—HUNSLET,* 500c.—HOLBECK,* 500d.—BRAMLEY.*

Mean Popul ⁿ , 1861-71	60243	2062	1794	1708	1712	1596	8800	7205	6026	5724	5568	9596	7111	4980	3141	1619	425	48
TOTAL DEATHS	14727	4120	1607	673	412	278	7090	633	312	474	488	934	937	792	1009	1178	744	136
Small-pox	100	23	12	6	4	2	50	18	7	6	9	8	3	3	1	—	—	—
Measles	510	50	180	62	24	20	256	21	3	—	—	—	—	—	—	—	—	—
Scarlatina	653	44	103	95	111	91	444	161	39	7	2	6	1	1	—	—	—	—
Diphtheria	132	6	29	17	16	21	89	28	3	3	2	2	3	1	1	—	—	—
Whooping-cough	388	169	191	44	27	10	371	17	—	—	—	—	—	—	—	—	—	—
Typhus	707	9	28	34	30	18	119	108	77	73	63	83	67	43	41	27	10	—
Diarrhoea & Dysentery	869	563	139	18	4	1	745	6	2	1	5	13	11	8	23	42	24	9
Cholera	47	23	5	—	—	—	30	2	—	—	2	—	2	2	6	—	2	1
Other Zymotic Dis.	329	59	54	44	33	20	210	21	4	4	7	17	10	14	17	14	11	—
Cancer	277	—	—	—	—	—	—	—	—	2	1	11	57	70	75	48	10	3
Scrofula and Tuberc.	285	102	74	26	8	4	214	16	6	11	10	9	6	7	5	1	—	—
Phthisis	1480	12	14	10	4	2	42	34	71	238	230	405	263	117	59	25	5	—
Hydrocephalus	242	91	72	31	15	8	217	20	4	—	—	1	—	—	—	—	—	—
Dis. of Brain	1983	936	140	68	49	17	1200	51	23	34	34	43	77	116	140	179	87	12
Dis. of Heart & Dropsy	838	19	10	9	3	5	46	13	28	30	21	78	107	124	186	152	61	2
Dis. of Lungs	2353	628	404	134	50	39	1255	54	20	24	27	71	99	120	213	290	159	14
Dis. of Stom. and Liver	714	92	36	5	7	4	144	23	8	11	21	29	91	93	110	123	29	2
Dis. of Kidneys	123	—	3	2	1	1	7	5	3	6	4	18	25	14	20	15	3	3
Dis. of Gen. Organs	51	—	1	—	—	—	1	—	—	—	2	9	11	10	10	5	2	1
Dis. of Joints	74	5	2	1	2	1	11	10	12	5	1	6	6	5	8	6	4	—
Dis. of Skin	27	11	3	1	2	—	17	—	—	—	—	1	4	3	2	—	—	—
Childbirth and Metria	198	—	—	—	—	—	—	—	—	12	84	81	68	3	—	—	—	—
Suicide	22	—	—	—	—	—	—	—	—	2	4	1	5	9	—	1	—	—
Other Violent Deaths	171	40	18	12	10	4	84	18	6	9	6	5	9	7	7	9	8	3
Other Causes	2225	1245	189	64	12	8	1308	14	6	6	8	8	12	16	54	241	369	86

501.—LEEDS.†

Mean Popul ⁿ , } 1861-71 }	66366	2090	1752	1652	1690	1625	8809	7416	6363	6498	6713	10903	8074	5746	3626	1702	468	48
TOTAL DEATHS -	18316	4770	2038	853	509	326	8496	700	343	465	641	1276	1255	1269	1447	1454	836	134
Small-pox - - -	90	22	12	7	7	-	48	12	6	6	5	7	2	3	1	-	-	-
Measles - - -	282	64	161	81	55	18	539	19	-	1	1	-	1	1	-	-	-	-
Scarlatina - - -	748	38	105	133	133	90	301	126	27	13	4	6	2	-	-	-	-	-
Diphtheria - - -	83	6	20	10	9	9	24	22	6	-	1	2	-	2	-	1	-	-
Whooping-cough -	432	158	140	63	45	9	415	17	-	-	-	-	-	-	-	-	-	-
Typhus - - -	882	12	28	28	32	38	138	95	73	75	73	115	113	76	71	30	15	3
Diarrhoea & Dysentery	1454	881	800	45	12	2	1240	12	5	5	5	16	15	23	34	54	38	7
Cholera - - -	50	10	4	-	1	-	15	1	-	-	-	5	3	2	-	3	1	-
Other Zymotic Dis.	321	56	58	29	38	17	198	24	9	3	10	9	8	15	22	15	7	1
Cancer - - -	374	-	2	-	-	-	2	-	-	5	1	16	79	118	86	54	13	-
Scrofula and Tuberc	342	117	100	23	11	12	393	19	16	13	4	4	7	6	4	-	-	-
Phthisis - - -	1643	10	14	9	3	7	43	28	80	183	285	463	313	166	60	12	1	-
Hydrocephalus - -	358	112	116	60	18	19	825	27	6	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	2202	992	186	80	38	26	1322	62	32	27	38	69	76	134	121	237	101	12
Dis. of Heart & Dropsy	1070	63	14	8	3	4	94	20	19	30	30	92	143	178	234	174	50	6
Dis. of Lungs - - -	5383	762	499	183	75	50	1568	65	20	32	38	145	109	291	442	500	254	29
Dis. of Stom. and Liver	743	92	32	14	13	4	86	9	16	15	27	66	102	117	144	190	41	1
Dis. of Kidneys - -	212	-	7	1	4	2	14	8	2	7	15	35	31	40	30	21	8	1
Dis. of Gen. Organs -	112	-	-	-	-	-	-	-	1	1	8	29	28	24	14	7	-	-
Dis. of Joints - - -	95	5	-	-	2	1	8	6	4	11	7	9	7	20	10	12	1	-
Dis. of Skin - - -	46	6	2	-	2	-	10	1	1	-	2	3	5	6	5	8	3	-
Childbirth and Metria	294	-	-	-	-	-	-	-	-	17	68	111	75	3	-	-	-	-
Suicide - - -	18	-	-	-	-	-	-	-	-	1	2	3	2	3	1	5	1	-
Other Violent Deaths -	278	40	20	22	15	12	109	39	15	9	7	14	21	12	17	19	13	3
Other Causes - - -	2449	1362	236	59	20	7	1084	19	5	8	15	37	23	29	72	109	287	7

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		502.—DEWSBURY.																
Mean Popul ⁿ , 1861-71	53023	1895	1597	1532	1442	1386	7852	6652	5848	5436	4903	8070	6026	4169	2533	1170	338	28
TOTAL DEATHS -	14725	5007	1668	693	414	287	8009	716	341	411	442	738	661	777	592	983	378	108
Small-pox -	257	62	39	24	31	22	178	32	7	8	11	16	4	1	-	-	-	-
Measles -	287	69	125	49	20	15	268	19	-	-	-	-	-	-	-	-	-	-
Scarlatina -	651	34	99	97	95	79	404	194	89	9	3	1	1	-	-	-	-	-
Diphtheria -	92	8	13	12	13	6	52	29	3	2	1	2	1	2	-	-	-	-
Whooping-cough -	227	108	72	23	11	5	222	5	-	-	-	-	-	-	-	-	-	-
Typhus -	594	8	18	27	35	24	102	84	53	65	54	86	48	43	35	25	3	3
Diarrhœa & Dysentery -	714	453	137	23	4	3	620	3	1	1	2	2	2	10	17	32	33	4
Cholera -	63	32	9	4	1	1	47	1	1	1	1	2	2	3	2	3	2	2
Other Zymotic Dis. -	338	45	53	47	37	13	198	27	10	9	5	13	13	13	9	28	15	-
Cancer -	85	-	-	-	-	-	1	-	-	-	-	5	12	19	27	13	6	-
Scrofula and Tabes -	362	159	81	20	4	8	232	27	22	9	14	17	8	7	7	4	-	-
Phthisis -	1286	17	18	8	7	8	38	29	70	168	212	285	217	151	80	13	3	-
Hydrocephalus -	535	229	155	64	24	22	484	43	7	-	-	-	-	-	-	-	-	-
Dis. of Brain -	2431	1380	216	77	35	32	1740	63	30	29	24	41	46	66	146	167	79	2
Dis. of Heart & Dropsy -	609	73	19	13	7	3	115	24	20	21	14	61	65	98	98	106	42	3
Dis. of Lungs -	2408	741	845	124	64	23	1297	64	15	13	27	67	97	180	286	339	134	11
Dis. of Stom. and Liver -	831	81	12	15	8	6	118	13	10	16	19	37	51	79	100	120	114	3
Dis. of Kidneys -	167	2	2	4	2	1	11	7	1	5	7	13	15	25	29	30	18	7
Dis. of Gener. Organs -	6	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-
Dis. of Joints -	67	4	2	1	-	2	9	7	10	10	7	7	6	1	8	2	-	-
Dis. of Skin -	29	19	-	1	-	-	20	-	1	-	-	1	-	2	1	4	-	-
Childbirth and Metria Suicide -	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	444	30	19	22	20	13	104	26	34	38	32	60	47	49	29	13	3	1
Other Causes -	2440	1452	234	43	9	2	1770	16	8	5	3	15	24	21	60	132	23	70

503.—WAKEFIELD.*

Mean Popul ⁿ , 1861-71	31887	1068	967	906	871	853	4665	3758	3318	3104	3012	4095	3632	2626	1658	843	251	25
TOTAL DEATHS -	8564	2264	607	287	168	136	3462	330	191	232	302	602	725	701	747	762	423	67
Small-pox -	60	20	4	3	2	4	103	5	2	5	4	8	2	-	1	-	-	-
Measles -	111	28	49	16	7	6	106	4	1	-	-	-	-	-	-	-	-	-
Scarlatina -	341	16	41	56	57	41	211	90	24	6	1	3	-	-	-	-	-	-
Diphtheria -	68	12	10	10	7	6	45	16	1	2	-	2	-	-	-	-	-	-
Whooping-cough -	94	53	13	12	6	2	91	3	-	-	-	-	-	-	-	-	-	-
Typhus -	272	9	16	14	7	7	83	26	24	27	22	34	26	18	22	13	3	1
Diarrhœa & Dysentery -	416	216	70	12	4	2	304	0	-	-	3	4	11	10	36	32	16	9
Cholera -	16	5	2	-	-	-	7	-	-	-	-	-	1	4	-	4	-	-
Other Zymotic Dis. -	190	39	14	18	7	13	91	14	3	4	6	14	17	12	11	13	6	-
Cancer -	67	1	-	-	-	-	1	-	-	-	-	2	3	9	22	10	4	-
Scrofula and Tabes -	190	74	42	10	5	5	130	9	5	8	9	6	10	2	5	-	-	-
Phthisis -	892	13	10	6	4	1	34	19	31	93	133	216	173	168	66	23	-	-
Hydrocephalus -	186	70	63	15	9	11	160	21	3	1	-	-	-	-	-	-	-	-
Dis. of Brain -	1728	574	60	59	19	18	707	40	29	18	35	117	215	397	168	138	22	3
Dis. of Heart & Dropsy -	464	8	7	3	3	1	22	10	5	8	13	37	39	72	100	102	39	3
Dis. of Lungs -	1226	366	119	83	17	15	653	19	3	6	13	46	74	146	148	141	25	1
Dis. of Stom. and Liver -	397	49	12	6	2	-	68	7	14	10	12	33	40	66	64	30	27	-
Dis. of Kidneys -	113	1	2	5	1	-	9	4	11	4	5	8	10	14	19	25	11	1
Dis. of Gener. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	32	1	1	2	-	-	4	2	1	6	2	3	2	1	2	1	-	-
Dis. of Skin -	18	3	1	-	1	-	5	1	-	-	-	1	2	1	6	1	-	-
Childbirth and Metria Suicide -	43	-	-	-	-	-	-	-	-	-	-	2	8	8	10	6	8	1
Other Violent Deaths -	413	13	13	16	5	7	54	19	33	33	39	67	54	42	45	14	4	1
Other Causes -	1234	694	53	9	5	7	768	9	4	1	3	8	18	19	29	124	186	67

504a.—PONTEFRACI.*

Mean Popul ⁿ , 1861-71	19563	634	584	591	527	555	2891	2502	2246	1969	1684	2098	2081	1586	1101	600	200	25
TOTAL DEATHS -	4676	1382	478	207	126	100	2293	197	104	122	116	221	243	262	350	388	262	71
Small-pox -	21	5	3	-	-	2	10	2	1	2	-	3	1	2	-	-	-	-
Measles -	111	19	41	20	10	7	107	4	-	-	-	-	-	-	-	-	-	-
Scarlatina -	234	17	38	49	33	34	171	33	17	7	3	2	1	-	-	-	-	-
Diphtheria -	40	6	6	3	5	2	22	9	3	2	2	-	-	-	2	-	-	-
Whooping-cough -	74	33	23	13	4	1	74	-	-	-	-	-	-	-	-	-	-	-
Typhus -	239	8	18	10	15	8	59	26	23	18	19	31	19	20	12	7	4	1
Diarrhœa & Dysentery -	268	149	70	7	4	1	231	2	1	1	-	-	3	4	4	11	10	1
Cholera -	12	4	-	-	-	-	4	1	-	-	-	-	-	1	2	1	-	-
Other Zymotic Dis. -	99	13	9	16	8	12	58	4	4	1	1	3	6	6	6	6	1	1
Cancer -	41	-	-	-	-	-	-	1	-	-	-	-	3	8	11	11	7	-
Scrofula and Tabes -	125	52	33	12	1	3	101	5	6	2	-	2	1	4	1	-	-	-
Phthisis -	362	3	8	4	-	2	17	13	11	25	44	79	71	42	36	12	3	-
Hydrocephalus -	78	28	18	6	2	9	73	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	662	364	47	23	12	5	451	13	3	5	7	9	15	39	61	49	20	1
Dis. of Heart & Dropsy -	270	4	2	1	-	3	16	5	8	6	5	21	23	48	63	35	3	1
Dis. of Lungs -	554	160	69	22	18	6	275	17	4	7	5	16	24	50	62	44	8	1
Dis. of Stom. and Liver -	218	43	4	2	3	1	53	3	3	0	5	14	27	23	31	33	18	-
Dis. of Kidneys -	69	2	1	-	1	1	5	2	-	1	-	6	5	7	16	10	9	-
Dis. of Gener. Organs -	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-
Dis. of Joints -	17	-	1	-	-	-	1	1	2	1	3	2	2	1	2	1	-	-
Dis. of Skin -	11	6	1	1	-	-	8	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria Suicide -	16	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	224	6	8	4	8	3	39	25	16	25	12	23	29	27	31	9	4	2
Other Causes -	902	449	78	4	2	-	533	8	1	1	1	3	14	13	22	34	107	59

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Total under 1 Year.	1	2	3	4	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
502.—DEWSBURY.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Mean Popul., 1861-71	55561	1923	1628	1572	1438	1455	8065	6768	5982	5718	5415	8789	6340	4184	2618	1275	366	41																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		504 b.—HEMSWORTH.																
Mean Popul ⁿ , 1861-71	4009	97	99	101	102	94	493	469	591	384	291	494	427	335	281	181	64	7
TOTAL DEATHS	763	165	23	16	8	10	227	33	24	21	25	40	37	38	67	107	39	25
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	5	2	1	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	2	2	5	2	3	14	9	3	1	-	-	-	-	-	-	-	-
Diphtheria	10	2	3	1	-	-	6	1	2	-	1	-	-	-	-	-	-	-
Whooping-cough	13	7	2	1	-	2	12	1	-	-	-	-	-	-	-	-	-	-
Typhus	36	-	-	1	1	1	3	4	4	6	3	4	4	5	1	1	1	1
Diarrhoea & Dysentery	16	4	2	-	-	-	6	-	-	-	-	-	2	-	2	2	3	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	11	-	1	-	-	2	3	2	2	-	-	-	1	-	-	2	-	1
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubes	19	12	2	-	-	-	14	1	-	2	-	1	1	8	3	3	2	2
Phthisis	77	1	-	1	-	-	2	3	3	7	10	21	8	13	8	1	1	1
Hydrocephalus	10	4	3	2	1	-	10	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	122	50	3	1	1	1	56	4	2	-	-	2	4	7	11	23	12	12
Dis. of Heart & Dropsy	62	-	-	1	-	-	1	2	-	-	3	3	5	7	13	17	7	7
Dis. of Lungs	108	30	5	1	-	-	37	1	-	1	1	3	4	11	11	27	7	4
Dis. of Stom. and Liver	42	4	2	1	1	-	8	-	1	-	2	6	3	2	7	8	5	5
Dis. of Kidneys	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Genes. Organs	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths	49	3	1	1	1	-	6	2	5	4	4	3	4	7	4	1	1	1
Other Causes	136	44	1	-	-	-	45	1	1	-	1	3	1	2	6	16	43	15

505.—BARNESLEY.																		
Mean Popul ⁿ , 1861-71	26776	925	802	803	776	764	4070	3307	2907	2612	2453	4112	2996	2097	1333	689	194	16
TOTAL DEATHS -	6944	2173	658	280	163	135	3409	282	206	234	268	466	393	390	442	507	297	28
Small-pox -	55	12	5	1	3	1	22	6	3	3	9	9	3	-	-	-	-	-
Measles -	153	26	75	23	10	6	140	13	-	-	-	-	-	-	-	-	-	-
Scarlatina -	329	21	63	26	52	47	232	81	10	3	1	1	1	-	-	-	-	-
Diphtheria -	25	6	2	4	2	2	16	3	2	-	-	3	-	1	-	-	-	-
Whooping-cough -	108	59	24	12	7	-	102	4	-	-	-	-	-	-	-	-	-	-
Typhus -	279	3	8	10	16	9	46	27	24	32	28	35	18	29	22	16	2	1
Diarrhoea & Dysentery -	332	232	54	12	2	3	303	2	-	-	-	-	5	1	1	11	8	1
Cholera -	20	2	2	1	-	1	6	1	-	1	-	2	2	2	3	2	1	1
Other Zymotic Dis. -	138	21	29	16	8	12	77	16	5	-	2	14	5	9	3	10	3	1
Cancer -	50	-	-	-	-	-	-	1	-	-	1	2	3	9	15	13	4	-
Scrofula and Tuberc. -	137	50	42	12	2	1	107	11	6	4	5	3	1	-	-	-	-	-
Phthisis -	525	17	15	3	-	5	40	18	22	52	64	106	96	66	49	15	-	-
Hydrocephalus -	121	52	30	14	7	6	109	10	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -	1143	694	75	31	14	18	832	28	11	2	10	24	31	32	50	84	36	3
Dis. of Heart & Dropsy -	415	3	5	2	-	-	10	18	6	7	28	27	27	35	93	119	45	2
Dis. of Lungs -	831	324	138	50	24	10	546	29	6	7	15	27	31	61	76	97	59	8
Dis. of Stom. and Liver -	195	24	4	2	1	-	31	4	9	5	6	11	25	23	37	39	13	-
Dis. of Kidneys -	78	-	2	2	-	2	6	3	2	1	3	4	5	7	17	19	9	2
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	19	-	-	-	-	-	1	3	2	2	3	2	1	2	2	1	-	-
Dis. of Skin -	11	6	1	1	-	-	8	-	1	-	-	-	-	1	-	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	28	-	-	-	-	-	-	-	1	-	-	5	-	5	2	7	4	1
Other Violent Deaths -	804	13	8	14	7	8	50	22	84	113	108	182	123	71	23	10	5	2
Other Causes -	1029	608	92	13	8	4	725	5	4	2	4	6	13	17	31	76	112	23

506.—WORTLEY.																		
Mean Popul ⁿ , 1861-71	22011	730	662	644	606	598	3240	2764	2502	2274	2048	3185	2401	1689	1099	602	188	18
TOTAL DEATHS -	4691	1409	321	196	130	78	2134	218	128	120	144	255	295	290	319	421	303	28
Small-pox -	37	15	-	1	1	-	17	4	2	1	5	2	4	-	1	1	-	-
Measles -	69	12	23	8	8	6	59	8	1	1	-	-	-	-	-	-	-	-
Scarlatina -	204	24	25	39	53	22	143	45	12	1	2	1	-	-	-	-	-	-
Diphtheria -	58	9	7	9	4	2	31	12	5	2	1	1	-	-	-	1	-	-
Whooping-cough -	65	31	13	12	2	1	59	6	-	-	-	-	-	-	-	-	-	-
Typhus -	181	7	9	13	7	4	40	19	14	-	16	25	21	9	8	10	9	1
Diarrhoea & Dysentery -	168	95	29	8	3	1	127	3	-	2	-	3	-	3	9	8	9	4
Cholera -	19	1	1	1	-	-	3	1	-	1	-	1	2	2	3	2	1	-
Other Zymotic Dis. -	114	18	14	18	15	5	70	15	5	3	-	4	2	3	3	3	2	-
Cancer -	37	-	-	1	-	-	1	1	-	-	-	4	3	8	11	7	-	-
Scrofula and Tuberc. -	71	21	17	4	1	3	46	5	-	1	3	7	5	5	1	-	-	-
Phthisis -	438	2	5	1	1	2	11	9	17	27	60	83	68	82	39	10	1	-
Hydrocephalus -	192	55	17	11	3	3	59	7	4	2	-	-	-	-	-	-	-	-
Dis. of Brain -	769	440	57	10	8	5	590	22	9	3	9	21	18	25	50	72	29	5
Dis. of Heart & Dropsy -	223	8	1	2	2	1	14	7	11	5	15	23	32	32	55	115	4	1
Dis. of Lungs -	745	205	86	33	22	11	359	21	9	10	5	19	39	65	75	101	24	4
Dis. of Stom. and Liver -	181	17	4	2	2	2	27	5	8	4	5	14	16	23	39	39	12	4
Dis. of Kidneys -	74	2	2	1	3	2	10	6	3	-	-	3	6	8	12	15	8	1
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	50	1	-	1	-	1	3	4	5	3	4	2	3	2	1	3	1	-
Dis. of Skin -	10	4	3	-	-	-	7	-	-	-	-	1	-	-	-	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	14	-	-	-	-	-	-	-	-	-	-	5	3	3	3	3	3	-
Other Violent Deaths -	249	11	8	12	12	6	49	11	15	32	31	24	53	30	17	11	4	2
Other Causes -	823	451	27	6	3	1	468	5	6	1	2	9	10	11	31	38	33	28

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 & upwards.	
504b.—HEMSWORTH.																			
Mean Popul ⁿ , 1861-71		3944	104	90	109	86	110	499	470	510	350	282	522	431	341	277	184	68	10
TOTAL DEATHS		711	95	27	16	12	16	166	17	29	35	28	59	36	57	52	103	109	20
Small-pox		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles		10	2	2	3	1	1	9	-	1	-	-	-	-	-	-	-	-	-
Scarlatina		24	1	2	4	1	6	14	4	4	-	-	2	-	-	-	-	-	-
Diphtheria		10	1	-	1	2	2	6	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough		15	9	5	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus		25	-	-	-	1	1	2	2	5	7	4	4	-	5	5	1	-	-
Diarrhoea & Dysentery		17	9	1	-	-	-	10	-	-	-	-	1	-	1	-	9	2	1
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		16	1	-	2	1	1	5	3	-	-	3	1	-	-	1	1	2	-
Cancer		32	-	-	-	-	-	-	-	-	-	-	-	3	12	9	8	-	-
Scrofula and Tuberc.		19	9	1	1	1	1	13	2	1	-	-	2	1	-	-	-	-	-
Phthisis		89	-	-	-	-	-	1	1	5	19	13	21	16	5	2	3	-	-
Hydrocephalus		10	3	2	-	1	2	8	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		93	28	6	1	-	1	36	1	2	2	-	3	1	9	7	20	14	1
Dis. of Heart & Dropsy		69	1	-	-	-	-	1	-	4	5	2	5	4	6	10	19	15	-
Dis. of Lungs		77	5	5	-	1	-	11	-	2	-	2	2	2	6	7	23	30	2
Dis. of Stom. and Liver		31	1	-	1	-	-	2	-	1	-	-	2	3	4	7	9	2	1
Dis. of Kidneys		5	-	-	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-
Dis. of Gener. Organs		2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Dis. of Joints		4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-
Dis. of Skin		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria		11	-	-	-	-	-	-	-	-	1	2	7	1	-	-	-	-	-
Suicide		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		12	1	1	1	1	-	4	-	-	1	1	1	-	-	-	1	3	1
Other Causes		123	24	2	1	1	-	28	-	2	-	-	2	4	6	2	13	51	14

505.—BARNESLEY.																			
Mean Popul ⁿ , 1861-71		24729	952	798	769	773	777	4069	3318	2701	2124	2137	3695	2768	1875	1198	629	190	25
TOTAL DEATHS		5798	1770	647	289	177	117	3000	240	131	187	197	361	341	278	316	390	287	70
Small-pox		57	13	5	4	7	4	33	5	5	3	5	5			1			
Measles		126	16	50	23	17	8	116	9	1									
Scarlatina		267	18	38	49	46	33	184	66	12	3	2							
Diphtheria		33	5	4	2	7	3	21	10		1		1						
Whooping-cough		157	70	44	30	7	4	155	2										
Typhus		229	1	12	19	10	6	48	23	20	27	28	29	19	21	8	5	1	
Diarrhea & Dysentery		323	178	80	11	2	3	274	5	3		3	1	5	3	8	9	8	4
Cholera		11	5	3				6				1	1		1	1	1		
Other Zymotic Dis.		121	20	12	23	5	9	69	8	4	4	6	4	1	9	7	5	4	
Cancer		99						1				1	5	21	32	19	15	5	
Scrofula and Tuberc.		120	43	49	10	6	1	109	5	1	3	1			2	2			
Phthisis		625	14	12	9	5	2	43	18	37	90	92	179	103	43	13	5		
Hydrocephalus		86	23	29	8	11	4	75	7	3						1			
Dis. of Brain		981	549	67	24	17	17	674	21	7	8	7	25	20	26	49	70	18	6
Dis. of Heart & Dropsy		416	1	2	1	2	3	9	10	11	12	7	24	37	62	88	92	41	5
Dis. of Lungs		771	247	133	42	27	12	463	27	9	8	6	17	29	28	50	77	47	9
Dis. of Stom. and Liver		182	16	2	2	1		21	8	2	2	6	17	23	27	38	23	12	
Dis. of Kidneys		27			1			1	1		3	1	2	5	4	3	5	2	
Dis. of Gener. Organs		24									1	3	2	3	8	4	1	2	
Dis. of Joints		17		1			1	2	1	2	1	1	1	1	3	2	2	1	
Dis. of Skin		18	6	3			1	9	1	1	1		2	1			2	1	
Childbirth and Metria		93									10	20	31	30	2				
Suicide		14							2		2	1		4	3	1		1	
Other Violent Deaths		89	10	9	8	3	2	32	6	7	6	3	3	6	2	4	4	9	5
Other Causes		953	637	87	21	5	3	633	4	4	2		9	5	5	18	73	134	43

506.—WORTLEY.																			
Mean Popul ⁿ , 1861-71		19737	728	677	651	628	585	3269	2766	2308	1636	1624	2749	2144	1507	980	561	176	17
TOTAL DEATHS		4214	1101	381	159	114	93	1848	216	136	111	162	278	258	195	275	368	313	54
Small-pox		26	11	3	2	1	1	18	1		1		2	2	1				
Measles		91	14	42	17	5	7	85	6										
Scarlatina		211	14	27	24	33	26	126	52	24	2	4	2	1					
Diphtheria		70	7	6	11	8	8	39	19	7	1	1	2				1		
Whooping-cough		84	41	22	8	5	4	80											
Typhus		210	10	12	9	8	5	44	28	37	18	10	23	14	13	14	5	3	1
Diarrhea & Dysentery		136	75	28	2	1	2	108	1	1		2	1	2	2	7	6	6	
Cholera		8	1					2	2				1			2	1		
Other Zymotic Dis.		100	15	12	8	11	3	52	17	7	2	2	4	3	5	3	4	1	
Cancer		78							1				5	18	19	18	13	9	
Scrofula and Tuberc.		67	18	20	4	4	3	49	2	2	4	1	4	2	2	1			
Phthisis		467	12	5	4	1	4	26	16	10	47	77	180	91	55	19	7		
Hydrocephalus		68	22	17	3	5	1	48	5	5									
Dis. of Brain		624	324	48	14	4	3	395	18	9	6	15	9	14	23	43	50	34	2
Dis. of Heart & Dropsy		238	6		2	1		9	9	7	11	6	19	31	53	54	37	22	
Dis. of Lungs		632	185	86	40	18	11	341	17	4	3	9	15	24	19	43	88	63	6
Dis. of Stom. and Liver		180	21	3	3	1	4	32	6	4	1	8	14	10	20	31	34	9	2
Dis. of Kidneys		31		4			1	5	1		1	2	1	5	5	9	3	3	
Dis. of Gener. Organs		12										1	1	5	1	2	9	1	
Dis. of Joints		19	1	1				2	2		4	1		1	4	1	2		
Dis. of Skin		12	7		1			8		1						1		1	
Childbirth and Metria		78									6	19	33	19	1	1	1		
Suicide		8									1	1	3	1		2	6	6	
Other Violent Deaths		71	13	8	2	8	6	32	5	4	2	2			2	2	4	6	
Other Causes		679	298	38	5	3	3	347	5	1	1		7	5	10	24	82	135	42

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	Total
507.—ECCLESALL BIERLOW.																		
Mean Popul ⁿ , 1861-71	36921	1289	1149	1054	1067	990	5549	4597	3959	3683	3459	5723	4267	2970	1764	758	175	17
TOTAL DEATHS	8793	2602	880	421	204	106	4363	453	206	240	265	495	515	556	683	808	542	67
Small-pox	134	39	13	14	16	8	90	18	4	2	4	10	6	-	-	-	-	-
Measles	155	31	70	25	12	7	145	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	524	37	67	79	75	70	328	163	27	2	1	1	-	-	1	-	-	-
Diphtheria	99	11	19	14	15	6	65	14	6	3	5	2	-	-	1	3	-	-
Whooping-cough	165	76	45	21	11	7	169	4	1	-	-	-	-	-	-	-	-	-
Typhus	516	9	14	19	21	14	77	46	82	37	21	28	23	23	14	13	2	-
Diarrhœa & Dysentery	475	333	80	8	6	3	430	7	1	-	-	3	1	4	10	7	11	1
Cholera	25	8	6	-	-	-	13	3	2	-	-	1	1	2	1	1	1	-
Other Zymotic Dis.	174	26	29	24	17	8	104	17	4	2	1	7	11	7	8	8	4	1
Cancer	43	1	-	-	1	-	2	1	1	-	-	2	4	7	15	8	2	1
Scrophula and Tuberc.	102	92	34	8	7	4	145	14	11	4	4	5	3	4	2	-	-	-
Phthisis	1056	37	32	9	6	9	93	27	32	99	148	228	103	124	97	11	-	-
Hydrocephalus	160	65	39	26	6	5	141	13	6	-	-	-	-	-	-	-	-	-
Dis. of Brain	1292	571	98	53	22	19	763	43	12	15	15	36	44	69	130	122	43	7
Dis. of Heart & Dropsy	415	13	6	6	5	3	31	19	18	11	19	37	68	57	79	60	13	2
Dis. of Lungs	1632	472	227	80	32	19	880	25	14	18	20	55	76	129	186	190	73	6
Dis. of Stom. and Liver	894	56	11	5	1	5	78	7	8	16	10	31	29	66	88	41	13	1
Dis. of Kidneys	68	-	1	1	1	1	4	-	1	2	1	8	5	13	13	12	7	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	40	-	1	4	1	-	6	4	8	-	3	3	5	2	1	4	2	-
Dis. of Skin	18	11	2	-	-	-	13	-	1	-	-	1	1	-	1	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	27	-	-	-	-	-	-	-	-	1	2	6	5	8	4	1	-	-
Other Violent Deaths	218	31	9	9	6	5	69	13	29	16	6	24	26	25	13	12	4	1
Other Causes	1170	683	79	16	3	4	785	6	2	2	5	7	23	14	28	103	132	43

508.—SHEFFIELD.

Mean Popul ⁿ , 1861-71	73824	2525	2223	2108	1988	2000	10944	8816	7545	6995	7218	12578	9117	5814	3328	1342	503	24
TOTAL DEATHS	22440	6063	2415	1108	725	491	11402	1092	444	523	633	1402	1633	1605	1663	1340	607	76
Small-pox	500	140	72	65	54	27	348	75	7	13	16	29	9	3	—	—	—	—
Measles	464	98	183	81	37	24	433	27	2	1	1	—	—	—	—	—	—	—
Scarlatina	1040	71	162	165	159	129	686	290	46	9	6	5	1	—	—	—	—	—
Diphtheria	124	23	20	19	22	9	93	24	3	1	2	1	—	—	—	—	—	—
Whooping-cough	541	227	169	69	42	22	522	18	—	—	—	1	—	—	—	—	—	—
Typhus	1100	84	61	75	72	56	298	138	79	82	84	124	93	83	71	53	7	1
Diarrhoea & Dysentery	1653	1015	274	74	18	12	1393	16	3	3	2	16	13	23	28	37	19	9
Cholera	55	21	8	2	1	1	33	2	1	1	1	2	2	6	4	3	—	—
Other Zymotic Dis.	372	62	54	37	40	32	225	28	9	12	8	12	19	24	21	13	2	—
Cancer	105	—	—	2	—	—	2	1	—	2	—	12	10	38	27	16	6	1
Scrophula and Tuberc.	418	157	92	35	14	5	303	29	25	16	8	12	9	4	3	4	—	—
Phthisis	2199	45	46	26	13	10	140	58	52	183	254	529	495	327	124	29	8	—
Hydrocephalus	864	155	119	85	15	11	826	27	9	1	—	1	—	—	—	—	—	—
Dis. of Brain	2775	1338	260	99	61	39	1787	73	31	23	31	90	129	136	226	174	33	2
Dis. of Heart & Dropsy	990	18	12	15	8	6	89	36	30	41	27	104	153	191	193	122	33	2
Dis. of Lungs	4230	1178	782	225	104	45	2155	90	23	30	49	148	323	373	529	407	123	6
Dis. of Stom. and Liver	862	119	34	10	9	8	180	26	25	26	30	63	135	144	187	91	13	2
Dis. of Kidneys	246	3	1	—	—	3	8	11	5	5	9	27	37	43	44	45	13	—
Dis. of Gener. Organs	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	119	3	4	2	2	4	15	15	13	14	8	17	11	14	19	2	—	—
Dis. of Skin	45	14	4	1	—	—	19	1	—	—	1	4	4	6	7	2	1	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	57	—	—	—	—	—	—	—	—	—	—	2	6	21	13	11	3	1
Other Violent Deaths	972	71	82	36	34	35	198	83	71	54	80	130	124	92	73	53	9	2
Other Causes	3302	1881	232	54	20	12	2199	24	10	6	13	49	69	73	161	332	329	58

509.—ROTHERHAM.

Mean Popul ⁿ , 1861-71	26083	884	757	776	738	763	3918	3205	2830	2581	2476	4030	2945	2065	1254	604	165	10
TOTAL DEATHS	6354	1936	607	308	172	127	3150	268	188	174	205	532	376	595	453	446	322	33
Small-pox	73	23	8	11	7	3	52	3	8	4	1	5	5	—	—	—	—	—
Measles	184	23	54	36	10	5	128	5	1	—	—	—	—	—	—	—	—	—
Scarlatina	295	19	45	67	48	41	208	29	20	3	2	—	1	1	1	—	—	—
Diphtheria	30	5	6	3	2	4	20	7	1	—	2	—	—	—	—	—	—	—
Whooping-cough	107	47	21	21	12	4	105	2	—	—	—	—	—	—	—	—	—	—
Typhus	392	20	20	30	20	10	100	51	39	23	43	49	37	21	18	7	4	—
Diarrhoea & Dysentery	365	203	74	22	2	1	302	4	2	1	4	—	5	4	14	13	11	1
Cholera	21	5	2	—	1	1	9	1	—	1	—	—	2	3	2	3	—	—
Other Zymotic Dis.	121	20	19	16	8	14	77	6	1	4	4	1	4	4	1	13	4	2
Cancer	44	—	—	—	2	—	2	1	—	—	—	—	6	14	7	9	4	1
Scrophula and Tuberc.	129	42	27	11	7	2	89	8	11	3	4	5	3	2	2	2	—	—
Phthisis	469	3	11	8	3	4	24	12	19	1	49	72	109	79	68	29	7	—
Hydrocephalus	82	45	22	3	5	2	77	4	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	520	490	65	28	10	8	610	26	15	5	4	14	36	88	50	70	45	4
Dis. of Heart & Dropsy	241	3	1	—	—	—	5	3	7	6	11	18	15	46	53	47	24	2
Dis. of Lungs	1068	504	129	63	13	15	494	24	7	9	12	63	80	134	121	121	42	12
Dis. of Stom. and Liver	501	60	7	5	—	—	72	6	7	8	8	18	23	43	33	43	12	1
Dis. of Kidneys	79	2	—	—	—	—	2	—	3	1	2	7	8	6	15	18	13	2
Dis. of Gener. Organs	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	49	1	2	1	2	1	7	6	8	8	5	3	2	3	3	1	—	—
Dis. of Skin	26	12	1	—	1	—	14	1	1	1	—	1	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	11	—	—	—	—	—	—	—	—	—	—	1	1	2	3	1	—	—
Other Violent Deaths	492	21	9	11	13	6	60	30	39	43	37	61	72	58	39	19	2	—
Other Causes	994	578	86	16	6	6	692	5	3	4	3	6	18	16	35	72	115	28

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 & upwards.	
507.—ECCLESALL BIERLOW.																			
Mean Popul ⁿ , 1861-71	38604	1230	1113	1083	1066	1048	5540	4578	4031	4039	3765	6101	4350	3080	1956	921	219	24	
TOTAL DEATHS -	8250	2094	855	426	267	200	3842	425	200	222	368	544	520	502	595	652	400	80	
Small-pox - - -	154	30	22	13	16	11	97	15	4	5	3	3	4	1	1	1	-	-	
Measles - - - -	138	31	50	33	8	6	128	9	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	323	26	77	86	77	66	332	138	37	6	3	3	3	-	1	-	-	-	
Diphtheria - - -	75	9	14	6	9	4	42	25	2	1	3	2	-	-	-	-	-	-	
Whooping-cough -	351	106	74	87	20	16	253	8	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	326	10	19	23	16	10	87	45	40	34	23	51	23	22	13	8	-	-	
Diarrhoea & Dysentery	461	298	82	12	3	4	399	6	2	1	1	8	3	4	9	17	9	12	
Cholera - - - - -	27	10	6	-	1	1	18	1	1	-	-	2	2	-	1	1	0	-	
Other Zymotic Dis. -	177	23	34	27	17	12	113	8	7	7	6	6	6	2	10	9	3	-	
Cancer - - - - -	184	-	-	-	1	-	1	-	2	1	-	5	32	65	47	25	6	-	
Scrofula and Tubercles	165	63	42	9	11	3	128	12	4	4	3	5	4	2	2	1	-	-	
Phthisis - - - - -	904	34	29	12	5	7	87	23	38	103	116	240	165	77	45	8	1	-	
Hydrocephalus - - -	125	45	39	10	9	7	113	11	4	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	1045	416	80	46	18	12	572	35	15	12	18	22	45	60	94	111	53	8	
Dis. of Heart & Dropsy	474	7	6	4	7	2	26	15	13	10	13	47	55	83	94	84	33	1	
Dis. of Lungs - - -	1280	355	183	73	32	15	658	94	10	13	18	40	46	73	138	169	76	5	
Dis. of Stom. and Liver	447	40	12	8	3	3	66	13	9	6	13	42	43	72	85	74	23	1	
Dis. of Kidneys - - -	57	1	2	2	-	1	6	4	2	-	1	6	7	8	10	8	4	1	
Dis. of Gener. Organs -	26	-	1	-	-	-	1	-	-	-	-	4	7	9	4	1	-	-	
Dis. of Joints - - -	45	4	-	-	1	1	6	6	-	2	-	4	6	4	7	3	1	-	
Dis. of Skin - - - -	23	8	1	-	-	-	9	-	-	-	-	4	4	1	2	3	-	-	
Childbirth and Metria	136	-	-	-	-	-	-	-	-	7	37	56	36	-	-	-	-	-	
Suicide - - - - -	10	-	-	-	-	-	-	-	1	2	-	2	2	1	2	-	-	-	
Other Violent Deaths	124	23	12	6	5	10	59	10	4	4	5	5	8	4	6	12	9	1	
Other Causes - - - -	1080	552	70	14	8	-	644	7	-	-	3	7	18	14	24	117	181	61	

508.—SHEFFIELD.

Mean Popul ⁿ , 1861-71	71787	2577	2295	2108	2068	1968	11016	8909	7433	6655	6666	11541	8529	5559	3328	1656	452	43
TOTAL DEATHS -	19883	5452	2420	1181	738	468	10259	1040	362	520	566	1234	1197	1161	1240	1342	800	162
Small-pox -	483	104	102	71	44	40	370	58	9	8	13	16	2	3	2	2	-	-
Measles -	537	83	208	105	68	30	494	41	1	-	1	-	-	-	-	-	-	-
Scarlatina -	1090	68	161	189	163	102	686	285	37	13	4	3	1	1	-	-	-	-
Diphtheria -	151	19	32	23	16	15	105	36	4	2	2	-	2	-	-	-	-	-
Whooping-cough -	610	204	201	97	64	19	285	25	-	-	-	-	-	-	-	-	-	-
Typhus -	925	25	46	71	64	42	248	144	82	100	64	97	68	47	29	23	7	-
Diarrhoea & Dysentery -	1430	924	255	58	19	8	1294	10	4	3	7	12	17	11	31	40	26	5
Cholera -	94	22	3	1	2	2	30	2	1	-	-	3	11	2	2	12	3	-
Other Zymotic Dis. -	344	66	54	52	34	19	225	20	10	11	5	13	11	17	17	12	3	-
Cancer -	355	-	-	-	1	-	1	-	-	-	4	23	68	118	73	61	13	-
Scrofula and Tubercles -	348	134	78	42	7	9	270	20	15	9	3	9	6	5	9	2	-	-
Phthisis -	1779	62	56	17	16	15	166	63	68	185	226	494	338	147	77	16	5	-
Hydrocephalus -	245	90	76	34	11	9	222	19	3	-	-	-	-	-	-	-	-	-
Dis. of Brain -	2343	1087	205	88	56	42	1478	75	27	50	50	63	94	123	152	179	83	9
Dis. of Heart & Dropsy -	980	15	12	5	12	7	51	26	34	31	37	90	148	177	193	144	45	4
Dis. of Lungs -	3401	905	615	219	103	67	1912	88	25	34	41	107	144	232	314	350	128	16
Dis. of Stomach and Liver -	852	95	27	10	8	3	143	12	7	24	37	85	118	153	168	87	28	-
Dis. of Kidneys -	90	2	1	-	-	-	8	7	1	7	3	13	17	13	15	11	1	-
Dis. of Gener. Organs -	86	-	-	-	-	-	-	1	5	9	17	17	24	8	4	1	-	-
Dis. of Joints -	74	3	3	3	1	2	19	12	9	9	2	5	8	5	5	2	-	-
Dis. of Skin -	39	9	1	1	-	-	11	1	1	-	2	2	7	4	3	6	2	-
Childbirth and Metria -	283	-	-	-	-	-	-	-	-	20	62	123	75	8	-	-	-	-
Suicide -	16	-	-	-	-	-	-	-	-	1	2	2	2	3	6	2	-	-
Other Violent Deaths -	392	66	32	26	24	17	165	50	20	12	13	20	23	22	17	80	9	5
Other Causes -	3046	1469	249	67	22	11	1818	30	5	11	9	57	35	48	113	370	447	123

509.—ROTHERHAM.

Mean Popul ⁿ , 1861-71	24790	897	795	791	761	723	3967	3240	2742	2181	2128	3649	2733	1956	1253	676	241	24
TOTAL DEATHS -	5700	1502	599	283	148	137	2669	269	119	107	215	404	323	294	361	439	347	93
Small-pox -	57	14	10	12	8	8	47	4	1	2	2	-	-	1	-	-	-	-
Measles -	125	26	49	29	9	11	117	6	1	-	-	-	-	-	-	-	-	-
Scarlatina -	239	16	29	49	28	32	154	65	12	5	1	3	1	-	-	1	-	-
Diphtheria -	37	3	4	3	6	4	30	13	-	-	-	2	-	1	-	-	-	-
Whooping-cough -	151	71	41	23	5	4	144	6	-	-	1	-	-	-	-	-	-	-
Typhus -	417	14	25	28	16	25	100	29	34	44	34	57	26	17	20	13	3	1
Diarrhoea & Dysentery -	355	186	92	13	8	1	300	5	-	1	1	8	2	1	2	1	1	-
Cholera -	14	2	3	1	1	1	8	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	133	14	18	15	12	6	65	14	3	4	4	3	7	9	13	6	2	-
Cancer -	118	-	-	-	-	1	2	1	-	-	-	11	16	30	26	20	9	1
Scrofula and Tubercles -	129	41	23	13	6	1	84	8	8	4	9	6	3	-	3	3	1	-
Phthisis -	324	9	7	4	2	2	24	12	25	61	89	168	98	33	16	3	2	-
Hydrocephalus -	75	28	22	7	6	5	68	3	4	-	-	-	-	-	-	-	-	-
Dis. of Brain -	730	343	52	22	10	11	438	22	5	8	10	12	19	32	40	60	54	10
Dis. of Heart & Dropsy -	298	8	3	2	3	1	12	5	5	7	12	25	33	40	56	68	29	4
Dis. of Lungs -	828	208	111	42	20	9	390	17	3	8	12	20	37	57	83	107	78	16
Dis. of Stomach and Liver -	273	33	4	3	3	3	45	6	3	2	10	23	29	31	54	41	24	2
Dis. of Kidneys -	39	1	4	2	-	-	7	2	1	-	-	5	4	6	5	4	5	-
Dis. of Gener. Organs -	21	-	-	-	-	-	-	-	-	-	-	5	4	4	6	-	-	-
Dis. of Joints -	21	-	-	-	-	1	1	3	3	-	1	2	3	2	3	-	-	-
Dis. of Skin -	25	9	2	-	-	-	11	1	1	-	-	1	-	2	3	3	-	-
Childbirth and Metria -	106	-	-	-	-	-	-	-	-	8	22	45	27	4	-	-	-	-
Suicide -	12	-	-	-	-	-	-	-	-	2	2	-	4	2	2	6	2	-
Other Violent Deaths -	106	11	10	7	6	5	39	10	6	6	3	5	7	10	5	6	9	2
Other Causes -	868	470	85	15	4	7	584	7	3	3	2	7	5	9	19	64	117	54

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
510.—DONCASTER.																			
Mean Popul ⁿ , 1861-71	20863	628	547	551	559	545	2830	2518	2285	1960	1719	2993	2368	1870	1324	726	247	22	10
TOTAL DEATHS	4843	1322	372	173	113	67	2047	198	78	121	130	311	302	313	381	400	292	139	63
Small-pox	31	6	4	3	3	1	17	4	2	1	1	7	1	-	-	-	-	-	-
Measles	80	11	30	19	6	2	70	8	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	168	7	23	17	20	22	89	58	14	2	2	2	-	1	-	-	-	-	-
Diphtheria	46	5	8	5	6	2	26	10	1	2	3	2	1	-	1	-	-	-	-
Whooping-cough	70	25	24	6	3	1	69	1	-	-	-	-	-	-	-	-	-	-	-
Typhus	201	11	9	18	15	10	63	19	10	20	25	44	21	22	27	21	23	8	4
Diarrhoea & Dysentery	229	124	40	8	3	-	175	1	-	3	-	2	1	7	9	17	39	4	1
Cholera	33	1	2	2	1	-	6	3	1	1	-	-	4	5	4	5	1	-	-
Other Zymotic Dis.	119	17	9	15	8	4	53	12	4	6	1	5	6	4	15	5	8	-	-
Cancer	48	-	-	-	-	-	-	-	-	-	-	3	5	8	9	13	4	1	-
Scrophula and Tuberc.	91	38	18	10	1	1	68	6	4	1	1	1	5	4	-	1	-	-	-
Phthisis	380	5	2	5	1	2	13	9	4	30	49	168	79	53	23	8	1	1	-
Hydrocephalus	62	21	21	7	4	-	53	8	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	671	324	47	13	9	6	399	18	5	5	3	15	22	25	48	66	23	11	4
Dis. of Heart & Dropsy	245	12	1	3	1	-	17	1	2	10	6	22	24	37	49	43	27	3	-
Dis. of Lungs	608	133	58	27	17	6	241	7	3	8	11	22	28	51	76	67	27	12	-
Dis. of Stom. and Liver	256	29	3	3	4	2	41	4	5	7	2	20	39	26	53	46	13	7	-
Dis. of Kidneys	86	2	-	-	1	-	3	3	1	-	1	5	10	14	8	26	11	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	23	1	-	-	-	2	3	2	3	-	-	3	2	4	1	2	2	-	-
Dis. of Skin	10	5	-	-	-	-	5	-	-	-	-	1	1	1	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	25	-	-	-	-	-	-	-	-	2	2	4	3	2	5	5	2	-	-
Other Violent Deaths	226	13	6	9	5	3	36	13	16	21	21	33	39	19	24	21	28	3	-
Other Causes	1015	522	67	5	3	3	600	19	2	6	2	12	20	30	27	50	100	62	-

511.—THORNE.

Mean Popul ⁿ , 1861-71	8157	256	235	234	211	187	1123	1046	884	727	550	1034	876	767	588	406	139	17	
TOTAL DEATHS	1850	546	118	58	33	30	785	75	37	53	50	77	76	90	133	211	216	23	
Small-pox	19	9	1	—	—	—	10	—	—	1	—	2	2	5	1	—	—	—	
Measles	19	3	10	2	2	—	17	2	—	—	—	—	—	—	—	—	—	—	
Scarlatina	66	5	9	14	7	9	44	16	2	3	—	1	—	—	—	—	—	—	
Diphtheria	20	—	3	1	1	1	6	9	1	1	1	1	1	—	—	—	—	—	
Whooping-cough	12	6	4	1	—	—	11	1	—	—	—	—	—	—	—	—	—	—	
Typhus	84	3	6	5	3	5	22	9	7	5	6	7	6	3	11	7	1	—	
Diarrhoea & Dysentery	64	31	7	1	—	—	39	1	—	—	1	—	2	1	—	2	30	1	
Cholera	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
Other Zymotic Dis.	51	6	6	2	2	1	17	4	2	3	—	—	3	5	6	4	—	—	
Cancer	15	—	—	—	—	—	—	1	—	—	—	1	—	—	4	4	5	—	
Scrophula and Tuberc.	27	10	5	5	1	—	21	—	—	—	3	1	—	1	1	—	—	—	
Phthisis	127	1	2	—	—	—	3	5	4	18	21	33	15	16	9	3	1	—	
Hydrocephalus	21	11	6	2	1	—	20	1	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain	516	149	14	4	2	2	171	3	6	2	1	8	11	15	19	26	26	3	
Dis. of Heart & Dropsy	70	—	—	—	—	—	—	—	—	3	2	3	2	10	18	20	12	—	
Dis. of Lungs	225	76	25	15	6	3	125	4	—	1	4	3	9	7	15	22	29	4	
Dis. of Stom. and Liver	111	50	3	2	—	1	36	1	2	5	1	7	8	13	13	21	4	—	
Dis. of Kidneys	42	2	—	—	—	—	2	2	1	1	—	6	2	2	7	9	3	—	
Dis. of Gener. Organs	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	
Dis. of Joints	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	—	—	—	
Dis. of Skin	4	—	—	—	—	1	1	1	—	3	1	1	1	1	—	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	12	—	—	—	—	—	—	—	—	—	—	—	2	4	1	2	1	—	
Other Violent Deaths	95	5	1	3	7	7	23	11	11	5	6	5	7	5	9	7	4	—	
Other Causes	444	199	16	1	1	—	217	3	—	1	1	1	3	7	15	51	101	42	

512.—GOOLE.

Mean Popul ⁿ , 1861-71	7974	249	235	226	238	216	1164	996	832	796	612	1081	900	682	504	386	104	15	
TOTAL DEATHS	1913	595	151	68	57	35	906	91	45	41	71	100	100	94	138	174	165	28	
Small-pox	51	13	7	5	2	8	35	6	—	3	2	2	2	—	1	—	—	—	
Measles	22	7	9	2	3	—	21	1	—	—	—	—	—	—	—	—	—	—	
Scarlatina	70	4	10	9	18	6	47	15	5	1	1	1	—	—	—	—	—	—	
Diphtheria	15	2	2	—	3	3	10	2	1	—	—	1	1	—	—	—	—	—	
Whooping-cough	23	12	4	6	—	1	23	—	—	—	—	—	—	—	—	—	—	—	
Typhus	60	1	4	2	4	1	12	13	6	4	2	11	1	4	5	2	3	—	
Diarrhoea & Dysentery	124	75	25	6	3	1	110	—	—	—	1	2	2	1	1	2	1	—	
Cholera	31	4	2	6	1	1	8	1	—	1	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	36	2	2	4	5	3	16	6	—	1	—	2	1	5	4	—	—	—	
Cancer	14	—	—	—	—	—	1	—	—	—	—	—	—	1	1	3	—	—	
Scrophula and Tuberc.	37	12	12	3	1	—	28	2	3	1	2	—	—	1	1	—	—	—	
Phthisis	150	1	5	1	—	—	8	5	9	30	25	21	15	11	9	1	—	—	
Hydrocephalus	29	7	10	3	4	—	24	3	1	—	—	—	—	1	—	—	—	—	
Dis. of Brain	251	127	12	8	2	4	153	6	3	1	3	6	13	7	16	20	23	1	
Dis. of Heart & Dropsy	119	3	—	—	—	1	4	2	1	2	2	6	5	11	29	34	14	—	
Dis. of Lungs	248	79	26	9	4	—	118	6	4	1	4	6	12	16	25	24	13	—	
Dis. of Stom. and Liver	97	14	—	2	1	—	17	1	2	3	—	7	14	9	14	13	2	—	
Dis. of Kidneys	23	1	—	—	—	—	1	1	—	1	1	—	1	3	5	7	2	—	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	10	—	1	1	—	—	2	—	1	1	1	—	2	1	1	1	—	—	
Dis. of Skin	9	4	—	—	—	—	4	—	—	—	—	—	—	—	3	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths	146	8	2	6	4	4	24	16	12	11	18	22	17	7	8	8	8	—	
Other Causes	941	219	18	1	2	—	240	2	1	1	1	7	—	5	9	21	54	28	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85					
		& upwards.																			
510.—DONCASTER.																					
Mean Popul ⁿ , 1861-71	21434	621	581	585	597	544	2928	2492	2274	1925	1818	3057	2394	1949	1372	842	340	43			
TOTAL DEATHS	4651	1085	321	173	97	97	1773	209	113	141	133	334	294	257	308	476	461	182			
Small-pox	28	5	3	2	5	3	18	2		2		1	5								
Measles	61	10	17	17	5	2	51	10	2												
Scarlatina	165	6	15	88	13	22	94	50	15	3	2	1									
Diphtheria	59	3	4	6	9	6	28	16	9	3	2	1									
Whooping-cough	89	35	28	13	5	4	85	4													
Typhus	303	4	8	12	12	16	52	41	26	30	19	34	17	22	19	27	12	4			
Diarrhoea & Dysentery	228	106	43	19	2	2	163			1	2	8	4	5	7	16	15	7			
Cholera	30	2	1	1		1	5	3	3			5	2	2	1	4	4	1			
Other Zymotic Dis.	97	13	7	9	7	7	43	11	1	1	2	5	6	3	8	13	5	1			
Cancer	147																				
Scrofula and Tuberc.	60	15	15	4	7	2	43	2	2	4	1	2	6	20	39	32	32	16			
Phthisis	437	2	1	1	1	2	15	12	21	50	63	142	3	3	2						
Hydrocephalus	57	17	19	7	2	4	49	3	5				84	34	20	5	1				
Dis. of Brain	607	291	84	17	9	6	357	21	7	12	5	14	18	23	33	65	44	8			
Dis. of Heart & Dropsy	263	11		1		3	15	3	2	9	7	18	24	35	44	68	88	5			
Dis. of Lungs	556	118	58	16	12	11	215	11	8	10	4	17	21	22	30	98	87	14			
Dis. of Stom. and Liver	287	27	3		2	1	33	5	3	6	54	41	43	44	35	15	5				
Dis. of Kidneys	26	1					1	2	1	1	3	4	4	4	6	7	3				
Dis. of Gen. Organs	17									1		4	5	4	1	1	1				
Dis. of Joints	8							2	1	2		1			2						
Dis. of Skin	14	5				1	6			1			1		3	1	2				
Childbirth and Metris	54									3	8	26	17								
Suicide	4												1	1	2						
Other Violent Deaths	84	11	5	4	4	3	27	6	3	2	2	2	7	7	3	11	8	6			
Other Causes	953	403	69	15	2	3	483	5	7	3	5	8	14	11	29	78	207	103			

511.—THORNE.																			
Mean Popul ⁿ , 1861-71	8354	223	200	223	228	245	1119	1039	862	756	621	1095	942	747	567	406	168	32	
TOTAL DEATHS	1718	420	94	37	35	27	613	59	35	44	63	143	92	78	98	219	191	78	
Small-pox	15	1	—	—	2	1	3	—	3	—	2	6	1	—	—	—	—	—	
Measles	12	2	4	2	1	2	11	1	—	—	—	—	—	—	—	—	—	—	
Scarlatina	56	4	8	10	8	4	31	15	5	—	2	2	—	—	—	—	—	—	
Diphtheria	18	2	—	—	1	4	7	6	1	2	—	—	—	—	—	—	—	—	
Whooping-cough	32	16	8	5	3	—	32	—	—	—	—	—	—	—	—	—	—	—	
Typhus	86	5	4	5	1	2	31	9	11	7	7	11	8	2	2	8	4	—	
Diarrhoea & Dysentery	49	22	9	—	—	—	31	—	—	—	—	1	1	—	2	7	5	2	
Cholera	3	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Other Zymotic Dis.	58	6	2	2	2	1	13	1	1	—	—	5	2	2	3	6	5	—	
Cancer	42	—	—	—	—	—	—	—	—	—	—	1	5	13	11	6	4	2	
Scrofula and Tuberc.	29	6	2	1	3	1	13	2	—	1	—	1	1	1	—	—	—	—	
Phthisis	202	1	1	2	1	1	6	6	6	22	36	79	21	18	4	3	1	—	
Hydrocephalus	16	13	—	—	—	1	14	2	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain	269	131	8	5	2	1	145	4	1	2	4	5	9	5	10	41	22	2	
Dis. of Heart & Dropsy	93	—	1	—	—	—	1	1	1	2	2	5	10	12	21	24	11	3	
Dis. of Lungs	183	50	25	4	4	5	88	4	—	2	2	2	5	5	16	36	19	4	
Dis. of Stom. and Liver	88	6	3	2	2	—	13	2	1	—	3	2	12	10	10	25	10	—	
Dis. of Kidneys	14	1	—	—	—	—	1	—	2	1	1	1	1	3	—	3	1	—	
Dis. of Gen. Organs	9	—	—	—	—	—	—	—	—	—	—	1	2	2	2	—	—	2	
Dis. of Joints	7	—	—	—	—	—	—	—	1	—	—	—	1	1	2	1	1	—	
Dis. of Skin	2	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metris	28	—	—	—	—	—	—	—	—	1	5	16	6	—	—	—	—	—	
Suicide	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Other Violent Deaths	39	—	3	1	1	—	9	3	2	1	1	1	3	1	2	3	3	1	
Other Causes	414	149	29	2	1	1	175	2	—	3	1	4	4	3	15	54	93	62	

512.—GOOLE.																			
Mean Popul ⁿ , 1861-71	8237	239	238	222	226	211	1136	1015	826	759	682	1174	946	722	518	318	126	15	
TOTAL DEATHS	1814	495	129	82	47	40	793	82	51	63	60	143	96	84	109	166	118	40	
Small-pox	41	8	8	7	3	3	29	4	—	1	2	2	2	—	1	—	—	—	
Measles	15	1	7	4	—	2	14	1	—	—	—	—	—	—	—	—	—	—	
Scarlatina	77	2	9	12	12	10	45	19	9	2	1	1	—	—	—	—	—	—	
Diphtheria	11	—	—	1	2	—	3	5	—	—	1	1	1	—	—	—	—	—	
Whooping-cough	30	15	10	2	2	1	59	—	—	—	—	—	—	—	—	—	—	—	
Typhus	72	1	2	4	6	4	17	13	4	11	7	6	8	2	2	5	2	—	
Diarrhoea & Dysentery	129	80	14	6	1	1	102	—	—	—	—	2	1	2	5	5	10	2	
Cholera	55	13	1	—	—	2	16	2	—	—	1	8	3	1	—	2	2	—	
Other Zymotic Dis.	35	4	3	6	5	4	22	2	1	—	—	—	3	1	—	4	2	—	
Cancer	34	—	—	—	—	—	—	—	—	1	—	3	7	7	7	10	3	—	
Scrofula and Tuberc.	37	10	6	3	2	1	22	1	1	2	1	3	3	3	1	—	—	—	
Phthisis	213	2	1	—	—	1	4	4	14	23	33	68	32	17	10	6	2	—	
Hydrocephalus	27	8	2	6	1	3	20	6	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain	198	91	6	5	4	2	113	5	3	4	—	5	6	8	18	23	15	—	
Dis. of Heart & Dropsy	107	1	1	—	—	—	2	2	2	4	7	7	11	20	27	18	3	—	
Dis. of Lungs	212	59	26	13	4	1	103	2	3	3	2	9	6	5	19	39	16	5	
Dis. of Stom. and Liver	78	5	—	2	1	2	10	4	4	4	2	4	12	9	11	15	2	1	
Dis. of Kidneys	9	—	—	—	—	—	—	—	—	1	—	—	—	4	1	2	1	—	
Dis. of Gen. Organs	6	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	
Dis. of Joints	5	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	
Dis. of Skin	3	—	1	1	—	—	2	—	—	—	—	—	—	—	2	—	—	—	
Childbirth and Metris	36	—	—	—	—	—	—	—	—	4	18	10	—	—	—	—	—	—	
Suicide	4	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	
Other Violent Deaths	49	4	6	5	3	2	29	11	7	1	1	—	2	1	—	3	—	—	
Other Causes	351	186	26	5	1	1	219	1	1	—	—	4	2	2	9	23	47	36	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--
513.—SELBY.																	
Mean Popul ⁿ , 1861-71 -	8003	237	234	228	212	210	1121	1007	884	746	626	1014	845	725	559	333	133
TOTAL DEATHS -	1755	533	92	51	31	26	733	73	44	42	54	75	86	97	145	182	175
Small-pox - - -	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
Measles - - -	19	2	4	3	1	1	11	-	1	-	-	-	-	-	-	-	-
Scarlatina - - -	43	3	5	11	9	7	35	6	2	-	-	-	-	-	-	-	-
Diphtheria - - -	23	-	3	2	1	3	9	10	2	1	-	-	-	1	-	-	-
Whooping-cough -	26	15	8	1	1	-	25	1	-	-	-	-	-	-	-	-	-
Typhus - - -	57	3	2	5	2	1	13	5	2	8	7	5	7	3	4	2	1
Diarrhoea & Dysentery	94	68	7	2	-	-	77	2	-	-	-	1	1	1	2	4	7
Cholera - - -	6	-	1	-	-	-	1	-	1	-	-	-	1	-	2	1	-
Other Zymotic Dis. -	50	9	4	6	5	2	26	10	1	-	-	1	2	4	4	1	-
Cancer - - -	24	-	-	-	-	-	-	-	-	1	-	1	1	3	6	8	2
Scrofula and Tubercles	21	4	3	1	1	1	10	2	3	1	2	1	1	1	-	-	-
Phthisis - - -	128	-	-	-	-	1	1	4	3	10	20	27	21	19	6	1	-
Hydrocephalus - -	27	7	6	3	1	1	18	4	5	-	-	-	-	-	-	-	-
Dis. of Brain - - -	303	192	11	4	1	-	208	5	3	1	1	3	5	11	16	27	29
Dis. of Heart & Dropsy	86	-	1	-	-	-	1	1	1	4	1	4	11	10	23	22	1
Dis. of Lungs - - -	131	53	19	5	2	2	81	5	3	1	2	4	6	8	9	17	11
Dis. of Stom. and Liver	91	11	-	2	1	-	14	1	-	3	1	3	7	16	24	16	3
Dis. of Kidneys - -	31	-	1	-	1	-	2	1	-	-	1	-	3	4	8	10	3
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	6	-	-	-	-	1	1	1	1	-	-	2	-	1	-	1	-
Dis. of Skin - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-
Childbirth and Metritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	4	-	-	-	-	-	-	-	-	-	-	2	-	-	3	3	2
Other Violent Deaths -	118	4	5	1	3	6	19	10	12	9	11	8	13	11	12	3	2
Other Causes - - -	444	162	12	5	2	-	181	4	3	1	1	2	6	4	22	79	114

[FOR DISTRICT 514.—TADCASTER, *see* p. 352.]

		515.—YORK.																	
Mean Popul ⁿ , 1861-71	30140	881	758	783	758	730	3910	3463	3214	2982	2605	4345	3545	2819	1903	988	330	43	
TOTAL DEATHS -	7585	2004	439	225	162	109	3029	259	146	178	262	458	572	550	717	703	508	100	
Small-pox -	101	14	10	6	8	11	49	11	6	6	5	13	6	5	2	-	-	-	
Measles -	80	20	29	18	5	5	77	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	243	6	23	42	48	81	155	68	15	3	-	2	-	-	-	-	-	-	
Diphtheria -	54	5	4	10	9	3	31	13	2	2	2	1	2	-	-	1	-	-	
Whooping-cough -	84	47	19	8	4	4	83	2	-	-	-	-	-	-	-	-	-	-	
Typhus -	193	5	3	9	17	4	38	21	22	18	12	22	37	19	14	3	1	-	
Dysentery & Dysentery -	426	295	94	6	3	3	341	1	1	1	4	1	9	10	10	23	17	-	
Cholera -	4	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	
Other Zymotic Dis. -	190	25	13	8	6	4	56	8	1	2	4	7	11	6	14	11	7	-	
Cancer -	80	-	-	-	-	-	1	-	-	-	2	5	7	11	23	22	9	-	
Scrofula and Tuberc. -	134	40	18	9	1	3	71	9	15	6	3	7	5	5	9	1	-	-	
Phthisis -	899	22	11	6	5	3	47	13	20	83	143	190	168	104	66	22	3	-	
Hydrocephalus -	107	38	24	13	6	6	87	20	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	1416	580	64	22	12	9	687	15	9	13	15	47	123	117	172	120	115	-	
Dis. of Heart & Dropsy -	463	5	-	2	-	1	8	7	12	4	12	39	62	73	91	102	56	-	
Dis. of Lungs -	948	220	115	41	21	11	408	25	7	8	7	69	73	128	118	67	3	-	
Dis. of Stom. and Liver -	261	36	2	1	2	2	43	-	6	6	4	23	18	46	44	40	29	-	
Dis. of Kidneys -	184	1	3	1	2	1	8	5	1	1	5	17	27	24	35	40	11	-	
Dis. of Genes. Organs -	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Joints -	52	-	-	-	-	-	7	2	2	4	6	5	-	1	2	3	-	-	
Dis. of Skin -	25	4	1	-	1	1	7	2	-	1	2	5	2	1	5	1	1	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	30	-	-	-	-	-	-	-	-	-	4	3	3	7	9	3	1	-	
Other Violent Deaths -	288	26	9	6	7	6	54	25	25	18	28	27	31	18	26	19	5	-	
Other Causes -	1451	703	51	17	5	1	777	5	2	2	4	18	20	28	64	169	231	-	

		516.—POCKLINGTON.																		
Mean Popul ⁿ , } 1861-71 }	1841	1822	1822	1828	1841	1822	1088	1014	901	962	668	990	905	806	587	343	129	12		
TOTAL DEATHS -	1516	413	57	35	26	21	552	69	35	38	32	73	62	97	128	186	173	28		
Small-pox - - -	9	4	-	-	-	1	5	-	-	1	1	1	-	1	-	-	-	-		
Measles - - -	20	2	8	4	5	-	17	3	-	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	40	1	3	5	7	2	18	15	6	1	-	-	-	-	-	-	-	-		
Diphtheria - - -	26	2	2	3	2	2	11	8	1	4	1	-	-	-	-	1	-	-		
Whooping-cough -	15	9	4	-	1	1	15	-	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	44	1	-	-	-	2	3	3	5	4	2	7	2	4	8	4	3	1		
Dysentery & Cholera -	77	42	5	2	1	1	58	2	-	-	-	1	-	2	2	2	1	1		
Cholera - - -	14	1	1	1	-	1	4	1	-	-	2	1	1	1	2	2	1	1		
Other Zymotic Dis.	32	4	3	2	1	-	10	2	3	-	-	3	3	3	1	7	-	-		
Cancer - - -	21	-	-	-	-	-	-	-	-	1	-	-	1	2	9	7	1	-		
Scrophula and Tabes -	21	6	1	1	-	1	9	6	1	1	1	2	-	1	1	-	-	-		
Phthisis - - -	114	1	1	2	1	-	5	2	4	13	18	29	15	19	3	4	-	-		
Hydrocephalus - -	13	6	3	2	-	-	11	2	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	261	142	6	6	5	1	169	7	3	1	-	7	5	13	17	26	21	1		
Dis. of Heart & Dropsy -	102	-	-	1	-	-	1	2	-	1	1	2	11	13	20	18	11	1		
Dis. of Lungs - - -	144	46	8	4	2	3	63	2	2	2	1	5	7	7	20	19	11	1		
Dis. of Stom. and Liver -	77	10	-	-	-	-	10	3	2	2	-	4	8	15	13	14	8	1		
Dis. of Kidneys - - -	32	-	-	-	-	1	1	-	-	-	1	-	2	4	7	9	7	1		
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	6	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-		
Dis. of Skin - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
513.—SELBY.																			
Mean Popul ⁿ , 1861-71	1818	254	213	221	227	219	1134	1008	877	743	650	1089	895	714	554	348	151	25	
TOTAL DEATHS	1643	419	106	56	31	21	633	68	38	44	49	90	89	75	118	180	177	73	
Small-pox	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Dysentery	17	2	10	1	3	1	17	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	43	4	5	4	8	2	23	16	3	-	1	-	-	-	-	-	-	-	
Rhitharia	28	8	3	5	2	3	16	11	-	1	-	-	-	-	-	-	-	-	
Whooping-cough	35	18	12	3	-	2	35	-	-	-	-	-	-	-	-	-	-	-	
Cholera	63	3	2	6	1	1	13	9	9	10	3	2	1	7	3	5	1	-	
Scarlatina & Dysentery	85	51	6	1	2	-	60	1	2	-	-	2	2	2	4	2	7	8	
Typhoid	7	-	1	1	-	-	2	1	-	1	-	-	-	-	-	1	1	-	
Other Zymotic Dis.	48	8	6	9	2	5	80	3	2	1	-	1	1	1	3	5	1	-	
Cancer	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	17	6	3	1	2	-	12	1	1	1	1	-	-	10	6	10	6	-	
Gall-stone	157	-	-	-	-	-	1	4	8	19	30	39	21	8	-	-	-	-	
Hydrocephalus	29	7	5	5	3	1	21	5	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain	281	149	14	7	1	-	171	1	2	3	4	8	15	7	14	20	25	5	
Dis. of Heart & Dropsy	94	3	-	-	-	-	3	1	3	-	2	5	7	12	23	24	12	2	
Dis. of Lungs	148	37	12	7	2	4	63	7	-	1	3	5	4	7	15	23	15	6	
Dis. of Stom. and Liver	83	3	3	-	1	-	9	3	-	2	1	13	9	7	21	17	2	2	
Dis. of Kidneys	11	-	-	-	-	-	-	-	1	-	-	-	4	2	3	-	-	1	
Dis. of Gen. Organs	12	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	1	-	
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	
Dis. of Skin	4	2	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	
Childbirth and Metria	24	-	-	-	-	-	-	-	2	-	2	10	10	-	-	-	-	-	
suicide	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
Other Violent Deaths	29	-	4	2	4	1	11	3	3	-	-	-	4	3	-	2	3	-	
Other Causes	898	131	20	3	-	-	144	2	2	1	1	1	2	3	14	71	103	54	

[For DISTRICT 514.—TADCASTER, *see* p. 353.]

515.—YORK.

Mean Popul ⁿ , 1861-71	32268	880	730	798	743	724	3875	3426	3179	3185	2967	4821	3781	3054	2115	1292	484	89
TOTAL DEATHS -	7132	1568	443	215	139	92	2457	242	163	198	208	408	534	516	646	767	684	219
Small-pox -	93	24	17	9	10	5	63	11	3	2	2	6	-	4	1	1	-	-
Measles -	69	14	29	15	9	5	63	2	1	-	-	-	-	-	-	-	-	-
Scarlatina -	227	15	28	28	27	24	130	79	25	9	3	3	-	-	-	-	-	-
Diphtheria -	56	4	6	7	3	5	25	16	5	1	1	3	3	1	1	-	1	-
Whooping-cough -	95	38	30	14	4	6	92	2	1	-	-	-	-	-	-	-	-	-
Typhus -	187	1	6	8	6	7	28	31	19	15	7	28	17	23	13	9	1	-
Diarrhœa & Dysentery -	556	222	98	5	2	1	268	4	-	1	4	9	9	8	11	18	19	5
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	106	17	9	7	7	3	43	7	4	3	1	5	8	4	7	7	13	4
Cancer -	267	-	-	-	-	-	-	-	1	-	2	10	26	32	68	46	16	2
Scrophula and Tuberc -	118	22	15	12	5	5	59	11	15	7	4	8	5	6	12	15	1	-
Phthisis -	887	18	7	4	1	5	35	24	39	94	108	249	194	92	42	15	1	-
Hydrocephalus -	69	21	17	10	3	6	57	7	4	-	-	1	-	-	-	-	-	-
Dis. of Brain -	1156	494	80	28	17	3	562	16	11	12	16	22	63	88	150	145	78	15
Dis. of Heart & Dropsy -	496	5	6	-	2	1	13	6	8	9	35	44	61	111	127	58	5	-
Dis. of Lungs -	879	172	69	37	25	8	541	16	11	17	12	23	40	48	169	127	11	19
Dis. of Stom. and Liver -	315	19	5	4	2	3	33	5	6	4	9	30	34	43	61	61	23	6
Dis. of Kidneys -	73	2	-	1	-	2	3	1	-	5	4	13	13	13	15	8	5	-
Dis. of Genes. Organs -	38	-	-	-	-	-	-	-	1	1	1	6	4	11	6	-	-	-
Dis. of Joints -	28	1	-	-	-	1	2	-	3	-	2	6	3	2	5	4	-	-
Dis. of Skin -	21	3	-	-	2	-	5	1	1	2	-	6	6	5	2	1	-	-
Childbirth and Metris -	86	-	-	-	-	-	-	-	-	4	12	44	28	-	-	-	-	-
Suicide -	21	-	-	-	-	-	-	-	-	5	1	2	3	3	5	1	1	-
Other Violent Deaths -	167	23	2	8	7	3	45	8	3	6	5	9	10	4	6	10	-	-
Other Causes -	1444	514	59	18	7	1	599	5	6	4	7	17	23	29	59	188	344	167

516.—POCKLINGTON.

Mean Popul ⁿ , 1861-71	7926	218	210	219	213	223	1083	1000	858	751	635	1027	838	703	520	338	150	23
TOTAL DEATHS -	1464	347	65	30	22	16	480	59	35	31	61	97	94	83	99	171	186	68
Small-pox -	3	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
Measles -	16	4	6	1	2	1	14	-	1	-	-	1	-	-	-	-	-	-
Scarlatina -	33	1	4	8	7	2	22	8	-	1	-	-	1	-	-	-	-	-
Diphtheria -	25	3	3	2	1	2	11	8	4	1	-	-	-	1	-	-	-	-
Whooping-cough -	25	14	4	4	-	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus -	42	2	3	2	-	1	8	6	4	1	3	7	2	5	-	4	2	-
Diarrhoea & Dysentery -	56	86	3	-	-	-	39	1	-	-	3	4	2	2	3	3	1	1
Cholera -	31	1	1	-	-	2	4	2	1	-	-	-	1	2	1	4	2	-
Other Zymotic Dis. -	29	6	2	1	4	-	13	2	1	1	-	1	1	3	1	8	1	-
Cancer -	38	-	-	-	-	-	-	-	-	-	-	3	9	5	11	8	1	1
Scrofula and Tuberc. -	14	2	3	-	-	-	5	1	2	-	2	1	1	1	1	-	-	-
Phthisis -	151	2	-	1	-	-	3	4	13	12	32	46	22	15	4	-	-	-
Hydrocephalus -	8	4	1	-	1	-	6	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	258	187	13	1	3	2	156	5	4	1	5	6	7	10	11	26	24	3
Dis. of Heart & Dropsy -	102	-	-	-	-	-	1	1	1	1	3	6	14	10	18	19	21	1
Dis. of Lungs -	182	35	14	6	-	2	57	7	1	2	3	6	7	8	17	24	20	-
Dis. of Stom. and Liver -	64	6	1	-	1	1	8	3	-	2	1	3	7	3	18	15	3	1
Dis. of Kidneys -	8	-	-	-	-	-	-	1	-	-	1	-	-	1	2	2	1	-
Dis. of Genes. Organs -	13	-	-	-	-	-	-	-	-	-	-	-	3	4	1	2	3	-
Dis. of Joints -	8	1	1	-	1	-	3	-	1	-	-	-	2	1	-	-	-	-
Dis. of Skin -	5	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris -	24	-	-	-	-	-	-	-	-	1	6	8	7	2	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
513.—SELBY.																		
Mean Popul ⁿ , 1861-71		8003	237	234	228	212	210	1121	1007	884	746	626	1014	845	725	559	333	133
TOTAL DEATHS		1755	533	92	51	31	26	733	73	44	42	54	75	86	97	145	182	175
Small-pox		3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
Measles		12	2	4	3	1	1	11	6	1	-	-	-	-	-	-	-	-
Scarlatina		43	3	5	11	9	7	35	6	2	-	-	-	-	-	-	-	-
Diphtheria		23	-	8	2	1	3	9	10	2	1	-	-	-	1	-	-	-
Whooping-cough		26	15	8	1	1	2	25	1	-	-	7	5	7	3	4	2	1
Typhus		57	3	2	5	-	1	13	5	2	8	7	1	1	-	2	4	1
Diarrhoea & Dysentery		94	68	7	2	-	-	77	2	-	-	-	1	1	2	2	4	7
Cholera		6	-	1	-	-	-	1	-	1	-	-	-	1	-	2	1	-
Other Zymotic Dis.		50	9	4	6	5	2	26	10	1	1	-	1	2	4	4	1	-
Cancer		24	-	-	-	-	-	-	-	-	1	-	1	1	3	6	6	4
Scrofula and Tabes		21	4	3	1	1	1	10	2	3	1	2	1	1	1	-	-	-
Phthisis		128	-	-	-	-	1	1	4	3	10	26	37	21	19	6	1	-
Hydrocephalus		27	7	6	3	1	1	18	4	5	-	-	-	-	-	-	-	-
Dis. of Brain		303	192	11	4	1	-	208	5	3	1	1	3	5	11	16	22	20
Dis. of Heart & Dropsy		86	-	1	-	-	-	1	1	1	4	1	4	11	10	25	22	1
Dis. of Lungs		151	33	19	5	2	2	81	5	3	1	2	4	6	8	9	17	11
Dis. of Stom. and Liver		91	11	-	2	1	-	14	1	-	3	1	3	7	16	24	18	1
Dis. of Kidneys		31	-	1	-	1	-	2	1	-	-	1	-	3	4	8	10	2
Dis. of Gener. Organs		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		7	-	-	-	-	1	1	1	1	-	-	2	-	1	1	-	-
Dis. of Skin		6	-	-	-	-	-	1	1	-	1	-	1	-	1	2	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
Other Violent Deaths		118	4	5	1	3	6	19	10	12	9	11	8	13	11	13	5	2
Other Causes		444	162	12	5	2	-	181	4	5	1	1	2	6	4	29	79	134

[For DISTRICT 514.—TADCASTER, see p. 352.]

515.—YORK.																	
Mean Popul ⁿ , 1861-71		30140	881	758	783	758	730	3910	3463	3214	2982	2605	4345	3546	2819	1903	988
TOTAL DEATHS		7585	2094	489	225	162	109	3029	259	146	178	262	458	572	550	717	763
Small-pox		101	14	10	6	8	11	49	11	6	6	5	13	6	3	2	-
Measles		80	20	29	18	5	5	77	3	-	-	-	-	-	-	-	-
Scarlatina		243	6	28	42	48	81	155	68	15	3	-	2	-	-	-	-
Diphtheria		54	5	4	10	9	3	81	13	2	2	2	1	2	-	-	-
Whooping-cough		84	47	19	8	4	4	82	2	-	-	-	-	-	-	-	-
Typhus		193	5	3	9	17	4	58	21	22	18	12	22	17	19	14	5
Diarrhoea & Dysentery		436	295	54	6	5	3	341	1	1	1	4	1	9	10	10	23
Cholera		4	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		130	25	13	8	6	4	56	8	1	2	4	7	11	6	14	11
Cancer		80	-	-	-	-	-	-	1	-	-	-	2	5	7	11	23
Serofula and Tabes		124	40	18	9	1	3	71	9	15	6	3	7	6	5	2	1
Phthisis		859	22	11	6	5	3	47	13	20	83	143	190	168	194	63	23
Hydrocephalus		107	38	24	13	6	6	87	20	-	-	-	-	-	-	-	-
Dis. of Brain		1416	580	64	22	12	9	687	15	9	13	15	47	123	117	172	132
Dis. of Heart & Dropsy		463	5	-	2	-	1	8	7	12	4	12	30	62	73	91	162
Dis. of Lungs		948	220	115	41	21	11	408	23	7	8	7	37	60	75	128	118
Dis. of Stom. and Liver		261	36	2	1	2	2	43	-	6	4	23	18	46	44	60	39
Dis. of Kidneys		184	1	3	1	2	1	8	5	1	1	5	17	27	24	55	40
Dis. of Gener. Organs		2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Dis. of Joints		32	-	-	-	-	-	-	7	2	4	6	5	-	1	5	3
Dis. of Skin		25	4	1	-	1	1	7	2	-	1	2	3	2	1	5	1
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		30	-	-	-	-	-	-	-	-	-	-	4	3	7	9	3
Other Violent Deaths		285	26	9	6	7	6	54	25	25	18	28	27	31	18	36	19
Other Causes		1451	703	81	17	5	1	777	5	2	2	4	18	20	28	64	149

516.—POCKLINGTON.																	
Mean Popul ⁿ , 1861-71		8411	222	222	228	194	222	1088	1014	901	962	668	990	905	806	587	343
TOTAL DEATHS		1516	413	57	35	26	21	552	69	35	38	32	73	62	97	128	186
Small-pox		9	4	-	-	-	1	5	-	-	1	1	1	-	1	-	-
Measles		20	1	3	5	7	2	17	3	-	-	-	-	-	-	-	-
Scarlatina		40	1	3	5	7	2	18	15	6	1	-	-	-	-	-	-
Diphtheria		26	2	2	3	2	2	11	8	1	4	1	-	-	-	-	-
Whooping-cough		15	9	4	-	1	1	15	-	-	-	-	-	-	-	-	-
Typhus		44	1	-	-	-	2	3	3	5	-	4	2	7	2	4	5
Diarrhoea & Dysentery		77	42	5	2	1	1	68	2	-	-	-	1	-	2	2	4
Cholera		14	1	1	1	-	1	4	1	-	-	-	1	1	1	2	2
Other Zymotic Dis.		33	4	3	2	1	-	10	2	3	-	-	5	3	3	1	7
Cancer		21	-	-	-	-	-	-	-	-	1	-	-	1	2	9	7
Serofula and Tabes		21	6	1	1	-	1	9	6	1	1	1	2	-	1	1	-
Phthisis		114	1	1	2	1	-	5	9	4	13	18	29	15	19	5	-
Hydrocephalus		13	6	3	2	-	-	11	2	-	-	-	-	-	-	-	-
Dis. of Brain		261	142	6	6	5	1	160	7	3	1	-	7	3	13	17	26
Dis. of Heart & Dropsy		102	-	-	1	-	-	1	2	-	1	1	2	11	13	20	22
Dis. of Lungs		144	46	8	4	2	3	62	2	2	2	1	5	7	7	20	19
Dis. of Stom. and Liver		77	10	-	-	-	-	10	3	2	2	-	4	8	15	18	14
Dis. of Kidneys		32	-	-	-	-	1	1	-	-	-	-	-	2	4	7	9
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		6	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-
Dis. of Skin		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.	
513.—SELBY.																			
Mean Popul ⁿ . 1861-71 -	8189	254	213	221	227	219	1134	1003	877	743	650	1089	895	714	554	348	151	25	
TOTAL DEATHS -	1643	419	106	56	31	21	633	63	38	44	49	90	89	75	118	180	177	73	
Small-pox -	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Measles -	17	2	10	1	3	1	17	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	43	4	5	4	8	2	23	16	3	-	1	-	-	-	-	-	-	-	
Diphtheria -	28	3	3	5	2	3	16	11	-	1	-	-	-	-	-	-	-	-	
Whooping-cough -	55	18	12	3	-	2	35	-	-	-	-	-	-	-	-	-	-	-	
Erysiphus -	63	3	2	6	1	1	13	9	9	10	3	2	1	7	3	5	1	-	
Diarrhoea & Dysentery -	85	51	6	1	3	-	60	1	2	-	-	2	2	2	4	2	7	3	
Cholera -	7	-	1	1	-	-	2	1	-	1	-	1	-	-	-	1	1	-	
Other Zymotic Dis. -	48	8	6	9	2	5	30	3	2	1	-	1	1	1	3	6	1	-	
Cancer -	86	-	-	-	-	-	-	-	-	-	-	-	-	10	6	10	0	-	
Scrofula and Tubercles -	17	6	3	1	2	-	12	1	1	1	1	-	-	1	-	-	-	-	
Phthisis -	157	-	-	-	-	1	1	4	8	19	30	39	21	8	7	-	-	-	
Hydrocephalus -	29	7	5	5	3	1	21	5	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	281	149	14	7	1	-	171	1	2	3	4	8	15	7	14	26	25	5	
Dis. of Heart & Dropsy -	94	3	-	-	-	-	3	1	3	-	2	5	7	12	23	24	12	2	
Dis. of Lungs -	148	37	12	7	2	4	62	7	-	1	3	5	4	7	15	23	15	6	
Dis. of Stom. and Liver -	85	5	3	-	1	-	9	3	-	2	1	13	9	7	21	17	2	2	
Dis. of Kidneys -	11	-	-	-	-	-	-	-	-	1	-	-	4	2	3	-	-	1	
Dis. of Genes. Organs -	12	-	-	-	-	-	-	-	-	-	-	1	1	3	5	3	1	-	
Dis. of Joints -	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	
Dis. of Skin -	4	2	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	
Childbirth and Metris -	24	-	-	-	-	-	-	-	-	2	2	10	10	-	-	-	-	-	
Suicide -	5	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	
Other Violent Deaths -	29	-	4	2	4	1	11	3	3	1	-	-	3	3	-	2	3	-	
Other Causes -	398	121	20	3	-	-	144	2	2	1	1	1	2	3	14	71	109	54	

[FOR DISTRICT 514.—TADCASTER, *see* p. 353.]

515.—YORK.

Mean Popul ⁿ . 1861-71	32268	880	730	798	743	724	3875	3426	3179	3185	2967	4821	3781	3054	2115	1292	484	89
TOTAL DEATHS -	7132	1568	443	215	139	92	2457	242	163	198	208	498	534	516	646	767	684	219
Small-pox -	93	24	17	9	10	5	63	11	3	2	2	6	-	4	1	1	-	-
Measles -	64	14	20	15	9	5	63	2	1	-	-	-	-	-	-	-	-	-
Scarlatina -	227	13	28	28	27	24	120	70	22	9	3	5	-	-	-	-	-	-
Diphtheria -	66	4	6	7	3	5	25	15	5	1	1	8	3	1	1	-	1	-
Whooping-cough -	95	38	30	14	4	6	92	2	1	-	-	-	-	-	-	-	-	-
Typhus -	187	1	6	8	6	7	28	31	19	13	7	26	17	23	13	9	1	-
Erysipela & Dysentery	356	232	38	5	2	1	268	4	-	1	4	9	9	8	11	18	19	5
Clebs -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	106	17	9	7	7	8	43	7	4	3	1	5	8	4	7	7	13	4
Cancer -	267	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	118	22	15	12	1	5	59	11	15	7	2	10	26	52	68	40	16	2
Phthisis -	887	18	7	4	1	5	35	24	39	-	7	4	8	6	6	1	2	-
Hydrocephalus -	69	21	17	10	3	6	87	7	4	94	108	240	104	92	42	18	1	-
Dis. of Brain -	1156	434	80	28	17	3	562	16	11	12	16	22	63	88	130	145	78	15
Dis. of Heart & Dropsy	496	5	5	-	2	1	15	6	5	8	9	26	44	61	111	127	58	5
Dis. of Lungs -	879	172	69	37	25	8	341	16	11	17	12	25	49	48	109	127	11	19
Dis. of Stom. and Liver	315	19	5	4	2	3	33	5	6	4	9	20	34	43	61	61	23	6
Dis. of Kidneys -	73	2	-	1	-	2	5	1	-	5	4	4	13	13	15	8	5	-
Dis. of Genes. Organs -	38	-	-	-	-	-	-	-	-	1	1	2	7	6	11	6	-	-
Dis. of Joints -	28	1	-	-	-	1	2	-	3	-	2	6	4	2	5	4	-	-
Dis. of Skin -	21	3	-	-	2	-	5	1	1	2	-	-	6	3	2	1	-	-
Childbirth and Metris	86	-	-	-	-	-	-	-	-	4	12	44	26	-	-	-	-	-
Infanticide -	21	-	-	-	-	-	-	-	-	5	1	2	3	3	5	1	1	-
Other Violent Deaths -	107	23	2	8	7	3	43	8	3	6	3	5	9	10	4	6	10	-
Other Causes -	1444	514	59	18	7	1	599	5	6	4	7	17	23	29	59	188	344	16

516 —POCKLINGTON.

Mean Popul ⁿ , 1861-71	7926	218	210	219	213	223	1083	1000	858	751	635	1027	838	703	520	338	150	23
TOTAL DEATHS -	1464	347	65	30	23	16	480	59	35	31	61	97	94	83	99	171	186	68
Small-pox -	8	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
Measles -	16	4	6	1	2	1	14	-	1	-	-	1	-	-	-	-	-	-
Scarlatina -	33	1	4	8	7	2	22	8	-	1	-	1	-	-	-	-	-	-
Diphtheria -	25	3	3	2	1	2	11	8	4	1	-	-	1	-	1	-	-	-
Whooping-cough -	23	14	4	4	-	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus -	42	2	3	2	-	1	8	6	4	1	3	7	2	5	-	4	2	-
Diarrhœa & Dysentery -	36	36	3	-	-	-	39	1	-	-	3	4	2	2	3	3	1	1
Cholera -	11	1	1	-	-	2	4	2	1	-	-	4	1	2	2	-	-	-
Other Zymotic Dis. -	29	6	2	1	4	-	13	2	-	1	-	1	1	5	1	4	2	-
Cancer -	38	-	-	-	-	-	-	-	-	-	-	3	9	5	11	8	1	1
Scrophulous and Tuberc. -	14	2	5	-	-	-	5	1	2	1	2	1	1	1	-	-	-	-
Phtisis -	151	2	-	1	-	-	3	4	13	12	32	46	22	15	4	-	-	-
Hydrocephalus -	8	4	1	-	1	-	6	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	258	137	13	1	3	2	136	5	4	1	5	6	7	10	11	28	24	3
Dis. of Heart & Dropsy -	102	-	-	-	-	-	1	1	1	1	3	6	14	10	13	16	21	1
Dis. of Lungs -	132	35	14	6	-	2	57	7	1	2	3	6	7	8	17	24	20	-
Dis. of Stom. and Liver -	64	6	1	-	1	1	8	3	-	2	1	3	7	3	18	15	3	1
Dis. of Kidneys -	8	-	-	-	-	-	-	1	-	-	1	-	1	2	2	1	-	-
Dis. of Gen. Organs -	13	-	-	-	-	-	-	-	-	-	-	-	3	4	1	2	3	-
Dis. of Joints -	8	1	1	-	1	-	3	-	1	-	-	-	2	1	-	-	-	-
Dis. of Skin -	3	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris. -	24	-	-	-	-	-	-	-	-	1	6	8	7	2	-	-	-	-
Fetide -	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
		517.—HOWDEN.																
Mean Popul ⁿ , 1861-71	7358	205	201	203	183	180	972	867	893	844	546	873	751	664	493	319	114	22
TOTAL DEATHS	1734	491	78	49	32	30	680	89	40	101	73	86	78	90	100	128	171	23
Small-pox	10	1	-	-	-	-	1	-	1	1	-	3	1	2	-	1	-	-
Measles	21	5	6	4	8	-	18	2	-	-	-	-	-	1	-	-	-	-
Scarlatina	61	5	4	6	4	5	24	18	6	10	3	-	-	-	-	-	-	-
Diphtheria	60	8	6	7	2	6	28	20	2	5	3	1	-	-	-	1	-	-
Whooping-cough	25	12	6	5	-	-	23	2	-	-	-	-	-	-	-	-	-	-
Typhus	61	-	3	1	-	-	4	6	4	13	6	6	7	5	7	4	1	1
Diarrhoea & Dysentery	76	44	6	3	1	-	54	2	-	2	1	1	2	1	1	1	1	1
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Zymotic Dis.	37	13	3	2	5	4	27	6	1	-	-	1	-	1	-	-	1	-
Cancer	19	-	-	-	-	-	-	-	-	1	-	-	2	1	5	6	1	1
Scrofula and Tabes	31	10	5	1	-	-	16	5	2	3	1	1	-	-	2	1	1	1
Phthisis	160	4	1	1	1	1	8	2	9	27	26	37	22	20	8	-	-	-
Hydrocephalus	22	11	4	1	1	2	19	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	245	138	10	5	4	1	156	4	2	5	2	3	9	12	13	30	11	11
Dis. of Heart & Dropsy	83	-	-	-	-	-	-	-	1	3	3	2	5	7	18	23	20	20
Dis. of Lungs	219	41	17	5	4	6	73	6	3	16	15	12	14	14	18	25	25	7
Dis. of Stom. and Liver	89	8	2	-	-	1	11	2	3	6	6	8	8	12	9	21	7	7
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	1	1	2	1	4	5	3	13	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1
Dis. of Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	71	3	1	8	4	4	15	7	8	5	5	13	3	4	5	3	2	2
Other Violent Deaths	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes	390	189	7	3	2	1	202	4	3	1	1	1	1	4	8	47	80	20

518.—BEVERLEY.

Mean Popul ⁿ , 1861-71	10561	303	253	268	275	253	1352	1274	1076	1091	913	1393	1140	982	740	419	153	23
TOTAL DEATHS	2152	621	118	49	41	29	858	80	41	54	66	103	107	119	189	243	213	77
Small-pox	12	5	-	1	-	-	4	1	1	-	-	-	4	2	-	-	-	-
Measles	26	9	7	2	3	2	23	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	97	3	14	13	15	11	56	30	5	2	-	2	-	-	-	-	-	-
Diphtheria	13	2	1	2	3	-	8	2	2	1	-	-	-	-	-	-	-	-
Whooping-cough	27	13	11	3	-	-	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	81	-	6	4	6	2	18	8	9	5	7	10	9	4	5	8	8	8
Diarrhoea & Dysentery	91	60	7	1	-	-	68	1	1	-	-	1	-	2	4	8	1	1
Cholera	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	38	8	4	-	-	2	14	2	-	1	1	3	4	1	3	2	2	2
Cancer	28	-	-	-	-	-	-	-	-	1	-	-	-	4	9	10	4	4
Scrofula and Tabes	56	23	5	1	2	1	42	3	-	3	3	2	-	1	1	1	1	1
Phthisis	178	5	-	-	-	1	6	6	6	19	28	43	35	15	17	8	-	-
Hydrocephalus	17	5	6	3	-	-	15	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	320	166	14	8	3	1	192	7	3	3	4	2	9	12	27	20	23	8
Dis. of Heart & Dropsy	183	1	-	-	-	-	1	3	1	-	5	8	16	25	27	34	28	2
Dis. of Lungs	200	64	20	7	7	6	104	4	3	2	8	9	13	15	29	34	28	7
Dis. of Stom. and Liver	119	14	1	-	-	-	15	2	1	4	8	11	6	17	22	23	17	7
Dis. of Kidneys	47	-	-	-	1	-	1	-	1	2	-	2	1	7	9	19	19	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
Dis. of Skin	9	2	1	2	-	-	5	-	-	-	-	-	-	1	-	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	1	1
Other Violent Deaths	66	7	2	-	1	2	12	4	5	8	7	8	4	6	5	9	1	1
Other Causes	429	226	19	2	-	-	247	1	2	-	1	1	2	3	13	32	78	6

519.—SCULCOATES.

Mean Popul ⁿ , 1861-71	28730	995	836	818	779	788	4216	3515	2930	2634	2555	4398	3326	2513	1580	778	254	22
TOTAL DEATHS	6068	2307	622	345	206	141	3621	333	131	187	202	307	358	370	442	511	257	8
Small-pox	100	21	15	13	10	7	66	9	4	2	6	5	5	3	-	-	-	-
Measles	195	27	55	28	10	7	127	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	470	23	69	85	84	62	314	122	23	6	-	5	-	-	-	-	-	-
Diphtheria	94	1	2	2	2	9	16	10	1	1	1	1	1	2	-	-	-	-
Whooping-cough	147	58	40	31	11	1	141	6	-	-	-	-	-	-	-	-	-	-
Typhus	313	15	16	30	21	15	97	21	24	19	8	22	25	25	18	13	3	3
Diarrhoea & Dysentery	314	867	69	12	4	2	454	3	1	-	2	2	2	3	7	13	28	8
Cholera	18	8	1	1	-	-	10	-	-	-	-	1	1	4	-	-	-	-
Other Zymotic Dis.	100	19	12	12	11	7	61	7	1	3	1	4	4	6	5	2	2	2
Cancer	56	-	-	-	-	-	-	-	-	1	-	1	6	4	25	12	8	1
Scrofula and Tabes	180	85	58	5	3	1	132	10	10	9	1	7	8	2	5	5	1	1
Phthisis	620	2	3	3	1	1	10	20	16	82	169	143	115	66	42	11	1	1
Hydrocephalus	127	53	34	22	4	6	119	8	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	1088	594	65	21	14	3	697	14	11	10	11	25	27	44	74	105	67	1
Dis. of Heart & Dropsy	338	5	3	3	1	1	13	6	6	12	10	31	20	50	69	78	24	2
Dis. of Lungs	890	228	110	50	22	13	423	15	5	6	9	31	47	69	97	114	79	24
Dis. of Stom. and Liver	253	20	2	1	-	-	35	6	4	10	7	21	20	45	40	29	23	3
Dis. of Kidneys	87	-	-	-	-	-	-	-	1	4	3	9	10	10	19	20	10	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	30	1	1	-	-	1	3	4	2	-	1	-	-	3	1	1	1	1
Dis. of Skin	14	5	2	1	-	-	8	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	28	-	-	-	-	-	-	-	-	-	-	5	8	8	3	3	1	1
Other Violent Deaths	278	25	15	6	5	4	55	28	23	15	38	55	35	34	13	13	11	1
Other Causes	1156	740	81	19	1	1	842	5	-	1	3	9	13	14	24	66	26	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			2 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--				
517.—HOWDEN.																					
Mean Popul ⁿ , 1861-71	7256	193	192	204	194	193	983	877	817	643	596	904	778	655	479	343	151	22			
TOTAL DEATHS	1534	395	68	40	25	34	562	87	36	93	82	104	75	56	80	177	173	59			
Small-pox	11	3	1	-	-	-	4	1	-	2	1	1	-	1	1	-	-	-			
Measles	5	-	2	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-			
Scarlatina	68	1	4	8	7	11	31	17	8	11	1	-	-	-	-	-	-	-			
Diphtheria	63	5	4	3	2	6	20	27	4	7	3	1	-	1	-	-	-	-			
Whooping-cough	81	14	11	4	2	-	31	-	-	-	-	-	-	-	-	-	-	-			
Typhus	69	1	1	3	1	2	8	8	11	14	4	5	4	1	2	2	1	1			
Diarrhoea & Dysentery	62	26	9	2	2	-	39	4	-	-	-	-	3	1	1	5	8	2			
Cholera	6	1	1	-	-	-	2	-	-	-	2	-	-	-	1	1	1	-			
Other Zymotic Dis.	32	10	3	2	2	3	20	2	-	2	-	-	-	-	1	2	2	1			
Cancer	33	-	-	-	-	-	-	-	-	1	-	2	3	8	5	9	5	-			
Serofula and Tuberc.	17	4	1	-	-	1	6	2	1	2	-	1	1	2	-	2	-	-			
Phthisis	181	-	-	1	1	1	3	2	7	22	45	48	31	8	13	2	1	-			
Hydrocephalus	10	7	2	-	-	-	9	-	-	1	-	-	-	-	-	-	-	-			
Dis. of Brain	193	102	5	4	3	-	114	5	2	2	1	6	6	3	8	33	22	4			
Dis. of Heart & Dropsy	85	1	-	1	-	-	2	2	-	2	2	6	3	10	13	32	13	-			
Dis. of Lungs	163	33	13	8	-	6	60	3	2	21	9	5	4	2	6	23	30	3			
Dis. of Stom. and Liver	79	11	1	-	-	-	12	3	-	2	4	2	6	6	12	15	7	1			
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	3	-			
Dis. of Genes. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-			
Dis. of Joints	7	1	-	-	-	-	1	1	-	-	-	1	-	3	-	-	1	-			
Dis. of Skin	6	2	-	-	-	1	3	-	-	-	-	-	-	-	-	3	-	-			
Childbirth and Metria	36	-	-	-	-	-	-	-	-	1	4	20	10	1	-	-	-	-			
Suicide	33	2	1	1	3	2	6	4	-	2	4	1	1	8	1	1	1	6			
Other Violent Deaths	393	171	8	1	2	1	183	6	1	-	-	3	-	4	13	49	64	42			

518.—BEVERLEY.

Mean Popul ⁿ , 1861-71	10679	329	245	276	265	267	1382	1224	1122	1001	920	1405	1151	1007	744	491	196	36			
TOTAL DEATHS	2025	476	94	60	35	39	705	81	48	65	88	126	113	122	151	218	207	101			
Small-pox	6	3	-	1	-	-	4	1	-	-	-	1	-	-	-	-	-	-			
Measles	23	3	9	2	2	5	21	2	1	-	-	1	1	-	-	-	-	-			
Scarlatina	116	3	12	13	17	12	62	33	12	3	1	4	1	-	-	-	-	-			
Diphtheria	17	1	2	-	-	6	9	4	2	-	-	2	-	-	-	-	-	-			
Whooping-cough	27	10	8	4	3	1	26	1	-	-	-	-	-	-	-	-	-	-			
Typhus	75	1	2	2	2	4	11	14	7	5	6	8	4	6	7	5	2	-			
Diarrhoea & Dysentery	68	40	3	-	2	4	43	-	-	-	2	2	3	3	2	5	6	2			
Cholera	5	1	1	-	-	-	2	-	-	-	-	-	-	-	2	1	1	-			
Other Zymotic Dis.	20	3	1	3	-	-	7	-	2	2	1	1	-	-	2	2	3	-			
Cancer	72	-	-	-	-	-	-	1	-	-	-	1	11	16	21	14	6	2			
Serofula and Tuberc.	45	29	7	4	-	-	37	2	1	-	1	1	1	1	1	1	-	-			
Phthisis	239	3	1	-	1	1	6	1	11	40	48	56	33	25	9	2	3	-			
Hydrocephalus	12	4	3	2	-	2	11	-	1	-	-	-	-	-	-	-	-	-			
Dis. of Brain	376	138	9	4	2	-	153	6	-	3	3	2	6	7	18	39	28	11			
Dis. of Heart & Dropsy	173	2	1	-	-	-	4	4	2	2	3	13	17	20	35	30	18	5			
Dis. of Lungs	220	47	17	14	6	5	89	3	2	4	7	5	5	7	18	35	31	14			
Dis. of Stom. and Liver	115	8	-	-	1	-	9	-	3	1	7	6	10	20	25	22	12	-			
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	4	3	1	1	-	-	-			
Dis. of Genes. Organs	9	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	-	-			
Dis. of Joints	12	-	-	-	-	1	1	1	1	2	2	1	2	2	1	1	-	-			
Dis. of Skin	11	-	-	-	-	-	-	-	1	-	-	2	-	1	1	5	1	-			
Childbirth and Metria	25	-	-	-	-	-	-	-	-	-	5	13	6	1	-	-	-	-			
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-			
Other Violent Deaths	42	16	4	3	1	2	18	2	1	2	2	-	1	3	2	1	9	3			
Other Causes	403	173	14	2	1	2	192	6	2	-	-	2	5	6	4	33	33	65			

519.—SCULCOATES.

Mean Popul ⁿ , 1861-71	31319	952	826	833	792	763	4166	3530	3001	2927	2896	4926	3636	2827	1919	1066	366	59			
TOTAL DEATHS	6819	1781	572	284	193	137	2907	287	145	173	230	476	397	402	526	582	500	134			
Small-pox	84	18	10	13	9	7	57	10	2	1	4	4	3	2	1	1	-	-			
Measles	137	21	34	35	25	8	143	10	1	-	-	2	1	-	-	-	-	-			
Scarlatina	392	8	62	65	61	56	242	113	26	4	2	5	-	-	-	-	-	-			
Diphtheria	47	2	4	4	6	8	24	10	7	2	1	3	-	-	-	-	-	-			
Whooping-cough	178	82	55	20	13	4	174	8	1	-	-	-	-	-	-	-	-	-			
Typhus	311	10	24	37	18	17	96	45	26	21	14	32	23	19	17	13	5	-			
Diarrhoea & Dysentery	301	322	76	13	1	2	414	4	-	-	4	2	4	7	14	17	23	7			
Cholera	8	-	-	-	-	1	1	-	1	-	1	1	-	1	2	1	3	1			
Other Zymotic Dis.	106	12	14	10	9	7	52	9	5	2	1	6	2	6	10	9	3	1			
Cancer	211	-	-	1	-	-	1	-	-	-	-	9	35	58	55	26	16	1			
Serofula and Tuberc.	122	58	15	10	3	3	89	5	4	-	2	5	3	4	5	1	-	-			
Phthisis	765	4	3	2	2	1	12	18	40	99	122	238	124	68	31	10	3	-			
Hydrocephalus	81	28	31	4	6	3	72	6	1	1	1	-	-	-	-	-	-	-			
Dis. of Brain	885	385	40	30	10	6	470	16	7	12	14	20	22	49	83	114	69	9			
Dis. of Heart & Dropsy	363	1	3	1	1	-	6	5	7	6	8	31	64	52	89	69	57	6			
Dis. of Lungs	829	197	83	42	21	11	859	13	6	4	8	25	39	31	105	130	74	15			
Dis. of Stom. and Liver	289	23	5	2	1	1	42	4	2	2	7	33	33	39	54	42	37	2			
Dis. of Kidneys	55	2	-	1	-	-	5	1	1	-	3	5	10	7	11	10	5	1			
Dis. of Genes. Organs	25	-	-	-	-	-	1	-	-	-	4	3	3	3	3	3	-	-			
Dis. of Joints	33	2	-	-	-	-	2	1	2	-	6	5	1	6	3	3	-	-			
Dis. of Skin	13	3	1	-	-	-	4	-	-	-	1	-	-	-	-	-	-	-			
Childbirth and Metria	103	-	-	-	-	-	-	-	-	4	25	44	39	1	-	-	-	-			
Suicide	10	-	-	-	-	-	-	-	-	-	1	1	3	2	1	2	-	-			
Other Violent Deaths	49	9	6	4	4	1	24	9	3	6	-	3	-	5	5	6	9	1			
Other Causes	603	243	14	2	1	2	243	9	3	-	-	3	-	12	12	114	168	93			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
520.—HULL.																		
Mean Popul ⁿ . 1861-71	30666	926	794	790	775	788	4073	3515	2962	3061	3004	5057	3777	2662	1582	754	128	27
TOTAL DEATHS -	8365	2280	738	348	237	168	3761	384	182	235	327	579	567	630	663	324	223	66
Small-pox - - -	350	81	12	17	13	8	81	18	2	4	10	8	5	-	2	-	-	-
Measles - - - -	143	36	29	32	14	9	140	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	472	29	64	68	73	62	296	140	37	6	2	1	-	-	-	-	-	-
Diphtheria - - -	42	8	6	5	5	3	27	9	1	-	-	1	1	1	-	1	-	-
Whooping-cough -	149	57	50	24	13	5	149	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	454	39	37	29	29	10	144	58	23	27	53	57	20	32	28	21	4	1
Diarrhœa & Dysentery	464	320	62	9	3	1	401	3	2	1	1	5	5	8	10	12	15	1
Cholera - - - - -	26	12	2	-	1	-	16	1	1	-	1	3	-	1	2	1	1	-
Other Zymotic Dis.	127	19	13	7	9	7	55	8	5	5	6	6	3	16	12	7	2	3
Cancer - - - - -	74	-	-	-	-	-	-	-	-	2	1	3	7	15	29	13	8	-
Scrofula and Tuberc.	149	54	23	10	2	6	95	18	7	10	3	8	3	3	2	2	-	-
Phthisis - - - -	796	8	3	5	4	2	24	13	22	81	140	199	155	96	80	12	4	-
Hydrocephalus - -	122	48	39	8	6	4	105	14	3	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	1299	611	91	33	20	8	753	20	12	6	17	52	74	80	102	106	24	4
Dis. of Heart & Dropsy	600	7	6	6	-	1	20	8	12	16	12	51	75	93	85	63	30	7
Dis. of Lungs - - -	1169	265	100	62	24	18	529	13	6	9	14	48	68	111	147	142	65	1
Dis. of Stom. and Liver	313	87	3	1	3	-	44	10	5	9	13	34	51	55	58	38	57	1
Dis. of Kidneys - -	138	1	2	1	-	-	4	1	5	5	10	17	16	26	19	29	15	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Joints - - -	44	-	2	1	-	-	3	8	5	6	6	5	3	4	2	4	-	-
Dis. of Skin - - -	21	7	1	-	-	2	10	-	1	-	1	-	1	3	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	29	-	-	-	-	-	-	-	-	1	2	3	10	6	4	1	1	-
Other Violent Deaths	459	16	10	7	15	10	58	33	40	44	41	61	61	55	32	29	8	-
Other Causes - - -	1243	679	91	23	3	2	798	6	3	2	4	18	27	26	61	42	140	6

		521.—PATRINGTON.																	
Mean Popul ⁿ , 1861-71	4723	137	118	117	123	120	615	577	510	454	397	603	527	447	315	193	74	11	
TOTAL DEATHS -	828	229	39	19	15	7	309	40	17	26	24	33	34	53	78	91	95	25	
Small-pox - - -	6	1	-	-	-	-	1	1	-	-	1	-	-	2	1	-	-	-	
Measles - - -	12	4	4	2	-	-	10	1	-	-	1	-	-	-	-	-	-	-	
Scarlatina - - -	13	1	1	3	2	1	8	5	-	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	18	1	1	3	2	-	7	4	2	3	-	1	1	-	-	-	-	-	
Whooping-cough -	13	9	5	-	1	-	13	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	37	-	1	-	2	3	6	8	1	3	4	3	1	4	3	4	3	1	
Diarrhoea & Dysentery	21	13	4	-	-	-	17	-	-	-	-	-	-	-	-	1	2	1	
Cholera - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	14	1	1	1	3	-	6	1	-	2	-	-	1	1	1	-	2	-	
Cancer - - -	14	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	2	-	
Serofula and Tabes -	9	2	3	1	-	-	6	-	-	1	-	-	-	-	2	-	-	-	
Phthisis - - -	71	1	-	1	2	-	4	3	6	9	13	13	6	8	6	2	-	-	
Hydrocephalus - -	6	1	2	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	117	65	5	4	1	1	77	1	-	1	1	2	3	7	5	11	4	1	
Dis. of Heart & Dropsy	42	1	-	-	-	-	1	-	2	3	1	3	4	3	8	5	3	1	
Dis. of Lungs - - -	64	9	3	1	-	-	13	4	1	1	3	1	5	4	11	13	3	1	
Dis. of Stom. and Liver	50	9	1	-	1	-	11	1	2	1	-	1	2	9	10	9	3	1	
Dis. of Kidneys - -	13	-	-	-	-	-	-	-	-	-	-	1	-	1	5	4	3	-	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	
Other Violent Deaths -	35	-	-	1	1	2	4	5	1	2	-	7	7	3	5	2	2	1	
Other Causes - - -	209	109	10	2	-	-	121	3	2	-	-	1	3	6	15	21	25	10	

	522.—SKIRLAUGH.																		
Mean Popul ⁿ , } 1861-71 - }	1874	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	1890	1891	1892
TOTAL DEATHS -	965	202	40	25	20	18	395	35	22	27	33	41	52	54	79	83	114	114	114
Small-pox - - -	5	1	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-
Measles - - - -	7	1	4	2	-	-	7	8	8	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	42	3	5	6	6	7	27	4	3	-	1	2	1	-	-	-	-	-	-
Diphtheria - - -	10	-	-	1	2	1	4	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	17	7	6	1	1	1	16	1	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	35	1	-	-	-	3	4	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery	42	27	2	-	-	-	16	6	2	1	3	2	5	2	5	1	6	3	3
Cholera - - - - -	6	4	-	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	33	9	2	-	1	4	16	-	-	1	-	2	-	3	2	3	3	3	3
Cancer - - - - -	11	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	2	2
Scrofula and Tuberc.	14	5	1	2	2	-	10	1	1	-	-	-	1	2	-	-	-	-	-
Phthisis - - - -	101	5	2	1	-	-	8	1	3	11	17	23	12	15	10	1	-	-	-
Hydrocephalus - -	7	4	-	-	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	163	93	6	3	1	-	103	5	2	2	2	1	6	5	4	3	3	3	3
Dis. of Heart & Dropsy	52	1	-	-	-	-	1	-	-	-	1	1	3	3	3	3	3	3	3
Dis. of Lungs - - -	103	22	6	2	2	1	33	3	1	2	3	3	3	3	3	3	3	3	3
Dis. of Stom. & Liver	43	10	1	1	2	-	14	1	1	-	2	-	2	2	2	2	2	2	2
Dis. of Kidneys - -	20	-	-	-	-	-	-	1	-	-	-	-	2	1	2	2	2	2	2
Dis. of Genet. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	5	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-
Dis. of Skin - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	4	-	-	-	-	-	-	-	-	-	1	4	-	2	2	2	2	2	2
Other Violent Deaths	47	-	-	-	2	1	4	4	3	7	4	4	3	3	3	3	3	3	3
Other Causes - - -	108	59	5	3	2	-	109	1	-	-	1	1	4	2	2	2	2	2	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 15 Years.	Total under 25 Years.
		Total under 1 Year.	1	2	3	4	5	10	15	20	25	35	45	55	65	75	85	supra.			
520.—HULL.																					
Mean Popul ⁿ , 1861-71	31936	936	805	834	780	772	4103	3474	3001	2981	3206	5203	3882	2850	1845	907	343	46			
TOTAL DEATHS	7049	1830	078	325	221	160	3214	333	156	107	289	635	519	495	543	647	408	123			
Small-pox	111	29	13	14	11	13	79	11	4	5	4	4	2	2	-	-	-	-			
Measles	125	19	54	25	11	5	114	10	-	-	1	-	-	-	-	-	-	-			
Scarlatina	434	17	65	62	62	65	271	127	13	10	6	6	1	1	-	-	-	-			
Diphtheria	32	-	8	2	5	2	17	7	4	-	1	1	1	-	1	-	-	-			
Whooping-cough	181	70	56	33	9	11	179	2	-	-	-	-	-	-	-	-	-	-			
Typhus	456	23	31	33	23	20	130	65	36	39	35	57	82	31	21	15	6	1			
Diarrhoea & Dysentery	430	255	70	10	5	1	541	4	1	-	1	15	5	8	8	16	28	3			
Cholera	29	12	2	1	-	-	15	2	1	-	1	4	3	2	1	-	-	-			
Other Zymotic Dis.	97	12	10	7	8	5	42	7	4	2	7	7	4	9	10	5	-	-			
Cancer	187	-	-	-	-	-	-	-	-	-	1	19	33	59	38	29	15	2			
Scrofula and Tuberc.	146	60	21	4	4	2	91	9	9	13	4	5	4	8	2	1	-	-			
Phthisis	791	-	2	4	3	2	11	12	31	78	134	243	150	82	31	6	1	-			
Hydrocephalus	94	29	33	7	9	4	82	10	1	-	1	-	-	-	-	-	-	-			
Dis. of Brain	1018	416	79	35	23	7	530	22	11	12	8	34	44	53	87	108	70	9			
Dis. of Heart & Dropsy	443	2	5	3	2	3	13	6	11	10	18	35	48	68	79	89	42	4			
Dis. of Lungs	1014	220	130	55	28	14	447	16	5	3	17	39	59	65	123	143	87	18			
Dis. of Stom. and Liver	835	18	7	4	1	-	80	6	4	6	10	40	67	49	62	62	26	3			
Dis. of Kidneys	56	1	1	1	1	-	4	2	1	1	3	13	11	8	5	6	2	-			
Dis. of Gen. Organs	37	-	-	-	-	-	-	-	-	-	3	6	5	8	7	5	-	-			
Dis. of Joints	36	1	1	-	-	1	3	3	4	6	3	4	5	5	2	1	1	-			
Dis. of Skin	50	7	-	1	-	-	8	-	-	1	-	3	2	2	4	4	3	-			
Childbirth and Metris	101	-	-	-	-	-	-	-	-	6	17	53	25	-	-	-	-	-			
Selficide	15	-	-	-	-	-	-	-	-	1	-	3	3	4	-	3	1	-			
Other Violent Deaths	134	25	7	5	6	4	47	18	8	1	7	7	4	7	11	14	7	3			
Other Causes	1297	614	85	19	10	2	730	4	8	1	8	19	20	20	50	148	209	89			

521.—PATRINGTON.

Mean Popul ⁿ , 1861-71	4075	135	128	129	124	120	636	574	488	436	382	604	514	443	301	199	85	13			
TOTAL DEATHS -	915	223	35	24	19	15	316	42	24	33	50	60	41	53	63	90	99	44			
Small-pox -	7	3	-	-	-	-	3	-	-	1	-	1	-	1	-	1	-	-			
Measles -	10	2	2	5	1	-	10	-	-	-	-	-	-	-	-	-	-	-			
Scarlatina -	85	1	4	4	3	5	17	10	4	2	1	-	1	-	-	-	-	-			
Diphtheria -	15	1	-	1	2	4	8	5	2	-	-	-	-	-	-	-	-	-			
Whooping-cough -	22	10	3	4	3	1	21	-	1	-	-	-	-	-	-	-	-	-			
Typhus -	40	1	1	-	1	1	4	5	5	2	5	5	4	3	3	1	3	-			
Diarrhoea & Dysentery -	19	12	-	-	-	-	12	1	-	-	1	1	-	1	-	2	1	-			
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Zymotic Dis. -	15	1	1	2	1	-	5	3	2	-	1	1	-	1	1	1	-	-			
Cancer -	16	-	-	-	-	-	-	-	-	-	-	1	1	3	7	4	-	-			
Scrofula and Tubercles -	14	7	1	-	1	-	9	-	-	2	-	1	1	1	-	-	-	-			
Phthisis -	111	1	2	-	-	-	3	3	5	14	28	82	12	11	2	1	-	-			
Hydrocephalus -	6	1	2	1	-	1	5	1	-	-	-	-	-	-	-	-	-	-			
Dis. of Brain -	128	61	4	-	2	-	67	4	1	3	4	5	3	8	9	9	13	2			
Dis. of Heart & Dropsy -	44	2	-	-	-	1	3	-	1	1	2	3	4	7	7	10	7	-			
Dis. of Lungs -	74	16	8	3	2	1	25	2	1	3	3	2	5	5	11	8	1	-			
Dis. of Stom. and Liver -	62	6	2	2	-	1	11	5	-	1	-	5	6	7	10	12	3	2			
Dis. of Kidneys -	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-			
Dis. of Gen. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-			
Dis. of Joints -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-			
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-			
Childbirth and Metris -	8	-	-	-	-	-	-	-	-	1	-	2	4	1	-	-	-	-			
Selficide -	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-			
Other Violent Deaths -	7	1	1	-	1	-	3	1	1	-	-	-	-	-	1	-	1	-			
Other Causes -	271	97	9	2	2	-	110	2	1	1	3	-	-	3	11	38	64	38			

522.—SKIRLAUGH.

Mean Popul ⁿ , 1861-71	4742	148	125	117	133	116	639	551	469	472	396	637	506	434	322	215	84	17			
TOTAL DEATHS -	929	233	45	18	15	19	350	36	28	29	38	84	47	42	66	91	102	56			
Small-pox -	6	1	1	-	-	-	2	1	-	1	-	1	-	-	1	-	-	-			
Measles -	7	5	1	3	-	1	7	-	-	-	-	-	-	-	-	-	-	-			
Scarlatina -	38	1	8	3	8	4	24	8	4	1	-	1	-	-	-	-	-	-			
Diphtheria -	24	1	2	1	3	2	9	10	2	1	-	1	-	-	1	-	-	-			
Whooping-cough -	32	15	9	2	1	2	29	2	1	-	-	-	-	-	-	-	-	-			
Typhus -	40	-	-	2	-	1	3	1	4	6	6	5	2	3	6	2	1	1			
Diarrhoea & Dysentery -	46	25	4	1	-	-	30	2	-	-	-	1	1	2	4	5	1	-			
Cholera -	18	3	1	4	-	-	5	-	-	-	-	-	-	-	1	2	-	-			
Other Zymotic Dis. -	18	3	1	4	-	-	8	2	1	1	-	2	1	-	2	-	1	-			
Cancer -	28	-	-	-	-	-	-	-	-	-	-	2	5	5	7	4	-	-			
Scrofula and Tubercles -	15	5	-	-	-	1	6	-	1	2	-	2	5	8	1	-	-	-			
Phthisis -	114	1	1	-	-	2	3	1	7	13	21	40	14	8	6	-	1	-			
Hydrocephalus -	9	3	2	-	1	-	6	1	2	-	-	-	-	-	-	-	-	-			
Dis. of Brain -	125	62	2	1	-	1	64	3	2	1	4	7	3	5	8	13	15	1			
Dis. of Heart & Dropsy -	59	-	-	-	-	-	-	-	-	-	-	2	5	4	17	15	11	2			
Dis. of Lungs -	87	16	6	1	2	3	28	3	2	1	1	4	5	3	7	16	15	2			
Dis. of Stom. and Liver -	38	3	1	-	-	1	5	-	-	1	1	3	6	6	5	8	2	1			
Dis. of Kidneys -	7	-	-	-	-	-	-	-	-	1	-	2	-	2	-	2	-	-			
Dis. of Gen. Organs -	3	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-			
Dis. of Joints -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-			
Dis. of Skin -	3	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-			
Childbirth and Metris -	13	-	-	-	-	-	-	-	-	1	2	8	2	-	-	-	-	-			
Selficide -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-			
Other Violent Deaths -	13	1	2	1	-	1	5	1	1	-	-	2	1	-	1	1	1	1			
Other Causes -	187	87	5	1	-	-	93	-	-	-	1	-	2	2	1	19	47	29			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--
523.—DRIFFIELD.																	
Mean Popul ⁿ , 1861-71 }	9898	291	250	279	250	257	1327	1241	1024	1147	789	1279	1059	890	612	373	141
TOTAL DEATHS -	2072	668	109	52	42	42	913	97	54	56	49	93	84	115	149	208	127
Small-pox - - -	19	5	1	2	2	1	11	1	-	1	2	1	-	1	2	-	-
Measles - - -	13	5	4	-	-	-	9	4	-	-	-	-	-	-	-	-	-
Scarlatina - - -	122	9	13	17	17	10	75	27	14	3	1	2	-	-	-	-	-
Diphtheria - - -	43	4	9	3	5	4	25	10	3	2	-	-	2	-	1	-	-
Whooping-cough -	29	14	9	4	2	-	29	-	-	-	-	-	-	-	-	-	-
Typhus - - -	75	2	1	2	1	4	10	15	8	6	4	7	8	5	5	3	3
Diarrhoea & Dysentery	84	51	3	1	1	-	66	1	-	-	-	-	-	2	1	3	12
Cholera - - -	11	3	-	-	-	3	3	1	-	-	-	-	-	1	2	5	4
Other Zymotic Dis. -	53	4	6	4	3	5	22	4	2	2	2	-	1	2	6	6	6
Cancer - - -	50	-	-	-	-	-	-	-	-	-	-	2	5	7	18	11	3
Scrofula and Tuberc.	54	29	10	2	-	1	42	4	2	-	-	4	1	-	1	-	-
Phthisis - - -	151	1	1	1	-	-	3	3	5	17	18	40	13	20	10	-	-
Hydrocephalus - -	21	5	6	2	1	1	15	2	3	1	-	-	-	-	-	-	-
Dis. of Brain - - -	333	187	12	-	1	-	200	5	4	7	5	5	11	16	20	25	23
Dis. of Heart & Dropsy	122	3	4	-	1	-	8	4	3	2	3	2	9	18	22	17	17
Dis. of Lungs - - -	219	57	14	8	5	1	85	7	-	1	5	4	5	16	23	21	22
Dis. of Stom. and Liver	125	22	3	2	-	2	29	2	-	3	4	7	13	13	18	23	18
Dis. of Kidneys - -	46	-	-	1	-	-	1	1	1	-	-	2	4	5	5	11	13
Dis. of Gen. Organs -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	4	-	-	-	-	-	-	-	3	1	-	-	2	1	-	2	1
Dis. of Skin - - -	-	1	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
Other Violent Deaths -	86	12	2	-	1	3	18	3	5	9	5	9	6	7	8	19	7
Other Causes - - -	422	254	11	3	1	1	270	3	1	-	-	3	3	5	8	22	22

524.—BRIDLINGTON.																	
Mean Popul ⁿ , 1861-71	7436	207	175	190	190	182	944	881	782	799	633	941	803	713	507	306	114
TOTAL DEATHS	1521	431	81	45	34	17	608	63	23	41	43	78	76	80	137	163	102
Small-pox	13	4	1	—	2	—	7	1	—	—	1	1	1	1	—	—	—
Measles	6	—	—	—	—	1	5	1	—	—	—	—	—	—	—	—	—
Scarlatina	64	4	6	12	11	4	37	20	5	1	1	—	—	—	—	—	—
Diphtheria	20	1	1	4	2	1	9	6	3	1	—	—	—	1	—	—	—
Whooping-cough	27	13	11	3	—	—	27	—	—	—	—	—	—	—	—	—	—
Typhus	27	—	—	—	2	1	4	—	—	3	—	1	4	2	5	1	—
Diarrhoea & Dysentery	71	44	5	2	—	—	51	—	—	—	—	1	2	2	3	3	3
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	30	4	2	3	3	2	14	2	1	—	—	1	—	2	2	5	1
Cancer	20	—	—	—	—	—	1	—	—	—	—	1	1	4	5	2	4
Scrofula and Tuberc.	28	18	—	2	—	1	21	1	1	1	1	—	2	1	—	—	—
Phthisis	105	3	1	—	—	—	4	3	1	20	19	24	16	7	7	4	—
Hydrocephalus	38	17	6	3	3	1	30	4	2	—	—	1	—	—	—	—	—
Dis. of Brain	268	130	15	5	2	1	153	3	1	5	2	7	5	15	26	29	28
Dis. of Heart & Dropsy	100	3	—	1	—	—	4	1	—	1	1	3	12	8	24	21	14
Dis. of Lungs	206	51	16	6	2	3	78	4	5	1	3	8	10	8	27	29	20
Dis. of Stom. and Liver	90	18	1	1	—	—	21	5	1	1	2	10	9	11	10	14	4
Dis. of Kidneys	30	1	—	—	1	—	2	2	1	—	—	3	3	2	4	5	1
Dis. of Gen. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	10	—	—	—	—	2	2	—	—	—	—	—	—	3	2	2	1
Dis. of Skin	3	1	1	—	—	—	2	—	—	—	1	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other Violent Deaths	73	4	1	1	2	—	8	4	3	6	6	15	4	9	16	4	4
Other Causes	286	115	11	1	2	—	129	—	—	1	2	2	7	4	11	20	22

525.—SCARBOROUGH.																	
Mean Popul ⁿ , 1861-71	15637	473	434	418	458	403	2186	1927	1705	1470	1272	2109	1799	1405	981	535	198
TOTAL DEATHS	3750	1118	239	121	101	59	1638	100	87	86	98	222	195	242	310	262	280
Small-pox	66	19	5	6	5	3	38	7	2	2	5	8	2	5	1	1	—
Measles	45	4	24	6	3	1	40	4	1	—	—	—	—	—	—	—	—
Scarlatina	213	9	28	57	36	20	130	28	11	3	2	2	—	1	—	—	—
Diphtheria	29	4	6	—	2	1	15	19	4	1	1	—	—	—	—	—	—
Whooping-cough	50	23	16	3	6	—	50	—	—	—	—	—	—	—	—	—	—
Typhus	126	—	1	2	4	—	7	19	12	7	17	13	14	11	12	19	5
Diarrhoea & Dysentery	187	103	11	3	—	1	123	—	1	—	1	2	1	3	5	12	8
Cholera	12	2	—	—	1	—	3	—	—	1	—	—	—	2	2	3	3
Other Zymotic Dis.	62	10	4	2	10	6	32	2	3	2	1	4	5	3	4	5	5
Cancer	51	—	—	—	—	—	1	1	1	—	—	—	3	10	15	6	4
Scrofula and Tuberc.	77	40	14	6	1	1	62	1	3	4	—	2	1	3	—	1	—
Phthisis	272	9	5	5	—	2	21	5	15	26	23	84	65	29	14	20	—
Hydrocephalus	62	21	17	6	2	4	50	10	2	—	—	—	—	—	—	—	—
Dis. of Brain	718	377	31	14	11	6	489	17	3	8	6	19	24	47	29	57	28
Dis. of Heart & Dropsy	244	2	1	1	1	1	6	—	6	2	3	24	26	49	24	28	14
Dis. of Lungs	445	124	23	19	9	8	208	13	6	4	4	22	17	31	44	41	40
Dis. of Stom. and Liver	220	20	4	5	—	—	35	3	4	5	6	15	16	21	48	37	1
Dis. of Kidneys	84	1	—	—	4	—	5	5	3	4	2	3	8	11	10	19	6
Dis. of Gen. Organs	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Dis. of Joints	12	—	—	—	—	—	—	—	1	2	1	3	1	—	—	—	—
Dis. of Skin	9	—	—	—	—	—	6	—	—	—	—	—	1	1	—	1	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	10	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Other Violent Deaths	146	9	4	2	3	3	21	4	11	10	21	19	24	15	19	7	4
Other Causes	631	322	15	2	3	1	245	1	—	—	—	2	4	10	5	17	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		85 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—			
		523.—DRIFFIELD.																		
Mean Popul ⁿ , 1861-71.	19347	294	276	254	264	244	1332	1144	997	836	786	1252	1011	814	598	397	153	27		
	1963	500	422	41	32	39	734	111	61	64	79	143	102	102	109	190	191	77		
TOTAL DEATHS—	1963	500	422	41	32	39	734	111	61	64	79	143	102	102	109	190	191	77		
Small-pox	12	2	2	—	—	—	4	3	1	—	1	1	1	—	—	—	—	—		
Measles	24	2	10	4	1	3	20	2	—	—	—	1	1	—	—	—	—	—		
Scarlatina	113	5	9	12	10	19	55	37	13	3	2	1	2	—	—	—	—	—		
Diphtheria	44	4	8	3	5	5	25	13	4	—	1	1	—	—	—	—	—	—		
Whooping-cough	30	19	11	3	4	2	59	—	—	—	—	—	—	—	—	—	—	—		
Typhus	64	—	1	1	—	2	4	12	10	10	4	8	6	3	3	1	3	8		
Diarrhoea & Dysentery	81	47	5	1	—	—	53	1	—	1	—	2	1	5	1	2	4	3		
Cholera	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Zymotic Dis.	48	7	4	1	2	2	16	8	1	3	—	2	1	—	2	7	7	1		
Cancer	57	—	—	—	—	—	—	—	—	—	1	7	4	15	7	15	5	3		
Scrophula and Tuberc.	45	16	7	3	1	—	27	3	6	3	1	4	1	—	—	—	—	—		
Phthisis	233	2	4	—	1	—	7	8	13	23	45	69	85	18	7	2	1	—		
Hydrocephalus	18	6	4	—	1	1	12	3	—	1	2	—	—	—	—	—	—	—		
Dis. of Brain	273	110	11	5	3	2	131	4	5	2	6	10	9	15	20	26	36	9		
Dis. of Heart & Dropsy	126	1	1	—	—	1	3	2	—	3	3	3	9	17	20	39	19	3		
Dis. of Lungs	181	53	24	5	1	1	86	1	1	1	3	3	5	5	13	30	21	12		
Dis. of Stom. and Liver	129	12	6	1	3	—	22	3	5	5	2	3	10	15	20	23	19	2		
Dis. of Kidneys	11	—	1	—	—	—	1	—	—	—	—	4	2	—	—	2	2	—		
Dis. of Genes. Organs	11	—	—	—	—	—	—	—	—	—	—	1	1	2	4	2	1	—		
Dis. of Joints	5	—	—	—	—	1	1	1	1	—	—	—	1	1	—	—	—	—		
Dis. of Skin	4	1	—	—	—	—	1	—	—	—	—	—	—	—	2	1	—	—		
Childbirth and Metris	30	—	—	—	—	—	—	—	—	2	7	12	9	—	—	—	—	—		
Childbed	3	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—		
Other Violent Deaths	34	8	3	2	—	—	13	6	—	1	—	2	—	1	2	5	3	1		
Other Causes	375	203	11	—	—	—	214	4	1	—	1	3	4	4	6	33	63	4		

		524.—BRIDLINGTON.																					
Mean Popul ⁿ , 1861-71	7458	220	191	176	190	172	949	882	746	736	644	994	773	705	525	340	139	25					
TOTAL DEATHS -	1450	386	76	27	29	25	543	57	32	44	50	97	82	75	103	145	162	60					
Small-pox - - -	21	9	1	4	-	-	14	-	1	3	1	1	1	-	-	-	-	-	-	-			
Measles - - -	7	1	3	3	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-			
Scarlatina - - -	71	3	12	4	14	11	44	17	3	3	4	-	-	-	-	-	-	-	-	-			
Diphtheria - - -	16	2	1	-	2	1	6	8	2	-	-	-	-	-	-	-	-	-	-	-			
Whooping-cough -	27	12	12	1	1	1	27	-	-	-	-	-	-	-	-	-	-	-	-	-			
Typhus - - -	38	1	1	-	-	1	3	5	4	11	2	4	-	2	1	1	1	-	-	-			
Diarrhoea & Dysentery	57	35	2	1	-	-	38	-	-	-	-	1	3	1	2	5	5	4	-	-			
Cholera - - -	5	2	-	1	-	-	3	-	-	-	-	-	-	-	-	2	4	3	-	-			
Other Zymotic Dis.	24	3	4	1	3	-	11	3	-	-	1	-	1	-	-	4	3	-	-	-			
Cancer - - -	45	-	-	-	-	-	-	-	-	-	-	2	6	13	14	7	2	1	-	-			
Serofula and Tuberc.	22	10	1	1	-	1	13	1	2	1	2	-	-	1	2	-	-	-	-	-			
Phthisis - - -	153	1	1	1	-	-	4	5	6	15	27	46	24	13	7	2	1	-	-	-			
Hydrocephalus - -	83	10	9	4	2	2	27	4	2	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Brain - - -	238	116	7	2	1	1	127	5	4	2	1	7	6	6	19	22	32	7	-	-			
Dis. of Heart & Dropsy	92	1	-	-	-	1	2	-	-	1	1	6	9	14	14	32	15	-	-	-			
Dis. of Lungs - - -	157	43	12	1	3	4	63	2	2	2	3	6	3	10	12	21	25	6	-	-			
Dis. of Stom. and Liver	77	12	1	1	1	1	16	2	3	-	2	5	3	7	18	15	4	2	-	-			
Dis. of Kidneys - -	11	-	-	-	1	-	1	1	-	-	-	-	-	-	6	3	-	-	-	-			
Dis. of Genes. Organs -	7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-			
Dis. of Joints - - -	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-			
Dis. of Skin - - -	6	1	-	1	-	-	2	-	-	-	-	-	-	2	-	2	-	-	-	-			
Childbirth and Metris	28	-	-	-	-	-	-	-	-	1	5	11	11	-	-	-	-	-	-	-			
Childbed - - -	6	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-			
Other Violent Deaths -	32	7	-	-	1	-	8	3	2	-	-	1	1	1	-	-	-	-	-	-			
Other Causes - - -	234	117	9	1	-	-	127	-	-	2	2	6	5	3	5	23	75	50	-	-			

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 1 Year.	Total under 5 Years.	5-10.
------------------	-----------	------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---------------------	----------------------	-------

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
526.—MALTON.																		
Mean Popul ⁿ , 1861-71		11680	327	322	306	313	295	1563	1415	1294	1229	907	1437	1233	1068	786	504	210
TOTAL DEATHS—		2315	586	103	46	33	32	800	109	62	52	77	121	126	133	207	271	274
Small-pox		5										1	1	2	1			
Measles		21	8	9		1		18	3									
Scarlatina		82	2	12	8	14	11	47	29	3		1	1			1		
Diphtheria		43	2	3	4	3	3	15	17	6		3	1				2	
Whooping-cough		27	17	9	1			27										
Typhus		82					1	11	8	7		9	13	6	6	13	5	3
Diarrhoea & Dysentery		135	101	6	2		3	112			2	1	1	1	1	3	6	8
Cholera		5													2	1		2
Other Zymotic Dis.		62	14	8	1	1	3	27	6	5			4		4	3	5	8
Cancer		28									1							
Scrofula and Tuberc.		33	11	3	1	1		16	2	4	1	3	2	2	3	8	11	3
Phthisis		191	1		1			2	2	9	22	31	52	37	20	12	4	
Hydrocephalus		35	8	6	5	1	3	23	7	5								
Dis. of Brain		358	163	10	8	3	3	187	13	6	2	3	5	15	14	26	48	23
Dis. of Heart & Dropsy		185				1	1	2	4	5	3	1	6	19	24	32	31	37
Dis. of Lungs		284	71	23	5	8	1	108				3	8	17	15	25	29	40
Dis. of Stom. and Liver		183	16	2	1			10		2	3	6	10	10	17	20	31	4
Dis. of Kidneys		50							2			1	4	1	8	9	12	11
Dis. of Gen. Organs		1																
Dis. of Joints		9								2			3		1	1		
Dis. of Skin		2			1			1									1	
Childbirth and Metris																		
Suicide		8										1	2		1		1	
Other Violent Deaths		95	2	4	3		2	11	5	6	8	11	6	11	13	11	9	4
Other Causes		441	170	8	5		1	184	3	1	1		4	4	3	12	47	120

Mean Populⁿ, 1861-71

527.—EASINGWOLD.																	
5203	143	135	119	141	113	651	620	588	592	405	578	512	483	388	289	113	14
TOTAL DEATHS—	915	224	82	14	18	12	300	25	17	25	35	46	36	43	79	129	148
Small-pox	3			1			1	1	1								
Measles	4	2	1				3	1									
Scarlatina	37	2	3	6	4	8	23	10	1	2		1					
Diphtheria	8		3		2	1	6	1			1						
Whooping-cough	8	5	3				8										
Typhus	31	2		1	2		5	3	1	1	1	3	5	5	3	3	1
Diarrhoea & Dysentery	48	26	2				30						1	1	2	7	7
Cholera	1																
Other Zymotic Dis.	28	5	1	1	5	2	14	1	1			1	1			6	4
Cancer	15																
Scrofula and Tuberc.	19	3	1	1		1	6	3	2	2	1	3		1	5	3	4
Phthisis	89								4	13	24	16	12	7	8	4	
Hydrocephalus	13	6	2		1		9	1	3								
Dis. of Brain	142	67	1	2	1		71		1			4	6	5	10	19	32
Dis. of Heart & Dropsy	53	1		1			2	3	1		1	3	3	2	12	15	13
Dis. of Lungs	112	35	2		1		38		1			1	3	6	16	31	29
Dis. of Stom. and Liver	24	3	1		1		5			1	3	4	2	6	15	5	15
Dis. of Kidneys	18												2		2	6	9
Dis. of Gen. Organs																	
Dis. of Joints	6												1				
Dis. of Skin	6	2	1				3							1		1	1
Childbirth and Metris																	
Suicide	3												1				
Other Violent Deaths	36	3	3				6		1	2		4		5	5	4	2
Other Causes	176	60	8	1	1		70			1			1	2	3	24	52

Mean Populⁿ, 1861-71

528.—THIRSK.																	
5995	174	159	158	146	145	782	723	654	583	454	738	617	551	463	295	113	13
TOTAL DEATHS—	1206	270	47	34	16	21	388	40	34	36	37	69	57	75	103	166	130
Small-pox	3	1					1				1	1					
Measles	10		3	3	1	1	8	1	1								
Scarlatina	48	3	3	7	6	6	25	16	2	3			1	1			
Diphtheria	15	3	2	1	1	2	9	1	3	2							
Whooping-cough	18	10	4	2	1		17	1									
Typhus	42	2		1			3	3	3	5	3	8	5	3	4	4	1
Diarrhoea & Dysentery	37	20	5	1	2	1	29								2	1	3
Cholera	1	1					1										
Other Zymotic Dis.	55	4	2	3			9	1		3	1	2	3		4	7	5
Cancer	23																
Scrofula and Tuberc.	22	7	4	1			12	1	3		2	2	1	1			
Phthisis	117	1		2	1		4	2	3	14	18	32	18	13	9	3	1
Hydrocephalus	19	9	4	1	1		15	3	1								
Dis. of Brain	182	68	5	4		2	79		2	3		3	6	13	17	27	23
Dis. of Heart & Dropsy	103	2					2	2	3	2		2	5	14	24	30	18
Dis. of Lungs	144	37	9	6		2	58	2	1	1	4	6	6	5	12	32	17
Dis. of Stom. and Liver	70	8				1	9	2	8	1	3	2	4	14	5	17	9
Dis. of Kidneys	37					1	1		1		2	1	1	2	7	8	13
Dis. of Gen. Organs																	
Dis. of Joints	8	1															
Dis. of Skin	8								3								
Childbirth and Metris																	
Suicide	5								1								
Other Violent Deaths	51	4	1		1	3	9	3		1	2		6	5	5	3	3
Other Causes	214	89	5	2			96	2		1	1	1	1	1	2	23	50

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
526.—MALTON.																			
Mean Popul ⁿ , 1861-71	11502	328	293	303	311	277	1517	1369	1254	1084	971	1466	1236	1053	777	517	225	33	
TOTAL DEATHS—	2245	402	101	75	44	32	714	96	77	80	90	157	109	140	174	251	260	97	
Small-pox - - -	8	2	-	1	-	-	3	-	-	1	1	1	1	-	1	-	-	-	
Measles - - - -	22	5	7	5	1	2	20	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	90	3	6	15	12	9	45	23	15	2	-	2	-	-	1	-	-	-	
Diphtheria - - -	40	-	2	6	6	3	17	11	8	-	1	-	-	-	2	1	-	-	
Whooping-cough -	38	20	11	3	2	1	37	1	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	101	1	1	1	3	3	9	14	14	11	6	11	10	11	10	3	2	-	
Diarrhœa & Dysentery	106	63	8	3	1	-	75	2	-	1	2	5	2	1	5	6	7	-	
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Other Zymotic Dis.	32	6	1	5	2	4	18	6	1	1	1	-	1	2	6	4	9	3	
Cancer - - - - -	66	-	-	-	2	-	2	-	-	-	-	-	6	18	18	14	7	1	
Scrophula and Tuberc.	44	12	4	4	2	1	23	2	4	3	4	5	-	18	1	2	-	-	
Phthisis - - - -	253	1	3	-	-	-	4	5	14	34	46	76	40	22	12	2	-	-	
Hydrocephalus - -	53	8	9	3	5	1	26	4	1	-	1	1	-	-	-	-	-	-	
Dis. of Brain - - -	322	124	9	4	2	2	141	10	8	11	1	12	10	18	26	43	29	13	
Dis. of Heart & Dropsy	174	-	3	-	-	-	3	4	5	2	7	9	13	22	32	49	25	3	
Dis. of Lungs - - -	276	49	25	17	3	1	93	6	4	5	8	9	7	14	27	45	33	10	
Dis. of Stom. and Liver	112	10	1	-	-	-	11	1	-	2	4	10	9	15	18	28	14	-	
Dis. of Kidneys - -	16	1	-	-	1	-	2	1	1	-	2	-	1	5	2	1	1	-	
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	2	-	
Dis. of Joints - - -	9	1	-	-	-	-	1	1	-	1	1	2	-	1	-	1	-	1	
Dis. of Skin - - -	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	22	-	-	-	-	-	-	-	-	3	3	8	7	1	-	-	-	-	
Suicide - - - - -	9	-	-	-	-	-	-	-	-	2	1	-	-	-	2	1	-	-	
Other Violent Deaths	30	3	-	3	2	1	9	2	1	1	3	4	-	2	2	4	6	2	
Other Causes - - -	400	151	10	5	-	4	170	1	1	-	1	1	-	4	6	47	105	64	

527.—EASINGWOLD.

Mean Popul ⁿ , 1861-71	4894	124	143	127	126	127	647	570	559	454	375	599	506	464	344	249	103
TOTAL DEATHS—	800	150	45	21	15	7	238	84	32	22	24	63	56	53	88	95	121
Small-pox	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
Measles	11	3	4	2	1	1	9	10	2	1	1	1	1	1	1	1	1
Scarlatina	24	2	3	2	3	1	6	5	1	1	1	1	1	1	1	1	1
Diphtheria	11	2	2	1	1	1	6	5	1	1	1	1	1	1	1	1	1
Whooping-cough	16	4	4	6	2	1	16	5	4	1	1	2	3	1	2	2	3
Typhus	24	1	2	1	1	1	6	5	4	1	1	2	2	1	2	1	2
Diarrhœa & Dysentery	18	4	2	1	1	1	6	1	1	1	1	1	1	1	1	1	1
Cholera	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	29	2	2	3	1	3	10	2	1	1	1	3	2	2	1	3	5
Cancer	44	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	10	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Phthisis	114	1	1	1	1	1	1	1	9	11	19	28	21	13	9	2	1
Hydrocephalus	9	4	2	1	1	1	8	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	123	52	4	1	1	1	58	3	2	1	1	7	3	3	10	15	10
Dis. of Heart & Dropsy	70	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Lungs	102	17	10	1	4	1	33	4	3	1	2	2	3	2	13	13	8
Dis. of Stom. and Liver	26	3	3	1	1	1	7	1	1	1	1	4	3	5	10	15	9
Dis. of Kidneys	14	1	1	1	1	1	1	1	2	1	1	2	2	1	3	3	1
Dis. of Gener. Organs	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	4	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	14	5	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1
Other Causes	140	45	6	2	1	1	55	1	1	1	1	1	1	1	1	10	45

528.—THIRSK.

Mean Popul ⁿ , 1861-71	6238	180	143	163	154	154	794	751	652	586	533	800	640	570	453	297	138
TOTAL DEATHS—	1272	232	55	24	19	19	349	47	28	35	53	84	75	72	116	146	189
Small-pox	4	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
Measles	53	3	8	5	5	9	36	11	2	3	3	4	1	1	1	1	1
Scarlatina	19	2	2	4	1	1	8	2	1	1	1	1	1	1	1	1	1
Diphtheria	14	8	1	1	1	2	12	5	7	2	5	6	3	1	3	7	2
Typhus	45	2	1	1	1	1	28	1	1	1	1	2	2	1	1	4	4
Diarrhœa & Dysentery	43	23	2	1	1	1	28	1	1	1	1	1	1	1	1	1	1
Cholera	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	40	5	1	1	2	4	13	2	1	1	2	1	1	3	7	8	2
Cancer	49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	24	8	1	4	1	1	14	1	3	2	1	1	1	1	1	1	1
Phthisis	146	1	1	1	1	1	1	1	5	18	24	40	20	20	9	3	1
Hydrocephalus	21	7	3	3	1	1	13	4	3	1	1	1	1	1	1	1	1
Dis. of Brain	182	75	10	2	1	1	89	2	3	1	2	5	7	11	20	27	25
Dis. of Heart & Dropsy	113	1	1	1	1	1	1	1	2	4	7	12	11	20	28	19	3
Dis. of Lungs	139	29	11	2	3	1	42	1	1	1	2	6	6	6	16	24	12
Dis. of Stom. and Liver	67	4	2	2	2	2	8	4	1	5	1	8	3	6	12	14	12
Dis. of Kidneys	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Gener. Organs	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	15	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1
Other Causes	242	63	11	4	1	1	78	1	1	2	1	1	1	2	4	23	60

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	100-

529.—HELMSLEY.

Mean Popula- 1861-71	6112	167	143	164	148	153	775	709	681	665	503	756	625	556	440	283	103	12
TOTAL DEATHS -	1150	288	39	25	19	16	387	32	18	39	30	58	39	79	104	156	128	29
Small-pox -	6	4	-	-	-	-	4	-	-	-	-	-	-	1	1	-	-	-
Measles -	7	2	1	-	-	2	5	-	1	-	-	-	-	1	-	-	-	-
Scarlatina -	24	-	2	4	7	5	16	6	1	-	-	-	1	-	-	-	-	-
Diphtheria -	11	1	-	1	1	-	3	5	1	1	-	1	-	-	-	-	-	-
Whooping-cough -	17	12	3	-	1	1	17	-	-	-	-	-	-	-	-	-	-	-
Typhus -	40	-	1	2	1	1	5	2	2	10	6	2	-	4	3	3	2	2
Diarrhoea & Dysentery -	87	24	3	-	-	-	27	-	-	-	-	-	-	-	2	1	2	2
Cholera -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	44	11	4	1	2	1	19	3	-	2	-	-	-	5	2	3	4	5
Cancer -	17	-	-	-	-	-	-	-	-	1	-	1	-	3	3	1	2	1
Scrophula and Tuberc -	12	7	-	1	-	-	9	-	-	-	-	-	-	3	3	1	2	1
Phthisis -	113	4	2	1	-	1	9	2	1	16	18	30	10	12	12	4	-	-
Hydrocephalus -	11	5	1	-	1	2	9	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	173	81	2	1	1	1	85	5	4	8	-	-	4	9	15	24	29	8
Dis. of Heart & Dropsy -	80	1	-	-	-	-	1	1	-	-	-	5	2	8	16	23	22	2
Dis. of Lungs -	185	41	15	6	2	-	64	3	3	2	-	3	6	11	15	21	26	12
Dis. of Stom. and Liver -	87	6	1	2	-	1	10	1	1	-	1	2	5	13	17	22	14	7
Dis. of Kidneys -	29	-	-	-	-	-	-	-	-	-	-	2	2	6	7	9	12	1
Dis. of Genet. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Dis. of Skin -	2	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Other Violent Deaths -	41	4	2	5	1	2	14	2	3	8	-	6	-	4	3	3	1	-
Other Causes -	195	83	2	1	2	-	88	-	-	-	2	2	-	3	3	3	2	24

530.—PICKERING.

Mean Popula- 1861-71	6042	172	153	170	168	142	805	730	595	550	519	861	675	556	403	237	100	11
TOTAL DEATHS -	1239	352	52	32	26	11	473	47	23	32	44	75	69	84	113	123	124	35
Small-pox -	12	3	-	1	1	1	6	-	1	-	1	2	1	1	-	-	-	-
Measles -	13	4	4	8	1	-	12	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	31	1	4	6	7	2	20	8	1	-	-	1	-	-	1	-	-	-
Diphtheria -	44	2	2	3	7	2	16	14	3	4	-	2	4	1	-	-	-	-
Whooping-cough -	25	19	8	1	1	1	25	-	-	-	-	-	-	-	-	-	-	-
Typhus -	44	-	1	1	-	1	5	4	6	5	11	9	1	2	2	1	2	-
Diarrhoea & Dysentery -	81	17	1	-	-	-	18	-	1	1	-	-	-	1	5	4	3	-
Cholera -	4	-	-	1	-	1	2	1	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis. -	25	8	-	1	1	2	12	4	1	-	-	1	2	1	3	5	1	-
Cancer -	23	-	-	-	-	-	-	-	-	-	-	-	3	4	7	5	4	-
Scrophula and Tuberc -	25	13	3	1	2	-	19	2	-	2	-	-	3	2	-	-	-	-
Phthisis -	70	4	1	-	-	-	5	6	2	8	8	19	13	4	3	1	1	-
Hydrocephalus -	22	13	4	2	2	-	21	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	170	82	8	1	-	1	92	3	2	8	1	5	6	10	11	17	18	4
Dis. of Heart & Dropsy -	75	2	-	-	-	-	2	-	-	-	-	-	5	12	21	17	16	-
Dis. of Lungs -	197	40	8	7	2	-	57	1	-	8	9	12	11	18	20	28	23	-
Dis. of Stom. and Liver -	68	6	-	1	1	-	8	-	-	2	2	2	5	9	16	15	9	1
Dis. of Kidneys -	37	1	-	-	-	-	1	1	1	-	1	1	-	5	10	8	7	-
Dis. of Genet. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	2	-	-	-	2	-	-	1	1	-	1	1	-	-	2	-
Dis. of Skin -	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
Other Violent Deaths -	84	6	-	2	1	-	9	2	3	5	8	17	10	13	10	3	4	-
Other Causes -	218	129	11	1	-	-	141	-	1	-	2	4	-	4	2	23	22	-

531.—WHITBY.

Mean Popula- 1861-71	11708	397	361	345	363	339	1805	1509	1343	1109	878	1454	1261	1006	699	440	183	21
TOTAL DEATHS -	2871	713	217	108	91	53	1182	142	69	89	78	136	174	179	210	279	223	59
Small-pox -	51	8	4	6	4	1	23	5	2	-	5	8	5	3	-	-	-	-
Measles -	53	13	17	7	8	1	43	2	-	1	-	1	1	1	-	-	-	-
Scarlatina -	178	12	26	27	31	21	117	46	9	1	2	1	1	1	-	-	-	-
Diphtheria -	24	3	2	4	4	1	14	7	-	1	1	-	-	-	-	1	-	-
Whooping-cough -	64	23	21	8	4	1	62	2	-	-	-	-	-	-	-	-	-	-
Typhus -	116	3	5	5	4	4	21	16	15	7	12	11	10	10	8	4	1	1
Diarrhoea & Dysentery -	55	23	5	1	1	-	35	-	-	-	-	-	1	1	1	1	1	1
Cholera -	8	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-
Other Zymotic Dis. -	73	10	8	10	5	4	57	10	3	4	-	-	3	4	2	11	4	1
Cancer -	30	-	-	-	-	-	-	-	-	-	-	2	2	9	7	6	1	1
Scrophula and Tuberc -	63	17	8	2	4	1	32	9	7	5	1	2	4	1	1	1	1	1
Phthisis -	238	1	4	3	3	3	14	2	9	39	55	57	49	29	16	-	-	-
Hydrocephalus -	25	14	11	6	3	1	35	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	325	165	16	10	4	4	199	10	3	2	2	5	10	13	23	43	21	1
Dis. of Heart & Dropsy -	149	2	-	-	-	1	3	1	3	3	2	3	18	19	33	35	17	1
Dis. of Lungs -	379	129	51	13	5	3	201	10	3	4	4	10	19	24	41	33	23	1
Dis. of Stom. and Liver -	163	41	7	-	2	-	50	1	1	5	3	3	8	17	20	24	8	1
Dis. of Kidneys -	47	-	-	1	-	1	2	2	1	1	2	3	8	4	3	12	1	1
Dis. of Genet. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints -	14	-	1	-	-	1	2	1	2	2	1	1	2	1	-	3	-	-
Dis. of Skin -	3	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1
Suicide -	9	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
Other Violent Deaths -	157	6	7	2	3	4	22	13	9	12	6	25	22	27	12	7	4	1
Other Causes -	620	229	24	3	6	1	263	4	9	1	2	4	12	10	23	32	22	5

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 years.	
529.—HELMSLEY.																			
Mean Popul ⁿ , 1861-71	5662	153	153	150	142	143	741	691	590	533	474	724	587	514	400	281	108	19	
TOTAL DEATHS -	1085	222	33	29	14	10	308	38	14	40	46	74	75	70	96	126	134	64	
Small-pox - - -	6	2	1	-	1	-	4	-	-	-	1	-	1	-	-	-	-	-	
Measles - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Scarlatina - - -	23	-	1	3	4	2	10	12	-	-	-	-	1	-	-	-	-	-	
Diphtheria - - -	7	-	-	-	2	2	4	3	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -	23	16	2	3	-	1	22	1	-	-	-	-	-	-	-	-	-	-	
Dysphus - - - -	32	-	1	2	-	1	4	1	2	3	6	4	5	4	1	9	-	-	
Diarrhoea & Dysentery	45	21	1	2	2	-	26	-	-	-	-	3	1	-	2	3	0	4	
Cholera - - - - -	5	-	-	-	1	-	1	-	-	-	-	1	1	1	-	1	-	-	
Other Zymotic Dis. -	34	5	-	1	-	2	8	3	1	1	1	1	1	2	3	5	5	3	
Cancer - - - - -	24	-	-	-	-	-	-	-	-	-	-	-	4	9	8	1	2	-	
Serofula and Tabes -	16	6	4	-	-	-	10	-	2	2	1	1	-	-	-	-	-	-	
Phthisis - - - -	129	2	-	1	-	-	3	1	2	21	21	39	23	11	7	1	-	-	
Hydrocephalus - -	10	-	1	2	1	1	5	5	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	131	60	8	4	1	-	63	3	2	3	2	2	2	7	5	17	18	8	
Dis. of Heart & Dropsy	108	1	-	1	-	-	2	2	-	1	2	3	9	5	27	33	19	6	
Dis. of Lungs - - -	174	33	15	11	2	-	23	5	2	2	6	12	12	14	26	27	19	13	
Dis. of Stom. and Liver	74	6	-	1	-	1	8	-	1	1	2	3	6	5	16	17	10	5	
Dis. of Kidneys - -	13	-	-	-	-	-	-	-	-	3	1	2	-	2	2	2	1	-	
Dis. of Genet. Organs -	12	-	-	-	-	-	-	-	-	-	1	1	-	5	2	1	-	-	
Dis. of Joints - - -	4	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	
Dis. of Skin - - - -	4	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	
Childbirth and Metris	18	-	-	-	-	-	-	-	-	5	5	8	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	19	-	-	4	-	-	4	1	1	-	1	2	1	3	1	-	3	2	
Other Causes - - -	171	63	3	2	-	-	73	1	1	1	-	1	-	3	6	16	42	22	

530.—PICKERING.

Mean Popul ⁿ , 1861-71	5601	169	156	163	163	166	817	686	613	501	455	742	591	522	346	216	97	15
TOTAL DEATHS -	1131	250	55	31	19	15	370	46	15	38	38	87	70	77	104	121	151	34
Small-pox - - -	10	5	-	-	-	-	5	1	-	1	-	2	-	1	-	-	-	-
Measles - - -	29	2	2	-	-	-	4	-	1	-	-	2	-	-	-	-	-	-
Scarletina - -	29	4	6	6	4	2	16	7	1	2	-	2	1	-	-	-	-	-
Diphtheria - -	35	4	3	5	1	2	15	14	2	1	1	2	-	-	-	-	-	-
Whooping-cough -	25	13	5	4	2	-	24	1	-	6	-	5	1	7	2	4	2	-
Typhus - - -	39	-	-	-	-	1	3	5	2	-	3	1	3	-	1	8	5	-
Dysentery & Dysentery	43	18	2	1	-	-	22	2	-	2	1	-	-	-	1	-	-	-
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	23	1	-	1	2	1	5	4	1	1	-	1	-	-	2	6	1	2
Cancer - - -	47	-	-	-	-	-	1	-	-	-	-	-	7	9	13	9	8	-
Scrofula and Tuberc.	29	11	6	1	-	1	19	1	2	3	-	2	1	-	1	-	-	-
Phthisis - - -	162	1	1	1	-	-	3	-	3	12	11	36	22	9	5	1	-	-
Hydrocephalus -	13	3	5	-	3	1	12	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	163	63	4	4	1	-	73	1	1	2	2	6	7	11	16	19	22	4
Dis. of Heart & Dropsy	86	1	-	1	1	-	3	-	-	1	7	9	9	9	15	20	23	-
Dis. of Lungs -	172	28	10	2	2	3	43	4	1	1	9	9	5	11	19	28	33	7
Dis. of Stom. and Liver	85	6	-	1	-	-	7	3	1	3	5	4	5	10	21	15	10	1
Dis. of Kidneys -	9	-	-	-	-	-	-	-	-	-	-	2	1	2	1	9	1	-
Dis. of Gen. Organs -	5	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-
Dis. of Joints -	6	-	1	-	-	-	1	-	-	-	-	-	-	3	-	1	1	-
Dis. of Skin - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Childbirth and Metris	15	-	-	-	-	-	-	-	-	2	3	5	5	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	22	4	1	2	-	2	11	1	-	1	-	-	2	1	-	2	2	2
Other Causes - -	163	90	11	1	1	1	104	-	-	1	-	-	-	1	2	10	25	2

531.—WHITBY.

Mean Popul ⁿ , 1861-71	13011	412	338	329	344	337	1760	1558	1354	1171	1100	1777	1429	1135	855	573	248	51
TOTAL DEATHS -	2766	542	212	109	74	50	957	112	78	82	94	201	158	143	191	281	315	124
Small-pox - - -	24	6	3	4	-	1	14	1	-	-	1	4	1	1	1	-	1	-
Measles - - -	50	12	15	11	6	4	48	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	154	11	29	18	20	20	98	36	10	2	2	2	4	-	-	-	-	-
Diphtheria - - -	27	3	2	6	4	2	17	7	1	-	-	1	1	-	-	-	-	-
Whooping-cough -	79	30	27	11	6	2	76	2	1	-	-	-	-	-	-	-	-	-
Typhus - - -	137	2	4	6	9	5	28	15	13	10	19	20	5	4	13	4	1	3
Diarrhœa & Dysentery	80	45	6	3	-	1	53	-	-	-	-	4	3	3	1	10	2	4
Cholera - - -	3	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Other Zymotic Dis.	66	9	9	3	6	4	31	2	5	1	-	2	2	2	7	8	2	4
Cancer - - -	62	-	-	-	-	-	-	-	-	-	-	2	8	16	21	10	2	-
Scrophula and Tabes	37	8	9	3	3	2	25	5	3	2	1	1	-	-	-	-	-	-
Phthisis - - -	207	2	3	1	-	2	8	6	20	40	40	95	24	24	14	6	-	-
Hydrocephalus -	34	13	8	3	4	1	29	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - -	319	116	13	7	4	-	140	10	11	9	5	5	12	21	29	20	25	5
Dis. of Heart & Droopy	189	1	-	-	-	-	1	2	1	3	5	5	14	17	23	60	17	1
Dis. of Lungs - -	348	80	55	17	6	-	159	6	8	4	8	8	7	18	35	60	40	10
Dis. of Stom. and Liver	147	18	4	2	1	1	26	6	1	4	3	12	17	16	21	25	16	-
Dis. of Kidneys -	15	-	-	1	-	1	2	-	2	1	-	-	1	4	3	1	1	-
Dis. of Genier. Organs	15	-	-	-	-	-	-	-	-	-	-	2	3	6	4	1	-	-
Dis. of Joints - -	7	-	-	-	-	-	-	-	1	1	-	1	1	1	-	2	-	-
Dis. of Skin - - -	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
Childbirth and Metris	47	-	-	-	-	-	-	-	-	-	5	23	18	1	-	-	-	-
Selficide - - -	6	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	-	-
Other Violent Deaths	54	8	3	3	4	2	20	7	3	-	5	-	2	2	4	6	2	6
Other Causes - -	615	180	19	9	1	2	211	-	-	3	4	6	5	5	15	81	106	8

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
532.—GUISBROUGH.																			
Mean Popul ⁿ , } 1861-71 }	16410	559	471	479	455	451	2415	1971	1556	1363	1702	2894	2083	1244	663	362	123	74	24
TOTAL DEATHS -	3605	1100	326	147	104	67	1744	185	88	108	183	262	249	197	178	197	169	43	10
Small-pox - - -	100	23	10	5	6	4	51	7	-	8	10	11	8	-	4	-	1	-	-
Measles - - -	102	23	41	18	9	1	92	6	2	1	-	1	1	-	-	-	-	-	-
Scarlatina - -	227	7	41	40	31	23	145	50	7	7	2	5	2	-	-	-	-	-	-
Diphtheria - -	42	8	8	7	3	3	29	8	2	3	-	-	-	-	-	-	-	-	-
Whooping-cough -	27	17	9	-	-	-	24	1	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	224	6	2	7	4	8	27	17	16	17	51	40	23	12	6	3	2	-	-
Diarrhoea & Dysentery	155	109	24	1	1	-	135	3	-	8	-	1	1	-	3	3	4	-	-
Cholera - - -	15	3	-	-	-	-	8	3	-	-	-	1	3	-	1	1	-	-	-
Other Zymotic Dis. -	80	11	14	7	7	6	45	10	2	-	2	5	5	1	3	2	3	-	-
Cancer - - -	50	-	-	-	-	-	-	-	-	-	-	2	5	-	6	5	19	4	-
Scrophula and Tuberc	79	35	18	6	4	1	64	4	2	-	3	4	2	-	3	-	-	-	-
Phthisis - - -	193	5	2	1	1	2	11	6	14	15	22	56	35	19	6	-	-	-	-
Hydrocephalus - -	95	43	33	5	6	1	66	6	2	-	1	-	-	-	-	-	-	-	-
Dis. of Brain - -	509	815	34	18	10	5	882	11	5	1	2	5	13	18	24	24	28	3	-
Dis. of Heart & Dropsy	137	4	-	-	-	-	6	5	1	8	5	7	23	21	27	28	1	-	-
Dis. of Lungs - -	468	134	53	20	12	5	224	12	5	5	14	27	34	35	36	37	28	-	-
Dis. of Stomach and Liver	108	18	5	1	2	1	27	8	-	4	2	11	10	14	19	7	4	-	-
Dis. of Kidneys - -	62	2	-	1	-	1	4	7	2	1	3	3	9	6	6	17	1	-	-
Dis. of Genur. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	15	2	-	1	-	-	5	-	2	-	-	-	1	3	1	-	-	-	-
Dis. of Skin - - -	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	9	-	-	-	-	-	-	-	-	-	1	-	4	2	-	-	-	-	-
Other Violent Deaths -	342	9	2	4	4	2	21	9	21	38	51	74	60	26	18	12	1	-	-
Other Causes - - -	589	321	30	7	3	-	331	3	6	1	3	7	11	22	18	20	27	1	-

533.—STOKESLEY.																	
Mean Popul ⁿ , 1861-71	5346	159	148	158	141	135	741	615	616	507	425	673	577	461	364	237	113
TOTAL DEATHS -	1019	261	43	25	10	14	353	32	22	34	29	57	41	55	82	129	145
Small-pox -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles -	7	1	2	-	-	2	5	1	1	-	-	-	-	-	-	-	-
Scarlatina -	34	3	6	7	3	2	21	7	1	2	-	2	-	1	-	-	-
Diphtheria -	6	-	-	2	-	1	3	2	1	-	-	-	-	-	-	-	-
Whooping-cough -	11	8	-	-	-	-	8	3	-	-	-	-	-	-	-	-	-
Typhus -	37	1	-	-	-	-	1	2	2	-	8	5	4	2	2	3	7
Diarrhoea & Dysentery -	24	13	1	-	-	-	14	-	-	-	-	-	-	1	1	3	3
Cholera -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	90	4	1	2	1	2	10	-	-	-	1	-	-	1	3	2	3
Cancer -	16	-	-	1	-	-	1	-	-	-	-	-	-	3	7	4	1
Scrophula and Tuberc. -	17	3	4	-	1	1	9	1	1	2	3	-	-	-	-	-	-
Phthisis -	92	-	-	-	-	-	9	4	2	13	11	50	11	13	6	2	-
Hydrocephalus -	14	6	1	2	-	-	9	2	3	-	-	-	-	-	-	-	-
Dis. of Brain -	175	94	8	5	4	2	113	5	2	2	1	5	1	6	10	14	11
Dis. of Heart & Dropsy -	49	-	-	-	1	-	2	-	2	1	1	1	7	8	8	11	1
Dis. of Lungs -	116	58	7	-	-	-	45	1	2	1	1	4	4	7	16	18	14
Dis. of Stom. and Liver -	62	9	1	1	-	1	12	1	-	2	1	3	3	5	6	10	8
Dis. of Kidneys -	17	-	-	1	-	-	1	-	-	-	-	1	2	-	4	4	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	8	-	-	1	-	-	1	-	2	-	-	-	-	2	1	1	-
Dis. of Skin -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3
Other Violent Deaths -	29	1	2	2	-	2	7	-	1	3	3	4	1	5	3	2	2
Other Causes -	283	78	10	1	-	-	89	3	2	-	-	4	4	7	9	22	25

534.—NORTHALLERTON.																	
Mean Popul ⁿ , 1861-71	5982	174	165	151	150	150	790	706	680	586	421	694	646	558	441	312	125
TOTAL DEATHS -	1173	249	36	27	19	13	344	43	26	31	44	64	62	73	101	172	189
Small-pox -	4	-	1	-	-	1	7	-	1	-	-	-	3	-	-	-	-
Measles -	7	4	1	7	3	3	19	12	2	-	2	1	-	-	-	-	-
Scarlatina -	33	2	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-
Diphtheria -	9	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Whooping-cough -	12	10	2	-	-	-	12	-	5	4	6	6	5	3	10	4	3
Typhus -	51	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery -	29	16	1	-	1	-	18	-	1	-	-	-	-	-	-	-	-
Cholera -	14	4	1	1	3	-	9	1	-	-	-	-	1	-	-	-	-
Other Zymotic Dis. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer -	21	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2
Scrophula and Tuberc. -	13	4	1	1	-	1	7	2	2	-	-	-	1	-	-	-	-
Phthisis -	111	-	-	-	-	-	5	5	4	5	19	50	22	16	4	-	-
Hydrocephalus -	22	7	4	2	2	-	15	6	1	-	-	-	-	-	-	-	-
Dis. of Brain -	382	71	8	3	3	4	89	3	2	5	4	4	3	7	13	14	20
Dis. of Heart & Dropsy -	95	-	-	-	-	-	-	2	4	2	1	3	6	12	13	17	17
Dis. of Lungs -	176	31	11	6	5	2	35	2	1	11	5	2	5	11	24	24	20
Dis. of Stom. and Liver -	74	2	2	1	-	-	5	3	-	2	2	3	7	14	14	17	8
Dis. of Kidneys -	27	-	-	-	-	-	-	-	-	4	1	2	2	2	-	4	4
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	2
Dis. of Skin -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	48	5	-	-	-	-	5	3	-	1	-	1	1	1	1	1	1
Other Causes -	225	92	1	2	-	1	99	1	4	1	-	5	7	1	1	4	27

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— & upwards.	
		Total under 1 Year.																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18														19
532.—GUISBROUGH.																																	
Mean Popul ⁿ , 1861-71	14161	563	467	474	480	448	2432	1932	1530	1141	1198	2190	1558	1021	608	367	157	27															
TOTAL DEATHS	3040	808	307	134	84	61	1484	152	82	99	108	208	184	121	132	175	222	73															
Small-pox	30	24	7	2	3	—	26	3	1	1	5	3	7	3	—	—	—	—															
Measles	73	10	33	6	6	6	64	5	—	—	2	2	—	—	—	—	—	—															
Scarlatina	202	14	33	33	22	12	114	47	21	6	5	7	2	—	—	—	—	—															
Diphtheria	34	2	2	6	1	3	15	14	2	—	1	3	1	—	—	—	—	—															
Whooping-cough	65	30	17	6	4	4	61	4	—	—	—	—	—	—	—	—	—	—															
Typhus	188	3	10	7	5	7	32	29	18	22	26	28	15	8	5	4	1	—															
Diarrhoea & Dysentery	152	98	23	7	3	1	132	1	—	1	—	—	—	1	2	2	9	1															
Cholera	5	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—															
Other Zymotic Dis.	63	11	9	6	8	7	41	4	2	2	—	4	—	3	—	—	1	2															
Cancer	38	—	—	—	—	—	—	—	—	—	—	3	7	7	10	8	3	—															
Scrofula and Tuberc.	107	59	28	10	5	2	93	2	2	—	3	1	2	2	2	—	—	—															
Phthisis	207	—	—	—	1	—	5	8	15	41	39	79	51	24	4	1	—	—															
Hydrocephalus	51	17	14	6	6	5	45	2	1	—	—	—	—	—	—	—	—	—															
Dis. of Brain	483	281	86	12	7	3	339	12	2	6	2	11	11	18	28	27	25	4															
Dis. of Heart & Dropsy	150	3	1	—	—	1	5	7	3	4	5	9	17	7	20	24	18	2															
Dis. of Lungs	318	97	40	19	8	5	169	4	3	2	3	10	16	15	18	26	41	9															
Dis. of Stom. and Liver	196	7	3	2	1	—	18	2	2	3	5	13	14	12	15	21	6	—															
Dis. of Kidneys	37	1	2	1	—	1	5	—	2	—	1	3	5	3	4	2	2	—															
Dis. of Gener. Organs	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
Dis. of Joints	10	1	—	—	—	1	2	1	1	—	—	2	2	—	—	—	—	—															
Dis. of Skin	5	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—															
Childbirth and Metria	54	—	—	—	—	—	—	—	—	6	9	18	18	3	—	—	—	—															
Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
Other Violent Deaths	33	2	4	1	2	3	12	4	5	1	1	1	2	—	—	—	—	—															
Other Causes	537	240	41	10	4	—	295	3	2	3	1	5	2	13	9	27	113	54															

533.—STOKESLEY.																				
Mean Popul ⁿ , 1861-71	5220	136	146	143	149	135	709	618	571	512	436	658	551	434	332	249	130	20		
TOTAL DEATHS	1025	205	30	18	20	14	287	47	22	36	34	65	62	63	74	129	139	68		
Small-pox	9	3	—	—	—	—	3	—	—	3	2	—	—	1	—	—	—	—		
Measles	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
Scarlatina	87	1	3	4	7	4	19	15	2	1	—	—	—	—	—	—	—	—		
Diphtheria	12	—	—	—	—	—	2	6	—	1	—	2	1	—	—	—	—	—		
Whooping-cough	21	11	4	2	2	1	20	1	—	—	—	—	—	—	—	—	—	—		
Typhus	51	—	—	—	—	—	1	5	2	7	8	2	4	6	5	4	1	—		
Diarrhoea & Dysentery	32	11	4	—	—	—	16	—	—	1	—	1	1	1	2	4	5	—		
Cholera	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Zymotic Dis.	27	6	1	2	—	—	9	3	1	—	—	2	2	1	1	6	2	—		
Cancer	23	—	—	—	—	—	—	—	—	—	—	1	—	5	7	10	2	—		
Scrofula and Tuberc.	113	2	—	2	1	—	1	1	—	—	2	1	—	1	1	—	—	—		
Phthisis	109	1	—	—	—	—	1	2	7	16	14	33	23	9	9	1	—	—		
Hydrocephalus	10	4	2	2	1	—	9	1	—	—	—	—	—	—	—	—	—	—		
Dis. of Brain	155	74	5	1	—	1	81	5	2	3	1	1	6	7	11	23	12	1		
Dis. of Heart & Dropsy	50	—	—	—	—	—	—	—	—	—	—	—	—	5	7	16	14	—		
Dis. of Lungs	92	19	6	1	2	2	30	2	1	—	—	2	4	4	9	18	14	8		
Dis. of Stom. and Liver	43	3	—	—	—	—	3	—	—	—	3	5	6	7	10	6	3	—		
Dis. of Kidneys	7	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—		
Dis. of Gener. Organs	8	—	—	—	—	—	—	—	—	—	1	—	—	4	1	—	—	—		
Dis. of Joints	7	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—		
Dis. of Skin	3	1	1	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—		
Childbirth and Metria	7	—	—	—	—	—	—	—	—	1	1	2	3	—	—	—	—	—		
Suicide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Violent Deaths	14	2	—	2	2	2	8	1	—	1	—	—	—	2	—	—	2	—		
Other Causes	288	65	4	2	5	—	76	4	5	1	—	3	4	6	6	38	88	57		

534.—NORTHALLERTON.																			
Mean Popul ⁿ , 1861-71	5918	160	141	162	153	157	773	726	626	576	443	733	619	536	418	297	142	29	
TOTAL DEATHS	1141	180	34	23	21	17	275	48	19	36	49	71	70	71	95	105	172	70	
Small-pox	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
Measles	6	2	4	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	33	2	2	2	8	6	20	9	2	-	2	-	-	-	-	-	-	-	
Diphtheria	13	-	-	1	1	2	4	9	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	17	9	4	1	-	1	15	2	-	-	-	-	-	-	-	-	-	-	
Typhus	41	-	-	-	-	-	3	3	10	5	2	6	4	3	2	2	5	1	
Diarrhoea & Dysentery	27	10	1	2	-	1	14	1	-	-	-	1	1	2	2	5	1	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	18	6	1	1	1	-	9	1	1	-	-	1	-	-	-	2	4	-	
Cancer	46	-	-	-	-	-	-	-	-	-	-	2	6	4	12	11	9	2	
Scrofula and Tuberc.	15	5	1	-	1	-	7	2	1	1	-	1	1	1	1	-	-	-	
Phthisis	150	-	-	-	-	-	-	7	8	16	27	30	21	19	9	4	-	-	
Hydrocephalus	8	2	1	3	2	-	8	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	155	50	4	3	-	3	60	5	1	5	2	4	9	9	13	22	22	5	
Dis. of Heart & Dropsy	95	-	-	-	-	-	-	1	-	3	3	6	4	10	22	29	17	1	
Dis. of Lungs	144	22	6	7	3	2	40	4	2	-	1	4	9	6	18	28	30	11	
Dis. of Stom. and Liver	76	-	1	1	-	1	3	1	1	3	6	1	4	13	12	24	5	3	
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	-	1	1	-	1	3	4	2	-	
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	
Dis. of Joints	5	2	1	-	-	-	3	1	-	-	-	-	1	-	-	-	-	-	
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	
Childbirth and Metria	10	-	-	-	-	-	-	-	-	-	2	3	5	-	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	
Other Violent Deaths	15	4	1	-	5	-	8	-	-	-	-	3	-	-	-	-	-	1	
Other Causes	242	65	7	2	2	1	77	2	-	-	-	1	1	-	4	35	78	4	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
535.—BEDALE.*																		
Mean Popul ⁿ , 1861-71	4035	126	109	107	109	107	558	479	455	384	290	471	444	368	300	215	121	81
TOTAL DEATHS	783	164	31	16	8	9	228	26	22	19	25	37	41	47	74	119	114	7
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	3	1	4	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	15	-	3	3	1	2	9	2	5	1	-	-	-	-	-	-	-	-
Diphtheria	12	-	1	-	1	-	2	4	-	-	1	-	-	-	-	1	1	-
Whooping-cough	17	9	7	-	1	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	25	-	-	-	-	-	-	4	4	2	4	2	4	-	3	-	2	-
Diarrhoea & Dysentery	17	6	3	-	1	1	11	1	-	-	1	-	-	-	1	1	1	1
Cholera	5	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	13	3	-	1	-	-	4	3	-	-	-	-	1	-	1	1	1	1
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	2	1
Scrofula and Tuberc.	11	1	2	1	-	-	4	2	-	1	-	1	2	-	1	1	1	1
Phthisis	65	-	-	1	-	-	1	1	2	8	13	18	9	7	4	3	-	-
Hydrocephalus	12	3	3	1	-	-	9	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	103	53	2	-	2	-	57	1	-	1	1	-	4	6	11	13	7	1
Dis. of Heart & Dropsy	88	-	-	-	-	1	1	1	-	2	-	1	2	7	12	17	19	1
Dis. of Lungs	104	21	7	1	2	1	32	-	1	2	2	5	6	5	12	21	23	1
Dis. of Stom. and Liver	45	5	-	1	-	-	6	-	1	-	-	4	6	4	7	16	8	1
Dis. of Kidneys	17	1	-	-	-	-	1	-	2	-	1	1	1	2	1	7	2	1
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	-	1	1	-	1	1	1	2	1	1	1
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Violent Deaths	80	2	-	2	-	4	8	3	2	1	2	1	2	3	2	7	1	1
Other Causes	199	54	2	1	-	-	57	3	1	-	-	2	2	3	4	30	27	2

536.—LEYBURN.*																			
Mean Popul., 1861-71	4819	125	122	118	116	132	613	566	576	499	372	542	504	459	341	232	100	15	1
TOTAL DEATHS	876	183	27	16	14	10	250	29	19	20	38	42	31	56	76	131	144	29	1
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	2	3	2	3	3	13	9	3	-	-	-	-	1	-	-	-	-	-
Diphtheria	9	-	1	-	2	2	5	3	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	18	12	5	1	-	-	18	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	32	1	-	-	1	1	3	2	1	2	4	6	3	6	4	1	-	-	-
Diarrhoea & Dysentery	16	4	-	3	-	-	7	-	1	-	-	-	-	-	4	3	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	20	4	2	3	-	1	10	3	-	-	1	-	1	-	2	1	2	1	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	-	3	5	3	1	1	1
Scrofula and Tuberc.	8	-	1	-	-	-	1	1	2	-	1	1	1	1	1	1	1	1	1
Phthisis	78	-	-	-	-	-	11	2	1	8	10	21	9	8	6	1	-	-	-
Hydrocephalus	15	5	4	-	2	-	11	2	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	113	65	3	-	-	1	69	-	1	-	-	4	-	9	9	16	13	1	1
Dis. of Heart & Dropsy	65	1	-	-	-	-	1	2	1	-	1	1	1	5	10	27	24	1	1
Dis. of Lungs	136	33	6	4	3	-	45	3	2	2	2	2	3	10	15	29	25	1	1
Dis. of Stom. and Liver	49	6	-	-	1	-	7	1	1	1	-	3	6	7	8	6	1	1	1
Dis. of Kidneys	25	-	-	-	-	-	-	-	-	1	3	-	1	1	3	16	3	1	1
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	1	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	42	5	-	1	2	2	10	1	2	4	4	2	3	2	3	9	2	1	1
Other Causes	184	41	2	2	-	-	45	-	-	-	-	1	3	1	4	23	27	2	1

537.—AYSGARTH (late ASKRIGG).																			
Mean Popul., 1861-71	2788	71	76	61	71	79	358	341	304	248	198	330	316	282	206	143	57	5	1
TOTAL DEATHS	543	134	15	13	7	5	174	18	15	13	24	25	30	25	34	77	77	22	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	4	1	-	1	-	6	1	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	5	2	-	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	9	-	-	-	1	2	3	6	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	19	11	4	3	-	-	17	1	-	-	-	-	1	-	-	-	-	-	-
Typhus	11	-	-	-	-	-	-	-	1	2	-	2	4	-	-	-	-	-	-
Diarrhoea & Dysentery	14	5	-	-	-	-	5	-	-	-	-	1	1	-	-	-	-	-	-
Cholera	8	1	1	1	1	-	4	1	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Cancer	7	2	-	-	-	-	2	1	-	-	-	-	-	1	2	1	3	-	-
Scrofula and Tuberc.	47	-	-	-	-	-	-	1	3	2	4	16	9	13	-	-	-	-	-
Phthisis	7	2	1	-	-	-	3	2	2	-	-	-	-	-	-	-	-	-	-
Hydrocephalus	77	20	-	4	1	1	35	3	-	-	2	2	6	2	2	11	4	1	1
Dis. of Brain	35	-	-	-	-	-	-	1	2	-	-	2	1	2	4	7	10	1	1
Dis. of Heart & Dropsy	80	18	5	4	1	-	28	1	3	2	2	2	1	2	4	5	11	1	1
Dis. of Lungs	30	2	-	-	-	-	2	1	-	-	-	5	1	3	3	8	8	1	1
Dis. of Stom. and Liver	17	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths	13	-	-	1	-	2	3	-	-	2	-	-	-	-	-	1	1	-	-
Other Causes	141	57	3	-	1	-	61	-	-	-	-	-	-	-	-	1	1	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	50- years & upwards.
		Total under 1 Year.																			
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				
535.—BEDALE.*																					
Mean Popul ⁿ 1861-71	4273	110	114	112	99	113	548	515	469	370	312	538	460	389	325	223	102	22			
TOTAL DEATHS	790	132	32	13	10	5	192	23	15	24	28	50	55	43	73	112	113	62			
Small-pox	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-			
Measles	4	1	-	2	-	1	4	-	-	-	-	-	-	-	-	-	-	-			
Scarlatina	11	-	3	-	1	1	5	3	1	1	-	-	1	-	-	-	-	-			
Diphtheria	9	-	1	-	-	-	1	6	-	-	-	3	-	-	-	-	-	-			
Whooping-cough	11	8	3	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-			
Typhus	18	-	-	-	-	-	-	2	-	2	2	2	2	4	3	-	1	2			
Diarrhoea & Dysentery	13	5	3	1	-	-	9	-	-	-	1	-	-	-	-	1	-	-			
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-			
Other Zymotic Dis.	11	2	1	1	-	-	4	-	-	-	-	-	1	1	2	2	3	5			
Cancer	23	-	-	-	1	-	1	-	-	-	-	-	2	4	7	8	3	-			
Scrophula and Tuberc.	9	1	-	-	1	-	2	-	2	-	2	2	2	4	7	8	3	-			
Phthisis	83	-	1	-	-	-	1	-	4	17	13	22	17	-	1	-	1	-			
Hydrocephalus	12	4	4	-	1	-	9	3	-	-	-	-	-	-	-	-	-	-			
Dis. of Brain	105	51	4	-	1	-	56	2	1	1	2	2	4	4	7	10	11	5			
Dis. of Heart & Dropsy	83	-	-	2	-	-	2	2	3	-	3	6	1	4	26	25	11	1			
Dis. of Lungs	76	14	4	4	-	-	22	1	1	-	3	2	4	6	4	18	18	2			
Dis. of Stom. and Liver	54	-	1	-	1	1	3	1	1	-	1	2	6	8	11	15	6	-			
Dis. of Kidneys	6	-	-	-	-	1	1	-	-	-	-	-	1	1	2	2	-	-			
Dis. of Gen. Organs	7	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-			
Dis. of Joints	4	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	-	-			
Dis. of Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-			
Childbirth and Metris.	16	-	-	-	-	-	-	-	-	-	1	6	9	-	-	-	-	-			
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-			
Other Violent Deaths	12	1	-	2	2	-	5	1	2	-	-	1	-	-	1	-	1	2			
Other Causes	210	43	6	-	-	-	51	3	-	3	-	-	2	3	4	24	58	62			

536.—LEYBURN.*																			
Mean Popul ⁿ 1861-71	4813	128	119	119	118	114	596	559	502	480	387	597	517	469	354	229	106	22	
TOTAL DEATHS	842	147	32	17	14	6	216	28	14	28	40	52	50	53	70	106	127	85	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	4	1	2	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	
Scarlatina	26	2	1	3	4	3	13	7	1	3	1	1	-	-	-	-	-	-	
Diphtheria	13	-	2	-	1	1	4	2	2	1	3	1	-	-	-	-	-	-	
Whooping-cough	19	7	8	2	1	-	18	1	-	-	-	-	-	-	-	-	-	-	
Typhus	29	-	1	-	2	-	3	1	2	1	3	5	4	-	5	2	2	2	
Diarrhoea & Dysentery	16	7	2	1	-	-	10	1	-	-	-	1	-	-	2	2	1	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	17	5	1	1	1	-	8	3	-	-	1	-	-	2	2	1	-	-	
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	-	6	6	4	6	-	
Scrophula and Tuberc.	4	-	-	-	-	-	1	1	1	-	-	-	-	1	1	1	1	-	
Phthisis	111	-	-	1	-	-	1	1	4	19	27	20	14	13	6	1	-	-	
Hydrocephalus	9	1	2	1	2	1	7	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	128	61	5	1	1	-	68	2	-	3	3	6	10	6	17	11	9	1	
Dis. of Heart & Dropsy	63	1	-	-	-	-	1	-	-	-	2	4	7	3	13	20	9	1	
Dis. of Lungs	92	18	5	4	1	1	29	2	1	1	2	2	4	5	7	22	14	2	
Dis. of Stom. and Liver	44	4	-	1	-	-	5	1	1	-	3	4	8	8	12	5	4	1	
Dis. of Kidneys	7	-	-	-	-	-	-	-	1	-	-	2	1	1	1	1	-	-	
Dis. of Gen. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	
Childbirth and Metris.	10	-	-	-	-	-	-	-	-	-	1	3	6	-	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
Other Violent Deaths	16	7	1	1	1	-	10	1	1	-	-	-	-	-	2	2	2	-	
Other Causes	198	33	2	1	-	-	36	9	-	-	-	-	1	1	4	28	78	48	

537.—AYSGARTH (late ASKRIGG).																			
Mean Popul ⁿ 1861-71	2773	71	76	72	72	68	359	343	291	259	214	355	317	257	187	122	62	7	
TOTAL DEATHS	573	95	25	14	8	4	146	16	13	25	25	42	41	40	54	78	65	28	
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	8	2	1	3	1	-	7	-	1	-	-	-	-	-	1	-	-	-	
Scarlatina	10	-	1	3	2	1	7	1	2	-	-	-	-	-	-	-	-	-	
Diphtheria	5	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	
Whooping-cough	9	5	4	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	
Typhus	14	-	-	-	-	-	-	1	-	3	2	3	5	1	1	-	-	-	
Diarrhoea & Dysentery	8	3	1	1	-	-	5	-	-	-	-	1	-	-	1	-	1	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	10	4	1	2	1	1	9	-	1	1	1	1	2	-	3	1	-	-	
Cancer	12	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	-	
Scrophula and Tuberc.	16	4	1	1	-	-	6	3	1	2	1	1	1	1	1	1	-	-	
Phthisis	54	-	-	-	-	-	5	1	2	9	14	16	9	3	1	-	-	-	
Hydrocephalus	9	-	3	-	-	2	5	1	1	1	1	-	-	-	-	-	-	-	
Dis. of Brain	60	29	3	1	-	-	24	1	-	1	2	2	4	4	6	10	6	-	
Dis. of Heart & Dropsy	63	-	-	-	-	-	-	-	1	2	-	4	4	8	15	21	8	-	
Dis. of Lungs	97	16	7	3	3	-	29	3	1	1	2	7	7	6	12	16	9	4	
Dis. of Stom. and Liver	39	3	-	-	-	-	3	1	2	-	-	2	5	10	5	7	1	-	
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Joints	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Childbirth and Metris.	13	-	-	-	-	-	-	-	-	1	2	4	5	1	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	8	-	1	-	1	-	2	1	-	1	-	-	-	-	1	-	1	-	
Other Causes	121	37	2	-	-	-	39	1	-	1	-	-	-	2	5	15	30	22	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
538.—REETH.																		
Mean Popul ⁿ , 1861-71		2912	84	79	74	79	72	388	369	336	332	261	390	309	254	178	71	21
TOTAL DEATHS		622	124	37	17	9	5	192	22	13	27	28	39	45	71	76	63	41
Small-pox		1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles		1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Scarlatina		33	4	7	5	3	2	21	13	—	1	—	—	—	—	—	—	—
Diphtheria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough		2	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Typhus		15	—	1	1	—	—	4	1	1	1	2	—	4	5	—	—	—
Diarrhoea & Dysentery		6	2	1	—	—	1	4	1	—	—	—	1	—	—	—	—	—
Cholera		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		14	4	1	2	—	1	8	1	—	—	—	—	—	—	—	—	—
Cancer		11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula and Tubes		22	3	6	2	1	—	12	—	2	2	2	—	1	1	2	1	—
Phthisis		166	—	—	—	—	—	—	5	13	10	16	18	25	8	2	—	—
Hydrocephalus		9	4	1	—	1	—	6	—	3	—	—	—	—	—	—	—	—
Dis. of Brain		74	33	4	1	3	—	41	3	—	1	—	1	6	4	4	16	2
Dis. of Heart & Dropsy		28	—	—	—	—	—	—	—	—	—	—	3	1	5	8	2	1
Dis. of Lungs		153	16	6	2	1	—	25	2	1	2	3	6	8	17	35	23	11
Dis. of Stom. and Liver		24	2	—	1	—	—	3	—	—	1	1	3	—	6	7	3	—
Dis. of Kidneys		13	—	—	—	—	—	—	—	—	—	—	3	—	3	2	4	1
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		2	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—
Dis. of Skin		2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Other Violent Deaths		24	2	1	1	—	—	4	—	2	5	1	4	4	2	1	1	—
Other Causes		98	52	7	—	—	—	39	1	—	—	—	—	—	2	2	8	23
539.—RICHMOND.																		
Mean Popul ⁿ , 1861-71		6623	192	166	173	165	171	867	779	882	666	496	754	645	596	454	323	142
TOTAL DEATHS		1181	223	43	31	24	21	342	51	25	35	48	79	65	59	95	153	108
Small-pox		6	1	—	—	—	—	1	—	—	—	1	1	1	—	1	1	—
Measles		13	3	4	3	—	1	11	1	—	—	1	—	—	—	—	—	—
Scarlatina		51	3	5	6	8	8	50	16	4	—	—	—	—	—	—	—	—
Diphtheria		11	1	2	—	2	1	6	2	2	—	—	—	—	—	1	—	—
Whooping-cough		15	5	5	—	3	1	14	1	—	—	—	—	—	—	—	—	—
Typhus		31	—	—	—	—	—	2	2	1	5	6	4	3	2	4	2	2
Diarrhoea & Dysentery		34	22	1	—	—	—	23	1	—	—	1	1	2	1	—	2	3
Cholera		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		37	2	1	4	2	2	11	4	—	3	1	1	—	—	1	4	4
Cancer		23	—	—	—	—	—	—	—	—	—	—	—	2	4	5	7	3
Scrophula and Tubes		9	—	1	1	—	—	4	2	1	—	1	1	—	2	—	—	—
Phthisis		131	3	—	1	—	—	4	4	3	15	20	36	24	9	8	3	1
Hydrocephalus		20	7	2	4	1	1	15	3	1	1	—	—	—	—	—	—	—
Dis. of Brain		151	50	5	5	3	1	64	3	4	3	4	2	6	7	15	23	17
Dis. of Heart & Dropsy		98	—	—	—	—	1	1	—	2	—	1	5	6	11	17	32	19
Dis. of Lungs		163	43	10	3	2	2	60	1	1	—	3	7	8	5	13	32	24
Dis. of Stom. and Liver		66	4	1	1	1	2	9	2	—	2	—	3	2	9	13	14	12
Dis. of Kidneys		33	—	1	2	—	—	3	2	—	—	2	2	3	1	5	9	4
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		11	—	—	1	—	1	2	3	—	—	2	3	—	—	—	1	—
Dis. of Skin		2	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		4	—	—	—	—	—	—	—	—	—	—	1	—	1	1	1	—
Other Violent Deaths		46	3	1	—	1	—	5	1	5	3	3	6	5	4	8	1	3
Other Causes		223	76	4	—	1	—	81	3	—	1	1	3	3	5	4	21	63

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and upwards.	
538.—REETH.																			
Mean Popul ⁿ , } 1861-71 - }	2871	94	66	78	74	74	386	371	341	268	249	367	292	242	192	115	38	10	
TOTAL DEATHS -	577	84	19	13	9	12	137	14	26	27	41	40	46	27	54	70	73	22	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	3	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	28	-	1	4	5	4	14	6	6	1	1	-	-	-	-	-	-	-	-
Diphtheria - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	8	5	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	21	-	2	-	-	1	3	-	6	3	2	3	3	1	-	-	-	-	-
Diarrhoea & Dysentery	9	1	-	1	-	-	2	-	-	-	-	1	-	-	2	2	2	-	-
Cholera - - -	18	4	2	2	2	1	11	-	-	1	1	-	-	1	2	-	2	-	-
Other Zymotic Dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - -	12	-	-	-	-	1	1	-	-	-	-	-	1	1	1	6	1	1	-
Scrofula and Tubercles	15	2	-	1	1	2	6	1	1	2	1	2	1	2	1	1	1	1	-
Phthisis - - -	100	-	-	-	-	-	4	3	9	15	24	18	19	4	6	2	-	-	-
Hydrocephalus - -	5	1	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	63	19	-	1	-	-	20	1	1	-	2	3	2	4	9	10	13	8	-
Dis. of Heart & Dropsy	52	-	1	-	-	1	2	-	-	-	-	3	2	6	13	10	5	-	-
Dis. of Lungs - - -	62	15	5	1	1	-	22	2	2	2	4	3	2	3	7	11	6	-	-
Dis. of Stom. and Liver	28	2	-	-	-	-	2	1	1	2	1	-	2	4	4	10	1	-	-
Dis. of Kidneys - -	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
Dis. of Gener. Organs -	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Dis. of Joints - - -	9	-	-	-	-	1	1	-	-	2	1	-	2	-	1	1	-	1	-
Dis. of Skin - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	4	5	4	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes - - -	115	83	2	-	-	-	35	-	-	-	-	-	-	-	7	17	39	17	-
539.—RICHMOND.																			
Mean Popul ⁿ , } 1861-71 - }	6883	187	162	174	150	181	854	780	746	690	586	857	726	642	473	340	158	31	
TOTAL DEATHS -	1288	198	61	24	13	16	312	46	26	31	58	92	101	74	109	172	190	77	
Small-pox - - -	4	3	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-
Measles - - -	4	1	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	38	2	6	6	3	5	22	10	4	-	-	2	-	-	-	-	-	-	-
Diphtheria - - -	11	-	-	1	-	2	3	4	1	2	-	-	1	-	-	-	-	-	-
Whooping-cough -	22	10	7	-	2	1	20	2	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	23	-	-	-	-	1	1	2	3	4	-	4	4	2	2	1	-	-	-
Diarrhoea & Dysentery	36	16	4	1	-	-	21	-	-	-	1	1	1	1	-	5	6	-	-
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	2	3	1	2	-	8	4	1	1	-	2	2	1	2	9	3	2	-
Cancer - - -	35	-	-	-	-	-	-	-	-	-	-	2	2	7	6	10	6	2	-
Scrofula and Tubercles	13	2	-	-	-	-	2	1	1	-	2	3	2	1	1	-	-	-	-
Phthisis - - -	155	1	1	-	-	-	2	2	7	17	30	44	25	17	4	6	1	-	-
Hydrocephalus - -	18	3	6	1	-	1	11	3	2	1	-	-	1	-	-	-	-	-	-
Dis. of Brain - - -	146	38	9	3	2	-	52	3	1	2	7	4	4	6	20	18	24	5	-
Dis. of Heart & Dropsy	114	-	-	1	-	1	2	2	3	1	2	3	11	13	26	24	27	-	-
Dis. of Lungs - - -	191	46	11	6	1	2	63	3	-	-	4	4	14	9	30	36	24	11	-
Dis. of Stom. and Liver	96	5	3	-	-	-	8	4	2	-	7	8	12	10	14	20	10	1	-
Dis. of Kidneys - -	7	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	1	-
Dis. of Gener. Organs -	9	-	-	-	-	-	-	-	-	-	1	1	-	3	1	2	1	-	-
Dis. of Joints - - -	6	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-
Dis. of Skin - - -	4	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	2	8	9	1	-	-	-	-	-
Suicide - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Violent Deaths -	24	1	-	2	2	2	7	5	-	1	-	2	1	1	1	4	2	-	-
Other Causes - - -	274	67	11	1	1	-	80	-	1	1	1	-	6	-	11	35	84	55	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and over.	
540.—DARLINGTON.																			
Mean Popul ⁿ , } 1861-71 }	16653	531	465	457	467	464	2384	2032	1707	1533	1566	2678	1821	1345	883	490	188	26	
TOTAL DEATHS -	3525	1039	233	123	96	68	1549	179	71	100	132	204	205	201	251	238	257	78	
Small-pox - - -	37	11	2	5	2	3	23	2	1	-	6	2	2	-	1	-	-	-	
Measles - - - -	46	15	11	6	5	4	41	4	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	167	16	19	26	27	12	100	51	10	3	1	1	-	1	-	-	-	-	
Diphtheria - - -	55	10	11	6	5	5	37	13	2	-	-	-	-	1	-	-	-	-	
Whooping-cough -	60	35	11	5	5	2	58	1	-	-	-	-	-	-	-	1	-	-	
Typhus - - - - -	141	2	-	2	7	7	18	25	12	13	18	16	11	10	6	9	2	1	
Diarrhoea & Dysentery	149	98	19	6	1	1	120	3	-	2	-	3	1	4	3	8	7	1	
Cholera - - - - -	18	7	2	-	1	1	11	2	-	-	-	-	-	2	1	2	-	-	
Other Zymotic Dis. -	71	8	5	9	11	3	36	7	4	2	1	2	2	4	3	6	1	2	
Cancer - - - - -	40	-	-	-	-	-	-	-	-	1	-	-	7	8	7	13	3	1	
Serofula and Tabes -	104	42	29	5	2	-	78	7	3	1	1	5	3	1	2	1	-	-	
Phthisis - - - -	347	6	4	2	-	1	13	7	13	41	54	61	68	33	34	3	-	-	
Hydrocephalus - -	62	21	17	6	5	3	51	11	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	559	301	27	10	7	3	348	3	2	5	14	18	13	22	42	42	44	3	
Dis. of Heart & Dropsy	245	13	4	1	2	2	22	5	1	6	5	18	25	35	27	28	27	7	
Dis. of Lungs - - -	436	150	55	18	8	3	234	15	1	2	3	15	17	27	36	33	37	7	
Dis. of Stom. and Liver	139	22	1	1	1	2	27	1	2	8	3	9	21	21	26	17	3	1	
Dis. of Kidneys - -	51	-	1	1	1	1	4	-	2	1	2	1	4	7	4	19	6	1	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	15	-	1	-	-	-	1	3	-	1	-	-	-	1	3	2	1	-	
Dis. of Skin - - - -	9	4	-	1	-	-	5	-	-	-	-	-	-	-	4	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	9	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	-	
Other Violent Deaths -	178	11	3	7	5	2	28	17	15	9	20	28	17	13	18	9	4	-	
Other Causes - - -	889	272	11	7	1	3	294	-	2	3	2	4	12	10	18	31	27	-	

541 a.—STOCKTON.																	
Mean Popul ⁿ , 1861-71	41468	1387	1184	1270	1149	1122	6112	4920	3980	3803	4392	7533	4949	3035	1684	779	245
TOTAL DEATHS -	9758	3091	1029	481	291	206	5098	486	234	240	353	632	588	565	575	409	285
Small-pox -	134	33	14	16	10	4	77	10	5	7	11	15	5	4	2	-	-
Measles -	205	31	88	32	25	14	190	14	1	1	-	-	-	-	-	-	-
Scarlatina -	605	39	89	108	87	71	394	167	24	10	4	4	1	1	-	-	-
Diphtheria -	48	7	5	8	8	4	27	10	2	1	-	5	1	1	-	1	-
Whooping-cough -	153	58	48	22	8	6	142	11	-	-	-	-	-	-	-	-	-
Typhus -	493	16	25	22	20	14	97	28	40	30	62	79	54	36	32	14	1
Diarrhoea & Dysentery -	414	263	69	11	5	1	340	1	1	-	2	4	7	8	14	13	4
Cholera -	44	7	2	2	-	1	12	1	5	2	2	1	8	5	3	4	1
Other Zymotic Dis. -	291	29	43	22	14	15	123	21	1	2	6	3	9	8	12	11	2
Cancer -	81	-	-	-	-	-	-	-	-	1	-	-	14	13	17	15	16
Serofula and Tabes -	359	143	123	27	9	6	308	15	9	7	5	10	1	2	2	2	1
Phthisis -	745	20	8	8	6	0	47	18	32	73	118	201	121	63	63	6	1
Hydrocephalus -	263	107	67	40	16	7	237	23	3	-	-	-	-	-	-	-	-
Dis. of Brain -	1506	807	87	31	19	17	981	22	18	12	21	52	87	97	82	66	68
Dis. of Heart & Dropsy -	463	4	1	3	1	3	12	16	16	14	7	41	54	71	85	51	45
Dis. of Lungs -	1292	429	220	80	45	18	733	28	7	9	14	45	68	72	106	63	63
Dis. of Stom. and Liver -	355	67	12	10	2	5	96	10	9	13	12	18	42	36	58	41	39
Dis. of Kidneys -	101	3	3	1	-	1	8	6	1	-	4	11	8	4	19	20	17
Dis. of Genes. Organs -	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Dis. of Joints -	31	1	-	-	-	1	2	5	4	1	3	3	3	5	3	1	1
Dis. of Skin -	17	6	-	1	-	-	7	1	1	-	-	2	-	1	3	1	1
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	33	-	-	-	-	-	-	-	-	1	2	8	5	10	3	3	1
Other Violent Deaths -	610	39	18	15	10	9	97	39	56	54	76	104	71	32	41	14	4
Other Causes -	1692	982	116	21	5	3	1127	7	11	2	6	23	20	31	46	25	162

541 b.—HARTLEPOOL.																	
Mean Popul ⁿ , 1861-71	18001	615	555	528	518	516	2732	2182	1718	1761	1929	3165	2112	1322	700	282	86
TOTAL DEATHS -	3900	1288	412	199	132	79	2110	225	82	104	130	279	233	201	225	222	119
Small-pox -	91	23	7	4	7	7	48	9	2	3	6	13	7	2	1	-	-
Measles -	130	25	62	26	12	7	122	8	-	-	-	-	-	-	-	-	-
Scarlatina -	263	24	33	46	24	17	175	76	8	2	-	-	-	-	-	-	-
Diphtheria -	29	1	4	3	2	5	15	4	1	-	-	-	-	-	-	-	-
Whooping-cough -	72	30	18	11	6	1	72	-	-	-	-	-	-	-	-	-	-
Typhus -	161	5	11	10	8	1	40	21	12	14	22	18	11	7	3	2	1
Diarrhoea & Dysentery -	253	169	44	11	4	1	229	3	-	5	12	1	1	1	1	1	1
Cholera -	17	2	1	-	6	4	4	2	1	-	2	-	1	1	1	1	1
Other Zymotic Dis. -	73	17	9	8	5	3	42	6	1	1	1	1	6	3	4	3	1
Cancer -	39	-	-	-	-	-	-	-	-	-	-	3	4	7	14	8	2
Serofula and Tabes -	98	28	24	7	7	-	66	12	9	5	-	3	2	2	1	-	-
Phthisis -	339	17	8	8	4	2	39	12	12	34	44	93	54	28	16	8	-
Hydrocephalus -	100	31	20	9	9	4	83	14	3	-	-	-	-	-	-	-	-
Dis. of Brain -	401	167	14	29	7	4	212	12	8	4	6	11	19	23	27	21	20
Dis. of Heart & Dropsy -	171	3	7	2	-	1	13	5	2	1	2	29	27	29	23	29	2
Dis. of Lungs -	497	195	87	14	9	8	313	8	2	4	7	12	25	33	35	21	22
Dis. of Stom. and Liver -	151	48	10	2	-	-	60	2	2	3	3	10	15	15	21	16	1
Dis. of Kidneys -	39	1	1	1	-	1	4	3	-	-	-	4	2	5	8	18	9
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	12	-	-	-	-	-	-	3	3	-	-	1	4	1	-	1	-
Dis. of Skin -	13	6	2	1	-	-	9	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	18	-	-	-	-	-	-	-	-	-	-	1	2	3	3	3	1
Other Violent Deaths -	283	16	11	5	8	3	41	18	16	20	28	66	27	21	15	4	2
Other Causes -	723	474	39	5	4	1	523	7	-	9	5	18	17	14	18	42	26

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
540.—DARLINGTON.																			
Mean Popul ⁿ , 1861-71		16814	547	495	461	472	446	2421	2013	1732	1643	1509	2562	1827	1319	939	582	223	44
TOTAL DEATHS -		3452	826	281	140	85	64	1396	178	88	107	129	249	198	150	242	332	280	103
Small-pox - - -		35	10	4	7	1	2	24	-	3	3	-	2	1	-	2	-	-	-
Measles - - -		46	7	22	7	3	2	41	3	-	-	1	-	-	1	-	-	-	-
Scarlatina - - -		206	13	30	32	31	20	126	64	7	4	2	3	-	-	-	-	-	-
Diphtheria - - -		55	6	7	2	10	2	27	22	4	1	-	1	-	-	-	-	-	-
Whooping-cough -		66	28	23	9	1	2	63	3	-	-	-	-	-	-	-	-	-	-
Typhus - - -		107	4	3	5	4	5	21	12	18	11	7	16	3	5	8	3	3	1
Diarrhoea & Dysentery		143	95	17	2	1	-	115	-	1	-	1	2	3	2	4	11	3	1
Cholera - - -		12	3	2	1	-	-	6	-	-	-	-	2	2	-	1	-	-	1
Other Zymotic Dis. -		63	11	13	6	4	2	36	4	2	-	2	2	3	2	3	4	3	2
Cancer - - -		91	-	-	-	-	-	-	-	-	-	1	3	10	21	23	25	6	2
Scrofula and Tuberc.		109	47	26	6	3	4	86	5	8	2	1	5	2	-	-	-	-	-
Phthisis - - -		437	7	5	4	-	1	17	14	16	58	76	120	78	34	20	4	-	-
Hydrocephalus - -		53	12	11	10	3	5	41	10	2	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -		467	236	31	17	7	3	284	17	3	7	8	9	11	16	28	51	28	5
Dis. of Heart & Dropsy		254	12	5	-	2	1	20	4	5	8	5	22	25	27	56	59	23	1
Dis. of Lungs - - -		403	115	55	24	8	10	212	6	5	3	5	12	16	17	36	54	27	10
Dis. of Stom. and Liver		146	17	1	2	1	3	24	4	6	8	6	8	9	14	20	29	20	3
Dis. of Kidneys - -		26	-	1	-	1	-	2	1	1	-	1	3	3	4	3	6	9	-
Dis. of Gen. Organs -		14	-	-	-	-	-	-	-	1	1	1	3	3	1	4	1	-	-
Dis. of Joints - - -		14	1	-	2	-	-	3	1	3	-	1	1	1	-	1	1	2	-
Dis. of Skin - - -		11	2	1	-	-	-	3	-	-	1	1	1	-	-	1	2	2	-
Childbirth and Metris		64	-	-	-	-	-	-	-	4	-	8	30	22	1	-	-	-	-
Suicide - - -		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths -		34	1	3	3	2	2	11	7	1	-	1	1	1	-	-	4	5	3
Other Causes - - -		595	209	21	1	3	-	234	1	2	1	1	6	5	5	29	75	128	78

541 a.—STOCKTON.

Mean Popul ⁿ , 1861-71	36935	1397	1198	1191	1141	1133	6050	4872	3906	3335	3339	5848	4000	2717	1609	851	344	64
TOTAL DEATHS -	5737	2485	934	451	279	194	4343	432	167	233	236	649	536	432	500	528	435	196
Small-pox -	114	38	15	13	8	9	80	12	6	5	6	2	1	-	-	1	-	-
Measles -	205	39	83	31	15	12	180	29	2	-	-	1	2	-	-	-	-	-
Scarlatina -	540	30	73	104	82	61	350	143	24	5	8	10	1	-	-	-	-	-
Diphtheria -	48	5	6	4	6	8	29	10	3	3	-	-	2	1	-	-	-	-
Whooping-cough -	187	79	61	25	14	9	178	8	-	1	-	-	-	-	-	-	-	-
Typhus -	207	9	29	29	23	17	104	71	38	41	51	64	43	38	32	18	3	1
Diarrhoea & Dysentery -	408	237	68	10	4	3	332	1	-	-	3	8	7	9	18	17	17	6
Cholera -	49	3	1	-	1	3	8	5	2	4	-	12	4	3	8	1	2	-
Other Zymotic Dis. -	162	23	21	24	21	10	99	20	2	1	1	2	4	6	4	12	9	2
Cancer -	119	-	-	-	-	1	1	-	-	1	-	6	30	22	28	16	12	3
Scrofula and Tuberc. -	336	165	93	33	12	3	306	8	5	3	2	6	1	4	1	-	-	-
Phthisis -	850	7	12	6	3	2	30	20	43	95	118	270	140	79	40	13	2	-
Hydrocephalus -	182	74	63	18	6	7	168	14	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	1131	581	76	29	15	12	715	23	11	17	17	37	59	54	66	85	39	10
Dis. of Heart & Dropsy -	469	6	5	3	4	7	25	11	10	12	14	43	57	52	105	96	40	4
Dis. of Lungs -	1157	353	204	86	47	20	719	27	4	8	12	31	33	48	76	100	74	32
Dis. of Stom. and Liver -	573	40	17	7	3	3	70	7	5	10	14	43	47	64	53	48	19	3
Dis. of Kidneys -	71	2	2	4	1	1	10	5	2	1	4	7	14	8	6	10	3	1
Dis. of Gen. Organs -	33	-	-	-	-	-	-	-	-	1	1	6	8	8	7	1	-	-
Dis. of Joints -	28	1	1	1	-	1	4	2	1	2	2	5	3	3	5	1	-	-
Dis. of Skin -	17	7	2	2	-	-	11	1	-	-	-	1	1	-	1	-	2	-
Childbirth and Metrisia -	151	-	-	-	-	-	-	-	-	3	34	66	47	1	-	-	-	-
Suicide -	9	-	-	-	-	-	-	-	-	3	3	3	1	2	-	-	-	-
Other Violent Deaths -	129	24	12	10	10	6	62	15	3	9	1	8	5	12	8	7	2	1
Other Causes -	1465	762	98	15	4	2	881	11	2	5	5	18	26	27	47	102	210	133

541 b.—HARTLEPOOL.

Mean Popul ⁿ , 1861-71	16560	606	538	536	505	469	2654	2176	1718	1507	1573	2680	1900	1188	692	338	106	19
TOTAL DEATHS -	3575	1052	406	206	107	76	1847	208	68	83	114	241	253	109	183	204	142	63
Small-pox -	63	14	8	8	7	1	38	11	2	3	2	3	3	-	1	-	-	-
Measles -	122	24	46	21	13	5	109	11	1	-	1	-	-	-	-	-	-	-
Scarlatina -	225	12	37	45	28	24	146	65	9	2	1	2	-	-	-	-	-	-
Diphtheria -	19	4	6	2	1	3	16	2	-	-	-	1	-	-	-	-	-	-
Whooping-cough -	89	38	31	7	4	6	86	2	-	-	-	-	-	-	-	-	-	-
Typhus -	161	4	10	9	11	5	39	31	7	11	11	20	14	16	2	7	3	-
Diarrhoea & Dysentery -	251	156	53	8	3	1	221	4	1	-	1	2	5	-	2	10	2	3
Cholera -	20	1	-	1	-	-	2	3	-	1	1	4	4	3	1	1	-	-
Other Zymotic Dis. -	58	6	9	6	8	4	33	7	-	1	3	-	5	3	5	1	-	-
Cancer -	72	-	-	-	1	-	1	-	-	-	1	3	16	17	18	15	1	-
Scrofula and Tuberc. -	89	27	22	9	4	3	65	6	3	-	-	2	-	2	2	-	-	-
Phthisis -	374	4	6	9	3	2	24	9	24	41	58	98	71	85	11	7	-	-
Hydrocephalus -	67	18	21	10	3	5	58	7	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	349	128	17	16	8	5	174	19	4	5	1	13	23	13	39	34	21	3
Dis. of Heart & Dropsy -	154	-	4	6	-	1	11	2	6	3	4	16	20	20	33	25	13	3
Dis. of Lungs -	455	168	82	37	7	7	291	11	5	2	5	11	23	12	30	39	20	9
Dis. of Stom. and Liver -	167	38	4	4	1	1	48	2	1	2	5	13	24	24	23	20	4	1
Dis. of Kidneys -	25	-	-	1	-	-	1	2	-	-	-	3	9	5	4	1	-	-
Dis. of Gen. Organs -	23	-	-	-	-	-	-	-	-	-	-	4	6	8	3	2	-	-
Dis. of Joints -	12	-	-	-	-	-	-	5	1	-	-	-	-	1	-	1	-	-
Dis. of Skin -	6	2	-	-	-	-	2	-	-	-	-	1	1	1	-	1	-	-
Childbirth and Metrisia -	68	-	-	-	-	-	-	-	-	2	16	31	19	-	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
Other Violent Deaths -	43	11	1	4	2	1	19	7	1	2	-	2	-	2	-	5	3	-
Other Causes -	965	397	48	13	3	2	463	2	4	7	4	9	8	8	8	35	72	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	80—	
542.—AUCKLAND.																			
Mean Popul ⁿ , 1861-71		31640	1155	976	1043	903	900	4977	4111	3452	3118	2922	4983	3597	2335	1360	568	166	29
TOTAL DEATHS		7573	2628	864	409	207	161	4269	405	196	245	279	391	362	320	380	306	219	77
Small-pox		101	26	9	11	6	6	58	9	3	4	11	12	4					
Measles		223	28	99	60	16	7	210	13										
Scarlatina		589	35	94	100	72	62	381	167	30	4	2	5						
Diphtheria		59	13	9	5	3	8	40	13	4	1	1							
Whooping-cough		187	63	59	22	6	2	182	5										
Typhus		397	10	16	18	15	19	78	51	34	47	46	63	27	23	10	18	3	
Diarrhoea & Dysentery		309	173	68	15	5		261	1			1	4	5	6	19	13	9	
Cholera		17	7	4	1	2	1	15											
Other Zymotic Dis.		148	25	29	14	15	11	94	13	2	6	3	2	5	8	6	6	3	
Cancer		58							1		1			5	3	2	14	4	
Scrofula and Tuberc.		240	144	110	45	5	6	300	15	10	10		5			1	1		
Phthisis		377	4	5		3	5	17	9	23	73	102	125	100	72	42	8	1	
Hydrocephalus		145	61	40	20	9	4	134	10	1									
Dis. of Brain		1136	746	69	86	15	11	877	28	13	7	13	18	34	31	43	44	25	1
Dis. of Heart & Dropsy		293	2	10	2	1	4	19	10	13	7	12	28	36	44	56	43	1	
Dis. of Lungs		767	298	110	37	18	5	468	16	4	9	16	20	34	34	84	52	32	1
Dis. of Stom. and Liver		245	52	22	5	2	3	84	10	6	7	10	14	24	25	38	30	5	
Dis. of Kidneys		61		1	1			2	2	2		2	5	6	2	7	14	11	1
Dis. of Gen. Organs																			
Dis. of Joints		25			2			2	2		4	2	7	5		1	1	1	
Dis. of Skin		5	2					2							1	1			
Childbirth and Metria																			
Suicide		10													1	1	3	3	
Other Violent Deaths		487	13	12	12	9	7	53	23	44	62	55	73	71	49	30	23	8	
Other Causes		1439	908	98	13	3		1022	7		1		4	10	17	22	123	118	40

543.—TEESDALE.																	
Mean Popul ⁿ , 1861-71		10313	323	281	303	274	281	1462	1344	1217	1000	775	1281	1102	899	658	395
TOTAL DEATHS		1996	416	107	55	33	21	632	78	43	69	76	125	110	133	163	245
Small-pox		1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles		19	5	5	6	—	—	17	1	1	—	—	—	—	—	—	—
Scarlatina		68	5	11	8	9	5	38	12	5	5	1	—	—	—	—	—
Diphtheria		12	—	—	—	3	—	5	6	—	—	—	1	—	—	—	—
Whooping-cough		29	20	7	1	—	—	28	—	—	—	—	—	—	—	—	—
Typhus		51	2	1	1	1	2	7	5	2	8	9	6	5	2	5	2
Diarrhoea & Dysentery		39	18	3	—	—	—	21	—	—	—	—	4	2	1	1	3
Cholera		2	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
Other Zymotic Dis.		45	5	4	1	2	1	13	6	—	5	1	3	8	1	3	7
Cancer		24	—	—	—	—	—	—	—	—	—	—	—	—	6	13	5
Scrofula and Tuberc.		49	12	7	2	2	1	34	6	5	1	2	5	1	1	2	3
Phthisis		201	—	1	3	—	1	5	4	4	27	20	50	57	27	15	2
Hydrocephalus		34	7	12	4	1	—	24	6	3	1	—	—	—	—	—	—
Dis. of Brain		253	90	9	9	2	4	114	8	5	5	4	11	9	12	19	42
Dis. of Heart & Dropsy		147	1	—	1	1	—	3	4	1	4	8	5	13	19	28	30
Dis. of Lungs		333	58	38	7	4	3	105	5	2	7	6	12	20	54	37	57
Dis. of Stom. and Liver		126	27	2	3	2	—	34	3	3	—	3	8	8	12	20	25
Dis. of Kidneys		45	1	—	—	—	—	1	—	—	—	2	3	1	6	6	12
Dis. of Gen. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		17	—	—	—	—	—	—	1	—	—	5	2	1	2	—	3
Dis. of Skin		5	3	1	1	—	—	5	—	—	—	—	—	—	—	—	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		12	—	—	—	—	—	—	—	—	—	—	3	—	3	4	1
Other Violent Deaths		69	4	3	5	2	—	14	2	9	8	4	10	3	6	3	6
Other Causes		355	158	8	2	2	3	173	2	3	—	1	1	6	7	7	77

544.—WEARDALE.																	
Mean Popul ⁿ , 1861-71		9212	290	267	266	268	250	1341	1167	1068	948	884	1317	1021	759	446	188
TOTAL DEATHS		1882	510	127	52	31	25	745	63	46	69	85	125	122	166	180	162
Small-pox		13	4	2	1	—	—	7	1	—	—	1	1	2	1	—	—
Measles		13	4	11	1	—	1	17	—	1	—	—	—	—	—	—	—
Scarlatina		80	8	8	16	8	11	51	21	4	8	1	—	—	—	—	—
Diphtheria		16	5	2	2	—	1	10	2	—	2	1	1	—	—	—	—
Whooping-cough		17	5	9	3	—	—	17	—	—	—	—	—	—	—	—	—
Typhus		100	1	4	2	1	3	11	7	—	15	11	16	10	9	8	10
Diarrhoea & Dysentery		51	28	10	1	—	1	40	—	2	2	—	2	2	2	2	1
Cholera		6	2	—	—	1	—	3	1	—	—	—	—	1	1	1	—
Other Zymotic Dis.		54	7	8	7	5	3	80	2	3	—	1	—	3	5	2	2
Cancer		22	—	—	—	—	—	—	—	—	1	—	2	1	4	7	7
Scrofula and Tuberc.		40	14	4	1	—	1	30	5	3	1	4	4	2	2	—	1
Phthisis		239	1	1	1	—	—	3	2	7	20	32	29	35	42	27	9
Hydrocephalus		30	8	6	—	1	—	15	2	2	1	—	—	—	—	—	—
Dis. of Brain		180	72	12	4	6	—	94	9	4	4	2	5	11	8	13	16
Dis. of Heart & Dropsy		101	6	1	1	—	—	8	1	2	2	4	6	7	18	29	30
Dis. of Lungs		331	100	27	8	4	1	143	5	2	4	7	8	19	34	55	55
Dis. of Stom. and Liver		100	25	1	—	—	—	26	1	4	4	2	6	11	17	17	8
Dis. of Kidneys		37	1	1	—	1	—	3	1	1	3	3	1	1	6	7	4
Dis. of Gen. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		14	1	2	—	—	—	3	—	—	1	3	—	2	1	1	1
Dis. of Skin		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		4	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1
Other Violent Deaths		96	2	6	3	3	3	17	4	8	8	11	10	12	5	1	2
Other Causes		323	213	12	1	1	—	227	1	—	—	1	—	3	7	12	29

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.	85 years.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75						
542.—AUCKLAND.																					
Mean Popul ⁿ , 1861-71	28185	1104	984	970	921	888	4867	4010	3281	2539	2438	4080	2952	1976	1198	602	209	33			
TOTAL DEATHS	6764	2056	815	371	231	182	3655	396	164	201	238	462	369	277	303	325	276	98			
Small-pox	68	19	10	5	6	1	41	8	2	5	1	6	4	1	-	-	-	-	-		
Measles	213	87	78	42	17	14	188	21	2	1	-	-	-	-	-	1	-	-	-		
Scarlatina	395	37	89	94	84	76	380	137	40	10	1	4	3	-	-	-	-	-	-		
Diphtheria	62	5	3	12	10	9	39	16	3	4	-	-	-	-	-	-	-	-	-		
Whooping-cough	179	77	59	14	13	8	171	6	2	-	-	-	-	-	-	-	-	-	-		
Typhus	342	7	18	18	13	14	70	51	35	34	38	52	29	21	10	9	1	-	-		
Diarrhoea & Dysentery	296	126	62	12	3	4	297	2	1	1	3	9	7	6	10	12	8	-	-		
Cholera	15	8	2	-	1	-	11	-	-	-	-	2	1	1	-	-	-	-	-		
Other Zymotic Dis.	126	20	22	14	17	5	78	11	4	-	2	3	6	6	7	5	4	-	-		
Cancer	74	-	-	-	-	-	-	-	-	-	-	4	10	28	17	11	3	1	-		
Serofula and Tuberc.	343	180	118	42	7	9	306	16	2	3	6	5	1	4	-	-	-	-	-		
Phthisis	654	4	6	2	4	2	18	14	32	87	118	183	116	50	31	6	-	-	-		
Hydrocephalus	125	48	40	7	11	4	110	10	3	-	1	-	-	1	-	-	-	-	-		
Dis. of Brain	889	553	61	26	18	9	667	33	7	7	7	15	29	19	46	45	16	1	-		
Dis. of Heart & Dropsy	297	2	4	3	2	6	17	4	12	11	7	34	44	43	56	20	17	2	-		
Dis. of Lungs	606	197	104	42	12	11	566	23	8	10	4	19	23	37	43	41	24	3	-		
Dis. of Stom. and Liver	254	44	15	7	6	3	75	2	4	2	7	30	32	29	42	23	6	2	-		
Dis. of Kidneys	26	-	2	3	-	-	5	1	-	1	1	6	4	-	4	3	1	-	-		
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	-	5	5	4	4	-	-	-	-		
Dis. of Joints	22	-	-	-	-	1	1	1	1	1	3	8	6	4	1	-	1	-	-		
Dis. of Skin	7	2	1	1	-	-	4	-	-	-	1	-	2	-	-	-	-	-	-		
Childbirth and Metria	162	-	-	-	-	-	-	-	-	17	35	70	40	-	-	-	-	-	-		
Suicide	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-		
Other Violent Deaths	79	10	7	11	3	3	84	11	3	5	2	2	6	7	2	1	5	1	-		
Other Causes	1339	730	114	16	4	3	867	9	2	1	2	10	7	15	59	118	190	88	-		

543.—TEESDALE.

Mean Popul ⁿ , 1861-71	10326	280	287	250	258	269	1344	1304	1103	1053	879	1343	1097	897	648	443	179	36
TOTAL DEATHS	1938	327	99	42	32	25	525	77	61	70	95	137	127	137	169	222	230	79
Small-pox	3	1	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
Measles	17	—	9	4	3	—	16	1	—	—	—	—	—	—	—	—	—	—
Scarlatina	56	2	5	2	3	7	19	22	10	1	—	—	—	—	1	—	—	—
Diphtheria	70	1	1	1	3	1	7	5	1	—	2	4	—	—	1	—	—	—
Whooping-cough	28	13	8	4	3	—	28	—	—	—	—	—	—	—	—	—	—	—
Typhus	44	3	—	3	1	—	7	6	2	8	3	4	8	2	2	2	—	—
Diarrhoea & Dysentery	53	18	7	1	2	—	28	1	—	—	—	2	3	1	1	8	6	3
Cholera	6	—	—	—	1	1	2	1	1	—	—	—	—	—	—	2	—	—
Other Zymotic Dis.	48	8	5	—	2	1	16	4	2	1	—	1	1	4	5	6	6	2
Cancer	37	—	—	—	—	—	—	1	—	—	—	3	1	9	12	9	1	—
Serofula and Tuberc.	41	13	7	3	1	1	25	3	5	2	—	2	—	2	2	—	—	—
Phthisis	287	—	2	—	2	4	4	7	20	42	58	66	48	30	14	2	1	—
Hydrocephalus	16	5	2	1	—	3	11	2	2	1	—	—	—	—	—	—	—	—
Dis. of Brain	220	69	11	8	3	2	83	12	6	4	5	8	12	15	24	33	17	1
Dis. of Heart & Dropsy	185	2	—	—	—	—	5	1	1	1	3	11	19	29	41	38	32	5
Dis. of Lungs	231	47	26	8	3	3	89	6	4	2	5	6	13	19	24	35	38	10
Dis. of Stom. and Liver	140	20	2	1	3	3	29	4	5	4	4	11	6	14	20	33	9	1
Dis. of Kidneys	25	—	—	1	—	—	1	—	—	1	6	3	2	2	3	4	3	—
Dis. of Gener. Organs	10	—	—	—	—	—	—	—	—	—	2	1	2	2	2	1	—	—
Dis. of Joints	6	—	—	—	1	—	1	1	—	—	—	1	—	1	1	—	—	—
Dis. of Skin	8	2	—	—	—	—	2	—	—	—	—	—	1	—	4	—	—	—
Childbirth and Metria	23	—	—	—	—	—	—	—	—	1	4	9	9	—	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	24	2	1	3	—	1	7	—	1	1	—	—	1	1	1	6	5	1
Other Causes	387	131	10	2	—	—	145	1	—	1	2	3	6	3	11	42	121	54

544.—WEARDALE.

Mean Popul ⁿ , 1861-71	8575	288	265	269	244	250	1316	1161	1024	862	756	1183	867	655	431	226	78	16
TOTAL DEATHS	1773	401	105	62	33	26	627	81	51	69	116	178	126	92	147	149	88	49
Small-pox	13	1	2	1	—	1	5	1	1	1	3	—	—	1	1	—	—	—
Measles	14	1	1	4	3	—	9	3	—	1	—	—	1	—	—	—	—	—
Scarlatina	75	3	9	15	5	15	47	16	5	1	3	3	—	—	—	—	—	—
Diphtheria	12	5	2	—	1	—	6	5	—	—	—	—	—	1	—	—	—	—
Whooping-cough	25	15	6	2	1	—	24	1	—	—	—	—	—	—	—	—	—	—
Typhus	92	2	4	1	5	2	14	9	10	13	6	15	6	6	7	5	1	—
Diarrhoea & Dysentery	42	19	7	1	1	—	28	7	—	—	1	1	—	—	1	6	—	3
Cholera	8	3	1	1	—	—	6	1	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	41	10	3	6	3	1	23	3	1	3	—	1	1	1	3	3	2	—
Cancer	24	—	—	—	—	—	—	—	—	—	1	—	4	4	5	7	3	—
Serofula and Tuberc.	50	18	10	2	1	—	31	4	1	3	5	3	3	1	1	—	—	—
Phthisis	296	1	3	1	1	3	9	5	22	26	48	84	51	19	21	7	1	—
Hydrocephalus	22	8	4	3	—	—	15	5	—	2	—	—	—	—	—	—	—	—
Dis. of Brain	141	44	10	7	2	—	63	5	2	7	3	4	5	4	16	21	8	3
Dis. of Heart & Dropsy	142	4	1	—	—	—	6	5	2	4	7	12	14	18	24	28	11	1
Dis. of Lungs	239	68	28	11	7	3	117	8	4	2	11	9	10	12	22	27	14	3
Dis. of Stom. and Liver	111	18	2	1	—	—	21	3	2	1	8	12	8	16	21	12	8	2
Dis. of Kidneys	18	—	—	—	—	—	—	1	1	2	4	3	5	1	1	1	—	—
Dis. of Gener. Organs	12	—	—	—	—	—	—	—	—	—	1	2	2	4	3	—	—	—
Dis. of Joints	10	—	—	—	—	—	—	—	—	—	2	2	1	—	1	3	1	—
Dis. of Skin	6	4	—	—	—	—	4	—	—	—	—	—	1	—	1	—	—	—
Childbirth and Metria	54	—	—	—	—	—	—	—	—	3	14	25	13	1	—	—	—	—
Suicide	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other Violent Deaths	16	6	3	2	—	1	13	1	—	—	1	—	—	—	1	28	41	54
Other Causes	511	173	9	4	1	—	187	3	—	—	—	2	3	2	9	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
545.—DURHAM.																		
Mean Popul ⁿ , 1861-71	42564	1398	1242	1293	1200	1170	6303	5198	4688	4274	4102	6638	4792	3318	2007	934	232	25
TOTAL DEATHS	8024	2602	916	421	274	197	4470	473	277	296	280	491	446	524	568	606	360	111
Small-pox	80	20	3	8	3	2	96	11	5	1	9	7	7	6	2	—	1	—
Measles	156	28	60	31	18	7	144	9	1	1	—	—	—	1	—	—	—	—
Scarlatina	647	32	81	114	104	83	415	181	35	8	2	3	—	3	—	—	—	—
Diphtheria	39	4	5	3	6	2	29	5	3	1	—	1	—	—	—	—	—	—
Whooping-cough	104	58	26	15	7	9	103	1	—	—	—	—	—	—	—	—	—	—
Typhus	499	14	28	28	22	18	110	73	32	46	43	57	30	26	35	21	8	1
Diarrhoea & Dysentery	293	181	70	16	4	8	230	4	4	—	2	4	7	6	10	12	8	—
Cholera	52	7	3	3	4	3	20	3	1	1	1	4	9	6	6	6	2	1
Other Zymotic Dis.	157	20	93	17	15	8	93	21	5	8	1	4	4	4	8	8	3	1
Cancer	57	—	—	—	—	—	—	—	—	—	—	3	8	5	18	10	15	3
Serofula and Tabes	430	174	142	59	12	8	375	11	14	10	5	8	3	—	2	—	—	—
Phthisis	670	4	3	2	2	2	15	14	39	81	93	103	111	100	41	12	1	—
Hydrocephalus	254	111	79	27	10	5	232	16	5	2	—	—	—	—	—	—	—	—
Dis. of Brain	1177	639	75	33	15	17	769	21	12	16	17	20	45	59	72	35	45	1
Dis. of Heart & Dropsy	445	8	6	3	3	2	22	8	11	21	13	30	54	71	100	70	28	1
Dis. of Lungs	1035	305	156	46	22	23	532	31	11	13	17	37	36	72	102	129	32	1
Dis. of Stom. and Liver	338	72	16	4	2	1	95	8	11	10	7	23	24	32	45	31	19	1
Dis. of Kidneys	93	3	2	1	2	—	8	3	2	4	4	8	6	18	15	30	9	1
Dis. of Gener. Organs	4	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—
Dis. of Joints	21	—	3	—	—	1	4	1	2	2	1	3	3	—	1	2	1	—
Dis. of Skin	13	4	—	—	—	—	4	1	1	1	—	—	—	2	2	1	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	27	—	—	—	—	—	—	—	—	—	4	2	7	6	3	3	1	—
Other Violent Deaths	378	14	12	11	18	6	41	42	79	61	53	92	56	61	47	32	4	—
Other Causes	1735	1018	127	30	5	4	1184	10	4	3	5	14	18	22	32	162	207	25

546.—EASINGTON.																		
Mean Popul ⁿ , 1861-71		15887	566	504	503	482	457	2512	2114	1829	1682	1436	2298	1684	1152	734	336	98
TOTAL DEATHS		3578	1167	382	171	110	90	1920	219	127	121	108	146	166	175	226	297	123
Small-pox		33	6	6	3	1	—	16	5	2	4	4	2	—	—	—	—	—
Measles		69	5	23	14	8	5	53	5	—	—	—	—	—	—	—	—	—
Scarlatina		322	23	44	51	43	40	207	99	11	4	—	1	—	—	—	—	—
Diphtheria		8	1	—	—	—	—	4	3	—	—	—	—	1	—	—	—	—
Whooping-cough		35	16	12	3	3	1	35	—	—	—	—	—	—	—	—	—	—
Typhus		133	6	9	11	3	9	38	27	12	11	11	8	11	8	5	1	1
Diarrhoea & Dysentery		108	66	22	5	2	—	95	2	—	2	1	2	2	—	2	2	—
Cholera		14	—	1	—	—	—	1	1	—	—	—	5	4	1	2	1	—
Other Zymotic Dis.		57	9	10	9	11	3	42	3	1	1	1	1	1	1	4	1	—
Cancer		22	—	—	—	—	—	—	—	—	—	—	2	4	4	8	1	—
Serofula and Tabes		181	46	55	7	5	1	114	3	3	5	1	1	5	—	1	—	—
Phthisis		198	5	5	1	—	—	7	7	8	29	43	35	28	26	13	4	—
Hydrocephalus		63	23	22	3	4	4	56	6	1	—	—	—	—	—	—	—	—
Dis. of Brain		518	315	29	16	11	8	379	14	7	5	3	9	11	19	25	27	14
Dis. of Heart & Dropsy		178	2	3	3	2	1	11	4	5	3	1	10	21	25	48	30	13
Dis. of Lungs		371	111	50	19	3	5	194	5	5	4	6	13	20	20	36	46	12
Dis. of Stom. and Liver		155	37	10	7	2	1	57	7	2	1	5	5	11	19	27	15	5
Dis. of Kidneys		56	1	1	1	—	1	4	4	1	2	—	1	5	2	5	10	2
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		16	—	—	—	1	—	1	4	1	—	—	2	1	—	1	1	—
Dis. of Skin		4	1	1	—	—	1	3	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		12	—	—	—	—	—	—	—	—	1	—	1	3	4	1	1	—
Other Violent Deaths		399	6	8	8	7	3	82	18	72	45	25	48	37	56	26	17	4
Other Causes		743	490	67	10	1	1	569	2	2	4	2	2	4	11	12	40	50

547.—HOUGHTON-LE-SPRING.																		
Mean Popul ⁿ , 1861-71		12238	446	359	372	363	374	1914	1565	1441	1216	1110	1739	1272	939	590	313	121
TOTAL DEATHS		2952	952	327	188	84	70	1571	159	89	100	76	134	116	119	163	205	123
Small-pox		31	7	4	3	3	1	18	3	—	1	—	8	1	—	—	—	—
Measles		73	10	29	16	8	3	66	7	—	—	—	—	—	—	—	—	—
Scarlatina		212	17	27	34	35	30	144	59	8	1	—	—	—	—	—	—	—
Diphtheria		5	—	1	1	—	—	2	—	—	—	—	1	—	—	—	—	—
Whooping-cough		42	20	14	4	1	2	41	1	—	—	—	—	—	—	—	—	—
Typhus		113	3	4	9	4	7	27	17	15	13	9	0	12	5	4	1	1
Diarrhoea & Dysentery		182	101	47	—	—	2	157	3	1	2	—	2	2	—	2	2	—
Cholera		23	1	3	—	1	—	1	1	3	—	—	2	3	6	3	1	—
Other Zymotic Dis.		57	8	12	6	5	3	84	6	3	1	1	1	2	2	2	4	—
Cancer		21	—	—	—	—	—	—	—	—	—	—	2	—	3	7	2	—
Serofula and Tabes		199	34	32	8	2	—	76	6	9	4	2	3	4	3	1	—	—
Phthisis		177	—	—	1	—	—	1	6	9	29	28	29	20	21	9	4	—
Hydrocephalus		46	17	13	3	4	4	41	4	1	—	—	—	—	—	—	—	—
Dis. of Brain		326	185	17	13	5	4	264	11	2	5	4	13	3	13	19	29	23
Dis. of Heart & Dropsy		111	1	2	—	—	1	4	5	4	2	4	8	10	11	24	21	5
Dis. of Lungs		333	134	41	12	6	5	198	9	1	—	1	6	8	16	30	27	8
Dis. of Stom. and Liver		191	9	6	1	2	—	18	3	2	3	5	12	4	10	17	22	8
Dis. of Kidneys		27	1	1	1	—	—	3	1	—	1	1	1	4	2	4	2	—
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		6	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Dis. of Skin		0	3	1	—	—	—	4	—	—	—	—	—	—	—	1	—	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		4	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—
Other Violent Deaths		243	10	3	5	5	7	30	17	37	23	17	27	23	21	29	8	4
Other Causes		665	261	79	13	1	1	498	2	1	4	4	8	11	7	12	40	57

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	85 and upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
545.—DURHAM.																			
Mean Popul ⁿ , 1861-71	38562	1390	1210	1237	1195	1121	6153	5088	4308	3709	3425	5568	4130	2902	1864	1010	345	60	
TOTAL DEATHS	8171	2340	863	419	241	177	3940	494	208	235	270	553	465	386	438	558	452	172	
Small-pox	64	17	4	4	5	3	31	7	2	7	4	7	2	2	2	—	—	—	
Measles	125	29	52	26	9	8	115	7	—	—	—	1	1	—	1	—	—	—	
Scarlatina	606	45	99	119	65	66	424	205	49	8	4	3	2	1	—	—	—	—	
Diphtheria	33	1	4	5	1	4	15	10	7	1	—	—	—	—	—	—	—	—	
Whooping-cough	149	65	43	21	9	7	145	4	—	—	—	—	—	—	—	—	—	—	
Typhus	476	8	39	25	32	26	120	77	37	39	35	65	37	36	21	11	4	—	
Diarrhoea & Dysentery	294	129	65	15	2	2	294	7	2	1	3	15	10	5	14	13	12	6	
Cholera	36	8	1	3	2	3	12	3	3	1	—	3	6	3	1	3	1	—	
Other Zymotic Dis.	138	17	16	15	13	17	78	15	2	2	3	1	6	8	9	8	5	1	
Cancer	117	—	—	—	—	—	—	—	1	—	—	7	17	32	30	22	7	—	
Serofula and Tabes	360	155	106	51	9	8	304	18	7	10	9	11	2	3	1	—	—	—	
Phthisis	799	4	7	6	3	1	21	30	39	95	180	234	144	69	21	12	4	—	
Hydrocephalus	191	74	63	26	8	8	174	11	4	1	—	—	—	—	—	—	—	—	
Dis. of Brain	839	510	65	27	14	2	619	20	13	12	8	28	32	46	55	73	26	10	
Dis. of Heart & Dropsy	443	6	14	2	3	2	27	14	11	14	14	32	32	65	91	82	36	5	
Dis. of Lungs	811	232	126	52	28	11	449	29	11	8	12	22	32	45	65	82	32	14	
Dis. of Stom. and Liver	842	48	13	3	3	3	70	11	4	5	15	32	33	35	67	87	18	—	
Dis. of Kidneys	45	1	2	—	1	—	4	3	3	3	1	8	5	2	8	7	1	—	
Dis. of Gener. Organs	35	—	—	—	—	—	—	—	—	1	2	6	7	9	7	3	—	—	
Dis. of Joints	22	—	2	1	1	1	5	2	4	3	1	2	2	1	2	—	—	—	
Dis. of Skin	166	7	1	—	—	1	9	—	—	—	—	—	—	—	2	3	1	—	
Childbirth and Metria	144	—	—	—	—	—	—	—	—	11	22	61	48	3	—	—	—	—	
Suicide	13	—	—	—	—	—	—	—	1	2	—	3	4	3	—	—	—	—	
Other Violent Deaths	110	17	10	7	7	4	45	14	6	8	2	1	5	4	7	9	5	4	
Other Causes	1773	890	133	31	13	5	1672	12	2	3	4	11	17	19	45	171	285	132	

546.—EASINGTON.

Mean Popul ⁿ , 1861-71	14607	539	478	490	456	441	2404	2084	1724	1370	1292	2011	1508	1106	669	309	109	21												
TOTAL DEATHS	5181	973	389	161	104	83	1716	196	80	91	80	192	148	165	172	161	134	52												
Small-pox	35	12	5	3	1	1	22	2	2	1	3	3	1	—	1	—	—	—												
Measles	51	6	23	9	5	8	46	4	1	—	—	—	—	—	—	—	—	—												
Scarlatina	333	27	43	52	48	43	213	92	19	3	2	4	—	—	—	—	—	—												
Diphtheria	9	—	2	2	—	2	6	1	2	—	—	—	—	—	—	—	—	—												
Whooping-cough	59	27	17	5	6	2	57	2	—	—	—	—	—	—	—	—	—	—												
Typhus	139	5	7	9	7	8	36	31	16	6	10	15	6	4	5	1	—	—												
Diarrhoea & Dysentery	121	55	26	7	1	—	89	2	—	3	2	3	1	2	7	7	6	—												
Cholera	11	1	1	1	2	1	6	—	1	—	—	1	—	2	1	—	—	—												
Other Zymotic Dis.	50	4	10	5	3	4	26	7	2	1	—	—	4	2	8	2	3	—												
Cancer	44	—	—	—	—	—	—	—	—	—	1	5	4	19	8	6	1	—												
Serofula and Tabes	114	41	40	9	5	1	96	3	2	5	1	4	3	—	—	—	—	—												
Phthisis	296	6	6	2	2	1	17	5	17	48	35	77	64	36	5	1	1	—												
Hydrocephalus	96	14	15	4	—	1	84	2	—	—	—	—	—	—	—	—	—	—												
Dis. of Brain	396	233	31	10	5	1	280	10	3	2	3	5	11	17	31	22	12	—												
Dis. of Heart & Dropsy	164	8	7	6	2	1	19	6	4	5	5	12	11	25	41	34	12	3												
Dis. of Lungs	273	75	31	17	8	6	137	7	2	3	2	8	11	15	27	28	13	3												
Dis. of Stom. and Liver	143	18	15	8	2	3	46	7	4	4	3	9	11	23	19	12	5	—												
Dis. of Kidneys	15	—	2	—	—	—	2	3	—	—	—	3	2	1	1	2	1	—												
Dis. of Gener. Organs	11	—	—	—	—	—	—	—	—	—	—	1	3	4	—	—	—	—												
Dis. of Joints	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—												
Dis. of Skin	10	6	—	—	—	—	6	—	—	—	—	—	—	—	1	1	2	—												
Childbirth and Metria	80	—	—	—	—	—	—	—	—	5	13	37	24	1	—	—	—	—												
Suicide	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—												
Other Violent Deaths	54	6	6	6	4	4	26	8	5	1	—	1	4	3	3	2	—	—												
Other Causes	739	434	82	6	3	1	526	3	—	3	1	2	4	7	17	49	81	46												

547.—HOUGHTON-LE-SPRING.

Mean Popul ⁿ , 1861-71	11733	411	371	394	344	338	1858	1570	1358	1086	970	1608	1265	914	603	338	142	21
TOTAL DEATHS	2693	759	277	141	81	57	1315	166	53	62	77	153	128	121	187	217	198	46
Small-pox	33	16	1	2	1	1	15	10	1	4	1	2	-	-	-	-	-	-
Measles	88	8	18	20	9	2	57	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	202	10	24	33	27	29	123	59	11	4	2	3	-	-	-	-	-	-
Diphtheria	14	1	3	-	1	1	6	5	-	-	2	1	-	-	-	-	-	-
Whooping-cough	51	21	12	6	5	3	47	4	-	-	-	-	-	-	-	-	-	-
Typhus	108	4	6	6	7	2	25	21	17	7	8	13	5	8	-	2	2	-
Diarrhoea & Dysentery	144	65	42	8	2	3	129	-	-	-	-	4	3	3	4	5	5	2
Cholera	37	1	-	1	1	-	3	3	1	-	-	1	4	1	2	2	-	-
Other Zymotic Dis.	32	8	3	4	1	-	16	3	-	1	1	2	1	2	3	2	-	1
Cancer	47	-	-	-	-	-	-	-	-	-	-	2	5	8	12	15	3	2
Scrofula and Tuberc.	95	44	22	12	1	1	80	4	2	2	-	4	2	1	-	-	-	-
Phtisis	331	1	2	2	-	-	5	8	9	25	34	67	44	27	7	2	-	-
Hydrocephalus	26	15	6	-	3	2	25	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	508	145	28	11	5	4	193	10	2	2	4	5	7	18	22	29	19	2
Dis. of Heart & Dropsy	132	3	2	-	1	1	7	4	2	5	2	10	13	9	28	39	13	-
Dis. of Lungs	259	81	40	12	5	2	140	10	3	2	3	2	8	14	23	32	20	2
Dis. of Stom. and Liver	104	9	2	3	2	2	18	3	1	-	3	3	9	12	30	16	11	-
Dis. of Kidneys	17	-	-	1	1	-	2	1	-	-	-	2	3	3	5	2	1	-
Dis. of Gen. Organs	9	-	1	-	-	-	1	-	-	-	-	1	1	4	1	-	1	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-
Dis. of Skin	7	2	-	-	-	-	2	-	-	-	-	1	-	1	1	-	1	1
Childbirth and Metritia	52	-	-	-	-	-	-	-	-	4	15	21	12	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Other Violent Deaths	65	6	5	5	6	2	24	11	1	1	1	3	4	2	3	5	8	-
Other Causes	679	325	61	15	3	2	405	8	2	1	1	3	5	6	12	17	65	56

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75				
548.—CHESTER-LE-STREET.																			
Mean Popul ⁿ , 1861-71	15803	553	464	506	458	410	2391	2053	1838	1682	1459	2235	1667	1202	791	356	109	30	
TOTAL DEATHS	3807	1159	413	167	120	89	1948	219	151	142	144	178	183	194	234	200	100	40	
Small-pox	50	10	5	2	4	2	23	1	1	5	7	6	3	3	1	-	-	-	
Measles	58	4	26	13	8	5	56	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina	305	17	53	42	41	37	190	95	10	2	4	-	4	-	-	-	-	-	
Diphtheria	16	2	5	-	1	-	8	3	2	-	-	1	-	2	-	-	-	-	
Whooping-cough	32	12	12	4	1	2	31	1	-	-	-	-	-	-	-	-	-	-	
Typhus	169	9	8	8	11	4	40	28	12	20	14	17	9	8	7	11	3	1	
Diarrhoea & Dysentery	154	65	52	9	-	1	127	2	2	1	-	1	1	2	5	4	1	1	
Cholera	37	5	2	2	2	4	15	2	2	-	-	3	3	7	2	3	1	1	
Other Zymotic Dis.	51	6	10	11	7	1	35	6	-	3	-	3	-	2	3	3	-	-	
Cancer	18	-	-	-	-	-	-	-	1	-	-	1	2	1	7	2	4	-	
Serofula and Tabes	206	80	70	17	5	2	174	9	8	6	2	2	4	1	-	-	-	-	
Phthisis	232	4	5	3	-	2	12	13	17	26	46	64	42	28	27	3	3	-	
Hydrocephalus	62	23	21	5	5	2	56	6	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	473	258	26	10	5	5	304	11	6	10	6	11	17	17	30	24	29	1	
Dis. of Heart & Dropsy	104	10	7	4	9	1	31	9	5	5	10	6	17	29	33	27	19	1	
Dis. of Lungs	456	130	54	24	14	8	250	13	4	3	14	11	11	25	43	41	27	1	
Dis. of Stom. and Liver	153	33	13	-	1	5	52	7	3	2	4	5	12	22	28	18	4	1	
Dis. of Kidneys	32	1	1	-	-	-	2	-	1	1	1	4	2	1	4	11	4	1	
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
Dis. of Joints	11	-	-	1	-	1	2	-	1	-	2	2	-	1	-	-	1	-	
Dis. of Skin	6	4	1	-	-	-	5	-	-	-	-	-	-	-	1	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	12	-	-	-	-	-	-	-	-	1	2	-	1	5	2	2	-	-	
Other Violent Deaths	356	6	5	5	3	4	23	8	75	44	30	45	50	36	29	13	2	1	
Other Causes	689	460	39	7	3	3	512	3	2	2	2	5	5	5	7	37	33	1	

549.—SUNDERLAND.																	
Mean Popul ⁿ , 1861-71	49758	1719	1441	1545	1433	1490	7628	6563	5414	4834	4601	7585	5552	3873	2308	1058	307
TOTAL DEATHS -	12315	3648	1395	606	336	267	6252	609	273	295	364	645	724	789	502	398	128
Small-pox -	75	15	10	7	11	4	47	8	1	3	5	5	2	1	1	2	-
Measles -	220	45	97	43	22	9	216	13	1	-	-	-	-	-	-	-	-
Scarlatina -	809	65	134	181	116	99	546	217	33	6	3	2	3	-	-	-	-
Diphtheria -	72	15	22	7	3	8	53	13	1	-	-	-	1	1	-	-	-
Whooping-cough -	290	102	109	40	19	16	286	4	-	23	36	-	-	-	-	-	-
Typhus -	485	14	23	21	17	18	93	67	27	23	48	57	49	41	33	2	1
Diarrhoea & Dysentery -	670	376	171	37	6	6	586	4	3	2	3	7	7	5	14	20	14
Cholera -	66	17	3	3	1	1	25	3	2	-	2	6	9	8	5	3	1
Other Zymotic Dis. -	290	52	43	40	32	16	183	11	8	5	3	8	10	22	16	17	4
Cancer -	100	-	-	-	-	-	-	-	3	-	4	9	14	32	30	9	-
Serofula and Tabes -	340	130	100	33	12	7	282	22	11	9	3	5	3	3	2	-	-
Phthisis -	1001	5	13	6	5	29	41	42	97	100	242	191	119	63	13	-	-
Hydrocephalus -	234	96	65	30	12	8	211	18	3	1	1	-	-	-	-	-	-
Dis. of Brain -	1664	767	156	43	30	19	985	44	20	23	21	49	65	116	132	142	41
Dis. of Heart & Dropsy -	760	7	6	10	6	6	35	20	19	18	21	74	104	114	138	180	34
Dis. of Lungs -	1599	524	235	93	23	16	893	37	12	11	17	45	76	107	167	131	33
Dis. of Stom. and Liver -	461	92	16	7	6	2	123	7	10	7	15	25	60	73	68	38	14
Dis. of Kidneys -	126	1	-	3	2	3	9	4	1	4	8	14	16	30	19	23	6
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	45	1	1	2	-	3	7	12	2	2	2	2	5	6	1	5	1
Dis. of Skin -	21	8	2	-	-	2	12	1	-	-	-	-	1	2	3	2	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	32	-	-	-	-	-	-	-	1	-	-	5	9	7	7	1	1
Other Violent Deaths -	689	44	26	10	8	14	102	50	71	68	56	91	75	79	56	27	10
Other Causes -	2256	1271	130	50	8	5	1527	13	6	7	5	10	21	43	63	135	352

550.—SOUTH SHIELDS.																	
Mean Popul ⁿ , 1861-71	30769	1058	904	938	865	873	4638	3723	3148	2897	3214	5311	3547	2346	1277	588	163
TOTAL DEATHS -	7407	2214	890	400	243	186	3933	417	163	199	200	436	398	412	442	458	225
Small-pox -	78	18	3	8	9	4	42	7	1	2	14	5	6	-	1	-	-
Measles -	172	29	78	30	12	10	130	11	1	-	1	-	-	-	-	-	-
Scarlatina -	549	36	67	108	87	65	363	156	18	5	3	1	3	-	-	-	-
Diphtheria -	31	8	10	7	3	6	33	9	5	-	2	-	-	-	1	1	-
Whooping-cough -	132	78	37	19	9	9	172	10	-	-	-	-	-	-	-	-	-
Typhus -	398	28	31	21	20	14	114	54	23	29	24	41	21	31	20	27	13
Diarrhoea & Dysentery -	426	237	96	9	6	2	370	8	3	1	-	4	3	8	6	12	17
Cholera -	41	8	5	-	-	-	13	3	2	1	6	4	4	4	4	4	1
Other Zymotic Dis. -	223	88	34	29	19	14	134	14	6	5	1	7	10	13	12	11	11
Cancer -	49	-	-	-	-	-	-	-	-	-	-	2	8	7	15	13	3
Serofula and Tabes -	377	121	123	44	17	5	310	22	14	5	5	4	5	5	6	-	1
Phthisis -	477	3	7	4	2	3	19	26	20	52	58	128	90	26	18	3	-
Hydrocephalus -	172	74	32	16	8	10	160	9	3	-	-	-	-	-	-	-	-
Dis. of Brain -	791	355	41	25	8	5	434	18	9	12	11	20	37	43	37	37	17
Dis. of Heart & Dropsy -	370	5	8	4	1	1	19	9	2	6	8	40	37	64	60	38	11
Dis. of Lungs -	1053	285	190	42	25	20	562	22	4	6	10	34	69	65	106	105	24
Dis. of Stom. and Liver -	323	89	11	3	3	3	109	2	8	10	3	19	30	44	42	35	14
Dis. of Kidneys -	90	2	2	3	2	-	9	2	2	3	2	5	9	5	24	26	8
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	29	2	2	-	1	-	5	7	5	4	1	2	-	1	-	2	1
Dis. of Skin -	13	5	-	1	-	2	8	-	-	-	-	-	-	-	1	-	3
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	16	-	-	-	-	-	-	-	-	-	-	6	2	3	3	3	1
Other Violent Deaths -	513	33	12	14	9	10	78	27	36	55	50	107	43	49	33	17	7
Other Causes -	1013	740	61	33	2	4	820	6	1	-	1	8	14	16	13	40	36

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 1 Year.	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 years.
548.—CHESTER-LE-STREET.																															
Mean Popul ⁿ , } 1861-71 }	14677	543	445	488	459	406	2341	2040	1733	1351	1235	1953	1567	1161	729	409	133	25													
TOTAL DEATHS -	3481	940	356	191	136	88	1720	210	86	99	116	235	174	159	170	240	190	82													
Small-pox - - -	51	17	4	4	6	1	32	7	2	2	1	4	2	-	1	-	-	-													
Measles - - - -	57	5	24	10	8	5	32	4	1	-	-	-	-	-	-	-	-	-													
Scarlatina - - -	310	17	47	45	52	41	202	77	17	8	5	1	2	-	-	-	-	-													
Diphtheria - - -	15	-	1	1	3	2	7	3	-	-	1	2	-	1	-	-	-	1													
Whooping-cough -	35	17	8	5	2	1	33	2	-	-	-	-	-	-	-	-	-	-													
Typhus - - - - -	189	5	12	14	7	7	45	34	19	15	20	20	14	4	9	9	-	-													
Diarrhoea & Dysentery	169	69	49	16	2	2	138	2	-	-	-	-	2	3	4	8	9	3													
Cholera - - - - -	19	2	2	-	2	-	6	3	-	1	-	5	1	1	1	1	-	-													
Other Zymotic Dis.	64	11	9	11	10	3	44	7	2	-	-	-	-	3	2	3	3	-													
Cancer - - - - -	40	-	-	-	-	-	-	-	-	-	-	-	6	15	10	7	-	2													
Scrofula and Tuberc.	154	73	49	15	2	4	143	1	4	-	-	4	1	-	11	-	-	-													
Phthisis - - - -	338	7	8	1	-	-	16	12	18	35	53	95	59	81	13	4	2	-													
Hydrocephalus - -	31	23	15	6	3	1	48	2	1	-	-	-	-	-	-	-	-	-													
Dis. of Brain - - -	419	205	19	15	6	5	250	12	8	8	7	11	10	18	28	46	16	5													
Dis. of Heart & Dropsy	187	5	4	3	3	2	17	5	3	6	5	18	15	28	44	35	11	-													
Dis. of Lungs - - -	378	94	54	80	19	9	296	26	5	7	4	13	11	18	23	33	28	4													
Dis. of Stom. and Liver	138	23	9	2	3	1	98	4	2	4	3	15	18	23	16	24	8	1													
Dis. of Kidneys - -	10	-	1	1	-	-	2	-	-	-	1	1	1	1	2	1	-	-													
Dis. of Gen. Organs -	8	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-													
Dis. of Joints - - -	9	-	-	-	1	-	1	-	1	-	1	5	-	-	-	1	-	-													
Dis. of Skin - - - -	4	3	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-													
Childbirth and Metris	78	-	-	-	-	-	-	-	-	7	14	33	22	2	-	-	-	-													
Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-													
Other Violent Deaths -	49	5	3	2	5	-	15	6	3	4	1	3	3	4	4	3	3	-													
Other Causes - - -	687	368	38	10	2	4	422	2	-	2	-	3	7	3	9	63	109	67													

Mean Popul ⁿ , 1861-71	51915	1647	1471	1531	1398	1405	7452	6454	5403	5085	4762	7932	5942	4228	2707	1406	471	73
TOTAL DEATHS -	11777	2969	1210	592	375	240	5386	559	211	276	333	766	734	742	851	962	741	216
Small-pox -	76	26	8	7	7	4	52	8	5	1	2	3	3	2	-	-	-	-
Measles -	201	37	79	51	14	10	191	10	-	-	-	-	-	-	-	-	-	-
Scarlatina -	769	55	104	123	139	98	519	201	30	6	5	7	1	-	-	-	-	-
Diphtheria -	78	15	11	10	9	4	49	14	4	2	1	2	1	-	-	-	-	-
Whooping-cough -	349	121	117	47	31	16	332	17	-	-	-	-	-	-	-	-	-	-
Typhus -	457	8	26	21	21	19	95	58	26	37	33	46	59	40	39	26	7	-
Diarrhoea & Dysentery -	599	339	127	23	9	2	590	6	2	2	1	10	11	6	9	25	22	5
Cholera -	72	8	4	6	-	2	50	7	6	4	7	5	12	5	18	8	1	-
Other Zymotic Dis. -	230	37	43	22	21	17	130	16	5	7	5	5	17	5	16	8	1	-
Cancer -	209	-	-	-	1	-	1	-	-	-	1	17	56	77	85	47	14	1
Scrofula and Tubercles -	283	93	100	29	10	5	233	16	6	10	4	3	8	4	1	16	1	-
Phthisis -	1156	5	9	12	6	2	34	34	56	128	132	330	231	124	47	16	4	-
Hydrocephalus -	182	53	55	23	15	7	169	19	3	-	-	-	-	-	-	-	-	-
Dis. of Brain -	1396	690	84	45	29	12	770	45	8	10	13	56	51	103	130	142	74	14
Dis. of Heart & Dropsy -	763	7	10	1	6	4	28	8	25	23	24	56	96	130	150	160	35	8
Dis. of Lungs -	1594	395	217	105	36	19	772	33	10	9	17	53	59	93	167	183	93	13
Dis. of Stom. and Liver -	451	40	12	6	2	2	62	12	6	9	13	40	44	64	86	77	34	4
Dis. of Kidneys -	67	-	-	3	1	-	4	5	1	3	2	13	12	13	6	8	-	-
Dis. of Gen. Organs -	71	-	-	1	-	-	1	-	-	-	4	8	14	19	11	12	2	-
Dis. of Joints -	47	2	-	1	2	1	6	10	8	2	1	3	5	6	3	3	-	-
Dis. of Skin -	41	12	4	-	-	2	18	-	-	1	2	2	2	4	3	9	1	1
Childbirth and Metris -	393	-	-	-	-	-	-	-	14	41	95	51	2	-	-	-	-	-
Suicide -	19	-	-	-	-	-	-	-	-	1	3	4	7	1	2	1	-	-
Other Violent Deaths -	192	32	20	15	7	9	83	26	9	5	5	2	9	11	14	10	13	5
Other Causes -	2284	1084	180	48	9	5	1325	14	1	4	3	18	19	24	74	231	406	154

	550.—SOUTH SHIELDS.																		
Mean Popul ⁿ , 1861-71	29130	1012	874	942	880	852	4560	3697	3016	2591	2603	4592	3363	2240	1432	746	256	34	
TOTAL DEATHS -	6889	1813	869	401	225	170	3478	369	140	170	176	434	363	351	439	473	392	104	
Small-pox -	58	16	7	8	4	1	36	10	1	1	-	4	3	2	-	-	1	-	
Measles -	175	25	70	43	18	7	163	12	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	300	29	78	95	67	67	336	33	19	3	2	4	-	1	-	-	-	-	
Diphtheria -	47	4	9	6	9	6	34	10	-	-	2	-	1	-	-	-	-	-	
Whooping-cough -	250	94	84	37	11	12	238	12	-	-	-	-	-	-	-	-	-	-	
Typhus -	392	20	27	29	18	18	193	60	31	22	17	39	27	26	21	25	18	3	
Diarrhœa & Dysentery -	392	216	83	11	1	1	512	2	1	-	3	6	8	6	12	16	26	6	
Cholera -	51	11	11	3	3	-	27	4	2	1	-	3	3	4	3	3	1	-	
Other Zymotic Dis. -	160	21	27	14	22	9	93	12	7	6	2	5	5	4	7	14	10	1	
Cancer -	160	-	-	-	-	1	1	-	-	-	-	8	37	58	41	23	10	1	
Scrofula and Tubercles -	339	114	111	42	12	6	285	15	11	7	-	3	3	3	2	1	-	-	
Phthisis -	693	6	8	7	5	6	32	29	28	76	77	193	82	49	25	7	1	-	
Hydrocephalus -	137	82	35	15	7	5	114	16	5	1	-	-	-	1	-	-	-	-	
Dis. of Brain -	705	238	47	23	3	11	322	10	10	14	12	24	33	49	81	76	65	9	
Dis. of Heart & Dropsy -	335	-	4	3	4	-	11	4	9	8	7	23	30	49	58	69	42	5	
Dis. of Lungs -	855	286	170	51	29	12	428	19	8	3	6	20	32	32	83	134	99	23	
Dis. of Stom. and Liver -	325	84	8	3	3	2	100	6	-	7	8	22	28	41	47	36	27	8	
Dis. of Kidneys -	55	-	3	-	-	-	3	1	3	1	4	6	11	4	8	11	2	1	
Dis. of Gen. Organs -	34	-	1	-	-	-	1	-	-	1	-	8	4	6	8	5	1	-	
Dis. of Joints -	16	-	-	2	1	1	4	-	2	4	1	-	1	2	1	-	-	-	
Dis. of Skin -	19	2	1	1	-	-	4	-	-	1	1	2	-	3	3	3	1	1	
Childbirth and Metritis -	106	-	-	-	-	-	-	-	-	10	26	47	22	1	-	-	-	-	
Self-kills -	8	-	-	-	-	-	-	-	-	-	1	-	-	3	4	-	-	-	
Other Violent Deaths -	109	18	9	6	3	2	38	9	3	3	4	12	7	8	7	5	10	8	
Other Causes -	971	627	76	12	5	3	723	7	-	1	4	5	11	12	28	45	87	48	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-		
551.—GATESHEAD.																				
Mean Popul ⁿ , 1861-71	35479	1254	1082	1098	1049	1037	5520	4455	3820	3421	3268	5581	3979	2787	1685	737	206	23	1	1
TOTAL DEATHS	8907	2767	1092	424	266	212	4761	465	174	214	247	428	466	521	586	209	261	6	1	1
Small-pox	71	24	5	3	5	2	39	8	1	-	5	7	4	3	3	1	-	-	-	-
Measles	201	33	102	32	12	10	189	12	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	670	46	120	94	99	90	449	179	31	10	3	3	-	1	-	-	-	-	-	-
Diphtheria	31	8	3	5	1	3	29	6	4	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	214	83	66	35	7	6	197	18	1	-	-	-	-	-	-	-	-	-	-	-
Typhus	389	10	35	17	12	15	89	48	28	27	32	40	53	35	22	25	3	3	3	3
Diarrhoea & Dysentery	395	216	88	14	6	1	325	4	2	-	2	3	4	8	9	25	9	9	9	9
Cholera	33	8	3	1	1	-	13	1	1	1	1	1	1	3	2	4	2	2	2	2
Other Zymotic Dis.	229	27	58	31	30	12	153	16	4	4	7	6	9	8	11	7	3	3	3	3
Cancer	65	-	1	1	-	-	2	-	-	-	1	1	6	14	19	10	9	-	-	-
Scrofula and Tuberc.	468	196	151	44	12	9	412	21	8	11	2	6	4	1	1	1	1	1	1	1
Phthisis	783	11	7	8	3	2	31	21	20	89	116	180	131	102	39	10	4	-	-	-
Hydrocephalus	187	77	47	20	7	9	100	21	2	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	1146	559	92	17	19	15	702	26	6	8	11	36	50	66	85	97	13	13	13	13
Dis. of Heart & Dropsy	449	6	6	3	1	2	18	8	9	12	10	27	34	69	93	128	18	18	18	18
Dis. of Lungs	1146	345	180	55	23	18	621	18	6	7	13	38	56	80	126	117	13	13	13	13
Dis. of Stom. and Liver	337	71	11	6	3	3	94	11	4	9	14	22	26	51	52	45	13	13	13	13
Dis. of Kidneys	98	2	-	-	1	-	5	3	2	1	1	5	4	12	23	29	13	13	13	13
Dis. of Genes. Organs	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	32	1	-	-	3	2	6	3	4	4	2	2	3	3	2	1	1	1	1	1
Dis. of Skin	12	4	2	-	-	-	6	1	1	-	-	-	-	-	1	2	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	28	-	-	-	-	-	-	-	-	-	-	2	2	9	4	4	2	2	2	2
Other Violent Deaths	378	22	11	14	16	9	73	49	39	27	24	42	43	80	94	24	8	8	8	8
Other Causes	1542	1018	102	24	3	4	1153	13	1	1	2	6	10	24	30	24	13	13	13	13

552.—NEWCASTLE-ON-TYNE.

Mean Popul ⁿ , 1861-71	60000	1974	1636	1734	1601	1528	8473	6910	6051	5949	6157	10030	7094	5029	2755	1194	323	39		
TOTAL DEATHS	17887	5041	1701	810	492	391	8435	817	327	508	622	1275	1300	1582	1347	1082	600	117		
Small-pox	162	44	19	12	10	7	92	15	4	4	12	23	4	5	2	1	—	—	—	—
Measles	302	63	97	62	34	26	282	18	—	1	—	1	—	—	—	—	—	—	—	—
Scarlatina	1069	94	171	189	156	135	745	277	27	8	5	5	1	1	—	—	—	—	—	—
Diphtheria	82	15	20	11	8	4	58	11	1	—	1	3	1	2	3	1	—	—	—	—
Whooping-cough	440	167	150	61	28	20	426	18	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	777	28	32	29	21	29	129	75	84	32	34	119	102	194	70	34	—	—	—	—
Diarrhoea & Dysentery	844	484	147	37	10	7	675	19	3	2	3	12	23	34	74	11	—	—	—	—
Cholera	67	25	7	1	3	1	37	5	2	—	—	3	7	5	2	—	—	—	—	—
Other Zymotic Dis.	314	54	61	40	22	10	177	22	7	2	5	7	21	16	20	25	9	—	—	—
Cancer	148	—	—	—	—	—	—	3	1	—	—	1	11	24	45	36	23	7	—	—
Scrofula and Tuberc.	773	340	200	69	59	19	648	38	21	18	15	12	11	4	4	1	—	—	—	—
Phthisis	1934	23	14	13	10	11	71	40	57	199	278	209	373	279	137	27	—	—	—	—
Hydrocephalus	336	137	83	37	14	16	289	31	4	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	2331	1055	191	65	34	16	1366	71	18	27	39	65	91	147	183	240	117	—	—	—
Dis. of Heart & Dropsy	1078	13	7	10	4	19	45	19	35	35	28	111	173	197	206	167	62	—	—	—
Dis. of Lungs	2310	623	302	122	63	37	1147	49	12	21	22	74	144	205	262	234	128	—	—	—
Dis. of Stom. and Liver	713	136	18	13	7	7	181	21	17	12	22	69	81	119	99	69	31	—	—	—
Dis. of Kidneys	253	—	2	—	1	—	3	12	10	13	15	28	35	33	44	38	19	—	—	—
Dis. of Genes. Organs	5	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—
Dis. of Joints	104	3	1	2	6	3	15	18	15	15	6	11	9	7	7	1	—	—	—	—
Dis. of Skin	47	11	4	—	—	—	15	1	1	2	2	4	3	6	6	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	979	42	32	20	9	23	126	50	61	91	107	163	124	104	91	43	13	—	—	—
Other Causes	2731	1680	161	33	21	10	1905	29	6	13	6	39	69	64	119	179	269	78	—	—

553.—TYNEMOUTH.

Mean Popul ⁿ , 1861-71	43743	1497	1240	1289	1223	1199	6448	5439	4579	4282	4259	6953	4960	3430	2058	996	310	28	12
TOTAL DEATHS	10778	3108	1176	496	298	229	5307	510	321	345	358	663	582	618	720	719	264	12	12
Small-pox	139	25	16	13	7	6	61	12	6	5	10	18	8	5	4	3	—	—	—
Measles	196	40	73	49	14	9	176	18	—	—	—	—	1	—	1	—	—	—	—
Scarlatina	730	61	127	117	112	87	594	178	28	5	1	3	1	—	—	—	—	—	—
Diphtheria	50	8	16	7	5	3	42	7	—	—	—	1	—	—	—	—	—	—	—
Whooping-cough	183	60	79	27	14	8	174	9	—	—	—	—	—	—	—	—	—	—	—
Typhus	412	10	26	24	20	17	97	50	47	32	46	54	33	18	25	17	—	—	—
Diarrhoea & Dysentery	484	263	99	15	3	2	462	10	6	2	2	6	4	6	9	18	14	—	—
Cholera	98	9	7	6	1	2	25	6	3	2	5	8	10	19	12	4	—	—	—
Other Zymotic Dis.	203	28	38	27	22	9	124	15	5	8	3	8	6	10	6	10	7	—	—
Cancer	86	—	—	—	—	—	—	—	1	3	—	—	7	10	27	24	—	—	—
Scrofula and Tuberc.	450	193	146	44	10	8	401	13	12	6	3	6	1	3	1	—	—	—	—
Phthisis	1900	31	35	7	8	8	89	22	38	88	105	211	142	106	63	51	—	—	—
Hydrocephalus	230	92	72	21	8	12	265	20	4	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	1300	504	83	34	15	20	636	36	10	18	18	38	50	73	123	139	119	—	—
Dis. of Heart & Dropsy	508	1	11	5	4	5	26	13	10	14	9	22	84	123	114	25	—	—	—
Dis. of Lungs	1221	447	163	61	24	17	712	20	11	16	20	32	36	70	101	116	77	—	—
Dis. of Stom. and Liver	558	173	37	7	3	2	224	12	10	19	15	30	31	37	66	77	31	—	—
Dis. of Kidneys	161	4	7	4	2	1	13	6	4	6	5	10	13	17	29	24	—	—	—
Dis. of Genes. Organs	3	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Dis. of Joints	32	1	2	—	1	2	6	7	—	—	1	3	3	—	3	3	—	—	—
Dis. of Skin	22	9	2	—	1	—	12	1	—	—	—	—	—	1	2	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	22	23	20	5	11	12	75	40	110	128	167	183	132	82	73	26	—	—	—
Other Violent Deaths	355	23	20	5	11	12	75	40	110	128	167	183	132	82	73	26	—	—	—
Other Causes	1764	1104	131	32	8	4	1279	6	4	—	5	17	22	22	45	20	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	5-10-	10-15-	15-20-	20-25-	25-35-	35-45-	45-55-	55-65-	65-75-	75-85 & upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Total under 1 Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17												18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
551.—GATESHEAD.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
554.—CASTLE WARD.																			
Mean Popul ⁿ , 1861-71		8112	229	217	229	194	201	1070	939	955	856	726	1083	831	716	512	287	122	10
TOTAL DEATHS		1547	301	70	55	29	21	536	53	44	64	59	101	75	100	134	168	106	4
Small-pox		3	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
Measles		12	5	4	2	-	1	10	2	-	-	-	-	-	-	-	-	-	-
Scarlatina		70	5	9	12	7	5	38	24	4	3	1	-	-	-	-	-	-	-
Diphtheria		22	3	-	3	4	2	12	6	2	-	-	-	1	1	-	-	-	-
Whooping-cough		10	6	-	3	-	1	10	-	-	-	-	-	-	-	-	-	-	-
Typhus		57	1	4	1	1	1	8	2	8	7	9	9	6	4	1	2	1	1
Diarrhoea & Dysentery		63	38	9	3	-	1	61	-	-	-	-	-	1	1	2	4	-	-
Cholera		9	1	-	-	1	-	2	-	-	-	-	-	4	1	-	-	-	-
Other Zymotic Dis.		45	10	7	3	3	1	24	7	-	1	1	1	3	1	2	3	2	2
Cancer		24	-	-	-	-	-	-	-	-	-	1	1	3	2	10	8	1	1
Scrofula and Tuberc.		27	16	3	3	-	-	22	1	-	3	-	1	-	-	-	-	-	-
Phthisis		147	2	-	-	2	-	4	1	3	17	26	45	15	18	13	3	-	-
Hydrocephalus		15	9	3	1	-	-	13	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		205	63	8	7	2	3	83	4	3	3	3	10	14	12	18	21	28	28
Dis. of Heart & Dropsy		109	2	-	2	-	-	4	-	3	2	2	4	5	18	23	24	17	17
Dis. of Lungs		169	50	12	9	6	1	78	2	3	1	1	5	3	13	17	22	23	23
Dis. of Stom. and Liver		199	18	2	1	-	2	23	-	1	5	2	5	4	9	25	21	8	8
Dis. of Kidneys		34	1	1	-	-	-	2	1	2	2	-	-	2	5	4	5	8	8
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		5	-	-	-	-	1	1	-	1	-	-	1	-	-	-	1	-	-
Dis. of Skin		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1
Childbirth and Metris.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		106	-	3	3	1	1	8	1	14	16	10	17	10	11	9	10	-	-
Other Causes		308	132	5	2	2	1	142	-	-	2	1	2	4	4	10	22	29	29

555.—HEXHAM.																		
Mean Popul ⁿ , 1861-71		16018	466	421	450	433	413	2183	2011	1834	1609	1365	2108	1691	1382	975	594	231
TOTAL DEATHS		3225	748	172	91	60	60	1131	144	70	89	113	181	188	231	295	356	225
Small-pox		10	2	-	-	-	-	5	1	1	1	1	2	1	-	-	-	-
Measles		29	8	10	5	-	4	22	5	-	-	2	-	-	-	-	-	-
Scarlatina		131	10	13	24	16	16	79	42	4	1	1	2	2	-	-	-	-
Diphtheria		48	3	9	4	5	4	25	14	5	3	-	1	-	-	-	-	-
Whooping-cough		46	18	18	6	2	-	44	2	-	-	-	-	-	-	-	-	-
Typhus		113	2	1	2	4	5	14	14	13	10	15	11	6	11	9	5	4
Diarrhea & Dysentery		84	40	4	2	3	2	51	2	-	1	-	-	2	1	2	8	12
Cholera		4	2	1	-	-	-	3	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.		92	14	12	10	7	4	47	13	2	-	2	4	4	4	5	6	7
Cancer		55	-	-	-	-	-	-	-	-	-	-	1	-	10	20	11	10
Scrofula and Tabes		90	29	17	5	2	-	53	7	4	8	7	4	2	1	2	1	1
Phthisis		372	6	1	1	1	4	13	5	13	39	57	89	63	58	34	19	-
Hydrocephalus		73	30	21	5	3	3	62	8	2	1	-	-	-	-	-	-	-
Dis. of Brain		335	93	12	8	2	4	119	8	6	6	6	9	16	25	25	34	41
Dis. of Heart & Dropsy		235	1	1	-	1	1	4	2	-	8	2	5	17	31	49	45	27
Dis. of Lungs		467	135	34	14	8	7	198	5	3	3	7	12	23	29	61	63	54
Dis. of Stom. and Liver		192	36	4	1	-	-	41	6	1	5	3	10	16	30	35	36	19
Dis. of Kidneys		71	-	-	-	-	1	1	1	2	2	2	3	5	5	7	32	13
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		6	-	-	1	1	-	2	-	-	-	-	4	1	-	1	1	-
Dis. of Skin		14	8	-	-	-	-	8	-	-	-	-	1	-	-	2	2	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Other Violent Deaths		128	3	2	3	4	3	15	5	13	8	5	13	20	16	17	10	8
Other Causes		613	313	12	-	1	1	327	4	1	1	1	6	7	9	16	36	128

556.—HALTWHISTLE.																		
Mean Popul ⁿ , 1861-71		3456	98	100	81	100	80	459	424	368	331	280	452	379	297	243	154	56
TOTAL DEATHS		599	124	30	11	15	8	188	17	15	27	22	36	29	36	58	77	25
Small-pox		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles		2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Scarlatina		18	1	1	3	5	4	14	5	1	-	-	-	-	-	-	-	-
Diphtheria		20	2	4	-	4	2	12	2	2	2	-	-	-	-	1	1	-
Whooping-cough		11	7	4	-	-	-	11	-	-	-	-	-	-	-	-	-	-
Typhus		14	-	-	-	-	1	1	-	1	1	2	2	4	1	1	-	-
Diarrhea & Dysentery		13	3	1	1	1	-	6	-	-	-	-	-	1	1	1	2	-
Cholera		2	-	1	-	-	-	1	-	-	-	-	1	-	-	1	1	-
Other Zymotic Dis.		19	7	1	1	-	-	9	2	-	1	-	-	-	1	1	2	-
Cancer		8	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	-
Scrofula and Tabes		6	-	1	1	-	-	2	1	1	1	-	-	-	-	-	1	-
Phthisis		77	-	-	-	1	-	5	-	5	-	13	16	-	8	8	2	-
Hydrocephalus		10	7	1	-	2	-	10	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		64	2	3	-	-	-	5	1	-	1	1	1	3	4	7	16	13
Dis. of Heart & Dropsy		47	3	1	-	-	1	5	-	-	2	2	2	1	3	4	12	9
Dis. of Lungs		50	9	5	4	-	-	18	4	1	2	2	2	1	4	10	14	7
Dis. of Stom. and Liver		49	15	2	-	-	-	20	-	1	-	-	2	4	4	10	5	2
Dis. of Kidneys		9	-	-	-	-	-	-	1	-	-	-	-	-	1	1	5	2
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Other Violent Deaths		20	-	1	1	-	-	3	1	2	1	2	6	2	3	4	5	1
Other Causes		142	64	3	-	2	-	69	2	1	2	-	1	1	1	3	14	4

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—	100—
		554.—CASTLE WARD.																		
Mean Popul ⁿ , 1861-71	7815	220	200	207	206	197	1030	895	808	773	721	1095	834	696	524	289	131	19		
TOTAL DEATHS—	1438	301	93	51	38	24	507	59	44	51	55	107	70	80	109	189	156	61		
Small-pox	10	3	1	—	—	—	4	1	1	—	1	1	—	1	1	—	—	—	—	
Measles	9	2	1	1	3	—	7	2	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	102	7	13	15	17	11	61	25	9	1	4	1	—	—	—	—	—	—	—	
Diphtheria	13	1	3	—	1	2	7	4	1	1	—	—	—	—	—	—	—	—	—	
Whooping-cough	14	8	4	1	—	—	13	1	—	—	—	—	—	—	—	—	—	—	—	
Typhus	49	1	1	1	2	2	7	5	9	5	4	6	2	5	3	—	2	1	—	
Diarrhoea & Dysentery	67	34	19	3	—	—	56	—	—	—	—	—	—	1	—	5	5	—	—	
Cholera	4	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	2	—	—	
Other Zymotic Dis.	26	4	3	3	3	—	13	—	—	3	1	—	3	—	3	1	2	—	—	
Cancer	27	—	—	—	—	—	—	—	—	—	—	1	1	8	11	2	4	—	—	
Scrofula and Tubes	35	12	6	4	1	—	23	1	1	2	3	4	—	—	—	1	—	—	—	
Phthisis	160	1	—	1	—	1	3	1	9	22	23	40	24	18	7	2	—	—	—	
Hydrocephalus	15	7	2	—	3	2	14	1	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Brain	183	59	10	5	—	4	78	4	7	3	5	5	7	14	17	22	16	5	—	
Dis. of Heart & Dropsy	105	1	—	—	—	—	1	2	2	1	2	6	9	10	24	29	18	2	—	
Dis. of Lungs	156	41	14	15	3	—	73	5	2	2	3	10	4	7	13	14	21	2	—	
Dis. of Stom. and Liver	95	15	3	—	1	—	19	1	1	—	—	7	6	7	22	21	9	1	—	
Dis. of Kidneys	6	1	—	—	—	—	1	—	—	—	—	—	1	2	—	2	—	—	—	
Dis. of Gener. Organs	5	—	—	—	—	—	—	—	—	1	—	—	2	1	1	—	—	—	—	
Dis. of Joints	5	—	2	—	—	—	2	1	—	—	—	1	—	—	—	1	—	—	—	
Dis. of Skin	3	2	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	
Childbirth and Metris	31	—	—	—	—	—	—	—	—	1	7	13	10	—	—	—	—	—	—	
Suicide	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—	
Other Violent Deaths	14	1	2	—	3	2	8	—	1	—	—	—	1	—	—	1	3	—	—	
Other Causes	298	101	9	2	1	—	113	4	—	5	—	5	—	5	7	34	76	49	—	

555.—HEXHAM.																				
Mean Popul ⁿ , 1861-71	16178	460	419	421	414	381	2095	2013	1761	1575	1453	2269	1743	1373	980	623	256	37		
TOTAL DEATHS	3089	543	162	93	76	49	923	138	90	111	145	234	210	180	237	362	291	148		
Small-pox	9	2	-	-	-	1	3	1	1	1	-	2	1	-	-	-	-	-		
Measles	32	7	-	3	6	3	25	4	2	-	-	1	-	-	-	-	-	-		
Scarlatina	114	4	11	22	20	12	69	32	7	8	-	2	1	-	-	-	-	-		
Diphtheria	54	2	9	6	11	2	30	11	6	1	2	2	2	-	-	-	-	-		
Whooping-cough	52	25	9	6	3	1	44	7	1	-	-	-	-	-	-	-	-	-		
Typhus	110	-	3	4	3	4	14	9	10	11	18	19	8	8	5	8	-	-		
Diarrhoea & Dysentery	81	32	6	4	2	3	46	1	1	-	-	1	5	5	2	9	7	4		
Cholera	6	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	1	-		
Other Zymotic Dis.	81	9	5	10	6	8	38	9	7	-	2	2	1	7	3	6	3	3		
Cancer	79	-	-	-	-	-	-	-	-	-	-	2	9	17	19	16	11	5		
Scrofula and Tuberc.	73	25	17	5	1	1	49	1	6	3	6	5	2	-	1	-	-	-		
Phthisis	446	4	1	1	-	1	7	10	19	61	70	131	64	44	25	6	2	1		
Hydrocephalus	48	14	11	5	1	2	53	10	2	-	-	2	1	-	-	-	-	-		
Dis. of Brain	323	59	15	5	2	2	83	13	6	6	5	13	17	33	26	57	44	20		
Dis. of Heart & Dropsy	289	3	-	1	1	1	6	5	6	1	4	19	28	24	63	89	38	2		
Dis. of Lungs	387	100	42	16	13	4	175	10	7	9	6	11	17	14	54	55	42	9		
Dis. of Stom. and Liver	209	31	4	1	1	1	58	6	3	7	8	12	20	17	29	47	16	6		
Dis. of Kidneys	32	-	1	-	1	-	2	1	1	2	1	8	9	1	4	3	-	-		
Dis. of Genes. Organs	18	-	-	-	-	-	-	-	-	-	-	3	5	1	4	3	2	-		
Dis. of Joints	11	-	-	-	-	1	1	-	2	2	2	1	-	-	2	1	-	-		
Dis. of Skin	8	4	-	-	-	-	4	1	-	-	-	-	-	-	-	2	1	-		
Childbirth and Metris	46	-	-	-	-	-	-	-	-	2	12	15	17	-	-	-	-	-		
Suicide	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-		
Other Violent Deaths	31	2	3	3	4	-	12	2	1	2	1	1	-	-	3	5	1	3		
Other Causes	646	220	19	1	1	3	244	5	1	-	2	2	2	5	16	53	123	95		

556.—HALTWHISTLE.																				
Mean Popul ⁿ , 1861-71	3385	94	91	105	91	94	475	425	369	329	303	453	361	263	213	132	48	14		
TOTAL DEATHS -	590	82	26	10	19	6	143	22	21	24	29	49	53	42	49	59	71	28		
Small-pox	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	1	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	-	7	1	3	2	13	6	1	-	-	-	1	-	-	-	-	-	-	-
Diphtheria	15	-	2	-	2	1	5	4	3	1	1	-	-	1	-	-	-	-	-	-
Whooping-cough	8	3	3	2	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	16	-	-	1	1	-	2	3	1	4	-	1	3	-	1	1	-	-	-	-
Diarrhoea & Dysentery	12	3	1	2	-	-	6	-	-	-	-	3	-	-	-	-	1	2	-	-
Cholera	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	1	1	-	3	-	5	1	-	2	-	2	1	1	1	4	5	-	-	-
Cancer	25	-	-	-	-	-	-	-	-	-	-	1	3	10	5	5	1	-	-	-
Scrofula and Tuberc.	3	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
Phthisis	115	-	-	-	-	-	-	1	10	11	21	31	22	8	7	4	-	-	-	-
Hydrocephalus	4	1	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	45	2	1	-	-	-	5	-	-	2	-	1	4	5	5	10	13	2	-	-
Dis. of Heart & Dropsy	47	3	2	1	1	-	7	-	1	-	-	2	4	7	9	10	6	1	-	-
Dis. of Lungs	41	8	3	1	2	1	15	1	-	-	1	3	5	1	8	7	3	-	-	-
Dis. of Stom. and Liver	45	12	2	-	-	-	14	-	2	1	1	3	2	5	7	6	4	-	-	-
Dis. of Kidneys	5	-	-	-	1	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Dis. of Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	7	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	6	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Other Causes	141	46	3	1	2	-	52	3	2	1	1	-	4	3	5	12	35	20	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
557.—BELLINGHAM.																		
Mean Popul ⁿ , } 1861-71 }		3704	92	85	95	91	73	436	409	391	310	351	540	428	357	252	143	77
TOTAL DEATHS—		696	130	37	12	10	4	193	23	15	30	30	51	40	56	57	80	28
Small-pox - - -		11	3	1	1	-	-	5	2	-	-	-	1	1	1	-	-	-
Measles - - - -		4	-	2	1	-	-	3	-	-	1	-	-	-	-	-	-	-
Scarlatina - - -		18	-	2	3	4	-	9	4	3	-	1	-	-	1	-	-	-
Diphtheria - - -		9	2	1	-	-	-	3	3	-	1	-	-	1	-	1	-	-
Whooping-cough -		9	3	3	1	-	1	8	1	-	-	-	-	-	-	-	-	-
Typhus - - - - -		31	-	-	-	-	-	1	2	-	5	4	6	6	3	1	2	-
Diarrhoea & Dysentery		8	4	-	-	-	-	4	-	-	1	-	-	-	-	-	2	1
Cholera - - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		15	4	3	1	-	1	9	1	-	-	-	-	-	-	1	4	-
Cancer - - - - -		9	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	2
Serofula and Tuberc.		14	9	1	1	-	-	11	1	-	-	-	-	1	1	-	-	-
Phthisis - - - -		91	-	1	-	-	-	1	-	1	14	12	28	10	16	7	3	-
Hydrocephalus - -		6	3	2	-	-	-	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -		66	14	3	2	2	-	21	3	1	1	3	1	2	4	4	23	11
Dis. of Heart & Dropsy		53	-	2	-	-	-	2	1	-	-	2	1	3	4	5	15	14
Dis. of Lungs - - -		69	9	4	1	2	1	17	3	1	4	3	5	7	7	23	13	8
Dis. of Stom. and Liver		63	13	3	-	1	-	17	-	2	-	2	4	1	10	15	8	6
Dis. of Kidneys - -		15	-	-	-	-	-	-	-	-	1	-	1	1	-	1	6	4
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -		5	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1
Dis. of Skin - - - -		2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -		3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths		34	-	-	-	-	-	-	3	4	1	-	2	2	9	4	5	3
Other Causes - - -		158	64	9	1	-	1	75	-	-	-	1	2	-	3	4	12	21

558.—MORPETH.

Mean Popul ⁿ , 1861-71		14046	446	400	412	334	369	2011	1759	1534	1421	1228	2018	1570	1150	776	418
TOTAL DEATHS—		3215	880	318	119	97	55	1469	170	80	104	105	181	192	166	195	272
Small-pox		29	9	—	3	—	1	14	—	2	4	1	4	4	—	—	—
Measles		37	11	22	11	6	4	54	—	—	—	1	1	—	—	—	—
Scarlatina		136	8	39	32	26	29	135	59	9	3	1	2	—	—	—	—
Diphtheria		49	7	17	3	5	2	94	10	3	—	1	1	—	—	—	—
Whooping-cough		43	22	12	6	1	—	41	2	—	—	—	—	—	—	—	—
Typhus		163	10	4	7	9	6	56	21	9	23	15	20	14	9	9	4
Diarrhoea & Dysentery		187	69	63	4	3	—	136	1	—	—	4	5	2	2	17	11
Cholera		10	1	—	1	—	—	2	—	—	1	—	1	1	2	3	—
Other Zymotic Dis.		68	12	6	4	11	6	39	8	2	2	2	1	2	2	3	5
Cancer		29	—	—	—	—	—	—	—	—	—	—	1	5	8	6	7
Scrophula and Tuberc.		90	38	30	6	5	—	79	5	6	3	1	2	1	—	1	4
Phthisis		265	4	3	3	—	—	10	9	10	28	43	61	53	24	22	4
Hydrocephalus		74	34	16	9	5	—	64	10	—	—	—	—	—	—	—	—
Dis. of Brain		455	165	22	11	9	1	208	12	4	4	7	17	37	41	20	43
Dis. of Heart & Dropsy		187	2	4	2	—	—	8	3	2	4	4	9	15	13	20	26
Dis. of Lungs		376	156	46	11	8	1	202	10	—	5	4	12	12	18	27	44
Dis. of Stom. and Liver		164	41	13	2	4	2	62	7	3	4	2	5	20	11	20	32
Dis. of Kidneys		54	—	1	2	—	—	3	2	1	1	3	4	3	10	9	7
Dis. of Gener. Organs		1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Dis. of Joints		9	—	—	—	—	—	1	1	—	3	—	2	1	—	—	1
Dis. of Skin		8	4	1	—	—	—	5	—	—	1	—	—	—	—	—	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		16	—	—	—	—	—	—	—	—	—	—	2	4	3	7	—
Other Violent Deaths		163	6	4	1	5	2	18	11	28	15	14	22	14	13	19	14
Other Causes		636	204	53	1	—	1	339	3	—	1	2	6	5	10	12	43

559.—ALNWICK.

Mean Popul ⁿ , 1861-71		9885	274	253	254	263	248	1292	1275	1138	963	785	1214	1037	939	685	395
TOTAL DEATHS—		1970	351	103	50	42	21	567	102	51	86	66	119	105	120	189	275
Small-pox		27	7	2	1	—	—	10	—	—	2	—	2	4	2	4	1
Measles		27	5	12	2	—	1	18	5	1	4	—	1	—	—	—	—
Scarlatina		87	3	6	9	18	6	42	20	11	2	2	—	—	—	—	—
Diphtheria		22	4	3	3	4	1	15	6	—	1	—	—	—	—	—	—
Whooping-cough		25	17	5	2	1	—	23	2	—	—	—	—	—	—	—	—
Typhus		57	1	—	—	1	1	6	4	9	4	4	9	5	6	4	3
Diarrhoea & Dysentery		48	23	3	—	—	—	20	—	1	1	—	1	—	1	5	7
Cholera		4	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Other Zymotic Dis.		54	5	5	4	4	3	21	8	3	—	1	1	2	2	7	1
Cancer		29	—	—	—	—	—	—	—	—	—	—	—	1	5	9	11
Scrophula and Tuberc.		33	5	4	2	2	1	14	4	5	5	1	2	—	1	3	—
Phthisis		247	3	3	—	—	1	7	11	8	38	40	59	55	28	17	4
Hydrocephalus		36	15	12	2	2	—	31	5	—	—	—	—	—	—	—	—
Dis. of Brain		241	43	9	7	5	—	66	11	1	3	2	8	13	14	21	43
Dis. of Heart & Dropsy		167	—	1	1	—	—	2	—	1	4	5	7	12	10	26	36
Dis. of Lungs		261	88	25	7	3	6	90	3	2	4	2	4	8	11	26	33
Dis. of Stom. and Liver		115	21	8	1	2	—	27	4	1	2	5	5	6	15	12	29
Dis. of Kidneys		41	2	1	—	—	—	8	1	1	1	—	—	1	4	5	13
Dis. of Gener. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		7	1	—	—	—	—	1	1	1	2	—	—	1	—	—	—
Dis. of Skin		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		6	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Other Violent Deaths		82	4	2	4	—	1	11	5	3	11	4	11	11	9	5	6
Other Causes		349	124	9	2	—	—	145	2	5	1	1	5	6	7	15	32

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		557.—BELLINGHAM.																
Mean Popul ⁿ , 1861-71	3376	98	81	82	86	85	432	378	339	342	297	463	393	284	216	150	70	12
TOTAL DEATHS	620	94	28	26	13	12	173	26	20	21	26	60	51	31	45	57	81	29
Small-pox	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Measles	10	-	2	2	1	1	6	1	1	-	-	-	1	1	-	-	-	-
Scarlatina	28	1	3	5	2	1	12	13	1	-	-	1	-	-	-	-	-	-
Diphtheria	6	-	1	1	-	2	4	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	19	7	5	2	2	2	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	22	-	-	2	2	2	6	1	6	2	-	2	2	-	1	1	1	-
Diarrhoea & Dysentery	14	7	2	-	1	-	10	-	-	-	-	1	1	-	-	-	2	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	20	1	-	3	2	-	6	2	-	1	1	2	-	-	1	4	1	2
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes	10	4	2	1	-	-	7	1	-	-	1	2	1	1	3	1	1	-
Phthisis	91	-	-	1	-	-	1	2	4	13	14	27	10	4	5	1	1	-
Hydrocephalus	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	67	10	6	1	-	1	18	1	1	1	1	1	5	7	8	10	12	2
Dis. of Heart & Dropsy	41	1	-	-	-	-	1	1	-	-	3	1	3	5	5	15	7	-
Dis. of Lungs	67	7	5	2	2	1	17	2	2	2	1	3	4	5	8	3	6	3
Dis. of Stom. and Liver	41	4	1	-	-	2	7	-	3	1	2	8	4	4	5	3	4	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	-	2	8	4	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	4	-	1	1	1	-	3	-	-	-	-	-	1	-	-	-	-	-
Other Causes	133	46	-	4	-	-	50	-	-	-	-	2	2	1	8	12	42	16
558.—MORPETH.																		
Mean Popul ⁿ , 1861-71	13468	434	370	421	409	374	2008	1668	1495	1196	1178	1881	1481	1109	778	464	173	37
TOTAL DEATHS	3083	670	306	139	77	57	1240	173	65	97	103	236	179	182	195	269	250	76
Small-pox	21	2	3	1	1	-	7	3	-	1	3	2	3	1	1	-	-	-
Measles	54	7	19	11	4	2	43	8	1	-	-	-	2	-	-	-	-	-
Scarlatina	211	18	26	31	25	24	124	63	11	8	2	3	-	-	-	-	-	-
Diphtheria	50	6	10	10	6	5	37	6	3	3	-	1	-	-	-	-	-	-
Whooping-cough	59	28	16	7	4	2	57	2	-	-	-	-	-	-	-	-	-	-
Typhus	167	6	5	12	7	5	35	29	17	9	15	23	12	10	9	6	2	-
Diarrhoea & Dysentery	170	67	41	11	3	-	122	-	1	1	1	1	2	1	6	16	18	2
Cholera	5	-	-	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	65	8	10	6	4	1	29	7	2	2	2	3	4	3	4	5	1	-
Cancer	50	-	-	-	-	-	-	-	-	-	-	3	6	14	11	8	7	1
Serofula and Tabes	74	20	31	7	4	1	63	8	-	1	-	1	2	-	-	1	-	-
Phthisis	360	2	7	2	2	1	14	9	19	49	50	90	50	42	12	6	1	-
Hydrocephalus	58	23	13	9	2	2	49	6	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	329	98	25	8	5	4	140	10	1	3	6	23	17	23	34	40	28	4
Dis. of Heart & Dropsy	239	3	3	-	-	1	7	1	2	5	2	14	14	28	53	66	39	8
Dis. of Lungs	304	89	40	14	8	3	154	5	-	4	4	11	9	13	21	45	29	9
Dis. of Stom. and Liver	169	35	12	3	-	1	51	6	2	3	4	8	15	21	28	22	8	1
Dis. of Kidneys	21	-	-	1	-	-	1	-	-	2	1	4	2	4	2	5	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	1	2	4	6	1	-	-
Dis. of Joints	10	-	-	-	-	-	-	1	2	1	-	2	-	1	2	1	1	-
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-
Childbirth and Metria	60	-	-	-	-	-	-	-	-	3	10	28	17	2	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	1	1	-	1	1	4	-	3	-	-
Other Violent Deaths	38	2	3	2	1	4	12	4	1	-	-	2	5	-	1	5	6	2
Other Causes	588	255	42	4	1	1	305	6	-	-	1	3	4	9	11	38	115	48
559.—ALNWICK.																		
Mean Popul ⁿ , 1861-71	10541	248	244	246	254	245	1237	1214	1081	1049	918	1435	1129	1002	770	478	198	30
TOTAL DEATHS	2023	280	109	41	40	24	404	80	53	72	92	164	118	121	186	273	264	106
Small-pox	27	4	1	-	3	-	8	2	2	-	2	4	3	-	3	-	-	-
Measles	25	4	9	3	4	1	21	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	65	5	7	2	13	5	32	21	4	3	-	5	-	-	-	-	-	-
Diphtheria	15	2	3	1	1	1	8	1	1	3	1	1	-	-	-	-	-	-
Whooping-cough	26	13	14	5	3	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	39	-	1	2	1	3	7	9	4	7	4	7	7	1	2	4	8	3
Diarrhoea & Dysentery	60	16	6	1	-	1	24	-	-	-	-	1	1	1	3	4	12	12
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	65	12	7	6	5	2	32	7	1	1	1	4	1	2	3	5	6	2
Cancer	55	-	-	-	-	-	-	-	-	-	-	1	2	3	10	20	6	1
Serofula and Tabes	37	10	8	-	-	2	20	4	2	1	1	1	1	4	1	2	-	-
Phthisis	293	2	7	1	2	-	12	6	19	35	49	80	41	29	16	5	1	-
Hydrocephalus	34	8	6	3	3	3	23	8	1	2	-	-	-	-	-	-	-	-
Dis. of Brain	212	37	9	5	-	4	53	4	3	1	6	15	5	13	33	36	30	11
Dis. of Heart & Dropsy	196	1	1	-	1	-	3	-	5	8	5	6	21	14	24	70	37	3
Dis. of Lungs	221	49	18	7	2	2	78	6	2	2	2	7	4	9	26	31	41	13
Dis. of Stom. and Liver	133	14	2	2	-	-	18	1	2	4	4	8	8	15	27	27	18	1
Dis. of Kidneys	15	-	-	1	-	-	1	-	-	-	-	3	1	2	2	1	2	1
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	-	1	1	-	6	3	2	-
Dis. of Joints	8	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-
Dis. of Skin	3	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	-	4	14	10	2	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
Other Violent Deaths	29	3	2	-	1	-	6	3	4	3	3	1	1	1	3	2	5	7
Other Causes	383	109	8	1	1	-	110	3	4	1	3	4	8	9	18	49	103	71

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		Year.															
560.—BELFORD.																	
Mean Popul ⁿ , 1861-71		2866	75	71	77	83	80	386	357	343	300	235	318	291	259	197	129
TOTAL DEATHS		539	95	27	14	11	9	156	24	19	13	19	40	24	33	45	77
Small-pox		2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Measles		5	-	2	2	-	-	4	1	-	-	-	-	-	-	-	-
Scarlatina		19	1	2	1	3	3	10	7	1	1	-	-	-	-	-	-
Diphtheria		15	2	1	1	3	1	8	4	2	1	-	-	-	-	-	-
Whooping-cough		7	5	2	-	-	-	7	-	-	-	-	-	-	-	-	-
Typhus		18	-	-	-	-	-	2	2	2	2	3	2	1	-	3	2
Diarrhea & Dysentery		10	2	-	-	-	-	2	-	-	-	-	-	-	1	2	2
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		9	1	1	3	1	1	7	-	-	-	-	-	-	-	1	1
Cancer		7	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2
Scrofula and Tuberc.		10	4	-	-	-	-	4	-	3	-	-	-	-	2	1	-
Phthisis		50	-	-	1	-	1	2	-	3	4	8	18	2	6	5	2
Hydrocephalus		10	3	5	-	1	1	10	-	-	-	-	-	-	-	-	-
Dis. of Brain		40	3	1	-	1	2	7	1	1	-	1	1	2	1	9	2
Dis. of Heart & Dropsy		44	1	-	-	-	-	1	1	-	1	1	5	4	1	5	3
Dis. of Lungs		65	11	4	1	1	-	17	4	1	-	1	4	1	5	6	13
Dis. of Stom. and Liver		32	8	1	2	-	-	11	-	1	-	-	1	2	2	9	3
Dis. of Kidneys		7	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1
Dis. of Gener. Organs		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Dis. of Skin		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths		32	2	2	-	-	-	4	1	2	3	2	7	8	2	2	1
Other Causes		152	52	6	3	1	-	62	3	3	-	2	1	1	5	2	18
561.—BERWICK.																	
Mean Popul ⁿ , 1861-71		10204	268	271	275	291	288	1393	1343	1252	1103	801	1166	1029	899	656	403
TOTAL DEATHS		2144	420	140	82	53	43	738	118	48	83	73	128	110	146	169	237
Small-pox		26	10	2	3	-	1	16	1	1	1	-	-	4	3	-	-
Measles		40	4	13	7	4	5	33	3	2	1	-	-	1	-	-	-
Scarlatina		101	8	11	19	13	13	64	28	4	-	3	2	-	-	-	-
Diphtheria		41	7	6	6	4	1	24	11	2	1	-	-	1	1	1	-
Whooping-cough		45	19	13	5	3	2	42	3	-	-	-	-	-	-	-	-
Typhus		103	-	6	5	3	3	17	17	5	10	8	16	7	7	11	4
Diarrhea & Dysentery		52	21	8	2	-	-	31	-	1	1	-	-	1	2	-	7
Cholera		10	5	1	1	-	-	7	1	-	-	-	-	1	1	-	1
Other Zymotic Dis.		61	4	12	5	5	6	32	5	3	-	2	4	-	3	3	2
Cancer		43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.		17	4	1	1	2	1	9	1	-	1	1	2	1	1	1	1
Phthisis		222	-	3	-	1	1	5	7	8	34	32	61	50	20	18	7
Hydrocephalus		27	11	6	3	1	1	22	4	-	-	-	1	-	-	-	-
Dis. of Brain		294	32	5	6	1	2	46	7	3	5	1	5	7	22	29	49
Dis. of Heart & Dropsy		159	1	2	-	3	-	6	3	5	3	2	6	9	17	28	45
Dis. of Lungs		221	65	19	6	5	1	96	3	-	3	3	9	10	17	27	43
Dis. of Stom. and Liver		187	36	6	1	1	-	44	4	1	2	1	5	14	15	17	22
Dis. of Kidneys		35	1	-	-	1	1	3	-	-	3	2	1	1	3	7	4
Dis. of Gener. Organs		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Joints		13	-	-	-	-	-	1	3	3	2	1	-	-	1	-	-
Dis. of Skin		10	4	1	-	-	-	5	1	-	1	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		10	-	-	-	-	-	-	-	-	1	2	1	2	2	1	1
Other Violent Deaths		118	7	3	5	2	4	21	9	9	13	13	12	14	11	7	2
Other Causes		457	180	22	6	4	1	218	7	1	2	2	2	4	8	8	26
562.—GLENDALE.																	
Mean Popul ⁿ , 1861-71		6087	157	170	163	162	175	827	769	756	677	512	710	606	531	383	215
TOTAL DEATHS		939	172	43	22	23	13	273	34	31	24	29	54	45	64	87	123
Small-pox		8	4	-	-	-	-	4	-	-	-	-	-	2	1	1	-
Measles		11	2	4	1	-	-	7	2	2	-	-	-	-	-	-	-
Scarlatina		27	6	2	5	4	5	22	4	1	-	-	-	-	-	-	-
Diphtheria		10	2	-	1	3	1	7	1	-	-	-	-	2	-	-	-
Whooping-cough		13	7	-	2	2	-	11	2	-	-	-	-	-	-	-	-
Typhus		40	1	2	-	1	1	5	1	9	4	4	3	3	-	6	1
Diarrhea & Dysentery		23	8	8	-	-	-	16	-	-	1	-	-	1	-	-	1
Cholera		1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		30	5	1	2	1	3	12	7	1	-	2	1	1	1	2	3
Cancer		12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1
Scrofula and Tuberc.		12	4	1	1	1	-	7	1	1	-	1	-	-	1	1	-
Phthisis		74	-	1	-	4	-	1	-	1	10	8	29	11	8	4	2
Hydrocephalus		16	1	7	-	4	1	13	3	-	-	-	-	-	-	-	-
Dis. of Brain		118	15	4	-	1	-	20	4	4	-	2	5	3	9	14	21
Dis. of Heart & Dropsy		126	-	-	-	-	1	1	2	4	-	4	7	7	15	19	43
Dis. of Lungs		117	31	3	4	4	-	42	1	3	2	1	2	5	7	14	13
Dis. of Stom. and Liver		75	11	3	2	1	-	17	1	-	1	4	5	3	3	18	12
Dis. of Kidneys		17	-	-	-	-	-	-	-	-	-	1	1	3	2	1	3
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		3	-	-	-	-	1	1	-	-	-	2	-	-	-	1	-
Dis. of Skin		8	3	-	2	-	-	5	-	-	-	-	-	-	-	1	1
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		23	-	2	1	-	-	8	2	3	3	1	2	1	7	-	1
Other Causes		173	72	4	1	1	-	78	-	-	-	-	1	1	1	6	19

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-	90-	100-	
560.—BELFORD.																					
Mean Popul ⁿ , 1861-71		3183	74	77	72	67	73	363	332	370	329	293	426	325	305	223	146	65	11		
TOTAL DEATHS		531	73	22	21	14	5	135	21	16	17	14	31	25	34	45	73	83	37		
Small-pox		2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Measles		8	-	2	-	-	-	4	2	1	-	-	1	-	-	-	-	-	-		
Scarlatina		13	-	-	3	3	1	7	4	2	-	-	-	-	-	-	-	-	-		
Diphtheria		22	2	2	4	3	-	11	8	2	-	-	1	-	-	-	-	-	-		
Whooping-cough		4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-		
Typhus		15	-	-	-	-	1	1	1	3	4	1	-	2	-	1	-	1	1		
Diarrhoea & Dysentery		5	1	-	1	-	-	2	-	-	-	-	-	-	-	1	1	1	-		
Cholera		10	2	3	1	-	-	6	1	-	1	-	-	-	-	1	-	-	-		
Other Zymotic Dis.		14	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	5	-		
Cancer		5	2	-	1	-	1	4	-	1	-	-	1	-	1	-	-	-	-		
Erysipelas and Tuberc.		68	-	-	1	-	-	1	2	4	9	8	12	13	10	6	3	-	-		
Phthisis		11	3	2	4	-	1	10	-	-	1	-	-	-	-	-	-	-	-		
Hydrocephalus		48	2	1	1	3	-	7	-	1	-	1	2	1	9	3	13	10	1		
Dis. of Brain		50	-	-	-	-	-	-	1	1	-	-	4	-	5	13	15	9	1		
Dis. of Heart & Dropsy		33	4	-	1	2	1	8	-	-	-	-	2	2	2	5	8	6	-		
Dis. of Lungs		31	5	1	-	2	-	8	-	-	-	-	2	1	4	5	11	2	-		
Dis. of Stom. and Liver		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Kidneys		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
Dis. of Gen. Organs		1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-		
Dis. of Joints		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin		11	-	-	-	-	-	-	-	-	1	2	5	3	-	-	-	-	-		
Childbirth and Metritis		-	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-		
Infanticide		2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths		170	49	10	1	-	-	60	2	1	1	1	1	1	1	3	13	47	34		
Other Causes		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

561.—BERWICK.

Mean Popul ⁿ , 1861-71	11426	308	256	284	269	274	1391	1317	1231	1133	958	1475	1236	1081	819	540	218	27
TOTAL DEATHS	2224	330	142	76	60	51	659	105	54	56	62	133	120	115	205	304	301	110
Small-pox	23	2	4	1	-	1	8	4	-	-	1	2	-	3	1	3	-	1
Measles	26	4	8	7	8	6	33	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	112	10	13	19	15	13	70	31	5	2	3	1	-	-	-	-	-	-
Diphtheria	27	3	3	2	7	3	18	6	2	1	-	-	-	-	-	-	-	-
Whooping-cough	65	23	21	5	4	6	59	7	-	-	-	-	-	-	-	-	-	-
Typhus	103	1	2	6	6	6	21	14	19	11	8	8	4	7	7	4	6	8
Marasmus & Dysentery	48	18	7	-	-	1	26	-	1	-	-	-	2	-	4	-	-	1
Cholera	4	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	63	6	8	10	3	4	31	6	-	1	1	2	3	3	4	4	6	2
Cancer	69	-	-	-	-	-	-	-	-	-	-	2	7	14	26	15	4	1
Erysipelas and Tuberc.	21	2	6	-	2	1	11	2	-	2	3	1	-	1	1	-	-	-
Phthisis	219	1	2	1	4	1	9	5	12	26	26	65	34	21	16	4	-	1
Hydrocephalus	26	9	7	3	1	-	20	4	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	222	23	4	4	1	2	37	5	4	1	3	8	4	12	32	72	33	11
Dis. of Heart & Dropsy	146	1	1	-	1	1	4	-	3	3	7	17	20	24	44	21	1	-
Dis. of Lungs	189	35	10	4	4	2	61	4	3	2	3	4	11	10	29	31	27	4
Dis. of Stom. and Liver	112	19	3	2	-	1	25	4	-	2	1	9	15	8	19	16	10	3
Dis. of Kidneys	22	-	1	-	-	-	1	1	-	1	3	2	2	1	2	5	4	-
Dis. of Gen. Organs	15	-	-	-	-	-	-	-	-	-	1	2	4	2	4	1	-	1
Dis. of Joints	8	-	-	-	-	-	-	-	2	1	1	-	1	1	2	-	-	-
Dis. of Skin	7	3	-	-	-	-	3	-	1	-	-	-	-	-	2	1	-	-
Childbirth and Metritis	24	-	-	-	-	-	-	-	-	1	2	13	8	1	-	-	-	-
Infanticide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	48	6	5	2	1	1	15	5	2	2	1	-	-	2	6	5	9	1
Other Causes	607	100	31	10	3	2	295	4	-	-	2	8	4	10	21	95	178	75

562.—GLENDALE.

Mean Popul ⁿ , 1861-71	6612	174	161	156	148	173	812	749	693	681	639	910	714	588	429	268	111	19	
TOTAL DEATHS	977	123	29	24	21	15	212	42	26	26	37	72	62	71	91	129	156	53	
Small-pox	7	1	-	-	1	-	2	-	-	1	1	1	1	1	-	-	-	-	-
Measles	7	-	-	1	1	1	3	3	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	31	-	2	4	6	4	10	11	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	12	-	1	1	1	2	5	1	3	-	-	1	-	-	1	-	-	-	-
Whooping-cough	11	5	3	1	1	1	11	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	43	-	2	1	1	1	5	4	5	-	5	3	7	4	1	3	2	-	-
Marasmus & Dysentery	25	9	-	-	-	-	9	-	-	-	-	2	-	2	2	2	7	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	26	1	2	5	3	-	11	3	-	1	-	-	-	2	-	4	2	1	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	2	2	5	7	4	4	-	-
Erysipelas and Tuberc.	8	1	-	-	1	1	4	1	2	-	-	-	-	-	-	-	-	-	-
Phthisis	116	2	1	-	-	-	2	2	8	11	18	33	17	11	8	1	-	-	-
Hydrocephalus	8	2	1	2	1	-	6	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	85	7	6	-	1	-	14	2	1	1	2	3	3	7	10	21	19	1	-
Dis. of Heart & Dropsy	111	1	-	-	1	-	2	6	2	2	2	3	6	9	25	30	22	2	-
Dis. of Lungs	108	17	2	3	-	3	25	2	4	2	3	3	6	9	19	22	16	4	-
Dis. of Stom. and Liver	67	11	1	-	1	-	13	1	1	2	3	4	4	9	15	12	4	1	-
Dis. of Kidneys	19	-	-	1	-	-	1	1	-	-	1	3	2	2	5	3	1	-	-
Dis. of Gen. Organs	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	1	1	1	-	-	3	-	-	-	-	-	-	1	1	1	-	-	-
Dis. of Skin	3	3	1	-	1	-	5	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metritis	22	-	-	-	-	-	-	-	-	-	2	11	9	-	-	-	-	-	-
Infanticide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	8	-	-	-	1	-	1	1	1	-	-	-	-	1	-	1	3	-	-
Other Causes	227	62	7	3	-	2	74	1	-	-	-	2	1	3	5	24	7	42	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		563.—ROTHBURY.															
Mean Popul ⁿ , 1861-71	3543	94	92	98	87	101	472	420	401	352	272	456	383	310	241	150	71
TOTAL DEATHS—	530	90	20	12	7	6	135	25	20	11	14	24	35	34	50	71	29
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	3	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	7	1	-	-	1	1	3	4	-	-	-	-	-	-	-	-	-
Diphtheria	19	1	-	3	2	1	7	9	3	-	-	-	-	-	-	-	-
Whooping-cough	7	2	3	1	-	-	6	1	-	-	-	-	-	-	-	-	-
Typhus	12	-	-	-	-	1	1	-	1	1	-	2	1	1	3	1	1
Diarrhoea & Dysentery	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	6	1	1	-	-	-	2	1	-	-	-	-	1	-	1	1	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	4
Serofula and Tabes	8	1	1	-	-	-	2	2	1	1	-	2	-	-	-	-	-
Phthisis	67	-	-	-	-	-	1	1	3	4	8	14	15	13	8	1	-
Hydrocephalus	4	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-
Dis. of Brain	56	12	3	1	-	1	17	1	2	1	1	-	1	1	3	2	2
Dis. of Heart & Dropsy	54	1	-	-	-	-	1	1	1	-	1	-	6	2	11	13	13
Dis. of Lungs	53	12	5	4	1	1	23	-	-	-	-	1	3	2	7	7	4
Dis. of Stom. and Liver	44	5	2	1	-	-	8	-	1	2	-	2	1	4	10	12	3
Dis. of Kidneys	11	1	-	-	-	-	1	-	-	-	-	-	3	2	1	-	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-
Other Violent Deaths	18	-	1	1	-	-	2	1	5	1	3	1	1	2	1	-	1
Other Causes	142	51	2	-	2	-	56	2	9	-	8	1	2	2	3	13	42

564.—ALSTON.																	
Mean Popul ⁿ , 1861-71	3005	94	75	92	80	81	422	408	356	316	266	419	359	245	144	58	12
TOTAL DEATHS—	653	162	34	19	12	15	232	28	16	17	25	51	38	83	77	58	22
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Measles	8	3	1	2	-	-	6	2	-	-	-	-	-	-	-	-	-
Scarlatina	38	5	4	6	6	6	27	7	2	-	1	-	1	-	-	-	-
Diphtheria	9	1	3	-	1	2	7	1	1	-	-	-	-	-	-	-	-
Whooping-cough	21	15	4	2	-	-	21	-	-	-	-	-	-	-	-	-	-
Typhus	10	1	-	-	-	-	1	2	-	-	1	2	1	2	1	1	1
Diarrhoea & Dysentery	29	17	3	1	-	1	22	1	1	-	-	-	1	1	1	2	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	17	3	-	3	-	3	9	1	-	1	1	1	-	1	1	1	1
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	-
Serofula and Tabes	20	3	3	-	1	-	7	1	4	2	2	2	2	-	-	-	-
Phthisis	56	-	-	-	-	-	4	3	3	6	6	12	12	9	4	1	-
Hydrocephalus	5	1	1	2	-	-	4	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	59	13	2	1	-	-	16	4	2	2	3	5	4	5	7	8	2
Dis. of Heart & Dropsy	25	-	-	-	1	-	1	1	-	1	1	1	-	4	8	3	2
Dis. of Lungs	186	20	6	1	3	2	32	4	3	3	12	11	14	50	25	3	1
Dis. of Stom. and Liver	40	6	2	-	-	-	8	2	1	1	2	3	4	6	2	4	2
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	22	1	3	1	-	-	5	1	1	-	3	5	-	3	1	2	1
Other Causes	83	61	2	-	-	1	64	-	-	-	-	1	-	2	2	4	9

565.—PENRITH.																	
Mean Popul ⁿ , 1861-71	11534	290	292	279	308	257	1426	1315	1215	1173	1004	1471	1293	1116	790	497	204
TOTAL DEATHS—	2248	455	102	61	41	32	691	73	27	58	59	121	131	180	231	321	262
Small-pox	13	3	1	-	4	1	4	-	-	1	-	1	3	1	2	1	-
Measles	21	6	6	1	4	1	18	3	-	-	-	-	-	-	-	-	-
Scarlatina	61	6	3	9	8	9	37	22	1	1	-	-	-	-	-	-	-
Diphtheria	24	4	4	4	3	4	19	1	-	4	-	-	-	-	-	-	-
Whooping-cough	23	14	5	1	1	2	23	-	-	-	-	-	-	-	-	-	-
Typhus	35	2	-	1	-	1	4	-	3	4	2	4	4	6	4	3	1
Diarrhoea & Dysentery	47	22	5	4	-	-	31	-	1	1	-	-	-	2	2	4	1
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	34	12	3	5	1	-	21	3	-	-	-	2	2	2	-	3	2
Cancer	45	-	-	-	-	-	-	-	-	-	1	1	1	5	13	14	4
Serofula and Tabes	50	11	4	1	1	-	17	5	2	2	1	1	-	1	-	-	-
Phthisis	239	3	1	2	-	1	7	6	5	18	42	63	40	20	25	6	-
Hydrocephalus	46	11	15	7	3	4	40	3	2	-	-	-	1	-	-	-	-
Dis. of Brain	261	67	6	3	4	4	84	10	3	4	-	7	12	25	31	33	29
Dis. of Heart & Dropsy	192	3	3	-	2	-	8	2	2	3	5	6	12	23	29	29	21
Dis. of Lungs	282	66	19	5	4	1	95	4	3	3	6	21	21	40	45	39	4
Dis. of Stom. and Liver	118	16	1	2	2	-	21	2	-	4	2	11	6	19	34	19	4
Dis. of Kidneys	51	-	1	-	1	2	4	-	-	1	-	4	5	4	16	11	7
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	-	-	1	-	-	1	1	-	2	-	1	2	3	-	2	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	23	-	-	-	-	-	-	-	-	-	-	3	6	6	4	-	-
Other Violent Deaths	103	7	4	6	3	-	20	6	3	9	3	5	14	17	8	12	2
Other Causes	679	202	10	9	4	3	237	5	2	1	-	3	6	13	21	32	29

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.		
		563.—ROTHBURY.																		
Mean Popul ⁿ , 1861-71	3571	94	90	97	89	89	459	414	350	364	328	500	385	317	245	143	56	10		
TOTAL DEATHS—	575	85	23	14	8	5	135	31	14	16	19	45	39	31	51	79	80	35		
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	3	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
Scarlatina	14	1	1	4	1	1	8	3	—	2	—	—	—	—	—	—	—	—		
Diphtheria	18	1	2	2	2	2	9	4	3	—	—	2	—	—	—	—	—	—		
Whooping-cough	5	3	1	1	—	—	5	—	—	—	—	—	—	—	—	—	—	—		
Typhus	19	1	1	—	—	—	2	2	1	2	3	4	1	—	2	2	—	—		
Diarrhoea & Dysentery	4	1	—	—	—	—	1	—	—	—	—	1	—	—	—	2	—	—		
Holera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Zymotic Dis.	14	2	2	2	—	—	6	4	—	—	—	—	—	—	—	4	—	—		
Cancer	8	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	2	—		
Erysipelas and Tetanus	7	1	2	—	—	—	3	—	1	—	1	—	1	—	—	1	—	—		
Eclampsia	79	—	1	—	—	—	1	1	2	5	8	28	17	9	7	1	—	—		
Hydrocephalus	3	—	1	2	1	—	4	1	—	—	—	—	—	—	—	—	—	—		
As. of Brain	62	13	1	—	1	1	16	4	1	3	—	2	2	2	9	11	10	2		
As. of Heart & Dropsy	52	1	2	—	—	—	3	—	—	—	1	3	3	7	10	13	8	4		
As. of Lungs	44	12	4	2	1	—	19	5	2	—	2	3	3	2	3	4	3	3		
As. of Stom. and Liver	39	5	—	—	—	1	6	1	—	1	2	3	5	5	6	17	11	2		
As. of Kidneys	5	1	1	—	—	—	2	—	—	—	1	1	—	—	—	—	1	—		
As. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
As. of Joints	3	—	1	—	—	—	1	—	1	—	—	—	1	—	1	—	—	—		
As. of Skin	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		
Childbirth and Metritis	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—		
Infanticide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Violent Deaths	6	—	—	—	1	—	1	2	—	—	—	—	—	—	1	—	1	1		
Other Causes	160	43	2	1	1	—	47	2	2	2	1	—	2	4	10	23	44	23		

564.—ALSTON.																				
Mean Popul ⁿ , 1861-71	3037	78	82	86	85	81	412	383	335	314	247	411	335	256	177	110	45	12		
TOTAL DEATHS—	624	132	33	20	8	14	207	24	16	32	29	57	37	27	55	67	47	26		
Small-pox	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	31	2	1	2	—	—	5	—	—	1	—	—	—	—	—	—	—	—	—	—
Scarlatina	31	4	9	6	1	3	23	6	1	1	—	—	—	—	—	—	—	—	—	—
Diphtheria	11	—	—	1	3	1	5	6	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	15	5	4	2	2	2	15	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	9	—	—	—	—	—	2	1	1	1	—	—	3	2	—	1	4	—	—	—
Diarrhoea & Dysentery	31	17	1	—	—	—	16	1	—	—	—	—	—	—	—	—	—	—	—	—
Holera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	11	5	—	—	—	1	6	—	—	—	1	—	1	—	1	1	1	—	—	—
Cancer	15	—	—	—	—	—	—	—	—	—	1	—	3	1	4	4	1	1	—	—
Erysipelas and Tetanus	14	2	1	1	—	1	5	1	—	2	2	2	1	—	1	—	—	—	—	—
Eclampsia	80	—	—	2	—	—	2	2	6	15	15	33	4	—	2	1	—	—	—	—
Hydrocephalus	5	2	1	2	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
As. of Brain	61	14	—	—	—	—	14	3	4	7	2	3	1	2	5	19	5	3	—	—
As. of Heart & Dropsy	35	1	—	—	—	1	3	—	—	—	—	3	3	5	8	7	6	4	—	—
As. of Lungs	101	14	6	2	3	2	27	—	1	1	1	5	5	8	12	20	11	4	—	—
As. of Stom. and Liver	53	8	2	—	—	1	11	1	2	2	2	2	8	5	11	7	2	—	—	—
As. of Kidneys	14	—	—	—	1	—	1	1	—	—	—	3	1	1	5	1	1	—	—	—
As. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
As. of Joints	4	—	—	—	—	—	—	1	—	—	—	1	1	—	—	1	—	—	—	—
As. of Skin	2	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Childbirth and Metritis	9	—	—	—	—	—	—	—	—	1	3	4	1	—	—	—	—	—	—	—
Infanticide	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Other Violent Deaths	3	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Other Causes	111	27	6	—	1	—	64	1	—	—	1	1	3	2	5	6	14	14	—	—

565.—PENRITH.																			
Mean Popul ⁿ , 1861-71	11496	318	286	307	277	296	1484	1319	1208	1044	996	1574	1265	1061	782	501	228	34	
TOTAL DEATHS—	2102	362	84	63	45	29	583	81	54	67	84	142	132	136	169	265	208	91	
Small-pox	10	3	1	2	—	—	6	1	—	—	2	—	—	—	1	—	—	—	—
Measles	17	4	4	2	1	2	13	4	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	70	8	6	9	8	7	38	19	9	2	1	1	—	—	—	—	—	—	—
Diphtheria	23	—	3	4	1	3	11	7	2	2	—	—	—	—	—	1	—	—	—
Whooping-cough	29	16	9	1	1	1	28	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	37	1	—	2	1	—	4	4	6	5	2	4	1	5	2	3	1	—	—
Diarrhoea & Dysentery	44	20	6	1	1	—	28	—	—	—	2	1	—	2	3	2	2	4	—
Holera	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	46	5	5	4	3	3	20	7	3	1	1	—	3	1	4	6	2	—	—
Cancer	56	—	—	—	—	—	—	—	—	—	—	3	7	9	14	18	5	—	—
Erysipelas and Tetanus	25	6	2	1	—	2	11	2	3	1	3	2	1	2	—	—	—	—	—
Eclampsia	277	1	—	1	—	—	2	2	16	37	45	80	48	30	12	4	1	—	—
Hydrocephalus	47	13	7	3	6	4	33	11	2	1	—	—	—	—	—	—	—	—	—
As. of Brain	208	48	8	5	3	2	66	4	1	6	2	12	8	19	16	37	35	2	—
As. of Heart & Dropsy	181	3	—	—	—	—	5	3	4	4	—	10	9	14	42	60	25	5	—
As. of Lungs	225	49	13	8	7	4	81	7	3	—	10	7	11	14	25	39	21	7	—
As. of Stom. and Liver	134	10	5	1	—	1	17	2	1	2	5	6	18	15	20	31	15	1	—
As. of Kidneys	27	1	1	—	—	—	2	2	—	—	1	3	6	3	1	6	3	—	—
As. of Gener. Organs	9	—	—	—	—	—	—	—	—	—	1	1	4	3	—	—	—	—	—
As. of Joints	5	—	—	1	1	—	2	—	—	2	—	—	—	—	—	—	—	—	—
As. of Skin	7	3	—	—	—	—	3	—	—	—	—	—	—	—	—	2	1	—	—
Childbirth and Metritis	22	—	—	—	—	—	—	—	—	—	5	9	7	1	—	—	—	—	—
Infanticide	5	—	—	—	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—
Other Violent Deaths	29	3	1	5	1	—	10	4	3	2	—	1	3	1	2	1	2	2	—
Other Causes	565	167	13	13	9	—	202	1	1	2	3	2	6	* 10	17	65	186	7	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
566.—BRAMPTON.																		
Mean Popul ⁿ , 1861-71	5403	138	131	141	127	141	678	655	656	549	436	641	548	491	387	251	97	14
TOTAL DEATHS	1052	193	46	30	22	16	307	36	22	30	39	73	68	71	100	122	142	4
Small-pox	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Measles	25	5	10	6	2	2	25	12	-	-	-	-	-	-	-	-	-	-
Scarlatina	37	2	-	7	5	6	20	19	4	-	1	-	1	-	-	-	-	-
Diphtheria	17	1	2	-	3	1	7	8	-	-	-	-	-	-	-	-	-	-
Whooping-cough	13	8	5	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	21	-	-	1	3	2	6	3	-	1	1	3	4	1	1	1	1	1
Diarrhoea & Dysentery	15	4	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	4	2
Other Zymotic Dis.	17	1	3	1	1	-	6	-	1	-	1	-	-	-	2	1	4	2
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	4	4
Scrophula and Tuberc.	15	4	3	-	-	-	7	2	1	1	3	1	-	-	-	-	-	-
Phthisis	165	-	-	1	2	-	3	1	4	15	27	49	20	19	20	6	1	-
Hydrocephalus	11	4	2	2	-	1	9	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	104	16	6	1	-	-	23	2	3	3	1	5	7	8	15	19	18	1
Dis. of Heart & Dropsy	82	3	-	1	1	-	5	-	2	-	-	1	7	9	10	20	20	2
Dis. of Lungs	93	17	6	5	2	-	30	2	-	1	1	2	4	9	12	12	12	3
Dis. of Stom. and Liver	69	15	-	-	-	-	15	2	-	3	-	2	5	9	8	19	6	1
Dis. of Kidneys	29	1	-	-	-	1	2	-	-	2	1	1	4	3	2	4	7	1
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	-	-	-	-	-	-	1	3	-	1	1	2	1	1	1	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	1	-	3	2	-	2	1	-	-
Other Violent Deaths	40	1	-	2	1	2	6	-	5	2	-	3	7	6	7	2	2	2
Other Causes	257	110	8	3	2	1	124	-	-	-	-	1	5	1	7	20	43	20

567.—LONGTOWN.																		
Mean Popul ⁿ , 1861-71	4876	126	122	112	118	123	601	560	540	449	449	669	548	425	321	301	99	14
TOTAL DEATHS -	900	202	48	22	15	8	295	37	30	26	29	51	50	46	61	111	127	14
Small-pox - - -	8	4	2	-	2	-	8	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	18	-	1	1	3	2	7	6	3	-	1	-	-	-	-	-	-	-
Scarlatina - - -	9	1	3	1	1	-	6	2	-	-	1	-	-	-	-	-	-	-
Diphtheria - - -	14	10	5	-	1	-	16	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	10	1	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	24	12	-	1	1	-	14	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery	5	1	-	-	-	-	7	3	1	-	-	-	-	-	-	-	-	-
Cholera - - -	21	3	3	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	13	-	-	-	-	1	1	-	-	-	-	1	1	-	1	4	4	1
Cancer - - -	13	-	4	1	-	-	6	-	4	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	13	1	2	1	-	-	14	8	8	13	23	28	19	10	8	2	1	-
Phthisis - - -	135	-	-	-	-	2	7	2	-	-	-	-	-	-	-	-	-	-
Hydrocephalus - -	9	3	2	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	117	37	2	3	1	-	43	3	4	1	2	3	5	2	11	23	17	1
Dis. of Heart & Dropsy	47	1	-	-	-	-	1	-	2	1	-	1	4	5	9	11	11	1
Dis. of Lungs - - -	83	10	6	4	-	2	22	3	1	4	1	5	7	7	18	17	4	1
Dis. of Stom. and Liver	50	6	2	1	-	-	9	-	1	2	-	3	4	5	11	14	4	1
Dis. of Kidneys - -	14	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	3	1
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	7	-	-	-	-	-	-	-	1	-	-	1	2	-	2	-	-	-
Dis. of Skin - - -	8	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	37	1	1	2	-	-	4	3	5	-	1	2	3	3	6	14	12	1
Other Causes - - -	238	105	11	5	3	-	124	1	-	-	-	-	-	-	-	-	-	-

568.—CARLISLE.																		
Mean Popul ⁿ , 1861-71	21702	628	582	578	591	581	2960	2670	2337	2191	1778	3029	2386	1920	1335	741	267	26
TOTAL DEATHS -	5463	1328	374	188	137	85	2112	248	124	152	175	342	362	369	503	329	189	10
Small-pox - - -	34	6	6	3	5	1	19	3	1	-	2	3	3	-	-	-	-	-
Measles - - -	151	11	64	33	21	4	135	12	2	1	-	1	1	1	-	-	-	-
Scarlatina - - -	191	18	32	27	28	17	110	64	12	3	-	1	1	-	-	-	-	-
Diphtheria - - -	37	4	7	3	2	3	19	11	2	2	1	-	-	-	-	-	-	-
Whooping-cough -	170	80	42	19	15	8	164	4	2	-	-	-	-	-	-	-	-	-
Typhus - - -	174	1	1	7	8	6	23	21	13	20	8	10	21	17	19	8	4	1
Diarrhoea & Dysentery	221	116	37	6	1	2	162	2	1	1	3	6	3	7	10	10	14	1
Cholera - - -	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	139	22	20	19	11	7	79	6	3	1	3	3	2	4	6	1	3	1
Cancer - - -	77	-	-	-	-	1	1	-	-	-	2	-	1	7	16	25	17	4
Scrophula and Tuberc.	42	11	15	2	5	3	36	2	4	3	-	2	2	1	7	24	27	1
Phthisis - - -	667	16	12	4	6	3	41	27	21	68	95	153	163	1	2	-	-	-
Hydrocephalus - -	85	18	11	9	7	7	52	21	7	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	712	245	23	16	6	3	291	19	12	5	8	25	43	41	78	168	49	1
Dis. of Heart & Dropsy	384	1	2	-	-	-	6	3	9	9	11	22	11	22	29	29	1	1
Dis. of Lungs - - -	641	142	63	22	10	8	270	18	3	9	4	21	25	29	89	115	75	1
Dis. of Stom. and Liver	206	42	5	6	1	2	56	5	3	1	5	19	20	20	23	29	4	1
Dis. of Kidneys - -	128	1	-	2	-	1	4	2	1	2	4	17	19	13	22	33	12	1
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -	8	3	-	-	-	-	3	-	-	1	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	234	11	6	3	11	7	58	15	10	14	23	29	20	23	29	21	4	1
Other Causes - - -	1919	659	33	7	4	2	604	9	6	4	3	6	20	19	23	39	12	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	80 & upwards.
		1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71
566.—BRAMPTON.																		
Mean Popul ⁿ , 1861-71	5334	131	114	142	130	125	642	611	625	510	475	702	567	468	362	242	113	17
TOTAL DEATHS—	987	153	47	21	15	4	215	38	31	33	47	78	67	57	82	120	146	43
Small-pox - - -	1	-	-	-	-	-	17	3	2	-	-	1	-	-	-	-	-	-
Measles - - - -	22	6	8	2	1	-	8	-	2	-	-	-	-	-	-	-	-	-
Scarlatina - - -	12	-	2	3	3	-	7	7	3	1	-	1	-	-	-	-	-	-
Diphtheria - - -	19	-	1	4	1	1	7	-	-	-	-	-	-	-	-	1	-	-
Whooping-cough -	13	7	4	1	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	24	2	1	-	1	-	4	4	2	1	3	2	2	1	4	-	1	1
Diarrhoea & Dysentery	18	9	-	-	1	-	10	-	-	-	-	1	3	-	-	-	-	3
Cholera - - - - -	1	1	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	1	3	2	-	-	6	3	-	1	2	-	-	-	1	5	3	-
Cancer - - - - -	29	-	-	-	-	-	-	-	-	-	-	-	6	2	11	6	4	-
Scrofula and Tuberc.	13	2	4	1	1	-	8	1	1	2	-	1	-	-	-	-	-	-
Phthisis - - - -	147	2	-	1	-	-	3	2	10	18	27	33	23	16	7	6	-	-
Hydrocephalus - -	8	3	3	-	1	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	76	12	2	1	1	2	18	-	4	1	1	5	4	6	12	15	10	2
Dis. of Heart & Dropsy	101	1	2	2	-	-	5	3	3	4	7	9	16	16	16	15	4	-
Dis. of Lungs - - -	79	15	9	1	5	1	31	2	1	-	1	5	5	2	10	14	7	1
Dis. of Stom. and Liver	62	7	2	2	-	-	11	4	2	2	1	5	5	5	10	15	2	-
Dis. of Kidneys - -	14	-	-	-	-	-	-	-	-	-	2	2	3	2	2	1	-	2
Dis. of Gen. Organs -	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-
Dis. of Joints - - -	8	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
Dis. of Skin - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	2	7	3	-	-	-	-	-
Suicide - - - - -	6	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-
Other Violent Deaths	13	2	-	-	-	-	3	3	1	-	-	1	1	1	2	2	2	-
Other Causes - - -	289	88	6	1	-	-	95	3	-	2	2	3	2	5	7	39	98	33

567.—LONGTOWN.																		
Mean Popul ⁿ , 1861-71	4492	122	112	124	131	100	589	550	485	417	360	596	475	386	307	205	103	19
TOTAL DEATHS	856	132	40	28	18	15	233	27	23	26	34	63	55	43	76	115	109	52
Small-pox	3	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Measles	5	1	3	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	16	-	1	2	4	4	11	2	-	1	-	-	-	1	-	-	-	-
Diphtheria	8	2	2	-	-	2	6	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough	19	3	7	5	2	1	18	1	-	-	-	-	2	-	2	-	1	-
Typhus	17	-	-	1	2	1	3	2	1	1	-	3	2	1	2	-	-	-
Diarrhoea & Dysentery	18	5	2	1	1	-	10	-	-	-	-	1	1	-	1	4	-	-
Cholera	5	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	25	3	-	-	4	-	10	2	1	-	2	1	-	-	1	5	3	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	3	3	8	5	3	-
Scrofula and Tuberc.	9	5	1	2	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Phthisis	103	6	3	6	2	3	25	6	16	19	18	32	25	12	9	6	-	-
Hydrocephalus	4	-	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	94	12	3	3	1	-	19	1	-	-	4	6	5	4	12	21	21	1
Dis. of Heart & Dropsy	48	1	-	1	-	1	3	1	-	2	1	2	5	3	8	14	7	2
Dis. of Lungs	75	3	1	1	2	1	8	1	2	-	2	1	3	3	12	24	17	2
Dis. of Stom. and Liver	54	6	-	1	-	-	7	1	1	1	2	6	3	6	13	12	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Gen. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-
Dis. of Joints	8	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	2	7	5	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths	9	-	1	1	-	-	2	1	-	-	-	1	-	-	2	2	1	-
Other Causes	228	84	6	3	-	-	93	5	-	-	-	-	-	-	9	18	35	49

568.—CARLISLE.																		
Mean Popul ⁿ , 1861-71	24021	689	524	615	569	548	2945	2668	2443	2386	2298	3493	2771	2164	1532	927	343	51
TOTAL DEATHS	5515	1141	385	230	148	94	1998	212	126	174	198	406	341	391	439	573	509	148
Small-pox	43	8	6	3	3	4	24	7	2	2	1	3	4	1	-	-	-	-
Measles	137	29	45	49	18	10	139	15	2	-	-	-	1	-	-	-	-	-
Scarlatina	204	19	21	26	31	21	118	61	17	2	4	-	2	-	-	-	-	-
Diphtheria	54	4	12	6	7	2	31	10	5	-	-	2	1	1	-	1	-	-
Whooping-cough	210	85	59	27	18	15	204	6	-	-	19	16	28	13	18	15	20	4
Typhus	198	2	4	5	8	5	24	19	22	19	16	28	13	18	15	20	4	-
Diarrhoea & Dysentery	241	119	38	8	3	-	168	-	1	2	1	12	3	7	11	17	15	4
Cholera	5	1	-	-	-	-	3	-	-	-	-	1	1	-	1	-	-	-
Other Zymotic Dis.	116	15	29	14	11	6	66	8	2	2	-	3	6	6	7	9	6	1
Cancer	165	-	-	-	-	-	-	-	1	1	-	9	21	45	34	38	11	1
Scrofula and Tuberc.	61	9	12	8	5	3	37	5	2	5	3	4	3	1	1	-	-	-
Phthisis	759	11	13	5	3	-	32	13	37	94	110	190	198	79	48	24	3	-
Hydrocephalus	93	20	19	14	6	6	71	14	4	3	-	-	-	-	-	-	-	-
Dis. of Brain	622	211	32	13	4	2	262	16	7	6	10	19	32	52	60	79	72	11
Dis. of Heart & Dropsy	447	2	3	1	2	1	9	4	7	11	11	40	33	74	87	110	56	5
Dis. of Lungs	622	128	69	29	17	8	237	11	5	7	8	13	15	45	89	106	70	16
Dis. of Stom. and Liver	214	23	5	2	4	1	33	2	3	5	7	13	18	23	37	36	29	6
Dis. of Kidneys	69	2	-	1	1	-	4	2	3	4	3	13	8	18	13	5	1	-
Dis. of Gen. Organs	17	-	-	-	-	-	-	-	-	-	-	2	2	5	3	3	2	-
Dis. of Joints	21	-	-	2	1	-	3	1	1	3	1	5	1	-	3	2	1	-
Dis. of Skin	10	1	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	85	-	-	-	-	-	-	-	-	3	16	40	24	2	-	-	-	-
Suicide	77	-	-	-	-	-	-	-	-	1	-	2	6	-	-	-	-	-
Other Violent Deaths	77	7	-	7	8	5	37	6	3	-	4	3	2	7	6	7	10	2
Other Causes	1011	442	38	17	3	4	304	12	1	3	2	5	11	11	24	110	226	102

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		569.—WIGTON.															
Mean Popul ⁿ , 1861-71	11283	297	289	292	283	264	1425	1352	1313	1139	914	1415	1151	1016	824	507	196
TOTAL DEATHS	2315	463	126	67	44	47	747	101	64	66	85	153	122	162	194	296	233
Small-pox	4	1	-	-	1	-	2	-	-	1	-	-	-	1	-	-	-
Measles	17	3	5	1	1	5	15	2	-	-	-	-	-	-	-	-	-
Scarlatina	68	2	9	10	7	8	36	23	4	1	2	1	1	-	-	-	-
Diphtheria	19	2	3	2	-	2	9	3	4	1	-	1	1	-	-	-	-
Whooping-cough	47	20	15	5	4	1	45	2	-	-	-	-	-	-	-	-	-
Typhus	72	3	-	5	4	3	15	4	0	6	9	8	7	3	4	3	-
Diarrhoea & Dysentery	31	13	2	2	-	-	17	-	1	-	-	1	2	3	-	4	3
Cholera	4	2	-	1	-	-	3	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	67	10	9	7	7	5	38	7	2	1	1	2	1	4	1	6	4
Cancer	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tabes	37	6	4	1	3	2	16	1	1	1	1	2	2	4	11	14	10
Phthisis	308	6	4	1	1	-	12	6	17	42	50	76	47	24	28	8	2
Hydrocephalus	50	17	10	6	1	5	39	10	-	1	-	-	-	-	-	-	-
Dis. of Brain	152	22	3	3	3	3	34	6	3	1	1	13	7	15	12	22	27
Dis. of Heart & Dropsy	148	4	1	2	1	1	9	5	4	-	1	3	9	21	27	31	33
Dis. of Lungs	299	38	15	7	5	1	66	7	4	-	1	8	9	12	29	37	38
Dis. of Stom. and Liver	155	47	4	2	-	1	54	7	3	3	1	8	7	19	29	27	33
Dis. of Kidneys	36	-	1	-	1	-	2	-	-	-	1	2	5	4	9	7	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	14	-	1	-	-	2	3	2	1	-	3	2	-	1	1	-	1
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	24	-	-	-	-	-	-	-	-	-	2	2	2	4	8	6	-
Other Violent Deaths	107	8	4	4	2	4	17	9	0	5	8	12	13	11	9	8	7
Other Causes	711	264	36	8	3	4	315	7	5	3	2	8	7	9	31	39	136

570.—COCKERMOUTH.

Mean Popul ⁿ , 1861-71	21379	641	581	636	605	601	3064	2696	2364	2120	1838	2907	2295	1848	1243	717	249
TOTAL DEATHS	5100	1250	392	183	145	116	2086	237	150	162	165	309	253	320	391	512	373
Small-pox	50	15	2	4	1	2	24	6	3	1	5	5	3	2	1	-	-
Measles	102	15	32	21	11	1	100	2	-	-	-	-	-	-	-	-	-
Scarlatina	271	15	41	38	36	38	168	73	20	6	2	1	1	-	-	-	-
Diphtheria	26	1	4	1	6	3	16	3	3	2	1	-	1	-	-	1	-
Whooping-cough	91	40	22	13	8	5	88	3	-	-	-	-	-	-	-	-	-
Typhus	230	6	6	8	9	11	40	25	15	34	12	37	19	18	15	19	11
Diarrhoea & Dysentery	270	141	50	9	4	1	205	5	1	-	1	-	-	4	10	22	28
Cholera	13	3	1	-	1	-	7	1	1	-	-	1	-	-	-	-	-
Other Zymotic Dis.	144	23	26	16	20	12	97	9	5	3	2	-	2	7	8	8	1
Cancer	49	-	-	-	1	-	1	-	-	-	-	2	4	8	19	8	1
Scrofula and Tabes	109	45	16	4	3	2	70	10	4	8	4	2	5	4	5	1	-
Phthisis	503	3	2	2	4	5	16	16	24	31	34	132	73	56	37	15	1
Hydrocephalus	125	44	32	9	8	7	100	23	2	-	-	-	-	-	-	-	-
Dis. of Brain	527	165	19	8	6	6	294	9	8	15	6	15	30	39	57	43	26
Dis. of Heart & Dropsy	310	7	1	1	1	1	11	5	5	9	3	13	18	37	65	96	11
Dis. of Lungs	545	134	45	13	4	8	294	10	6	10	5	13	31	26	66	102	13
Dis. of Stom. and Liver	258	36	12	4	3	-	55	7	9	5	4	13	24	37	39	69	22
Dis. of Kidneys	92	-	1	1	1	1	4	-	2	2	1	12	9	7	18	29	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	27	1	-	-	-	-	1	5	2	2	2	4	2	1	2	4	-
Dis. of Skin	21	6	1	1	-	2	10	1	-	-	-	2	5	2	3	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	21	-	-	-	-	-	-	-	-	-	-	1	9	3	3	3	-
Other Violent Deaths	299	13	4	7	8	5	37	12	35	22	27	48	26	31	25	17	7
Other Causes	1910	535	55	23	10	6	629	12	5	2	6	10	18	36	29	73	126

571.—WHITEHAVEN.

Mean Popul ⁿ , 1861-71	21749	700	660	630	605	602	3197	2682	2333	2060	2143	3416	2328	1651	1129	567	196
TOTAL DEATHS	5528	1387	401	228	142	129	2377	276	128	161	197	401	339	356	430	445	338
Small-pox	90	21	6	10	3	4	44	10	-	4	13	14	-	2	1	-	-
Measles	147	35	44	39	15	5	138	8	1	-	-	-	-	-	-	-	-
Scarlatina	236	12	34	35	29	29	139	71	16	4	1	3	2	-	-	-	-
Diphtheria	39	7	1	6	5	4	23	2	2	1	2	-	-	-	-	-	-
Whooping-cough	93	42	25	11	7	8	91	7	-	-	-	-	-	-	-	-	-
Typhus	347	5	8	8	10	15	46	35	22	38	34	60	36	37	28	18	3
Diarrhoea & Dysentery	185	81	53	4	3	3	143	3	3	1	2	2	1	5	9	9	7
Cholera	15	4	-	-	-	1	5	-	-	1	1	2	3	3	7	7	3
Other Zymotic Dis.	162	27	44	13	18	5	107	13	4	6	2	4	4	5	6	7	3
Cancer	51	-	-	-	-	-	-	-	2	-	-	-	-	4	14	8	3
Scrofula and Tabes	79	16	26	2	1	2	47	4	6	7	2	7	2	3	-	1	-
Phthisis	507	6	7	8	2	3	26	18	16	40	67	181	90	70	34	9	-
Hydrocephalus	133	45	29	18	9	7	108	20	3	-	1	-	-	-	-	-	-
Dis. of Brain	522	202	31	12	7	8	260	19	3	3	5	13	23	31	69	34	41
Dis. of Heart & Dropsy	391	9	2	3	1	3	18	12	8	8	8	17	24	36	64	73	2
Dis. of Lungs	766	219	104	29	15	12	379	18	5	5	7	26	33	37	65	96	10
Dis. of Stom. and Liver	291	33	6	1	1	3	44	4	1	2	2	19	19	32	37	24	10
Dis. of Kidneys	63	-	-	-	-	1	1	4	3	1	3	5	3	11	19	11	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	23	-	-	-	-	2	2	4	3	3	2	2	2	1	3	1	-
Dis. of Skin	16	4	-	-	-	-	4	-	-	1	1	1	1	1	5	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	-	-	-	4	3	1	6	3	-
Other Violent Deaths	326	11	7	9	6	8	41	16	25	35	40	89	56	38	25	13	9
Other Causes	1119	608	65	20	10	8	711	18	5	1	3	10	18	22	36	107	146

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.		
569.—WIGTON.																				
Mean Popul ⁿ , 1861-71	11699	288	284	288	279	284	1423	1321	1237	1150	963	1551	1318	1103	822	533	241	38		
TOTAL DEATHS -	2351	418	92	72	30	25	646	92	85	90	110	159	123	155	223	251	312	105		
Small-pox - - -	6	3	-	-	1	-	4	-	-	-	-	1	-	-	1	-	-	-		
Measles - - -	16	4	2	5	-	-	11	3	1	1	-	-	-	-	-	-	-	-		
Scarlatina - -	72	3	7	9	10	4	33	22	9	2	1	3	-	-	-	-	-	-		
Diphtheria - -	23	1	2	4	4	2	13	2	8	2	2	-	1	-	-	-	-	-		
Whooping-cough -	56	22	8	15	5	3	53	3	-	-	-	-	-	-	-	-	-	-		
Erysiphus - -	61	2	-	-	1	2	10	2	9	5	9	6	4	4	5	4	3	-		
Diarrhœa & Dysentery	28	7	2	-	-	-	9	-	-	-	1	2	2	2	1	3	3	4		
Cholera - - -	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	56	8	6	7	3	3	27	9	5	-	2	1	-	-	4	3	2	-		
Cancer - - -	64	-	-	-	1	-	1	-	-	-	-	2	7	16	17	12	9	-		
Scrophula and Tuberc.	32	9	6	-	1	-	16	4	2	1	2	2	1	2	1	1	1	-		
Phthisis - - -	394	3	2	2	-	-	7	9	34	28	63	86	49	43	31	10	2	-		
Hydrocephalus -	50	16	8	7	4	2	37	8	3	2	-	-	-	-	-	-	-	-		
Dis. of Brain - -	185	27	8	2	4	2	43	9	2	2	6	10	5	11	27	34	22	4		
Dis. of Heart & Dropsy	167	-	1	-	-	-	1	1	5	4	2	8	13	26	42	35	17	3		
Dis. of Lungs - -	183	31	18	6	2	-	37	4	2	1	5	19	8	11	30	24	26	6		
Dis. of Stom. and Liver	116	34	3	1	-	3	41	2	1	4	4	4	9	7	22	12	19	-		
Dis. of Kidneys -	12	-	-	-	-	-	-	-	-	1	-	5	3	-	3	-	-	-		
Dis. of Gen. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-		
Dis. of Joints - -	6	-	-	-	-	-	-	1	1	-	-	3	-	1	-	-	-	-		
Dis. of Skin - -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-		
Childbirth and Met. Suicide	22	-	-	-	-	-	-	-	-	1	6	8	7	-	-	-	-	-		
Other Violent Deaths -	31	4	1	-	2	1	8	3	-	4	1	2	1	4	3	1	3	1		
Other Causes - -	726	243	18	9	1	3	274	10	8	2	1	8	9	13	33	107	203	88		

570.—COCKERMOUTH.																			
Mean Popul ⁿ , 1861-71	22540	674	609	637	568	541	3029	2687	2336	2100	1856	3102	2568	2030	1485	926	371	50	
TOTAL DEATHS	5100	1018	382	188	125	97	1810	251	111	196	183	324	314	311	377	522	541	160	
Small-pox	40	5	2	2	2	4	15	5	1	4	1	1	9	3	1	-	-	-	
Measles	101	13	37	19	11	7	87	11	2	-	-	-	-	-	-	-	-	-	
Scarlatina	281	24	40	44	37	34	179	76	16	6	3	1	-	-	-	-	-	-	
Diphtheria	28	1	2	3	8	2	11	10	1	-	3	2	-	1	-	-	-	-	
Whooping-cough	112	45	38	15	3	6	107	5	-	-	-	-	-	-	-	-	-	-	
Erysipelas	221	8	10	3	5	4	90	29	17	28	18	27	19	20	12	10	9	4	
Diarrhoea & Dysentery	260	114	45	8	7	2	176	6	2	1	3	2	4	5	12	18	23	8	
Cholera	12	1	-	-	2	-	4	-	2	-	-	2	1	1	1	1	-	-	
Other Zymotic Dis.	160	12	16	17	13	12	70	12	2	-	2	1	2	3	5	7	4	1	
Cancer	101	-	-	-	-	-	-	-	-	1	-	1	12	30	25	22	9	1	
Scrophula and Tuberc.	85	38	12	2	4	1	58	3	3	4	1	0	-	4	5	2	-	-	
Phthisis	640	8	9	7	1	6	26	24	84	104	107	193	92	53	28	6	-	-	
Hydrocephalus	107	31	21	12	11	5	80	16	7	2	-	-	1	-	-	-	-	-	
Dis. of Brain	478	121	22	9	6	1	129	8	5	8	8	8	26	36	53	90	67	8	
Dis. of Heart & Dropsy	333	7	1	-	-	-	9	-	4	8	6	17	39	53	77	92	74	7	
Dis. of Lungs	592	117	60	18	9	2	194	15	4	6	2	17	21	34	57	125	90	25	
Dis. of Stom. and Liver	281	25	11	5	1	2	44	5	5	8	5	15	32	33	52	43	33	4	
Dis. of Kidneys	47	-	2	1	1	1	5	1	-	1	2	8	8	10	6	2	4	-	
Dis. of Gen. Organs	20	-	-	-	-	-	-	-	-	-	1	3	3	4	5	4	-	-	
Dis. of Joints	15	1	-	-	-	-	1	1	1	3	1	4	1	2	-	1	-	-	
Dis. of Skin	11	2	1	-	-	-	3	-	-	-	1	-	2	-	1	2	2	-	
Childbirth and Met. Suicide	76	-	-	-	-	-	-	-	-	4	14	35	23	-	-	-	-	-	
Other Violent Deaths	74	12	7	5	1	3	28	10	3	8	2	1	2	5	5	4	11	1	
Other Causes	1010	438	54	17	8	5	522	14	3	7	3	5	15	8	31	86	215	101	

571.—WHITEHAVEN.																			
Mean Popul ⁿ , 1861-71	22012	714	590	634	631	570	3139	2586	2183	2089	1975	3290	2423	1848	1329	789	316	45	
TOTAL DEATHS	5401	1072	519	250	158	130	2127	275	140	167	218	385	301	302	419	516	432	119	
Small-pox	72	18	11	4	6	6	45	7	2	1	5	8	3	-	1	-	-	-	
Measles	136	25	46	27	14	11	123	21	1	-	-	1	-	-	-	-	-	-	
Scarlatina	255	14	39	35	35	36	159	70	14	3	6	4	1	-	-	-	-	-	
Diphtheria	40	2	5	3	7	3	20	12	4	1	-	-	-	-	-	-	-	-	
Whooping-cough	128	57	35	20	6	5	123	5	-	-	-	-	-	-	-	-	-	-	
Erysipelas	563	3	9	13	15	17	57	43	30	25	32	50	31	37	50	21	10	1	
Diarrhoea & Dysentery	180	80	41	4	3	1	129	3	1	-	1	2	3	9	3	7	15	7	
Cholera	18	-	-	-	-	-	13	3	2	-	-	1	-	3	4	2	1	-	
Other Zymotic Dis.	134	11	32	22	11	9	85	11	2	2	4	5	3	4	5	10	2	1	
Cancer	67	-	-	-	-	-	-	-	-	-	-	4	11	18	19	9	6	-	
Scrophula and Tuberc.	80	20	29	7	5	4	65	5	2	-	2	1	1	2	1	1	-	-	
Phthisis	635	8	16	8	4	3	39	17	42	87	103	170	95	49	25	3	2	-	
Hydrocephalus	118	40	22	19	6	7	94	16	6	1	-	-	1	-	-	-	-	-	
Dis. of Brain	478	137	23	9	5	1	175	10	5	7	17	15	34	40	64	82	45	9	
Dis. of Heart & Dropsy	330	7	1	2	3	6	19	7	7	12	9	15	34	37	71	82	43	2	
Dis. of Lungs	734	133	104	37	15	8	302	21	5	8	7	20	27	45	91	109	87	15	
Dis. of Stom. and Liver	215	18	9	7	5	1	40	10	3	7	9	15	18	29	30	32	19	3	
Dis. of Kidneys	50	5	-	2	2	1	8	-	2	2	2	6	5	4	8	10	3	-	
Dis. of Gen. Organs	19	-	-	-	-	-	-	-	1	-	-	1	3	-	3	1	1	-	
Dis. of Joints	15	-	1	-	-	1	2	2	2	-	-	2	-	1	2	1	1	-	
Dis. of Skin	14	3	-	-	1	-	4	-	-	-	-	1	-	2	2	4	-	1	
Childbirth and Met. Suicide	80	-	-	-	-	-	-	-	-	1	25	34	23	-	-	-	-	-	
Other Violent Deaths	105	19	5	2	4	4	34	15	4	4	3	5	5	8	6	11	8	2	
Other Causes	1122	460	91	29	9	6	604	8	6	7	4	13	17	17	48	118	197	83	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		572.—BOOTLE.															
Mean Popul ⁿ , 1861-71 - }	3775	106	103	105	94	90	498	423	396	398	338	513	421	336	248	145	52
TOTAL DEATHS -	700	129	37	14	9	9	108	24	15	20	37	43	44	40	59	84	90
Small-pox - - -	4	-	-	-	-	2	2	-	-	-	1	-	-	1	-	-	-
Measles - - - -	21	4	7	2	2	1	16	1	1	1	-	-	1	1	-	-	-
Scarlatina - - -	26	2	3	1	-	2	8	6	2	2	1	1	-	-	-	-	-
Diphtheria - - -	10	-	1	3	-	-	4	2	1	-	2	1	-	-	-	-	-
Whooping-cough -	13	8	8	1	1	-	13	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	15	-	2	-	-	-	2	2	-	2	3	-	1	-	3	1	1
Diarrhea & Dysentery	6	3	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	23	5	2	2	-	1	10	2	-	1	1	1	-	-	3	4	4
Cancer - - - - -	9	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1
Scrofula and Tuberc.	12	2	1	2	-	1	6	2	-	-	-	2	-	1	-	1	1
Phthisis - - - -	69	1	2	1	1	-	5	2	2	6	13	16	6	5	6	9	-
Hydrocephalus - -	13	7	2	1	-	-	10	2	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	46	13	4	-	2	-	19	-	-	1	1	1	2	4	3	7	4
Dis. of Heart & Dropsy	40	-	-	-	-	-	-	-	-	-	-	1	2	5	9	13	7
Dis. of Lungs - - -	70	10	5	-	1	-	16	1	-	1	2	2	4	3	8	10	22
Dis. of Stom. and Liver	34	3	1	1	-	-	5	1	-	3	1	3	3	5	4	7	1
Dis. of Kidneys - -	10	-	-	-	-	-	-	-	-	1	-	-	-	1	4	3	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Dis. of Skin - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	6	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-
Other Violent Deaths	81	1	2	-	1	1	5	-	7	-	11	17	19	6	3	3	1
Other Causes - - -	193	70	2	-	1	1	74	2	-	3	1	2	5	2	10	26	54

573.—EAST WARD.																	
Mean Popul ⁿ , 1861-71	8690	214	186	194	193	188	975	902	785	753	819	1379	1097	892	591	336	135
TOTAL DEATHS	1344	235	38	23	34	10	340	47	27	43	43	88	80	101	117	201	192
Small-pox	2	-	-	1	5	1	1	-	-	1	-	-	-	-	-	1	-
Measles	16	2	1	5	1	1	10	2	-	-	1	1	-	-	1	-	-
Scarlatina	17	-	2	1	3	2	8	7	2	-	-	-	-	-	-	-	-
Diphtheria	14	1	-	1	3	-	5	7	-	-	1	1	-	-	-	-	-
Whooping-cough	16	7	2	1	-	-	10	-	-	-	-	5	4	-	6	2	2
Typhus	25	1	-	-	2	1	4	1	2	2	5	1	4	-	4	3	3
Diarrhea & Dysentery	22	5	4	1	-	-	13	-	-	-	-	1	-	-	3	3	-
Cholera	3	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
Other Zymotic Dis.	37	6	5	2	4	1	18	4	1	0	-	1	-	2	3	2	4
Cancer	20	-	-	-	-	-	-	-	-	-	-	1	2	3	6	3	3
Scrofula and Tuberc.	15	-	-	-	2	-	2	5	1	2	-	2	1	-	2	-	-
Phthisis	178	-	2	-	3	-	5	4	6	21	23	42	31	21	13	6	3
Hydrocephalus	20	2	3	1	3	2	11	7	1	-	-	1	-	-	-	-	-
Dis. of Brain	156	66	5	2	5	1	69	2	2	3	2	4	5	9	12	27	30
Dis. of Heart & Dropsy	101	2	-	1	-	-	3	-	1	-	2	2	6	16	16	29	13
Dis. of Lungs	168	39	8	4	6	1	58	5	3	4	4	8	10	9	18	25	12
Dis. of Stom. and Liver	73	4	-	-	-	-	4	-	-	-	2	5	4	22	11	14	7
Dis. of Kidneys	18	1	-	-	-	-	1	-	-	-	1	1	2	-	2	7	3
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	-
Other Violent Deaths	63	1	1	2	2	1	7	3	4	7	-	10	10	5	5	3	4
Other Causes	562	105	5	-	-	-	110	2	-	-	-	1	2	3	20	65	100

574.—WEST WARD.																	
Mean Popul ⁿ , 1861-71	4175	131	103	113	101	106	554	487	443	389	347	511	444	393	318	200	79
TOTAL DEATHS	764	150	31	11	15	8	215	20	21	16	25	38	40	62	86	101	107
Small-pox	4	-	-	-	-	1	1	-	-	-	-	-	1	2	-	-	-
Measles	6	3	2	1	-	-	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	14	1	2	-	4	2	9	5	-	-	-	-	-	-	-	-	-
Diphtheria	10	1	1	1	3	-	6	3	1	-	-	-	-	-	-	-	-
Whooping-cough	12	8	2	1	-	-	11	1	-	2	1	5	-	1	3	1	1
Typhus	11	-	-	-	-	-	5	-	-	-	-	-	-	-	2	1	-
Diarrhea & Dysentery	8	4	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	15	5	3	3	-	1	12	-	-	1	-	-	-	-	2	-	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	-	5	6	4
Scrofula and Tuberc.	8	3	1	1	-	-	5	-	1	1	-	-	1	-	-	-	-
Phthisis	88	-	3	-	-	-	8	2	4	8	15	20	12	14	11	1	-
Hydrocephalus	7	1	3	-	2	-	6	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	74	24	-	1	3	-	28	2	2	-	-	4	5	7	7	12	4
Dis. of Heart & Dropsy	64	1	-	-	-	-	1	1	2	1	1	-	3	7	18	21	9
Dis. of Lungs	91	17	6	1	1	4	29	2	1	-	2	2	6	9	10	15	12
Dis. of Stom. and Liver	26	7	1	-	1	-	9	-	1	1	4	4	4	8	11	9	3
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	3
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	42	2	3	-	1	-	6	3	2	2	-	1	5	7	3	3	1
Other Causes	211	72	3	2	-	-	77	1	2	-	-	3	2	4	19	26	30

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.

572.—BOOTLE.																				
Mean Popul ⁿ , 1861-71	3427	1107	103	97	90	87	484	431	373	335	291	458	350	288	219	132	50	10		
TOTAL DEATHS	598	106	30	10	13	7	106	26	13	31	29	50	40	37	37	65	78	20		
Small-pox	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Fæscles	6	-	4	1	-	-	5	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	13	2	1	-	4	-	7	2	1	-	-	1	-	-	1	-	-	-	-	-
Diphtheria	10	-	1	1	1	2	5	2	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	14	8	1	2	-	-	13	1	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	18	-	-	-	1	1	2	3	2	-	1	5	2	1	-	-	-	-	-	-
Barrhosa & Dysentery	4	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	17	5	2	1	2	-	10	1	-	-	-	-	-	1	-	3	2	-	-	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	-	-	-	-
Scrofula and Tuberc.	11	5	1	-	1	-	7	-	1	-	-	1	1	1	1	-	-	-	-	-
Epilepsy	123	-	2	1	-	-	9	5	22	16	29	22	9	6	2	-	-	-	-	-
Hydrocephalus	8	3	4	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	42	6	-	-	-	-	6	2	-	-	1	1	5	6	5	4	11	1	-	-
Dis. of Heart & Dropsy	47	1	-	-	1	1	3	-	-	2	4	6	6	10	6	10	6	-	-	-
Dis. of Lungs	45	11	6	1	1	1	29	3	-	-	1	-	1	2	4	6	8	-	-	-
Dis. of Stom. and Liver	16	1	-	1	-	1	3	-	-	2	-	1	2	3	3	1	1	-	-	-
Dis. of Kidneys	4	-	1	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-	-	-	-
Infanticide	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Other Violent Deaths	5	1	-	1	-	-	2	-	-	-	-	-	1	-	1	1	2	-	-	-
Other Causes	187	62	7	-	-	-	69	1	-	-	2	-	2	-	5	33	54	19	-	-

573.—EAST WARD.																				
Mean Popul ⁿ , 1861-71	7483	217	201	190	203	191	1002	858	766	661	627	1076	829	642	523	325	146	28		
TOTAL DEATHS	1279	218	48	18	21	19	324	41	27	48	54	89	92	70	114	170	195	53		
Small-pox	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Fæscles	10	3	2	1	-	1	7	2	-	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	3	1	4	-	3	11	8	1	-	-	-	1	-	-	-	-	-	-	-
Diphtheria	19	1	2	1	-	3	7	4	6	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	17	12	2	1	2	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	29	-	-	-	1	1	2	2	2	3	5	7	5	3	-	-	-	-	-	-
Barrhosa & Dysentery	9	3	-	-	-	-	3	1	-	1	-	1	1	-	-	-	1	1	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	40	5	1	1	5	2	14	5	2	1	1	-	4	-	8	7	3	-	-	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	16	-	-	-	-	-	-	-	2	3	2	4	4	4	10	6	3	1	-	-
Epilepsy	167	1	1	1	-	-	4	8	19	26	46	32	32	13	10	4	-	1	-	-
Hydrocephalus	11	1	-	2	-	1	4	4	1	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	153	42	5	1	2	2	52	1	1	6	3	2	8	8	15	21	16	2	-	-
Dis. of Heart & Dropsy	145	4	1	-	-	1	6	2	-	3	2	8	11	14	32	33	26	-	-	-
Dis. of Lungs	133	22	16	4	3	1	56	3	1	-	3	3	8	6	16	23	13	1	-	-
Dis. of Stom. and Liver	58	3	1	1	2	1	19	-	-	6	3	3	5	8	9	9	8	-	-	-
Dis. of Kidneys	5	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-
Dis. of Genes. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	1	3	5	6	-	-	-	-	-	-	-
Infanticide	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Other Violent Deaths	22	3	2	-	3	1	9	4	1	-	-	1	1	-	4	3	-	-	-	-
Other Causes	286	103	13	1	3	1	121	-	-	2	4	4	4	6	17	54	125	49	-	-

574.—WEST WARD.																				
Mean Popul ⁿ , 1861-71	3985	114	94	98	108	105	519	468	433	382	302	529	453	358	279	177	76	9		
TOTAL DEATHS	729	131	25	12	9	17	194	15	9	21	41	59	61	38	62	97	104	37		
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fæscles	6	3	2	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	15	2	2	-	1	3	10	3	-	-	1	1	-	-	-	-	-	-	-	-
Diphtheria	16	-	3	4	1	6	14	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	19	10	4	2	2	-	18	1	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	15	-	-	-	-	-	-	-	2	-	4	3	1	-	2	-	-	-	-	-
Barrhosa & Dysentery	7	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	18	2	1	-	-	2	5	-	3	-	1	-	2	2	3	2	-	-	-	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	3	1	4	8	1	1	-	-
Scrofula and Tuberc.	6	1	-	-	-	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-
Epilepsy	86	-	-	-	1	-	1	1	1	10	15	20	16	7	1	1	-	-	-	-
Hydrocephalus	11	3	6	-	-	-	9	1	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	57	17	1	1	-	2	21	1	-	-	1	2	5	2	8	5	12	2	-	-
Dis. of Heart & Dropsy	64	1	1	-	-	-	2	-	-	3	2	8	5	8	8	22	12	2	-	-
Dis. of Lungs	52	19	1	-	3	2	21	2	-	4	2	2	4	6	12	15	17	3	-	-
Dis. of Stom. and Liver	44	4	3	2	-	-	9	1	1	1	1	-	6	5	8	10	3	-	-	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	1	1	4	1	1	4	1	-	-	-
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	1	1	1	-	-	2	-	1	1	-	1	-	-	-	-
Dis. of Skin	4	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	1	4	6	-	-	-	-	-	-	-
Infanticide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	9	-	-	-	1	-	1	1	-	-	2	-	-	1	1	2	-	1	-	-
Other Causes	291	65	1	1	-	1	66	1	1	1	1	-	3	5	13	23	53	23	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		575.—KENDAL.															
Mean Popul ⁿ , 1861-71	19046	569	506	535	503	514	2627	2357	2238	1916	1532	2432	2012	1675	1234	725	325
TOTAL DEATHS	3588	754	205	95	80	60	1194	136	80	111	128	218	211	262	343	429	375
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	49	10	24	7	2	2	45	2	1	-	-	1	-	-	-	-	-
Scarlatina	129	10	13	17	25	16	81	26	5	1	1	2	2	1	-	-	-
Diphtheria	12	4	2	-	-	2	10	1	-	-	1	-	-	-	-	-	-
Whooping-cough	44	29	8	5	1	-	43	1	-	-	-	-	-	-	-	-	-
Typhus	66	1	2	4	3	2	12	5	7	13	6	7	6	5	3	2	-
Diarrhoea & Dysentery	69	35	6	1	-	-	43	2	-	1	-	1	-	3	2	1	-
Cholera	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
Other Zymotic Dis.	90	12	15	7	16	8	58	11	1	2	1	2	1	2	2	2	2
Cancer	59	-	-	-	-	-	-	-	1	-	-	2	4	6	10	9	3
Scrofula and Tuberc.	45	17	11	2	3	3	36	9	5	-	2	4	3	1	4	1	-
Phthisis	464	9	4	2	1	-	16	7	17	50	76	108	76	51	47	13	3
Hydrocephalus	109	33	22	11	5	11	83	16	6	1	1	-	-	-	-	-	-
Dis. of Brain	529	227	23	12	6	2	270	7	5	4	6	14	10	23	45	74	26
Dis. of Heart & Dropsy	230	1	1	-	1	1	4	4	8	3	5	14	14	31	59	63	26
Dis. of Lungs	525	96	43	11	6	4	169	9	4	6	5	15	18	36	76	89	27
Dis. of Stom. and Liver	194	12	2	1	-	1	16	3	3	7	5	13	29	40	54	69	29
Dis. of Kidneys	97	-	1	-	2	-	5	3	1	2	2	8	9	8	16	21	2
Dis. of Gener. Organs	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	27	1	-	2	1	-	4	2	6	1	1	4	4	2	2	1	-
Dis. of Skin	6	2	-	-	-	-	2	-	1	-	-	-	1	-	-	2	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	26	-	-	-	-	-	-	-	-	2	-	1	6	5	9	8	-
Other Violent Deaths	141	7	3	6	4	4	24	8	6	15	12	13	16	17	14	12	2
Other Causes	640	244	25	6	2	4	281	10	3	3	8	12	19	20	28	77	149

576.—CHEPSTOW.																	
Mean Popul ⁿ , 1861-71	9111	242	216	270	237	238	1203	1098	980	849	693	1143	1022	890	646	417	151
TOTAL DEATHS	1785	364	103	53	52	22	594	86	35	45	62	95	102	120	165	215	226
Small-pox	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Measles	11	-	7	3	-	-	11	-	-	-	-	-	-	-	-	-	-
Scarlatina	65	6	5	9	14	2	36	22	5	-	1	-	-	-	-	-	-
Diphtheria	15	-	3	1	1	2	7	5	2	1	-	-	-	-	-	-	-
Whooping-cough	35	13	10	4	3	-	35	-	-	-	-	-	-	-	-	-	-
Typhus	62	1	2	1	4	4	12	11	3	4	5	1	2	5	7	1	1
Diarrhoea & Dysentery	16	9	-	-	-	-	9	-	-	-	-	1	1	2	1	1	1
Cholera	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
Other Zymotic Dis.	46	6	7	7	4	1	23	6	1	4	-	1	1	3	2	1	2
Cancer	25	-	-	-	2	-	2	-	-	1	-	-	2	5	3	1	1
Scrofula and Tuberc.	25	3	-	3	-	2	6	4	4	2	3	3	1	-	-	-	-
Phthisis	171	2	1	-	1	-	4	4	2	16	25	54	31	27	20	9	-
Hydrocephalus	33	8	11	7	2	1	29	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	204	107	14	2	7	1	131	10	3	1	4	10	6	9	18	42	24
Dis. of Heart & Dropsy	142	5	1	1	-	1	8	1	-	2	6	9	15	11	29	38	25
Dis. of Lungs	223	42	13	6	4	2	68	7	1	1	3	9	5	17	33	49	24
Dis. of Stom. and Liver	86	12	2	1	-	1	16	1	1	1	3	3	9	14	14	11	17
Dis. of Kidneys	40	-	-	-	-	-	-	-	1	1	-	5	5	6	6	12	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	1	-	-	1	-	1	1	-	2	1
Dis. of Skin	7	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-
Other Violent Deaths	125	5	8	4	6	2	25	8	9	10	10	14	16	11	12	4	3
Other Causes	589	130	19	4	4	3	166	3	2	1	1	2	7	8	24	26	267

577.—MONMOUTH.																	
Mean Popul ⁿ , 1861-71	15619	460	411	453	393	421	2138	1907	1747	1529	1249	2002	1716	1456	990	594	232
TOTAL DEATHS	3981	687	205	104	49	63	1108	146	74	71	92	140	193	207	264	348	332
Small-pox	23	5	-	1	2	1	9	3	1	-	4	3	3	2	-	-	-
Measles	76	13	21	15	5	5	39	12	9	-	1	-	1	1	-	-	-
Scarlatina	125	11	21	15	8	22	77	38	9	-	1	-	-	-	-	-	-
Diphtheria	23	-	4	2	-	2	8	7	4	1	2	-	-	-	-	1	-
Whooping-cough	45	26	8	5	1	1	41	1	1	-	-	-	-	-	-	-	-
Typhus	98	2	5	2	2	6	15	10	9	6	6	11	9	7	9	2	2
Diarrhoea & Dysentery	56	23	5	-	1	-	29	-	1	-	-	2	3	3	3	2	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	84	9	7	6	8	4	34	9	1	3	4	2	6	6	4	5	4
Cancer	41	-	-	1	-	-	1	1	-	-	-	-	4	5	6	14	1
Scrofula and Tuberc.	45	17	8	3	1	-	29	1	4	-	2	4	3	2	-	-	-
Phthisis	504	8	8	2	-	1	19	6	8	23	40	51	51	40	26	-	-
Hydrocephalus	35	13	10	6	-	-	29	3	3	-	-	-	-	-	-	-	-
Dis. of Brain	428	215	23	14	1	3	256	15	1	3	6	10	12	21	39	55	31
Dis. of Heart & Dropsy	191	6	-	-	-	1	7	-	-	6	3	13	18	19	45	45	21
Dis. of Lungs	577	142	59	15	10	8	254	15	6	9	6	7	22	43	61	66	31
Dis. of Stom. and Liver	152	16	5	3	2	2	28	3	6	2	4	9	17	24	24	25	14
Dis. of Kidneys	37	-	-	-	-	-	-	-	2	3	-	4	2	2	7	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	3	-	1	-	1	-	-	1	1
Dis. of Skin	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	-
Other Violent Deaths	163	3	5	10	2	3	23	16	15	11	9	23	17	20	19	4	3
Other Causes	269	178	18	4	6	4	210	5	1	2	1	6	11	8	30	28	267

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
575.—KENDAL.																			
Mean Popul ⁿ , 1861-71	19659	555	522	504	496	462	2539	2338	2211	1982	1714	2086	2087	1688	1256	784	316	58	
TOTAL DEATHS	3585	596	202	101	53	52	1006	140	104	133	130	239	283	243	301	435	433	138	
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Measles	44	13	13	7	4	2	39	4	-	-	-	1	-	-	-	-	-	-	
Scarlatina	126	13	17	16	15	10	71	31	11	5	4	2	2	-	-	-	-	-	
Diphtheria	29	1	2	1	3	2	9	10	8	1	-	-	1	-	-	-	-	-	
Whooping-cough	49	25	11	8	-	1	45	4	-	-	-	-	-	-	-	-	-	-	
Rhphus	82	-	2	4	-	1	7	9	10	16	8	7	15	3	5	2	-	-	
Diarrhoea & Dysentery	60	24	6	1	2	1	34	-	1	-	3	2	2	-	4	4	8	2	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	107	13	7	8	3	7	38	13	-	3	-	4	3	4	4	17	15	6	
Cancer	74	1	-	-	-	-	1	-	-	-	1	2	7	20	11	21	10	1	
Scrofula and Tuberc.	66	20	10	4	1	1	35	4	6	1	4	2	8	2	2	1	-	-	
Phthisis	562	8	4	5	1	1	19	11	28	70	71	141	110	64	32	12	1	-	
Hydrocephalus	85	25	26	9	6	6	72	9	4	-	-	-	-	-	-	-	-	-	
Dis. of Brain	405	152	30	10	8	6	206	14	3	4	6	16	22	31	47	83	52	9	
Dis. of Heart & Dropsy	264	4	-	-	-	2	6	2	8	5	2	12	27	31	56	79	32	4	
Dis. of Lungs	441	82	36	18	4	2	142	13	6	8	2	8	15	31	39	78	32	17	
Dis. of Stom. and Liver	294	11	2	1	-	1	15	3	4	8	10	15	22	29	40	39	18	1	
Dis. of Kidneys	44	-	-	1	1	-	2	-	2	-	3	-	15	7	10	4	3	-	
Dis. of Gen. Organs	17	-	-	-	-	-	-	1	1	2	1	2	3	5	2	-	-	-	
Dis. of Joints	25	1	1	-	1	-	3	-	3	1	4	2	2	3	4	-	-	-	
Dis. of Skin	6	1	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-	-	
Childbirth and Metritis	44	-	-	-	-	-	-	-	-	-	10	14	20	-	-	-	-	-	
Infanticide	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	
Other Violent Deaths	53	4	7	3	3	3	20	6	2	2	1	2	2	6	2	5	5	1	
Other Causes	702	198	23	5	3	6	240	7	7	5	2	1	9	9	39	84	200	91	

576.—CHEPSTOW.																	
Mean Popul ⁿ , 1861-71		9029	263	232	252	228	219	1194	1053	975	831	739	1170	1025	838	614	391
TOTAL DEATHS -		1660	287	90	47	34	27	485	71	39	50	64	106	100	91	123	200
Small-pox -		4	1	-	-	-	1	2	-	-	-	1	-	-	1	-	-
Measles -		17	2	4	6	1	-	13	3	-	-	-	-	-	1	-	-
Scarlatina -		42	3	3	6	5	9	23	14	1	-	-	1	-	-	-	-
Diphtheria -		19	5	1	1	3	2	12	4	1	-	-	2	-	-	-	-
Whooping-cough -		33	14	11	3	4	-	32	1	-	-	-	-	-	-	-	-
Rhphus -		57	-	3	4	2	1	10	9	7	7	2	5	4	4	4	3
Diarrhoea & Dysentery -		16	7	1	1	1	-	10	-	-	1	1	1	-	1	2	-
Cholera -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		48	11	6	6	4	4	31	4	-	1	1	-	1	3	3	4
Cancer -		41	1	-	-	-	-	1	-	-	-	-	-	4	7	8	15
Scrofula and Tubercles -		17	3	3	2	1	1	11	1	2	-	2	-	4	7	8	15
Phthisis -		209	-	3	1	-	1	5	5	8	-	25	40	56	33	13	14
Hydrocephalus -		7	2	1	-	-	-	3	2	1	1	-	-	-	-	-	-
Dis. of Brain -		218	77	11	4	-	5	95	5	3	3	2	7	4	16	12	31
Dis. of Heart & Dropsy -		137	5	2	-	2	-	9	3	4	2	4	8	8	14	22	33
Dis. of Lungs -		150	25	18	7	2	-	52	5	1	-	2	4	7	8	20	31
Dis. of Stom. and Liver -		83	4	1	1	2	-	8	2	1	1	4	3	12	9	22	6
Dis. of Kidneys -		20	1	-	-	-	-	1	-	2	2	1	1	5	1	3	-
Dis. of Gen. Organs -		7	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
Dis. of Joints -		6	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-
Dis. of Skin -		7	3	-	-	-	-	3	-	-	-	-	-	-	1	-	-
Childbirth and Metritis -		28	-	-	-	-	-	-	-	-	1	3	13	10	1	-	-
Infanticide -		2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Other Violent Deaths -		42	2	4	2	4	2	14	8	5	2	-	1	1	3	-	1
Other Causes -		448	121	18	3	2	3	147	5	2	-	1	3	8	7	15	55

577.—MONMOUTH.																	
Mean Popul ⁿ , 1861-71		15302	451	429	422	411	403	2116	1902	1715	1371	1214	1993	1698	1381	953	611
TOTAL DEATHS -		3035	622	187	91	87	53	1045	154	74	98	85	195	186	173	232	297
Small-pox -		16	7	1	1	1	-	10	1	1	1	1	1	-	1	-	-
Measles -		61	10	20	6	6	7	51	9	4	-	-	-	-	-	-	-
Scarlatina -		137	6	13	23	19	18	80	49	11	3	2	1	-	-	-	-
Diphtheria -		35	1	3	2	6	2	14	15	2	-	-	-	-	-	1	-
Whooping-cough -		55	28	15	5	4	-	32	3	-	-	-	-	-	-	-	-
Rhphus -		106	3	4	3	5	7	25	16	17	6	6	6	6	6	6	9
Diarrhoea & Dysentery -		66	22	4	2	2	1	31	-	-	-	1	1	2	4	4	12
Cholera -		3	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
Other Zymotic Dis. -		64	6	5	6	6	7	30	3	4	2	-	-	3	3	4	7
Cancer -		74	-	-	-	-	-	-	-	-	-	2	2	8	24	20	5
Scrofula and Tubercles -		46	13	7	2	4	-	26	5	2	-	4	3	3	4	1	-
Phthisis -		358	6	8	1	1	-	16	9	10	52	49	19	61	52	27	3
Hydrocephalus -		21	7	5	2	1	3	18	5	-	-	-	1	-	-	-	-
Dis. of Brain -		373	170	25	6	7	2	210	7	2	5	4	9	10	16	23	35
Dis. of Heart & Dropsy -		226	5	-	-	1	2	8	4	5	3	2	14	21	21	40	37
Dis. of Lungs -		409	120	56	29	13	6	215	18	6	0	4	15	16	23	42	61
Dis. of Stom. and Liver -		126	21	4	2	2	1	30	3	2	3	2	11	19	16	17	16
Dis. of Kidneys -		27	-	-	-	-	-	-	-	1	1	1	5	4	5	4	3
Dis. of Gen. Organs -		11	-	-	-	-	-	-	-	-	-	-	-	1	5	2	1
Dis. of Joints -		4	-	-	-	-	-	-	1	1	1	-	1	-	2	4	1
Dis. of Skin -		10	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metritis -		56	-	-	-	-	-	-	-	-	1	3	23	27	2	-	-
Infanticide -		3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths -		50	4	3	2	5	1	18	7	4	7	-	2	-	1	3	2
Other Causes -		637	192	11	6	4	1	213	7	2	5	3	-	-	4	18	80

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75- and over.
578 a.—ABERGAVERY.																	
Mean Populn., 1861-71 -	10946	304	252	261	266	275	1358	1194	1092	1025	1010	1578	1243	1019	752	400	113
TOTAL DEATHS -	2601	559	185	97	58	41	940	81	58	60	80	158	213	212	236	278	290
Small-pox - - -	6	18	-	-	-	-	1	-	3	1	-	2	-	-	-	-	-
Measles - - -	98	15	40	15	8	6	87	7	5	-	1	-	-	-	-	-	-
Scarlatina - - -	100	3	21	22	15	10	71	23	1	-	-	1	-	-	-	-	-
Diphtheria - - -	11	-	2	1	-	2	5	2	1	3	1	-	1	1	-	-	-
Whooping-cough -	37	22	4	7	2	-	85	2	-	-	-	-	-	-	-	-	-
Trypus - - -	80	5	4	6	2	8	25	11	-	6	7	3	6	6	6	3	4
Diarrhea & Dysentery	33	14	1	3	1	-	19	1	-	-	-	-	-	1	3	6	4
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	71	9	2	5	1	2	19	1	3	1	4	4	7	7	9	4	4
Cancer - - -	26	-	-	-	-	-	-	-	-	1	-	1	3	3	9	8	1
Serofula and Tuberc.	25	5	6	2	2	-	15	1	3	-	2	2	-	1	1	-	-
Phthisis - - -	213	3	3	1	-	1	8	4	9	21	28	48	51	36	16	2	-
Hydrocephalus - -	37	17	10	1	1	3	32	5	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	427	125	14	4	1	-	144	2	2	4	7	30	37	50	48	28	25
Dis. of Heart & Dropsy	124	1	-	1	-	-	2	1	5	1	4	9	9	21	20	16	16
Dis. of Lungs - - -	536	121	55	17	17	3	213	6	4	3	7	18	28	32	47	37	44
Dis. of Stom. and Liver	108	7	1	3	2	5	15	4	3	3	2	5	16	17	15	17	8
Dis. of Kidneys - -	29	-	1	-	-	-	1	-	-	-	-	1	3	4	7	4	4
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	6	-	-	-	-	-	-	-	1	-	1	-	2	2	1	-	-
Dis. of Skin - - -	9	3	2	-	-	-	5	-	-	-	-	-	-	1	1	1	1
Childbirth and Metritia	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	1
Suicide - - -	8	3	1	2	2	2	10	8	14	15	13	27	12	16	12	5	8
Other Violent Deaths -	143	3	1	2	4	2	23	3	1	-	1	5	17	16	23	21	7
Other Causes - - -	471	202	18	7	4	2	253	8	1	-	-	-	-	-	-	-	-

		578 b.—BEDWELTY.																	
Mean Popul ⁿ . 1861-71		26796	840	687	734	668	716	3645	2981	2642	2804	2874	4295	3130	2373	1417	557	158	
TOTAL DEATHS—		6476	1593	695	318	208	132	2946	343	234	251	281	408	372	408	482	443	240	
Small-pox	-	67	18	5	8	5	2	83	6	1	3	5	12	7	-	-	-	-	
Measles	-	188	24	56	82	18	14	144	11	-	-	1	-	2	-	-	-	-	
Scarlatina	-	369	21	69	63	49	43	248	96	20	3	1	-	1	-	-	-	-	
Diphtheria	-	18	2	3	1	1	-	7	4	1	1	2	2	1	-	-	-	-	
Whooping-cough	-	162	65	47	26	11	3	152	10	-	-	-	-	-	-	-	-	-	
Typhus	-	294	9	18	18	15	78	37	28	34	44	37	37	28	27	13	22	13	
Diarrhoea & Dysentery	-	177	73	34	12	5	1	125	2	2	1	4	-	-	7	10	17	5	
Cholera	-	119	7	2	-	-	8	6	5	3	2	10	19	3	15	6	4	3	
Other Zymotic Dis.	-	110	8	20	12	12	6	64	13	2	3	4	3	5	5	4	6	6	
Cancer	-	40	-	-	-	-	1	1	-	-	-	-	3	2	15	11	4	3	
Serofula and Tubes	-	277	81	81	28	13	2	205	18	11	14	9	10	4	-	-	-	-	
Phthisis	-	226	10	13	11	3	8	40	15	35	74	90	109	64	55	20	2	1	
Hydrocephalus	-	110	45	34	17	6	-	102	6	1	1	-	-	-	-	-	-	-	
Dis. of Brain	-	198	468	67	23	9	10	579	18	9	6	9	24	17	28	41	43	28	
Dis. of Heart & Droopy	-	221	7	5	-	3	1	16	4	1	6	7	18	34	26	40	41	7	
Dis. of Lungs	-	1215	271	153	55	29	16	524	33	10	8	11	38	69	33	162	186	78	
Dis. of Stom. and Liver	-	207	21	3	3	4	1	32	12	6	7	4	18	24	20	42	30	31	
Dis. of Kidneys	-	74	-	2	1	-	-	3	3	3	1	2	6	7	16	14	14	4	
Dis. of Gener. Organs	-	22	-	-	-	-	-	-	-	-	-	-	-	-	5	3	3	1	
Dis. of Joints	-	76	-	1	-	-	-	1	1	2	5	3	-	-	1	1	3	2	
Dis. of Skin	-	13	7	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	5	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	
Other Violent Deaths	-	670	16	9	8	9	10	52	26	94	79	73	97	54	75	65	18	8	
Other Causes	-	706	442	68	13	2	2	527	3	2	2	5	6	9	7	18	26	10	

		575.—PONTYPOOL.															
Mean Popul ⁿ , 1861-71	18585	488	426	463	440	451	2268	2025	1843	1642	1496	2314	1891	1456	976	470	175
TOTAL DEATHS-	3903	927	384	210	112	71	1684	176	116	111	164	225	231	239	306	325	290
Small-pox	69	8	5	4	1	2	20	6	1	6	9	10	4	3	-	-	1
Measles	80	8	80	13	10	5	72	4	2	-	1	1	-	-	-	-	-
Scarlatina	205	16	22	40	27	29	134	60	8	1	1	1	-	-	-	-	-
Diphtheria	13	-	4	2	2	1	9	4	-	-	-	-	-	-	-	-	-
Whooping-cough	61	38	55	10	4	3	50	1	-	-	-	-	-	-	-	-	-
Trphus	103	4	9	16	12	4	45	24	18	18	23	18	15	11	11	7	1
Diarrhœa & Dysentery	82	32	15	2	3	1	57	1	-	1	1	3	2	1	4	1	1
Cholera	17	2	1	-	-	-	3	5	2	1	1	-	1	2	2	1	1
Other Zymotic Dis.	73	3	7	11	8	5	36	2	6	1	-	6	7	2	3	1	1
Cancer	40	-	-	-	-	-	-	-	-	-	1	3	6	8	9	8	1
Serofula and Tuberc.	64	10	11	7	3	2	33	5	10	6	2	2	4	2	4	2	1
Phtisis	291	3	4	3	2	1	13	4	7	32	60	69	60	29	12	4	1
Hydrocephalus	32	14	14	9	3	1	41	8	3	-	-	-	-	-	-	-	-
Dis. of Brain	613	341	63	37	11	1	458	9	9	3	8	18	17	20	24	26	23
Dis. of Heart & Dropsy	174	5	1	-	-	-	6	1	2	5	6	19	28	23	31	41	22
Dis. of Lungs	732	145	83	21	15	6	270	14	5	4	6	24	25	61	62	119	60
Dis. of Stom. and Liver	138	19	3	5	1	2	30	5	2	5	5	10	13	21	22	27	17
Dis. of Kidneys	49	1	-	-	-	1	2	1	1	3	1	6	8	3	7	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	-	1	1	-	-	1	-	2	3	-
Dis. of Skin	9	3	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	1
Other Violent Deaths	277	1	7	9	3	6	26	10	33	23	29	34	34	29	37	42	4
Other Causes	302	272	33	21	7	1	536	6	6	-	10	6	2	13	23	38	6

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwds.	
578 a.—ABERGAVENNY.																			
Mean Popul ⁿ , 1861-71		10349	308	273	265	270	281	1397	1158	1047	990	914	1495	1158	933	664	396	163	34
TOTAL DEATHS	-	2292	480	163	80	56	36	815	96	45	57	73	162	160	165	193	231	206	89
Small-pox	-	10	2	-	-	-	-	2	1	-	-	1	4	1	-	-	-	-	-
Measles	-	93	22	31	14	9	5	81	7	3	-	-	2	1	-	-	-	-	-
Scarlatina	-	101	2	10	16	15	13	56	35	7	-	1	-	2	-	-	-	-	-
Diphtheria	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	49	23	11	7	3	1	47	2	-	-	-	-	-	-	-	-	-	-
Typhus	-	81	3	5	8	4	4	24	15	8	7	4	10	6	2	4	1	-	-
Diarrhoea & Dysentery	-	38	14	2	1	-	-	17	-	-	-	1	1	-	1	5	8	4	3
Cholera	-	2	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	-	42	4	3	7	-	-	14	4	2	1	1	2	1	3	6	3	4	1
Cancer	-	54	-	-	-	-	-	-	-	-	-	1	1	6	14	12	13	6	1
Scrophula and Tabes	-	23	7	6	1	2	-	16	1	-	-	1	3	-	1	-	-	1	-
Phthisis	-	230	4	5	1	-	1	11	4	13	31	31	57	37	29	9	5	-	-
Hydrocephalus	-	23	6	8	3	2	-	19	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	-	347	128	10	2	2	2	144	2	2	2	3	25	26	34	29	43	25	6
Dis. of Heart & Dropsy	-	144	-	1	-	-	-	1	1	3	4	7	9	15	21	31	21	28	3
Dis. of Lungs	-	370	71	46	9	12	8	146	9	3	5	9	9	18	20	43	60	38	10
Dis. of Stom. and Liver	-	81	5	-	-	-	-	5	2	-	-	1	3	8	10	14	15	9	-
Dis. of Kidneys	-	19	-	-	-	1	-	1	-	-	-	-	1	6	2	5	3	1	-
Dis. of Genes. Organs	-	9	-	-	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-
Dis. of Joints	-	13	-	-	-	-	-	-	2	1	-	-	2	1	3	2	1	1	-
Dis. of Skin	-	4	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-
Childbirth and Metris	-	46	-	-	-	-	-	-	-	-	1	5	21	17	2	-	-	-	-
Suicide	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths	-	32	2	3	3	4	-	12	3	1	3	-	4	-	3	1	1	3	1
Other Causes	-	479	184	22	8	1	2	247	4	1	1	1	2	9	13	51	52	84	64

578 b.—BEDWELTY.																			
Mean Popul ⁿ , 1861-71		22868	792	705	688	682	678	3545	2895	2519	2231	2121	3384	2542	1802	1107	518	174	30
TOTAL DEATHS	-	5433	1296	630	356	226	117	2625	295	121	157	203	403	308	317	333	352	217	102
Small-pox	-	45	16	5	5	3	-	29	6	2	1	4	2	1	-	-	-	-	-
Measles	-	163	22	50	41	25	10	148	11	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	366	22	45	67	79	41	234	90	17	3	2	-	-	-	-	-	-	-
Diphtheria	-	13	1	3	1	2	1	8	3	-	1	1	-	-	-	-	-	-	-
Whooping-cough	-	191	73	66	23	17	4	133	10	-	-	-	42	-	-	-	-	-	-
Typhus	-	328	15	17	21	15	15	83	49	33	20	12	42	26	30	18	15	4	-
Diarrhoea & Dysentery	-	135	41	21	8	-	3	78	3	1	1	5	6	2	7	4	14	10	4
Cholera	-	56	1	1	-	-	1	3	5	-	3	8	11	5	11	4	6	2	-
Other Zymotic Dis.	-	99	9	10	14	7	4	53	10	4	3	6	2	-	6	7	6	2	-
Cancer	-	85	-	-	-	-	-	-	-	-	-	-	3	16	21	23	12	4	1
Serofula and Tabes	-	221	84	61	33	11	7	176	6	11	5	4	13	4	1	-	-	-	-
Phthisis	-	562	10	17	5	7	1	40	12	20	67	77	159	111	49	19	6	-	2
Hydrocephalus	-	74	27	27	6	4	4	68	4	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	-	689	364	75	37	14	6	494	19	6	5	8	19	13	32	33	35	16	6
Dis. of Heart & Dropsy	-	235	4	6	2	1	1	14	5	2	9	14	27	21	44	33	38	14	-
Dis. of Lungs	-	911	212	158	68	27	11	474	29	5	11	14	16	32	45	93	127	47	14
Dis. of Stom. and Liver	-	239	17	5	3	1	-	36	7	8	4	12	29	30	44	43	23	11	2
Dis. of Kidneys	-	29	-	2	-	1	-	3	1	-	2	-	4	7	7	3	2	-	-
Dis. of Genes. Organs	-	13	-	-	-	-	-	-	-	-	-	-	1	4	1	3	-	2	-
Dis. of Joints	-	13	-	-	-	-	-	-	-	2	-	1	-	1	4	2	-	-	-
Dis. of Skin	-	11	5	-	-	-	-	5	-	-	-	1	-	-	1	1	3	-	-
Childbirth and Metris	-	117	-	-	-	-	-	-	-	-	7	25	55	28	2	-	-	-	-
Suicide	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	-	88	5	8	7	11	5	36	16	8	7	3	5	2	3	4	3	1	1
Other Causes	-	735	386	89	15	1	3	444	4	2	-	3	8	8	9	20	61	104	72

579.—PONTYPOOL.																			
Mean Popul ⁿ , 1861-71		15505	488	428	446	446	477	2295	1982	1778	1428	1308	2120	1679	1322	894	484	185	40
TOTAL DEATHS	-	3239	690	326	171	106	84	1377	196	89	93	104	210	172	170	237	270	235	86
Small-pox	-	51	12	7	7	1	2	29	6	2	2	3	3	4	2	-	-	-	-
Measles	-	77	13	28	9	7	5	114	11	5	-	1	-	-	-	-	-	-	-
Scarlatina	-	195	8	24	31	25	27	65	63	9	2	-	1	-	1	1	-	1	-
Diphtheria	-	25	2	3	2	3	3	13	8	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	112	44	56	19	6	5	110	2	-	-	-	-	-	-	-	-	-	-
Typhus	-	291	1	7	10	10	10	38	32	24	17	18	22	12	17	12	5	4	-
Diarrhoea & Dysentery	-	62	19	12	8	-	-	40	1	-	1	1	1	2	1	4	3	6	2
Cholera	-	8	1	-	-	-	-	1	1	2	-	-	1	-	2	-	-	-	1
Other Zymotic Dis.	-	60	9	12	3	4	6	34	6	2	-	-	-	5	3	3	4	3	-
Cancer	-	58	-	-	-	-	1	1	-	1	1	-	-	6	13	18	15	5	-
Serofula and Tabes	-	35	9	9	-	-	1	23	1	2	3	2	2	-	1	1	-	-	-
Phthisis	-	297	1	-	3	2	4	10	4	19	39	42	94	53	27	10	5	-	1
Hydrocephalus	-	30	9	10	3	3	1	26	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	-	506	241	59	22	15	1	358	16	6	4	4	9	15	17	38	29	37	5
Dis. of Heart & Dropsy	-	191	5	2	2	-	1	10	1	7	3	9	7	15	21	31	48	34	5
Dis. of Lungs	-	433	84	56	24	19	5	183	12	5	4	4	16	13	26	71	92	56	8
Dis. of Stom. and Liver	-	127	11	2	1	2	-	16	6	2	3	5	8	11	15	20	25	11	2
Dis. of Kidneys	-	14	-	-	-	-	2	2	-	-	1	1	4	4	1	1	-	-	-
Dis. of Genes. Organs	-	13	-	-	-	-	-	-	-	-	-	-	2	4	5	1	-	-	-
Dis. of Joints	-	8	-	-	1	-	-	1	1	1	-	-	3	-	-	-	1	1	1
Dis. of Skin	-	12	5	-	1	-	-	6	-	-	-	-	-	1	1	3	1	-	-
Childbirth and Metris	-	61	-	-	-	-	-	-	-	-	4	10	28	18	1	-	-	-	-
Suicide	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Other Violent Deaths	-	92	7	11	9	6	6	38	11	7	5	2	2	-	10	6	3	2	3
Other Causes	-	509	209	48	12	3	4	276	9	2	4	2	5	8	6	14	38	85	60

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
580.—NEWPORT.																			
Mean Popula ⁿ , 1861-71		28479	854	759	828	749	769	3959	3425	2977	2820	2559	4270	3437	2456	1502	734	238	12
TOTAL DEATHS		6278	1544	471	250	174	113	2552	268	141	197	258	436	480	485	490	473	307	12
Small-pox		79	16	8	5	3	3	35	17	2	7	7	6	2	3	-	-	-	-
Measles		80	13	25	16	10	5	69	10	-	1	-	-	-	-	-	-	-	-
Scarlatina		217	12	46	32	37	26	153	49	8	4	-	1	1	-	1	-	-	-
Diphtheria		49	4	4	6	7	2	23	8	5	1	-	-	1	1	1	-	-	-
Whooping-cough		103	49	29	14	8	3	103	-	-	-	-	-	-	-	-	-	-	-
Typhus		287	3	12	8	9	15	47	39	25	27	31	21	34	25	29	26	1	1
Diarrhoea & Dysentery		199	122	21	7	5	3	158	2	-	-	1	-	2	4	4	12	12	1
Cholera		54	14	1	2	1	2	20	3	3	4	-	6	7	4	5	2	2	1
Other Zymotic Dis.		160	24	30	19	18	11	102	15	3	4	2	7	10	5	7	3	1	1
Cancer		64	-	-	-	-	-	1	-	-	-	-	1	9	10	25	16	3	1
Serofula and Tabes		110	32	23	11	2	-	68	11	5	7	8	2	3	5	1	-	-	-
Phthisis		591	11	8	2	1	3	25	12	6	50	82	132	100	80	55	17	4	1
Hydrocephalus		103	40	28	15	7	3	91	6	3	-	-	1	1	-	-	-	-	-
Dis. of Brain		826	431	46	27	11	9	524	26	11	10	9	20	33	41	32	64	22	1
Dis. of Heart & Dropsy		561	2	3	4	2	3	14	3	8	16	6	27	38	57	61	85	26	1
Dis. of Lungs		970	252	112	63	23	10	455	16	6	7	10	39	45	76	107	113	90	2
Dis. of Stom. and Liver		299	56	10	8	3	1	53	5	9	11	15	22	34	52	49	52	37	1
Dis. of Kidneys		81	1	2	1	1	-	5	1	1	1	5	10	12	10	8	10	7	1
Dis. of Gener. Organs		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		17	1	1	-	-	-	2	1	1	2	-	3	1	2	1	-	-	-
Dis. of Skin		14	6	1	-	-	-	7	1	-	-	-	-	2	-	2	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		14	-	-	-	-	-	-	-	-	1	-	1	1	7	2	3	-	-
Other Violent Deaths		645	15	12	15	15	11	68	29	43	42	75	104	114	81	62	138	1	1
Other Causes		961	460	49	9	9	3	530	12	2	2	5	13	24	22	25	52	10	2

581 a.—CARDIFF.*																			
Mean Popul ⁿ , 1861-71		35068	1038	955	991	932	889	4805	4055	3340	3307	3454	6186	4534	2881	1541	681	247	6
TOTAL DEATHS		7810	2078	746	331	226	162	3543	346	176	255	381	602	649	522	447	363	207	12
Small-pox		89	20	8	9	5	3	45	9	3	3	10	12	6	1	-	-	-	-
Measles		161	41	65	26	13	7	132	6	3	-	-	-	-	-	-	-	-	-
Scarlatina		247	32	52	64	65	38	253	77	9	2	3	3	-	-	-	-	-	-
Diphtheria		53	7	10	11	7	5	40	8	3	1	-	-	-	-	-	1	-	-
Whooping-cough		173	68	58	18	17	5	166	5	1	-	1	-	-	-	-	-	-	-
Typhus		544	2	9	13	7	21	52	47	20	29	43	53	40	36	19	18	2	1
Diarrhoea & Dysentery		262	109	43	6	3	4	225	2	3	1	-	1	4	3	6	7	2	1
Cholera		44	6	4	-	4	-	14	1	-	2	6	4	8	4	5	2	-	-
Other Zymotic Dis.		183	32	51	18	11	14	106	18	4	3	5	11	10	10	11	4	-	-
Cancer		73	-	-	-	-	-	-	-	1	-	-	-	8	11	12	11	3	1
Serofula and Tabes		194	43	43	15	6	8	115	8	6	3	3	7	5	5	3	4	-	-
Phthisis		846	5	6	5	4	4	24	12	17	52	144	231	178	109	50	25	1	1
Hydrocephalus		113	26	24	19	15	5	89	29	3	-	-	1	-	-	-	-	-	-
Dis. of Brain		915	489	91	28	14	9	622	27	13	9	16	31	47	45	40	50	20	1
Dis. of Heart & Dropsy		536	5	1	4	3	3	16	13	7	8	11	45	58	64	60	33	20	1
Dis. of Lungs		1169	376	169	86	27	16	644	28	7	14	18	49	76	69	164	73	40	1
Dis. of Stom. and Liver		294	41	7	5	2	1	56	8	10	6	12	29	38	45	42	33	1	1
Dis. of Kidneys		113	-	1	-	-	2	3	4	-	3	2	12	16	28	19	21	4	1
Dis. of Gener. Organs		22	-	-	2	1	-	3	3	4	-	4	2	1	2	1	-	-	-
Dis. of Joints		11	8	-	1	-	-	9	-	-	-	1	-	-	1	-	-	-	-
Dis. of Skin		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria		24	-	-	-	-	-	-	-	-	1	1	4	4	8	3	3	1	1
Suicide		730	16	24	13	11	10	74	37	68	106	91	165	124	63	21	7	4	2
Other Violent Deaths		1342	701	98	17	12	7	835	13	4	9	11	24	22	29	39	63	179	2

581 b.—PONTYPRIDD.*																			
Mean Popul ⁿ , 1861-71		22086	709	625	638	615	597	3184	2534	2257	2194	2364	3765	2524	1696	979	435	138	14
TOTAL DEATHS		5246	1498	462	227	151	94	2432	240	181	244	283	411	391	319	275	241	162	20
Small-pox		70	11	3	8	9	3	34	6	3	4	8	7	5	3	-	-	-	-
Measles		128	29	48	21	6	7	111	13	2	-	-	1	-	-	1	-	-	-
Scarlatina		229	20	30	34	36	32	152	55	15	3	-	3	1	-	-	-	-	-
Diphtheria		8	-	-	1	-	1	2	3	1	1	-	-	-	-	1	-	-	-
Whooping-cough		57	25	21	6	2	-	54	3	-	-	-	-	-	-	-	-	-	-
Typhus		802	10	17	12	11	11	62	33	25	33	34	31	28	18	11	4	1	1
Diarrhoea & Dysentery		106	44	8	8	1	2	65	3	2	-	-	4	6	4	4	12	1	1
Cholera		45	1	-	-	-	-	1	3	1	1	12	3	8	11	6	8	2	1
Other Zymotic Dis.		82	12	13	14	11	9	59	10	1	-	4	3	2	1	3	5	2	1
Cancer		25	-	-	-	-	-	1	-	-	-	-	-	6	9	2	1	-	-
Serofula and Tabes		61	6	20	12	1	2	41	4	4	-	3	3	2	2	2	1	-	-
Phthisis		605	4	6	9	1	-	20	10	27	88	94	124	118	77	53	12	2	1
Hydrocephalus		53	22	13	3	5	3	45	7	1	2	-	-	-	-	-	-	-	-
Dis. of Brain		1100	783	102	29	22	7	943	19	3	8	5	17	20	17	24	29	11	1
Dis. of Heart & Dropsy		139	1	1	1	1	-	4	3	5	3	1	15	30	22	31	34	11	1
Dis. of Lungs		822	263	120	55	32	14	484	30	12	14	10	22	39	51	79	34	21	1
Dis. of Stom. and Liver		140	15	6	1	3	2	27	8	4	9	4	8	18	21	17	18	3	1
Dis. of Kidneys		42	-	-	-	-	-	-	-	-	1	2	4	14	5	4	4	1	1
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		6	-	-	1	-	-	1	1	2	-	-	1	-	-	1	-	-	-
Dis. of Skin		3	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		13	-	-	-	-	-	-	-	-	-	-	3	3	1	5	1	1	1
Other Violent Deaths		637	5	13	2	6	6	85	16	71	73	100	143	85	54	83	6	1	1
Other Causes		570	305	41	7	3	3	359	7	3	1	1	2	12	10	13	26	17	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
		580.—NEWPORT.																	
Mean Popul ⁿ , 1861-71	27853	862	756	789	806	757	3970	3438	2945	2740	2598	4212	3111	2301	1429	764	288	57	
TOTAL DEATHS	5505	1216	430	225	109	107	2147	263	134	164	210	429	418	361	410	425	372	167	
Small-pox	55	16	9	3	4	2	34	8	2	1	3	2	2	1	1	1	-	-	
Measles	81	18	28	13	7	6	72	8	-	-	-	-	-	-	-	-	-	-	
Scarlatina	252	9	32	38	49	32	160	68	14	4	3	3	-	-	-	-	-	-	
Diphtheria	35	1	5	1	2	3	12	12	6	2	-	1	-	-	1	-	-	1	
Whooping-cough	167	71	55	18	9	9	162	4	-	1	-	-	-	-	-	-	-	-	
Typhus	283	6	8	14	9	9	46	44	23	25	16	35	39	22	21	9	3	-	
Marasmus & Dysentery	169	97	22	6	1	3	129	4	-	-	1	2	4	7	3	10	5	4	
Cholera	42	9	2	2	-	2	15	5	2	-	-	3	3	5	4	2	1	2	
Other Zymotic Dis.	127	14	25	15	12	7	73	8	7	5	5	4	1	8	4	7	3	2	
Cancer	141	-	-	-	1	-	1	-	-	2	1	7	33	29	41	14	10	3	
Scrofula and Tuberc.	90	27	22	8	3	2	62	8	2	5	3	3	2	2	1	2	-	-	
Phthisis	632	9	2	5	3	1	29	11	25	75	100	182	130	52	26	10	1	-	
Hydrocephalus	52	20	11	6	7	3	47	4	-	1	-	-	-	-	-	-	-	-	
No. of Brain	689	327	43	29	11	7	417	24	14	6	9	14	22	28	49	64	43	9	
No. of Heart & Dropsy	381	4	1	4	2	-	11	8	9	13	9	30	45	58	72	84	35	7	
No. of Lungs	830	185	103	81	25	14	563	22	7	5	17	35	40	58	97	109	66	11	
No. of Stom. and Liver	293	23	3	1	2	-	29	7	4	5	12	26	28	50	49	87	15	1	
No. of Kidneys	49	1	-	1	1	-	3	3	-	-	4	9	8	12	6	4	-	-	
No. of Gen. Organs	21	-	-	-	-	-	1	-	-	-	2	4	5	5	5	5	-	-	
No. of Joints	5	-	-	-	1	-	1	-	1	-	-	-	1	1	1	-	-	-	
No. of Skin	17	5	1	1	2	-	9	-	-	-	-	2	1	1	3	1	-	-	
Childbirth and Metria	122	-	-	-	-	-	-	-	-	8	19	52	42	1	-	-	-	-	
Selficide	7	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	1	-	
Other Violent Deaths	106	5	14	8	12	5	44	11	7	4	2	5	6	5	4	8	8	-	
Other Causes	894	369	39	21	6	2	437	9	6	1	3	9	7	17	21	68	181	125	

581 a.—CARDIFF.*

Mean Popul ⁿ , 1861-71	32425	1008	934	948	950	919	4759	3949	3292	2932	3184	5456	3940	2449	1390	704	273	47
TOTAL DEATHS	6657	1619	676	333	216	174	3038	320	123	163	292	573	501	417	397	388	317	123
Small-pox	68	16	8	6	7	3	40	8	1	4	2	7	3	2	1	1	1	1
Measles	154	24	54	29	15	16	138	14	2	1	1	1	1	1	1	1	1	1
Scarlatina	336	25	49	58	61	50	249	79	16	3	5	7	3	1	1	1	1	1
Diphtheria	48	4	10	10	9	8	41	5	2	1	1	1	1	1	1	1	1	1
Whooping-cough	195	92	51	22	15	7	187	6	1	1	1	1	1	1	1	1	1	1
Typhus	283	5	10	31	14	19	69	50	26	20	29	34	25	14	13	7	7	1
Marasmus & Dysentery	294	144	48	10	4	2	208	5	1	1	2	5	4	6	6	12	5	1
Cholera	60	4	3	3	1	3	14	2	1	1	1	5	6	9	3	7	2	1
Other Zymotic Dis.	157	20	30	24	18	9	101	14	4	9	2	4	2	3	4	11	2	1
Cancer	132	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tuberc.	180	35	44	18	5	4	106	11	7	5	6	15	22	42	30	16	5	1
Phthisis	802	2	9	4	2	3	29	17	27	71	129	237	177	89	27	6	2	1
Hydrocephalus	81	26	17	9	6	6	64	14	3	1	1	1	1	1	1	1	1	1
No. of Brain	716	339	62	33	10	15	459	25	9	11	14	33	25	31	47	59	18	5
No. of Heart & Dropsy	389	1	2	3	1	1	7	7	6	10	15	41	59	74	71	67	29	1
No. of Lungs	916	293	161	63	27	16	562	27	6	8	13	44	52	53	87	74	35	5
No. of Stom. and Liver	267	27	8	5	1	1	39	10	3	4	9	32	58	49	42	59	10	2
No. of Kidneys	53	1	1	1	1	1	3	1	1	1	1	6	13	2	4	8	3	1
No. of Gen. Organs	18	1	1	1	1	1	1	1	1	1	1	2	4	3	4	1	1	1
No. of Joints	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
No. of Skin	11	4	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metria	144	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Selficide	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	130	24	13	6	10	9	64	18	5	5	3	8	5	6	9	4	3	1
Other Causes	1234	534	95	26	10	2	667	17	5	3	16	15	23	29	41	116	194	108

581 b.—PONTYPRIDD.*

Mean Popul ⁿ , 1861-71	19068	722	614	653	605	614	3208	2534	2035	1734	1661	2969	2072	1387	843	429	168	28
TOTAL DEATHS	4253	1205	418	225	193	98	2139	233	110	140	184	352	261	189	185	207	173	85
Small-pox	50	14	6	8	2	3	28	10	4	1	5	1	3	1	1	1	1	1
Measles	123	19	38	20	22	5	110	8	2	1	1	2	1	1	1	1	1	1
Scarlatina	217	15	36	39	32	15	137	64	8	4	3	1	1	1	1	1	1	1
Diphtheria	13	1	1	1	1	3	6	3	1	1	1	1	1	1	1	1	1	1
Whooping-cough	93	42	22	12	8	5	89	2	1	1	1	1	1	1	1	1	1	1
Typhus	276	8	14	16	26	11	75	43	28	30	19	40	16	15	8	6	1	1
Marasmus & Dysentery	92	28	10	8	1	4	51	3	1	1	4	6	1	8	7	7	1	3
Cholera	11	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	61	15	8	8	9	5	45	7	2	1	2	2	2	3	2	2	1	1
Cancer	40	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tuberc.	69	11	19	8	4	1	42	4	5	3	9	2	2	1	1	1	1	1
Phthisis	690	6	10	8	4	2	30	18	23	70	98	106	112	49	23	6	1	1
Hydrocephalus	93	11	6	8	1	5	30	6	1	1	1	1	1	1	1	1	1	1
No. of Brain	901	625	87	25	22	15	778	17	10	8	4	11	10	13	19	25	19	8
No. of Heart & Dropsy	153	1	1	1	1	1	5	3	1	4	3	9	21	14	19	31	23	10
No. of Lungs	623	157	104	45	44	14	396	20	7	10	9	21	29	27	49	61	30	4
No. of Stom. and Liver	133	3	4	2	1	1	10	6	4	2	4	16	18	25	24	18	6	2
No. of Kidneys	24	1	1	1	1	2	4	3	1	1	1	4	2	3	3	3	1	1
No. of Gen. Organs	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
No. of Joints	8	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1
No. of Skin	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metria	100	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Selficide	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	84	9	6	4	5	7	51	11	3	6	2	4	4	3	1	1	1	1
Other Causes	548	239	42	11	10	2	504	2	1	1	1	4	3	11	10	43	97	71

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
582.—MERTHYR TYDFIL.*																		
Mean Popul ⁿ , 1861-71	51843	1662	1378	1485	1414	1364	7303	5961	5384	5357	5439	8437	6072	4222	2426	970	230	6
TOTAL DEATHS	13461	3461	1419	660	387	278	6205	717	458	512	626	952	876	851	940	606	266	60
Small-pox - - -	146	20	12	13	4	10	59	23	7	4	21	24	6	1	1	-	-	-
Measles - - - -	284	60	107	50	23	12	252	29	2	-	-	-	1	-	-	-	-	-
Scarlatina - - -	620	45	122	105	107	65	444	148	15	6	5	1	-	1	-	-	-	-
Diphtheria - - -	49	9	9	8	7	4	47	6	3	1	1	-	-	1	-	-	-	-
Whooping-cough -	296	121	95	32	25	13	289	6	-	-	-	1	-	-	-	-	-	-
Typhus - - - - -	631	21	25	24	25	32	129	74	47	58	65	75	57	47	29	24	12	1
Diarrhoea & Dysentery	258	121	41	13	7	1	183	2	2	3	3	5	3	2	19	16	12	1
Cholera - - - - -	132	6	3	3	-	3	15	12	9	9	7	23	25	17	13	2	1	1
Other Zymotic Dis.	297	33	50	41	30	24	178	17	10	7	9	21	10	15	16	7	1	1
Cancer - - - - -	100	-	-	1	1	-	2	1	-	-	2	2	14	17	27	20	1	1
Scrofula and Tuberc.	307	70	62	34	8	5	179	40	22	13	16	15	7	9	5	1	1	1
Phthisis - - - -	1530	30	50	35	9	12	184	73	58	164	219	299	242	104	122	38	1	1
Hydrocephalus - -	196	60	53	28	9	10	172	19	2	1	1	1	-	-	-	-	-	-
Dis. of Brain - - -	2235	1441	202	77	32	19	1771	52	24	20	25	31	56	61	74	86	27	1
Dis. of Heart & Dropsy	541	5	4	4	3	2	20	24	20	18	18	57	68	85	164	57	27	1
Dis. of Lungs - - -	2121	522	303	110	58	35	1029	44	8	22	39	45	102	135	279	268	108	1
Dis. of Stom. and Liver	337	55	5	5	1	1	47	14	15	15	16	29	27	69	60	43	13	1
Dis. of Kidneys - -	181	2	4	1	2	2	11	8	4	7	4	15	31	58	30	29	11	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Dis. of Joints - - -	64	1	2	-	3	-	6	14	3	0	9	8	5	3	6	2	1	1
Dis. of Skin - - -	23	10	2	1	2	-	15	-	2	-	1	2	-	1	1	-	1	1
Childbirth and Metris	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	19	-	-	-	-	-	-	-	1	-	-	-	3	4	7	-	-	-
Other Violent Deaths	1408	14	18	31	11	16	90	80	207	153	158	273	194	140	65	33	19	1
Other Causes - - -	1684	823	247	44	18	11	1143	27	7	5	7	24	25	25	63	115	140	1

583.—BRIDGEND.

Mean Popul ⁿ , 1861-71	14749	418	398	401	394	384	1998	1746	1592	1427	1292	2068	1633	1294	909	536	213	6
TOTAL DEATHS	3103	712	220	138	63	47	1180	140	74	105	110	215	193	188	261	278	260	30
Small-pox	10	2	-	1	-	1	4	-	1	-	1	4	1	-	-	-	-	-
Measles	70	9	26	21	4	6	64	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	100	12	14	13	13	10	62	26	7	2	-	2	-	1	-	-	-	-
Diphtheria	11	-	3	1	1	-	5	4	-	-	1	1	-	-	-	-	-	-
Whooping-cough	73	80	23	11	3	1	68	5	-	-	-	-	-	-	-	-	-	-
Typhus	145	3	7	9	3	3	25	27	11	16	15	14	15	6	9	6	2	1
Diarrhoea & Dysentery	46	17	5	4	-	1	27	1	-	-	-	-	-	-	4	4	1	1
Cholera	43	1	1	2	1	1	6	7	2	1	3	7	2	5	6	3	1	1
Other Zymotic Dis.	54	4	6	6	4	1	21	9	-	3	1	2	6	2	5	2	1	1
Cancer	26	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	36	9	7	5	-	-	21	5	1	2	1	2	-	1	2	1	1	1
Phthisis	280	3	-	1	-	-	4	7	10	25	48	81	54	21	29	1	1	1
Hydrocephalus	17	4	4	3	1	-	12	3	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	672	404	42	21	9	-	478	8	5	5	4	26	20	23	28	22	16	1
Dis. of Heart & Dropsy	163	-	-	1	1	-	2	2	5	8	-	11	10	15	24	43	25	1
Dis. of Lungs	456	69	30	21	13	10	134	8	7	6	5	16	29	41	72	80	69	1
Dis. of Stom. and Liver	104	3	2	-	-	-	5	1	2	4	1	9	9	17	25	19	19	1
Dis. of Kidneys	48	-	-	-	-	-	-	1	-	4	-	1	4	8	4	15	8	1
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	15	-	-	1	1	-	2	1	2	2	5	2	-	-	-	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	-	-	1	-	-	-	1	1	1	1	1
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	1	1
Other Violent Deaths	206	-	6	3	6	7	22	16	19	23	24	51	22	21	20	2	1	1
Other Causes	510	149	44	14	3	5	215	15	-	-	1	6	6	10	17	48	260	30

584.—NEATH.

Mean Popul ⁿ , 1861-71	31244	1025	923	970	864	926	4708	4046	3577	3259	2857	4517	3421	2461	1492	637	238	21
TOTAL DEATHS	7392	1826	647	375	223	163	3234	411	254	305	340	518	475	487	526	447	294	6
Small-pox	120	29	7	12	9	8	65	13	6	4	17	7	5	5	-	-	-	-
Measles	141	29	51	24	18	6	127	12	2	-	-	-	-	-	-	-	-	-
Scarlatina	415	38	80	75	67	52	202	94	15	2	1	1	-	-	-	-	-	-
Diphtheria	24	3	6	5	5	-	17	6	-	-	1	-	-	-	-	-	-	-
Whooping-cough	117	48	23	15	8	5	109	8	-	-	-	-	-	-	-	-	-	-
Typhus	493	29	45	38	21	20	134	71	44	54	40	39	24	21	23	15	10	1
Diarrhoea & Dysentery	159	72	23	7	3	2	112	3	2	1	1	1	3	3	7	2	1	1
Cholera	244	3	6	9	4	6	28	24	20	15	14	31	30	37	20	17	1	1
Other Zymotic Dis.	168	25	27	35	25	13	125	23	7	3	1	6	2	4	5	7	1	1
Cancer	59	-	-	-	-	1	1	-	1	2	2	-	6	14	18	7	10	1
Scrofula and Tuberc.	142	37	23	13	5	1	89	10	9	11	5	8	3	4	-	-	-	-
Phthisis	851	10	10	6	7	6	45	22	39	95	145	185	117	98	79	24	1	1
Hydrocephalus	49	12	11	8	4	4	59	5	1	1	1	1	-	-	-	-	-	-
Dis. of Brain	1287	865	95	53	16	12	1022	31	5	11	8	23	22	31	31	27	26	1
Dis. of Heart & Dropsy	245	1	2	6	1	1	11	12	11	14	9	17	23	27	43	41	11	1
Dis. of Lungs	919	179	101	39	14	8	845	17	2	11	12	57	60	94	138	162	20	1
Dis. of Stom. and Liver	200	29	6	5	5	-	36	5	1	2	8	20	31	27	32	27	10	1
Dis. of Kidneys	96	1	1	-	2	1	5	2	-	3	2	15	16	17	17	10	1	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	16	2	-	-	-	-	2	1	1	4	1	-	2	-	3	1	-	-
Dis. of Skin	15	9	2	1	-	1	15	1	-	2	-	-	-	-	1	1	1	1
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	627	6	21	19	11	10	67	43	83	62	65	111	84	58	58	28	1	1
Other Causes	960	403	17	25	10	6	521	9	3	5	12	15	19	24	46	63	220	6

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.					Total under 5 Years.													
			1	2	3	4		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.		
582.—MERTHYR TYDFIL.*																				
Mean Popul ⁿ , 1861-71	46780	1657	1354	1505	1420	1413	7349	5925	4941	4383	4263	7176	5273	3663	2255	1070	411	71		
TOTAL DEATHS	11310	2882	1372	657	418	298	5627	582	227	286	434	795	746	633	673	604	493	210		
Small-pox	123	33	15	17	12	4	81	28	1	1	5	4	3	-	-	-	-	-		
Scarlatina	256	45	95	45	29	18	252	21	2	1	-	-	-	-	-	-	-	-		
Diphtheria	57	8	17	113	81	89	418	124	28	1	4	1	-	-	-	-	-	-		
Whooping-cough	366	147	118	43	31	14	349	17	-	-	-	-	-	-	-	-	-	-		
Typhus	567	17	37	39	28	22	143	106	37	40	40	49	46	32	47	22	4	1		
Barrhea & Dysentery	263	119	64	18	7	3	201	2	2	-	3	10	9	7	15	18	14	4		
Cholera	118	5	2	8	4	4	23	14	5	6	6	12	22	9	11	7	4	-		
Other Zymotic Dis.	806	32	58	42	35	27	194	27	5	6	6	10	10	12	19	8	7	2		
Cancer	158	-	-	-	-	1	1	-	-	-	1	6	20	60	40	15	13	2		
Cerebra and Tabes	246	65	78	24	15	5	182	14	15	7	3	9	4	6	4	2	-	-		
Phthisis	1658	34	60	20	18	7	129	56	55	132	200	378	315	185	72	35	10	-		
Hydrocephalus	180	47	39	11	10	4	111	15	4	-	-	-	-	-	-	-	-	-		
Dis. of Brain	1885	1115	218	76	86	32	1477	41	14	5	14	21	38	62	71	85	44	13		
Dis. of Heart & Dropsy	538	2	4	6	5	4	21	10	12	27	30	66	64	81	99	84	37	7		
Dis. of Lungs	1513	410	269	103	66	25	873	31	15	9	27	43	46	67	152	160	74	18		
Dis. of Stom. and Liver	344	19	7	6	-	2	34	9	9	4	15	36	40	63	68	89	33	4		
Dis. of Kidneys	93	2	2	1	1	1	7	4	2	4	5	12	19	14	15	10	1	-		
Dis. of Gen. Organs	86	1	-	-	-	-	1	-	-	1	5	5	10	4	5	4	1	-		
Dis. of Joints	33	-	-	-	1	2	3	2	5	5	2	7	5	2	1	1	-	-		
Dis. of Skin	23	8	3	1	-	-	12	-	-	-	-	-	1	2	3	3	2	-		
Childbirth and Metria	233	-	-	-	-	-	-	-	-	12	54	95	69	3	-	-	-	-		
Infanticide	16	-	-	-	-	-	-	-	-	2	2	5	2	3	2	-	-	-		
Other Violent Deaths	182	16	18	12	18	8	72	26	12	17	3	8	5	8	9	7	10	5		
Other Causes	1677	728	204	66	16	16	1030	26	4	5	9	15	17	13	42	113	249	154		

583.—BRIDGEND.																		
Mean Popul ⁿ , 1861-71	14320	440	375	399	381	394	1989	1708	1562	1367	1261	1981	1528	1202	852	555	266	49
TOTAL DEATHS	2809	618	207	104	66	49	1044	119	70	93	103	210	171	175	171	239	279	135
Small-pox	8	3	1	1	-	-	5	1	-	-	-	1	-	-	-	1	-	-
Scarlatina	57	7	20	11	5	4	47	8	-	-	-	2	-	-	-	-	-	-
Diphtheria	84	5	12	10	15	32	32	23	4	5	-	-	-	-	-	-	-	-
Whooping-cough	14	2	2	1	1	1	7	3	1	1	1	-	-	1	-	-	-	-
Typhus	79	28	20	12	7	3	76	9	-	-	-	-	-	-	-	-	-	-
Barrhea & Dysentery	123	-	4	5	5	8	17	21	15	17	12	14	10	5	5	5	2	-
Cholera	39	13	5	-	1	-	19	2	1	-	1	1	-	2	1	3	4	5
Other Zymotic Dis.	40	-	2	2	1	3	8	3	-	1	2	8	4	5	5	2	2	-
Cancer	49	5	4	6	4	2	21	5	3	2	-	2	1	5	4	3	3	-
Cerebra and Tabes	47	-	-	-	-	-	-	-	-	-	-	3	7	12	10	9	5	1
Phthisis	24	2	6	1	1	1	11	3	4	3	1	-	-	2	-	-	-	-
Hydrocephalus	379	1	-	2	1	2	6	4	25	47	59	99	73	45	20	1	-	-
Dis. of Brain	13	6	3	2	-	-	11	1	-	-	-	-	-	-	-	1	-	-
Dis. of Heart & Dropsy	491	306	45	22	5	1	379	10	2	3	4	10	8	18	13	19	24	1
Dis. of Lungs	175	1	1	-	-	-	2	5	4	3	6	13	14	23	29	46	25	2
Dis. of Stom. and Liver	365	61	30	11	13	5	120	9	1	5	2	14	13	22	42	68	62	7
Dis. of Kidneys	97	4	1	-	1	-	6	2	2	4	3	8	12	19	18	18	5	-
Dis. of Gen. Organs	10	-	-	-	1	-	1	-	-	-	-	1	3	2	2	-	1	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-
Dis. of Skin	6	-	1	-	-	-	1	1	-	1	1	2	-	1	1	1	-	-
Childbirth and Metria	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-
Infanticide	50	-	-	-	-	-	-	-	-	-	8	27	15	-	-	-	-	-
Other Violent Deaths	44	2	4	2	7	4	19	7	2	-	1	1	1	2	-	1	-	-
Other Causes	601	172	40	16	3	5	236	7	6	-	1	4	7	9	17	56	140	117

584.—NEATH.																		
Mean Popul ⁿ , 1861-71	30331	1025	896	954	928	892	4695	4013	3505	3011	2672	4283	3112	2313	1511	819	335	62
TOTAL DEATHS	6298	1397	598	328	233	193	2749	397	205	247	253	486	424	326	331	383	347	150
Small-pox	107	27	21	8	7	11	74	15	2	7	5	3	1	-	-	-	-	-
Scarlatina	139	16	48	30	16	10	120	18	1	-	-	-	-	-	-	-	-	-
Diphtheria	434	23	67	69	77	62	208	105	26	2	2	1	-	-	-	-	-	-
Whooping-cough	28	4	1	2	1	4	12	8	3	1	1	2	-	1	-	-	-	-
Typhus	143	62	48	15	13	8	156	7	-	-	-	-	-	-	-	-	-	-
Barrhea & Dysentery	429	19	25	25	26	26	121	26	54	48	29	33	28	15	22	16	6	1
Cholera	116	47	14	4	-	1	66	4	2	1	2	3	2	3	10	8	11	4
Other Zymotic Dis.	284	2	11	9	6	6	34	27	16	16	22	45	45	27	22	23	9	-
Cancer	151	15	30	22	17	14	98	19	1	6	1	4	4	3	4	6	6	-
Cerebra and Tabes	81	1	-	-	-	-	1	-	1	-	1	4	12	22	17	13	10	-
Phthisis	111	23	32	13	3	6	77	13	7	4	4	3	1	1	1	-	-	-
Hydrocephalus	823	15	9	3	3	5	35	30	44	109	114	205	139	84	47	13	2	-
Dis. of Brain	29	8	9	4	3	1	25	3	-	-	-	-	-	-	-	-	-	-
Dis. of Heart & Dropsy	1036	680	104	34	23	4	845	24	8	11	7	14	22	24	30	40	27	4
Dis. of Lungs	267	4	3	-	1	2	10	12	8	15	13	35	30	34	43	39	27	-
Dis. of Stom. and Liver	607	123	82	33	14	21	293	30	6	10	10	29	31	23	67	89	37	8
Dis. of Kidneys	197	12	4	5	4	1	26	5	8	1	7	25	22	33	26	31	10	2
Dis. of Gen. Organs	34	-	-	-	1	-	1	-	1	1	4	6	6	5	4	5	1	-
Dis. of Joints	17	-	-	-	-	-	-	-	1	1	1	4	4	1	1	-	-	-
Dis. of Skin	9	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
Childbirth and Metria	7	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Infanticide	131	-	-	-	-	-	-	-	-	2	21	37	47	4	-	-	-	-
Other Violent Deaths	7	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-
Other Causes	117	6	12	10	12	5	45	20	8	3	4	2	4	9	3	8	8	3
	974	317	78	22	6	5	428	10	6	6	4	15	21	30	39	92	192	128

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																					
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	
		585 a.—SWANSEA.																					
Mean Popul ⁿ , 1861-71	29470	974	825	898	843	779	4319	3664	3230	3077	2843	4648	3247	2260	1347	603	200	100	100	100	100	100	100
TOTAL DEATHS	6830	1509	651	387	246	161	2054	456	189	233	283	476	406	456	503	416	200	100	100	100	100	100	100
Small-pox	129	17	14	12	9	6	88	16	10	7	12	19	4	2	1	—	—	—	—	—	—	—	—
Measles	117	21	47	20	11	4	103	14	13	3	5	2	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	487	35	65	92	72	37	321	140	13	3	3	5	2	—	—	—	—	—	—	—	—	—	—
Diphtheria	62	4	13	10	10	5	42	18	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	114	37	40	21	5	7	110	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	221	7	6	16	16	10	53	41	13	27	29	19	17	6	7	8	1	—	—	—	—	—	—
Diarrhoea & Dysentery	170	104	27	6	2	—	139	4	—	—	—	4	14	3	6	8	7	—	—	—	—	—	—
Cholera	255	15	17	12	10	8	62	32	22	5	13	24	26	29	34	19	7	—	—	—	—	—	—
Other Zymotic Dis.	193	22	36	23	20	8	109	20	6	9	7	4	12	8	9	13	—	—	—	—	—	—	—
Cancer	52	—	—	—	—	—	—	1	—	—	—	1	7	7	17	13	9	—	—	—	—	—	—
Scrofula and Tuberc.	121	40	26	7	4	2	79	13	6	5	5	6	1	3	2	1	—	—	—	—	—	—	—
Phthisis	784	4	5	7	6	1	23	24	80	80	133	132	136	96	62	13	1	—	—	—	—	—	—
Hydrocephalus	75	25	18	6	8	3	60	6	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	293	529	83	44	20	13	689	37	9	7	12	21	43	40	39	43	28	—	—	—	—	—	—
Dis. of Heart & Dropsy	247	3	1	1	3	1	9	9	14	8	5	25	40	39	47	30	18	—	—	—	—	—	—
Dis. of Lungs	1121	228	135	73	27	20	483	23	9	17	14	58	65	108	128	129	78	—	—	—	—	—	—
Dis. of Stom. and Liver	239	40	16	5	2	1	64	12	9	4	5	21	40	53	51	27	9	—	—	—	—	—	—
Dis. of Kidneys	86	2	2	1	2	2	9	3	2	2	3	5	15	14	21	6	1	—	—	—	—	—	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	9	—	—	—	—	—	—	3	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—
Dis. of Skin	12	4	1	—	—	—	5	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	9	—	—	—	—	—	—	—	—	—	—	1	4	—	3	1	—	—	—	—	—	—	—
Other Violent Deaths	417	7	10	9	10	8	44	30	34	32	35	66	58	40	28	21	4	—	—	—	—	—	—
Other Causes	806	365	89	22	9	5	490	12	3	2	3	8	19	17	45	38	128	—	—	—	—	—	—

585 b.—GOWER.

Mean Popul ⁿ , 1861-71	4265	118	112	124	116	108	578	509	524	407	320	528	451	365	302	186	75
TOTAL DEATHS	885	156	89	30	22	23	269	56	25	45	48	58	49	47	67	96	50
Small-pox	8	4	—	1	—	—	5	—	2	—	—	—	—	1	—	—	—
Measles	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	71	4	6	11	12	9	42	22	8	1	—	—	—	—	—	—	—
Diphtheria	15	—	—	1	—	2	9	7	1	8	1	—	—	—	—	—	—
Whooping-cough	16	8	3	2	2	1	16	6	—	—	—	—	—	—	—	—	—
Typhus	34	1	—	2	—	1	4	—	—	—	—	—	—	—	—	—	—
Diarrhoea & Dysentery	11	9	—	—	—	—	9	—	4	—	—	—	—	—	—	—	—
Cholera	12	—	—	—	—	—	—	1	—	—	2	—	1	1	3	4	—
Other Zymotic Dis.	15	2	3	—	—	2	7	—	—	1	—	2	—	1	2	3	—
Cancer	14	—	—	—	—	—	—	—	—	—	1	—	—	1	6	2	—
Scrofula and Tuberc.	21	3	2	2	1	1	9	2	1	3	1	—	1	1	3	1	—
Phthisis	117	1	—	1	—	1	8	3	1	19	23	25	16	12	10	2	—
Hydrocephalus	5	1	—	1	2	—	4	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	132	77	11	1	2	3	94	2	—	1	1	5	4	6	6	9	—
Dis. of Heart & Dropsy	40	—	—	—	—	—	1	1	2	3	4	2	3	8	7	20	—
Dis. of Lungs	65	8	1	3	—	1	18	2	2	—	2	5	3	7	4	20	—
Dis. of Stom. and Liver	26	2	—	1	—	1	4	2	—	1	—	—	—	—	7	9	—
Dis. of Kidneys	13	—	—	—	—	—	—	1	—	—	—	—	1	1	5	6	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Dis. of Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	72	—	3	2	1	—	6	4	3	7	3	17	15	7	8	4	—
Other Causes	194	86	7	1	2	—	48	3	2	5	1	1	2	5	6	25	71

586.—LLANELLY.

Mean Popul ⁿ , 1861-71	15461	520	466	508	472	444	2410	2103	1793	1646	1361	2093	1520	1156	811	412	136
TOTAL DEATHS	3385	823	241	139	95	67	1365	215	134	168	172	200	174	231	248	185	6
Small-pox	14	4	—	—	2	—	6	3	—	2	1	2	—	—	—	—	—
Measles	53	10	22	8	2	5	47	4	1	—	—	1	—	—	—	—	—
Scarlatina	225	30	41	29	32	19	151	57	14	—	1	—	—	—	—	—	—
Diphtheria	6	1	2	1	—	—	4	2	—	—	—	—	—	—	—	—	—
Whooping-cough	81	25	16	2	5	—	48	6	—	—	—	—	—	—	—	—	—
Typhus	147	10	9	13	11	7	50	15	13	7	20	15	8	5	8	3	—
Diarrhoea & Dysentery	47	15	2	2	—	1	20	5	1	—	—	3	1	3	2	6	—
Cholera	103	4	6	5	2	2	19	12	8	3	3	14	6	14	13	9	—
Other Zymotic Dis.	67	11	6	7	6	9	39	7	1	4	2	4	—	3	3	2	—
Cancer	22	—	—	—	—	—	—	—	—	1	2	—	4	4	7	6	—
Scrofula and Tuberc.	104	23	21	8	3	1	55	15	15	4	2	6	2	4	1	—	—
Phthisis	506	12	2	5	2	1	22	13	22	63	90	119	63	50	54	26	—
Hydrocephalus	30	10	8	2	1	2	23	4	3	—	—	—	—	—	—	—	—
Dis. of Brain	407	231	19	17	5	6	278	19	4	1	7	6	7	17	20	29	—
Dis. of Heart & Dropsy	124	—	—	1	—	—	1	1	9	11	6	10	11	14	28	24	—
Dis. of Lungs	841	50	26	14	7	2	105	12	2	7	4	13	21	22	49	30	—
Dis. of Stom. and Liver	110	13	5	—	—	—	18	4	3	3	2	10	15	14	39	15	—
Dis. of Kidneys	40	—	—	—	—	—	—	2	2	—	—	—	4	5	3	21	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	7	—	—	—	1	—	1	—	2	—	—	—	1	—	1	—	—
Dis. of Skin	5	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	227	4	8	2	4	5	23	18	23	34	23	32	13	16	18	8	—
Other Causes	794	303	48	23	12	7	455	18	8	11	10	14	13	17	25	42	71

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwds.

585 a.—SWANSEA.

Mean Popul ⁿ , 1861-71	29839	982	840	864	804	789	4279	3625	3082	2940	2988	4720	3215	2276	1491	828	331	64
TOTAL DEATHS	6487	1265	645	878	281	172	2741	400	158	167	267	506	412	372	420	454	403	187
Small-pox	153	18	15	10	11	9	63	24	9	6	9	15	5	2	-	-	-	-
Measles	140	18	45	36	17	8	124	12	2	1	1	-	-	-	-	-	-	-
Scarlatina	465	18	72	76	87	71	324	115	10	8	3	5	-	-	-	-	-	-
Diphtheria	66	3	8	13	10	6	40	15	3	2	3	1	-	1	1	-	-	-
Whooping-cough	142	59	39	17	16	4	135	7	-	-	-	-	-	-	-	-	-	-
Cyphus	201	5	11	13	12	6	47	25	26	24	18	19	18	11	11	3	3	1
Diarrhoea & Dysentery	149	84	23	10	6	1	124	6	2	-	-	5	3	1	3	1	4	-
Cholera	288	4	11	11	5	10	41	26	18	4	18	45	48	33	26	18	9	2
Other Zymotic Dis.	151	9	22	22	18	5	76	16	3	2	4	8	3	4	8	4	2	1
Cancer	124	-	-	-	-	-	-	1	-	-	1	8	24	38	28	15	7	2
Scrofula and Tuberc.	81	28	15	7	3	1	54	7	5	1	5	5	2	2	-	-	-	-
Phthisis	728	3	9	8	3	4	27	23	35	78	123	206	117	77	33	12	2	-
Hydrocephalus	40	9	9	8	3	1	30	10	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	933	471	91	46	27	8	643	28	7	8	9	28	25	28	51	52	44	10
Dis. of Heart & Dropsy	294	1	2	-	-	3	6	9	14	13	15	31	37	43	48	43	28	7
Dis. of Lungs	985	207	189	58	40	19	463	36	11	8	19	33	44	62	93	118	80	15
Dis. of Stom. and Liver	254	23	9	2	3	2	89	12	1	5	8	18	28	34	51	41	15	2
Dis. of Kidneys	41	1	-	-	-	1	2	1	1	1	2	8	8	6	5	7	-	-
Dis. of Gen. Organs	20	-	-	-	-	-	-	-	-	-	1	2	4	5	4	2	-	-
Dis. of Joints	15	-	-	-	-	-	-	5	2	-	-	2	4	5	4	1	-	-
Dis. of Skin	20	7	2	-	-	1	12	-	-	-	-	2	4	1	5	-	2	-
Childbirth and Metria	130	-	-	-	-	-	-	-	-	3	25	56	34	2	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths	109	11	11	10	8	6	45	12	5	6	2	5	1	7	6	4	9	4
Other Causes	1006	285	112	29	12	6	445	12	3	-	1	4	10	12	45	137	203	144

585 b.—GOWER.

Mean Popul ⁿ , 1861-71	4538	95	109	109	117	102	532	503	475	459	419	606	488	402	328	217	89	20
TOTAL DEATHS	846	99	28	37	16	25	205	69	28	33	40	73	57	36	56	84	103	62
Small-pox	12	1	1	1	1	1	5	1	-	3	3	-	-	-	-	-	-	-
Measles	4	1	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	75	8	5	9	7	8	37	28	8	1	1	-	-	-	-	-	-	-
Diphtheria	20	-	-	-	2	3	5	10	4	-	-	1	-	-	-	-	-	-
Whooping-cough	19	5	7	3	-	3	18	1	-	-	-	-	-	-	-	-	-	-
Cyphus	35	-	1	3	1	2	7	2	3	8	2	5	3	1	1	3	1	-
Diarrhoea & Dysentery	9	-	1	-	1	-	2	4	1	1	-	-	-	-	-	-	-	-
Cholera	17	-	-	1	1	-	2	1	-	1	1	3	1	1	3	1	1	1
Other Zymotic Dis.	10	-	-	3	1	-	4	1	-	-	-	1	-	-	-	1	1	1
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	10	3	-	2	-	-	5	3	1	-	-	-	5	4	6	3	2	-
Phthisis	103	2	1	-	-	-	5	3	2	12	20	32	18	7	8	1	-	-
Hydrocephalus	4	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	113	51	5	6	-	2	64	3	-	2	2	2	5	4	4	15	11	1
Dis. of Heart & Dropsy	29	-	-	-	-	-	7	3	9	3	2	1	5	8	10	12	6	-
Dis. of Lungs	96	2	-	4	-	1	7	2	1	2	-	1	4	5	6	5	2	1
Dis. of Stom. and Liver	25	2	-	1	-	-	3	2	-	-	1	6	4	-	2	5	2	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	-
Dis. of Gen. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	4	10	4	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	6	-	-	1	-	1	2	-	1	1	-	-	-	1	1	1	1	-
Other Causes	240	23	6	3	1	3	56	5	4	-	3	4	5	3	11	33	78	53

586.—LLANELLY.

Mean Popul ⁿ , 1861-71	15895	539	472	408	447	475	2431	2002	1776	1534	1439	2258	1581	1197	866	511	240	60
TOTAL DEATHS	3092	599	251	168	118	73	1209	170	87	123	134	245	169	152	104	228	244	132
Small-pox	20	4	2	2	1	1	10	2	1	1	5	1	-	-	-	-	-	-
Measles	64	5	22	8	10	3	48	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	240	18	41	52	44	25	180	44	11	3	2	-	-	-	-	-	-	-
Diphtheria	8	2	1	-	-	-	3	2	-	1	-	1	-	-	1	-	-	-
Whooping-cough	71	31	17	7	9	3	67	3	1	-	-	-	-	-	-	-	-	-
Cyphus	165	3	12	15	9	13	52	23	11	20	15	12	6	6	6	9	4	1
Diarrhoea & Dysentery	54	14	7	2	-	1	21	3	2	-	1	2	1	2	7	9	2	-
Cholera	139	1	5	6	3	6	21	13	7	4	6	25	14	20	15	8	4	2
Other Zymotic Dis.	66	14	4	9	12	3	42	11	3	1	-	2	2	1	1	3	-	-
Cancer	42	-	-	-	-	-	-	-	-	-	-	-	5	13	9	6	5	2
Scrofula and Tuberc.	51	17	18	8	4	5	50	7	4	3	2	6	5	1	2	1	1	-
Phthisis	497	9	9	6	3	1	28	19	26	68	67	111	66	33	36	25	10	6
Hydrocephalus	18	2	4	2	3	2	13	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	204	148	28	10	5	3	194	6	4	1	3	9	6	9	19	19	20	8
Dis. of Heart & Dropsy	182	-	-	3	-	-	3	2	4	4	5	13	11	15	29	29	15	2
Dis. of Lungs	267	44	23	10	5	2	84	6	2	5	12	25	7	16	32	45	36	9
Dis. of Stom. and Liver	81	6	-	1	-	-	7	-	-	4	-	11	11	12	23	7	5	1
Dis. of Kidneys	21	-	1	-	-	-	1	1	-	-	-	1	-	3	6	4	2	-
Dis. of Gen. Organs	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-
Dis. of Joints	4	-	-	-	-	1	1	-	1	-	-	-	-	2	-	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	55	-	-	-	-	-	-	-	-	-	10	25	19	1	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-
Other Violent Deaths	49	3	11	7	1	2	94	9	-	5	1	-	2	1	1	1	4	2
Other Causes	714	277	46	20	9	4	356	8	10	8	3	14	8	11	12	61	129	96

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
587.—LLANDOVERY.																	
Mean Populn., 1861-71	6934	206	163	196	198	172	935	869	783	775	592	807	678	630	452	268	121
TOTAL DEATHS	1437	280	55	26	31	10	411	65	40	60	93	92	69	91	112	134	70
Small-pox	15	3	1	-	-	-	4	1	-	1	4	3	1	1	1	-	-
Measles	4	-	2	1	-	-	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	49	4	8	1	7	7	27	18	2	-	-	1	-	-	1	-	-
Diphtheria	11	1	1	2	1	-	5	4	1	-	-	-	1	-	-	-	-
Whooping-cough	14	9	2	-	2	-	13	1	-	-	-	-	-	-	-	-	-
Typhus	68	-	1	3	3	-	7	6	7	6	16	8	2	7	5	2	1
Diarrhoea & Dysentery	3	2	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-
Cholera	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Other Zymotic Dis.	42	9	8	3	4	4	28	5	-	-	3	1	-	-	-	2	3
Cancer	21	-	-	-	-	-	-	2	-	-	-	1	-	1	5	3	4
Scrofula and Tuberc.	22	2	-	-	-	-	2	2	5	1	4	2	1	1	3	-	-
Phthisis	264	2	1	2	-	-	6	6	7	29	51	47	23	29	21	29	7
Hydrocephalus	10	1	1	-	-	1	4	4	1	-	-	1	-	-	-	-	-
Dis. of Brain	272	165	15	8	5	3	196	5	3	6	2	4	3	7	9	18	16
Dis. of Heart & Dropsy	54	-	1	-	-	-	1	1	2	2	2	2	5	9	12	16	10
Dis. of Lungs	140	5	4	1	4	-	14	3	2	3	2	5	5	18	15	26	11
Dis. of Stom. and Liver	54	3	1	-	-	-	4	-	2	1	1	7	3	6	12	9	4
Dis. of Kidneys	15	-	-	-	-	-	-	-	1	1	1	1	-	-	3	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-
Other Violent Deaths	37	1	3	-	1	1	6	2	1	0	3	5	3	5	3	1	-
Other Causes	332	73	6	5	3	1	88	6	7	4	3	5	5	11	13	27	11

588.—LLANDILOFAWR.

Mean Popul ⁿ , 1861-71	8132	223	224	220	234	217	1118	1082	963	850	642	915	768	711	567	333	136
TOTAL DEATHS -	1515	236	46	38	33	21	374	69	49	64	92	111	98	87	140	129	194
Small-pox -	8	2	-	-	-	-	2	-	-	-	2	3	-	1	-	-	-
Measles -	5	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-
Scarlatina -	63	6	4	13	11	11	45	13	2	2	1	-	-	-	-	-	-
Diphtheria -	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough -	13	8	2	2	-	-	12	1	-	-	-	-	-	-	-	-	-
Typhus -	51	1	-	-	1	1	4	7	4	3	6	7	4	5	3	8	3
Diarrhoea & Dysentery -	15	8	1	-	-	-	9	1	-	-	1	1	-	-	1	5	2
Cholera -	-	-	1	-	1	-	2	1	1	-	-	-	-	-	3	1	-
Other Zymotic Dis. -	47	9	7	6	1	5	28	6	1	2	-	1	1	1	1	3	2
Cancer -	22	-	-	-	-	-	-	-	-	-	-	-	3	5	7	5	2
Scrofula and Tuberc -	21	1	2	-	-	-	3	3	2	2	3	3	3	2	-	-	-
Pathosis -	341	2	4	1	1	-	8	3	29	41	61	63	41	31	38	26	3
Hydrocephalus -	9	1	1	-	-	1	3	4	1	-	-	-	1	-	-	-	-
Dis. of Brain -	222	121	12	5	9	-	147	12	4	3	8	6	6	6	16	12	16
Dis. of Heart & Dropsy -	71	1	-	-	1	-	2	1	2	-	2	4	6	8	17	13	16
Dis. of Lungs -	104	5	4	1	1	1	12	4	-	1	4	3	7	4	21	15	27
Dis. of Stom. and Liver -	61	4	-	-	-	1	5	1	2	-	-	6	5	11	14	11	3
Dis. of Kidneys -	25	-	-	-	-	-	-	-	-	1	1	1	3	3	6	8	8
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metritia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-
Other Violent Deaths -	758	-	-	4	6	1	11	4	3	2	6	7	5	5	8	7	2
Other Causes -	361	65	6	4	1	-	76	8	3	4	2	4	10	6	12	36	13

589.—CARMARTHEN.

Mean Popul ⁿ , 1861-71	16723	481	417	474	467	452	2291	2129	2023	1777	1290	1891	1600	1471	1173	726	300
TOTAL DEATHS -	3653	619	178	112	73	69	1041	158	108	130	160	259	207	241	329	459	595
Small-pox - - -	6	1	1	-	-	-	2	2	1	-	-	1	-	-	-	-	-
Measles - - -	19	5	5	3	-	2	15	4	-	-	-	-	-	-	-	-	-
Scarlatina - - -	132	18	20	24	13	83	37	6	1	-	1	-	-	-	-	-	-
Ephtheria - - -	26	3	1	1	5	4	14	8	1	2	-	1	-	-	-	-	-
Whooping-cough -	52	26	13	3	2	6	50	2	-	-	5	-	13	12	4	12	5
Typhus - - -	116	9	6	5	8	4	25	13	15	5	-	-	-	-	2	5	4
Diarrhoea & Dysentery	29	11	5	1	1	-	18	-	-	-	1	-	-	-	3	2	3
Cholera - - -	55	1	1	1	2	-	5	10	4	1	1	5	1	8	9	8	3
Other Zymotic Dis.	82	9	17	8	9	4	47	8	1	-	1	-	3	2	8	9	3
Cancer - - -	57	-	-	-	-	-	-	-	1	-	-	3	5	12	14	12	8
Scrofula and Tuberc.	85	19	10	4	-	1	34	7	8	9	5	9	4	5	2	3	7
Phthisis - - -	630	4	6	5	3	3	21	8	24	67	113	144	80	77	38	26	7
Hydrocephalus - -	52	19	12	5	2	3	41	8	2	1	-	-	-	-	-	-	-
Dis. of Brain - - -	494	255	26	10	8	4	203	13	5	8	-	13	15	25	23	44	26
Dis. of Heart & Dropsy	145	-	2	-	-	1	3	1	9	-	6	18	13	16	20	48	39
Dis. of Lungs - - -	396	34	18	10	2	4	68	5	5	7	8	13	14	62	62	102	69
Dis. of Stom. and Liver	152	12	1	1	1	1	16	3	6	6	3	10	20	27	48	26	11
Dis. of Kidneys - -	55	-	-	-	-	-	-	1	-	1	2	5	-	8	6	12	6
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints - - -	7	-	-	-	-	-	-	-	-	-	1	1	2	-	8	1	-
Dis. of Skin - - -	5	8	-	-	-	-	3	-	-	1	-	-	-	-	-	1	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	1	2
Suicide - - -	6	-	-	-	-	-	-	-	-	-	-	12	18	11	7	6	2
Other Violent Deaths -	125	3	2	10	9	4	27	11	13	9	6	12	18	11	7	6	2
Other Causes - - -	874	200	32	21	8	5	265	17	12	2	7	12	13	23	40	130	101

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.
Mean Populⁿ, 1861-71 - }	7477	176	166	167	169	180	858	849	827	824	726	968	697	657	515	331	183	42
TOTAL DEATHS -	1340	193	53	34	22	20	322	51	46	62	70	114	92	89	98	132	180	93
Small-pox - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Measles - - -	11	1	1	5	1	1	9	1	-	1	-	-	-	-	-	-	-	-
Scarlatina - - -	20	6	8	3	4	5	26	10	2	1	-	-	-	-	-	-	-	-
Diphtheria - - -	11	1	2	-	1	-	4	4	-	-	1	-	1	-	-	1	-	-
Whooping-cough - -	19	9	3	2	1	2	17	2	-	-	-	-	-	-	-	-	-	-
Etiplius - - -	57	2	3	-	-	1	6	6	4	6	10	8	3	5	5	3	1	-
Diarrhoea & Dysentery	8	1	-	-	-	-	1	-	1	1	-	-	-	1	1	3	-	-
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	37	4	2	4	4	3	17	3	-	3	2	1	-	-	1	3	2	5
Cancer - - -	28	-	-	-	-	-	-	-	-	-	-	-	5	6	4	8	2	3
Serofula and Tubes -	11	1	1	1	-	1	4	1	1	-	2	-	1	1	1	-	-	-
Rathitis - - -	298	2	6	1	1	-	10	5	21	34	33	65	38	31	18	10	3	-
Hydrocephalus - - -	3	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	107	108	11	5	2	2	123	3	2	3	1	4	2	7	13	16	15	3
Dis. of Heart & Dropsy	90	-	-	-	-	-	-	4	3	3	4	7	7	7	11	27	20	4
Dis. of Lungs - - -	114	4	8	4	2	2	20	3	2	3	8	9	4	16	13	20	23	4
Dis. of Stom. and Liver	41	-	1	-	-	1	2	1	1	-	6	6	5	6	8	1	5	-
Dis. of Kidneys - - -	8	-	-	-	-	-	-	-	1	-	-	2	5	-	-	-	-	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints - - -	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Dis. of Skin - - -	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Childbirth and Metris	20	-	-	-	-	-	-	-	-	-	5	5	8	2	-	-	-	-
Homicide - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths -	22	2	1	4	3	1	11	1	-	2	-	1	3	1	-	-	2	1
Other Causes - - -	355	52	6	4	3	1	65	8	7	2	2	9	9	11	20	39	104	71

588.—LLANDILOFAWR.

Mean Popul ⁿ , 1861-71	8966	217	216	210	233	211	1087	989	964	941	842	1168	868	774	599	425	243	66
TOTAL DEATHS -	1690	214	50	36	41	28	309	73	57	70	62	127	114	92	118	210	206	162
Small-pox -	5	2	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-	-
Measles -	11	2	5	3	-	1	11	-	-	-	-	-	-	-	-	-	-	-
Escarlatina -	64	4	6	6	17	6	39	18	3	1	2	-	-	1	-	-	-	-
Diphtheria -	6	2	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-	-
Whooping-cough -	12	6	3	1	-	1	11	1	-	-	-	-	-	-	-	-	-	-
Cyphus -	52	-	1	1	1	5	8	8	-	4	6	8	5	3	5	1	-	-
Barrhous & Dysentery -	5	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Cholera -	7	-	-	-	1	-	1	-	-	-	1	-	1	2	-	1	1	-
Other Zymotic Dis. -	50	5	3	0	10	4	31	9	-	-	-	2	2	1	-	4	1	-
Cancer -	41	-	-	-	-	-	-	-	-	-	-	1	6	7	19	5	3	-
Scrofula and Tuberc. -	14	-	1	2	2	-	5	1	1	2	-	-	-	-	1	2	2	-
Phthisis -	374	5	2	1	2	2	12	9	30	48	30	72	51	45	80	35	3	-
Hydrocephalus -	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	207	104	14	5	5	1	129	10	1	1	4	6	5	6	12	18	10	5
Dis. of Heart & Dropsy -	89	-	-	-	-	-	-	2	3	-	8	10	8	11	27	18	1	-
Dis. of Lungs -	107	11	6	2	-	4	23	4	-	4	2	5	6	3	9	37	12	4
Dis. of Stom. and Liver -	54	2	2	-	-	-	4	1	1	2	-	2	4	7	11	12	7	3
Dis. of Kidneys -	17	-	-	-	-	-	-	-	1	-	-	4	1	1	1	6	5	-
Dis. of Gen. Organs -	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-
Dis. of Joints -	6	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-
Dis. of Skin -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	33	-	-	-	-	-	-	-	-	1	4	12	15	1	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Other Violent Deaths -	15	-	3	2	1	-	6	3	-	-	-	3	1	1	-	-	-	-
Other Causes -	480	66	4	3	2	3	78	7	7	2	3	5	5	6	18	58	144	14

589.—CARMARTHEN.

Mean Popul ⁿ , 1861-71	19428	461	437	480	431	440	2249	2123	2076	2059	1788	2591	1917	1735	1369	933	469	119
TOTAL DEATHS -	3781	524	143	105	81	59	912	136	109	153	167	286	220	228	293	481	514	282
Small-pox -	4	2	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-
Measles -	24	3	11	3	4	2	25	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	107	2	20	13	16	14	65	29	5	2	2	4	-	-	-	-	-	-
Diphtheria -	26	-	2	4	5	3	12	6	5	1	1	-	-	-	-	1	-	-
Whooping-cough -	61	28	14	9	5	3	29	2	-	-	-	-	-	-	-	-	-	-
Typhus -	135	4	7	3	4	4	22	9	15	16	15	12	10	15	6	11	4	-
Diarrhoea & Dysentery	49	10	4	1	-	-	15	1	-	1	-	-	1	2	3	6	8	2
Cholera -	93	2	1	2	2	1	8	5	4	3	5	17	19	11	10	10	7	5
Other Zymotic Dis.	83	9	5	10	10	3	37	9	4	-	-	3	2	3	4	11	8	2
Cancer -	77	-	-	-	1	-	1	-	-	-	-	4	2	13	28	16	12	1
Scrofula and Tubes -	59	12	1	4	1	2	20	3	5	4	4	6	4	2	3	4	4	-
Phthisis -	647	9	5	5	-	2	21	13	42	91	85	148	109	64	49	28	6	-
Hydrocephalus -	44	11	7	4	3	3	28	11	2	2	-	1	-	-	-	-	-	-
Dis. of Brain -	449	205	19	9	6	7	246	11	5	3	11	1	18	25	28	50	81	14
Dis. of Heart & Dropsy	202	-	-	-	3	1	4	6	5	5	12	12	10	23	32	60	32	1
Dis. of Lungs -	353	32	15	7	5	2	89	8	2	6	5	9	9	22	41	82	75	35
Dis. of Stom. and Liver	137	10	3	1	1	1	16	5	2	3	4	11	12	15	29	29	10	1
Dis. of Kidneys -	16	-	-	-	-	-	-	-	2	-	-	1	-	1	8	3	1	-
Dis. of Gener. Organs -	15	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	1	-
Dis. of Joints -	5	-	-	-	-	-	-	-	1	2	-	-	-	2	-	-	-	-
Dis. of Skin -	10	2	-	-	1	-	3	-	-	-	-	1	1	2	1	2	-	-
Childbirth and Metria	85	-	-	-	-	-	-	-	-	5	12	85	27	3	-	-	-	-
suicide -	7	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	5	3
Other Violent Deaths	47	2	4	9	7	4	26	5	-	-	2	2	-	1	2	3	5	3
Other Causes -	1029	181	27	20	9	7	244	12	10	7	9	11	12	20	45	157	312	72

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
590.—NARBERTH.																	
Mean Populn, 1861-71	9754	279	274	286	274	257	1370	1285	1254	1053	687	1023	917	867	683	399	186
TOTAL DEATHS -	1918	299	88	55	32	18	492	72	66	104	110	137	83	125	178	231	242
Small-pox - - -	11	2	-	2	-	-	4	-	1	-	3	1	-	1	1	-	-
Measles - - - -	8	2	2	-	1	1	6	1	1	-	-	-	-	-	-	-	-
Scarlatina - - -	94	12	12	10	8	11	53	26	11	9	-	1	-	-	1	-	-
Diphtheria - - -	15	1	2	2	4	-	9	4	1	1	-	-	-	-	-	-	-
Whooping-cough -	31	18	8	3	-	1	50	1	-	-	-	-	-	-	-	-	-
Typhus - - - - -	117	5	6	1	3	1	16	17	9	22	7	7	6	14	8	4	3
Diarrhoea & Dysentery	11	5	-	-	-	-	5	-	1	1	-	1	-	1	1	1	1
Cholera - - - - -	8	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.	43	6	10	5	3	-	24	1	2	-	2	2	1	3	3	4	4
Cancer - - - - -	17	-	-	-	-	-	-	-	-	-	-	2	-	3	4	4	4
Scrofula and Tuberc	86	3	-	-	-	-	3	-	3	-	4	2	2	4	4	4	4
Phthisis - - - -	353	1	3	2	1	1	8	1	15	46	77	82	89	22	32	17	1
Hydrocephalus - -	11	8	2	1	1	-	7	1	2	-	1	-	-	-	-	-	-
Dis. of Brain - -	152	71	12	8	2	-	88	1	1	3	-	5	2	19	19	29	19
Dis. of Heart & Dropsy	85	-	-	-	-	1	1	2	2	-	-	7	7	15	29	19	19
Dis. of Lungs - -	142	7	3	4	1	1	16	1	-	2	-	3	4	8	24	14	14
Dis. of Stom. & Liver	58	1	-	1	1	1	4	-	-	1	-	3	4	11	26	12	9
Dis. of Kidneys -	19	-	-	-	-	-	-	1	-	-	1	1	1	2	9	3	1
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Dis. of Skin - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	5	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-
Other Violent Deaths -	59	1	2	7	2	-	12	2	5	6	4	8	7	4	4	3	1
Other Causes - - -	639	161	26	14	5	-	206	12	12	7	8	7	5	10	32	57	100

591.—PEMBROKE.

Mean Popul ⁿ , 1861-71	14434	405	364	386	372	367	1894	1667	1523	1662	1399	2088	1549	1222	760	446	191
TOTAL DEATHS	2799	705	171	90	57	43	1066	123	64	108	138	188	172	173	182	263	189
Small-pox	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Measles	38	6	9	10	5	2	32	6	-	-	-	-	-	-	-	-	-
Scarlatina	119	11	14	20	14	13	72	34	8	3	2	-	-	-	-	-	-
Diphtheria	4	2	1	-	1	-	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	39	19	11	5	4	-	39	-	-	-	-	-	-	-	-	-	-
Typhus	116	3	7	4	5	27	25	2	6	14	13	9	6	4	1	8	2
Diarrhea & Dysentery	51	20	6	1	2	3	32	2	2	2	2	2	2	2	2	2	2
Cholera	22	4	1	-	-	-	5	3	2	1	-	1	2	2	2	1	-
Other Zymotic Dis.	57	12	4	6	3	1	26	2	1	1	3	2	2	7	3	7	2
Cancer	33	-	-	-	-	-	-	1	-	-	1	-	4	3	7	19	6
Scrofula and Tabes	51	10	4	2	0	-	19	7	5	4	4	5	1	1	1	4	-
Phthisis	374	2	4	2	-	1	9	1	13	45	64	97	62	41	27	12	3
Hydrocephalus	20	5	6	3	-	2	16	1	2	-	1	-	-	-	-	-	-
Dis. of Brain	412	202	57	5	3	-	252	8	2	5	8	12	13	21	17	16	20
Dis. of Heart & Dropsy	171	2	2	1	2	-	7	5	3	-	6	13	11	22	44	23	20
Dis. of Lungs	241	58	15	5	6	-	89	6	1	3	6	9	19	18	22	43	28
Dis. of Stom. and Liver	89	6	3	1	1	-	11	2	2	-	2	4	7	10	11	26	17
Dis. of Kidneys	51	-	-	-	-	-	-	-	-	2	-	4	7	4	8	14	10
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	1	-	-	-	3	1	-	1	-	1	1	1	2	-	-
Dis. of Skin	8	3	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	1	2	8	1	5	1	-
Other Violent Deaths	162	5	4	5	1	2	17	7	12	15	24	20	29	22	7	19	7
Other Causes	720	334	41	16	7	5	403	12	4	5	1	7	9	9	25	23	22

592.—HAVERFORDWEST.

Mean Popula ⁿ , 1861-71	18743	480	450	464	450	431	2275	2165	2059	1734	1211	1876	1665	1457	1200	734	315	11
TOTAL DEATHS -	3675	749	181	103	79	48	1151	100	102	153	171	234	187	219	287	423	452	15
Small-pox - - -	16	3	2	2	1	-	8	2	1	-	2	2	1	-	-	-	-	-
Measles - - - -	27	6	4	2	-	-	29	5	1	-	-	1	-	-	-	-	-	-
Scarlatina - - -	123	5	18	19	23	14	78	27	6	1	-	-	-	-	-	-	-	-
Diphtheria - - -	50	6	7	7	0	2	28	13	5	3	1	-	-	-	-	-	-	-
Whooping-cough -	35	23	15	5	4	1	48	6	1	-	-	-	-	-	-	-	-	-
Typhus - - - - -	162	6	15	7	5	5	22	21	13	14	10	18	11	16	13	11	11	4
Diarrhea & Dysentery	42	23	1	2	-	1	27	1	-	-	-	-	-	-	-	-	-	-
Cholera - - - - -	10	-	-	-	1	-	1	2	1	-	1	1	1	1	1	1	1	1
Other Zymotic Dis. -	73	18	7	8	3	5	41	12	2	1	1	1	5	1	3	3	3	2
Cancer - - - - -	55	-	-	-	-	-	-	-	1	1	-	1	5	12	18	11	11	4
Scrofula and Tabes -	29	14	5	4	4	1	28	6	4	5	6	4	1	2	2	2	2	2
Phthisis - - - -	530	5	8	2	2	2	19	11	24	72	106	118	65	43	39	31	31	1
Hydrocephalus - -	30	10	6	3	2	-	21	6	1	1	1	-	-	-	-	-	-	-
Dis. of Brain - - -	455	222	31	9	3	-	265	5	4	9	3	13	9	23	26	21	21	1
Dis. of Heart & Dropsy	222	1	2	1	1	1	6	1	4	9	5	8	19	19	46	47	41	1
Dis. of Lungs - - -	325	24	15	7	8	2	56	3	3	5	5	12	25	23	33	29	29	1
Dis. of Stom. and Liver	110	5	2	2	-	-	9	2	7	3	4	9	14	13	17	16	16	1
Dis. of Kidneys - -	67	1	-	-	-	-	1	-	1	1	5	6	4	10	10	14	9	1
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints - - -	17	-	-	-	-	-	-	-	4	-	2	-	1	-	1	1	1	1
Dis. of Skin - - - -	8	1	-	2	-	-	3	-	-	1	1	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stiefels - - - - -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	144	3	2	6	6	4	21	8	7	17	12	23	15	20	7	7	7	1
Other Causes - - - -	1080	304	49	13	8	8	443	30	19	2	2	18	10	11	11	11	11	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	& upwards.

590.—NARBERTH.

Mean Popul ⁿ , 1861-71	11085	293	250	279	275	289	1386	1308	1210	1054	952	1360	1089	1026	801	558	275	66
TOTAL DEATHS	1948	218	76	48	42	52	416	89	62	79	83	143	92	133	168	241	274	168
Small-pox	9	-	-	-	-	1	1	1	1	2	2	2	-	-	-	-	-	-
Measles	14	2	4	4	1	1	12	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	76	9	10	6	13	10	48	22	5	1	-	-	-	-	-	-	-	-
Diphtheria	49	8	1	4	4	4	16	14	4	4	-	-	1	1	-	-	-	-
Whooping-cough	41	25	5	5	3	2	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	88	1	2	6	-	4	15	14	3	11	9	12	6	6	8	5	1	-
Diarrhoea & Dysentery	12	1	-	-	-	-	1	1	2	-	-	1	1	1	2	2	2	-
Cholera	11	-	-	-	1	1	2	1	1	-	1	-	-	2	2	2	1	-
Other Zymotic Dis.	47	10	8	2	4	1	25	5	1	-	-	1	3	3	2	2	-	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	-	1	8	9	2	2
Serofula and Tuberc.	13	1	-	1	-	-	2	-	-	3	1	-	-	1	4	1	-	-
Phthisis	863	2	3	-	2	2	10	5	30	48	63	89	37	44	36	-	-	-
Hydrocephalus	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	134	37	12	1	2	1	53	2	2	1	3	5	5	13	11	20	16	3
Dis. of Heart & Dropsy	141	1	1	-	-	1	3	3	3	4	-	4	14	18	33	43	14	2
Dis. of Lungs	73	2	2	1	1	1	12	2	2	2	2	2	9	12	22	7	-	-
Dis. of Stom. and Liver	45	-	-	1	-	1	2	1	1	-	-	2	4	5	6	8	12	4
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	-	15	9	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Other Violent Deaths	23	2	3	2	2	1	10	5	-	1	1	1	-	-	-	3	2	-
Other Causes	757	116	25	14	7	1	163	10	8	2	3	7	7	16	39	112	227	163

591.—PEMBROKE.

Mean Popul ⁿ , 1861-71	14598	394	378	356	363	372	1863	1739	1525	1497	1299	2041	1598	1285	877	557	252	65
TOTAL DEATHS	2836	571	175	81	68	41	936	130	65	93	114	210	206	173	192	285	295	137
Small-pox	2	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Measles	42	5	16	8	4	3	36	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	138	10	29	14	16	13	82	36	9	5	8	2	1	-	-	-	-	-
Diphtheria	5	1	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	30	15	8	2	3	-	28	2	-	-	-	-	-	-	-	-	-	-
Typhus	121	3	10	7	8	4	82	20	11	8	11	9	7	6	8	8	1	-
Diarrhoea & Dysentery	43	23	3	-	-	-	26	2	-	-	-	1	3	1	1	3	3	3
Cholera	25	-	-	1	-	-	1	3	4	-	2	1	7	1	3	2	1	-
Other Zymotic Dis.	54	11	7	6	4	4	32	8	2	1	-	-	4	3	2	2	1	-
Cancer	69	-	-	-	-	-	-	-	-	-	-	5	3	17	15	20	8	1
Serofula and Tuberc.	31	3	9	-	1	1	14	2	6	1	-	1	8	1	1	1	1	-
Phthisis	415	4	2	9	3	-	19	6	18	32	63	109	63	48	34	11	-	-
Hydrocephalus	33	14	4	2	-	-	29	8	2	2	-	1	-	-	-	-	-	-
Dis. of Brain	366	160	21	5	9	4	190	6	1	5	5	10	15	15	25	36	43	8
Dis. of Heart & Dropsy	229	2	2	-	2	-	6	3	1	5	3	15	26	30	42	49	35	6
Dis. of Lungs	204	43	19	13	4	5	84	3	2	4	2	7	14	9	29	39	24	5
Dis. of Stom. and Liver	94	2	-	1	1	1	5	3	2	-	4	6	12	17	19	19	6	1
Dis. of Kidneys	14	-	-	-	-	-	-	-	2	1	1	5	6	6	2	7	4	-
Dis. of Gener. Organs	39	-	-	-	-	-	-	-	-	2	-	3	5	5	1	2	1	-
Dis. of Joints	7	-	-	-	-	-	1	-	-	1	-	1	-	-	2	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	58	-	-	-	-	-	-	-	-	2	10	25	20	1	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	56	4	3	2	2	2	13	5	-	1	2	2	1	1	2	3	4	2
Other Causes	788	269	41	11	10	4	335	13	4	4	6	8	15	13	25	91	313	111

592.—HAVERFORDWEST.

Mean Popul ⁿ , 1861-71	19168	491	421	442	458	420	2232	2084	1986	1926	1662	2525	2009	1755	1425	968	493	103
TOTAL DEATHS	3931	559	159	103	83	49	953	151	107	182	172	261	243	192	364	482	532	287
Small-pox	6	1	-	1	1	-	3	-	-	-	-	1	2	-	-	-	-	-
Measles	25	4	7	3	2	2	18	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	129	13	13	19	26	15	86	33	7	1	1	1	-	-	-	-	-	-
Diphtheria	42	5	6	2	5	6	24	12	4	1	-	-	1	-	-	-	-	-
Whooping-cough	56	24	13	9	4	2	52	3	1	-	-	-	-	-	-	-	-	-
Typhus	199	4	5	12	8	5	31	29	21	24	7	17	17	9	20	12	9	3
Diarrhoea & Dysentery	50	28	4	1	1	1	35	1	-	-	-	4	3	6	3	4	4	1
Cholera	31	-	2	-	-	-	3	-	-	2	2	4	3	4	7	10	9	1
Other Zymotic Dis.	80	10	5	7	5	4	94	3	4	3	1	1	3	4	7	10	9	1
Cancer	95	-	-	-	-	-	-	-	-	1	-	4	9	20	27	23	8	3
Serofula and Tuberc.	55	12	5	3	3	2	25	1	2	8	2	5	2	2	3	3	2	-
Phthisis	682	9	4	2	2	4	21	17	41	98	113	144	104	62	55	25	2	-
Hydrocephalus	18	3	3	4	1	-	11	5	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	288	147	25	5	5	3	185	9	2	8	9	13	9	11	26	51	43	12
Dis. of Heart & Dropsy	302	2	4	1	2	1	19	3	4	4	4	13	15	35	69	79	54	12
Dis. of Lungs	273	17	9	9	2	-	57	5	3	11	5	5	19	11	28	76	83	10
Dis. of Stom. and Liver	115	-	3	-	-	-	3	2	2	2	5	8	11	12	25	27	17	1
Dis. of Kidneys	34	-	-	-	-	-	-	-	2	3	3	1	4	3	7	3	5	1
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	1	7	2	1	3	1	1	-	-
Dis. of Joints	9	-	2	-	-	-	2	1	2	-	-	1	-	-	-	1	-	-
Dis. of Skin	7	1	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-
Childbirth and Metria	51	-	-	-	-	-	-	-	-	-	8	18	25	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	1	1	2	6	4	3
Other Violent Deaths	40	3	1	3	3	4	14	6	-	-	-	2	2	2	1	6	4	3
Other Causes	1223	276	48	22	9	3	336	14	10	14	9	14	18	10	65	156	314	241

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		593.—CARDIGAN.																
Mean Popul ⁿ , 1861-71	7709	205	208	211	206	220	1050	1014	965	746	498	795	604	692	629	402	190	22
TOTAL DEATHS—	1562	108	64	34	18	29	343	63	39	72	94	101	80	88	168	121	120	10
Small-pox	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	5	—	2	1	—	—	3	2	—	—	—	—	—	—	—	—	—	—
Scarlatina	24	—	5	4	2	9	20	3	—	—	1	—	—	—	—	—	—	—
Diphtheria	38	1	3	7	2	8	21	8	6	—	1	2	—	—	—	—	—	—
Whooping-cough	17	8	6	—	2	1	17	—	—	—	—	—	—	—	—	—	—	—
Typhus	50	—	—	—	—	2	2	5	2	8	4	5	3	5	11	2	2	—
Diarrhoea & Dysentery	7	2	1	—	—	—	3	—	—	—	—	1	—	—	1	1	1	—
Cholera	3	—	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—
Other Zymotic Dis.	35	2	4	3	1	3	13	6	—	1	1	—	2	—	5	3	3	1
Cancer	27	—	—	—	—	—	—	—	—	—	—	—	4	4	6	14	1	—
Scrofula and Tuberc.	35	—	3	1	—	2	6	1	1	6	5	3	3	3	8	8	8	—
Phthisis	284	—	1	—	—	—	1	1	9	40	65	68	37	28	15	9	1	—
Hydrocephalus	10	1	2	1	—	—	4	2	3	—	1	—	—	—	—	—	—	—
Dis. of Brain	184	85	18	3	3	1	110	4	—	2	2	1	4	10	16	4	25	3
Dis. of Heart & Dropsy	91	—	—	—	—	—	1	1	2	2	3	4	9	6	28	9	3	—
Dis. of Lungs	113	11	2	2	2	1	18	5	2	4	2	1	5	8	23	29	12	1
Dis. of Stom. and Liver	41	—	—	—	1	—	1	—	—	1	1	5	3	6	11	8	4	—
Dis. of Kidneys	21	—	—	—	—	—	—	—	—	—	—	2	3	2	3	7	2	1
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Dis. of Skin	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	66	1	2	4	2	—	9	10	7	4	2	2	3	1	2	7	—	—
Other Causes	515	86	14	8	3	2	113	15	7	4	6	6	2	3	8	21	78	144

594.—NEWCASTLE-IN-EMLYN.																		
Mean Popul ⁿ , 1861-71	8610	229	220	235	221	234	1139	1114	1071	848	635	903	800	788	674	417	188	22
TOTAL DEATHS—	1663	212	57	38	23	20	350	82	48	64	96	150	84	112	143	252	219	62
Small-pox	8	1	—	1	—	—	2	—	—	—	2	1	3	—	—	—	—	—
Measles	8	—	1	1	1	1	4	2	2	—	—	—	—	—	—	—	—	—
Scarlatina	31	4	7	2	3	3	19	9	2	—	—	—	1	—	—	—	—	—
Diphtheria	66	4	4	7	5	5	23	23	13	3	2	—	—	—	—	—	—	—
Whooping-cough	10	4	2	2	—	—	8	2	—	—	—	—	—	—	—	—	—	—
Typhus	32	2	—	1	2	1	6	3	4	2	2	3	1	8	1	2	—	—
Diarrhoea & Dysentery	8	3	—	—	—	—	3	—	—	—	—	1	—	1	—	—	—	—
Cholera	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	41	3	7	1	1	1	13	7	2	2	1	3	—	2	1	6	3	—
Cancer	29	—	—	—	—	—	—	—	—	—	—	1	3	5	5	9	4	—
Scrofula and Tuberc.	26	1	—	1	—	—	2	3	1	2	5	4	2	1	5	3	3	—
Phthisis	438	3	5	5	—	3	14	6	12	43	70	107	42	31	47	30	7	—
Hydrocephalus	5	2	2	—	1	—	5	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	196	43	7	9	1	3	63	1	5	3	2	6	4	4	8	19	15	3
Dis. of Heart & Dropsy	71	—	—	—	—	—	5	2	2	2	2	5	5	7	11	21	14	—
Dis. of Lungs	120	2	2	1	—	—	5	2	1	1	5	4	3	11	27	41	20	—
Dis. of Stom. and Liver	52	1	—	—	1	—	2	—	—	1	1	4	9	14	11	6	4	—
Dis. of Kidneys	10	—	—	—	—	—	—	—	—	—	—	1	1	1	2	3	2	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Dis. of Skin	3	—	1	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—
Other Violent Deaths	31	1	4	—	—	2	7	1	2	1	2	1	4	3	3	6	3	—
Other Causes	532	138	17	7	8	1	171	21	3	4	2	9	10	7	19	78	140	78

595.—LAMPETER.																		
Mean Popul ⁿ , 1861-71	4707	136	105	126	107	134	608	628	569	459	354	570	455	416	320	218	96	24
TOTAL DEATHS—	852	141	27	23	23	13	227	35	23	28	51	50	44	59	67	97	122	48
Small-pox	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Measles	5	1	—	2	—	—	3	1	—	1	—	—	—	—	—	—	—	—
Scarlatina	37	2	3	7	6	5	23	10	1	—	2	—	1	—	—	—	—	—
Diphtheria	9	2	—	—	—	—	2	4	1	—	1	—	1	—	—	—	—	—
Whooping-cough	12	9	2	—	1	—	12	—	—	—	—	—	—	—	—	—	—	—
Typhus	23	—	1	1	1	—	3	3	3	3	1	2	—	2	2	4	1	—
Diarrhoea & Dysentery	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cholera	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	28	3	2	3	3	2	15	7	1	1	—	—	—	1	1	1	1	—
Cancer	7	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	1	—
Scrofula and Tuberc.	15	1	—	—	—	—	1	—	—	—	—	1	—	2	2	1	1	—
Phthisis	171	—	—	1	—	—	1	—	6	13	38	30	25	19	11	1	—	—
Hydrocephalus	3	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	71	16	4	2	2	1	25	1	—	2	2	3	2	4	6	19	11	—
Dis. of Heart & Dropsy	47	—	—	1	—	—	1	1	—	1	1	1	5	3	9	11	7	—
Dis. of Lungs	56	9	4	1	1	2	17	1	1	1	1	4	3	8	10	11	4	—
Dis. of Stom. and Liver	27	3	—	—	—	—	5	—	—	1	2	—	2	2	4	5	3	—
Dis. of Kidneys	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other Violent Deaths	23	—	1	2	1	1	5	3	1	3	—	3	1	3	3	3	3	—
Other Causes	286	91	10	8	6	2	112	4	2	—	1	4	3	2	9	31	40	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—

593.—CARDIGAN.																		
Mean Popul ⁿ , 1861-71	10376	205	188	225	199	205	1022	1008	972	948	895	1444	1167	1079	872	602	300	67
TOTAL DEATHS	1895	159	50	42	34	23	308	63	58	60	71	118	125	115	204	264	341	168
Small-pox	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Measles	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	1	5	4	5	4	19	10	5	1	-	1	-	-	-	-	-	-
Diphtheria	49	-	4	4	7	9	24	14	8	1	-	1	-	-	-	1	-	-
Whooping-cough	17	8	5	1	1	-	15	-	1	-	-	-	-	-	1	-	-	-
Typhus	55	2	-	-	2	1	5	4	3	8	-	8	7	6	4	4	4	-
Diarrhoea & Dysentery	7	1	-	-	-	-	1	-	-	-	-	-	-	-	3	3	3	-
Cholera	82	-	2	4	-	-	6	3	-	1	1	1	1	4	4	9	3	-
Other Zymotic Dis.	136	-	-	-	-	-	-	-	-	-	-	-	2	8	17	7	2	-
Cancer	17	1	-	-	-	-	1	1	1	-	-	5	1	8	1	2	1	-
Scrofula and Tuberc.	280	1	-	1	-	1	3	2	17	37	44	62	55	36	15	10	1	-
Phthisis	6	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-
Hydrocephalus	248	82	14	12	4	1	113	1	-	1	-	6	9	7	32	39	35	5
Dis. of Brain	140	-	-	-	-	-	-	-	3	-	2	2	15	17	88	36	16	-
Dis. of Heart & Dropsy	81	3	4	1	-	-	8	4	3	1	-	7	7	5	10	17	17	2
Dis. of Lungs	85	-	-	-	-	1	1	2	2	-	1	1	5	1	7	10	5	-
Dis. of Stom. and Liver	8	-	-	-	-	-	-	-	-	1	-	-	3	-	3	1	-	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	1	4	16	7	1	-	-	-	-
Infanticide	14	-	1	1	2	-	4	1	-	1	-	-	2	-	2	2	-	-
Other Violent Deaths	789	69	14	14	13	5	106	14	15	2	4	10	10	20	72	122	234	160
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

594.—NEWCASTLE-IN-EMLYN.																		
Mean Popul ⁿ , 1861-71	10339	247	201	215	233	231	1127	1130	1005	998	890	1364	1105	979	826	575	280	60
TOTAL DEATHS	1817	181	53	33	40	27	334	99	67	71	77	127	97	102	139	247	302	154
Small-pox	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
Measles	9	-	3	1	2	2	8	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	36	2	5	4	3	3	17	12	5	-	-	1	1	-	-	-	-	-
Diphtheria	84	3	5	2	6	8	24	33	12	7	5	2	1	-	-	-	-	-
Whooping-cough	28	6	6	5	5	2	24	3	1	-	-	-	-	-	5	6	1	-
Typhus	52	-	-	-	-	-	-	6	6	7	8	7	4	2	5	4	1	-
Diarrhoea & Dysentery	8	-	-	-	-	-	-	-	1	1	-	-	-	-	1	4	1	-
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Other Zymotic Dis.	45	3	3	2	9	1	18	5	-	-	1	1	1	1	7	4	7	-
Cancer	38	-	-	-	-	-	-	-	2	2	-	1	2	8	8	7	9	3
Scrofula and Tuberc.	23	1	-	-	-	-	1	3	-	-	-	3	3	3	3	1	-	-
Phthisis	386	1	2	3	-	2	8	10	21	39	39	71	49	39	49	32	9	-
Hydrocephalus	4	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	126	42	9	2	2	5	68	3	1	3	-	16	5	5	9	21	13	2
Dis. of Heart & Dropsy	108	-	-	-	-	1	1	3	4	4	-	4	2	17	19	51	18	3
Dis. of Lungs	85	1	4	2	1	-	5	3	-	1	4	3	1	6	9	34	14	-
Dis. of Stom. and Liver	40	1	-	-	-	1	2	-	2	1	3	3	4	3	7	7	7	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	3	11	18	2	-	-	-	-
Infanticide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	9	-	2	1	2	-	5	-	2	-	-	1	1	-	-	-	-	-
Other Causes	683	121	14	11	9	4	150	16	8	6	8	10	8	12	20	78	223	145

595.—LAMPETER.																		
Mean Popul ⁿ , 1861-71	5277	120	119	121	133	125	618	619	554	508	463	704	541	483	377	258	122	30
TOTAL DEATHS	889	88	32	20	16	17	173	38	27	28	35	62	60	46	80	123	127	81
Small-pox	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	9	-	2	-	1	2	5	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	20	-	2	2	3	-	7	6	4	-	1	1	-	-	-	-	-	-
Diphtheria	10	-	1	-	1	-	2	5	2	-	-	-	-	-	-	-	-	-
Whooping-cough	9	-	2	2	-	2	6	-	-	-	-	-	-	-	-	-	-	-
Typhus	24	-	-	-	-	-	-	3	1	2	5	5	1	3	-	2	2	-
Diarrhoea & Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	19	1	2	-	3	3	9	2	1	-	-	-	1	1	1	4	-	-
Other Zymotic Dis.	13	-	-	-	-	-	1	-	-	-	-	-	1	3	3	4	1	-
Cancer	10	-	-	-	-	1	1	-	3	1	-	-	1	2	1	-	-	-
Scrofula and Tuberc.	201	1	4	2	1	1	9	4	10	16	21	49	36	18	31	15	1	-
Phthisis	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus	84	23	4	1	1	1	30	2	1	2	2	3	4	5	6	15	13	1
Dis. of Brain	64	-	-	-	-	1	1	2	1	3	2	1	8	4	12	17	12	1
Dis. of Heart & Dropsy	52	2	4	4	3	2	15	2	1	-	-	4	2	9	14	5	-	-
Dis. of Lungs	17	-	-	1	-	-	1	-	-	1	2	2	-	3	3	4	1	-
Dis. of Stom. and Liver	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	-	9	-	1	-	-	-	-
Infanticide	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Other Violent Deaths	11	1	2	2	1	-	6	2	-	2	-	-	-	-	1	-	-	-
Other Causes	322	60	8	6	2	3	79	4	2	-	1	1	4	4	10	47	91	79

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
596.—ABERAYRON.																		
Mean Popul ⁿ , 1861-71	5898	178	162	173	186	167	866	856	743	535	360	618	551	524	441	394	323	25
TOTAL DEATHS -	1240	187	48	30	19	15	299	60	81	70	69	100	58	72	121	148	140	2
Small-pox -	7	-	-	-	-	-	7	2	-	-	-	4	-	-	-	1	-	-
Measles -	9	1	3	-	2	1	7	1	-	1	-	-	-	-	-	-	-	-
Scarlatina -	30	3	1	6	6	3	19	8	2	-	1	-	-	-	-	-	-	-
Diphtheria -	28	5	2	1	1	-	9	8	4	5	2	-	-	-	-	-	-	-
Whooping-cough -	7	2	3	2	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus -	26	-	-	-	-	-	-	3	2	5	3	2	4	3	2	1	1	-
Diarrhoea & Dysentery -	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	23	4	-	4	3	1	12	2	-	1	-	-	2	-	2	4	-	-
Cancer -	19	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	-
Serofula and Tabes -	23	3	1	-	-	1	5	1	1	5	1	5	1	2	2	1	1	-
Phthisis -	263	-	2	-	-	-	2	5	8	37	49	63	27	27	21	11	1	-
Hydrocephalus -	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	102	82	5	3	-	-	40	1	2	3	-	1	2	3	14	25	21	-
Dis. of Heart & Dropsy -	73	-	-	-	-	-	1	1	-	3	2	5	6	6	16	23	11	-
Dis. of Lungs -	84	8	3	1	-	3	15	3	2	2	3	5	4	6	14	11	13	-
Dis. of Stom. and Liver -	65	6	1	1	-	-	8	1	2	1	-	3	5	8	12	15	2	-
Dis. of Kidneys -	11	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Other Violent Deaths -	37	1	-	3	-	3	7	3	3	3	3	-	2	4	4	1	1	-
Other Causes -	435	121	25	9	7	3	165	21	4	4	5	11	2	6	22	43	28	-

597.—ABERYSTWITH.																		
Mean Popul ⁿ , 1861-71	12393	370	360	354	361	354	1799	1681	1440	1262	935	1524	1281	1067	759	438	135	25
TOTAL DEATHS	2588	433	141	84	39	45	742	111	64	112	140	212	181	176	230	283	260	6
Small-pox	11	3	2	3	-	-	8	-	-	-	1	-	1	-	-	-	-	-
Measles	12	1	6	2	2	-	11	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	12	5	2	4	7	80	13	3	-	-	-	-	-	-	-	-	-
Diphtheria	34	2	4	3	4	4	17	11	8	1	1	1	-	-	-	-	-	-
Whooping-cough	41	13	11	8	2	5	39	2	-	-	-	-	-	-	-	-	-	-
Typhus	102	3	4	-	5	2	14	13	9	17	4	14	12	9	7	5	1	-
Diarrhoea & Dysentery	6	7	-	-	-	-	7	-	-	-	-	1	-	-	-	-	-	-
Cholera	7	1	-	-	-	1	2	2	1	2	4	2	1	2	2	3	1	-
Other Zymotic Dis.	73	5	9	10	2	8	34	10	1	2	-	2	1	-	18	5	4	-
Cancer	18	-	-	-	-	-	-	-	-	1	1	2	1	3	1	3	1	-
Serofula and Tabes	16	2	-	-	-	-	2	1	2	1	2	6	1	-	1	1	-	-
Phthisis	354	5	2	3	-	1	9	6	13	61	66	90	26	34	27	8	1	-
Hydrocephalus	11	8	2	2	-	-	7	3	-	2	-	-	-	-	-	-	-	-
Dis. of Brain	599	193	39	16	4	2	254	5	2	2	3	6	8	12	19	26	15	-
Dis. of Heart & Dropsy	72	-	-	-	-	-	3	3	2	4	-	3	12	6	13	11	1	-
Dis. of Lungs	255	25	16	8	6	4	59	9	3	2	4	5	10	20	31	11	13	-
Dis. of Stom. and Liver	67	3	1	-	-	-	4	3	3	1	2	6	6	10	12	17	1	-
Dis. of Kidneys	15	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Other Violent Deaths	104	-	5	5	1	2	13	6	4	6	10	21	17	8	8	7	4	-
Other Causes	976	166	65	22	9	9	231	23	16	23	42	35	52	70	78	129	100	-

598.—TREGARON.																		
Mean Popul ⁿ , 1861-71	5029	149	134	155	139	144	721	674	645	513	377	554	466	438	342	309	79	25
TOTAL DEATHS	922	147	33	21	19	17	237	33	29	45	66	56	49	63	87	109	119	6
Small-pox	5	-	1	-	-	1	2	-	-	-	2	-	-	-	1	-	-	-
Measles	4	-	3	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	12	1	2	1	1	-	5	3	3	1	-	-	-	-	-	-	-	-
Diphtheria	14	-	2	-	2	1	5	1	4	4	-	-	-	-	-	-	-	-
Whooping-cough	16	6	-	5	1	2	14	2	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	-	1	1	1	3	10	1	4	2	1	1	2	2	1	1	-
Diarrhoea & Dysentery	8	-	1	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	25	4	1	1	4	1	11	1	1	-	1	1	1	3	2	2	1	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-
Serofula and Tabes	29	2	-	-	1	-	3	1	3	8	2	3	4	5	1	1	1	-
Phthisis	184	-	1	-	-	2	3	1	6	19	49	37	16	23	17	1	1	-
Hydrocephalus	4	2	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	25	16	4	2	-	-	22	1	1	1	2	-	3	4	13	3	10	-
Dis. of Heart & Dropsy	28	-	-	-	-	-	-	-	-	1	-	-	1	3	7	1	1	-
Dis. of Lungs	112	2	2	-	-	-	4	1	-	4	2	6	7	8	15	18	27	-
Dis. of Stom. and Liver	44	-	1	-	2	1	4	1	2	-	-	2	2	4	12	3	8	-
Dis. of Kidneys	20	-	-	-	-	1	1	1	-	-	1	-	2	1	4	18	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	4	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	24	-	1	1	-	1	3	4	4	1	-	2	2	1	3	2	2	-
Other Causes	275	112	14	9	7	4	146	3	4	1	5	3	6	7	9	10	10	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
		599.—BUILTH.															
Mean Popul ⁿ , 1861-71	4138	101	102	119	97	112	531	499	479	433	339	523	416	355	268	189	88
TOTAL DEATHS	825	170	32	27	8	2	239	37	24	26	25	51	54	63	53	33	119
Small-pox	8	-	2	-	1	-	3	1	-	-	-	3	1	-	-	-	-
Measles	8	1	2	1	-	1	5	2	1	-	-	-	-	-	-	-	-
Scarlatina	8	2	-	4	-	-	6	1	1	-	-	-	-	-	-	-	-
Diphtheria	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	14	6	2	5	-	-	13	1	-	-	-	-	-	-	-	-	-
Typhus	25	2	1	-	-	-	3	5	1	1	3	2	3	3	1	3	-
Diarrhoea & Dysentery	4	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	11	-	-	1	-	-	1	-	1	-	-	-	-	2	2	-	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	2
Scrofula and Tubes	4	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
Phthisis	99	2	-	1	-	-	3	5	4	14	13	23	15	10	8	-	-
Hydrocephalus	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	75	24	5	-	2	-	31	2	2	-	-	1	3	6	7	5	10
Dis. of Heart & Dropsy	41	-	-	-	-	-	18	2	2	-	-	1	3	1	4	2	10
Dis. of Lungs	95	7	6	2	3	-	18	3	2	3	1	8	6	12	10	21	25
Dis. of Stom. and Liver	35	2	2	1	-	-	5	-	1	1	3	1	4	-	9	4	2
Dis. of Kidneys	10	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	34	-	1	3	-	-	4	4	5	1	3	3	6	1	-	2	9
Other Causes	339	119	10	9	2	1	141	8	3	6	-	5	7	7	14	20	73

600.—BRECKNOCK.																	
Mean Popul ⁿ , 1861-71	8696	234	199	249	209	218	1109	997	912	867	746	1191	919	784	590	378	133
TOTAL DEATHS	1797	335	79	52	35	25	526	81	26	41	71	118	113	145	162	206	235
Small-pox	7	1	-	2	-	-	3	-	-	1	1	1	-	1	-	-	-
Measles	11	4	6	-	1	-	11	-	-	-	-	-	-	-	-	-	-
Scarlatina	63	2	8	9	9	5	33	27	1	-	2	-	-	-	-	-	-
Diphtheria	17	1	1	1	3	2	8	6	1	-	-	1	1	-	-	-	-
Whooping-cough	23	8	7	6	5	1	25	3	-	-	-	-	-	-	-	-	-
Typhus	50	3	1	4	1	1	10	7	4	2	5	6	4	4	6	2	4
Diarrhoea & Dysentery	22	10	1	-	-	-	11	-	-	-	1	1	1	1	3	1	1
Cholera	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	5	-	3	1	-	9	6	-	2	2	1	4	1	4	2	4
Cancer	30	-	-	-	-	-	-	-	-	-	-	2	2	2	6	12	7
Scrofula and Tuberc.	19	1	1	-	-	-	4	2	1	2	2	3	2	6	12	7	1
Phthisis	197	1	-	2	1	-	4	2	3	22	35	44	30	29	12	9	1
Hydrocephalus	11	2	1	-	3	2	8	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	277	124	13	5	4	2	148	6	1	2	6	8	13	15	20	29	24
Dis. of Heart & Dropsy	122	-	1	-	-	-	4	-	-	1	2	13	7	21	20	23	14
Dis. of Lungs	332	29	16	5	-	1	51	2	3	2	6	11	19	29	23	42	21
Dis. of Stom. and Liver	77	3	-	1	2	2	8	1	1	-	2	5	10	12	12	17	8
Dis. of Kidneys	42	-	-	-	-	-	-	-	-	-	1	2	5	3	6	13	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	89	3	5	3	3	3	17	5	6	4	5	13	9	9	9	2	7
Other Causes	445	136	18	9	4	3	170	9	3	1	1	5	7	8	24	43	123

601.—CRICKHOWELL.																	
Mean Popul ⁿ , 1861-71	10894	317	261	281	267	258	1384	1263	1149	1029	944	1544	1309	1041	726	345	138
TOTAL DEATHS	2604	647	204	113	68	64	1006	127	65	60	93	143	130	185	230	227	140
Small-pox	12	1	-	-	1	-	3	1	1	1	2	2	2	-	-	-	-
Measles	31	7	12	5	3	3	30	1	-	-	-	-	-	-	-	-	-
Scarlatina	164	16	16	28	23	21	108	51	6	2	1	1	-	-	-	-	-
Diphtheria	19	3	4	2	1	3	13	2	-	1	-	-	-	-	1	1	-
Whooping-cough	54	33	11	7	1	3	55	1	-	-	-	-	-	-	-	-	-
Typhus	104	2	4	8	5	6	25	14	-	4	13	11	8	13	5	1	1
Diarrhoea & Dysentery	39	26	10	3	-	-	39	1	1	-	-	1	2	5	4	-	-
Cholera	11	2	1	-	-	-	3	-	1	-	3	-	-	1	-	-	-
Other Zymotic Dis.	44	3	6	6	5	4	24	4	-	3	2	1	2	1	3	1	1
Cancer	43	-	-	-	-	-	-	-	-	-	-	1	2	6	19	11	3
Scrofula and Tuberc.	65	10	20	7	-	-	37	6	3	4	4	2	2	2	3	11	3
Phthisis	282	16	5	1	1	1	24	8	18	16	40	21	43	33	31	14	4
Hydrocephalus	21	4	6	3	3	1	17	4	-	-	-	-	-	-	-	-	-
Dis. of Brain	399	244	22	9	7	4	286	10	3	4	-	6	16	13	15	25	12
Dis. of Heart & Dropsy	129	1	3	2	-	1	7	1	3	5	3	12	11	13	23	23	11
Dis. of Lungs	492	98	65	23	13	10	299	10	3	3	4	13	24	47	58	73	41
Dis. of Stom. and Liver	98	10	3	1	1	-	15	-	4	-	3	2	9	10	12	19	15
Dis. of Kidneys	38	-	-	2	-	-	2	2	-	2	2	6	1	7	4	5	7
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	1	-	-	1	-	1	-	2	-	1	1	1	1	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	-	1	-	1	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	157	5	2	3	4	7	21	8	12	12	14	25	10	15	19	14	1
Other Causes	379	162	13	2	1	-	178	3	1	-	1	2	4	4	13	22	36

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
599.—BUILTH.																				
Mean Popul ⁿ , 1861-71	4147	122	105	118	118	99	562	499	466	434	341	530	415	343	261	184	96	16		
TOTAL DEATHS -	758	132	46	14	10	5	207	38	25	33	33	51	50	39	61	71	112	38		
Small-pox - - -	8	2	-	-	-	-	2	1	1	1	2	1	-	-	-	-	-	-	-	-
Measles - - - -	8	2	2	1	-	-	5	2	-	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	16	1	-	3	3	-	7	4	3	1	1	-	-	-	-	-	-	-	-	-
Diphtheria - - -	3	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough -	29	11	10	2	1	3	27	2	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	27	-	1	1	1	-	3	-	5	2	-	6	2	1	2	3	-	1	-	-
Diarrhoea & Dysentery	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	9	-	1	-	2	-	3	1	1	-	-	-	-	-	2	1	1	-	-	-
Cancer - - - - -	14	-	-	-	-	-	-	-	-	-	-	-	1	5	2	2	3	1	-	-
Scrofula and Tuberc.	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
Phtisis - - - - -	120	1	-	-	-	-	1	7	6	20	15	29	20	8	12	2	-	-	-	-
Hydrocephalus - -	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	47	15	1	-	-	-	16	1	1	-	1	1	3	5	6	9	5	1	-	-
Dis. of Heart & Dropsy	39	-	-	-	-	-	-	1	1	1	-	2	6	5	9	6	8	1	-	-
Dis. of Lungs - - -	63	10	11	-	1	2	24	3	2	2	2	1	3	4	6	7	7	2	-	-
Dis. of Stom. and Liver	24	-	-	1	-	-	1	-	-	1	-	4	5	2	4	3	4	-	-	-
Dis. of Kidneys - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	2	4	4	1	-	-	-	-	-	-
Self-destruction - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	9	-	1	1	-	-	2	2	-	-	-	1	-	1	-	2	-	1	-	-
Other Causes - - - -	319	86	18	5	2	-	111	8	5	4	3	5	7	7	17	28	82	32	-	-

600.—BRECKNOCK.																			
Mean Popul ⁿ , 1861-71		8803	239	193	213	195	211	1051	937	869	885	805	1255	972	785	576	415	209	47
TOTAL DEATHS -		1776	286	64	50	32	21	453	71	58	51	55	124	129	131	149	203	235	117
Small-pox -		5	1	1	1	-	-	3	-	-	1	-	1	-	-	-	-	-	-
Measles -		16	3	4	2	2	1	12	4	-	-	-	-	-	-	-	-	-	-
Scarlatina -		91	2	7	10	14	10	43	28	19	5	1	2	1	-	-	1	-	-
Diphtheria -		11	-	-	1	-	1	2	4	3	-	1	2	-	-	2	-	-	-
Whooping-cough -		30	17	6	3	1	1	23	2	-	-	-	-	-	-	-	-	-	-
Typhus -		27	2	4	-	-	2	8	2	3	5	6	4	7	6	2	3	1	-
Diarrhoea & Dysentery -		48	3	1	1	1	-	11	-	-	-	4	4	-	3	2	4	3	2
Cholera -		7	1	-	-	-	-	1	-	-	-	1	-	-	1	3	2	-	-
Other Zymotic Dis. -		45	4	6	5	1	1	17	6	2	-	-	2	3	1	5	5	3	1
Cancer -		49	-	-	-	-	-	-	-	-	-	-	2	10	12	14	8	3	-
Scrofula and Tubercles -		15	3	2	1	1	-	7	-	2	1	1	1	-	2	1	-	-	-
Phtisis -		197	-	-	-	-	-	3	18	16	16	33	53	37	17	13	5	2	-
Hydrocephalus -		7	1	2	2	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		192	77	8	7	2	3	97	5	5	3	2	7	7	12	16	26	9	3
Dis. of Heart & Dropsy -		157	-	-	-	-	-	-	3	3	6	1	9	12	23	32	59	50	2
Dis. of Lungs -		178	32	11	3	2	1	49	3	3	4	-	5	9	14	21	29	35	6
Dis. of Stomach and Liver -		78	2	1	-	-	-	3	3	2	2	1	3	9	13	18	16	6	2
Dis. of Kidneys -		11	-	-	-	-	-	-	1	-	-	-	4	1	2	2	1	-	-
Dis. of Genes. Organs -		3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Dis. of Joints -		8	-	-	-	-	-	-	-	-	1	1	-	4	2	-	-	-	-
Dis. of Skin -		5	1	-	-	-	-	1	-	-	-	-	-	-	2	2	-	-	-
Childbirth and Metritis -		46	-	-	-	-	-	-	-	-	1	7	20	17	1	-	1	-	-
Suicide -		28	2	-	6	1	-	9	3	1	3	-	1	-	1	1	2	5	3
Other Violent Deaths -		513	130	11	8	6	1	156	6	6	2	1	3	10	18	16	61	138	98

601.—CRICKHOWELL.																			
Mean Popul ⁿ , 1861-71		10403	326	253	299	268	263	1409	1283	1149	963	898	1407	1167	925	639	376	158	34
TOTAL DEATHS -		2276	460	195	100	64	59	887	117	58	74	83	176	151	111	134	194	206	85
Small-pox -		9	4	1	-	-	2	7	-	-	1	-	1	-	-	-	-	-	-
Measles -		31	7	12	4	3	1	27	4	-	-	-	-	-	-	-	-	-	-
Scarlatina -		138	11	23	23	22	20	99	42	14	2	1	-	-	-	-	-	-	-
Diphtheria -		24	1	2	4	2	5	14	6	2	-	-	1	1	-	-	-	-	-
Whooping-cough -		56	10	24	12	4	4	54	2	-	-	-	-	-	-	-	-	-	-
Typhus -		95	3	2	5	4	4	18	19	9	11	5	8	4	6	3	10	2	-
Diarrhoea & Dysentery -		65	27	9	2	-	1	39	2	-	-	2	3	5	2	3	3	5	1
Cholera -		13	1	1	1	-	-	3	1	1	1	1	1	1	1	2	1	3	-
Other Zymotic Dis. -		40	5	5	5	1	4	20	3	4	1	1	3	1	7	13	14	6	-
Cancer -		48	-	-	-	-	-	-	1	-	-	-	2	5	-	-	-	-	-
Scrofula and Tubercles -		46	9	14	5	2	2	32	4	1	5	1	2	1	2	10	10	-	-
Phtisis -		325	9	7	2	2	3	23	8	17	31	45	88	57	26	20	-	-	-
Hydrocephalus -		14	6	3	2	1	-	11	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -		332	191	20	12	3	2	228	4	2	3	2	8	7	9	15	24	23	7
Dis. of Heart & Dropsy -		165	4	-	-	1	1	6	3	2	6	1	12	15	18	26	45	31	2
Dis. of Lungs -		332	71	50	18	10	4	153	9	-	4	8	12	20	29	29	32	32	5
Dis. of Stomach and Liver -		82	6	-	1	1	-	8	1	-	4	4	12	9	11	10	10	11	2
Dis. of Kidneys -		13	-	-	-	-	-	-	-	-	1	-	2	3	4	1	2	-	-
Dis. of Genes. Organs -		4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Dis. of Joints -		6	-	-	1	-	-	1	-	-	2	-	1	-	-	-	-	-	-
Dis. of Skin -		5	1	-	-	-	-	1	-	-	-	-	-	-	-	9	1	-	-
Childbirth and Metritis -		47	-	-	-	-	-	-	-	-	-	6	18	23	-	-	-	-	-
Suicide -		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Other Violent Deaths -		40	4	4	1	8	5	22	3	2	1	-	2	1	1	2	3	8	-
Other Causes -		324	100	18	2	-	1	121	4	2	1	4	3	3	5	8	16	89	68

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-

602.—HAY.																		
Mean Popul ⁿ , } 1861-71 }	5339	139	124	132	122	136	653	610	591	528	423	682	578	521	390	250	112	2
TOTAL DEATHS -	1073	217	54	23	21	15	330	27	18	23	23	60	61	78	192	133	104	8
Small-pox - - -	9	2	-	1	-	-	3	-	-	-	-	3	3	-	-	-	-	-
Measles - - - -	5	1	1	1	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	25	1	5	2	3	4	15	7	2	-	1	-	-	-	-	-	-	-
Diphtheria - - -	11	4	-	-	2	1	7	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough -	14	5	6	2	-	1	14	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	37	2	-	-	-	1	3	6	2	1	5	4	2	1	4	1	1	1
Diarrhoea & Dysentery	20	9	3	2	-	-	14	-	-	-	-	-	-	-	-	2	1	1
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Zymotic Dis.	27	2	1	5	3	1	12	2	-	-	1	-	1	1	3	1	4	2
Cancer - - - - -	18	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	4	2
Scrofula and Tabes -	12	5	3	-	-	-	8	1	-	-	-	-	-	-	2	2	1	1
Ethiols - - - - -	99	-	2	-	-	-	2	-	6	12	9	23	14	15	13	5	1	1
Hydrocephalus - -	6	-	3	1	1	1	6	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	151	59	11	-	1	-	71	-	2	-	1	3	3	4	10	20	20	20
Dis. of Heart & Dropsy	63	1	1	-	-	1	3	-	-	1	3	4	8	13	10	14	14	14
Dis. of Lungs - - -	157	21	4	4	7	-	36	2	-	3	2	6	11	17	16	27	27	27
Dis. of Stom. and Liver	58	7	-	-	-	1	8	-	1	-	-	4	6	5	17	23	7	7
Dis. of Kidneys - -	26	-	-	-	-	-	-	-	1	-	-	-	1	3	2	3	4	4
Dis. of Gen. Organs -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	3	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
Dis. of Skin - - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths -	49	3	1	2	-	1	7	3	1	3	-	8	3	6	9	5	7	7
Other Causes - - -	273	94	12	3	4	3	116	2	-	2	1	3	4	4	13	20	20	20

603 a.—KINGTON* AND 603 b.—PRESTEIGNE.*

Mean Popul ⁿ , 1861-71	8062	220	199	205	210	220	1054	963	867	786	613	1036	932	738	562	346	141
TOTAL DEATHS	1570	337	86	34	25	22	504	56	33	44	39	93	103	113	123	207	167
Small-pox	10	1	1	1	1	1	12	1	1	1	1	4	1	1	1	1	1
Measles	13	1	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1
Scarlatina	41	6	4	6	4	6	26	12	1	1	1	1	1	1	1	1	1
Diphtheria	39	1	1	1	1	1	16	12	7	1	2	1	1	1	1	1	1
Whooping-cough	14	8	3	2	1	1	14	1	1	1	1	1	1	1	1	1	1
Typhus	77	3	5	4	1	3	16	5	10	9	1	6	8	7	8	3	3
Diarrhoea & Dysentery	16	10	1	1	1	1	10	1	1	1	1	1	1	1	1	1	1
Cholera	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	29	5	1	2	3	2	13	3	2	1	1	1	2	1	2	2	2
Cancer	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tabes	25	9	2	1	1	1	11	1	2	3	2	2	2	2	2	2	2
Phthisis	146	3	4	1	1	1	8	2	4	21	13	29	50	33	10	6	6
Hydrocephalus	18	5	8	1	1	1	15	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	194	82	11	2	1	1	93	6	4	1	8	3	11	8	15	23	14
Dis. of Heart & Dropsy	144	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1
Dis. of Lungs	178	40	15	4	3	2	64	6	1	1	6	10	8	14	23	23	23
Dis. of Stom. and Liver	76	8	3	1	1	1	12	1	1	1	1	7	9	13	4	13	7
Dis. of Kidneys	25	1	1	1	1	1	1	1	1	1	1	1	2	1	3	4	4
Dis. of Gen. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	6	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1
Childbirth and Metria	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	49	3	3	2	1	1	9	1	1	1	1	3	2	3	1	1	1
Other Violent Deaths	433	132	16	2	3	1	174	3	1	1	1	6	6	6	3	3	3
Other Causes																	

604.—KNIGHTON.

Mean Popul ⁿ , 1861-71	5462	148	144	153	155	142	742	652	615	541	471	721	618	460	325	219	84
TOTAL DEATHS	1039	261	59	21	23	12	376	37	26	22	44	56	66	60	88	115	111
Small-pox	8	3	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1
Measles	12	2	1	1	1	1	7	3	1	1	1	1	1	1	1	1	1
Scarlatina	12	1	1	1	1	1	2	4	3	1	1	1	1	1	1	1	1
Diphtheria	13	1	4	1	1	1	8	2	3	1	1	1	1	1	1	1	1
Whooping-cough	34	16	10	5	2	1	33	1	1	1	1	1	1	1	1	1	1
Typhus	33	1	1	1	1	1	5	5	4	1	1	6	6	1	2	1	1
Diarrhoea & Dysentery	12	4	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1
Cholera	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	31	6	3	2	3	4	18	8	1	1	1	2	1	1	3	2	2
Cancer	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tabes	15	6	2	1	1	1	8	1	1	1	1	1	1	1	1	1	1
Phthisis	116	2	3	1	1	1	7	2	3	13	21	23	20	6	11	1	1
Hydrocephalus	4	3	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	96	43	6	1	1	1	50	1	4	1	6	1	2	7	6	11	1
Dis. of Heart & Dropsy	37	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
Dis. of Lungs	101	24	7	1	2	1	23	3	2	3	5	6	10	5	13	12	1
Dis. of Stom. and Liver	47	4	2	1	1	1	7	3	1	1	1	1	1	1	1	1	1
Dis. of Kidneys	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Gen. Organs	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metria	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	40	1	1	1	4	1	7	3	2	1	3	3	1	3	4	3	1
Other Causes	291	142	18	4	8	2	174	5	4	1	1	4	5	15	13	20	20

MEAN POPULATION, 1861-71, and DEATHS in DISTRICTS during the 10 YEARS 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.

602.—HAY.

Mean Popul ⁿ , 1861-71 -	5468	138	131	135	137	141	682	652	578	524	419	714	570	535	373	257	141	23
TOTAL DEATHS -	1000	191	55	23	16	11	296	32	22	36	44	75	69	75	87	122	148	84
Small-pox -	6	1	-	1	-	-	2	-	-	-	1	2	-	1	-	-	-	-
Measles -	11	3	2	1	3	1	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	20	3	2	2	2	3	10	6	3	-	-	-	-	-	-	-	-	-
Diphtheria -	8	-	2	-	-	1	5	3	1	-	-	-	1	-	-	-	-	-
Whooping-cough -	26	13	6	3	1	1	24	1	-	1	-	-	-	-	-	-	-	-
Typhus -	38	1	-	-	-	-	3	4	-	-	3	6	3	-	2	9	5	-
Diarrhoea & Dysentery -	21	9	1	2	-	-	12	-	8	-	-	-	1	-	-	1	3	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	20	3	-	8	-	-	6	2	1	1	2	1	-	3	2	1	1	-
Cancer -	33	-	-	-	-	-	-	-	-	-	-	2	6	5	9	8	3	-
Scrofula and Tuberc. -	13	2	1	-	1	-	4	1	-	1	-	5	1	1	-	-	-	-
Phthisis -	119	2	1	1	1	1	6	3	5	18	19	20	23	11	7	5	2	-
Hydrocephalus -	3	-	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	154	57	11	3	-	-	71	1	1	5	4	4	4	9	12	20	20	5
Dis. of Heart & Dropsy -	79	-	-	-	-	-	-	-	-	1	1	7	5	9	19	22	13	2
Dis. of Lungs -	125	12	9	2	3	-	26	4	-	3	4	7	7	7	15	24	22	6
Dis. of Stom. and Liver -	44	4	-	-	-	-	4	-	1	1	2	4	1	9	11	5	6	-
Dis. of Kidneys -	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-
Dis. of Gen. Organs -	4	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	1	-
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Met. Dis. -	20	-	-	-	-	-	-	-	-	-	2	9	8	1	-	-	-	-
Selficide -	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
Other Violent Deaths -	21	2	3	1	-	2	8	3	1	-	1	-	1	1	2	1	2	1
Other Causes -	310	81	14	3	5	1	104	3	-	5	-	7	3	12	7	26	74	69

603 a.—KINGTON * AND 603 b.—PRESTEIGNE.*

Mean Popul ⁿ , 1861-71 -	7742	202	214	218	217	185	1036	954	820	723	608	991	891	685	509	351	150	24
TOTAL DEATHS -	1558	291	73	47	39	23	473	72	52	53	57	116	87	80	103	177	219	69
Small-pox -	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Measles -	14	2	2	1	3	1	9	2	-	1	-	1	-	1	-	-	-	-
Scarlatina -	60	2	9	6	12	9	38	13	7	-	1	-	1	-	-	-	-	-
Diphtheria -	37	4	3	3	5	3	18	9	5	1	2	1	-	-	-	1	-	-
Whooping-cough -	28	15	4	-	4	2	25	8	-	-	-	-	-	-	-	-	-	-
Typhus -	84	1	1	2	1	-	5	8	12	9	3	14	9	9	2	8	5	-
Diarrhoea & Dysentery -	15	6	-	-	-	-	6	-	-	-	-	-	-	1	1	2	4	1
Cholera -	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	21	-	3	1	2	-	6	3	-	1	1	2	-	-	3	4	1	-
Cancer -	32	-	-	-	-	-	-	-	-	-	-	-	3	6	7	11	5	-
Scrofula and Tuberc. -	20	10	3	-	-	-	13	-	1	1	-	1	1	1	-	-	-	-
Phthisis -	185	3	1	1	2	1	8	2	13	29	30	52	39	13	8	-	-	-
Hydrocephalus -	12	4	4	1	-	-	9	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	182	76	8	8	2	1	95	3	4	4	2	6	6	8	14	20	14	6
Dis. of Heart & Dropsy -	151	-	1	-	-	1	2	8	2	2	3	8	9	15	26	32	2	2
Dis. of Lungs -	127	24	17	9	3	3	56	3	1	3	3	5	5	3	9	20	17	2
Dis. of Stom. and Liver -	71	4	-	1	1	1	7	3	2	-	1	5	7	8	14	13	11	-
Dis. of Kidneys -	4	1	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-
Dis. of Gen. Organs -	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-
Dis. of Joints -	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Met. Dis. -	28	-	-	-	-	-	-	-	-	-	6	12	9	1	-	-	-	-
Selficide -	23	2	2	3	-	-	9	4	-	-	-	1	1	-	-	-	-	-
Other Violent Deaths -	450	136	14	11	1	1	163	10	1	2	3	1	1	1	1	6	19	53

604.—KNIGHTON.

Mean Popul ⁿ , 1861-71 -	4888	161	133	167	127	133	721	672	557	460	374	620	520	379	290	201	77	17
TOTAL DEATHS -	891	192	36	22	26	23	299	40	30	23	38	57	52	47	63	96	106	40
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	9	2	2	2	-	2	8	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	26	4	1	4	2	1	12	7	-	1	3	-	1	-	-	-	-	-
Diphtheria -	17	1	-	2	3	3	9	3	3	-	1	-	1	-	-	-	-	-
Whooping-cough -	27	6	10	2	2	3	23	4	-	-	-	-	-	-	-	-	-	-
Typhus -	36	1	-	-	2	1	4	6	4	1	2	4	4	1	5	2	3	-
Diarrhoea & Dysentery -	8	4	-	1	-	-	5	-	-	-	-	1	1	-	-	-	-	-
Cholera -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	20	5	-	-	2	2	9	2	2	1	-	1	-	-	-	4	1	-
Cancer -	15	-	-	-	-	-	-	-	-	-	-	-	2	3	6	3	1	-
Scrofula and Tuberc. -	7	2	-	-	-	-	2	1	2	-	-	1	-	1	-	-	-	-
Phthisis -	104	-	-	-	1	-	1	1	5	12	22	28	18	10	6	1	-	-
Hydrocephalus -	8	5	1	-	2	-	8	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	55	21	2	-	-	-	23	-	2	-	2	1	2	3	6	6	9	1
Dis. of Heart & Dropsy -	49	1	-	-	-	1	2	-	-	2	1	1	2	3	5	18	6	-
Dis. of Lungs -	76	15	9	4	1	1	89	-	4	2	1	4	1	5	5	15	9	-
Dis. of Stom. and Liver -	34	4	-	-	1	2	7	2	1	-	1	6	5	2	9	1	2	-
Dis. of Kidneys -	7	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-
Dis. of Gen. Organs -	4	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Met. Dis. -	18	-	-	-	-	-	-	-	-	-	4	6	-	-	-	-	-	-
Selficide -	2	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-
Other Violent Deaths -	15	1	3	2	1	1	8	2	-	-	-	1	-	1	1	1	2	2
Other Causes -	360	119	8	5	9	6	147	9	5	3	1	1	6	14	18	44	76	36

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		605.—RHAYADER.																
Mean Popul ⁿ , 1861-71	3498	90	96	106	90	105	487	408	432	348	300	416	341	310	230	143	88	31
TOTAL DEATHS	665	126	39	18	11	5	199	25	19	25	30	44	37	40	53	61	75	8
Small-pox	13	3	-	-	-	-	3	1	-	9	4	1	1	1	-	-	-	-
Measles	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	14	-	3	2	3	2	10	2	2	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	1	1	-	2	2	-	-	1	-	-	-	-	-	-	-
Whooping-cough	19	8	6	4	-	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	20	1	-	2	-	-	3	1	-	2	2	-	1	2	3	1	1	1
Diarrhoea & Dysentery	8	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	11	-	-	-	1	-	1	4	-	-	-	-	1	1	-	2	1	1
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-
Scrophula and Tuberc.	8	2	1	-	1	-	4	-	3	-	-	1	-	-	-	-	-	-
Phthisis	82	-	2	-	-	-	2	3	3	13	16	20	7	9	6	2	1	1
Hydrocephalus	7	1	2	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	70	24	9	-	1	1	35	1	1	-	1	5	5	2	-	10	7	1
Dis. of Heart & Dropsy	30	-	-	-	-	-	-	1	2	-	-	3	1	4	4	3	1	1
Dis. of Lungs	77	20	3	4	3	1	31	3	-	2	-	3	2	5	13	3	1	1
Dis. of Stom. and Liver	22	1	-	-	-	-	1	-	-	1	-	3	3	4	3	1	1	1
Dis. of Kidneys	17	-	-	-	-	-	-	1	1	1	-	1	1	1	4	1	1	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths	43	1	-	-	-	-	1	-	4	4	5	6	7	6	3	2	2	2
Other Causes	210	64	12	5	1	1	83	3	3	-	1	1	4	13	11	29	47	2

606.—MACHYNLLETH.

Mean Popul ⁿ , 1861-71	6373	162	164	168	171	153	818	799	688	633	538	829	672	573	418	267	117	8
TOTAL DEATHS	1403	261	72	36	31	24	424	65	27	59	60	97	75	93	120	161	178	8
Small-pox	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	11	3	3	3	1	1	11	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	2	4	7	10	10	33	11	1	2	-	-	-	1	-	-	-	-
Diphtheria	4	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	30	17	7	2	1	2	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	66	2	2	2	2	2	10	7	5	12	2	4	2	10	8	7	1	1
Diarrhoea & Dysentery	12	1	-	-	-	-	1	1	-	-	-	-	1	1	1	1	1	1
Cholera	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.	43	6	5	1	2	-	14	4	2	1	-	1	1	3	4	9	4	1
Cancer	30	-	-	-	1	-	1	2	-	-	-	-	1	5	10	7	4	1
Scrophula and Tuberc.	15	1	-	-	2	-	3	2	1	1	2	4	2	2	18	4	1	1
Phthisis	240	-	14	-	2	-	7	6	8	25	37	50	30	24	29	18	4	1
Hydrocephalus	15	4	4	1	-	-	9	5	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	305	103	17	6	6	4	156	6	-	5	2	7	4	5	8	21	13	1
Dis. of Heart & Dropsy	54	-	-	-	1	-	54	1	2	1	2	4	2	14	7	24	4	1
Dis. of Lungs	136	12	7	3	-	2	22	2	-	2	4	2	3	11	26	22	23	1
Dis. of Stom. and Liver	59	2	-	-	-	-	2	-	1	2	2	3	4	9	13	34	4	1
Dis. of Kidneys	35	-	-	-	-	-	-	1	-	1	-	2	1	3	8	13	13	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	10	4	1	-	-	-	5	-	-	1	-	2	-	2	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	68	-	3	5	2	2	12	3	2	5	5	17	11	3	8	4	4	1
Other Causes	314	102	13	6	1	1	123	11	4	1	3	-	5	1	13	20	40	2

607.—NEWTOWN.

Mean Popul ⁿ , 1861-71	12203	353	313	330	332	318	1646	1496	1366	1279	1016	1565	1191	1047	833	519	215	28
TOTAL DEATHS	2528	501	144	67	45	30	787	104	58	105	115	150	134	158	215	316	287	8
Small-pox	16	5	-	2	2	-	9	2	-	2	1	-	1	-	1	-	-	-
Measles	21	7	6	6	-	1	20	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	4	6	6	10	3	29	9	1	3	2	1	1	-	-	-	-	-
Diphtheria	34	6	4	4	3	5	22	7	2	1	2	-	-	-	-	-	-	-
Whooping-cough	62	23	22	4	4	1	57	5	-	-	-	-	-	-	-	-	-	-
Typhus	70	1	2	2	2	1	8	6	5	10	6	3	6	8	9	4	1	1
Diarrhoea & Dysentery	62	23	7	1	1	-	33	1	-	-	-	2	1	3	3	1	1	1
Cholera	6	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	65	7	7	7	4	7	32	12	2	1	3	3	1	-	4	1	1	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	3	1	2	4	13	5	1
Scrophula and Tuberc.	31	1	8	1	1	2	13	2	7	3	3	2	1	-	-	-	-	-
Phthisis	415	4	8	7	5	1	25	8	16	52	72	87	62	42	39	12	-	-
Hydrocephalus	27	13	5	1	-	1	20	6	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	274	165	16	8	5	1	195	16	7	11	2	6	17	20	27	28	20	1
Dis. of Heart & Dropsy	113	3	-	2	-	-	5	2	3	3	1	5	4	19	29	31	10	1
Dis. of Lungs	235	48	26	11	-	3	88	5	3	5	10	16	7	31	37	40	21	1
Dis. of Stom. and Liver	117	16	1	1	2	1	21	2	2	2	5	6	6	15	23	21	1	1
Dis. of Kidneys	62	-	-	-	1	-	1	-	1	2	1	3	8	4	15	19	1	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	-	1	-	-	-	1	-	2	1	2	1	-	-	1	1	1	1
Dis. of Skin	7	4	-	-	-	-	4	-	1	-	-	-	-	1	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	102	1	3	2	1	2	11	13	5	7	4	12	13	14	15	4	1	1
Other Causes	520	167	18	2	4	1	192	7	1	2	1	2	4	8	12	21	10	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	
605.—RHAYADER.																			
Mean Popula ⁿ , 1861-71		3323	96	91	88	88	90	453	426	382	316	276	404	330	297	219	139	65	16
TOTAL DEATHS -		555	97	32	19	11	3	162	20	15	14	20	38	23	30	43	81	70	36
Diph- theria		7	2	-	1	-	-	3	2	-	-	-	-	2	-	-	-	-	-
Meas- les		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina		9	-	2	2	1	-	5	2	1	1	-	-	-	-	-	-	-	-
Diphtheria		6	-	-	1	1	-	2	-	1	1	-	1	-	-	1	-	-	-
Whooping-cough		25	15	4	2	3	-	24	1	-	-	-	-	-	-	-	-	-	-
Consumption		17	-	-	1	-	-	1	-	3	2	1	2	1	2	3	1	1	-
Typhus & Dysentery		5	1	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-
Other Zymotic Dis.		15	2	1	2	1	2	8	1	1	-	-	-	-	-	-	3	1	-
Scrophulous and Tubercles		16	-	-	-	-	-	-	-	-	-	-	-	2	2	2	9	1	-
Alcohol		7	2	1	1	-	-	4	-	1	-	-	1	2	2	2	1	-	-
Hydrocephalus		64	-	-	1	1	-	2	1	5	9	9	16	7	9	4	1	1	-
Paralysis		2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Of Brain		51	21	5	1	-	-	27	1	-	-	1	1	2	1	4	8	4	2
Of Heart & Dropsy		32	-	-	-	-	-	1	1	-	-	1	2	1	3	6	9	7	1
Of Lungs		38	10	5	4	2	1	22	1	-	-	2	2	1	2	4	11	13	2
Of Stomach and Liver		21	-	-	-	-	-	1	-	1	1	-	3	3	5	4	-	-	-
Of Kidneys		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Of Genes. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Of Joints		3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Of Skin		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis		9	-	-	-	-	-	-	-	-	-	1	5	3	-	-	-	-	-
Other Violent Deaths		9	-	1	-	1	-	2	1	1	-	-	-	1	-	3	-	1	-
Other Causes		194	43	13	3	1	-	60	6	1	-	2	5	3	5	9	32	40	31

606.—MACHYNLLETH.																			
Mean Popula ⁿ , 1861-71		6482	181	169	154	165	150	819	730	658	613	565	884	697	565	437	312	169	33
TOTAL DEATHS		1389	218	64	49	19	21	371	52	34	41	58	119	104	96	92	139	212	71
Small-pox		2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Measles		7	1	1	1	-	1	4	2	1	-	-	-	-	-	-	-	-	-
Scarlatina		49	4	7	11	7	7	36	9	1	1	1	-	1	1	-	-	-	-
Diphtheria		5	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough		46	18	9	12	2	-	41	4	1	-	-	-	-	-	-	-	-	-
Consumption		56	-	2	4	1	2	9	9	2	3	6	4	6	3	4	6	4	-
Typhus & Dysentery		16	1	-	-	-	-	1	-	-	-	-	1	1	-	1	6	5	1
Other Zymotic Dis.		36	5	4	2	-	-	11	1	1	-	-	2	4	3	2	4	8	-
Scrophulous and Tubercles		27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol		11	2	1	-	-	1	4	-	-	1	3	1	2	10	7	5	2	1
Hydrocephalus		304	9	6	1	1	-	17	8	18	28	33	77	45	33	21	20	4	-
Paralysis		9	-	1	2	1	2	6	2	-	-	-	-	-	-	-	-	-	-
Of Brain		190	92	16	4	3	2	117	5	-	-	2	5	7	4	14	14	19	3
Of Heart & Dropsy		75	-	-	-	1	1	2	2	1	-	6	6	7	5	11	21	9	1
Of Lungs		116	16	2	3	-	3	24	2	1	5	-	1	3	7	11	25	28	3
Of Stomach and Liver		44	-	2	-	-	-	2	-	-	1	1	1	7	7	7	9	9	-
Of Kidneys		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Of Genes. Organs		2	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-
Of Joints		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Of Skin		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis		24	-	-	-	-	-	-	-	-	-	3	8	13	-	-	-	-	-
Other Violent Deaths		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes		338	70	13	6	2	1	92	2	2	2	-	-	1	5	-	4	1	-

607.—NEWTOWN.																			
Mean Popula ⁿ , 1861-71		11941	321	290	314	303	302	1530	1427	1362	1139	985	1539	1192	1052	819	567	279	50
TOTAL DEATHS		2447	427	127	78	45	31	708	97	65	98	101	207	150	150	167	262	310	126
Small-pox		29	11	4	3	-	1	18	3	-	1	2	2	1	2	-	-	-	-
Measles		23	5	5	4	2	1	17	3	-	-	2	1	-	-	-	-	-	-
Scarlatina		49	6	6	5	3	4	24	11	7	3	4	-	-	-	-	-	-	-
Diphtheria		54	3	3	3	4	4	17	9	3	-	-	-	1	2	-	-	-	-
Whooping-cough		65	59	21	6	3	4	63	2	-	-	-	-	-	-	-	-	-	-
Consumption		54	2	1	2	4	5	12	11	10	13	8	7	7	4	6	6	2	-
Typhus & Dysentery		54	19	4	-	1	-	24	2	1	1	-	1	3	1	4	4	13	-
Other Zymotic Dis.		9	-	-	-	-	-	4	-	-	-	-	1	1	1	-	1	-	-
Scrophulous and Tubercles		53	7	7	8	2	4	28	8	1	2	-	-	2	5	3	2	4	-
Alcohol		55	-	-	-	-	-	-	-	-	-	-	2	2	15	17	14	5	-
Hydrocephalus		17	4	9	3	1	1	11	2	-	-	-	1	2	-	1	-	-	-
Paralysis		417	9	4	3	2	1	19	10	20	54	29	134	59	36	17	7	2	-
Of Brain		23	5	7	3	2	-	17	7	-	1	-	-	-	-	-	-	-	-
Of Heart & Dropsy		316	133	18	9	4	3	167	7	6	6	7	8	6	14	19	57	81	8
Of Lungs		128	3	-	-	-	-	3	2	1	3	1	6	15	19	20	35	22	1
Of Stomach and Liver		272	32	37	13	5	-	77	5	1	2	3	8	21	10	27	69	51	7
Of Kidneys		118	8	3	1	1	1	14	4	1	3	2	14	4	18	21	22	13	2
Of Genes. Organs		26	-	-	-	-	-	-	1	2	1	-	2	4	5	4	6	1	-
Of Joints		7	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-
Of Skin		13	3	-	2	1	-	3	1	3	2	-	1	1	-	1	-	2	-
Childbirth and Metritis		39	-	-	-	-	-	-	-	-	1	7	11	16	4	-	-	-	-
Other Violent Deaths		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes		569	140	12	10	7	5	109	6	9	2	3	6	3	12	20	67	165	107

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
608.—FORDEN (<i>late</i> MONTGOMERY).																	
Mean Popul ⁿ , 1861-71 }	9718	269	226	259	251	255	1260	1138	1057	977	770	1314	1054	900	657	415	133
TOTAL DEATHS -	1944	397	92	52	28	24	593	66	39	55	79	141	103	131	180	263	22
Small-pox - - -	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1
Measles - - -	19	5	4	5	1	1	16	3	-	-	-	-	-	-	-	-	-
Scarlatina - - -	56	6	11	6	7	5	35	14	2	3	1	-	-	-	1	-	-
Diphtheria - - -	25	5	5	8	2	2	17	8	2	1	1	1	-	-	-	-	-
Whooping-cough -	23	10	5	3	-	3	21	2	-	-	-	-	-	-	-	-	-
Typhus - - -	48	2	1	3	-	3	9	1	6	4	3	7	4	1	4	2	5
Diarrhea & Dysentery	23	3	-	1	-	-	4	1	-	-	-	3	1	-	1	2	1
Cholera - - -	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	42	11	3	5	2	-	21	3	-	-	1	2	-	2	3	8	9
Cancer - - -	25	-	-	-	-	-	-	1	2	-	1	-	1	2	3	2	4
Scrofula and Tuberc.	14	2	4	-	-	-	6	2	2	-	-	2	-	1	2	2	1
Phthisis - - -	270	2	2	-	3	-	7	2	8	20	52	76	41	51	50	2	-
Hydrocephalus - -	10	5	-	2	-	-	7	1	2	-	-	-	-	-	-	-	-
Dis. of Brain - - -	325	185	21	9	6	3	224	7	4	5	2	1	8	10	16	2	29
Dis. of Heart & Dropsy	118	3	-	1	-	-	4	2	1	4	6	8	12	22	22	22	13
Dis. of Lungs - - -	224	37	17	3	1	3	63	7	2	3	3	9	11	24	38	40	27
Dis. of Stom. and Liver	71	8	1	-	1	1	11	3	1	2	2	5	5	9	17	14	2
Dis. of Kidneys - -	22	-	-	-	-	-	-	-	-	2	1	2	1	2	2	5	4
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -	6	1	-	-	-	-	1	-	-	-	1	-	-	1	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	7	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	4
Other Violent Deaths -	112	1	8	5	3	2	19	3	7	9	5	17	15	9	11	12	4
Other Causes - - -	494	109	10	4	2	1	126	7	3	8	1	8	7	15	26	22	17

609.—LLANFYLLIN.																	
Mean Popul ⁿ , 1861-71	10903	302	225	287	269	305	1388	1349	1213	1044	827	1380	1142	956	820	833	222
TOTAL DEATHS -	2211	454	83	48	37	36	658	93	65	77	85	140	111	120	201	285	229
Small-pox - - -	8	-	-	-	-	-	-	1	-	-	-	5	1	-	-	-	-
Measles - - - -	31	7	5	2	2	3	19	1	-	-	1	-	-	-	-	-	-
Scarlatina - - -	61	6	5	7	8	8	94	20	6	1	-	-	-	-	-	-	-
Diphtheria - - -	45	3	5	8	6	5	27	10	3	2	2	1	-	-	-	-	-
Whooping-cough -	22	10	7	2	-	1	20	2	-	-	-	-	-	-	-	-	-
Typhus - - - -	62	3	1	-	1	3	8	5	9	9	4	5	7	3	6	4	4
Diarrhoea & Dysentery	14	1	-	-	-	-	1	-	-	-	1	-	-	2	1	4	4
Cholera - - - -	31	2	6	4	2	2	16	2	3	1	-	2	-	1	2	2	2
Other Zymotic Dis.	24	-	-	-	-	-	-	-	-	-	-	1	1	4	10	4	4
Cancer - - - -	22	2	4	-	1	-	7	2	4	1	1	2	2	2	1	1	1
Serofula and Tuberc -	337	6	3	2	-	1	12	5	16	41	56	84	50	46	40	13	2
Phthisis - - - -	12	8	2	1	-	1	7	4	-	-	-	-	-	-	-	1	2
Hydrocephalus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - -	372	256	38	8	6	4	292	8	1	6	-	6	5	7	34	12	17
Dis. of Heart & Dropsy	86	-	-	1	2	-	3	5	2	1	5	6	5	9	32	21	4
Dis. of Lungs - -	186	20	10	4	3	1	38	6	5	5	3	9	10	16	32	26	22
Dis. of Stom. and Liver	72	4	1	-	-	-	5	1	4	3	1	6	9	8	12	18	7
Dis. of Kidneys - -	22	1	-	-	-	1	2	-	1	-	1	-	1	1	6	8	3
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dis. of Joints - -	4	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	-	-
Suicide - - - -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	68	4	4	1	1	3	13	6	4	4	4	8	10	5	5	7	1
Other Causes - - -	703	126	12	8	5	3	154	15	6	1	5	4	10	12	29	54	22

		610.—HOLYWELL.																
Mean Popul ⁿ , } 1861-71	21058	603	523	580	553	563	2922	2613	2380	2143	1790	2842	2254	1876	1392	716	274	
TOTAL DEATHS -	4897	1051	324	164	110	82	1731	249	121	146	179	304	327	358	479	548	558	
Small-pox -	22	4	2	1	-	-	8	3	1	-	3	4	1	2	-	-	-	
Measles -	11	29	13	6	7	62	3	15	-	1	-	-	-	-	-	-	-	
Scarlatina -	245	16	49	44	24	182	83	15	2	1	-	-	-	1	-	1	-	
Diphtheria -	48	3	4	3	3	17	16	8	8	1	2	1	-	-	-	-	-	
Whooping-cough -	77	87	20	7	6	77	-	-	-	-	-	-	-	-	-	-	-	
Typhus -	161	11	2	5	6	26	24	16	14	12	34	14	13	13	6	4	1	
Diarrhœa & Dysentery -	21	5	4	2	1	12	1	-	-	1	1	1	3	1	1	1	1	
Cholera -	45	-	1	4	1	6	9	2	-	4	4	5	5	5	7	2	2	
Other Zymotic Dis. -	89	12	18	8	9	53	9	3	1	1	1	2	4	6	7	7	7	
Cancer -	54	-	-	-	-	-	1	-	1	1	2	2	2	8	17	23	8	
Scrofula and Tuberc -	31	11	3	4	2	20	-	1	2	4	2	2	-	-	-	-	-	
Ethiopia -	539	3	2	-	1	2	8	11	23	56	89	134	95	68	32	23	-	
Hydrocephalus -	36	8	6	5	3	25	6	5	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	953	554	93	85	9	708	18	5	7	6	15	18	22	42	67	73	66	
Dis. of Heart & Dropsy -	955	-	2	1	2	6	7	2	6	3	14	32	35	62	86	106	75	
Dis. of Lungs -	688	60	36	12	8	124	20	2	11	3	26	35	79	166	169	166	106	
Dis. of Stomach & Liver -	184	7	3	3	1	14	5	5	2	5	11	27	28	52	43	30	30	
Dis. of Kidneys -	45	-	-	-	-	-	3	1	1	1	5	5	9	7	8	8	8	
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	9	1	-	-	-	1	1	2	1	1	-	2	1	-	-	-	-	
Dis. of Skin -	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scalds -	9	-	-	-	-	-	-	1	-	-	-	-	2	1	2	2	2	
Other Violent Deaths -	289	-	5	3	2	1	11	11	21	31	36	58	80	67	21	12	4	
Other Causes -	984	297	45	11	12	4	369	18	6	6	7	17	25	43	21	147	107	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
608.—FORDEN (<i>late</i> MONTGOMERY).																			
Mean Popul ⁿ , 1861-71	9259	260	218	251	244	249	1222	1128	1009	867	738	1209	955	824	645	443	192	27	
TOTAL DEATHS	1771	290	88	44	28	16	466	68	50	72	70	145	123	102	137	225	220	84	
Small-pox	4	1	-	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-	
Measles	12	4	6	-	1	-	11	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	46	6	9	9	4	4	32	8	3	2	1	-	-	-	-	-	-	-	
Diphtheria	26	1	4	-	2	2	9	4	7	-	1	-	2	-	1	1	1	-	
Whooping-cough	24	8	6	3	3	-	22	2	-	-	-	-	-	-	-	-	-	-	
Erysipelas	59	1	2	3	3	-	9	10	9	6	4	9	3	3	4	2	-	-	
Diarrhoea & Dysentery	16	7	1	1	-	-	9	-	1	-	-	1	3	-	-	-	1	1	
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	31	8	3	1	2	-	14	4	-	-	2	-	-	2	4	4	1	-	
Cancer	47	-	-	-	1	-	1	-	1	1	-	3	8	13	13	4	2	1	
Scrophulous and Tuberc.	10	3	1	1	-	-	5	-	1	1	2	-	-	-	-	-	-	-	
Phthisis	362	2	3	1	-	-	6	8	13	42	51	62	47	24	12	4	-	-	
Hydrocephalus	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	274	134	19	9	4	3	169	6	4	4	-	3	11	13	13	36	14	1	
Dis. of Heart & Dropsy	128	3	2	-	-	-	5	4	2	3	-	3	10	14	24	35	20	3	
Dis. of Lungs	132	26	15	4	3	2	50	8	1	2	1	4	9	10	22	33	12	-	
Dis. of Stom. and Liver	63	6	1	-	-	-	7	1	1	3	1	4	6	9	16	12	3	-	
Dis. of Kidneys	6	-	1	-	-	-	1	-	-	-	-	1	2	-	-	2	-	-	
Dis. of Gen. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	
Dis. of Joints	4	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
Childbirth and Metritis	30	-	-	-	-	-	-	-	-	1	3	14	12	-	-	-	-	-	
Childbed Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Violent Deaths	23	3	1	4	3	1	12	2	-	2	-	1	2	-	-	1	3	-	
Other Causes	502	76	11	7	2	4	100	8	6	4	-	4	7	13	21	87	174	78	

609.—LLANFYLLIN.																		
Mean Popul ⁿ , 1861-71	10782	302	268	287	290	274	1421	1343	1152	1016	820	1356	1100	956	789	531	254	44
TOTAL DEATHS	2119	336	94	46	43	25	544	86	59	93	100	156	136	110	193	243	297	102
Small-pox	5	1	1	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-
Measles	29	1	7	1	3	2	14	-	3	-	-	-	-	-	-	-	-	-
Scarlatina	51	3	4	6	6	6	26	19	3	2	1	-	-	-	-	-	-	-
Diphtheria	51	1	2	3	10	2	18	16	7	3	3	-	2	2	-	-	-	-
Whooping-cough	31	16	6	4	1	-	27	4	-	-	-	-	-	-	-	-	-	-
Erysipelas	70	-	-	-	1	-	1	5	-	5	14	16	11	5	4	6	4	1
Diarrhoea & Dysentery	9	2	2	-	-	1	5	-	-	-	-	-	1	1	-	-	1	1
Cholera	3	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Other Zymotic Dis.	27	1	3	3	2	1	10	3	1	1	-	-	-	1	6	3	2	-
Cancer	35	-	-	-	-	-	-	-	-	-	1	1	3	10	5	12	2	1
Scrophulous and Tuberc.	9	1	-	1	-	-	2	2	1	1	1	-	-	1	1	-	-	-
Phthisis	437	5	9	1	1	1	17	7	20	53	60	96	67	47	57	13	-	-
Hydrocephalus	7	1	3	-	-	1	5	-	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	304	187	18	9	6	3	223	6	1	2	-	4	7	3	15	26	15	2
Dis. of Heart & Dropsy	91	-	1	1	-	-	2	-	3	-	2	7	6	8	23	24	15	1
Dis. of Lungs	126	9	3	7	4	-	23	5	4	5	3	4	9	8	24	23	14	4
Dis. of Stom. and Liver	41	8	3	-	-	-	6	1	-	2	1	2	7	3	8	9	2	-
Dis. of Kidneys	5	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	1	-
Dis. of Gen. Organs	8	-	-	-	-	-	-	-	-	1	-	-	4	3	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis	38	-	-	-	-	-	-	-	-	1	4	18	13	2	-	-	-	-
Childbed Fever	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Other Violent Deaths	36	4	2	2	5	2	15	4	2	1	1	-	2	-	1	1	4	6
Other Causes	709	97	29	9	4	6	145	14	6	5	1	8	7	16	45	128	240	88

610.—HOLYWELL.																		
Mean Popul ⁿ , 1861-71	30671	589	531	576	566	547	2809	2500	2237	1756	1547	2793	2275	1889	1456	933	399	77
TOTAL DEATHS	4620	836	327	176	122	80	1541	244	92	143	181	312	293	205	355	516	461	187
Small-pox	15	1	2	1	-	-	4	5	-	1	2	2	-	1	-	-	-	-
Measles	67	7	25	9	8	2	51	15	1	-	-	-	-	-	-	-	-	-
Scarlatina	280	19	45	45	41	31	181	79	16	3	1	-	-	-	-	-	-	-
Diphtheria	63	1	4	9	7	6	27	27	4	3	-	1	1	-	-	-	-	-
Whooping-cough	119	39	32	16	19	3	109	8	2	-	-	-	-	-	-	-	-	-
Erysipelas	149	2	5	9	2	7	25	22	13	12	18	17	12	12	8	6	5	-
Diarrhoea & Dysentery	33	5	4	1	2	2	14	-	1	1	-	1	1	1	1	5	8	1
Cholera	47	1	2	2	1	3	9	3	2	2	-	6	5	4	7	4	4	1
Other Zymotic Dis.	62	5	10	12	6	5	38	3	2	1	-	-	-	3	5	7	3	-
Cancer	77	-	-	-	-	-	-	-	-	-	1	6	8	20	19	17	4	2
Scrophulous and Tuberc.	27	10	7	2	-	-	19	1	3	1	-	2	-	1	-	-	-	-
Phthisis	602	2	3	1	3	3	12	13	26	75	93	141	123	76	31	11	1	-
Hydrocephalus	27	10	9	3	2	-	24	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	867	446	95	23	9	7	580	18	3	9	11	18	17	24	54	83	41	7
Dis. of Heart & Dropsy	507	-	4	2	1	-	7	4	3	9	9	26	29	63	62	72	29	3
Dis. of Lungs	444	51	28	24	15	7	135	14	4	9	7	23	16	34	52	109	50	1
Dis. of Stom. and Liver	164	4	1	-	1	-	6	4	2	4	9	14	21	29	58	54	11	1
Dis. of Kidneys	15	-	-	-	-	-	-	2	-	-	1	1	3	2	4	2	-	-
Dis. of Gen. Organs	29	-	-	-	-	-	-	-	-	1	1	3	2	7	1	1	-	-
Dis. of Joints	10	1	-	-	-	-	-	1	-	-	-	2	3	-	1	1	-	-
Dis. of Skin	6	1	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-	-
Childbirth and Metritis	96	-	-	-	-	-	-	-	-	4	16	30	43	3	-	-	-	-
Childbed Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	44	4	6	5	1	-	16	8	2	2	1	1	-	3	2	5	9	2
Other Causes	1078	227	45	12	4	4	292	14	7	6	10	17	18	21	65	137	202	169

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.					Total under 5 Years.										
			1	2	3	4		5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
611.—WREXHAM.																	
Mean Popul ⁿ , 1861-71	26118	773	689	710	711	745	3628	3186	2863	2661	2318	3750	2908	2348	1522	748	324
TOTAL DEATHS -	6400	1763	480	222	155	133	2753	288	147	183	236	410	381	471	425	340	209
Small-pox -	70	13	4	2	1	2	22	3	3	3	16	11	7	4	2	-	-
Measles -	57	12	21	5	6	1	45	10	2	-	-	-	-	-	-	-	-
Scarlatina -	340	26	49	51	51	50	227	90	12	3	2	2	2	-	-	-	-
Diphtheria -	72	10	10	9	3	3	55	21	9	4	2	-	-	-	-	-	-
Whooping-cough -	104	47	26	11	4	9	97	6	1	-	-	-	-	-	-	-	-
Typhus -	233	9	4	11	9	6	39	29	18	25	26	31	26	15	18	1	1
Diarrhoea & Dysentery -	102	45	14	4	-	1	64	1	1	-	3	2	2	7	6	1	1
Cholera -	14	-	1	-	-	-	1	-	-	-	-	2	3	4	2	1	1
Other Zymotic Dis. -	115	14	17	10	10	5	56	9	4	10	4	4	3	7	4	12	1
Cancer -	56	-	-	-	-	-	-	-	-	1	-	2	3	18	13	13	1
Scrophula and Tubercles -	96	38	18	9	2	3	70	7	2	2	3	5	2	1	2	1	1
Phthisis -	585	6	13	9	8	1	32	13	18	29	83	144	97	78	69	12	1
Hydrocephalus -	59	21	15	5	8	1	50	9	-	-	-	-	-	-	-	-	-
Dis. of Brain -	1455	984	103	36	24	19	1106	28	11	14	11	22	17	45	45	27	20
Dis. of Heart & Dropsy -	294	4	5	1	2	2	14	10	6	4	9	18	29	50	50	27	27
Dis. of Lungs -	929	185	98	26	14	11	334	18	10	4	17	24	51	38	149	145	12
Dis. of Stom. and Liver -	252	20	5	4	1	3	83	8	4	6	5	26	28	47	47	48	12
Dis. of Kidneys -	86	-	4	-	1	-	5	1	3	4	3	7	8	11	13	2	1
Dis. of Gener. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	21	-	1	1	1	1	4	1	2	2	4	2	2	1	1	1	1
Dis. of Skin -	18	3	1	-	-	-	4	-	2	-	-	-	-	3	3	-	-
Childbirth and Metria -	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	428	1	9	6	12	13	41	19	33	37	41	83	73	52	28	17	1
Other Violent Deaths -	993	325	62	22	3	2	414	6	6	3	3	23	27	30	54	122	30
Other Causes -																	
612.—RUTHIN.																	
Mean Popul ⁿ , 1861-71	7980	182	176	207	201	201	967	951	915	812	619	969	847	752	600	322	182
TOTAL DEATHS -	1605	284	54	39	29	24	430	69	33	44	69	161	81	116	154	212	129
Small-pox -	9	2	-	-	-	-	2	-	-	1	2	1	3	-	-	-	-
Measles -	12	1	3	2	3	1	10	1	1	-	-	-	-	-	-	-	-
Scarlatina -	27	1	2	5	3	5	16	10	1	-	-	-	-	-	-	-	-
Diphtheria -	27	-	3	2	1	4	10	10	5	1	-	-	-	1	-	-	-
Whooping-cough -	14	6	3	2	1	-	12	2	-	-	-	-	-	-	-	-	-
Typhus -	57	-	1	-	3	-	4	6	4	9	6	8	4	6	3	1	1
Diarrhoea & Dysentery -	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Cholera -	7	-	-	-	-	-	1	-	-	-	-	1	-	1	2	2	1
Other Zymotic Dis. -	23	1	3	1	3	1	9	4	1	2	1	-	1	1	2	7	1
Cancer -	28	-	-	-	-	-	-	-	-	-	-	3	1	3	6	1	1
Scrophula and Tubercles -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis -	185	1	1	1	-	1	4	7	8	13	35	47	35	18	21	-	-
Hydrocephalus -	11	-	3	1	-	2	6	2	2	-	-	-	-	-	-	-	-
Dis. of Brain -	382	218	24	18	8	4	273	11	1	3	5	6	4	14	14	27	13
Dis. of Heart & Dropsy -	146	1	2	1	-	-	4	-	1	2	-	4	4	17	18	20	10
Dis. of Lungs -	332	6	3	2	1	2	14	4	1	1	1	9	6	15	23	14	1
Dis. of Stom. and Liver -	76	1	1	2	1	-	5	3	2	2	5	4	6	16	13	14	1
Dis. of Kidneys -	21	-	-	-	-	-	-	1	-	1	2	3	5	2	4	1	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	50	1	-	1	-	1	3	1	1	5	4	10	7	5	9	6	1
Other Causes -	384	43	5	1	5	3	37	6	4	3	7	5	9	16	32	30	10
613.—ST. ASAPH.																	
Mean Popul ⁿ , 1861-71	13408	362	300	339	327	333	1661	1535	1511	1276	1039	1716	1500	1298	1001	588	289
TOTAL DEATHS -	3272	555	141	103	73	51	923	152	71	92	120	204	225	257	296	430	267
Small-pox -	9	2	1	-	-	-	3	-	1	-	1	3	1	-	-	-	-
Measles -	35	7	8	7	2	5	29	4	1	1	-	-	-	-	-	-	-
Scarlatina -	63	7	9	9	11	5	41	18	1	2	-	1	-	-	-	-	-
Diphtheria -	102	6	6	9	13	10	44	38	11	3	4	1	-	1	-	-	-
Whooping-cough -	50	21	15	5	6	1	48	2	-	-	-	-	-	-	-	-	-
Typhus -	82	3	1	1	4	4	13	5	10	11	10	9	6	5	7	4	1
Diarrhoea & Dysentery -	53	8	6	5	1	1	19	1	-	-	-	1	1	3	1	1	1
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	56	6	3	7	5	2	21	10	2	-	4	-	3	-	-	-	-
Cancer -	39	-	-	-	-	-	-	-	-	-	-	-	1	6	13	11	1
Scrophula and Tubercles -	24	9	2	4	2	1	18	2	-	1	1	-	-	1	1	1	1
Phthisis -	367	11	6	5	1	3	26	11	8	33	32	61	45	29	24	19	1
Hydrocephalus -	26	6	4	5	2	3	29	4	1	-	-	1	-	-	-	-	-
Dis. of Brain -	775	290	40	24	7	6	367	15	5	8	6	48	63	48	71	28	4
Dis. of Heart & Dropsy -	198	1	1	2	-	1	5	5	3	2	2	11	14	20	27	27	1
Dis. of Lungs -	418	38	17	12	9	6	82	10	10	13	24	48	38	40	43	21	4
Dis. of Stom. and Liver -	192	8	1	1	1	1	12	7	-	2	6	10	20	20	43	26	1
Dis. of Kidneys -	51	2	-	-	-	-	2	1	-	1	-	1	4	3	9	2	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	8	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	1
Dis. of Skin -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	8	-	-	-	-	-	-	-	-	-	-	4	1	2	-	-	-
Other Violent Deaths -	136	-	2	3	4	1	10	11	11	10	7	29	37	33	33	19	1
Other Causes -	672	130	10	6	7	1	163	7	6	3	-	14	10	18	14	26	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.																		
CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.

611.—WREXHAM.																		
Mean Popul ⁿ , 1861-71	25174	780	735	752	718	685	3670	3227	2736	2108	2065	3581	2791	2168	1514	912	344	58
TOTAL DEATHS	5820	1293	519	243	171	127	2333	315	141	153	253	390	354	343	331	512	441	184
All-pox	48	9	3	2	-	1	15	7	5	5	4	5	3	2	2	-	-	-
Measles	82	14	23	13	11	3	64	16	1	-	1	-	-	-	-	-	-	-
Erysipelas	337	21	55	45	54	50	225	89	14	4	2	3	-	-	-	-	-	-
Phthisis	73	2	5	5	9	6	27	21	10	4	3	2	3	1	1	1	-	-
Whooping-cough	104	28	32	17	15	6	98	6	-	-	-	-	-	-	-	-	-	-
Dysentery	241	7	12	13	9	9	50	41	30	25	20	20	14	13	10	13	5	-
Scarlet Fever	107	32	18	1	3	1	55	2	-	1	3	4	6	5	6	16	7	2
Other Zymotic Dis.	110	15	17	9	3	9	53	12	5	7	10	1	3	7	2	8	1	1
Measles	97	-	-	-	-	-	-	1	-	-	1	6	16	24	27	14	5	3
Scalds and Burns	70	27	12	4	2	1	46	5	1	1	3	10	3	1	-	-	-	-
Hydrocephalus	609	8	11	6	4	2	31	9	22	64	108	106	100	64	52	9	4	-
Of Brain	41	15	12	8	2	2	51	1	1	-	-	-	-	-	-	-	-	-
Of Heart & Dropsy	1177	716	128	35	19	9	907	25	13	15	10	18	21	25	49	39	33	8
Of Lungs	695	100	92	46	24	13	275	27	8	6	16	35	38	44	75	96	63	12
Of Stomach and Liver	263	19	8	5	2	5	39	7	5	8	16	28	31	41	40	35	10	2
Of Kidneys	37	-	-	-	-	-	-	4	2	1	3	2	6	6	3	7	3	-
Of Gen. Organs	25	-	-	-	-	-	-	-	-	-	1	1	6	8	7	1	1	-
Of Joints	11	1	1	-	-	-	2	1	-	-	1	1	1	-	-	-	1	1
Of Skin	13	1	1	-	-	-	2	-	-	-	2	-	3	2	1	1	2	-
Stillbirth and Metris	132	-	-	-	-	-	-	-	-	3	24	51	52	2	-	-	-	-
Violent Deaths	4	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-
Other Causes	111	9	10	9	6	6	40	23	7	2	2	1	5	6	5	7	11	2
	1109	267	74	21	6	-	308	10	7	3	9	10	14	45	52	173	273	147

		612.—RUTHIN.																	
Mean Popul ⁿ , 1861-71	7761	206	181	186	181	189	943	895	852	712	594	1006	815	749	567	387	206	35	
TOTAL DEATHS	1583	239	67	32	27	25	390	59	49	56	61	101	90	90	134	199	251	103	
Small-pox	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	12	1	1	2	4	-	8	3	-	-	1	-	-	-	-	-	-	-	
Phthisis	26	2	2	4	2	3	13	7	1	2	-	1	1	1	-	-	-	-	
Phthisis	87	2	6	1	2	5	16	8	8	1	1	-	2	-	1	-	-	-	
Whooping-cough	19	7	6	3	2	1	19	-	-	-	-	-	-	-	-	-	-	-	
Dysentery	56	-	-	2	2	1	5	6	8	12	5	6	4	4	8	2	1	-	
Scarlet & Dysentery	10	2	-	-	-	-	2	-	-	-	-	-	1	-	2	2	1	2	
Other Zymotic Dis.	34	5	3	1	2	1	12	6	1	2	-	2	1	1	3	2	3	1	
Measles	42	-	-	-	-	-	-	-	1	1	-	-	3	9	14	8	6	-	
Scalds and Burns	6	2	1	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-	
Hydrocephalus	203	-	1	-	-	3	4	2	14	24	34	51	28	19	18	8	1	-	
Of Brain	9	4	2	2	-	-	8	-	1	-	-	-	-	-	-	-	-	-	
Of Heart & Dropsy	324	166	51	11	5	4	217	13	5	1	6	4	5	8	13	28	34	2	
Of Lungs	134	1	-	-	-	1	2	1	-	2	5	2	11	15	15	43	20	2	
Of Stomach and Liver	104	4	3	1	2	1	11	6	1	4	2	4	7	3	15	30	18	3	
Of Kidneys	67	2	-	1	-	2	5	-	1	2	1	8	9	6	18	9	8	-	
Of Gen. Organs	7	-	-	-	-	1	1	-	-	-	-	3	-	-	2	-	1	-	
Of Joints	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	
Of Skin	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	
Stillbirth and Metris	21	-	-	-	-	-	-	-	-	1	1	12	7	-	-	-	-	-	
Violent Deaths	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Other Causes	11	-	-	-	1	-	1	2	2	-	-	-	-	2	2	-	-	-	
	456	41	11	4	5	1	62	4	6	4	5	5	9	19	24	66	159	103	

613.—ST. ASAPH.																		
Mean Popul ⁿ , 1861-71	14290	343	306	330	316	347	1642	1565	1512	1362	1169	1913	1625	1426	1044	661	318	53
TOTAL DEATHS	3175	442	153	98	77	63	833	150	77	102	127	231	230	224	268	372	409	130
Small-pox	5	2	1	—	1	—	4	—	—	—	—	—	1	—	—	—	—	—
Fever	53	10	15	10	4	2	41	7	2	1	—	2	—	—	—	—	—	—
Erysipelas	70	6	7	14	12	6	45	13	9	2	—	1	—	—	—	—	—	—
Phthisis	117	6	10	9	16	10	51	44	12	5	2	2	1	—	—	—	—	—
Whooping-cough	63	29	18	8	4	2	61	2	—	—	—	—	—	—	—	—	—	—
Dysentery	96	1	3	2	2	4	12	11	8	11	10	10	14	5	7	7	1	—
Scarlet & Dysentery	36	8	2	1	1	—	12	—	—	—	2	1	4	4	4	3	4	2
Cholera	5	—	—	1	—	1	2	—	—	—	—	—	1	—	1	—	—	—
Other Zymotic Dis.	60	5	2	7	6	5	25	5	1	1	6	3	1	3	8	4	3	—
Measles	64	—	—	—	—	—	—	—	—	—	—	1	4	12	25	14	6	2
Scalds and Burns	27	1	3	5	—	4	13	2	—	5	1	3	—	—	—	1	1	—
Hydrocephalus	378	9	7	5	1	1	23	7	10	39	59	96	70	46	21	7	—	—
Of Brain	13	3	4	—	1	1	9	—	—	—	—	—	—	—	—	—	—	—
Of Heart & Dropsy	649	219	48	20	7	7	301	29	7	11	3	26	31	53	52	79	61	5
Of Lungs	212	—	—	—	1	1	3	5	4	3	11	10	13	27	38	54	40	4
Of Stomach and Liver	879	29	10	10	14	14	77	11	15	13	20	30	30	27	42	63	44	7
Of Kidneys	135	4	2	—	1	1	8	1	2	4	2	10	15	15	54	29	14	1
Of Gen. Organs	17	—	—	—	1	—	1	1	1	—	1	2	5	2	1	1	1	—
Of Joints	49	—	—	—	—	—	—	—	—	—	—	2	5	5	5	2	—	—
Of Skin	4	—	—	—	—	—	—	1	1	1	1	2	—	—	1	—	—	—
Stillbirth and Metris	59	—	—	—	—	—	—	—	—	3	14	18	23	1	—	—	—	—
Violent Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Other Causes	41	—	3	1	—	1	5	3	4	2	1	5	4	2	3	7	2	3
	602	110	17	5	5	3	140	13	1	1	3	7	6	18	23	99	251	118

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
614.—LLANRWST.																	
Mean Popul ⁿ , 1861-71	6431	160	157	160	165	160	802	755	765	652	514	808	641	592	475	270	128
TOTAL DEATHS	1246	249	60	36	21	10	376	48	27	46	61	91	76	81	95	150	140
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	15	4	6	3	1	-	14	1	-	-	-	-	-	-	-	-	-
Scarlatina	23	-	4	5	4	1	14	5	3	-	1	-	-	-	-	-	-
Diphtheria	8	-	1	1	1	2	5	3	-	-	-	-	-	-	-	-	-
Whooping-cough	7	4	1	-	2	-	7	-	-	-	-	-	-	-	-	-	-
Typhus	49	-	1	-	2	-	3	1	3	4	7	9	3	4	5	10	2
Diarrhoea & Dysentery	8	2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	40	2	2	3	5	-	12	5	5	1	-	2	2	-	4	1	3
Cancer	24	-	-	-	-	-	-	-	-	1	-	2	3	1	5	8	1
Scrophula and Tuberc.	16	1	-	-	-	-	1	3	1	4	2	2	3	-	1	2	1
Phthisis	187	-	1	-	-	1	2	2	9	24	33	38	51	23	12	30	1
Hydrocephalus	14	-	4	3	2	1	10	2	-	1	-	1	-	-	-	-	-
Dis. of Brain	267	162	19	4	1	1	177	7	-	2	-	6	4	11	13	25	18
Dis. of Heart & Dropsy	80	1	-	1	-	-	3	3	-	-	2	6	11	9	15	15	10
Dis. of Lungs	114	11	8	5	-	-	24	3	1	2	3	6	4	9	13	24	3
Dis. of Stom. and Liver	42	3	-	-	-	-	3	1	1	2	1	5	6	4	5	10	4
Dis. of Kidneys	28	1	-	-	-	-	1	-	-	-	-	-	1	5	4	9	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Other Violent Deaths	35	1	2	4	2	-	9	1	1	2	5	5	5	3	2	4	2
Other Causes	285	67	12	6	-	4	89	11	1	3	4	8	4	12	18	23	14

615.—CORWEN.

Mean Popul ⁿ , 1861-71	8238	226	209	217	217	216	1085	1020	896	802	640	1082	868	744	596	339	154
TOTAL DEATHS	1681	311	73	38	20	12	454	58	36	67	80	125	92	115	156	215	210
Small-pox	6	2	1	-	1	-	4	-	1	-	-	1	-	-	-	-	-
Measles	9	-	4	1	1	-	6	-	-	1	-	-	-	-	-	-	-
Scarlatina	35	2	6	6	5	3	23	9	1	2	-	1	-	1	-	-	-
Diphtheria	6	-	-	1	-	-	1	2	-	-	1	-	1	-	-	-	-
Whooping-cough	14	6	6	2	-	-	14	-	7	7	-	8	9	-	5	4	2
Typhus	61	1	2	1	1	-	5	9	-	-	2	8	-	-	4	4	2
Diarrhoea & Dysentery	14	5	1	-	-	-	6	-	1	-	-	1	1	-	-	-	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	31	1	-	4	1	2	8	2	3	2	2	-	1	5	2	4	2
Cancer	12	-	-	-	-	-	-	-	-	-	-	1	1	-	5	5	2
Scrophula and Tuberc.	9	1	1	-	-	1	3	1	-	1	-	3	-	1	-	-	-
Phthisis	265	-	1	-	-	-	1	9	6	31	54	61	66	53	18	14	-
Hydrocephalus	12	5	4	-	-	-	9	2	-	1	-	-	-	-	-	-	-
Dis. of Brain	348	216	30	5	4	2	237	5	2	8	1	5	6	7	15	24	18
Dis. of Heart & Dropsy	86	1	-	-	-	-	1	2	1	5	4	4	3	7	14	20	12
Dis. of Lungs	145	18	4	9	1	-	32	4	3	2	5	7	7	15	28	30	14
Dis. of Stom. and Liver	63	2	1	-	1	1	5	2	-	3	3	7	4	10	13	13	4
Dis. of Kidneys	24	-	-	-	1	-	1	-	-	-	-	2	1	-	3	11	4
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	1	3	2	2	-	-
Other Violent Deaths	70	1	4	3	3	1	12	3	5	5	2	10	4	6	13	8	2
Other Causes	466	60	8	6	1	2	67	6	6	3	6	11	13	22	36	74	143

616.—BALA.

Mean Popul ⁿ , 1861-71	3287	78	75	85	77	70	385	360	362	329	299	446	327	294	245	153	76
TOTAL DEATHS	580	82	15	13	10	6	126	18	16	20	28	45	43	40	49	69	100
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	25	1	2	2	4	3	12	5	6	2	-	-	-	-	-	-	-
Diphtheria	9	1	-	1	-	1	3	2	1	-	1	-	-	-	1	-	1
Whooping-cough	3	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Typhus	25	-	-	2	-	-	2	1	1	1	1	2	4	3	-	3	2
Diarrhoea & Dysentery	10	2	-	-	-	-	2	-	1	-	-	1	-	-	9	1	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	8	-	-	1	1	-	2	-	-	-	-	1	-	2	2	-	1
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	3	5	5	9
Scrophula and Tuberc.	9	1	1	-	-	-	2	2	1	-	1	1	-	1	1	-	-
Phthisis	79	-	-	2	1	-	3	2	3	10	15	16	14	9	8	3	1
Hydrocephalus	6	1	1	-	-	1	3	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	92	41	6	1	1	1	50	1	-	1	2	4	5	6	7	4	12
Dis. of Heart & Dropsy	36	-	-	-	-	-	-	-	-	1	-	3	2	4	11	14	14
Dis. of Lungs	68	6	1	2	1	-	10	-	1	2	-	3	7	4	8	14	14
Dis. of Stom. and Liver	48	1	-	-	-	-	1	-	-	-	1	3	6	6	8	5	5
Dis. of Kidneys	29	-	-	-	1	-	1	-	-	2	1	2	4	1	3	8	8
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	21	1	1	1	1	-	4	2	1	1	4	4	1	2	1	3	1
Other Causes	90	26	2	1	-	-	29	-	-	-	1	3	1	1	3	8	28

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 upwards.	

614.—LLANRWST.

Mean Popul ⁿ , 1861-71	6479	158	151	166	169	154	798	762	694	639	535	871	651	593	464	290	145	37
TOTAL DEATHS	1233	209	62	35	24	15	345	53	44	60	59	108	84	74	86	93	154	73
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	18	1	6	3	3	1	14	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	26	1	0	5	2	2	16	6	4	-	-	-	-	-	-	-	-	-
Diphtheria	14	1	-	3	2	1	7	6	-	-	1	-	-	-	-	-	-	-
Whooping-cough	11	6	3	-	-	2	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	69	1	-	-	-	1	2	1	10	12	9	11	6	9	4	3	2	-
Marasmus & Dysentery	7	2	-	-	-	-	2	-	-	1	1	-	-	1	-	1	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	1	4	2	4	3	14	4	1	2	-	-	3	3	2	4	2	-
Cancer	33	-	-	-	-	-	-	-	-	-	-	1	7	8	12	2	3	-
Scrophula and Tabes	7	-	-	-	-	1	3	1	3	-	-	-	-	-	-	-	-	-
Phthisis	226	1	1	-	-	-	3	6	12	37	32	48	35	25	19	8	1	-
Hydrocephalus	13	2	4	2	1	1	10	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	217	122	11	7	3	1	144	8	3	1	4	8	2	6	8	7	21	5
Dis. of Heart & Dropsy	80	-	1	-	1	-	2	2	1	2	4	11	7	6	19	13	11	2
Dis. of Lungs	84	12	13	6	3	2	86	2	2	1	-	2	1	4	1	11	21	3
Dis. of Stom. and Liver	42	2	1	-	-	-	3	2	-	-	-	6	6	4	6	7	9	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	1	4	9	9	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	7	1	-	1	-	1	3	-	-	-	-	1	1	-	-	-	1	1
Other Causes	313	56	12	6	3	-	77	11	5	2	3	12	6	6	13	34	83	62

615.—CORWEN.

Mean Popul ⁿ , 1861-71	8041	227	203	208	212	213	1063	952	907	705	632	1074	844	714	572	364	182	32
TOTAL DEATHS	1524	239	67	30	37	19	392	41	29	43	66	108	99	108	130	196	216	96
Small-pox	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
Measles	11	2	4	1	1	2	10	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	29	2	0	1	12	2	23	4	2	-	-	-	-	-	-	-	-	-
Diphtheria	15	1	1	1	2	3	8	3	3	-	-	-	1	-	-	-	-	-
Whooping-cough	22	10	7	2	3	-	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	45	1	-	2	2	2	7	2	4	3	4	5	5	6	3	5	1	-
Marasmus & Dysentery	8	3	-	-	-	-	3	-	-	-	-	-	1	1	-	1	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	31	-	3	2	3	-	8	3	1	1	-	-	2	4	4	6	2	-
Cancer	30	-	-	-	-	-	-	-	-	1	-	-	1	10	8	6	4	-
Scrophula and Tabes	8	1	1	2	-	-	4	-	-	-	1	-	-	-	3	-	-	-
Phthisis	231	2	1	-	2	1	6	4	5	26	33	57	42	30	17	9	2	-
Hydrocephalus	5	2	1	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	321	165	23	11	5	3	207	12	2	3	4	4	7	8	17	31	23	3
Dis. of Heart & Dropsy	86	-	-	-	-	-	3	3	1	-	2	7	8	12	15	20	14	4
Dis. of Lungs	113	10	10	4	3	3	39	3	1	1	3	5	7	7	29	27	8	1
Dis. of Stom. and Liver	62	4	-	-	1	-	5	-	1	2	1	6	7	4	16	18	2	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	-	9	11	10	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	17	-	3	-	1	2	6	3	-	1	-	1	-	1	1	-	1	3
Other Causes	446	36	7	3	2	-	45	4	8	4	6	8	7	23	25	71	158	84

616.—BALA.

Mean Popul ⁿ , 1861-71	3191	71	73	76	78	71	369	323	339	301	267	433	334	281	251	174	99	20
TOTAL DEATHS	596	77	19	15	11	7	129	26	22	21	18	40	29	35	52	74	100	50
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	-	2	5	4	4	15	12	3	1	1	-	-	-	1	-	-	-
Diphtheria	9	-	-	-	-	-	3	3	1	2	-	-	-	-	-	-	-	-
Whooping-cough	7	3	1	2	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	25	-	-	-	1	-	1	-	1	6	3	2	2	1	1	5	3	-
Marasmus & Dysentery	18	3	1	-	-	-	4	-	-	-	1	2	-	1	1	4	4	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	10	2	1	1	1	-	5	1	1	-	-	-	1	1	-	1	-	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	2	2	4	7	2	-
Scrophula and Tabes	8	2	-	-	-	-	2	-	1	-	-	1	1	1	1	-	-	-
Phthisis	95	-	4	-	-	-	4	1	8	8	10	23	9	11	14	4	1	-
Hydrocephalus	5	1	1	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	78	31	2	5	-	-	38	1	-	1	-	2	2	3	4	12	11	4
Dis. of Heart & Dropsy	31	-	-	-	-	-	-	-	1	-	-	-	2	2	7	7	12	-
Dis. of Lungs	61	3	1	-	3	-	7	4	-	1	-	3	-	5	11	17	13	-
Dis. of Stom. and Liver	47	2	-	-	-	-	2	1	1	-	-	4	4	4	7	12	12	-
Dis. of Kidneys	14	-	-	-	-	-	-	2	3	-	-	-	1	1	3	2	2	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	4	-	-	-	-	-	-	-	-	-	-	8	1	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths	7	-	2	-	-	2	5	-	-	-	-	-	-	-	-	1	1	-
Other Causes	119	29	3	1	-	1	34	-	-	1	1	1	1	6	4	8	31	32

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		617.—DOLGELLY.															
Mean Popul ⁿ , 1861-71	6423	167	171	163	176	166	843	752	687	640	476	829	640	587	483	317	182
TOTAL DEATHS	1431	245	57	30	29	28	389	63	40	61	77	112	76	114	115	139	177
Small-pox	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Measles	11	2	4	1	-	2	9	2	-	-	-	-	-	-	-	-	-
Scarlatina	58	3	7	5	6	8	29	20	8	-	-	1	-	-	-	-	-
Diphtheria	7	-	-	1	-	2	3	2	2	-	-	-	-	-	-	-	-
Whooping-cough	14	7	1	-	2	-	10	1	-	-	-	-	-	-	-	-	-
Typhus	80	-	-	2	2	1	5	6	7	5	13	14	3	5	25	4	4
Diarrhoea & Dysentery	10	2	1	2	-	-	5	-	-	-	-	1	1	2	1	-	-
Cholera	42	3	3	3	3	5	17	1	2	1	-	1	3	3	5	4	4
Other Zymotic Dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	1	5	3	6	8
Serofula and Tabes	16	2	2	-	2	1	7	2	-	2	4	-	-	-	-	-	-
Phthisis	218	-	2	-	2	-	4	9	13	22	37	49	24	29	13	13	5
Hydrocephalus	6	1	-	1	2	1	5	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	189	92	17	5	3	1	113	3	2	4	1	5	3	5	10	11	20
Dis. of Heart & Dropsy	80	-	-	-	1	-	2	1	-	4	6	4	7	12	11	18	22
Dis. of Lungs	107	10	2	-	1	-	13	-	1	3	2	5	5	15	16	27	24
Dis. of Stom. and Liver	45	-	-	-	1	-	1	-	1	2	-	3	6	10	8	10	4
Dis. of Kidneys	19	-	-	-	-	-	-	-	1	-	1	-	3	4	3	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	91	-	2	4	1	1	8	5	5	12	6	21	13	10	7	1	1
Other Violent Deaths	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes	413	122	15	6	5	6	152	11	4	5	6	6	2	12	23	29	49
618.—FESTINIOG.																	
Mean Popul ⁿ , 1861-71	10589	327	279	308	293	283	1490	1284	1117	1009	930	1554	1134	921	655	337	134
TOTAL DEATHS	2485	563	168	78	53	41	893	116	65	116	152	261	138	137	185	189	176
Small-pox	14	-	-	-	-	-	-	1	-	-	5	5	2	-	1	-	-
Measles	27	4	11	3	4	1	23	2	1	1	-	-	-	-	-	-	-
Scarlatina	72	6	17	17	9	3	62	13	1	2	1	3	-	-	-	-	-
Diphtheria	31	2	3	3	5	4	17	9	1	1	2	1	-	-	-	-	-
Whooping-cough	32	20	7	2	-	2	31	1	-	-	-	-	-	-	-	-	-
Typhus	202	5	3	5	3	5	21	22	4	28	34	40	19	11	14	4	8
Diarrhoea & Dysentery	19	1	3	-	1	-	5	2	-	-	-	1	2	-	-	4	4
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	108	15	10	14	9	10	58	10	7	3	1	4	4	4	2	6	7
Cancer	20	-	-	-	-	-	-	-	-	-	-	1	3	4	4	2	1
Serofula and Tabes	45	3	4	1	1	-	9	3	7	8	4	2	3	5	3	1	-
Phthisis	302	1	2	-	-	-	3	8	9	28	53	91	42	29	25	9	2
Hydrocephalus	23	6	2	2	2	5	17	4	5	2	-	-	-	-	-	-	-
Dis. of Brain	271	376	51	20	8	2	451	7	6	3	8	11	10	6	13	24	39
Dis. of Heart & Dropsy	84	-	1	1	-	1	3	4	2	2	2	3	3	12	17	13	13
Dis. of Lungs	337	40	30	2	4	4	89	11	6	10	13	35	9	20	26	24	39
Dis. of Stom. and Liver	111	10	-	-	3	1	14	5	1	3	4	8	5	25	26	14	39
Dis. of Kidneys	48	-	2	-	-	-	2	-	1	-	-	-	4	4	5	17	39
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	1	2	-	3	-	-	-	1	2
Dis. of Skin	7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
Other Violent Deaths	185	1	3	3	2	2	11	6	11	20	27	41	25	16	21	3	9
Other Causes	233	70	9	5	2	1	87	7	2	1	1	5	3	3	13	22	22
619.—PWLLEH.																	
Mean Popul ⁿ , 1861-71	9875	263	241	261	251	254	1270	1236	1111	921	711	1111	1004	967	793	490	231
TOTAL DEATHS	1864	351	69	48	23	19	400	89	48	61	82	113	98	124	180	240	236
Small-pox	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Measles	14	3	5	-	1	1	10	2	1	1	-	-	-	-	-	-	-
Scarlatina	30	2	5	5	6	2	18	15	3	2	1	-	-	-	-	-	-
Diphtheria	24	-	1	2	-	4	7	13	1	1	-	-	1	-	1	-	-
Whooping-cough	27	10	7	4	1	-	22	5	-	-	-	-	-	-	-	-	-
Typhus	64	1	-	-	-	-	1	4	6	6	8	5	6	3	10	11	1
Diarrhoea & Dysentery	12	2	-	-	-	-	2	-	-	-	2	2	-	1	3	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2
Other Zymotic Dis.	31	3	1	5	4	1	14	6	2	3	1	-	-	-	1	2	2
Cancer	42	-	-	-	-	-	-	1	-	-	-	1	1	0	11	16	7
Serofula and Tabes	10	1	1	-	-	-	2	-	3	-	-	1	3	-	-	-	-
Phthisis	278	1	-	-	-	1	2	9	6	22	53	63	59	33	27	14	1
Hydrocephalus	18	1	4	1	2	-	8	4	2	2	-	1	-	1	-	-	-
Dis. of Brain	477	262	59	22	6	5	534	18	6	5	2	4	11	13	17	24	39
Dis. of Heart & Dropsy	88	-	-	-	-	-	-	4	1	3	3	5	6	12	16	12	13
Dis. of Lungs	116	6	3	2	1	-	12	2	1	2	2	8	8	11	26	23	11
Dis. of Stom. and Liver	98	4	1	1	-	-	6	1	-	1	2	4	10	21	26	22	7
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	1	2	-	-	-	1	1	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths	52	1	-	5	-	4	10	2	3	1	5	12	6	5	2	2	3
Other Causes	432	34	3	1	2	1	41	6	5	2	1	5	5	7	17	27	30

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.		
		617.—DOLGELLY.																		
Mean Popul ⁿ , 1861-71	6973	190	158	167	182	160	857	776	694	614	553	943	738	652	521	362	212	51		
TOTAL DEATHS -	1337	174	55	34	28	14	305	54	29	51	49	102	77	82	105	168	209	108		
Small-pox -	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-		
Measles -	7	-	4	1	1	-	6	1	-	-	-	-	-	-	-	-	-	-		
Scarlatina -	54	4	3	6	7	3	23	22	3	2	1	2	-	1	-	-	-	-		
Diphtheria -	17	-	1	3	2	1	7	4	2	1	-	-	-	1	2	-	-	-		
Whooping-cough -	23	10	6	5	1	-	22	1	-	-	-	-	-	-	-	-	-	-		
Typhus -	55	1	2	1	1	-	5	6	4	4	3	10	7	4	3	6	3	-		
Diarrhoea & Dysentery -	8	-	1	-	1	-	2	-	-	-	-	2	-	-	-	2	2	-		
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-		
Other Zymotic Dis. -	40	5	4	3	2	2	16	4	-	-	2	1	-	2	1	10	4	-		
Cancer -	36	-	-	-	1	1	2	-	-	-	-	-	3	3	12	12	4	-		
Scrofula and Tubercles -	15	2	2	-	-	-	4	-	1	3	2	2	-	1	1	-	1	-		
Phthisis -	226	1	1	-	-	1	3	4	11	31	28	53	29	28	22	17	-	-		
Hydrocephalus -	8	-	2	-	-	2	4	2	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain -	153	62	7	2	2	2	75	2	-	2	2	2	1	4	13	28	22	2		
Dis. of Heart & Dropsy -	77	-	-	-	-	-	1	-	-	2	2	6	6	9	13	21	16	1		
Dis. of Lungs -	74	9	2	3	-	1	15	2	-	1	5	2	5	9	6	15	13	1		
Dis. of Stom. and Liver -	34	2	-	-	-	1	3	-	-	1	-	3	2	6	8	7	4	-		
Dis. of Kidneys -	5	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-		
Dis. of Gener. Organs -	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1		
Dis. of Joints -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metritis -	24	-	-	-	-	-	-	-	-	-	2	7	14	1	-	-	-	-		
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths -	14	2	1	1	1	-	5	1	-	1	-	1	1	1	-	-	3	1		
Other Causes -	460	76	19	9	9	-	113	4	7	1	1	9	8	11	21	47	136	102		

618.—FESTINIOG.

Mean Popul ⁿ , 1861-71	10627	310	283	318	312	286	1509	1276	1107	961	920	1531	1113	905	642	410	205	48	
TOTAL DEATHS -	2206	450	144	88	56	41	779	95	65	83	113	189	118	118	145	156	232	113	
Small-pox -	4	-	-	1	-	-	1	1	-	-	-	-	1	-	-	1	-	-	
Measles -	20	4	9	4	2	-	19	-	1	-	-	-	-	-	-	-	-	-	
Scarlatina -	66	7	8	7	13	8	43	13	2	-	5	1	-	-	-	-	-	-	
Diphtheria -	33	1	2	7	7	7	24	8	-	-	1	-	-	-	-	-	-	-	
Whooping-cough -	36	14	12	3	2	2	33	5	-	22	17	24	14	9	7	6	4	-	
Typhus -	142	4	4	7	3	4	22	8	9	1	-	1	1	2	1	2	5	4	
Diarrhoea & Dysentery -	26	3	3	-	-	-	6	-	1	1	-	1	1	1	1	-	-	-	
Cholera -	4	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	85	-	13	21	10	8	52	10	2	2	-	2	-	2	4	4	6	1	
Cancer -	42	-	-	-	-	-	-	-	-	-	-	-	2	7	19	9	4	1	
Scrofula and Tubercles -	33	4	6	1	1	-	12	2	3	2	2	4	2	2	2	2	-	-	
Phthisis -	354	2	1	2	-	-	5	11	33	39	73	78	43	38	27	6	1	-	
Hydrocephalus -	18	2	4	3	1	4	14	3	-	-	-	1	-	-	-	-	-	-	
Dis. of Brain -	529	213	48	14	8	2	385	10	4	5	3	10	4	10	10	28	46	14	
Dis. of Heart & Dropsy -	84	-	-	-	-	-	-	-	3	-	-	14	12	10	13	13	14	3	
Dis. of Lungs -	245	19	20	13	5	1	58	9	2	2	1	11	4	13	29	45	20	12	
Dis. of Stom. and Liver -	69	2	-	1	-	-	3	1	-	5	5	4	6	10	15	14	6	-	
Dis. of Kidneys -	7	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	-	
Dis. of Gener. Organs -	6	-	-	-	-	-	-	-	-	2	-	-	3	1	-	-	-	-	
Dis. of Joints -	3	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metritis -	53	-	-	-	-	-	-	-	-	1	5	26	20	1	-	-	-	-	
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	33	1	5	2	1	1	10	4	1	-	1	4	2	3	2	4	1	1	
Other Causes -	312	74	9	2	3	3	91	7	3	2	-	6	3	7	12	19	85	77	

619.—PWLLHELL.

Mean Popul ⁿ , 1861-71	11065	219	230	228	236	252	1165	1113	1141	1038	909	1452	1241	1152	914	593	302	45	
TOTAL DEATHS -	1997	251	68	47	32	28	420	59	56	61	68	131	116	118	196	294	341	137	
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Measles -	16	3	6	2	2	1	14	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	38	1	1	7	6	6	21	10	2	1	3	1	-	-	-	-	-	-	
Diphtheria -	28	-	-	4	3	2	9	3	10	1	2	3	-	-	-	-	-	-	
Whooping-cough -	44	12	10	3	5	4	66	8	2	-	-	-	-	-	-	-	-	-	
Typhus -	54	1	-	1	-	1	5	4	7	7	4	6	2	9	3	7	1	1	
Diarrhoea & Dysentery -	11	1	1	-	-	-	2	-	-	-	-	1	-	-	-	4	2	1	
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Zymotic Dis. -	37	4	4	4	4	4	20	8	1	-	-	-	-	1	5	1	-	1	
Cancer -	56	-	-	-	-	-	-	-	-	-	1	3	7	12	14	16	3	-	
Scrofula and Tubercles -	11	-	1	-	-	-	1	2	2	-	-	1	-	2	1	1	-	1	
Phthisis -	293	1	-	-	-	-	1	5	12	39	46	70	43	34	34	9	-	-	
Hydrocephalus -	8	1	-	1	-	1	3	3	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	403	195	37	16	9	6	263	17	4	2	-	8	5	11	26	40	33	6	
Dis. of Heart & Dropsy -	140	-	-	-	-	-	-	1	3	2	3	7	15	20	31	36	19	3	
Dis. of Lungs -	122	-	3	1	-	-	4	2	3	3	1	6	10	6	29	42	14	2	
Dis. of Stom. and Liver -	76	1	1	-	-	-	2	1	1	2	2	5	9	18	18	21	2	-	
Dis. of Kidneys -	14	-	-	-	-	-	-	-	-	-	1	2	3	2	3	2	1	-	
Dis. of Gener. Organs -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
Dis. of Joints -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin -	3	1	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metritis -	19	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	-	
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	22	2	-	4	2	1	9	3	-	-	-	1	1	1	-	-	7	-	
Other Causes -	592	28	4	-	1	2	85	3	7	4	2	3	7	6	30	114	239	122	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
		620.—CARNARVON.																
Mean Popul ⁿ , 1861-71		17630	519	427	478	478	474	2376	2171	1903	1834	1537	2346	1841	1571	1187	609	225
TOTAL DEATHS—		4141	911	279	130	80	77	1477	200	123	180	244	351	240	240	343	268	257
Small-pox		4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Measles		38	6	9	5	4	3	27	9	1	—	1	—	—	—	—	—	—
Scarlatina		106	10	29	17	8	15	70	21	6	6	—	1	2	—	—	—	—
Diphtheria		44	2	6	3	3	5	19	16	1	—	2	2	1	—	3	—	—
Whooping-cough		58	19	21	10	3	2	65	23	—	—	—	—	—	—	—	—	—
Typhus		221	4	3	8	4	6	25	15	13	30	29	33	20	15	17	13	4
Diarrhoea & Dysentery		93	31	10	2	1	1	45	—	—	1	1	2	1	3	6	11	6
Cholera		49	1	2	1	1	1	6	1	1	1	1	6	4	11	10	8	4
Other Zymotic Dis.		104	6	18	12	9	8	53	17	3	4	—	4	5	2	5	5	2
Cancer		50	—	—	—	—	—	1	—	—	—	1	—	5	7	15	11	6
Scrofula and Tuberc.		54	3	9	1	1	1	15	4	—	4	6	8	2	5	4	—	—
Phthisis		646	5	6	2	5	5	23	23	25	76	143	161	83	53	44	13	1
Hydrocephalus		44	15	11	3	2	4	85	5	2	—	1	—	1	—	—	—	—
Dis. of Brain		903	492	77	31	20	14	634	39	23	10	8	9	20	22	20	20	40
Dis. of Heart & Dropsy		153	3	1	1	—	2	7	4	4	2	7	11	9	18	20	20	20
Dis. of Lungs		554	89	42	20	11	5	167	6	6	12	8	29	26	25	27	119	69
Dis. of Stom. and Liver		193	11	7	—	—	1	22	7	5	3	6	17	17	24	44	27	10
Dis. of Kidneys		69	1	—	—	—	—	1	1	—	2	2	7	3	10	9	18	13
Dis. of Gen. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		11	—	—	—	—	—	—	2	2	3	—	1	1	—	1	1	—
Dis. of Skin		3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—
Other Violent Deaths		241	3	4	3	2	—	12	13	20	20	26	46	25	34	31	31	31
Other Causes		509	207	33	11	6	4	241	13	5	6	2	10	6	10	15	31	30
621.—BANGOR.																		
Mean Popul ⁿ , 1861-71		17894	437	427	444	463	439	2210	2100	2041	1830	1455	2304	2013	1694	1213	692	301
TOTAL DEATHS—		4031	840	223	121	104	67	1355	214	106	149	182	274	247	261	325	414	274
Small-pox		1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles		60	8	19	15	5	4	51	6	2	1	—	—	—	—	—	—	—
Scarlatina		181	16	27	19	30	27	119	49	5	6	1	1	1	—	—	—	—
Diphtheria		34	2	1	5	2	4	14	13	2	—	1	3	1	—	—	—	—
Whooping-cough		80	37	21	6	6	1	71	8	1	—	—	—	—	—	—	—	—
Typhus		139	2	2	3	2	2	11	14	11	15	17	21	10	15	11	9	5
Diarrhoea & Dysentery		48	10	4	1	—	—	15	1	—	—	3	3	5	2	5	6	4
Cholera		9	1	—	—	1	1	3	—	1	—	—	1	1	1	1	1	1
Other Zymotic Dis.		82	15	7	7	8	2	39	10	—	5	2	3	2	4	10	4	5
Cancer		41	—	—	—	—	—	—	—	—	—	1	1	2	7	9	13	6
Scrofula and Tuberc.		36	5	5	—	—	2	12	5	2	2	1	3	2	3	1	4	1
Phthisis		600	6	1	—	8	—	10	25	60	79	107	109	84	66	42	17	1
Hydrocephalus		51	15	9	3	3	2	32	15	2	1	—	—	1	—	—	—	—
Dis. of Brain		807	511	45	29	12	7	604	16	7	10	10	20	20	13	40	72	44
Dis. of Heart & Dropsy		173	—	1	—	1	1	3	6	5	10	9	15	15	25	27	36	30
Dis. of Lungs		532	74	30	15	10	6	189	18	6	6	6	24	20	44	73	119	69
Dis. of Stom. and Liver		169	5	2	1	—	—	9	3	4	3	—	8	20	31	42	25	10
Dis. of Kidneys		55	1	—	—	1	—	2	1	1	—	1	2	7	4	7	16	13
Dis. of Gen. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		11	—	—	—	—	1	1	—	2	—	1	—	3	1	2	1	—
Dis. of Skin		5	—	1	—	—	—	1	1	—	—	—	—	—	1	1	—	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		7	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	1
Other Violent Deaths		181	3	—	5	6	2	16	6	14	7	38	23	32	25	19	17	4
Other Causes		639	131	48	12	7	5	293	17	6	4	4	6	10	15	27	69	274
622.—CONWAY.																		
Mean Popul ⁿ , 1861-71		6849	184	162	174	200	182	902	850	794	629	511	855	778	628	479	289	118
TOTAL DEATHS—		1379	283	53	43	32	18	434	84	36	31	57	83	100	77	100	140	180
Small-pox		5	1	—	—	—	1	2	—	—	—	—	2	1	—	—	—	—
Measles		20	6	3	2	3	—	14	6	—	—	—	—	—	—	—	—	—
Scarlatina		36	5	3	7	4	3	22	12	2	—	—	—	—	—	—	—	—
Diphtheria		14	—	2	1	3	1	7	6	—	—	1	—	—	—	—	—	—
Whooping-cough		14	6	4	2	1	—	13	1	—	—	—	—	—	—	—	—	—
Typhus		40	3	1	1	1	—	6	4	5	8	2	3	7	2	2	2	2
Diarrhoea & Dysentery		37	13	3	1	—	—	17	2	—	1	—	—	2	1	2	3	3
Cholera		4	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		27	1	4	3	3	2	13	4	1	—	—	—	2	1	2	2	2
Cancer		15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.		6	2	—	1	—	—	5	1	—	—	—	—	3	1	3	5	2
Phthisis		203	3	3	2	2	—	10	4	6	16	36	44	34	21	15	18	1
Hydrocephalus		26	7	1	3	—	2	13	10	3	—	—	—	—	—	—	—	—
Dis. of Brain		348	189	23	16	7	2	257	16	5	1	4	5	4	8	11	21	30
Dis. of Heart & Dropsy		86	—	—	—	—	2	2	1	3	—	—	1	1	9	14	20	12
Dis. of Lungs		233	12	5	2	4	2	93	4	2	1	1	4	6	9	16	28	14
Dis. of Stom. and Liver		72	3	1	—	1	2	7	2	1	3	3	6	10	10	14	11	6
Dis. of Kidneys		24	—	—	—	—	—	—	—	1	—	—	—	—	1	4	4	1
Dis. of Gen. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		7	—	1	—	—	—	1	—	1	1	—	—	1	1	1	—	—
Dis. of Skin		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		61	1	2	1	3	—	7	6	5	2	5	12	9	8	8	1	1
Other Causes		218	29	2	1	—	1	83	3	2	2	4	2	6	8	13	29	33

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	5- 10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		Total under 1 Year.	1	2	3	4																								
620.—CARNARVON.																														
Mean Popul ⁿ , 1861-71	18151	485	426	488	453	439	2291	2115	1855	1737	1615	2655	1975	1611	1211	687	337	62												
TOTAL DEATHS	3992	743	255	142	107	66	1313	169	123	163	201	357	271	214	280	364	380	152												
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-												
Measles	43	9	7	10	5	7	38	4	-	-	-	-	1	-	-	-	-	-												
Scarlatina	100	7	13	12	16	14	62	20	9	3	1	5	-	-	-	-	-	-												
Diphtheria	54	1	7	6	10	7	31	13	7	1	1	-	-	-	1	-	-	-												
Whooping-cough	68	26	20	11	6	3	66	2	-	-	-	-	-	-	-	-	-	-												
Typhus	202	5	2	8	2	1	18	13	18	21	30	41	18	9	16	10	8	-												
Diarrhoea & Dysentery	69	14	7	4	-	1	26	2	1	-	-	1	5	2	7	8	12	5												
Cholera	15	-	-	-	-	-	3	3	5	1	3	8	5	6	8	5	3	-												
Other Zymotic Dis.	100	16	13	15	8	5	59	13	2	1	3	2	4	2	4	5	5	-												
Cancer	86	-	-	-	-	-	-	-	-	-	1	1	7	28	20	13	13	1												
Serofula and Tabes	40	4	4	3	2	1	14	3	6	1	4	6	2	3	-	-	-	-												
Phthisis	751	1	10	2	6	3	22	22	46	112	110	174	132	68	43	23	2	-												
Hydrocephalus	41	10	13	4	2	1	30	7	3	-	-	1	-	-	-	-	-	-												
Dis. of Brain	801	417	61	27	23	7	535	23	8	10	6	14	11	23	30	77	55	9												
Dis. of Heart & Dropsy	147	-	-	-	1	2	4	5	8	5	4	10	22	11	23	34	21	-												
Dis. of Lungs	482	53	46	18	13	4	193	11	5	1	4	13	13	24	56	101	97	21												
Dis. of Stom. and Liver	182	8	5	5	1	1	29	4	3	5	7	14	17	25	40	33	9	5												
Dis. of Kidneys	30	-	1	-	1	1	3	1	-	1	2	9	1	3	5	2	3	-												
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	4	1	3	3	-	-	-												
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-												
Dis. of Skin	6	1	-	1	-	-	2	1	-	-	-	-	-	1	2	-	-	-												
Childbirth and Metris	88	-	-	-	-	-	-	-	-	5	13	45	24	1	-	-	-	-												
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
Other Violent Deaths	53	5	4	5	4	4	22	8	2	-	3	2	3	1	5	1	5	1												
Other Causes	579	165	40	10	5	4	224	14	2	1	6	6	3	3	15	49	146	110												

621.—BANGOR.

Mean Popul ⁿ , 1861-71		18545	450	424	459	465	422	2220	2087	1949	1713	1545	2628	2174	1756	1293	766	362	62								
TOTAL DEATHS		3981	656	271	138	87	89	1241	170	137	177	188	336	248	238	284	376	419	167								
Small-pox		1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-								
Measles		48	1	15	8	3	8	35	9	4	-	-	-	-	-	-	-	-	-								
Scarlatina		182	12	21	37	23	26	119	39	12	5	3	4	1	-	1	-	-	-								
Diphtheria		26	1	-	-	4	-	8	13	4	1	1	1	-	-	-	-	-	-								
Whooping-cough		99	25	28	20	8	5	87	11	1	-	-	-	-	-	-	-	-	-								
Typhus		169	-	4	3	1	3	11	10	20	26	19	24	26	11	11	6	7	-								
Diarrhoea & Dysentery		31	3	2	-	-	-	7	1	-	-	-	1	2	4	1	3	4	-								
Cholera		15	-	1	-	-	-	1	2	-	-	1	2	-	1	1	3	4	-								
Other Zymotic Dis.		74	10	8	9	5	7	39	6	-	1	2	4	2	-	5	9	6	-								
Cancer		63	-	-	-	-	-	-	1	-	1	-	4	4	17	17	17	2	-								
Serofula and Tabes		22	5	3	2	-	-	10	3	2	1	4	1	-	-	1	-	-	-								
Phthisis		741	1	3	2	1	2	9	16	57	116	122	204	108	67	31	10	1	-								
Hydrocephalus		47	14	10	5	3	4	36	7	4	-	-	-	-	-	-	-	-	-								
Dis. of Brain		799	413	65	13	10	12	525	22	8	6	4	9	14	24	46	63	65	13								
Dis. of Heart & Dropsy		210	-	1	-	1	3	5	6	7	3	7	23	19	35	39	45	19	2								
Dis. of Lungs		446	51	49	22	10	13	145	12	2	6	6	17	15	26	56	100	37	4								
Dis. of Stom. and Liver		137	7	1	1	1	-	10	1	1	3	3	16	11	25	27	28	11	1								
Dis. of Kidneys		20	1	-	-	-	-	1	-	-	-	2	1	3	4	3	5	1	-								
Dis. of Gener. Organs		6	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-								
Dis. of Joints		9	-	-	-	-	-	-	-	1	2	1	-	-	-	-	3	-	-								
Dis. of Skin		6	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-								
Childbirth and Metris		51	-	-	-	-	-	-	-	-	-	8	17	24	2	-	-	-	-								
Suicide		2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-								
Other Violent Deaths		29	3	1	3	3	-	10	4	-	1	1	3	1	2	1	2	3	1								
Other Causes		730	107	28	8	5	6	181	9	13	3	5	7	11	20	36	78	242	144								

622.—CONWAY.


Mean Popul ⁿ , 1861-71	7449	180	174	189	185	181	909	878	780	674	621	1027	878	677	517	307	161	20
TOTAL DEATHS	1427	252	63	43	28	19	405	65	45	59	49	108	94	88	126	165	167	56
Small-pox	2	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-
Measles	22	7	3	5	3	1	19	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	37	1	6	6	1	6	20	8	7	-	-	2	-	-	-	-	-	-
Diphtheria	12	1	3	1	1	-	6	3	1	2	-	-	-	-	-	-	-	-
Whooping-cough	14	4	5	2	1	1	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	-	-	1	1	2	2	8	2	2	6	2	4	8	6	4	-
Diarrhoea & Dysentery	15	11	2	-	-	-	13	-	-	-	-	-	-	-	2	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	-	5	3	4	2	14	2	1	-	1	1	1	1	3	2	1	1
Cancer	49	-	-	-	-	-	-	1	-	-	-	4	5	8	16	8	7	-
Serofula and Tabes	14	4	-	-	-	-	4	1	2	3	-	2	1	1	-	-	-	-
Phthisis	231	4	5	-	1	1	11	9	7	34	31	48	30	25	18	6	3	-
Hydrocephalus	81	5	4	3	1	1	14	11	1	3	1	-	-	-	1	-	-	-
Dis. of Brain	337	176	15	13	7	1	212	13	5	3	2	5	6	15	16	33	33	3
Dis. of Heart & Dropsy	118	2	2	1	-	-	5	-	3	2	2	10	7	14	20	81	22	8
Dis. of Lungs	97	9	3	4	1	-	17	1	-	-	2	8	10	3	14	24	15	3
Dis. of Stom. and Liver	64	-	2	2	1	-	5	2	1	6	5	2	4	8	15	9	7	-
Dis. of Kidneys	30	-	-	-	1	-	1	1	-	2	-	-	2	1	8	-	-	-
Dis. of Genes. Organs	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris	24	-	-	-	-	-	-	-	-	-	1	14	9	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	10	-	1	1	2	-	4	1	-	-	-	-	-	1	-	2	1	1
Other Causes	262	28	7	2	3	5	45	6	7	2	1	8	6	6	14	43	84	46

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
623.—ANGLESEY.																		
Mean Popul ⁿ , 1861-71	17696	447	398	458	442	441	2186	2243	2083	1767	1251	2050	1881	1682	1315	851	341	46
TOTAL DEATHS	3799	604	178	70	80	61	993	157	122	148	230	291	257	242	302	457	629	14
Small-pox	24	4	1	1	2	1	9	3	2	1	2	1	5	-	-	-	-	-
Measles	10	3	2	1	2	1	9	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	129	9	12	9	18	22	70	32	15	7	3	-	-	2	-	-	-	-
Diphtheria	32	3	1	2	1	3	10	12	3	1	2	1	1	1	-	1	-	-
Whooping-cough	57	19	11	5	9	7	51	5	1	-	-	-	-	-	-	-	-	-
Typhus	122	2	2	1	4	1	10	7	6	18	19	11	12	17	9	13	1	-
Diarrhoea & Dysentery	11	1	1	-	-	-	2	-	-	-	-	-	-	1	-	3	1	-
Cholera	22	1	1	1	-	1	4	4	1	-	-	2	4	3	2	1	1	-
Other Zymotic Dis.	94	12	14	6	9	9	50	10	8	2	3	1	4	1	5	3	3	-
Cancer	52	-	-	-	-	-	-	-	-	1	-	-	5	4	15	14	13	-
Scrofula and Tabes	27	3	-	1	-	-	4	2	1	3	8	4	3	2	-	-	-	-
Phthisis	507	2	1	-	1	1	5	14	33	89	156	179	111	91	71	32	3	-
Hydrocephalus	62	9	8	4	7	3	31	19	7	2	-	-	1	-	-	2	-	-
Dis. of Brain	812	412	89	25	18	7	551	14	6	1	2	7	20	18	37	79	70	13
Dis. of Heart & Dropsy	161	-	-	-	-	-	-	-	2	2	3	11	13	22	32	47	26	3
Dis. of Lungs	230	5	6	3	2	1	17	2	2	3	3	14	13	22	37	72	36	3
Dis. of Stom. and Liver	117	5	-	-	1	-	6	3	3	2	3	7	13	16	35	22	3	-
Dis. of Kidneys	44	-	-	-	-	-	-	-	1	-	1	3	4	1	13	3	13	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	1	-
Dis. of Skin	8	-	-	-	-	-	-	-	2	1	2	-	2	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	164	-	2	1	-	1	4	9	13	9	17	37	55	25	7	3	1	-
Other Causes	808	114	27	10	6	3	160	19	15	6	5	13	11	18	38	131	274	27

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.
623.—ANGLESEY.																		
Mean Populⁿ, 1861-71 }	18946	404	395	410	445	432	2086	2139	2038	1792	1506	2475	2183	1828	1417	929	458	90
TOTAL DEATHS -	3940	500	173	103	56	57	889	179	142	133	196	292	286	251	303	462	517	240
Small-pox - - -	15	3	4	2	1	-	10	2	1	-	-	1	1	-	-	-	-	-
Measles - - -	10	6	-	-	1	2	9	-	-	-	-	1	1	-	-	-	-	-
Scarlatina - - -	124	8	6	22	12	12	60	40	9	8	1	4	-	-	2	-	-	-
Diphtheria - - -	43	1	3	5	1	3	13	11	12	3	1	1	1	1	-	-	-	-
Whooping-cough -	93	34	27	15	4	7	87	6	-	-	-	-	-	-	-	-	-	-
Typhus - - -	111	2	-	2	1	-	5	10	13	17	12	11	15	11	11	5	1	-
Diarrhoea & Dysentery	13	3	1	-	-	-	4	-	-	-	-	2	-	1	2	3	1	-
Cholera - - -	12	-	-	1	-	-	1	2	1	1	-	3	1	1	1	-	-	-
Other Zymotic Dis. -	79	4	9	8	5	7	33	9	6	1	2	3	2	6	4	12	-	1
Cancer - - -	57	-	-	-	-	-	-	-	-	1	-	3	4	12	13	17	7	-
Serofula and Tubes -	21	-	3	-	-	-	5	5	-	2	3	2	2	2	2	9	-	-
Phtisis - - -	913	-	1	1	4	6	12	22	56	123	134	194	150	102	72	47	1	-
Hydrocephalus - -	51	4	3	9	5	5	28	19	5	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	713	329	75	27	12	9	452	14	9	5	6	15	16	21	37	73	62	8
Dis. of Heart & Dropsy	177	-	-	-	-	1	1	3	3	6	8	9	21	22	35	52	15	2
Dis. of Lungs - - -	252	14	5	2	1	1	23	4	4	4	3	6	19	20	44	82	40	3
Dis. of Stom. and Liver	101	-	-	-	1	-	1	1	-	2	5	2	7	17	26	26	13	1
Dis. of Kidneys - -	8	-	-	-	-	-	-	-	1	-	-	2	1	1	5	-	-	-
Dis. of Gener. Organs -	9	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	1	-
Dis. of Joints - - -	6	-	-	-	-	-	-	1	2	-	-	1	-	1	1	-	-	-
Dis. of Skin - - -	5	2	-	-	-	-	2	-	-	-	-	1	-	1	1	-	-	-
Childbirth and Metria	44	-	-	-	-	-	-	-	-	-	12	14	18	-	-	-	-	-
Suicide - - -	1	1	4	1	2	3	11	3	4	-	-	8	3	2	2	1	-	-
Other Violent Deaths -	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes - - -	1033	89	32	8	6	1	136	27	16	11	9	14	25	30	45	139	376	23



ENGLAND.

DEATHS OF MALES

AGED 5 YEARS AND UPWARDS

OF

DIFFERENT OCCUPATIONS

IN ENGLAND

AND IN EACH OF THE ELEVEN DIVISIONS

REGISTERED IN THE YEAR

1871.

ENGLAND.*—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

CLASSES, ORDERS, AND SUB-ORDERS.		AGES OF MALES.											
		TOTAL 5 Years and upwards.	5 Years and under 20.	20 Years and upwards.	5--	10--	15--	20--	25--	35--	45--	55--	65--
TOTAL OF MALES AGED 5 YEARS AND UPWARDS - - - - -		155,040	22,578	131,462	11,206	5,421	8,931	8,772	17,634	17,823	13,505	21,786	22,009
CLASSES.													
I. PROFESSIONAL CLASS -	8,516	197	8,319	-	5	192	521	1,456	1,392	1,139	1,184	1,267	1,281
II. DOMESTIC CLASS - - -	4,846	108	4,738	-	8	100	209	625	857	215	605	729	82
III. COMMERCIAL CLASS - -	14,388	618	13,770	-	40	578	1,162	2,612	2,420	1,532	2,341	1,865	1,281
IV. AGRICULTURAL CLASS -	27,049	934	26,115	144	152	838	986	1,809	2,069	2,772	4,642	6,841	7,001
V. INDUSTRIAL CLASS - -	63,779	2,078	61,701	18	287	2,973	4,478	8,713	8,802	9,784	10,721	10,691	6,239
VI. INDEFINITE AND NON- PRODUCTIVE CLASS -	26,462	19,043	17,419	13,944	4,929	3,070	1,476	2,546	2,231	2,963	2,820	2,346	2,206
ORDERS.													
I.	1. Persons engaged in the GENERAL or LOCAL GOVERNMENT of the Country - - - - -	1709	20	1689	-	-	20	69	245	279	227	289	279
	2. Persons engaged in the DEFENCE of the Country - - - - -	9304	92	2042	-	1	91	214	651	181	590	185	107
	3. Persons engaged in the LEARNED PROFESSIONS or in LITERATURE, ART, and SCIENCE (with their immediate Sub- ordinates) - - - - -	5773	85	5688	-	4	81	238	580	523	615	614	790
II.	5. Persons engaged in ENTERTAINING, and performing PERSONAL OFFICES for Man	4846	108	4738	-	8	100	209	625	857	915	826	729
III.	6. Persons who BUY or SELL, KEEP or LEND Money, Houses, or Goods of VARIOUS KINDS - - - - -	4151	183	3968	-	6	147	278	701	694	627	600	638
	7. Persons engaged in the CONVEYANCE of Men, Animals, Goods, and Messages - -	10237	465	9772	-	34	431	874	1911	1706	1715	1440	1241
IV.	8. Persons possessing or working the LAND, and engaged in growing GRAIN, FRUITS, GRASSES, ANIMALS, and other Products	24052	878	24074	144	145	289	798	1589	1757	2141	2744	4137
	9. Persons engaged about ANIMALS - - -	2007	56	2041	-	7	49	139	319	312	320	261	244
V.	10. Persons engaged in ART and MECHANIC Productions, in which Matters of various kinds are used in combination - - -	19132	644	18488	-	24	630	1352	2817	2784	2562	2218	2260
	11. Persons working and dealing in the TEX- TILE FABRICS and in DRESS - - - - -	15625	698	14927	11	72	615	902	1775	1761	2300	2708	2880
	12. Persons working and dealing in FOOD and DRINKS - - - - -	7842	200	7642	-	6	194	460	1047	1228	1185	1280	1303
	13. Persons working and dealing in ANIMAL SUBSTANCES - - - - -	900	28	872	-	2	26	51	108	133	135	172	173
	14. Persons working and dealing in VEGE- TABLE SUBSTANCES - - - - -	2295	64	2231	-	10	54	148	319	344	287	423	427
	15. Persons working and dealing in MINERALS	17684	1044	16640	7	173	864	1565	2649	2553	2774	2884	2575
VI.	16. LABOURERS and OTHERS—Branch of labour undefined - - - - -	18449	3112	15337	1	55	3085	1434	2223	2121	2177	2674	2269
	17. Persons of RANK or PROPERTY not re- turned under any Office or Occupation -	2000	14	2082	-	-	14	42	115	180	180	185	278
	18. SCHOLARS and CHILDREN not engaged in any directly PRODUCTIVE OCCUPATION	12917	12917	-	11043	4874	-	-	-	-	-	-	-
SUB-ORDERS.													
Order	SUB-ORDER												
I.	1. Officers of National Government - -	871	14	857	-	-	14	32	167	124	133	132	140
	2. Officers of Local Government - - -	805	6	799	-	-	6	37	153	180	120	125	117
	3. Officers of East India and Colonial Go- vernment - - - - -	33	-	33	-	-	-	-	-	5	3	8	1
	2. 1. Army - - - - -	2101	61	2040	-	-	61	147	501	432	247	186	186
	2. Navy - - - - -	933	81	902	-	1	30	67	100	139	122	90	100
I.	3. 1. Clergymen, Ministers, and Others con- nected with Religion - - - - -	840	4	836	-	-	4	14	64	66	106	159	226
	2. Lawyers and Law Stationers - - -	702	20	682	-	1	19	53	125	100	107	112	124
	3. Physicians, Surgeons, and Druggists -	849	14	835	-	-	14	72	134	123	113	127	130
	4. Authors, Literary Persons, and Students	297	5	292	-	1	4	14	16	18	9	11	13
	5. Artists - - - - -	950	8	942	-	-	8	17	38	49	41	62	62
	6. Musicians - - - - -	302	7	295	-	-	7	20	74	69	45	56	51
	7. Actors - - - - -	127	5	122	-	1	4	8	29	27	34	19	18
	8. Teachers - - - - -	608	21	487	-	1	20	33	63	51	39	66	115
	9. Scientific Persons - - - - -	89	1	88	-	-	1	5	17	16	9	11	12

* Male population in 1871 aged 5 years and upwards, 9,322,470.

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

CLASSES, ORDERS, AND SUB-ORDERS.			AGES OF MALES.												
			TOTAL 5 Years and upwards.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up- wards.
Order															
II.	SUB-ORDER														
	5. 1. Engaged in Board and Lodging - - -		2823	17	2806	-	-	17	30	266	510	637	608	436	819
	2. Attendants (Domestic Servants, &c.) - - -		2023	91	1932	-	8	83	179	359	347	278	248	288	233
III.	6. 1. Mercantile Persons - - - - -		2767	126	2641	-	4	122	231	548	454	442	392	353	221
	2. Other General Dealers - - - - -		1384	27	1357	-	2	25	47	133	200	193	301	296	195
	7. 1. Carriers on Railways - - - - -		1300	87	1213	-	4	83	205	379	232	182	129	56	30
	2. " on Roads - - - - -		2367	66	2291	-	4	62	178	471	537	558	495	449	242
	3. " on Canals and Rivers - - - - -		813	25	818	-	2	23	42	109	118	127	127	167	126
	4. " on Seas and Rivers - - - - -		3521	159	3371	-	8	142	333	767	646	579	439	365	202
IV.	5. Engaged in Storage - - - - -		472	27	445	-	-	27	43	84	86	90	64	32	21
	6. Messengers and Porters - - - - -		1114	110	1004	-	16	94	68	161	177	179	194	161	64
	8. 1. Agriculturists - - - - -		22749	848	21901	144	142	562	739	1423	1370	2175	3347	5020	7027
	2. Arboriculturists - - - - -		164	3	161	-	-	1	5	10	16	1	27	38	51
	3. Horticulturists - - - - -		2039	27	2012	-	3	24	54	147	171	257	370	499	534
	9. 1. Persons engaged about ANIMALS - - -		2097	56	2041	-	7	49	128	319	312	326	301	344	301
V.	10. Workers and Dealers in—														
	1. Books - - - - -		963	74	889	-	6	68	115	150	149	146	139	120	71
	2. Musical Instruments - - - - -		112	6	106	-	1	5	16	17	21	13	11	12	14
	3. Prints and Pictures - - - - -		88	8	80	-	-	8	7	16	12	18	12	9	6
	4. Carving and Figures - - - - -		85	8	85	-	-	-	9	24	10	10	13	13	6
	5. Tackle for Sports and Games - - - - -		66	3	63	-	1	2	6	5	4	12	15	15	6
	6. Designs, Medals, and Dies - - - - -		52	3	49	-	-	3	6	10	8	7	4	8	6
	7. Watches and Philosophical In- struments - - - - -		463	18	445	-	-	18	37	66	58	57	85	75	61
	8. Surgical Instruments - - - - -		21	1	20	-	-	1	2	4	5	3	5	3	3
	9. Arms - - - - -		216	11	205	-	1	10	18	46	58	35	28	25	17
	10. Machines and Tools - - - - -		2525	124	2401	-	3	121	250	474	422	404	389	287	175
	11. Carriages - - - - -		908	15	913	-	-	15	64	108	100	170	164	157	150
	12. Harness - - - - -		426	18	408	-	-	18	32	56	62	67	59	74	68
	13. Ships - - - - -		913	31	912	-	1	31	68	121	143	165	134	140	141
	14. Houses and Buildings - - - - -		16933	280	16333	-	10	270	621	1402	1329	1617	1882	1789	1462
	15. Furniture - - - - -		1032	37	1015	-	1	36	56	164	145	164	192	181	113
	16. Chemicals - - - - -		559	15	544	-	1	14	47	98	89	94	90	90	38
	11. Workers and Dealers in—														
	1. Wool and Worsted - - - - -		1948	121	1827	3	14	104	100	209	172	241	529	404	372
	2. Silk - - - - -		528	21	507	1	-	20	15	44	58	64	111	121	94
	3. Cotton and Flax - - - - -		3294	243	2961	7	45	191	249	416	346	437	553	358	292
	4. Mixed Materials - - - - -		1440	101	1339	-	4	97	134	229	175	183	184	342	235
	5. Dress - - - - -		8212	291	8011	-	9	192	396	664	664	1300	1457	1539	1459
	6. Hemp & other Fibrous Materials - - -		294	11	283	-	-	11	8	21	26	33	62	61	62
	12. Workers and Dealers in—														
	1. Animal Food - - - - -		2578	52	2506	-	3	49	135	300	428	419	412	465	349
	2. Vegetable Food - - - - -		2941	69	2872	-	1	68	120	273	358	369	421	446	299
	3. Drinks and Stimulants - - - - -		2943	79	2864	-	2	77	199	474	462	398	487	486	358
	13. Workers and Dealers in—														
	1. Grease, Gut, Bones, Horn, Ivory, and Whalebone - - - - -		205	7	198	-	1	6	12	21	29	32	37	44	23
	2. Skins, Feathers, and Quills - - - - -		524	13	511	-	-	13	22	70	87	73	100	109	69
	3. Hair - - - - -		171	8	163	-	1	7	17	17	17	30	35	28	19
	14. Workers and Dealers in—														
	1. Gums and Resins - - - - -		302	9	293	-	-	9	20	62	55	46	48	40	12
	2. Wood - - - - -		1467	29	1438	-	3	26	74	167	180	222	238	282	275
	3. Bark - - - - -		35	2	33	-	-	2	4	9	4	8	2	4	4
	4. Cane, Rush, and Straw - - - - -		349	4	345	-	1	3	12	24	34	46	58	72	99
	5. Paper - - - - -		442	29	422	-	6	14	80	62	66	69	71	71	33
	15. 1. Miners - - - - -		5392	493	4899	3	114	376	366	843	721	788	833	711	417
	Workers and Dealers in—														
	2. Coal - - - - -		1430	60	1370	-	13	47	68	189	212	249	287	239	135
	3. Stone, Clay - - - - -		2968	103	2865	2	8	93	221	417	454	479	529	437	328
	4. Earthenware - - - - -		651	25	626	1	4	20	53	52	183	149	115	88	45
	5. Glass - - - - -		300	11	289	-	1	10	23	56	46	49	54	46	15
	6. Salt - - - - -		47	3	44	-	1	2	1	7	9	6	15	6	3
	7. Water - - - - -		923	3	920	-	1	2	3	8	18	12	19	18	13
	8. Gold, Silver, and Precious Stones - - -		362	11	351	-	-	11	37	69	43	55	45	60	42
	9. Copper - - - - -		120	10	116	-	-	10	6	15	17	18	21	32	7
	10. Tin and Quicksilver - - - - -		344	19	325	-	3	16	40	46	49	44	45	69	31
	11. Zinc - - - - -		16	2	14	-	-	2	-	2	4	5	1	1	1
	12. Lead and Antimony - - - - -		63	1	62	-	-	1	-	13	14	10	12	9	9
	13. Brass and other Mixed Metals - - - - -		676	41	635	1	2	38	70	108	106	109	163	95	49
	14. Iron and Steel - - - - -		5216	262	4954	-	26	336	477	831	728	896	799	761	532
VI.	16. 1. General Labourers - - - - -		12187	423	11712	1	43	381	745	1699	1635	1821	2049	2079	1763
	2. Other Persons of indefinite Occupations - - -		6312	2087	3625	-	12	2675	689	633	466	356	425	489	267
	17. 1. Persons of RANK or PROPERTY not re- turned under any Office or Occupation - - -		2096	14	2082	-	-	14	42	115	150	186	365	578	666
VI.	18. 1. Scholars and Children not engaged in any directly Productive Occupation - - - - -		15917	15917	-	11043	4874	-	-	-	-	-	-	-	-

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Total of Males AGED 5 YEARS AND UPWARDS	155,040	23,578	131,462	11206	5421	6951	8772	17653	17823	19005	11786	24022	2298
I.—PROFESSIONAL CLASS.													
1.—Persons engaged in the GENERAL or LOCAL GOVERNMENT of the Country.													
1. National Government.													
Civil Service	485	8	477	-	-	8	11	29	67	67	85	89	89
Government Messengers, Workmen, &c.	363	6	356	-	-	6	20	48	53	55	58	27	60
Other Government Officers	24	-	24	-	-	-	1	-	4	3	9	2	4
2. Local Government.													
Magistrate (so returned)	34	-	34	-	-	-	-	-	-	2	5	14	23
Officer of Law Court	69	1	68	-	-	1	3	8	7	13	12	28	24
Police	369	2	367	-	-	2	31	109	50	50	37	21	12
Prison Officer	46	1	45	-	-	1	-	7	12	5	14	6	4
Municipal, Parish, Union, Officer	281	2	279	-	-	2	3	19	35	37	33	49	27
Other Local Government Officers	6	-	6	-	-	-	-	-	-	2	2	2	1
3. East India and Colonial Government.													
East India and Colonial Service	33	-	33	-	-	-	-	-	5	3	8	4	22
2.—Persons engaged in the DEFENCE of the Country.													
1. Army—(at Home).													
Army Officer (effective)	179	-	179	-	-	-	4	19	24	20	33	41	30
Army Retired and Half Pay Officer	75	-	75	-	-	-	-	3	7	13	9	14	19
Soldier	1044	61	983	-	-	61	129	404	362	72	20	20	28
Militia, Volunteers	-	-	-	-	-	-	2	14	22	34	11	4	4
Army Pensioner	710	-	710	-	-	-	12	61	97	117	108	114	89
Others	4	-	4	-	-	-	-	-	-	1	2	-	1
2. Navy—(Ashore or in Port).													
Navy Officer (effective)	107	1	106	-	1	6	9	11	12	14	23	24	24
Navy Retired and Half Pay Officer	40	-	40	-	-	-	-	3	2	4	24	27	27
Seaman, R.N.	241	29	212	-	1	28	47	74	45	23	9	8	4
Royal Marine	107	1	106	-	1	8	31	30	15	5	8	2	2
Coastguard, Royal Naval Reserve	64	-	64	-	-	1	5	41	11	7	16	12	12
Navy Pensioner	374	-	374	-	-	-	5	33	39	56	60	73	59
3.—Persons engaged in the LEARNED PROFESSIONS, or in LITERATURE, ART, and SCIENCE (with their immediate Sub-ordinates).													
1. Clergymen, Ministers, and Church Officers.													
Clergyman	457	-	457	-	-	-	3	27	37	67	77	127	218
Protestant Minister	180	-	180	-	-	-	6	23	15	15	34	43	62
Roman Catholic Priest	29	-	29	-	-	-	-	4	2	3	8	4	4
Missionary, Scripture Reader	29	-	29	-	-	-	1	2	5	5	8	2	2
Church, Chapel Officer	123	-	123	-	-	-	-	3	6	14	19	43	42
Others	22	4	18	-	4	4	5	1	2	2	1	2	2
2. Lawyers, Law Court Officers, and Law Stationers.													
Barrister	52	-	52	-	-	-	-	6	4	11	12	19	4
Solicitor, Attorney	318	-	316	-	-	2	9	33	42	41	71	74	60
Law Student	5	1	4	-	-	1	1	1	1	1	-	-	-
Law Clerk	301	16	285	-	1	15	48	79	49	49	27	25	32
Law Stationer	26	1	25	-	-	1	2	6	4	5	2	5	1
3. Physicians, Surgeons, and Druggists.													
Physician, Surgeon	437	1	436	-	-	1	14	56	51	58	34	85	85
Medical—Assistant, Student	37	3	34	-	-	3	15	9	3	4	1	1	1
Dentist	29	1	28	-	-	1	4	7	5	4	2	3	3
Chemist, Druggist	340	9	331	-	-	9	30	62	65	66	48	49	22
Others	6	-	6	-	-	-	-	-	1	8	-	1	1
4. Authors and Literary Persons.													
Author, Editor, Journalist	32	-	32	-	-	-	1	6	9	4	1	6	3
Students and Others	65	5	60	-	1	4	13	10	9	5	10	7	3
5. Artists.													
Painter, Artist	104	1	103	-	-	1	5	13	17	17	36	19	12
Sculptor	13	-	13	-	-	-	1	3	2	1	5	5	1
Engraver	33	3	30	-	-	3	8	12	14	13	15	10	8
Photographer	45	4	41	-	-	4	2	10	15	19	4	-	-
Others engaged in the Fine Arts	4	-	4	-	-	-	1	-	1	-	1	3	-
6. Musicians, Teachers of Music.													
Musician, Music Master	296	7	289	-	-	7	20	71	67	43	33	21	22
Others	6	-	6	-	-	-	-	3	2	-	1	-	-

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
3.—cont.													
7. Actors, &c.													
Actor - - - - -	48	1	47	-	-	1	-	11	7	11	11	5	2
Exhibitions, Shows—Service - - - -	17	2	15	-	-	2	1	3	3	3	3	-	2
Others engaged in Theatres, &c. - - -	62	2	60	-	1	1	7	13	17	10	5	-	1
8. Teachers.													
Schoolmaster - - - - -	410	6	404	-	-	6	23	52	46	47	70	96	70
Teacher, Professor, Lecturer - - - -	98	15	83	-	1	14	10	11	7	12	18	17	8
9. Scientific Persons.													
Civil Engineer - - - - -	66	1	65	-	-	1	5	15	13	8	9	6	0
Other Scientific Persons - - - - -	23	-	23	-	-	-	-	2	3	1	5	6	6
II.—DOMESTIC CLASS.													
5.—Persons engaged in entertaining and performing PERSONAL OFFICES for Man.													
1. In Board and Lodging.													
Inn Keeper, Hotel Keeper, Publican - -	2005	12	2083	-	-	12	19	198	383	404	450	318	242
Beerseller - - - - -	443	2	441	-	-	2	2	37	80	116	103	66	37
Lodging-house, Boarding-house Keeper -	112	-	112	-	-	-	-	5	16	19	22	29	21
Coffee-house, Eating-house Keeper - -	78	2	76	-	-	2	4	6	14	18	12	12	10
Institution Service - - - - -	69	-	69	-	-	-	3	18	14	11	9	7	7
Others - - - - -	26	1	25	-	-	1	2	2	3	9	3	4	2
2. In Attendance (Domestic Servants, &c.)													
Domestic Servant (General) - - - - -	690	41	649	-	4	37	64	167	97	93	88	98	100
Coachman - - - - -	288	3	285	-	-	5	9	35	61	45	42	47	46
Groom - - - - -	93	3	85	-	1	7	18	19	10	6	8	12	12
Gardener - - - - -	182	1	181	-	-	1	17	22	21	20	45	39	39
Inn, Hotel Servant - - - - -	657	37	620	-	3	34	76	167	134	86	66	65	26
Cook (not Domestic Servant) - - - - -	61	1	60	-	-	1	4	9	13	13	6	9	6
Others - - - - -	52	-	52	-	-	-	1	5	10	12	8	12	4
III.—COMMERCIAL CLASS.													
6.—Persons who BUY or SELL, KEEP, or LEND, Money, Houses, or Goods of various Kinds.													
1. Mercantile Men.													
Merchant - - - - -	220	2	228	-	-	2	3	22	36	38	41	54	34
Banker - - - - -	42	-	42	-	-	-	-	3	5	4	6	12	13
Bank Service - - - - -	146	5	141	-	-	5	11	34	21	16	19	16	24
Insurance, Benefit Society, Service -	92	6	86	-	-	6	7	17	18	17	9	10	8
Broker, Agent, Factor - - - - -	240	4	236	-	4	8	37	46	52	40	40	13	13
Salesman (not otherwise described) -	30	1	29	-	-	1	3	5	6	4	4	2	2
Auctioneer, Valuer, House Agent - -	161	-	161	-	-	5	17	26	25	37	32	19	19
Accountant - - - - -	232	4	228	-	4	10	47	29	48	40	31	23	23
Commercial Clerk - - - - -	1217	103	1114	-	4	99	186	291	185	129	133	119	61
Commercial Traveller - - - - -	228	1	227	-	-	1	17	75	78	68	58	23	10
Other Mercantile Men - - - - -	49	-	49	-	-	-	1	1	5	11	5	12	14
2. Other General Dealers.													
Pawnbroker - - - - -	92	6	86	-	-	6	6	18	8	18	19	10	7
Shopkeeper (branch undefined), General Dealer	292	5	287	-	-	5	14	36	32	37	86	76	66
Wholesaler, Costermonger - - - - -	91	4	87	-	-	4	2	15	22	10	15	11	12
Hawker, Pedlar - - - - -	800	12	797	-	2	10	25	84	118	110	181	169	110
7.—Persons engaged in the CONVEYANCE of Men, Animals, Goods, and Messengers.													
1. Carriers on Railways.													
Railway Engine Driver, Stoker - - - -	225	13	212	-	-	13	40	74	89	32	17	5	3
Railway Officer, Clerk, Station-master -	284	22	262	-	-	22	47	71	49	40	41	11	3
Railway Attendant, Servant - - - - -	791	52	739	-	4	48	118	234	144	110	71	40	22
2. Carriers on Roads.													
Toll Collector, Turnpike-gate Keeper -	82	-	82	-	-	-	3	3	8	10	12	23	23
Coach, Omnibus, Cab Owner, Livery Stable Keeper -	167	-	167	-	-	-	2	20	32	44	28	28	13
Coachman (not domestic), Cabman, Flyman -	937	5	932	-	-	5	48	153	202	187	140	128	65
Carman, Carrier, Carter, Drayman - -	1778	61	1717	-	4	57	125	295	290	310	361	323	189
Others - - - - -	28	-	28	-	-	-	-	5	7	5	9	2	2
3. Carriers on Canals and Rivers.													
Inland Navigation Service - - - - -	101	5	96	-	-	5	2	8	11	18	13	22	22
Barge-man, Waterman - - - - -	736	20	716	-	2	18	40	101	106	109	114	142	104
Others - - - - -	6	-	6	-	-	-	-	-	1	-	-	3	2

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
7.—cont.													
4. Carriers on Seas and Rivers.													
Shipowner - - - - -	64	-	64	-	-	-	-	1	5	17	16	17	1
Steam Navigation Service - - - - -	156	1	155	-	1	-	15	56	96	25	12	6	1
Ship Steward, Cook - - - - -	109	8	101	-	-	6	14	33	19	20	9	3	1
Seaman (Merchant Service) - - - - -	2239	121	2118	-	6	115	257	492	868	325	324	126	26
Pilot - - - - -	95	1	94	-	-	1	2	7	17	10	18	22	11
Boatman on Seas - - - - -	45	2	43	-	-	5	2	5	5	6	5	12	6
Harbour, Dock Service, Labourer - - - - -	708	13	696	-	1	11	36	98	140	160	125	91	6
Wharfinger - - - - -	29	-	29	-	-	-	2	7	5	7	7	3	1
Others - - - - -	76	5	71	-	-	6	7	13	19	11	13	6	1
5. Engaged in Storage.													
Warehouseman - - - - -	406	27	430	-	-	27	48	84	85	90	63	46	2
Meter, Weigher - - - - -	6	-	6	-	-	-	-	-	1	-	1	4	-
6. Messengers and Porters.													
Messenger, Porter, Errand Boy - - - - -	965	90	885	-	15	75	53	143	158	169	173	144	60
Cotton Porter - - - - -	70	1	69	-	-	1	3	7	16	16	12	13	3
Telegraph Company Service - - - - -	80	19	81	-	1	18	12	11	4	2	1	1	1
Others engaged in Messages - - - - -	9	-	9	-	-	-	-	-	-	2	3	2	1
IV.—AGRICULTURAL CLASS.													
8.—Persons possessing or working the LAND, and engaged in growing GRAIN, FRUITS, GRASSES, ANIMALS, and other Products.													
1. In Fields and Pastures.													
Land Proprietor (so returned) - - - - -	360	-	360	-	-	-	-	8	17	34	55	101	142
Farmer, Grazier - - - - -	6046	7	6039	-	-	7	53	208	416	687	1125	1215	2640
Farmer's Son, Brother, Grandson, Nephew - - - - -	563	306	257	99	71	126	130	90	38	14	4	1	-
Farm Bailiff - - - - -	276	3	273	-	-	3	6	7	14	46	51	73	78
Agricultural Labourer - - - - -	18908	459	18449	45	63	331	507	922	1041	1942	2014	2426	4115
Shepherd (out-door) - - - - -	276	5	271	-	-	5	6	12	19	25	44	74	69
Farmer's Servant (in-door) - - - - -	216	63	153	-	8	55	27	22	18	18	21	32	35
Land Surveyor, Estate Agent - - - - -	100	2	98	-	-	2	1	8	7	13	14	20	25
Land Drainage Service - - - - -	30	1	29	-	-	1	-	5	5	6	2	3	1
Agricultural Machine Proprietor, Attendant - - - - -	27	1	26	-	-	1	1	3	9	4	1	4	4
Others engaged in Agriculture - - - - -	15	1	14	-	-	1	3	2	1	1	3	3	1
2. In Woods.													
Woodman - - - - -	164	8	161	-	-	3	5	10	16	14	27	38	21
3. In Gardens.													
Nurseryman, Seedsman, Florist - - - - -	86	5	81	-	1	4	10	7	6	13	16	16	12
Gardener - - - - -	1949	22	1927	-	2	20	44	140	165	245	255	261	284
Others engaged in Horticulture - - - - -	4	-	4	-	-	-	-	-	-	1	1	2	-
9.—1. Persons engaged about ANIMALS.													
Horse Proprietor, Dealer - - - - -	64	-	64	-	-	-	-	12	9	13	12	11	7
Horse Breaker - - - - -	50	-	50	-	-	-	2	6	12	12	7	10	14
Horsekeeper, Groom, Jockey - - - - -	811	24	787	-	4	20	75	164	143	144	113	97	111
Farrier, Veterinary Surgeon - - - - -	181	4	177	-	-	4	6	23	25	22	26	34	29
Cattle, Sheep, Pig, Salesman - - - - -	187	2	185	-	-	2	6	19	21	20	29	40	22
Drover - - - - -	135	-	135	-	-	-	4	11	18	15	23	20	20
Gamekeeper - - - - -	198	8	195	-	-	3	8	17	19	25	30	45	20
Vermin Destroyer - - - - -	35	-	35	-	-	-	-	3	4	6	6	9	13
Fisherman - - - - -	384	22	363	-	3	19	25	53	48	48	60	60	77
Others engaged about Animals - - - - -	43	1	42	-	-	1	2	4	9	7	7	7	4
V.—INDUSTRIAL CLASS.													
10.—Persons engaged in ART and MECHANIC Productions, in which matters of various kinds are employed in combination.													
1. In Books.													
Bookseller, Publisher - - - - -	107	5	102	-	-	5	9	12	16	14	17	22	13
Bookbinder - - - - -	133	5	128	-	1	4	11	17	28	22	16	25	11
Printer - - - - -	646	61	585	-	4	57	22	114	91	96	68	63	29
Newspaper Agent, News-room Keeper - - - - -	63	3	60	-	1	2	2	6	11	8	10	16	6
Others engaged in Publications - - - - -	14	-	14	-	-	-	1	1	3	4	1	3	1
2. In Musical Instruments.													
Musical Instrument Maker, Dealer - - - - -	102	5	97	-	1	4	15	16	20	11	11	12	12
Others - - - - -	10	1	9	-	-	1	1	1	1	2	2	2	2
3. In Prints and Pictures.													
Lithographer, Lithographic Printer - - - - -	42	6	36	-	-	6	7	12	7	8	1	1	-
Others - - - - -	46	2	44	-	-	2	-	4	5	10	11	8	6
4. Carving and Figures.													
Wood-carver - - - - -	51	-	51	-	-	-	8	15	6	4	7	11	-
Others - - - - -	34	-	34	-	-	-	1	9	4	6	6	2	4
5. In Tackle for Sports and Games.													
Toy Maker, Dealer - - - - -	45	2	43	-	1	1	5	2	4	8	12	8	4
Others - - - - -	21	1	20	-	-	1	1	3	-	4	1	7	4

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
10.—cont.														
6. In Designs, Medals, and Dies.														
Pattern Designer - - - - -	10	2	8	-	-	2	-	2	-	4	1	1	-	
Type-founder - - - - -	8	-	8	-	-	-	1	1	2	2	-	1	-	
Others - - - - -	34	1	33	-	-	1	3	7	6	1	3	6	5	
7. In Watches and Philosophical Instruments.														
Watch Maker, Clock Maker - - -	369	12	357	-	-	12	31	53	44	44	67	59	60	
Philosophical Instrument Maker; Optician -	65	4	61	-	-	4	6	13	9	8	9	11	4	
Weighing Machine, Scale, Measure, Maker -	29	2	27	-	-	2	-	1	5	5	10	5	1	
8. In Surgical Instruments.														
Surgical Instrument Maker - - - -	21	1	20	-	-	1	-	2	4	5	5	3	3	
9. In Arms.														
Gunsmith, Gun Manufacture - - - -	178	5	173	-	-	5	16	37	32	27	25	21	15	
Others - - - - -	38	6	32	-	1	5	2	9	6	8	3	2	2	
10. In Machines and Tools.														
Engine and Machine Maker - - - -	1453	80	1373	-	1	79	172	324	279	218	182	120	72	
Spinning, Weaving, Machine Maker -	179	6	173	-	-	6	21	21	23	32	35	26	15	
Agricultural Implement, Machine Maker -	54	2	52	-	-	2	4	6	8	7	10	11	6	
Millwright - - - - -	159	5	154	-	-	5	11	18	21	22	27	30	25	
Tool Maker, Dealer - - - - -	128	6	122	-	1	5	7	23	15	20	31	13	14	
File Maker, Dealer - - - - -	170	9	161	-	-	9	11	36	29	29	27	18	11	
Saw Maker, Dealer - - - - -	59	2	57	-	-	2	3	9	5	5	6	8	1	
Cutler - - - - -	253	9	244	-	1	8	15	30	25	61	51	41	21	
Scissors Maker - - - - -	23	1	24	-	-	1	2	3	4	2	5	5	3	
Needle Manufacture - - - - -	44	3	41	-	-	3	4	8	7	4	11	4	8	
Pin Manufacture - - - - -	7	1	6	-	-	1	-	1	2	-	1	2	-	
Others engaged in Tool Making, &c. -	14	-	14	-	-	-	-	-	4	4	5	3	-	
11. In Carriages.														
Coachmaker - - - - -	387	7	380	-	-	7	23	56	47	71	64	58	41	
Wheelwright - - - - -	501	8	493	-	-	8	36	47	44	87	75	97	167	
Others engaged about Carriages - - -	40	-	40	-	-	-	5	6	9	12	5	2	2	
12. In Harness.														
Saddler, Harness, Whip Maker - - -	436	18	408	-	-	18	32	56	52	67	59	74	68	
13. In Ships.														
Ship-builder, Shipwright, Boat-builder -	839	27	812	-	-	27	62	110	130	144	115	124	127	
Sail Maker - - - - -	93	4	89	-	-	4	9	12	21	17	17	13	14	
Others - - - - -	11	-	11	-	-	-	2	2	1	-	2	4	-	
14. In Houses and Buildings.														
House Proprietor - - - - -	347	-	347	-	-	-	2	2	16	26	70	169	122	
Architect - - - - -	90	2	88	-	-	2	12	18	18	18	8	14	5	
Surveyor - - - - -	35	-	35	-	-	-	1	2	6	6	6	9	5	
Builder - - - - -	555	5	552	-	-	3	11	58	57	91	124	108	103	
Carpenter, Joiner - - - - -	3513	88	3425	-	3	85	294	490	433	449	506	613	610	
Bricklayer - - - - -	1422	45	1477	-	2	43	89	216	236	224	244	259	299	
Marble Mason - - - - -	62	2	60	-	-	2	7	8	10	5	16	8	6	
Mason, Pavior - - - - -	1990	44	1945	-	1	43	101	288	317	308	362	327	232	
Slatier, Tiler - - - - -	131	5	126	-	-	5	6	15	14	27	26	21	22	
Plasterer - - - - -	428	23	415	-	2	21	25	68	55	83	63	65	36	
Paperhanger - - - - -	67	2	65	-	-	2	7	14	13	11	7	10	10	
Plumber, Painter, Glazier - - - -	1637	64	1773	-	2	62	125	280	348	375	318	235	92	
Others - - - - -	37	2	35	-	-	2	1	3	6	4	12	2	7	
15. In Furniture.														
Cabinet Maker, Upholsterer - - - -	789	28	761	-	1	27	42	137	108	116	144	136	88	
Undertaker - - - - -	51	-	51	-	-	-	3	2	10	10	4	17	5	
Carver and Gilder - - - - -	117	7	110	-	-	7	9	20	17	17	30	8	1	
Furniture Broker, Dealer - - - - -	82	1	81	-	-	1	2	2	8	16	26	16	11	
Others - - - - -	13	1	12	-	-	1	-	3	2	3	1	2	1	
16. In Chemicals.														
Manufacturing Chemist, Labourer - -	269	7	253	-	-	7	29	54	47	42	32	36	13	
Dye, Colour Manufacture - - - - -	32	2	30	-	-	2	4	6	4	5	5	6	-	
Dyer, Scourer, Calenderer - - - - -	203	5	198	-	1	4	13	28	26	39	39	40	22	
Others - - - - -	64	1	63	-	-	1	1	8	12	17	14	8	3	
11.—Persons Working and Dealing in the Textile Fabrics and in Dress.														
1. In Wool and Worsted.														
Woolstapler - - - - -	70	-	70	-	-	-	1	4	11	11	16	11	16	
Felt Manufacture - - - - -	7	-	7	-	-	-	-	1	-	2	2	-	2	
Woolen Cloth Manufacture - - - - -	1381	81	1300	-	9	71	60	147	168	165	231	315	276	
Faller - - - - -	26	3	23	-	1	2	2	2	4	1	6	3	5	
Wool, Woollen, Dyer - - - - -	34	-	34	-	-	-	2	5	7	3	8	4	5	
Worsted Manufacture - - - - -	149	23	126	-	4	17	14	17	10	18	25	23	17	
Cloth Merchant, Dealer - - - - -	27	1	26	-	-	1	1	5	4	4	7	4	1	
Stuff Manufacture - - - - -	25	4	19	-	-	4	1	2	3	2	2	3	4	
Finaned Manufacture - - - - -	46	2	46	-	-	2	3	6	1	6	7	9	14	
Blanket Manufacture - - - - -	37	1	36	-	-	1	-	2	5	5	7	10	7	
Carpet, Rug, Manufacture - - - - -	143	6	137	-	-	6	16	18	17	24	17	21	24	
Others - - - - -	3	-	3	-	-	-	-	-	-	-	1	1	-	

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwds.
11.—cont.													
2. In Silk.													
Silk, Satin, Manufacture - - - - -	411	16	395	1	-	15	10	35	40	49	91	92	73
Silk Dyer, Printer - - - - -	18	1	17	-	-	1	1	-	3	2	2	6	2
Silk Merchant, Dealer - - - - -	21	-	21	-	-	-	1	1	-	6	4	6	2
Ribbon Manufacture - - - - -	70	3	67	-	-	3	1	7	11	6	13	17	12
Others - - - - -	8	1	7	-	-	1	1	1	4	1	-	-	-
3. In Cotton and Flax.													
Flax, Linen Manufacture - - - - -	191	3	188	-	-	3	13	11	16	26	39	42	49
Lace Manufacture - - - - -	140	7	133	-	1	6	12	17	16	14	24	25	26
Thread Manufacture - - - - -	8	-	8	-	-	-	1	-	-	-	5	3	2
Tape Manufacture, Dealer - - - - -	15	-	15	-	-	-	-	2	-	2	5	3	2
Cotton Manufacture - - - - -	3471	219	2252	7	40	172	207	339	277	354	422	394	389
Cotton, Calico Warehouseman, Dealer - - - - -	25	-	25	-	-	1	4	3	3	4	3	3	3
Fustian Manufacture - - - - -	74	3	71	-	-	3	1	10	10	15	13	19	13
Calico, Cotton, Printer - - - - -	197	8	189	-	4	9	23	12	22	25	35	46	26
Calico, Cotton, Dyer - - - - -	76	3	73	-	-	3	5	10	10	9	19	14	6
Others - - - - -	14	-	14	-	-	-	-	-	2	4	3	1	4
4. In Mixed Materials.													
Weaver (not otherwise described) - - - - -	434	17	417	-	3	14	17	26	29	51	63	91	139
Bleacher (not otherwise described) - - - - -	58	3	55	-	-	3	4	7	9	9	4	12	10
Manchester Warehouseman - - - - -	42	2	40	-	-	2	3	8	14	4	3	7	1
Draper, Linen Draper, Mercer - - - - -	812	76	736	-	1	75	108	174	117	108	99	73	66
Fancy Goods Manufacturer, Dealer - - - - -	63	1	62	-	-	1	2	7	5	6	17	18	7
Trimming Maker, Dealer - - - - -	23	2	21	-	-	2	-	5	1	5	7	2	1
Others - - - - -	8	-	8	-	-	-	-	-	-	1	1	4	1
5. In Dress.													
Hairdresser, Wig Maker - - - - -	265	8	257	-	-	8	16	33	51	43	51	45	38
Hatter, Hat Manufacture - - - - -	812	8	804	-	-	8	13	26	30	54	65	82	27
Straw Flat Manufacture - - - - -	34	1	33	-	-	1	4	5	6	2	9	3	4
Furrier, Skinner - - - - -	60	4	56	-	-	4	1	13	9	12	11	8	3
Tailor - - - - -	2304	73	2231	-	5	68	121	208	339	460	455	416	328
Milliner - - - - -	21	-	21	-	-	-	2	2	5	4	5	3	1
Stay Maker, Ladies' Outfitter - - - - -	19	1	18	-	-	1	1	2	3	2	3	1	6
Hosiery Manufacture - - - - -	538	8	525	-	1	7	20	26	45	73	72	134	106
Hosiery, Haberdasher - - - - -	60	3	57	-	-	3	5	13	11	8	5	7	8
Glover (leather) - - - - -	43	1	42	-	-	1	3	2	3	10	7	8	9
Glove Maker (all except leather) - - - - -	20	-	20	-	-	-	1	1	3	5	6	3	2
Shoemaker, Bootmaker - - - - -	4091	85	4006	-	3	82	192	416	488	587	724	844	595
Patten, Clog Maker - - - - -	23	-	23	-	-	-	4	6	3	4	6	4	-
Button Maker - - - - -	68	-	68	-	-	-	3	13	19	17	4	4	5
Umbrella, Parasol, Stick, Maker - - - - -	69	1	68	-	-	1	7	10	11	7	10	18	5
Laundry Keeper - - - - -	39	1	38	-	-	1	3	8	5	6	5	20	6
Others providing Dress - - - - -	54	7	47	-	-	7	3	5	11	5	8	7	8
6. Hemp and other Fibrous Materials.													
Mat Maker, Seller - - - - -	34	-	34	-	-	-	2	2	7	5	4	2	2
Hemp Manufacture - - - - -	11	1	10	-	-	1	2	1	1	3	-	3	2
Jute Manufacture - - - - -	6	3	3	-	-	3	-	-	-	-	1	1	1
Rope, Cord, Maker - - - - -	207	7	200	-	-	7	5	16	20	37	44	41	27
Canvas, Sailcloth, Manufacture, Dealer - - - - -	20	-	20	-	-	1	-	-	-	1	5	6	4
Sacking, Sack, Bag, Maker, Dealer - - - - -	18	-	18	-	-	-	-	1	2	4	6	1	4
Others - - - - -	8	-	8	-	-	-	-	1	1	1	1	3	1
12.—Persons working and dealing in FOOD and DRINKS.													
1. In Animal Food.													
Cowkeeper, Milkseller - - - - -	376	9	367	-	2	7	12	34	50	37	70	86	38
Cheese monger - - - - -	87	4	83	-	1	3	5	15	9	16	15	12	9
Butcher, Meat Seller - - - - -	1493	31	1462	-	-	31	89	180	227	227	211	269	225
Provision Curer, Dealer - - - - -	221	1	220	-	-	1	10	16	34	45	32	37	25
Poulterer, Game Dealer - - - - -	91	1	90	-	-	1	4	10	17	17	15	14	13
Fishmonger - - - - -	290	6	284	-	-	6	15	45	54	55	49	46	39
2. In Vegetable Food.													
Corn, Flour, Seed, Merchant, Dealer - - - - -	255	4	251	-	-	4	13	36	31	29	44	53	32
Miller - - - - -	589	14	575	-	1	13	29	53	78	86	93	125	119
Baker - - - - -	897	24	873	-	-	24	58	114	127	145	163	182	162
Confectioner, Pastry Cook - - - - -	185	10	175	-	-	10	8	23	26	29	37	33	23
Greengrocer, Fruit, Vegetable, Dealer - - - - -	396	17	379	-	-	17	17	45	74	68	76	66	52
Others - - - - -	19	-	19	-	-	-	1	1	2	2	6	4	3
3. In Drinks and Stimulants.													
Maltster - - - - -	237	3	234	-	-	3	3	21	18	24	46	54	52
Brewer - - - - -	735	7	718	-	-	7	34	128	155	167	138	147	69
Wine and Spirit Merchant - - - - -	237	7	230	-	-	7	15	42	48	39	26	26	22
Cellarman - - - - -	71	2	69	-	-	2	6	14	18	14	10	4	2
Ginger Beer, Soda Water, &c., Manufacture - - - - -	46	1	45	-	-	1	2	8	17	6	4	7	1
Sugar Refiner - - - - -	59	1	58	-	-	1	1	9	17	16	13	6	1
Grocer, Tea Dealer - - - - -	1323	46	1277	-	-	46	115	205	245	174	212	266	125
Tobacco, Cigar, Snuff, Manufacture, Tobaccoist - - - - -	124	10	114	-	2	9	29	39	29	29	16	14	11
Others - - - - -	91	2	89	-	-	2	3	10	19	13	19	13	10

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwds.
13.—Persons working and dealing in ANIMAL SUBSTANCES.													
1. In Grease, Gut, Bones, Horn, Ivory, Whalebone.													
Soap Boiler - - - - -	31	2	29	-	-	2	4	5	3	7	6	3	1
Tallow Chandler - - - - -	76	1	75	-	-	1	1	4	9	13	12	21	11
Comb-maker - - - - -	34	1	33	-	1	-	1	2	3	2	8	9	8
Others - - - - -	64	3	61	-	-	3	2	10	14	10	11	11	5
2. In Skins, Feathers, and Quills.													
Fellmonger - - - - -	86	1	85	-	-	1	1	5	5	9	6	4	5
Tanner - - - - -	161	3	158	-	-	3	2	18	22	22	37	38	19
Currier - - - - -	273	8	267	-	-	8	15	58	48	36	51	50	29
Leather Case, Portmanteau, Bag Maker - - - - -	34	1	33	-	-	1	3	7	10	2	3	3	5
Others - - - - -	18	-	18	-	-	-	1	2	2	4	3	5	1
3. In Hair.													
Hair, Bristle, Manufacture - - - - -	15	1	14	-	-	1	-	1	-	4	2	4	3
Brush, Broom, Maker - - - - -	156	7	149	-	1	6	17	16	17	26	33	24	16
14.—Persons working and dealing in VEGETABLE SUBSTANCES.													
1. In Gums and Resins.													
Oil-miller, Refiner - - - - -	44	5	39	-	-	5	6	8	5	7	5	7	1
Oil and Colourman - - - - -	42	1	41	-	-	1	5	12	6	7	4	6	1
French-polisher - - - - -	105	2	103	-	-	2	16	21	23	17	17	11	4
Japaner - - - - -	40	-	40	-	-	-	3	4	8	5	9	9	2
India Rubber, Gutta Percha, Manufacture, Dealer - - - - -	34	-	34	-	-	-	3	10	7	6	6	2	-
Floor Cloth Manufacture - - - - -	23	1	22	-	-	1	-	4	11	4	5	4	2
Others - - - - -	14	-	14	-	-	-	3	3	3	-	2	1	2
2. In Wood.													
Timber, Wood, Merchant, Dealer - - - - -	208	2	206	-	-	2	16	24	30	35	34	31	56
Sawyer - - - - -	583	8	575	-	3	5	21	50	54	86	110	123	131
Lath, Fence, Hurdle, Maker - - - - -	85	1	84	-	-	1	4	6	8	5	8	11	12
Wood, Turner, Worker - - - - -	119	3	116	-	-	3	7	15	19	23	14	20	18
Box, Packing Case, Maker - - - - -	71	7	64	-	-	7	6	15	10	9	7	11	6
Cropper, Hoop-maker and Bender - - - - -	426	8	418	-	-	8	20	57	59	63	64	85	70
Others - - - - -	5	-	5	-	-	-	-	-	-	1	1	1	2
3. In Bark.													
Cork Cutter, Manufacturer - - - - -	35	2	33	-	-	2	2	4	9	4	8	2	4
4. In Case, Rush, and Straw.													
Basket Maker - - - - -	164	2	162	-	-	2	6	12	17	15	34	37	41
Hay and Straw Dealer - - - - -	20	1	19	-	1	-	2	4	6	15	8	12	11
Thatcher - - - - -	111	1	110	-	-	1	3	5	9	13	15	20	18
Others - - - - -	15	-	15	-	-	-	1	3	2	3	1	3	2
5. In Paper.													
Rag Gatherer, Dealer - - - - -	94	5	89	-	2	3	2	8	11	15	22	16	15
Paper Manufacture - - - - -	132	11	141	-	4	7	11	17	30	21	15	23	24
Stationer (not Law) - - - - -	126	3	123	-	-	3	13	28	17	16	18	19	19
Paper Stainer - - - - -	14	-	14	-	-	-	2	-	1	3	3	4	-
Other Workers in Paper - - - - -	56	1	55	-	-	1	2	9	7	14	11	10	2
15.—Persons working and dealing in MINERALS.													
1. Miners.													
Coal Miner - - - - -	3982	405	3377	1	96	308	455	655	631	525	571	522	318
Copper Miner - - - - -	184	4	180	-	-	4	14	14	19	39	50	29	15
Tin Miner - - - - -	245	26	219	-	8	23	18	21	30	51	38	39	12
Lead Miner - - - - -	265	6	259	-	-	6	20	30	38	57	64	31	19
Iron Miner - - - - -	107	16	291	-	8	13	33	56	40	55	47	38	22
Miner (branch undefined) - - - - -	201	23	178	2	7	14	17	43	38	37	21	21	11
Coal Mine Service - - - - -	126	6	120	-	-	6	6	17	14	16	35	24	8
Mine Service (Metal not stated) - - - - -	64	7	57	-	5	2	2	4	6	16	5	15	9
Others - - - - -	18	-	18	-	-	-	1	3	5	2	2	2	5
2. In Coal.													
Coal Merchant, Dealer - - - - -	317	2	315	-	-	2	11	21	33	47	77	73	53
Coal-heaver, Labourer - - - - -	658	42	596	-	10	32	28	93	80	106	126	107	66
Coke Burner, Dealer - - - - -	69	5	64	-	3	2	10	16	13	11	10	3	1
Chimney Sweeper - - - - -	187	4	183	-	-	4	3	13	32	56	26	15	8
Gas Works Service - - - - -	251	7	244	-	-	7	15	42	49	48	45	30	15
Other Workers in Coal - - - - -	18	-	18	-	-	-	1	4	5	1	5	2	2
3. In Stone, Clay.													
Stone Quarrier - - - - -	529	11	518	-	-	11	34	64	88	104	105	84	39
Stone, Merchant, Cutter, Dresser - - - - -	129	1	128	-	1	-	12	18	18	27	25	20	8
Slate Quarrier - - - - -	169	13	156	-	1	12	28	27	23	21	23	18	16
Limestone Quarrier, Lime-Burner - - - - -	104	5	99	-	-	5	2	6	15	14	24	22	15
Clay Labourer - - - - -	548	29	519	-	-	29	3	2	5	6	8	7	8
Brick, Maker, Dealer - - - - -	42	3	39	-	-	3	2	7	12	8	14	10	9
Railway Labourer, Platelayer, Navy Road Contractor, Inspector, Surveyor - - - - -	926	34	892	1	2	32	88	190	197	165	153	66	31
Road Labourer - - - - -	29	-	29	-	-	-	1	1	4	10	8	5	2
Scavenger, Dust Collector - - - - -	322	2	320	1	1	-	11	7	18	29	60	103	92
Others - - - - -	66	2	64	-	1	1	-	3	4	14	19	16	8
	104	3	101	-	-	3	9	23	13	13	16	14	11

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued*.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
15.—cont.													
4. In Earthenware.													
Earthenware Manufacture - - - - -	528	24	504	1	4	19	48	44	108	119	91	62	32
Tobacco-pipe Maker - - - - -	44	1	43	-	-	1	2	4	6	10	8	9	4
Earthenware and Glass Dealer - - - - -	76	-	76	-	-	-	3	5	19	11	15	16	9
Others - - - - -	3	-	3	-	-	-	-	1	-	-	1	1	-
5. In Glass.													
Glass Manufacture - - - - -	399	11	388	-	1	10	23	56	45	49	54	46	15
Other Workers in Glass - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
6. In Salt.													
Salt Manufacture - - - - -	40	3	37	-	1	2	-	5	8	5	1	13	3
Other Dealers in Salt - - - - -	7	-	7	-	-	-	1	2	1	1	2	-	-
7. In Water.													
Waterworks Service - - - - -	65	3	62	-	1	2	3	8	13	7	12	11	4
Others - - - - -	28	-	28	-	-	-	-	-	5	5	7	7	4
8. In Gold, Silver, and Precious Stones.													
Goldsmith, Silversmith, Jeweller - - - - -	297	11	286	-	-	11	32	57	35	44	34	48	36
Plated, Plated Ware Manufacture - - - - -	16	-	16	-	-	-	1	3	2	6	2	4	1
Others - - - - -	40	-	49	-	-	-	4	9	6	5	9	11	5
9. In Copper.													
Copper Manufacture - - - - -	82	8	74	-	-	8	6	11	14	12	12	15	4
Coppersmith - - - - -	42	2	40	-	-	2	-	4	2	6	9	17	2
Others - - - - -	2	-	2	-	-	-	-	-	1	-	-	-	1
10. In Tin and Quicksilver.													
Tin Manufacture - - - - -	69	9	60	-	3	6	11	10	7	4	8	14	4
Plate Worker, Tinman - - - - -	263	10	253	-	-	10	29	36	42	37	53	52	34
Tinker - - - - -	12	-	12	-	-	-	-	-	-	3	4	3	2
11. In Zinc.													
Zinc Manufacture - - - - -	16	2	14	-	-	2	-	2	4	5	1	1	1
12. In Lead and Antimony.													
Lead Manufacture - - - - -	55	1	54	-	-	1	-	11	10	12	9	10	2
Others - - - - -	8	-	8	-	-	-	-	-	3	2	1	2	-
13. In Brass and other Mixed Metals.													
Brass Manufacture, Brasier - - - - -	267	21	246	-	1	20	50	44	46	45	57	29	15
Locksmith, Bellhanger - - - - -	109	6	103	-	-	6	10	9	5	11	20	26	29
Gas Fitter - - - - -	141	10	131	-	-	10	13	26	29	27	21	34	1
Wire Worker, Drawer - - - - -	107	4	103	1	1	2	14	17	15	16	18	36	7
Others - - - - -	52	-	52	-	-	-	3	7	11	10	7	10	4
14. In Iron and Steel.													
Iron Manufacture - - - - -	2377	152	2225	-	20	132	275	462	385	371	350	246	143
Whitesmith - - - - -	164	7	157	-	-	7	17	17	21	24	29	28	21
Blacksmith - - - - -	1939	75	1914	-	1	74	137	275	223	305	311	549	324
Nail Manufacture - - - - -	273	7	266	-	2	5	7	13	26	40	53	72	45
Anchorsmith, Chainsmith - - - - -	75	2	73	-	1	1	5	7	9	16	13	19	4
Ironmonger, Hardware Dealer - - - - -	232	8	224	-	-	8	24	36	28	35	47	40	14
Steel Manufacture, Worker - - - - -	65	7	58	-	-	7	7	13	15	10	9	4	-
Others - - - - -	41	4	37	-	2	2	5	8	11	5	4	3	1
VII.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16.—LABOURERS AND OTHERS.—Branch of Labour undefined.													
1. General Labourers.													
General Labourer, Labourer (branch undefined) - - - - -	12157	425	11712	1	43	381	745	1800	1655	1821	2049	2077	1703
2. Other Persons of indefinite Occupations.													
Artisan, Mechanic (branch undefined) - - - - -	164	6	158	-	-	6	17	28	31	19	19	24	10
Engine Driver, Stoker (branch undefined) - - - - -	391	24	367	-	1	23	30	65	61	47	43	38	7
Factory Labourer (branch undefined) - - - - -	190	25	165	-	9	16	17	35	34	27	39	27	16
Shopman, Assistant (branch undefined) - - - - -	10	2	8	-	-	2	3	3	-	-	1	1	-
Apprentice (branch undefined) - - - - -	4	3	1	-	-	3	1	-	-	-	-	-	-
Vagrant, Gipsy - - - - -	41	1	40	-	-	1	2	4	8	11	9	2	4
Others of undefined Occupation - - - - -	5612	2026	2986	-	2	2624	619	800	533	232	234	406	530
17. 1.—Persons of RANK or PROPERTY not returned under any Office or Occupation.													
Gentleman, Independent, Annuitant - - - - -	2008	14	2062	-	-	14	42	115	130	186	265	273	600
18. 1.—SCHOLARS and CHILDREN not engaged in any directly Productive Occupation.													
Scholars and Children of no stated Occupation - - - - -	15917	15917	-	11043	4874	-	-	-	-	-	-	-	-

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up- wds.	
Total of Males AGED 5 YEARS AND UPWARDS	23107	3540	19567	1840	694	1006	1417	3229	3336	3411	3290	2911	1973	
I.—PROFESSIONAL CLASS.														
1. 1. Civil Service	144	5	139	—	—	5	5	20	29	24	26	17	18	
Government Messengers, Workmen, &c.	95	3	92	—	—	3	10	15	17	24	15	9	—	
Other Government Officers	11	—	11	—	—	—	—	—	1	2	6	—	2	
2. Magistrate (so returned)	1	—	1	—	—	—	—	—	—	—	—	—	1	
Officer of Law Court	7	—	7	—	—	—	—	1	—	—	2	2	2	
Police	105	—	105	—	—	—	6	37	26	10	13	8	5	
Prison Officer	10	—	10	—	—	—	—	2	3	3	1	1	—	
Municipal, Parish, Union, Officer	42	—	42	—	—	—	1	6	9	3	10	8	5	
Other Local Government Officers	2	—	2	—	—	—	—	—	—	1	1	—	—	
3. East India and Colonial Service	9	—	9	—	—	—	—	—	1	—	2	2	4	
2. 1. Army Officer (effective)	65	—	65	—	—	—	3	9	6	8	12	14	13	
Army Retired and Half Pay Officer	33	—	33	—	—	—	—	1	3	4	5	5	15	
Soldier	207	7	200	—	—	7	26	83	56	18	6	8	8	
Militia, Volunteers	15	—	15	—	—	—	—	3	2	3	3	2	2	
Army Pensioner	166	—	166	—	—	—	—	11	16	29	36	30	44	
Others	2	—	2	—	—	—	—	—	—	1	—	—	1	
2. Navy Officer (effective)	20	—	20	—	—	—	—	4	1	3	—	6	6	
Navy Retired and Half Pay Officer	9	—	9	—	—	—	—	—	—	1	1	4	3	
Seaman, R.N.	6	1	5	—	—	1	1	1	1	—	1	—	1	
Royal Marine	6	—	6	—	—	—	—	1	—	2	1	2	—	
Coastguard, Royal Naval Reserve	2	—	2	—	—	—	—	—	1	—	—	—	1	
Navy Pensioner	57	—	57	—	—	—	—	6	2	4	8	12	23	
3. 1. Clergyman	44	—	44	—	—	—	—	3	5	4	8	14	10	
Protestant Minister	17	—	17	—	—	—	—	3	1	2	4	4	3	
Roman Catholic Priest	6	—	6	—	—	—	—	2	—	—	2	2	—	
Missionary, Scripture Reader	7	—	7	—	—	—	—	—	2	1	2	2	—	
Church, Chapel Officer	25	—	25	—	—	—	—	—	3	4	5	9	4	
Others	3	—	3	—	—	—	—	1	1	—	1	—	—	
2. Barrister	26	—	26	—	—	—	—	3	2	4	8	4	5	
Solicitor, Attorney	93	—	93	—	—	—	3	10	16	10	18	21	15	
Law Student	2	—	2	—	—	—	—	1	—	1	—	—	—	
Law Clerk	123	5	118	—	—	5	12	37	19	25	11	10	4	
Law Stationer	23	1	22	—	—	1	2	5	4	6	2	3	1	
3. Physician, Surgeon	83	—	83	—	—	—	—	7	14	16	15	17	14	
Medical-Assistant, Student	12	—	12	—	—	—	5	4	1	1	1	—	—	
Dentist	9	—	9	—	—	—	1	2	2	1	1	1	1	
Chemist, Druggist	79	1	78	—	—	1	7	13	17	12	12	10	7	
Others	1	—	1	—	—	—	—	—	—	—	—	1	—	
4. Author, Editor, Journalist	15	—	15	—	—	—	—	2	4	3	—	3	3	
Students and Others	26	3	23	—	1	2	1	3	2	3	6	4	4	
5. Painter, Artist	39	—	39	—	—	—	2	9	6	8	7	3	4	
Sculptor	6	—	6	—	—	—	1	—	2	1	—	2	—	
Engraver	34	—	34	—	—	—	5	6	4	2	7	6	4	
Photographer	13	—	13	—	—	—	1	3	6	3	—	—	—	
6. Musician, Music Master	95	1	94	—	—	1	6	23	16	8	18	16	7	
Others	5	—	5	—	—	—	—	3	1	—	1	—	—	
7. Actor	25	—	25	—	—	—	—	3	2	8	8	2	2	
Exhibitions, Shows—Service	8	1	7	—	—	1	—	—	1	—	—	—	1	
Others engaged in Theatres, &c.	27	—	27	—	—	—	1	5	8	8	3	2	—	
8. Schoolmaster	40	1	39	—	—	1	1	2	11	1	9	12	8	
Teacher, Professor, Lecturer	30	—	30	—	—	—	—	2	3	5	9	6	5	
9. Civil Engineer	21	1	20	—	—	1	2	6	5	3	1	2	1	
Other Scientific Persons	9	—	9	—	—	—	—	1	—	1	3	1	3	
II.—DOMESTIC CLASS.														
5. 1. Inn Keeper, Hotel Keeper, Publican	229	—	229	—	—	—	3	33	45	70	49	37	19	
Beer-seller	64	1	63	—	—	1	1	10	17	19	9	6	1	
Lodging-house, Boarding-house Keeper	29	—	29	—	—	—	—	1	9	7	4	8	—	
Coffee-house, Eating-house Keeper	51	2	49	—	—	2	4	4	9	12	5	8	7	
Institution Service	29	—	29	—	—	—	—	6	4	6	7	4	2	
Others	6	—	6	—	—	—	—	1	1	2	—	2	—	
2. Domestic Servant (General)	241	12	229	—	1	11	23	37	40	28	28	36	37	
Cookman	88	1	87	—	—	1	5	16	21	17	14	12	8	
Groom	7	—	7	—	—	—	—	2	—	1	—	—	2	
Gardener	16	—	16	—	—	—	—	2	6	1	3	2	—	
Inn, Hotel Servant	261	16	245	—	—	16	43	85	67	23	16	16	5	
Cook (not Domestic Servant)	44	1	43	—	—	1	3	7	9	9	3	7	5	
Others	10	—	10	—	—	—	1	2	1	5	—	1	—	

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
III.—COMMERCIAL CLASS.													
6. 1. Merchant - - - - -	90	1	89	-	-	1	1	7	12	15	18	22	14
Banker - - - - -	10	-	10	-	-	-	-	1	2	1	2	1	3
Bank Service - - - - -	53	1	52	-	-	1	5	14	4	6	6	8	9
Insurance, Benefit Society, Service - - - - -	26	2	24	-	-	2	1	6	2	4	2	5	7
Broker, Agent, Factor - - - - -	81	2	79	-	-	2	1	11	13	20	9	14	7
Salesman (not otherwise described) - - - - -	10	-	10	-	-	-	-	1	3	1	2	1	1
Auctioneer, Valuer, House Agent - - - - -	39	-	39	-	-	-	1	4	6	7	7	9	4
Accountant - - - - -	50	-	50	-	-	-	1	11	6	12	7	7	6
Commercial Clerk - - - - -	415	37	378	-	1	36	57	96	66	44	44	41	28
Commercial Traveller - - - - -	110	1	109	-	-	1	7	23	25	16	22	10	5
Other Mercantile Men - - - - -	38	-	38	-	-	-	-	1	5	11	5	7	9
2. Pawnbroker - - - - -	22	2	20	-	-	2	2	4	3	4	6	-	1
Shopkeeper (branch undefined), General Dealer - - - - -	125	2	123	-	-	2	4	19	25	13	23	21	12
Huckster, Costermonger - - - - -	56	4	52	-	-	4	1	8	18	4	9	7	5
Hawker, Pedlar - - - - -	157	6	151	-	-	6	6	23	29	24	23	24	19
7. 1. Railway Engine Driver, Stoker - - - - -	44	2	42	-	-	2	5	12	8	12	2	1	2
Railway Officer, Clerk, Station-master - - - - -	63	3	60	-	-	3	6	25	11	10	7	1	-
Railway Attendant, Servant - - - - -	151	8	143	-	2	6	25	44	36	20	11	4	3
2. Toll Collector, Turnpike-gate Keeper - - - - -	8	-	8	-	-	-	1	-	-	2	2	1	2
Coach, Omnibus, Cab Owner, Livery Stable Keeper - - - - -	41	-	41	-	-	-	1	3	10	9	7	5	6
Coachman (not domestic), Cabman, Flyman - - - - -	421	2	419	-	-	2	17	57	88	99	75	63	29
Carman, Carrier, Carter, Drayman - - - - -	426	21	405	-	-	21	44	95	78	81	46	37	23
Others - - - - -	7	-	7	-	-	-	-	-	-	8	2	2	-
3. Inland Navigation Service - - - - -	9	1	8	-	-	1	1	2	-	1	1	2	1
Barge-man, Waterman - - - - -	153	7	146	-	-	7	11	24	50	16	29	24	19
4. Shipowner - - - - -	8	-	8	-	-	-	-	-	2	-	5	1	-
Steam Navigation Service - - - - -	18	-	18	-	-	-	2	7	3	3	2	1	-
Ship Steward, Cook - - - - -	26	-	26	-	-	-	3	12	4	2	2	-	3
Seaman (Merchant Service) - - - - -	335	19	316	-	-	19	41	75	69	50	36	24	20
Pilot - - - - -	13	-	13	-	-	-	4	15	37	20	3	6	-
Harbour, Dock Service, Labourer - - - - -	287	4	283	-	-	-	1	37	66	60	26	17	-
Wharfinger - - - - -	1	-	1	-	-	-	-	1	2	1	2	1	-
Others - - - - -	19	2	17	-	-	2	2	3	3	3	3	3	-
5. Warehouseman - - - - -	137	10	127	-	-	10	16	32	26	22	16	11	4
6. Messenger, Porter, Errand Boy - - - - -	448	49	399	-	7	42	94	62	78	67	75	65	28
Telegraph Service - - - - -	13	7	6	-	-	7	3	2	1	-	-	-	-
Others engaged in Messages - - - - -	9	-	9	-	-	-	-	-	-	2	3	3	1
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned) - - - - -	14	-	14	-	-	-	-	1	1	1	3	1	7
Farmer, Grazier - - - - -	47	-	47	-	-	-	-	3	-	4	7	13	29
Farm Bailiff - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	2
Agricultural Labourer - - - - -	29	2	27	-	-	2	3	6	4	5	5	6	4
Shepherd (out-door) - - - - -	2	-	2	-	-	-	-	-	-	1	-	-	1
Farm Servant (indoor) - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Land Surveyor, Estate Agent - - - - -	3	-	3	-	-	-	-	-	1	-	-	1	1
Others engaged in Agriculture - - - - -	3	1	2	-	-	1	-	-	-	1	-	1	-
2. Woodman - - - - -	9	-	9	-	-	-	1	1	2	2	2	-	1
3. Nurseryman, Seedman, Florist - - - - -	23	1	22	-	-	1	5	2	2	4	5	2	2
Gardener - - - - -	221	7	214	-	-	7	2	16	24	29	44	55	44
Others engaged in Horticulture - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
9. 1. Horse Proprietor, Dealer - - - - -	14	-	14	-	-	-	-	3	1	3	7	-	-
Horse Breaker - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Horsekeeper, Groom, Jockey - - - - -	222	3	219	-	-	3	19	50	44	42	22	27	3
Farrier, Veterinary Surgeon - - - - -	64	1	63	-	-	1	3	19	10	7	14	7	3
Cattle, Sheep, Pig, Salesman - - - - -	9	-	9	-	-	-	-	1	1	3	1	3	-
Drover - - - - -	15	-	15	-	-	-	1	8	3	4	3	1	-
Gamekeeper - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Fisherman - - - - -	14	-	14	-	-	-	-	2	3	-	-	-	4
Others engaged about Animals - - - - -	12	-	12	-	-	-	-	2	4	4	1	1	-
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher - - - - -	44	2	42	-	-	2	5	6	4	6	6	11	4
Bookbinder - - - - -	78	3	75	-	1	2	9	8	12	14	11	14	6
Printer - - - - -	295	26	269	-	3	26	33	46	45	53	44	25	19
Newspaper Agent, News-room Keeper - - - - -	17	1	16	-	1	-	1	3	3	1	4	3	2
Others engaged in Publications - - - - -	3	-	3	-	-	-	1	-	-	1	-	1	-

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
10.—cont.														
2. Musical Instrument Maker, Dealer	84	4	80	-	-	4	14	14	16	8	9	9	10	
Others	5	-	5	-	-	-	-	-	1	1	2	-	1	
5. Lithographer, Lithographic Printer	21	3	18	-	-	3	5	6	3	3	9	1	-	
Others	38	1	37	-	-	1	-	4	4	9	9	6	-	
4. Wood-carver	36	-	36	-	-	-	6	10	4	2	6	8	-	
Others	26	-	26	-	-	-	1	7	3	5	4	2	4	
5. Toy Maker, Dealer	21	1	20	-	-	1	3	1	-	6	7	2	1	
Others	9	-	8	-	-	1	-	1	-	1	-	4	2	
6. Pattern Designer	7	2	5	-	-	2	-	1	-	2	1	1	-	
Type-founder	7	-	7	-	-	-	1	1	2	1	-	1	1	
Others	10	-	10	-	-	-	3	2	3	-	-	-	2	
7. Watch Maker, Clock Maker	79	1	78	-	-	1	3	12	9	12	15	11	16	
Philosoph. Instrumt. Mkr.; Optician	33	2	31	-	-	2	4	8	5	2	5	5	2	
Weighing Machine, Scale, Measure, Mkr.	4	-	4	-	-	-	-	-	-	-	3	1	-	
8. Surgical Instrument Maker	12	-	12	-	-	-	-	2	4	3	1	2	-	
9. Gunsmith, Gun Manufacture	33	1	32	-	-	1	2	8	4	4	6	5	3	
Others	1	-	1	-	-	-	-	-	1	-	-	-	-	
10. Engine and Machine Maker	254	11	243	-	-	11	22	49	54	42	43	23	10	
Spinning, Weaving, Machine Maker	2	-	2	-	-	-	-	2	-	-	-	-	-	
Millwright	14	-	14	-	-	-	-	1	3	4	1	2	3	
Tool Maker, Dealer	12	1	11	-	-	1	1	2	2	1	1	3	1	
File Maker, Dealer	6	-	6	-	-	-	-	-	1	1	2	1	1	
Saw Maker, Dealer	9	1	8	-	-	1	1	-	3	2	2	-	-	
Cutler	14	1	13	-	-	1	-	1	3	1	2	4	2	
Others engaged in Tool Making, &c.	7	-	7	-	-	-	-	-	2	2	2	1	-	
11. Coachmaker	132	1	131	-	-	1	4	16	16	21	34	21	19	
Wheelwright	58	-	58	-	-	-	4	6	7	13	13	12	3	
Others engaged about Carriages	3	-	3	-	-	-	-	-	1	-	1	1	-	
12. Saddler, Harness, Whip Maker	77	2	75	-	-	2	5	12	13	13	9	15	8	
13. Ship-builder, Shipwright, Boat-builder	122	3	119	-	-	3	2	9	19	20	21	18	20	
Sail Maker	14	1	13	-	-	1	-	2	1	2	5	2	1	
14. House Proprietor	55	-	55	-	-	-	-	-	5	4	8	22	16	
Architect	29	1	28	-	-	1	3	9	4	3	2	5	2	
Surveyor	9	-	9	-	-	-	1	1	1	1	-	3	2	
Builder	155	1	154	-	-	1	4	24	22	28	27	31	18	
Carpenter, Joiner	509	16	503	-	-	16	39	91	101	101	91	104	35	
Bricklayer	319	9	310	-	-	9	22	45	68	57	47	42	29	
Marble Mason	19	-	19	-	-	-	3	5	2	2	3	3	1	
Mason, Pavlar	122	2	120	-	-	2	11	28	19	15	20	23	4	
Slater, Tiler	11	1	10	-	-	1	2	1	-	2	4	1	-	
Plasterer	98	7	91	-	-	1	6	14	23	16	13	12	7	
Paperhanger	39	1	38	-	-	1	3	5	7	5	4	4	3	
Plumber, Painter, Glazier	326	18	308	-	-	18	39	76	100	116	103	65	20	
Others	17	-	17	-	-	-	-	-	1	3	7	1	3	
15. Cabinet Maker, Upholsterer	287	11	276	-	-	1	10	16	48	44	29	35	30	
Undertaker	36	-	36	-	-	-	-	3	2	7	4	11	2	
Carver and Gilder	37	5	32	-	-	5	3	14	6	7	10	8	4	
Furniture Broker, Dealer	25	1	22	-	-	1	-	1	2	4	6	5	4	
Others	16	-	16	-	-	-	-	2	2	3	1	1	1	
16. Manufacturing Chemist, Labourer	18	-	18	-	-	-	1	5	-	9	2	1	-	
Dye, Colour Manufacture	4	-	4	-	-	-	-	-	2	1	1	-	-	
Dyer, Scourer, Calenderer	26	-	26	-	-	-	-	6	2	5	3	5	5	
Others	23	-	23	-	-	-	-	3	7	5	3	4	1	
11. 1. Woolstapler														
Woolen Cloth Manufacture	10	-	10	-	-	-	-	-	4	1	3	1	1	
Cloth Merchant, Dealer	14	-	14	-	-	-	1	3	3	3	1	1	2	
Stuff Manufacture	5	-	5	-	-	-	-	-	2	-	3	-	-	
Flannel Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-	
Carpet, Rug, Manufacture	14	-	14	-	-	-	2	2	5	2	1	1	1	
Others	3	-	3	-	-	-	-	-	-	-	1	1	1	
2. Silk, Satin, Manufacture	39	-	39	-	-	-	-	4	1	4	7	9	14	
Silk Dyer, Printer	5	-	5	-	-	-	-	-	-	1	2	1	1	
Silk Merchant, Dealer	11	-	11	-	-	-	1	-	-	3	2	4	1	
Ribbon Manufacture	1	-	1	-	-	-	-	1	-	-	-	-	-	
3. Lace Manufacture	6	-	6	-	-	-	-	-	-	1	2	2	1	
Cotton Manufacture	3	-	3	-	-	-	-	-	-	-	2	-	-	
Cotton, Calico Warehouseman, Dealer	1	-	1	-	-	-	-	1	-	-	-	-	-	
Calico, Cotton, Printer	6	-	6	-	-	-	1	-	-	1	1	2	1	
4. Weaver (not otherwise described)	56	-	56	-	-	-	-	1	4	4	9	12	26	
Bleacher (not otherwise described)	3	-	3	-	-	-	-	-	-	2	-	1	-	
Manchester Warehouseman	6	-	6	-	-	-	-	-	3	2	-	-	1	
Draper, Linen Draper, Mercer	122	10	112	-	-	10	15	31	19	20	11	9	7	
Fancy Goods Manufacturer, Dealer	10	1	9	-	-	1	2	1	-	1	4	1	1	
Trimming Maker, Dealer	15	1	14	-	-	1	-	4	1	1	6	1	1	
Others	1	-	1	-	-	-	-	-	-	-	1	1	-	

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
11.—cont.														
5. Hairdresser, Wig Maker	54	4	50	-	-	4	3	8	9	12	6	11	1	
Hatter, Hat Manufacture	73	4	69	-	-	4	2	5	10	19	12	16	1	
Straw Platt Manufacture	7	-	7	-	-	-	-	-	1	2	-	1	-	
Furrier, Skinner	26	2	24	-	-	2	-	6	6	7	4	-	1	
Tailor	501	16	485	-	-	16	31	61	81	107	89	73	23	
Milliner	17	-	17	-	-	-	2	2	5	3	3	1	1	
Stay Maker, Ladies' Outfitter	5	1	4	-	-	1	1	-	-	1	-	1	1	
Hosiery Manufacture	3	-	2	-	-	-	-	-	-	-	2	-	-	
Hosier, Haberdasher	30	1	19	-	-	1	1	6	4	4	2	1	1	
Glove Maker (all except leather)	5	-	5	-	-	-	-	1	1	1	-	-	-	
Shoemaker, Bootmaker	696	12	684	-	2	10	35	72	79	117	121	122	106	
Button Maker	1	-	1	-	-	-	-	-	-	-	1	-	-	
Umbrella, Parasol, Stick, Maker	25	1	24	-	-	1	4	4	3	5	4	4	-	
Laundry Keeper	30	1	29	-	-	1	2	3	3	5	4	7	5	
Others providing Dress	20	5	15	-	-	5	2	1	3	2	2	1	4	
6. Mat Maker, Seller	12	-	12	-	-	-	-	2	1	3	4	1	1	
Hemp Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-	
Jute Manufacture	1	-	1	-	-	-	-	-	-	-	-	1	-	
Rope, Cord, Maker	30	-	30	-	-	-	1	3	7	8	5	2	4	
Sacking, Sack, Bag, Maker, Dealer	5	-	5	-	-	-	-	1	-	1	2	-	1	
Others	2	-	2	-	-	-	-	1	-	-	-	1	-	
12. 1. Cowkeeper, Milkseller	106	3	103	-	-	3	5	12	21	20	14	21	10	
Cheese-monger	56	2	54	-	1	1	4	13	5	14	9	5	2	
Butcher, Meat Salesman	255	8	247	-	8	22	37	57	45	32	33	21	21	
Provision Curer, Dealer	22	-	22	-	-	2	4	6	5	1	3	1	1	
Poulterer, Game Dealer	35	1	34	-	-	1	3	4	6	4	7	5	5	
Fishmonger	87	4	83	-	4	9	13	18	8	15	12	8	8	
2. Corn, Flour, Seed, Merchant, Dealer	49	-	49	-	-	2	6	8	10	9	5	5	5	
Miller	21	-	21	-	-	1	2	4	3	3	3	3	3	
Baker	204	4	200	-	4	16	34	22	31	40	34	20	20	
Confectioner, Pastry Cook	44	2	42	-	-	2	3	5	7	11	7	7	3	
Greengrocer, Fruit, Vegetable, Dealer	126	11	115	-	11	9	18	19	26	21	14	6	6	
Others	1	-	1	-	-	-	-	-	1	-	-	-	-	
3. Malster	6	-	6	-	-	-	-	-	2	1	2	1	1	
Brewer	107	-	107	-	-	8	23	21	19	12	10	4	4	
Wine and Spirit Merchant	66	1	65	-	1	4	13	11	4	12	14	7	7	
Cellarman	27	-	27	-	-	4	6	5	6	4	2	-	-	
Ginger Beer, Soda Water, &c. Manufac.	11	-	11	-	-	-	1	3	3	1	2	1	1	
Sugar Refiner	29	-	29	-	-	1	1	5	10	6	2	4	-	
Grocer, Tea Dealer	119	10	139	-	10	14	25	30	20	21	27	12	12	
Tobacco, Cigar, Snuff, Manufacture,	76	6	70	-	1	5	15	17	13	9	7	7	2	
Tobacconist	48	1	47	-	-	1	2	8	9	9	7	6	4	
Others	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. 1. Soap Boiler	11	-	11	-	-	-	2	1	2	2	4	-	-	
Tallow Chandler	24	1	23	-	-	1	2	-	-	2	5	1	1	
Comb-maker	5	-	5	-	-	-	-	-	-	-	2	2	2	
Others	27	-	27	-	-	-	-	3	8	4	7	3	3	
2. Fellmonger	13	1	12	-	-	1	1	2	1	3	4	-	1	
Tanner	33	-	33	-	-	-	1	7	4	5	7	6	3	
Currier	89	3	86	-	-	3	3	10	17	16	17	15	6	
Leather Case, Portmanteau, Bag, Maker	22	1	21	-	-	1	3	7	5	1	2	1	2	
Others	8	-	8	-	-	-	-	-	1	3	1	2	3	
3. Hair, Bristle, Manufacture	10	-	10	-	-	-	-	1	-	3	2	3	1	
Brush, Broom, Maker	51	3	48	-	-	8	6	4	4	11	13	4	4	
14. 1. Oil-miller, Refiner	5	-	5	-	-	-	-	1	-	4	-	-	-	
Oil and Colourman	24	-	24	-	-	-	4	9	6	5	4	3	2	
French-polisher	51	-	51	-	-	-	4	13	9	10	9	4	2	
Japanner	12	-	12	-	-	-	1	1	3	2	1	3	1	
India Rubber, Gutta Percha, Manufacture,	1	-	1	-	-	-	-	1	-	-	-	-	-	
Dealer	8	-	8	-	-	-	-	-	-	-	-	-	-	
Floor Cloth Manufacture	5	-	5	-	-	-	-	-	1	2	3	2	-	
Others	-	-	-	-	-	1	1	-	-	-	2	-	1	
2. Timber, Wood, Merchant, Dealer	54	2	52	-	-	2	7	6	7	11	10	6	5	
Sawyer	85	2	83	-	2	-	1	5	7	17	19	21	11	
Lath, Fence, Hurdle, Maker	12	1	11	-	-	1	1	1	1	1	2	3	2	
Wood, Turner, Worker	81	2	79	-	-	2	-	3	6	7	5	4	3	
Box, Packing Case, Maker	22	2	20	-	-	2	1	7	3	5	2	3	-	
Cooper, Hoop-maker and Bender	105	1	104	-	-	1	5	21	22	16	16	13	9	
3. Cork Cutter, Manufacturer	18	2	16	-	-	2	-	2	4	2	4	2	2	
4. Basket Maker	18	-	18	-	-	-	2	1	2	-	10	3	-	
Hay and Straw Dealer	2	1	1	-	1	-	-	-	-	-	-	-	1	
Thatcher	1	-	1	-	-	-	-	-	1	-	-	-	-	
Others	9	-	9	-	-	-	1	2	1	1	1	2	1	
5. Rag Gatherer, Dealer	10	2	8	-	1	1	-	1	1	2	2	1	1	
Paper Manufacture	25	1	24	-	1	-	1	3	3	10	3	1	1	
Stationer (not Law)	54	3	51	-	-	3	5	9	9	4	8	9	7	
Paper Stainer	3	-	3	-	-	-	-	-	-	2	1	-	-	
Other Workers in Paper	21	1	20	-	-	1	1	1	4	6	2	3	1	

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued*.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
15. 1. Coal Miner - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Mine Service (Metal not stated) - -	1	-	1	-	-	-	-	1	-	-	-	1	-
Others - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Coal Merchant, Dealer - - - - -	26	1	25	-	-	1	2	3	4	4	4	3	5
Coal-heaver, Labourer - - - - -	98	3	95	-	-	3	5	13	17	16	22	13	9
Coke Burner, Dealer - - - - -	3	1	2	-	-	1	1	-	-	-	1	-	-
Chimney Sweeper - - - - -	39	8	31	-	-	3	2	3	8	15	5	2	1
Gas Works Service - - - - -	79	2	77	-	-	2	3	16	15	20	16	5	2
3. Stone Quarrier - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Stone, Merchant, Cutter, Dresser - -	22	-	22	-	-	-	3	5	2	2	4	5	1
Slate Quarrier - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Limestone Quarrier, Lime-Burner - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Brick, Maker, Dealer - - - - -	23	1	22	-	-	1	1	4	2	5	2	4	1
Railway Labourer, Platelayer, Navy	93	3	90	-	-	3	8	21	17	22	13	7	2
Road Contractor, Inspector, Surveyor	2	-	2	-	-	-	-	-	-	-	2	-	-
Road Labourer - - - - -	28	-	28	-	-	-	1	-	2	6	7	7	5
Scavenger, Dust Collector - - - - -	28	-	28	-	-	-	1	-	6	10	10	1	1
Others - - - - -	9	1	8	-	-	1	-	3	1	2	-	1	1
4. Earthenware Manufacture - - - - -	15	2	13	-	1	1	1	2	2	4	3	-	2
Tobacco-pipe Manufacture - - - - -	10	-	10	-	-	-	-	2	-	-	2	-	-
Earthenware and Glass Dealer - - - -	13	-	13	-	-	-	1	-	4	5	4	-	1
Others - - - - -	2	-	2	-	4	-	-	1	-	-	-	1	-
5. Glass Manufacture - - - - -	49	2	47	-	-	2	5	6	5	11	10	8	2
6. Other Dealers in Salt - - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-
7. Waterworks Service - - - - -	9	-	9	-	-	-	-	3	3	2	1	2	1
Others - - - - -	6	-	6	-	-	-	-	-	1	-	2	2	1
8. Goldsmith, Silversmith, Jeweller -	117	8	114	-	-	3	13	21	17	20	16	14	13
Others - - - - -	22	-	22	-	-	-	1	5	3	1	4	6	2
9. Coppersmith - - - - -	17	-	17	-	-	-	-	-	-	3	6	8	-
10. Tinplate Worker, Tinsman - - - -	46	1	45	-	-	1	3	5	17	2	4	10	4
Tinker - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
11. Zinc Manufacture - - - - -	11	2	9	-	-	2	-	2	3	2	1	-	1
12. Lead Manufacture - - - - -	9	-	9	-	-	-	-	2	1	3	-	2	1
Others - - - - -	8	-	8	-	-	-	-	-	3	2	1	2	-
13. Brass Manufacture, Brasier - - - -	58	4	54	-	-	4	4	8	10	13	11	3	3
Locksmith, Bellhanger - - - - -	10	-	10	-	-	-	1	1	-	1	2	2	3
Gas Fitter - - - - -	27	4	23	-	-	4	5	6	9	14	11	7	1
Wire Worker, Drawer - - - - -	20	1	19	-	-	1	1	2	3	5	4	1	3
Others - - - - -	7	-	7	-	-	-	-	1	2	-	2	2	-
14. Iron Manufacture - - - - -	68	3	65	-	-	3	5	12	10	10	11	10	7
Whitesmith - - - - -	25	1	24	-	-	1	5	2	4	6	4	2	2
Blacksmith - - - - -	176	9	167	-	-	9	8	30	23	27	40	24	15
Nail Manufacture - - - - -	2	-	2	-	-	-	1	-	1	-	-	-	-
Anchorsmith, Chainsmith - - - - -	3	-	3	-	-	-	-	-	-	1	1	1	-
Ironmonger, Hardware Dealer - - - -	20	2	18	-	-	2	2	4	5	4	7	5	1
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	1969	85	1884	-	6	79	169	341	331	343	335	245	130
2. Artizan, Mechanic (branch undefined)	2	-	2	-	-	-	-	-	1	1	-	-	-
Engine Driver, Stoker (branch undef.)	24	2	22	-	2	4	6	12	7	4	3	-	-
Factory Labourer (branch undefined)	23	1	22	-	1	-	1	4	4	6	2	3	2
Shopman, Assistant (branch undefined)	4	-	4	-	-	-	1	1	-	-	1	1	-
Apprentice (branch undefined) - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
Vagrant, Gipsy - - - - -	7	-	7	-	-	-	-	1	1	1	2	1	1
Others of undefined Occupation - - -	715	346	369	-	-	343	72	49	53	40	43	56	56
17. 1. Gentleman, Independent, Annuitant -	597	4	593	-	-	4	14	24	25	58	105	170	187
18. 1. Scholars and Children of no stated Occupation - - - - -	2498	2498	-	1840	658	-	-	-	-	-	-	-	-

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55— and upwards.
Total of Males AGED 5 YEARS AND UPWARDS	13915	1802	12113	863	446	498	604	1205	1267	1295	1206	2273	2511	
I.—PROFESSIONAL CLASS.														
1. 1. Civil Service	71	1	70	-	-	1	2	6	12	8	12	15	14	
Govt. Messengers, Workmen, &c.	82	2	80	-	-	2	11	13	11	12	13	13	13	
Other Government Officers	8	-	3	-	-	-	1	-	2	-	-	-	-	
2. Magistrate (so returned)	6	-	6	-	-	-	-	-	-	-	1	1	4	
Officer of Law Court	5	-	5	-	-	-	-	-	-	2	-	1	2	
Police	42	-	42	-	-	2	6	10	11	10	10	3	-	
Prison Officer	11	1	10	-	1	-	1	3	1	2	2	2	1	
Municipal, Parish, Union, Officer	45	-	45	-	-	-	2	2	9	12	9	11	11	
3. East India and Colonial Service	2	-	2	-	-	-	-	-	-	-	1	-	1	
2. 1. Army Officer (effective)	49	-	49	-	-	-	1	7	8	5	9	9	10	
Army Retired and Half Pay Officer	17	-	17	-	-	-	-	1	1	3	3	-	9	
Soldier	416	36	380	-	-	36	58	173	120	12	6	7	5	
Militia Volunteers	14	-	14	-	-	-	1	2	3	1	8	1	-	
Army Pensioner	90	-	90	-	-	-	8	13	16	12	10	13	17	
Others	6	-	6	-	-	-	-	-	-	-	2	-	-	
2. Navy Officer (effective)	31	1	30	-	-	1	2	3	6	5	5	1	6	
Navy Retired and Half Pay Officer	15	-	15	-	-	-	-	-	-	-	1	2	9	
Seaman, E. N.	111	12	99	-	-	12	27	34	20	9	4	4	1	
Royal Marine	63	1	61	-	-	1	6	14	21	9	2	4	5	
Coastguard, Royal Naval Reserve	27	-	27	-	-	-	-	2	2	4	5	7	7	
Navy Pensioner	127	-	127	-	-	-	3	9	14	25	19	32	26	
3. 1. Clergyman	82	-	82	-	-	-	-	7	7	12	14	17	25	
Protestant Minister	21	-	21	-	-	-	-	1	4	2	6	4	4	
Roman Catholic Priest	3	-	3	-	-	-	-	1	1	1	-	-	-	
Missionary, Scripture Reader	4	-	4	-	-	-	-	1	1	1	1	1	1	
Church, Chapel Officer	16	-	16	-	-	-	-	1	1	-	3	4	7	
Others	1	-	1	-	-	-	-	-	-	-	-	-	-	
2. Barrister	10	-	10	-	-	-	-	1	1	3	1	3	1	
Solicitor, Attorney	36	-	36	-	-	-	1	2	1	4	7	8	4	
Law Student	1	-	1	-	-	-	-	-	1	-	-	-	-	
Law Clerk	23	1	22	-	-	1	5	6	4	2	3	-	2	
Law Stationer	1	-	1	-	-	-	-	-	-	-	-	1	-	
3. Physician, Surgeon	41	-	41	-	-	3	5	5	3	6	10	9	9	
Medical Assistant, Student	5	1	4	-	-	1	3	-	-	-	-	-	1	
Dentist	3	-	3	-	-	1	-	-	1	1	-	-	-	
Chemist, Druggist	29	-	29	-	-	4	6	2	2	4	6	2	2	
Others	2	-	2	-	-	-	-	1	1	-	-	-	-	
4. Author, Editor, Journalist	3	-	3	-	-	-	-	1	1	1	-	-	-	
Students and Others	3	1	2	-	-	1	-	1	1	-	-	1	-	
5. Painter, Artist	8	-	8	-	-	-	-	-	-	1	4	1	2	
Engraver	3	-	3	-	-	-	-	-	-	-	-	1	2	
Photographer	7	2	5	-	-	2	-	1	1	2	1	-	-	
Others engaged in the Fine Arts	1	-	1	-	-	-	-	1	1	-	-	-	-	
6. Musician, Music Master	30	-	30	-	-	-	1	7	1	4	3	-	4	
7. Actor	3	-	3	-	-	-	-	-	-	-	-	-	-	
Exhibitions, Shows, Service	3	1	2	-	-	1	-	-	-	1	1	-	-	
Others engaged in Theatres, &c.	6	-	6	-	-	-	2	1	2	1	-	-	-	
8. Schoolmaster	27	1	26	-	-	1	1	5	3	-	4	6	7	
Teacher, Professor, Lecturer	13	1	11	-	-	1	1	2	-	1	2	3	2	
9. Civil Engineer	5	-	5	-	-	-	1	1	2	-	1	-	-	
Other Scientific Persons	3	-	3	-	-	-	-	-	-	-	1	1	1	
II.—DOMESTIC CLASS.														
5. 1. Inn Keeper, Hotel Keeper, Publican	231	-	231	-	-	-	2	18	28	54	48	31	28	
Beer-seller	54	1	53	-	-	1	-	6	9	10	12	10	6	
Lodging-house, Boarding-house Keeper	23	-	23	-	-	-	-	1	3	5	3	7	2	
Coffee-house, Eating-house Keeper	6	-	6	-	-	-	-	-	1	1	2	1	1	
Institution Service	8	-	8	-	-	-	1	4	1	2	-	-	-	
Others	3	-	3	-	-	-	-	-	-	2	1	-	-	
2. Domestic Servant (General)	106	6	100	-	1	5	6	25	12	11	16	12	16	
Coachman	42	-	42	-	-	-	-	2	12	5	7	8	9	
Groom	11	4	7	-	-	4	4	2	1	-	-	-	-	
Gardener	25	1	24	-	-	1	1	2	4	4	10	9	3	
Inn, Hotel Servant	67	1	66	-	1	6	23	9	11	7	7	1	2	
Cook (not Domestic Servant)	3	-	3	-	-	-	-	-	-	-	1	1	2	
Others	7	-	7	-	-	-	-	-	-	1	3	1	2	
III.—COMMERCIAL CLASS.														
6. 1. Merchant	20	-	20	-	-	-	-	5	2	3	4	2	4	
Banker	7	-	7	-	-	-	-	-	-	-	3	2	2	
Bank Service	12	7	12	-	-	-	1	4	3	2	-	1	1	
Insurance, Benefit Society, Service	11	1	11	-	-	1	1	3	2	-	1	1	1	
Broker, Agent, Factor	11	-	11	-	-	-	1	3	2	-	-	-	-	
Auctioneer, Valuer, House Agent	19	-	19	-	-	-	1	4	2	4	3	3	3	
Accountant	30	-	30	-	-	-	-	4	2	6	4	4	-	
Commercial Clerk	45	2	43	-	-	2	10	11	7	8	4	2	1	
Commercial Traveller	15	-	15	-	-	-	-	3	4	6	2	-	-	
Other Mercantile Men	9	-	9	-	-	-	-	-	-	-	-	-	1	

NOTE.—The counties comprised in this Table are Surrey (*extra-metropolitan*), Kent (*extra-metropolitan*), Sussex, Hampshire, and Berkshire.

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwds.
6.—cont.													
2. Pawnbroker - - - - -	3	1	2	-	-	1	-	-	2	-	-	-	-
Shopkeeper (branch undefined), General Dealer - - - - -	46	-	46	-	-	-	2	-	10	9	9	11	5
Huckster, Costermonger - - - - -	7	-	7	-	-	-	-	3	2	1	1	-	-
Hawker, Pedlar - - - - -	66	3	63	-	1	2	3	4	10	7	23	4	12
7. 1. Railway Engine Driver, Stoker - - - - -	9	-	9	-	-	-	-	6	2	1	-	-	-
Railway Officer, Clerk, Station-master - - - - -	23	-	23	-	-	-	5	6	2	3	5	2	-
Railway Attendant, Servant - - - - -	39	-	39	-	-	-	5	24	9	10	6	4	1
2. Toll Collector, Turnpike-gate Keeper - - - - -	5	-	5	-	-	-	-	-	-	1	1	-	3
Coach, Omnibus, Cab Owner, Livery Stable Keeper - - - - -	24	-	24	-	-	-	-	5	2	8	5	4	-
Coachman (not domestic), Cabman, Flyman - - - - -	115	-	115	-	-	-	6	25	27	18	16	15	8
Carman, Carrier, Carter, Drayman - - - - -	102	8	94	-	1	7	4	8	13	18	19	23	9
Others - - - - -	46	-	6	-	-	-	-	-	-	1	-	5	-
3. Inland Navigation Service - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Barge, Waterman - - - - -	80	1	79	-	1	2	9	13	15	9	16	15	-
4. Shipowner - - - - -	7	-	7	-	-	-	-	1	4	1	-	-	1
Steam Navigation Service - - - - -	47	-	47	-	-	-	8	14	11	6	4	2	2
Ship Steward, Cook - - - - -	17	1	16	-	-	1	2	4	3	5	1	1	-
Seaman (Merchant Service) - - - - -	212	8	204	-	1	7	25	52	28	23	24	21	31
Pilot - - - - -	14	-	14	-	-	-	-	1	1	1	4	3	5
Boatman on Seas - - - - -	18	-	18	-	-	-	1	3	4	3	2	4	1
Harbour, Dock Service, Labourer - - - - -	43	1	42	-	1	-	4	5	8	7	5	7	13
Wharfinger - - - - -	3	-	3	-	-	-	-	1	1	-	1	-	-
Others - - - - -	7	-	7	-	-	1	1	-	1	2	1	1	1
5. Warehouseman - - - - -	12	-	12	-	-	-	5	1	2	3	-	1	-
6. Messenger, Porter, Errand Boy - - - - -	31	2	29	-	-	2	2	4	3	7	8	3	2
Telegraph Company Service - - - - -	3	1	2	-	-	1	1	1	-	-	-	-	-
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned) - - - - -	31	-	31	-	-	-	-	1	2	3	4	9	11
Farmer, Grazier - - - - -	456	-	456	-	-	-	3	18	25	34	73	115	189
Farmer's Son, Brother, Grandson, Nephew - - - - -	30	14	16	-	2	12	6	6	1	2	1	-	-
Farm Bailiff - - - - -	59	1	58	-	-	1	1	1	3	11	10	15	17
Agricultural Labourer - - - - -	1849	62	1787	-	6	56	73	146	161	208	289	303	407
Shepherd (out-door) - - - - -	31	-	31	-	-	2	2	6	5	7	12	11	18
Farm Servant (in-door) - - - - -	73	-	71	-	-	2	4	6	5	7	12	12	27
Land Surveyor, Estate Agent - - - - -	2	1	1	-	-	1	-	-	-	1	1	2	2
Land Drainage Service - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Agricult. Machine Proprietor, Attendant - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
2. Woodman - - - - -	28	-	28	-	-	1	2	4	1	5	7	8	-
3. Nurseryman, Seedsman, Florist, Gardener - - - - -	25	3	22	-	1	2	3	2	1	1	3	6	6
	305	2	304	-	1	1	10	28	23	42	46	69	86
9. 1. Horse Proprietor, Dealer - - - - -	5	-	5	-	-	-	-	3	1	-	-	-	1
Horse Breaker - - - - -	3	-	3	-	-	-	-	1	1	-	-	1	-
Horsekeeper, Groom, Jockey - - - - -	76	3	73	-	3	6	14	14	17	11	4	7	4
Farrier, Veterinary Surgeon - - - - -	14	-	14	-	-	-	1	2	3	1	1	3	5
Cattle, Sheep, Pig, Salesman - - - - -	15	-	15	-	-	-	1	1	1	1	3	4	7
Driver - - - - -	26	-	26	-	-	-	6	2	3	-	-	1	4
Gamekeeper - - - - -	5	-	5	-	-	-	-	-	-	-	-	1	4
Vermion Destroyer - - - - -	66	-	66	-	-	5	7	12	10	8	11	13	13
Fisherman - - - - -	5	1	4	-	1	-	-	-	-	1	2	1	-
Others engaged about Animals - - - - -	5	-	5	-	-	-	-	-	-	-	-	-	-
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher - - - - -	13	1	12	-	-	1	2	1	3	1	2	1	3
Bookbinder - - - - -	7	-	7	-	-	-	-	1	2	-	-	1	3
Printer - - - - -	34	4	30	-	4	4	-	8	7	3	4	1	3
Newspaper Agent, News-room Keeper - - - - -	4	-	4	-	-	-	-	1	-	1	-	1	-
2. Musical Instrument Maker, Dealer - - - - -	4	-	4	-	-	-	-	1	-	1	-	-	2
Others - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	-
4. Wood-carver - - - - -	5	-	5	-	-	-	1	1	-	-	-	1	-
Others - - - - -	2	-	2	-	-	-	-	1	-	-	1	-	-
5. Toy Maker, Dealer - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Others - - - - -	4	-	4	-	-	-	-	-	2	-	-	1	1
7. Watch Maker, Clock Maker - - - - -	19	-	19	-	-	-	2	2	4	-	2	3	6
Philosophical Instrument Maker; Optician - - - - -	3	-	3	-	-	-	1	1	1	-	-	-	-
Weighing Machine, Scale, Measure, Mkr. - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
8. Surgical Instrument Maker - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
9. Gunsmith, Gun Manufacture - - - - -	2	-	2	-	-	-	-	-	1	1	-	-	1
Others - - - - -	5	-	5	-	-	-	1	-	1	1	-	-	1
16. Engine and Machine Maker - - - - -	50	3	47	-	3	6	14	10	5	3	5	4	4
Agricultural Implement, Machine Mkr. - - - - -	3	-	3	-	-	-	-	-	-	-	1	1	1
Millwright - - - - -	14	-	14	-	-	3	2	2	1	1	2	3	3
File Maker, Dealer - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Cutler - - - - -	6	-	6	-	-	-	-	-	1	2	-	-	3
Scissors Maker - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Others engaged in Tool Making, &c. - - - - -	2	-	2	-	-	-	-	-	2	-	-	-	-

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.	
Total of Males AGED 5 YEARS AND UPWARDS	13915	1802	12113	863	446	498	604	1205	1257	1486	1206	227	252	
I.—PROFESSIONAL CLASS.														
1. 1. Civil Service	71	1	70	-	-	1	2	6	12	8	12	13	14	
Govtmt. Messengers, Workmen, &c.	82	2	80	-	-	2	11	13	11	12	12	13	16	
Other Government Officers	3	-	3	-	-	-	1	-	2	-	-	-	-	
2. Magistrate (so returned)	6	-	6	-	-	-	-	-	-	-	1	1	4	
Officer of Law Court	5	-	5	-	-	-	-	-	-	-	-	1	3	
Police	49	-	42	-	-	-	2	6	10	11	10	8	1	
Prison Officer	11	1	10	-	-	1	-	1	3	1	2	2	1	
Municipal, Parish, Union, Officer	45	-	45	-	-	-	-	2	2	9	12	9	11	
3. East India and Colonial Service	2	-	2	-	-	-	-	-	-	-	1	-	1	
2. 1. Army Officer (effective)	49	-	49	-	-	-	1	7	8	5	9	9	10	
Army Retired and Half Pay Officer	17	-	17	-	-	-	-	1	1	3	2	-	3	
Militia, Volunteers	416	36	380	-	-	36	58	173	190	12	6	7	4	
Army Pensioner	14	-	14	-	-	-	1	2	3	1	2	1	3	
Others	90	-	90	-	-	-	3	13	16	12	10	19	7	
2. Navy Officer (effective)	8	-	2	-	-	-	-	-	-	-	2	-	-	
Navy Retired and Half Pay Officer	31	1	30	-	-	1	2	3	6	5	5	1	8	
Seaman, R.N.	15	-	15	-	-	-	-	-	1	-	1	2	6	
Royal Marine	111	12	99	-	-	12	27	34	20	9	4	4	1	
Coastguard, Royal Naval Reserve	63	1	61	-	-	1	6	14	21	9	2	4	5	
Navy Pensioner	27	-	27	-	-	-	-	2	2	4	5	7	7	
Others	127	-	127	-	-	-	3	9	14	26	19	22	26	
3. 1. Clergyman	82	-	82	-	-	-	-	7	7	12	14	17	25	
Protestant Minister	21	-	21	-	-	-	-	1	4	2	6	4	4	
Roman Catholic Priest	3	-	3	-	-	-	-	1	1	1	-	-	-	
Missionary, Scripture Reader	4	-	4	-	-	-	-	1	-	1	1	-	-	
Church, Chapel Officer	16	-	16	-	-	-	-	1	1	-	2	4	7	
Others	1	-	1	-	-	-	-	-	-	-	1	-	-	
2. Barrister	10	-	10	-	-	-	-	1	1	3	1	2	1	
Solicitor, Attorney	26	-	26	-	-	-	1	2	-	4	7	8	4	
Law Student	1	-	1	-	-	-	-	-	1	-	-	-	-	
Law Clerk	23	1	22	-	-	1	5	6	4	2	3	-	3	
Law Stationer	1	-	1	-	-	-	-	-	-	-	-	1	-	
3. Physician, Surgeon	41	-	41	-	-	-	3	5	5	3	6	10	9	
Medical-Assistant, Student	5	1	4	-	-	1	2	-	-	-	-	-	1	
Dentist	3	-	3	-	-	-	1	-	1	1	-	-	-	
Chemist, Druggist	29	-	29	-	-	-	4	6	2	3	4	6	2	
Others	2	-	2	-	-	-	-	-	1	1	-	-	-	
4. Author, Editor, Journalist	3	-	3	-	-	-	-	1	1	1	-	-	-	
Students and Others	3	1	2	-	-	1	-	-	1	-	-	1	-	
5. Painter, Artist	8	-	8	-	-	-	-	-	-	1	4	1	2	
Engraver	3	-	3	-	-	-	-	-	-	-	-	1	2	
Photographer	7	2	5	-	-	2	-	1	1	2	1	-	-	
Others engaged in the Fine Arts	1	-	1	-	-	-	-	-	1	-	-	-	-	
6. Musician, Music Master	20	-	20	-	-	-	1	7	1	4	8	-	4	
7. Actor	3	-	3	-	-	-	-	-	-	-	1	2	-	
Exhibitions, Shows—Service	3	1	2	-	-	1	-	1	-	1	-	-	-	
Others engaged in Theatres, &c.	6	-	6	-	-	-	2	1	2	1	-	-	-	
8. Schoolmaster	27	1	26	-	-	1	1	5	3	-	4	6	7	
Teacher, Professor, Lecturer	12	1	11	-	-	1	1	2	-	1	3	3	2	
9. Civil Engineer	5	-	5	-	-	-	1	1	2	-	1	-	1	
Other Scientific Persons	3	-	3	-	-	-	-	-	-	-	1	1	-	
II.—DOMESTIC CLASS.														
5. 1. Inn Keeper, Hotel Keeper, Publican	221	-	221	-	-	-	2	18	28	54	48	21	20	
Beer-seller	54	1	53	-	-	1	-	6	9	10	12	10	6	
Lodging-house, Boarding-house Keeper	28	-	28	-	-	-	-	1	3	5	5	7	2	
Coffee-house, Eating-house Keeper	6	-	6	-	-	-	-	-	1	1	2	1	1	
Institution Service	8	-	8	-	-	-	1	4	1	2	-	-	-	
Others	3	-	3	-	-	-	-	-	-	2	1	-	-	
2. Domestic Servant (General)	106	6	100	-	1	5	6	25	12	11	16	12	18	
Coachman	42	-	42	-	-	-	-	2	12	5	7	6	6	
Groom	11	4	7	-	-	4	4	2	1	-	-	-	-	
Gardener	36	-	35	-	-	1	1	2	4	4	10	9	5	
Inn, Hotel Servant	67	1	66	-	1	-	6	23	9	11	7	7	2	
Cook (not Domestic Servant)	3	-	3	-	-	-	1	-	-	-	1	1	-	
Others	7	-	7	-	-	-	-	-	-	1	3	1	-	
III.—COMMERCIAL CLASS.														
6. 1. Merchant	20	-	20	-	-	-	-	5	2	3	4	3	4	
Banker	7	-	7	-	-	-	-	-	-	-	3	2	3	
Bank Service	12	-	12	-	-	-	1	4	3	2	-	1	1	
Insurance, Benefit Society, Service	7	1	6	-	-	1	1	2	-	-	1	-	-	
Broker, Agent, Factor	11	-	11	-	-	-	1	2	2	2	-	1	1	
Auctioneer, Valuer, House Agent	19	-	19	-	-	-	1	1	2	4	5	2	3	
Accountant	20	-	20	-	-	-	-	4	2	6	4	4	-	
Commercial Clerk	45	3	42	-	-	2	10	11	7	8	4	2	1	
Commercial Traveller	15	-	15	-	-	-	-	5	4	6	2	-	-	
Other Mercantile Men	9	-	9	-	-	-	-	-	-	-	-	4	1	

NOTE.—The counties comprised in this Table are Surrey (*extra-metropolitan*), Kent (*extra-metropolitan*), Sussex, Hampshire, and Berkshire.

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65- and upwds.
6.—cont.												
2. Pawnbroker	3	1	2	-	-	1	-	-	2	-	-	-
Shopkeeper (branch undefined), General Dealer	46	-	46	-	-	-	2	-	10	9	9	5
Huckster, Costermonger	7	-	7	-	-	-	-	8	2	1	1	-
Hawker, Pedlar	66	3	63	-	1	2	3	4	10	7	23	12
7. 1. Railway Engine Driver, Stoker												
Railway Officer, Clerk, Station-master	23	-	23	-	-	-	5	6	2	3	5	2
Railway Attendant, Servant	39	-	39	-	-	-	5	24	9	10	6	1
2. Toll Collector, Turnpike-gate Keeper	5	-	5	-	-	-	-	-	-	1	1	3
Coach, Omnibus, Cab Owner, Livery Stable Keeper	24	-	24	-	-	-	-	5	2	8	5	4
Coachman (not domestic), Cabman, Flyman	115	-	115	-	-	-	6	25	27	18	16	8
Carman, Carrier, Carter, Drayman	102	8	94	-	1	7	4	8	13	18	19	9
Others	46	-	46	-	-	-	-	-	-	1	5	-
3. Inland Navigation Service	1	-	1	-	-	-	-	-	1	-	-	-
Barge, Waterman	80	1	79	-	1	2	9	13	15	9	16	15
4. Shipowner	7	-	7	-	-	-	-	-	1	4	1	1
Steam Navigation Service	47	-	47	-	-	-	8	14	11	6	4	2
Ship Steward, Cook	17	1	16	-	-	1	2	4	3	5	1	1
Seaman (Merchant Service)	212	8	204	-	1	7	25	52	28	23	24	31
Pilot	14	-	14	-	-	-	-	-	1	1	4	5
Boatman on Seas	18	-	18	-	-	-	1	3	4	8	2	4
Harbour, Dock Service, Labourer	43	1	42	-	-	1	-	4	5	8	7	13
Wharfinger	3	-	3	-	-	-	-	1	1	-	1	-
Others	7	-	7	-	-	-	1	1	-	1	2	1
5. Warehouseman	12	-	12	-	-	-	5	1	2	3	-	1
6. Messenger, Porter, Errand Boy	31	2	29	-	-	2	2	4	3	7	8	3
Telegraph Company Service	3	1	2	-	-	1	1	1	-	-	-	-
IV.—AGRICULTURAL CLASS.												
8. 1. Land Proprietor (so returned)	31	-	31	-	-	-	-	1	8	3	4	9
Farmer, Grazier	456	-	456	-	-	-	3	18	25	34	73	115
Farmer's Son, Brother, Grandson, Nephew	30	14	16	-	2	12	6	6	1	2	1	-
Farm Bailiff	59	1	58	-	-	1	1	1	3	11	10	15
Agricultural Labourer	1849	62	1787	-	6	56	73	146	161	208	289	603
Shepherd (out-door)	31	-	31	-	-	-	2	2	6	5	7	11
Farm Servant (in-door)	73	-	73	-	-	2	4	6	3	7	12	27
Land Surveyor, Estate Agent	8	1	7	-	-	1	-	-	-	1	1	2
Land Drainage Service	2	-	2	-	-	-	-	-	-	-	-	-
Agricultural Machine Proprietor, Attendant	1	-	1	-	-	-	-	-	1	-	-	-
2. Woodman	23	-	23	-	-	1	2	4	1	5	7	8
3. Nurseryman, Seedsman, Florist	25	3	22	-	1	2	3	2	1	1	3	6
Gardener	306	2	304	-	1	1	10	28	23	42	46	86
9. 1. Horse Proprietor, Dealer												
Horse Breaker	5	-	5	-	-	-	-	-	3	1	-	1
Horsekeeper, Groom, Jockey	3	-	3	-	-	-	-	-	1	-	-	-
Farrier, Veterinary Surgeon	76	3	73	-	-	3	6	14	14	17	11	4
Cattle, Sheep, Pig, Salesman	12	-	12	-	-	-	-	4	2	1	-	3
Drover	15	-	15	-	-	-	1	1	2	3	1	3
Gamekeeper	26	-	26	-	-	-	-	6	2	3	4	7
Vermine Destroyer	5	-	5	-	-	-	-	-	-	-	-	-
Fisherman	66	-	66	-	-	5	7	12	10	8	11	13
Others engaged about Animals	5	1	4	-	-	1	-	-	-	1	2	1
V.—INDUSTRIAL CLASS.												
10. 1. Bookseller, Publisher	12	1	12	-	-	1	2	1	3	1	2	1
Bookbinder	7	-	7	-	-	-	-	1	2	-	-	3
Printer	34	4	30	-	-	4	4	8	7	3	4	1
Newspaper Agent, News-room Keeper	4	-	4	-	-	-	-	1	-	1	-	1
2. Musical Instrument Maker, Dealer	4	-	4	-	-	-	-	1	-	1	-	2
Others	1	1	-	-	1	-	-	-	-	-	-	-
4. Wood-carver	3	-	3	-	-	-	1	1	-	-	-	1
Others	2	-	2	-	-	-	-	1	-	-	1	-
5. Toy Maker, Dealer	1	-	1	-	-	-	-	-	-	-	-	1
Others	4	-	4	-	-	-	-	-	-	2	-	1
7. Watch Maker, Clock Maker	19	-	19	-	-	-	2	2	4	-	2	6
Philosophical Instrument Maker; Optician	3	-	3	-	-	-	1	1	1	-	-	-
Weighing Machine, Scale, Measure, Mkr.	1	-	1	-	-	-	-	-	-	-	-	1
8. Surgical Instrument Maker	1	-	1	-	-	-	-	-	-	-	1	-
9. Gunsmith, Gun Manufacture	2	-	2	-	-	-	-	-	-	1	-	1
Others	5	-	5	-	-	-	1	-	1	1	-	1
10. Engine and Machine Maker	50	3	47	-	-	3	6	14	10	5	3	4
Agricultural Implement, Machine Mkr.	8	-	8	-	-	-	-	-	-	-	1	1
Millwright	14	-	14	-	-	3	2	2	1	1	2	3
File Maker, Dealer	1	-	1	-	-	-	-	-	-	-	-	1
Cutler	6	-	6	-	-	-	-	-	1	2	-	3
Scissors Maker	1	-	1	-	-	-	-	-	-	-	-	1
Others engaged in Tool Making, &c.	2	-	2	-	-	-	-	-	2	-	-	-

II.—SOUTH EASTERN COUNTIES.—DEATHS OF MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
10.—cont.													
11. Coachmaker - - - - -	28	1	27	-	-	1	2	5	4	8	7	5	6
Wheelwright - - - - -	61	2	59	-	-	2	1	6	3	8	7	14	20
Others engaged about Carriages - -	1	-	1	-	-	-	-	-	-	1	-	-	-
12. Saddler, Harness, Whip Maker - -	28	2	26	-	-	2	2	6	5	5	6	7	1
13. Ship-builder, Shipwright, Boat-builder	80	5	75	-	-	5	2	6	5	10	11	16	25
Sail Maker - - - - -	13	-	13	-	-	1	1	-	-	5	2	1	3
Others - - - - -	3	-	3	-	-	1	1	-	-	-	-	1	-
14. House Proprietor - - - - -	38	-	38	-	-	1	1	1	1	1	10	20	14
Architect - - - - -	11	-	11	-	-	-	1	2	3	2	2	4	-
Surveyor - - - - -	7	-	7	-	-	-	1	2	3	-	-	1	-
Builder - - - - -	103	-	103	-	-	2	12	7	12	23	20	23	23
Carpenter, Joiner - - - - -	353	7	346	-	-	7	25	49	41	27	67	67	74
Bricklayer - - - - -	244	3	241	-	-	3	17	41	27	23	38	48	39
Marble Mason - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-
Mason, Pavior - - - - -	58	1	57	-	-	1	6	5	7	10	13	9	7
Slater, Tiler - - - - -	5	-	5	-	-	-	-	-	1	-	-	2	2
Plasterer - - - - -	24	2	22	-	-	2	1	5	4	3	2	4	2
Paperhanger - - - - -	8	-	8	-	-	-	1	2	1	1	1	2	-
Plumber, Painter, Glasier - - - -	190	4	186	-	-	4	10	20	43	37	42	19	15
15. Cabinet Maker, Upholsterer	47	-	47	-	-	-	1	5	5	7	8	14	7
Undertaker - - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-
Carver and Gilder - - - - -	3	-	3	-	-	-	-	-	1	2	-	-	-
Furniture Broker, Dealer - - - -	6	-	6	-	-	-	1	-	1	-	2	1	1
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
16. Manufacturing Chemist, Labourer	3	-	3	-	-	-	-	-	1	-	1	1	-
Dye, Colour Manufacture - - - -	2	-	2	-	-	-	-	-	1	-	-	1	-
Dyer, Securer, Calenderer - - - -	9	-	9	-	-	-	1	1	2	-	-	4	1
Others - - - - -	4	-	4	-	-	1	1	1	-	1	-	-	-
11. 1. Woolstapler - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	4
Woolen Cloth Manufacture - - - -	1	-	1	-	-	-	-	1	-	-	-	1	-
Carpet, Rug, Manufacture - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
2. Silk, Satin, Manufacture - - - -	8	-	8	-	-	-	-	1	1	1	2	1	2
3. Flax, Linen, Manufacture - - - -	2	-	2	-	-	-	1	-	-	-	-	1	-
Lace Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Cotton Manufacture - - - - -	2	-	2	-	-	-	-	-	1	-	-	-	-
Calico, Cotton, Printer - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
4. Weaver (not otherwise described)	5	-	5	-	-	-	-	1	-	-	1	-	2
Manchester Warehouseman - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Draper, Linen Draper, Mercer - - -	73	8	65	-	-	8	11	14	14	6	6	7	7
Fancy Goods Manufacturer, Dealer -	1	-	1	-	-	-	-	-	-	1	-	-	-
5. Hairdresser, Wig Maker - - - -	28	-	28	-	-	4	1	4	4	4	7	5	3
Hatter, Hat Manufacture - - - - -	7	-	7	-	-	-	-	-	2	2	-	-	-
Furrier, Skinner - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Tailor - - - - -	186	5	181	-	-	5	7	18	23	24	40	32	27
Stay Maker, Ladies' Outfitter - - -	2	-	2	-	-	-	-	-	1	-	1	-	-
Hosiery, Haberdasher - - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-
Glover (leather) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Shoemaker, Bootmaker - - - - -	292	2	290	-	-	2	5	21	22	34	60	60	61
Umbrella, Parasol, Stick, Maker -	7	-	7	-	-	-	-	1	1	-	2	1	-
Laundry Keeper - - - - -	3	-	3	-	-	-	1	-	-	-	2	-	-
Others providing Dress - - - - -	4	-	4	-	-	-	1	-	1	-	1	-	-
6. Hemp Manufacture - - - - -	2	-	2	-	-	-	-	-	-	-	-	1	1
Rope, Cord, Maker - - - - -	7	2	5	-	-	2	-	-	-	-	2	2	1
Sacking, Sack, Bag, Maker, Dealer -	3	-	3	-	-	-	-	-	-	1	1	1	-
Others - - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-
12. 1. Cowkeeper, Milk-seller - - - -	41	-	41	-	-	-	-	2	5	5	10	13	6
Cheese-monger - - - - -	6	-	6	-	-	-	-	-	1	1	1	2	1
Butcher, Meat Salesman - - - - -	135	3	132	-	-	3	5	22	21	16	20	25	26
Provision Curer, Dealer - - - - -	3	-	3	-	-	-	-	-	2	-	-	-	1
Poulterer, Game Dealer - - - - -	8	-	8	-	-	-	-	-	2	1	1	2	1
Fishmonger - - - - -	41	1	40	-	-	1	1	9	5	12	5	8	-
2. Corn, Flour, Seed, Merchant, Dealer -	25	1	24	-	-	1	3	2	-	4	3	9	2
Miller - - - - -	52	2	50	-	-	2	3	7	8	11	5	7	7
Baker - - - - -	154	6	148	-	-	6	11	20	15	22	25	25	20
Confectioner, Pastry Cook - - - -	18	-	18	-	-	-	1	2	6	2	2	4	2
Greengrocer, Fruit, Vegetable Dealer -	38	2	36	-	-	2	1	4	6	3	12	6	2
Others - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
3. Malster - - - - -	18	-	18	-	-	-	-	-	1	-	-	4	2
Brewer - - - - -	20	-	20	-	-	3	14	20	7	15	10	11	4
Wine and Spirit Merchant - - - -	25	1	24	-	-	1	5	3	4	1	4	4	-
Cellarman - - - - -	5	-	5	-	-	-	1	-	1	2	1	-	-
Ginger Beer, Soda Water, &c., Manu- facture - - - - -	3	1	2	-	-	1	-	1	1	-	-	-	-
Sugar Refiner - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Grocer, Tea Dealer - - - - -	188	8	180	-	-	8	12	23	12	15	21	21	28
Tobacco, Cigar, Snuff, Manufacture, Tobaccoist - - - - -	12	1	11	-	-	1	-	5	2	2	-	1	1
Others - - - - -	8	-	8	-	-	-	1	-	-	1	4	1	1
13. 1. Soap Boiler - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
Tallow Chandler - - - - -	5	-	5	-	-	-	-	-	-	-	1	-	-
Others - - - - -	3	-	3	-	-	-	-	1	-	-	-	-	1

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	3—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
13.—cont.													
2. Fellmonger - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Tanner - - - - -	15	1	14	-	-	1	-	2	-	1	2	4	5
Carrier - - - - -	12	-	12	-	-	-	-	5	-	1	3	3	2
Leather Case, Portmanteau, Bag Maker - - - - -	2	-	2	-	-	-	-	-	1	-	-	1	-
Others - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
3. Hair, Bristle, Manufactory Brush, Broom, Maker - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Brush, Broom, Maker - - - - -	6	-	6	-	-	-	2	-	1	1	-	-	2
14.													
1. Oil-miller, Refiner - - - - -	4	1	3	-	-	1	-	-	-	1	1	1	-
Oil and Colourman - - - - -	3	1	2	-	-	1	-	1	-	-	-	1	-
French-polisher - - - - -	6	-	6	-	-	-	-	1	1	2	-	2	-
Japaner - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
Floor Cloth Manufacture - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-
2. Timber, Wood, Merchant, Dealer - - - - -	24	-	24	-	-	-	3	2	3	3	1	8	7
Sawyer - - - - -	72	3	69	-	-	3	2	7	8	13	15	7	17
Lath, Fence, Hurdle, Maker - - - - -	8	-	8	-	-	-	-	2	1	1	-	1	3
Wood, Turner, Worker - - - - -	5	-	5	-	-	-	-	-	1	-	1	-	3
Cooper, Hoop Maker and Bender - - - - -	29	-	29	-	-	-	1	5	5	5	7	6	-
3. Cork Cutter, Manufacturer - - - - -	2	-	2	-	-	-	2	-	-	-	-	-	-
4. Basket Maker - - - - -	17	-	17	-	-	-	2	-	1	2	4	1	7
Hay and Straw Dealer - - - - -	3	-	3	-	-	-	-	1	-	3	-	-	1
Thatcher - - - - -	26	-	26	-	-	-	-	1	8	5	5	5	7
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
5. Rag Gatherer, Dealer - - - - -	4	-	4	-	-	-	-	-	1	1	-	2	-
Paper Manufacture - - - - -	23	1	22	-	1	-	1	-	5	1	2	6	7
Stationer (not Law) - - - - -	13	-	13	-	-	-	3	4	1	1	-	3	1
Other Workers in Paper - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
15.													
1. Coal Miner - - - - -	3	-	3	-	-	-	-	2	1	-	-	-	-
Mine Service (Metal not stated) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
2. Coal Merchant, Dealer - - - - -	30	-	30	-	-	2	3	2	7	5	7	4	2
Coal-heaver, Labourer - - - - -	20	1	19	-	1	2	3	3	2	3	4	4	3
Chimney Sweeper - - - - -	21	-	21	-	-	1	2	1	5	5	4	3	-
Gas Works Service - - - - -	13	-	13	-	-	-	2	2	3	3	2	1	-
Other Workers in Coal - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
3. Stone Quarrier - - - - -	6	-	6	-	-	1	2	2	-	1	1	1	1
Stone Merchant, Cutter, Dresser - - - - -	5	-	5	-	-	-	1	2	1	-	1	-	-
Slate Quarrier - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	2
Limestone Quarrier, Lime-Burner - - - - -	7	-	7	-	-	-	-	1	3	1	-	-	-
Brick, Maker, Dealer - - - - -	61	3	58	-	3	6	10	12	12	8	5	5	1
Railway Labourer, Platelayer, Navy - - - - -	31	3	28	-	3	3	13	15	6	7	3	1	3
Road Contractor, Inspector, Surveyor - - - - -	3	-	3	-	-	-	-	-	-	-	1	1	1
Road Labourer - - - - -	17	-	17	-	-	2	1	-	1	2	8	3	-
Scavenger, Dust Collector - - - - -	3	-	3	-	-	-	-	1	-	-	1	1	1
Others - - - - -	19	1	18	-	1	-	5	3	4	4	-	2	-
4. Earthenware Manufacture - - - - -	6	1	5	-	1	-	-	1	-	1	2	1	-
Tobacco-pipe Maker - - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-
Earthenware and Glass Dealer - - - - -	5	-	5	-	-	-	1	-	1	1	2	-	-
5. Glass Manufacture - - - - -	3	-	3	-	-	-	1	-	-	-	1	1	-
Other Workers in Glass - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
7. Waterworks Service - - - - -	6	-	6	-	-	-	2	2	-	2	-	-	-
Others - - - - -	2	-	2	-	-	-	-	-	1	-	1	-	-
8. Goldsmith, Silversmith, Jeweller - - - - -	13	1	12	-	1	1	4	1	-	1	3	2	1
Others - - - - -	2	-	2	-	-	-	-	1	-	-	-	-	-
9. Coppersmith - - - - -	9	-	9	-	-	-	-	2	2	1	4	-	-
10. Tinplate Worker, Tinman - - - - -	7	-	7	-	-	-	-	-	5	-	2	-	-
Tinker - - - - -	2	-	2	-	-	-	-	-	-	1	1	-	-
13. Brass Manufacture, Brazier - - - - -	5	-	5	-	-	2	-	-	-	1	2	-	-
Locksmith, Bellhanger - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Gas Fitter - - - - -	13	1	12	-	1	-	4	4	2	1	1	-	-
14. Iron Manufacture - - - - -	12	1	11	-	1	3	5	1	1	-	2	1	-
Whitesmith - - - - -	19	1	18	-	1	1	2	4	5	2	2	2	2
Blacksmith - - - - -	176	4	172	-	4	9	28	19	20	23	35	38	38
Ironmonger, Hardware Dealer - - - - -	20	-	20	-	-	2	5	4	4	3	2	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	1187	50	1137	-	5	45	70	145	133	156	192	192	229
2. Artisan, Mechanic (branch undefined) - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
Engine Driver, Stoker (branch undefined) - - - - -	10	-	10	-	-	1	2	2	-	4	1	-	-
Factory Labourer (branch undefined) - - - - -	8	2	6	-	2	-	1	2	2	1	-	-	-
Shopman, Assistant (branch undefined) - - - - -	1	-	1	-	-	1	-	-	-	-	-	-	-
Vagrant, Gipsy - - - - -	5	-	5	-	-	-	1	1	1	1	-	-	1
Others of undefined Occupation - - - - -	682	161	521	-	161	41	49	87	44	50	38	242	-
17. 1. Gentleman, Independent, Annuitant - - - - -	433	5	428	-	5	9	31	23	44	72	123	132	-
18. 1. Scholars and Children of no stated Occupation - - - - -	1287	1287	-	863	424	-	-	-	-	-	-	-	-

III.—SOUTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up.
Total of Males AGED 5 YEARS AND UPWARDS	9292	1202	8090	580	298	334	406	842	980	1043	1317	1729	178
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	35	-	35	-	-	-	-	5	2	7	5	10	6
Government Messengers, Workmen, &c.	6	-	6	-	-	-	1	-	3	-	1	1	-
2. Magistrate (so returned)	1	-	1	-	-	-	-	-	-	1	-	-	-
Officer of Law Court	4	-	4	-	-	-	-	-	-	2	1	1	-
Police	19	-	19	-	-	-	2	6	3	2	2	3	1
Prison Officer	2	-	2	-	-	-	-	-	1	-	1	-	-
Municipal, Parish, Union, Officer	13	-	13	-	-	-	-	1	2	1	4	3	1
3. East India and Colonial Service	8	-	8	-	-	-	-	-	2	1	2	-	1
2. 1. Army Officer (effective)	3	-	3	-	-	-	-	2	-	-	1	-	-
Soldier	46	1	45	-	-	1	6	14	13	5	2	1	3
Militia, Volunteers	9	-	9	-	-	-	1	2	3	1	2	-	-
Army Pensioner	43	-	43	-	-	-	2	6	7	6	2	4	25
2. Navy Officer (effective)	5	-	5	-	-	-	2	-	1	1	1	-	-
Seaman, R.N.	2	-	2	-	-	-	-	1	1	-	-	-	-
Royal Marine	1	-	1	-	-	-	-	1	-	-	-	-	-
Navy Pensioner	5	-	5	-	-	-	-	1	1	-	-	1	2
3. 1. Clergyman	38	-	38	-	-	-	-	-	3	8	6	11	10
Protestant Minister	17	-	17	-	-	-	-	1	1	1	2	6	5
Roman Catholic Priest	1	-	1	-	-	-	-	-	-	-	-	-	-
Missionary, Scripture Reader	2	-	2	-	-	-	-	-	1	-	-	1	-
Church, Chapel Officer	10	-	10	-	-	-	-	-	-	1	1	4	4
Others	1	-	1	-	-	-	-	1	-	-	-	-	-
2. Barrister	7	-	7	-	-	-	-	-	1	2	1	1	2
Solicitor, Attorney	23	-	23	-	-	-	5	-	1	3	5	5	6
Law Clerk	15	-	15	-	-	-	-	-	5	5	-	2	-
3. Physician, Surgeon	28	-	28	-	-	-	1	2	1	2	7	7	7
Medical Assistant, Student	4	1	3	-	-	1	2	1	-	-	-	-	-
Dentist	3	-	3	-	-	-	1	-	1	1	-	-	-
Chemist, Druggist	17	1	16	-	-	1	-	2	-	4	3	6	1
4. Author, Editor, Journalist	3	-	3	-	-	-	-	-	2	-	-	1	-
Students and Others	12	-	12	-	-	-	8	-	1	-	-	1	2
5. Painter, Artist	6	1	5	-	-	1	-	1	1	1	-	1	1
Sculptor	2	-	2	-	-	-	-	1	-	-	-	-	1
Engraver	2	-	2	-	-	-	-	-	-	1	-	1	-
Photographer	4	-	4	-	-	-	-	1	1	2	-	-	-
6. Musician, Music Master	15	1	14	-	-	1	-	4	6	2	1	1	-
7. Actor	4	-	4	-	-	-	-	2	1	1	1	-	-
Others engaged in Theatres, &c.	5	-	5	-	-	-	1	1	1	-	-	1	1
8. Schoolmaster	30	-	30	-	-	-	1	2	1	4	7	10	5
Teacher, Professor, Lecturer	7	-	7	-	-	-	-	2	1	1	2	1	-
9. Civil Engineer	2	-	2	-	-	-	-	-	-	-	1	-	1
Other Scientific Persons	1	-	1	-	-	-	-	-	-	-	-	1	-
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	151	-	151	-	-	-	2	10	27	94	26	21	19
Beer-seller	33	-	33	-	-	-	-	1	4	13	6	4	4
Lodging-house, Boarding-house Keeper	8	-	8	-	-	-	-	-	-	-	1	-	2
Coffee-house, Eating-house Keeper	1	-	1	-	-	-	-	-	-	1	-	-	-
Institution Service	6	-	6	-	-	-	-	2	3	1	-	-	-
Others	3	1	2	-	-	1	-	-	-	2	-	-	-
2. Domestic Servant (General)	35	4	31	-	-	-	4	9	9	7	5	9	6
Cookman	35	-	35	-	-	-	1	3	7	7	3	8	4
Groom	14	2	12	-	-	2	1	3	5	-	1	2	-
Gardener	25	-	25	-	-	-	-	3	2	4	6	4	6
Inn, Hotel Servant	26	-	26	-	-	-	3	6	7	6	5	7	-
Cook (not Domestic Servant)	6	-	6	-	-	-	-	1	3	2	-	-	-
Others	19	-	19	-	-	-	-	1	6	5	2	2	2
III.—COMMERCIAL CLASS.													
6. 1. Merchant	8	-	8	-	-	-	-	1	2	2	-	2	1
Banker	4	-	4	-	-	-	-	1	2	1	-	2	2
Bank Service	6	-	6	-	-	-	-	1	2	1	-	2	-
Broker, Agent, Factor	6	-	6	-	-	-	-	-	2	1	1	2	-
Auctioneer, Valuer, House Agent	7	-	7	-	-	-	-	2	1	2	-	1	-
Accountant	7	-	7	-	-	-	1	2	1	1	-	-	2
Commercial Clerk	31	3	28	-	-	3	4	6	3	4	6	3	-
Commercial Traveller	14	-	14	-	-	-	-	1	7	1	5	-	-

NOTE.—The Counties comprised in this Table are Middlesex (*extra-metropolitan*), Hertfordshire, Buckinghamshire, Oxfordshire, Northamptonshire, Huntingdonshire, Bedfordshire, and Cambridgeshire.

III.—SOUTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	75 and upwards.
6.—cont.												
2. Pawnbroker	3	-	3	-	-	-	-	1	-	1	-	1
Shopkeeper (branch undefined), General Dealer	23	-	23	-	-	-	-	4	2	2	3	5
Huckster, Costermonger	6	-	6	-	-	-	1	2	1	-	-	2
Hawker, Pedlar	44	1	43	-	-	1	1	4	6	6	8	10
7. 1. Railway Engine Driver, Stoker	8	1	7	-	-	1	2	3	2	-	-	-
Railway Officer, Clerk, Station-master	15	3	12	-	-	3	5	-	-	4	2	1
Railway Attendant, Servant	33	1	32	-	-	1	2	11	7	4	5	3
2. Toll Collector, Turnpike-gate Keeper—Coach, Omnibus, Cab Owner, Livery Stable Keeper	6	-	6	-	-	-	-	1	-	-	1	4
Coachman (not domestic), Cabman, Flyman	11	-	11	-	-	-	-	1	2	3	2	3
Carman, Carrier, Cartier, Drayman	38	-	38	-	-	1	7	9	4	7	7	3
3. Inland Navigation Service—Barge-man, Waterman	58	1	57	-	-	1	3	7	12	7	13	13
Others	13	-	13	-	-	-	-	1	1	1	7	4
4. Seaman (Merchant Service)—Harbour, Dock Service, Labourer	46	2	44	-	1	1	1	2	6	9	7	13
Wharfinger	1	-	1	-	-	-	-	-	-	-	1	-
5. Warehouseman	15	2	13	-	-	2	1	5	2	2	1	2
6. Messenger, Porter, Errand Boy	8	-	8	-	-	-	-	1	3	4	-	-
Telegraph Company Service	4	-	4	-	-	-	-	2	-	2	-	-
7	7	-	7	-	-	-	-	1	1	2	-	3
8	24	4	20	-	-	4	2	6	-	2	4	3
9	2	-	2	-	-	-	1	-	-	1	-	-
IV.—AGRICULTURAL CLASS.												
8. 1. Land Proprietor (so returned)	19	-	19	-	-	-	-	-	2	4	3	6
Farmer, Grazier	439	-	439	-	-	-	6	17	37	52	92	125
Farmer's Son, Brother, Grandson, Nephew	48	30	18	8	13	9	8	5	4	1	-	-
Farm Bailiff	26	-	26	-	-	-	1	-	-	7	4	10
Agricultural Labourer	2037	53	2004	-	3	50	58	149	137	193	280	521
Shepherd (out-door)	64	1	63	-	-	1	-	1	3	5	9	23
Farm Servant (in-door)	10	6	4	-	2	4	1	-	-	1	-	2
Land Surveyor, Estate Agent	8	-	8	-	-	-	-	-	-	3	-	3
Land Drainage Service	2	-	2	-	-	-	-	-	-	-	-	2
Agricultural Machine Proprietor, Attendant	7	-	7	-	-	-	1	1	4	-	-	1
Others engaged in Agriculture	3	-	3	-	-	-	-	-	1	-	1	-
2. Woodman	17	-	17	-	-	-	-	1	1	1	4	10
3. Nurseryman, Seedsman, Florist	11	1	10	-	-	1	-	-	1	4	3	-
Gardener	248	5	243	-	-	3	3	18	24	54	40	63
Others engaged in Horticulture	1	-	1	-	-	-	-	-	-	-	-	1
9. 1. Horse Proprietor, Dealer	7	-	7	-	-	-	-	1	-	2	2	1
Horse Breaker	4	-	4	-	-	-	-	1	1	-	1	1
Horsekeeper, Groom, Jockey	68	2	66	-	1	1	8	11	18	10	5	10
Farrier, Veterinary Surgeon	15	-	15	-	-	-	-	1	3	1	2	4
Cattle, Sheep, Pig, Salesman	18	-	18	-	-	-	2	-	1	4	3	6
Drover	20	-	20	-	-	-	-	1	4	2	7	3
Gamekeeper	19	-	19	-	-	-	1	2	2	2	3	5
Vermine Destroyer	3	-	3	-	-	-	-	-	-	1	-	1
Fisherman	6	-	6	-	-	-	-	1	-	-	1	3
Others engaged about Animals	5	-	5	-	-	-	-	-	2	2	-	1
V.—INDUSTRIAL CLASS.												
10. 1. Bookseller, Publisher	7	-	7	-	-	-	-	2	-	2	1	1
Bookbinder	7	-	7	-	-	-	-	-	1	2	1	2
Printer	32	2	30	-	-	2	4	5	7	2	5	2
Newspaper Agent, News-room Keeper	2	-	2	-	-	-	-	-	-	-	-	-
Others engaged in Publications	2	-	2	-	-	-	-	-	-	1	-	-
2. Musical Instrument, Maker, Dealer	4	-	4	-	-	-	-	1	3	-	-	-
3. Others engaged in Prints, &c.	1	-	1	-	-	-	-	-	-	-	1	-
4. Wood-carver	1	-	1	-	-	-	-	-	1	-	-	-
5. Others engaged in Designs, Medals, &c.	2	-	2	-	-	-	-	1	1	-	-	-
7. Watch Maker, Clock Maker	30	-	30	-	-	-	-	-	6	3	1	4
8. Surgical Instrument Maker	1	-	1	-	-	-	-	-	-	-	-	1
9. Gunsmith, Gun Manufacture	18	1	17	-	-	1	3	3	7	3	1	-
Others	3	-	3	-	-	-	-	1	1	1	-	-
10. Engine and Machine Maker	24	-	24	-	-	-	7	3	1	7	3	2
Agricultural Implemt., Machine Mkr.	6	-	6	-	-	-	-	-	-	1	2	3
Millwright	6	-	6	-	-	-	-	1	-	-	1	4
Cutler	7	-	7	-	-	-	-	-	-	-	2	4
Needle Manufacture	2	-	2	-	-	-	-	-	-	-	-	2

OCCUPATIONS.		AGES OF MALES.														Total
		TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over		
10.—cont.																
11.	Coachmaker - - - - -	28	-	28	-	-	-	1	5	6	4	5	4	3		
	Wheelwright - - - - -	43	1	42	-	-	1	3	6	1	5	8	6	1		
	Others engaged about Carriages - -	3	-	3	-	-	-	-	1	-	1	-	-	-		
12.	Saddler, Harness, Whip Maker - -	30	-	30	-	-	-	3	4	3	1	2	4	1		
13.	Ship-builder, Shipwright, Boat-builder	12	-	12	-	-	-	-	1	1	3	2	3	1		
	Sail Maker - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
14.	House Proprietor - - - - -	31	-	31	-	-	-	-	-	-	1	6	8	14		
	Architect - - - - -	4	-	4	-	-	-	1	2	-	-	-	-	-		
	Surveyor - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
	Builder - - - - -	46	-	46	-	-	-	-	4	3	6	11	10	12		
	Carpenter, Joiner - - - - -	218	1	217	-	-	1	13	21	13	26	41	37	34		
	Bricklayer - - - - -	121	1	120	-	-	-	1	30	21	16	24	34	32		
	Marble Mason - - - - -	5	-	5	-	-	-	1	1	-	-	3	-	1		
	Mason, Pavior - - - - -	51	-	51	-	-	-	1	7	5	6	8	15	9		
	Slatier, Tiler - - - - -	5	1	4	-	-	1	-	-	-	1	-	2	1		
	Plasterer - - - - -	10	1	9	-	-	1	1	3	-	-	1	2	1		
	Paperhanger - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-		
	Plumber, Painter, Glasier - - - -	100	1	99	-	-	1	5	17	16	21	22	19	6		
	Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
15.	Cabinet Maker, Upholsterer - - -	40	1	39	-	-	1	1	13	3	7	6	4	3		
	Undertaker - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-		
	Carver and Gilder - - - - -	2	-	2	-	-	-	-	1	-	-	1	-	-		
	Furniture, Broker, Dealer - - - -	2	-	2	-	-	-	-	-	-	1	-	-	-		
16.	Manufacturing Chemist, Labourer	2	-	2	-	-	-	-	-	-	-	-	2	-		
	Dyer, Scourer, Calenderer - - -	2	-	2	-	-	-	-	-	-	-	2	-	-		
11.	1. Woolstapler - - - - -	3	-	3	-	-	-	-	-	-	-	1	1	1		
	Woollen Cloth Manufacture - - -	16	-	16	-	-	-	-	1	1	1	4	5	4		
	Blanket Manufacture - - - - -	5	1	4	-	-	1	-	-	-	1	-	-	1		
	Carpet, Rug, Manufacture - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-		
2.	Silk, Satin, Manufacture - - - -	3	-	3	-	-	-	1	-	-	1	-	1	-		
3.	Lace Manufacture - - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-		
	Cotton Manufacture - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-		
	Others - - - - -	2	-	2	-	-	-	-	-	-	-	-	1	1		
4.	Weaver (not otherwise described)	2	-	2	-	-	-	1	-	-	-	1	-	-		
	Manchester Warehouseman - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
	Draper, Linen Draper, Mercer - -	55	2	53	-	-	2	5	10	10	9	7	7	3		
	Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
5.	Hairdresser, Wig Maker - - - -	20	1	19	-	-	1	1	1	3	2	7	4	1		
	Hatter, Hat Manufacture - - - -	7	-	7	-	-	-	1	1	1	2	1	1	-		
	Straw Platt Manufacture - - - -	25	1	24	-	-	-	1	4	3	1	7	2	3		
	Tailor - - - - -	149	3	146	-	-	3	3	15	20	24	26	25	10		
	Stay Maker, Ladies' Outfitter - -	2	-	2	-	-	-	-	-	-	-	-	-	-		
	Hosiery, Haberdasher - - - - -	2	-	2	-	-	-	-	1	-	1	-	-	-		
	Glover (leather) - - - - -	5	-	5	-	-	-	-	-	-	-	2	1	2		
	Glove Maker (all except leather)	1	-	1	-	-	-	-	-	-	1	-	-	-		
	Shoemaker, Bootmaker - - - - -	232	8	244	-	-	8	21	53	43	46	48	61	79		
	Watten, Clog Maker - - - - -	2	-	2	-	-	-	-	-	1	-	1	-	-		
	Umbrella, Parasol, Stick, Maker	3	-	3	-	-	-	-	-	2	-	1	-	-		
	Laundry Keeper - - - - -	3	-	3	-	-	-	-	-	1	1	-	1	-		
	Others providing Dress - - - - -	2	-	2	-	-	-	1	-	-	-	-	-	1		
6.	Mat Maker, Seller - - - - -	3	-	3	-	-	-	-	-	1	1	-	-	-		
	Yate Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-		
	Rope, Cord, Maker - - - - -	7	-	7	-	-	-	-	-	1	1	2	2	1		
	Canvas, Sail Cloth, Manufacture, Dealer	3	-	3	-	-	-	1	-	-	-	-	1	1		
	Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1		
12.	1. Cowkeeper, Milk-seller - - - -	17	-	17	-	-	-	1	1	2	3	1	5	4		
	Cheese-monger - - - - -	2	-	2	-	-	-	-	-	1	-	1	-	-		
	Butcher, Meat Salesman - - - -	105	-	105	-	-	-	4	9	21	19	15	19	19		
	Provision Curer, Dealer - - - -	3	-	3	-	-	-	-	-	1	-	2	1	-		
	Poulterer, Game Dealer - - - -	3	-	3	-	-	-	-	-	1	1	1	-	-		
	Fishmonger - - - - -	11	-	11	-	-	-	-	2	1	2	1	2	2		
2.	Corn, Flour, Seed, Merchant, Dealer	17	-	17	-	-	-	2	2	-	-	5	5	2		
	Miller - - - - -	56	-	56	-	-	-	6	4	6	13	11	11	6		
	Baker - - - - -	91	-	90	-	-	3	5	11	15	14	20	13	14		
	Confectioner, Pastry Cook - - -	11	2	9	-	-	2	-	-	1	2	2	1	-		
	Greengrocer, Fruit, Vegetable, Dealer	16	-	16	-	-	-	-	1	4	3	3	2	3		
3.	Maltster - - - - -	30	-	30	-	-	-	1	1	2	-	3	3	10		
	Brewer - - - - -	70	2	68	-	-	2	3	12	11	6	17	12	7		
	Wine and Spirit Merchant - - -	10	-	10	-	-	-	-	-	3	3	1	-	-		
	Ginger Beer, Soda Water, &c. Manuf.	4	-	4	-	-	-	-	1	1	1	-	-	-		
	Sugar Refiner - - - - -	4	-	3	-	-	-	-	1	-	-	2	-	-		
	Greener, Tea Dealer - - - - -	74	-	74	-	-	-	3	14	12	6	9	17	4		
	Tobacco, Cigar, Snuff, Manufacture	2	-	2	-	-	-	-	2	-	-	-	-	-		
	Tobacco-nist - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-		
	Others - - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-		

III.—SOUTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
13. 1. Tallow Chandler - - - -	3	-	3	-	-	-	-	-	-	-	-	1	2
2. Fellmonger - - - -	4	-	4	-	-	-	-	-	2	1	-	-	1
Tanner - - - -	4	-	4	-	-	-	-	2	-	-	-	1	1
Currier - - - -	16	-	16	-	-	-	1	2	2	3	3	2	3
Leather Case, Portmanteau, Bag Mkr. - - - -	2	-	2	-	-	-	-	1	-	-	-	-	1
Others - - - -	3	-	3	-	-	-	-	2	-	-	1	-	-
3. Brush, Broom, Maker - - - -	4	-	4	-	-	-	-	1	-	1	1	1	-
14. 1. Oil and Colourman - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
French Polisher - - - -	3	-	3	-	-	-	1	1	-	1	-	-	-
India Rubber, Gutta Percha, Manufacture, Dealer - - - -	6	-	6	-	-	-	-	1	1	2	1	1	-
Floor Cloth Manufacture - - - -	2	-	2	-	-	-	-	2	-	-	-	-	-
2. Timber, Wood, Merchant, Dealer - - - -	10	-	10	-	-	-	-	1	1	2	2	2	4
Sawyer - - - -	46	-	46	-	-	-	3	1	4	3	5	11	19
Lath, Fence, Hurdle, Maker - - - -	6	-	6	-	-	-	-	-	1	1	2	2	2
Wood, Turner, Worker - - - -	5	-	5	-	-	-	-	-	1	-	1	2	1
Box, Packing Case, Maker - - - -	3	-	3	-	-	-	-	-	2	-	-	-	-
Cooper, Hoop-maker and Bender - - - -	12	-	12	-	-	-	-	1	1	3	-	2	5
4. Basket Maker - - - -	12	1	11	-	-	1	1	1	1	-	2	2	4
Hay and Straw Dealer - - - -	9	-	9	-	-	-	-	1	3	1	1	2	1
Thatcher - - - -	14	-	14	-	-	-	-	1	2	-	1	3	7
Others - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
5. Rag Gatherer, Dealer - - - -	12	-	12	-	-	-	1	-	1	1	2	6	1
Paper Manufacture - - - -	21	1	20	-	-	1	3	4	3	3	1	5	1
Stationer (not Law) - - - -	10	-	10	-	-	-	1	3	2	2	1	1	-
Paper Stainer - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
Other Workers in Paper - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
15. 1. Coal Mine Service - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
Mine Service (Metal not stated) - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Others - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
2. Coal Merchant, Dealer - - - -	22	-	22	-	-	-	-	1	3	2	7	7	2
Coal-heaver, Labourer - - - -	22	-	22	-	-	-	1	5	2	6	4	5	1
Chimney Sweeper - - - -	11	-	11	-	-	-	-	4	4	1	-	1	1
Gas Works Service - - - -	12	-	12	-	-	-	-	3	3	2	3	1	-
Other Workers in Coal - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
3. Stone Merchant, Cutter, Dresser - - - -	5	-	5	-	-	-	-	-	1	1	1	1	1
Limestone Quarrier, Lime Burner - - - -	2	-	2	-	-	-	-	-	1	-	-	-	-
Clay Labourer - - - -	2	-	2	-	-	-	-	-	-	-	1	1	1
Brick Maker, Dealer - - - -	38	3	35	-	-	3	2	4	3	5	7	7	7
Railway Labourer, Platelayer, Navy - - - -	52	1	51	-	-	1	9	14	7	7	7	5	-
Road Labourer - - - -	23	-	23	-	-	-	-	-	2	4	6	5	6
Scavenger, Dust Collector - - - -	2	1	1	-	1	-	-	-	-	-	1	-	2
Others - - - -	14	1	13	-	-	1	4	6	-	-	-	1	-
4. Earthenware Manufacture - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
Tobacco-pipe Maker - - - -	2	-	2	-	-	-	-	-	-	1	-	-	1
Earthenware and Glass Dealer - - - -	2	-	2	-	-	-	-	-	-	1	-	-	-
7. Waterworks Service - - - -	2	-	2	-	-	-	-	-	-	1	-	-	1
Others - - - -	3	-	3	-	-	-	-	-	-	-	2	1	-
8. Goldsmith, Silversmith, Jeweller - - - -	8	-	8	-	-	-	-	2	1	2	-	1	2
Others - - - -	2	-	2	-	-	-	-	-	-	1	-	-	1
10. Tinplate Worker, Tinman - - - -	18	-	18	-	-	-	1	3	7	1	1	1	4
Tinker - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
13. Brass Manufacture, Brazier - - - -	4	-	4	-	-	-	1	2	-	-	-	1	-
Locksmith, Bellhanger - - - -	3	-	3	-	-	-	1	1	-	-	-	1	-
Gas Fitter - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Wire Worker, Drawer - - - -	2	-	2	-	-	-	-	-	-	-	1	1	-
14. Iron Manufacture - - - -	20	1	19	-	-	1	2	5	1	4	2	4	1
Whitesmith - - - -	11	-	11	-	-	-	1	1	-	-	2	2	4
Blacksmith - - - -	97	3	94	-	-	3	4	8	8	11	18	24	21
Anchor-smith, Chainsmith - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
Ironmonger, Hardware Dealer - - - -	16	-	16	-	-	-	2	3	1	1	5	3	1
VI.—INDEFINITE AND NON-PRO- DUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - -	741	20	721	1	1	18	41	74	73	92	136	171	134
2. Artizan, Mechanic (branch undefined) - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Engine Driver, Stoker (branch undef.) - - - -	7	-	7	-	-	-	1	1	1	1	2	1	-
Factory Labourer (branch undefined) - - - -	2	1	1	-	1	-	-	-	-	-	1	-	-
Vagrant, Gipsy - - - -	2	-	2	-	-	-	-	-	-	-	1	-	1
Others of undefined Occupation - - - -	373	163	210	-	-	163	53	22	34	29	21	10	32
17. 1. Gentleman, Independent, Annuitant - - - -	156	1	155	-	-	1	2	10	7	10	33	47	46
18. 1. Scholars and Children of no stated Occupation - - - -	846	846	-	371	275	-	-	-	-	-	-	-	-

IV.—EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Total of Males AGED 5 YEARS AND UPWARDS	8019	1108	6911	516	963	830	890	701	730	863	977	1465	178
I.—PROFESSIONAL CLASS.													
1. Civil Service	28	1	25	—	—	1	—	3	4	3	2	3	6
Government Messengers, Workmen, &c.	6	—	6	—	—	—	—	—	2	1	—	2	1
Other Government Officers	2	—	2	—	—	—	—	—	—	1	—	1	—
2. Magistrate (so returned)	3	—	3	—	—	—	—	—	—	1	—	—	2
Officer of Law Court	6	—	6	—	—	—	—	—	—	2	1	1	1
Police	14	—	14	—	—	1	6	3	2	1	—	3	—
Prison Officer	3	—	3	—	—	—	—	—	—	—	—	1	—
Municipal, Parish, Union, Officer	15	—	15	—	—	—	—	—	2	5	1	4	3
3. East India and Colonial Service	2	—	2	—	—	—	—	—	1	—	—	1	—
2. 1. Army Officer (effective)	4	—	4	—	—	—	—	—	3	—	—	—	1
Soldier	71	5	66	—	—	5	4	22	20	8	—	1	6
Militia, Volunteers	4	—	4	—	—	—	—	3	1	1	—	—	—
Army Pensioner	61	—	61	—	—	—	—	5	11	8	10	6	19
2. Navy Officer (effective)	9	—	9	—	—	—	—	—	1	2	—	3	3
Seaman, R. N.	19	—	19	—	—	—	2	4	6	4	—	—	1
Royal Marine	5	—	5	—	—	—	—	1	1	1	2	—	—
Coastguard, Royal Naval Reserve	5	—	5	—	—	—	—	—	1	—	—	2	—
Navy Pensioner	5	—	5	—	—	—	—	1	—	1	—	—	3
3. 1. Clergyman	44	—	44	—	—	—	—	—	2	5	9	10	19
Protestant Minister	10	—	10	—	—	—	—	1	2	—	2	2	3
Missionary, Scripture Reader	2	—	2	—	—	—	—	—	—	—	—	1	—
Church, Chapel Officer	13	—	13	—	—	—	—	1	1	2	—	5	4
2. Barrister	1	—	1	—	—	—	—	—	—	—	—	1	—
Solicitor, Attorney	19	—	19	—	—	—	—	4	1	4	6	1	3
Law Clerk	10	—	10	—	—	—	—	1	3	1	1	4	—
3. Physician, Surgeon	31	—	31	—	—	1	3	2	2	4	6	8	7
Dentist	2	1	1	—	—	1	—	—	—	1	—	—	—
Chemist, Druggist	13	—	13	—	—	—	—	2	2	2	1	3	3
4. Students and Others	3	1	2	—	—	1	—	—	—	—	1	1	—
5. Painter, Artist	2	—	2	—	—	—	—	—	1	1	—	1	—
Engraver	2	—	2	—	—	—	—	—	—	1	—	—	1
Photographer	2	—	2	—	—	—	—	—	1	—	1	—	—
6. Musician, Music Master	10	—	10	—	—	—	—	1	2	3	—	1	3
7. Others engaged in Theatres, &c.	3	1	2	—	—	1	—	1	1	—	—	—	—
8. Schoolmaster	22	1	21	—	—	1	1	2	3	1	4	4	6
Teacher, Professor, Lecturer	3	1	2	—	—	1	—	—	—	—	1	—	1
9. Civil Engineer	1	—	1	—	—	—	—	—	—	1	—	—	—
Other Scientific Persons	1	—	1	—	—	—	—	—	—	—	—	—	1
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	128	—	128	—	—	—	—	7	13	29	29	18	25
Beer-seller	24	—	24	—	—	—	—	4	3	6	5	4	3
Lodging-house, Boarding-house Keeper	6	—	6	—	—	—	—	1	—	2	1	1	1
Institution Service	4	—	4	—	—	—	—	1	—	—	1	1	1
Others	2	—	2	—	—	—	1	—	—	—	—	—	—
2. Domestic Servant (General)	40	5	35	—	—	5	7	4	4	6	3	6	3
Cookman	13	—	13	—	—	—	—	4	2	—	—	—	—
Groom	13	—	13	—	—	—	—	3	—	1	1	1	3
Gardener	11	—	11	—	—	—	1	1	2	2	—	1	4
Inn, Hotel Servant	50	3	47	—	1	2	6	6	9	10	5	5	6
Cook (not Domestic Servant)	2	—	2	—	—	—	—	—	—	—	1	—	1
Others	3	—	3	—	—	—	—	—	—	—	—	3	—
III.—COMMERCIAL CLASS.													
6. 1. Merchant	10	—	10	—	—	—	1	2	1	1	2	1	2
Banker	1	—	1	—	—	—	—	—	—	—	—	—	1
Bank Service	10	1	9	—	—	1	—	—	—	1	3	3	2
Insurance, Benefit Society, Service	3	—	3	—	—	—	—	3	—	—	—	—	1
Broker, Agent, Factor	3	—	3	—	—	—	—	—	—	—	—	—	—
Salesman (not otherwise described)	2	—	2	—	—	—	—	1	—	—	—	—	—
Auctioneer, Valuer, House Agent	8	—	8	—	—	—	—	1	1	1	4	1	—
Accountant	6	—	6	—	—	—	—	2	1	1	1	1	—
Commercial Clerk	22	2	20	—	—	2	2	5	7	2	1	3	—
Commercial Traveller	9	—	9	—	—	—	—	3	1	3	—	—	—

NOTE.—The Counties comprised in this Table are Essex, Suffolk, and Norfolk.

IV.—EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
6.—cont.														
2. Pawnbroker - - - - -	6	1	5	-	-	1	-	1	-	1	-	1	2	
Shopkeeper (branch undef.), Gen. Deale.	27	-	27	-	-	-	4	2	5	2	5	9	9	
Huckster, Costermonger - - - -	6	-	6	-	-	-	1	1	1	1	1	1	1	
Hawker, Pedlar - - - - -	49	-	49	-	-	-	1	5	8	9	7	9	10	
7. 1. Railway Engine Driver, Stoker - -	7	-	7	-	-	-	2	3	-	1	1	-	-	
Railway Officer, Clerk, Station-master	10	1	9	-	-	1	1	3	2	1	2	-	-	
Railway Attendant, Servant - - -	17	-	17	-	-	-	1	9	2	2	2	-	1	
2. Toll Collector, Turnpike-gate Keeper -	4	-	4	-	-	-	-	2	1	-	-	1	-	
Coach, Omnibus, Cab Owner, Livery	4	-	4	-	-	-	-	2	1	-	-	-	1	
Stable Keeper - - - - -	4	-	4	-	-	-	-	2	1	-	-	-	1	
Coachman (not domestic), Cabman,	34	-	34	-	-	-	1	7	3	7	6	5	5	
Flyman - - - - -	43	-	43	-	-	-	3	6	5	4	8	7	10	
Carman, Carrier, Carter, Drayman	34	-	34	-	-	-	1	7	3	7	6	5	5	
3. Bargeman, Waterman - - - - -	37	-	37	-	-	-	5	9	7	3	5	2	6	
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	
4. Shipowner - - - - -	4	-	4	-	-	-	-	-	-	-	1	2	1	
Steam Navigation Service - - - -	5	-	5	-	-	-	-	-	1	1	1	1	1	
Ship Steward, Cook - - - - -	3	-	3	-	-	-	1	-	1	1	-	-	-	
Seaman (Merchant Service) - - -	146	9	137	-	-	9	12	26	18	19	14	19	29	
Pilot - - - - -	2	-	2	-	-	-	-	-	-	-	1	1	-	
Harbour, Dock Service, Labourer	53	-	53	-	-	-	2	8	8	7	6	2	-	
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	
5. Warehouseman - - - - -	7	1	6	-	-	1	-	1	1	1	1	1	1	
6. Messenger, Porter, Errand Boy -	24	3	21	-	1	2	2	4	3	1	5	4	2	
Telegraph Company Service - - -	3	2	1	-	1	1	-	-	-	-	1	-	-	
IV.—AGRICULTURAL CLASS.														
8. 1. Land Proprietor (so returned) - -	17	-	17	-	-	-	-	1	-	3	4	4	5	
Farmer, Grazier - - - - -	490	1	489	-	-	1	3	15	19	54	57	140	171	
Farmer's Son, Brother, Grandson,	20	11	9	-	3	8	4	3	1	1	-	-	-	
Nephew - - - - -	30	-	30	-	-	1	1	3	6	9	10	20	20	
Farmer Bailiff - - - - -	2037	60	1977	-	5	55	94	143	156	169	268	472	674	
Agricultural Labourer - - - - -	37	1	36	-	-	1	3	4	2	8	7	11	11	
Shepherd (out-door) - - - - -	3	-	3	-	-	-	-	1	-	1	-	1	-	
Land Surveyor, Estate Agent	6	-	6	-	-	-	-	1	3	-	-	1	1	
Agricultural Machine Proprietor,	6	-	6	-	-	-	-	1	3	-	-	1	1	
Attendant - - - - -	10	-	10	-	-	-	-	-	2	1	3	4	-	
2. Woodman - - - - -	10	-	10	-	-	-	-	-	2	1	3	4	-	
3. Nurseryman, Seedsman, Florist -	2	-	2	-	-	-	-	-	-	1	1	-	-	
Gardener - - - - -	144	2	142	-	-	2	3	8	11	16	17	40	47	
9. 1. Horse Proprietor, Dealer - - -	2	-	2	-	-	-	-	-	1	-	-	-	1	
Horse Breaker - - - - -	4	-	4	-	-	-	-	-	1	1	2	-	-	
Horsekeeper, Groom, Jockey - - -	53	3	50	-	2	1	7	5	7	7	9	7	8	
Farrier, Veterinary Surgeon - - -	7	-	7	-	-	-	-	1	-	1	1	1	3	
Cattle, Sheep, Pig, Salesman - - -	16	-	16	-	-	-	-	3	4	1	2	3	3	
Drover - - - - -	19	-	19	-	-	-	-	1	4	-	4	6	4	
Gamekeeper - - - - -	17	-	17	-	-	-	-	1	3	2	3	5	3	
Vermin Destroyer - - - - -	9	-	9	-	-	-	-	-	-	2	2	2	3	
Fisherman - - - - -	77	5	72	-	1	4	9	13	12	8	10	11	9	
Others engaged about Animals - -	2	-	2	-	-	-	-	-	-	-	1	1	-	
V.—INDUSTRIAL CLASS.														
10. 1. Bookseller, Publisher - - - - -	7	-	7	-	-	-	1	1	2	1	1	-	1	
Bookbinder - - - - -	5	-	5	-	-	-	-	-	2	2	-	2	1	
Printer - - - - -	19	4	15	-	4	-	-	2	5	4	3	1	-	
Newspaper Agent, News-room Keeper	1	-	1	-	-	-	-	-	-	-	-	1	-	
2. Musical Instrument Maker, Dealer	1	-	1	-	-	-	-	-	1	-	-	-	-	
3. Lithographer, Lithographic Printer	1	-	1	-	-	-	-	-	-	1	-	-	-	
4. Wood-carver - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	
Others - - - - -	2	-	2	-	-	-	-	-	-	-	1	-	1	
6. Type-founder - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	
Others - - - - -	3	-	3	-	-	-	1	-	-	1	1	-	-	
7. Watch Maker, Clock Maker - - -	12	-	12	-	-	-	1	-	-	1	5	3	2	
Weighing Machine, Scale, Measure, Mkr.	1	-	1	-	-	-	-	-	-	1	-	-	-	
9. Gunsmith, Gun Manufacture - - -	2	-	2	-	-	-	-	-	1	-	1	-	-	
Others - - - - -	17	6	11	-	1	5	1	4	2	4	-	-	-	
10. Engine and Machine Maker - - -	28	4	24	-	-	4	4	7	4	6	-	2	1	
Agricultural Implement, Machine Mkr.	2	-	2	-	-	-	-	-	-	1	-	-	1	
Millwright - - - - -	3	-	3	-	-	-	-	-	1	-	1	-	1	
Tool Maker, Dealer - - - - -	2	-	2	-	-	-	-	-	1	-	1	-	-	
Saw Maker, Dealer - - - - -	3	-	3	-	-	-	1	-	1	-	-	1	-	
Cutler - - - - -	8	-	8	-	-	-	-	-	-	2	2	2	2	

IV.—EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the
Year 1871—continued.

OCCUPATIONS.			AGES OF MALES.													
			TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
10.—cont.																
11.	Coachmaker - - - - -	21	1	20	-	-	1	1	1	1	4	5	5	1	1	
	Wheelwright - - - - -	39	-	39	-	-	-	3	2	4	6	8	3	13		
	Others engaged about Carriages - -	1	-	1	-	-	-	1	-	-	-	-	-	-		
12.	Saddler, Harness, Whip Maker - -	31	-	31	-	-	-	2	4	2	5	3	4	11		
13.	Ship-builder, Shipwright, Boat-builder	24	-	24	-	-	-	1	7	1	5	1	2	7		
	Sail Maker - - - - -	5	-	5	-	-	-	-	1	-	1	3	-	-		
14.	House Proprietor - - - - -	15	-	15	-	-	-	1	-	-	-	5	-	10		
	Architect - - - - -	4	-	4	-	-	-	1	-	-	1	1	1	-		
	Surveyor - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
	Builder - - - - -	24	-	24	-	-	-	1	1	3	5	6	2	5		
	Carpenter, Joiner - - - - -	217	2	215	-	-	2	13	24	16	29	23	26	63		
	Bricklayer - - - - -	139	4	135	-	-	4	10	16	16	18	18	20	39		
	Mason, Pavlar - - - - -	15	-	15	-	-	-	1	2	2	2	3	3	2		
	Slater, Tiler - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-		
	Plasterer - - - - -	7	1	6	-	-	1	1	-	1	-	1	1	3		
	Paperhanger - - - - -	3	-	2	-	-	-	1	1	-	-	-	-	-		
	Plumber, Painter, Glasier - - - -	64	-	64	-	-	-	5	9	14	16	7	9	4		
	Others - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-		
15.	Cabinet Maker, Upholsterer - - -	31	-	31	-	-	-	2	7	3	5	3	7	4		
	Carver and Gilder - - - - -	4	-	4	-	-	-	-	-	-	1	-	2	-		
	Furniture Broker, Dealer - - - -	2	-	2	-	-	-	-	-	-	-	-	1	1		
16.	Manufacturing Chemist, Labourer -	5	-	5	-	-	-	1	-	1	1	1	1	1		
	Dyer, Scourer, Calenderer - - -	4	-	4	-	-	-	-	-	-	1	1	1	1		
	Others - - - - -	3	-	3	-	-	-	-	-	-	1	-	1	1		
11.	1. Woolstapler - - - - -	5	-	5	-	-	-	-	-	-	-	2	1	3		
	Woollen Cloth Manufacture - - -	3	-	3	-	-	-	-	-	1	2	-	-	-		
	Worsted Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1		
2.	Silk, Satin, Manufacture - - - -	30	1	29	-	-	1	-	-	-	5	5	9	20		
3.	Lace Manufacture - - - - -	2	1	1	-	-	1	-	-	-	-	-	-	1		
	Calico, Cotton, Printer - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1		
4.	Weaver (not otherwise described) -	32	-	32	-	-	-	1	1	-	2	5	12	19		
	Manchester Warehouseman - - -															
	Draper, Linen Draper, Mercer - -	29	3	26	-	-	3	4	7	3	5	5	1	1		
	Fancy Goods, Manufacturer, Dealer -	1	-	1	-	-	-	-	-	-	-	-	-	-		
	Trimming Maker, Dealer - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-		
	Others - - - - -	3	-	3	-	-	-	-	-	-	-	-	2	1		
5.	Hairdresser, Wig Maker - - - -	16	-	16	-	-	-	-	4	1	3	3	4	1		
	Hatter, Hat Manufacture - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-		
	Straw Hat Manufacture - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-		
	Furrier, Skinner - - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-		
	Tailor - - - - -	80	3	77	-	1	2	3	13	8	13	11	12	14		
	Glover (leather) - - - - -	6	-	6	-	-	-	-	-	-	2	2	1	3		
	Shoemaker, Bootmaker - - - -	248	10	238	-	1	9	15	26	26	29	29	66	36		
	Patten, Clog Maker - - - - -	2	-	2	-	-	-	-	-	-	-	-	1	-		
	Umbrella, Parasol, Stick, Maker -	2	-	2	-	-	-	-	-	1	-	-	1	-		
6.	Mat Maker, Seller - - - - -	3	-	3	-	-	1	-	-	-	1	-	1	-		
	Hemp Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1		
	Jute Manufacture - - - - -	3	3	-	-	-	3	-	-	-	-	-	-	-		
	Rope, Cord, Maker - - - - -	13	-	12	-	-	-	-	-	-	2	2	5	3		
	Sacking, Sack, Bag, Maker, Dealer -	1	-	1	-	-	-	-	-	-	-	-	-	1		
	Others - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-		
12.	1. Cowkeeper, Milk-seller - - -	11	-	11	-	-	-	-	-	2	2	2	3	3		
	Cheese-monger - - - - -	1	-	1	-	-	-	-	-	1	1	1	1	1		
	Butcher, Meat Salesman - - - -	74	4	70	-	-	4	1	8	8	6	12	15	19		
	Provision Curer, Dealer - - - -	3	-	3	-	-	-	-	-	-	-	2	1	-		
	Poulterer, Game Dealer - - - -	3	-	3	-	-	-	-	-	1	1	-	-	-		
	Fishmonger - - - - -	20	1	19	-	-	1	3	-	3	4	3	7	-		
2.	Corn, Flour, Seed, Merchant, Dealer -	17	-	17	-	-	-	1	4	3	1	2	1	5		
	Miller - - - - -	66	-	65	-	-	-	4	-	9	8	11	13	21		
	Baker - - - - -	81	1	78	-	-	3	4	4	12	9	14	21	14		
	Confectioner, Pastry Cook - - -	4	1	3	-	-	1	-	-	-	1	2	1	-		
	Greengrocer, Fruit, Vegetable, Dealer	10	-	10	-	-	-	-	2	-	6	-	2	-		
3.	Maltster - - - - -	27	-	27	-	-	-	1	2	3	2	5	6	6		
	Brewer - - - - -	30	-	30	-	-	-	1	4	5	7	7	4	2		
	Wine and Spirit Merchant - - -	11	1	10	-	-	1	2	2	-	-	-	1	-		
	Cellarman - - - - -	2	-	2	-	-	-	1	-	-	-	-	1	-		
	Ginger Beer, Soda Water, &c., Manu- facture - - - - -	2	-	2	-	-	-	1	-	-	-	-	1	-		
	Sugar Refiner - - - - -	3	-	3	-	-	-	-	1	-	-	-	-	-		
	Grocer, Tea Dealer - - - - -	69	1	68	-	-	1	6	8	9	10	9	12	13		
	Tobacco, Cigar, Snuff, Manufacture, Tobacconist - - - - -	7	-	7	-	-	-	1	1	3	-	1	-	1		
	Others - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-		

IV.—EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-
13. 1. Soap Boiler - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Tallow Chandler - - - - -	9	-	9	-	-	-	-	1	-	2	-	-	-
Others - - - - -	3	1	2	-	-	1	-	1	1	-	-	-	-
2. Fellmonger - - - - -	3	-	3	-	-	-	-	-	1	-	-	-	1
Tanner - - - - -	5	-	5	-	-	-	-	1	-	-	-	4	1
Currier - - - - -	9	1	8	-	-	1	1	-	1	-	1	2	1
Leather Case, Portmanteau, Bag Mkr.	1	-	1	-	-	-	-	-	-	1	-	-	-
5. Hair, Bristle, Manufacture -	1	1	-	-	-	1	-	-	-	-	-	-	-
Brush, Broom, Maker - - - -	9	1	8	-	1	-	1	1	1	1	2	1	1
14. 1. Oil-miller, Refiner - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
French-polisher - - - - -	3	1	2	-	-	1	-	-	-	1	1	-	-
India Rubber, Gutta Percha, Manufacture, Dealer - - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-
Floor Cloth Manufacture - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Others - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
2. Timber, Wood, Merchant, Dealer	8	-	8	-	-	-	-	1	1	1	-	2	3
Sawyer - - - - -	25	-	25	-	-	-	1	2	2	1	6	8	5
Lath, Fence, Hurdle, Maker - -	3	-	3	-	-	-	1	-	-	-	-	-	2
Wood, Turner, Worker - - - -	7	-	7	-	-	-	1	2	-	2	1	1	-
Box, Packing Case, Maker - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Cooper, Hoop-maker and Bender	27	1	26	-	-	1	2	2	1	2	4	7	8
3. Cork Cutter, Manufacturer - -	1	-	1	-	-	-	-	-	-	-	-	-	1
4. Basket Maker - - - - -	10	-	10	-	-	-	-	1	1	2	1	2	3
Hay and Straw Dealer - - - -	10	-	10	-	-	-	-	-	1	2	1	3	3
Thatcher - - - - -	19	-	19	-	-	-	1	2	1	2	1	6	6
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
5. Paper Manufacture - - - - -	4	-	4	-	-	-	-	1	1	-	-	-	1
Stationer (not Law) - - - - -	3	-	3	-	-	-	-	2	-	-	1	-	-
Other Workers in Paper - - - -	2	-	2	-	-	-	-	-	-	2	-	-	-
15. 2. Coal Merchant, Dealer - - -	8	-	8	-	-	-	-	1	1	-	2	3	1
Coal-heaver, Labourer - - - -	37	-	37	-	-	-	1	1	7	10	5	7	6
Chimney Sweeper - - - - -	5	-	5	-	-	-	-	-	3	-	1	1	-
Gas Works Service - - - - -	9	-	9	-	-	-	1	-	3	1	2	-	2
Other Workers in Coal - - - -	3	-	3	-	-	-	-	-	1	-	2	-	-
3. Stone Quarrier - - - - -	2	-	2	-	-	-	-	-	-	-	1	1	-
Stone, Merchant, Cutter, Dresser	4	-	4	-	-	-	-	1	-	2	-	-	1
Limestone Quarrier, Lime-burner	5	-	5	-	-	-	-	-	1	2	1	-	1
Clay Labourer - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Brick, Maker, Dealer - - - - -	24	2	22	-	-	2	-	-	-	-	-	-	-
Railway Labourer, Platelayer, Navy	18	-	18	-	-	-	1	3	4	6	3	4	13
Road Labourer - - - - -	4	-	4	-	-	-	-	-	-	-	1	2	1
Scavenger, Dust Collector - - -	1	1	-	-	-	1	-	-	-	-	-	-	-
Others - - - - -	7	-	7	-	-	-	1	-	3	1	1	1	-
4. Tobacco-pipe Maker - - - - -	5	-	5	-	-	-	-	-	-	1	1	-	1
Earthenware and Glass Dealer -	3	-	3	-	-	-	-	1	-	-	-	-	1
7. Waterworks Service - - - - -	2	-	2	-	-	-	-	-	1	-	-	1	-
Others - - - - -	2	-	2	-	-	-	-	-	1	-	-	-	1
8. Goldsmith, Silversmith, Jeweller	4	-	4	-	-	-	-	-	2	-	-	2	-
9. Coppersmith - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
10. Tinplate Worker, Tinman - - -	6	-	6	-	-	-	-	1	1	-	2	2	-
13. Brass Manufacture, Brazier - -	3	-	3	-	-	-	1	-	-	-	-	-	-
Gas Fitter - - - - -	3	-	3	-	-	-	-	2	-	-	-	1	1
Wire Worker, Drawer - - - - -	2	-	2	-	-	-	1	-	-	-	1	-	-
14. Iron Manufacture - - - - -	23	5	20	-	1	2	1	7	1	1	5	2	5
Whitesmith - - - - -	12	-	11	-	-	1	2	-	-	-	4	2	3
Blacksmith - - - - -	98	3	95	-	-	3	7	18	7	12	9	19	23
Anchorsmith, Chainsmith - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Ironmonger, Hardware Dealer - -	11	-	11	-	-	-	1	1	1	1	2	3	2
Others - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	433	18	415	-	4	14	27	44	51	63	60	79	89
2. Artisan, Mechanic (branch undefined)	1	-	1	-	-	-	-	-	1	-	-	-	-
Engine Driver, Stoker (branch undef.)	7	-	7	-	-	-	3	1	1	2	-	-	-
Factory Labourer (branch undefined)	5	-	5	-	-	-	-	2	1	-	-	-	1
Shopman, Assistant (branch undefined)	1	1	-	-	-	1	-	-	-	-	-	-	-
Others of undefined Occupation -	263	142	121	-	-	142	44	18	10	10	17	11	11
17. 1. Gentleman, Independent, Annuitant -	91	-	91	-	-	-	-	3	6	5	13	31	33
18. 1. Scholars and Children of no stated Occupation - - - - -	755	755	-	516	239	-	-	-	-	-	-	-	-

V.—SOUTH WESTERN COUNTIES.—DEATHS OF MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Total of Males AGED 5 YEARS AND UPWARDS	13707	1787	10860	778	448	581	571	1178	1148	1311	1794	2294	2634
I.—PROFESSIONAL CLASS.													
1. Civil Service	41	-	41	-	-	-	1	3	1	7	9	8	13
Government Messengers, Workmen, &c.	60	-	60	-	-	-	-	7	7	8	10	7	21
Other Government Officers	1	-	1	-	-	-	-	-	-	-	-	1	-
2. Magistrate (so returned)	3	-	3	-	-	-	-	-	-	-	-	1	1
Officer of Law Court	13	1	12	-	-	1	-	-	2	-	3	5	2
Police	23	-	23	-	-	-	4	5	5	1	3	4	3
Prison Officer	2	-	2	-	-	-	-	1	-	-	-	-	1
Municipal, Parish, Union, Officer	26	-	26	-	-	-	1	-	1	4	5	7	6
3. East India and Colonial Service	5	-	5	-	-	-	-	-	-	-	2	-	3
2. 1. Army Officer (effective)	29	-	29	-	-	-	-	1	3	5	5	9	6
Army Retired and Half Pay Officer	5	-	5	-	-	-	-	-	2	2	-	3	1
Soldier	79	5	74	-	-	5	12	33	18	7	1	-	3
Militia, Volunteers	9	-	9	-	-	-	-	1	4	1	-	-	2
Army Pensioner	93	-	93	-	-	-	2	10	14	21	6	17	26
2. Navy Officer (effective)	34	-	34	-	-	-	2	2	2	1	7	6	14
Navy Retired and Half Pay Officer	18	-	18	-	-	-	-	-	1	1	2	4	5
Seaman, R.N.	91	15	76	-	1	14	13	31	14	10	3	4	1
Royal Marine	24	-	24	-	-	-	2	13	5	-	-	1	3
Coastguard, Royal Naval Reserve	18	-	18	-	-	-	-	1	5	3	-	7	3
Navy Pensioner	148	-	148	-	-	-	2	15	20	23	27	26	26
3. 1. Clergyman	66	-	66	-	-	-	1	5	4	6	11	21	16
Protestant Minister	15	-	15	-	-	-	3	1	1	2	3	3	2
Roman Catholic Priest	2	-	2	-	-	-	-	-	-	-	-	-	1
Missionary, Scripture Reader	3	-	3	-	-	-	-	-	-	1	1	-	2
Church, Chapel Officer	8	-	8	-	-	-	-	-	-	-	2	2	3
Others	1	-	1	-	-	-	-	-	-	-	-	-	1
2. Barrister	3	-	3	-	-	-	-	-	-	-	-	1	1
Solicitor, Attorney	25	-	25	-	-	-	1	2	4	4	3	6	5
Law Student	1	-	1	-	-	-	1	-	-	-	-	-	-
Law Clerk	20	2	18	-	2	2	5	5	3	2	2	-	-
3. Physician, Surgeon	59	-	59	-	-	-	2	7	8	7	14	11	15
Medical Assistant, Student	1	-	1	-	-	-	-	-	1	-	-	-	-
Dentist	8	-	8	-	-	-	-	2	1	-	-	-	-
Chemist, Druggist	21	1	20	-	1	1	5	6	2	2	3	-	-
4. Author, Editor, Journalist	1	-	1	-	-	-	-	-	-	-	-	-	1
Students and Others	2	-	2	-	-	-	-	2	-	-	-	-	-
5. Painter, Artist	4	-	4	-	-	-	1	-	-	-	-	2	1
Sculptor	3	-	3	-	-	-	-	2	-	-	-	-	-
Engraver	1	-	1	-	-	-	-	-	-	2	-	-	-
Photographer	4	-	4	-	-	-	-	-	-	-	-	-	-
6. Musician, Music Master	7	-	7	-	-	-	-	-	1	1	-	3	2
7. Exhibitions, Shows—Service	1	-	1	-	-	-	-	-	-	-	1	-	-
8. Schoolmaster	41	1	40	-	1	1	3	6	2	2	13	6	9
Teacher, Professor, Lecturer	3	-	3	-	-	-	1	1	-	-	1	-	-
9. Civil Engineer	5	-	5	-	-	-	-	3	-	-	2	-	-
Other Scientific Persons	1	-	1	-	-	-	-	1	-	-	-	-	-
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	139	-	139	-	-	-	-	13	23	26	29	29	23
Beer-seller	17	-	17	-	-	-	-	-	2	5	4	5	3
Lodging-house, Boarding-house, Keeper	11	-	11	-	-	-	-	-	2	1	1	3	4
Coffee-house, Eating-house, Keeper	3	-	3	-	-	-	-	1	-	1	-	1	-
Institution Service	1	-	1	-	-	-	-	-	1	-	-	-	-
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
2. Domestic Servant (General)	62	2	60	-	-	2	6	4	10	12	8	3	15
Cookman	23	-	23	-	-	-	-	3	3	4	3	3	7
Groom	12	-	12	-	-	-	1	4	1	-	-	3	2
Gardener	27	-	27	-	-	-	1	3	2	4	2	9	6
Inn, Hotel Servant	34	1	33	-	1	-	-	7	7	3	6	6	4
Cook (not Domestic Servant)	1	-	1	-	-	-	-	-	-	-	-	1	-
Others	2	-	2	-	-	-	-	-	1	-	-	1	-
III.—COMMERCIAL CLASS.													
6. 1. Merchant	12	-	12	-	-	-	-	1	2	2	1	5	1
Banker	4	-	4	-	-	-	-	-	1	-	-	2	-
Bank Service	11	1	10	-	1	-	-	2	3	1	2	-	2
Insurance, Benefit Society, Service	2	-	2	-	-	-	-	-	1	1	-	-	-
Broker, Agent, Factor	9	-	9	-	-	-	-	2	4	1	1	-	1
Salesman (not otherwise described)	1	-	1	-	-	-	-	-	-	-	-	-	1
Auctioneer, Valuer, House Agent	8	-	8	-	-	-	-	1	1	2	3	-	3
Accountant	33	-	33	-	-	-	3	8	2	5	4	6	5
Commercial Clerk	21	1	20	-	1	-	4	5	2	2	3	3	1
Commercial Traveller	14	-	14	-	-	-	-	3	4	4	2	-	-

NOTE.—The Counties comprised in this Table are Wiltshire, Dorsetshire, Devonshire, Cornwall, and Somersetshire.

V.—SOUTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.	
6.—cont.														
2. Pawnbroker	2	-	2	-	-	-	-	1	-	1	-	-	-	
Shopkeeper (branch undefined), General Dealer	23	-	23	-	-	-	1	1	1	1	6	7	6	
Huckster, Costermonger	3	-	3	-	-	-	-	-	-	1	1	-	1	
Hawker, Pedlar	41	-	41	-	-	-	1	6	12	3	9	8	2	
7. 1. Railway Engine Driver, Stoker	7	-	7	-	-	-	1	2	2	1	1	-	-	
Railway Officer, Clerk, Station-master	6	-	6	-	-	-	-	5	1	-	-	-	-	
Railway Attendant, Servant	40	1	39	-	-	1	3	11	9	16	2	3	1	
2. Toll Collector, Turnpike-gate Keeper	11	-	11	-	-	-	-	-	1	2	2	3	3	
Coach, Omnibus, Cab Owner, Livery Stable Keeper	16	-	16	-	-	-	-	-	2	3	2	6	1	
Coachman (not domestic), Cabman, Flyman	35	-	35	-	-	-	1	2	7	3	5	8	9	
Carman, Carrier, Carter, Drayman	61	2	59	-	-	2	1	7	10	2	14	9	9	
Others	7	-	7	-	-	-	-	-	3	-	3	-	1	
3. Inland Navigation Service	4	-	4	-	-	-	-	-	-	-	-	1	3	
Barge-man, Waterman	31	-	31	-	-	-	-	5	4	4	6	9	2	
Others	1	-	1	-	-	-	-	-	-	-	-	-	1	
4. Shipowner	2	-	2	-	-	-	-	-	-	-	1	-	-	
Steam Navigation Service	3	-	3	-	-	-	-	2	-	-	1	-	-	
Ship Steward, Cook	5	1	4	-	-	1	-	2	-	2	-	-	-	
Seaman (Merchant Service)	215	15	200	-	1	14	22	45	32	32	24	17	38	
Pilot	10	1	9	-	-	1	1	-	3	-	2	-	3	
Boatsman on Seas	7	-	7	-	-	-	-	1	-	1	-	5	-	
Harbour, Dock Service, Labourer	11	-	11	-	-	-	-	-	1	3	4	1	2	
Wharfinger	1	-	1	-	-	-	-	-	-	-	1	-	-	
Others	1	-	1	-	-	-	-	-	-	-	1	-	-	
5. Warehouseman	3	-	3	-	-	-	-	1	-	2	-	-	-	
6. Messenger, Porter, Errand Boy	32	3	29	-	1	2	1	1	5	6	7	3	6	
Telegraph Company Service	3	1	2	-	-	1	1	1	-	-	-	-	-	
IV.—AGRICULTURAL CLASS.														
8. 1. Land Proprietor (so returned)	46	-	46	-	-	-	-	1	2	3	8	14	18	
Farmer, Grazier	1027	1	1026	-	-	1	12	41	67	100	175	244	387	
Farmer's Son, Brother, Grandson, Nephew	134	91	43	44	16	31	18	11	7	4	2	1	-	
Farm Bailiff	25	1	24	-	-	1	3	-	2	4	3	9	3	
Agricultural Labourer	2067	35	2032	-	4	31	68	145	159	206	229	493	602	
Shepherd (out-door)	35	1	34	-	-	-	-	3	-	3	8	11	9	
Farm Servant (in-door)	29	15	14	-	1	14	6	2	1	1	1	3	-	
Land Surveyor, Estate Agent	12	-	12	-	-	-	-	1	-	2	2	2	5	
Land Drainage Service	1	-	1	-	-	-	-	-	-	-	-	-	1	
Agricult. Machine Proprietor, Attndnt.	3	-	3	-	-	-	-	-	1	1	-	-	1	
Others engaged in Agriculture	1	-	1	-	-	-	-	-	-	-	1	-	-	
2. Woodman	16	1	15	-	-	1	1	-	1	1	2	4	6	
3. Nurseryman, Seedsman, Florist	6	-	6	-	-	-	1	1	1	1	-	2	-	
Gardener	209	2	207	-	-	2	9	15	11	21	42	40	60	
9. 1. Horse Proprietor, Dealer	5	-	5	-	-	-	-	1	-	-	2	1	1	
Horse Breaker	3	-	3	-	-	-	-	-	1	-	-	1	1	
Horsekeeper, Groom, Jockey	49	1	48	-	-	1	5	14	9	6	4	6	4	
Farrier, Veterinary Surgeon	9	1	8	-	-	1	-	-	-	2	1	2	2	
Cattle, Sheep, Pig, Salesman	12	-	12	-	-	-	1	-	3	2	1	1	-	
Drover	10	-	10	-	-	-	-	1	-	-	7	-	2	
Gamekeeper	22	1	21	-	-	1	-	1	1	2	5	5	7	
Vermin Destroyer	3	-	3	-	-	-	-	-	1	-	-	1	1	
Fisherman	85	1	84	-	-	1	6	11	8	9	12	14	24	
Others engaged about Animals	3	-	3	-	-	-	-	-	-	-	1	1	1	
V.—INDUSTRIAL CLASS.														
10. 1. Bookseller, Publisher	3	-	3	-	-	-	-	-	1	-	-	1	1	
Printer	31	2	29	-	-	2	4	11	1	3	5	4	1	
Newspaper Agent, News-room Keeper	2	-	2	-	-	-	-	-	1	-	1	-	-	
Others engaged in Publications	1	-	1	-	-	-	-	1	-	-	-	-	-	
2. Musical Instrument Maker, Dealer	2	-	2	-	-	-	-	-	-	-	1	1	-	
3. Others engaged in Prints, &c.	1	-	1	-	-	-	-	-	-	-	-	1	-	
4. Others engaged in Carving and Figures	1	-	1	-	-	-	-	-	-	-	-	-	1	
7. Watch Maker, Clock Maker	21	1	20	-	-	1	1	1	2	3	5	3	5	
Philosophical Instrument Maker, Optician	1	-	1	-	-	-	-	-	-	-	-	1	-	
9. Gunsmith, Gun Manufacture	2	-	2	-	-	-	-	1	1	-	-	-	-	
Others	1	-	1	-	-	-	-	-	-	-	-	1	-	
10. Engine and Machine Maker	34	3	31	-	-	3	3	10	6	3	4	1	4	
Agricultural Implement, Machine Mkr.	1	-	1	-	-	-	-	-	-	-	-	1	-	
Millwright	14	-	14	-	-	-	1	1	1	2	3	3	3	
Cutler	8	-	8	-	-	-	-	-	2	1	2	2	1	
Needle Manufacture	1	-	1	-	-	-	-	1	-	-	-	-	-	
Pin Manufacture	2	-	2	-	-	-	-	-	1	-	1	-	-	
11. Coachmaker	25	1	24	-	-	1	1	4	-	3	8	6	2	
Wheelwright	27	2	25	-	-	2	2	1	2	7	1	7	5	
Others engaged about Carriages	3	-	3	-	-	-	-	-	-	-	-	-	-	

V.—SOUTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—
10.—cont.													
12. Saddler, Harness, Whip Maker - -	29	2	27	-	-	2	5	3	4	3	4	4	4
13. Ship-builder, Shipwright, Boat-builder	60	2	58	-	-	2	6	10	8	7	6	5	13
Sail Maker - - - - -	9	1	8	-	-	1	-	1	1	1	1	2	2
14. House Proprietor - - - - -	21	-	21	-	-	-	-	-	-	3	5	4	3
Architect - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Surveyor - - - - -	47	1	46	-	-	1	2	5	5	3	13	9	7
Builder - - - - -	380	6	374	-	-	6	20	50	44	34	68	72	95
Carpenter, Joiner - - - - -	28	1	27	-	-	1	5	8	3	5	5	3	3
Bricklayer - - - - -	8	-	8	-	-	-	-	-	-	-	-	-	-
Marble Mason - - - - -	299	8	291	-	-	8	17	38	26	26	51	68	65
Mason, Pavlar - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Plaster, Tiler - - - - -	37	1	36	-	-	1	1	3	4	5	5	9	3
Plasterer - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Paperhanger - - - - -	103	6	97	-	1	5	9	12	10	25	15	23	4
Plumber, Painter, Glazier - -	2	1	1	-	-	1	-	-	-	-	-	-	1
Others - - - - -	40	2	38	-	-	2	-	11	5	4	4	6	9
15. Cabinet Maker, Upholsterer	3	-	3	-	-	-	-	-	-	1	1	1	-
Carver and Gilder - - - - -	5	-	5	-	-	-	-	-	1	1	2	1	-
Furniture Broker, Dealer - -	3	-	3	-	-	-	1	-	-	-	-	1	-
16. Manufacturing Chemist, Labourer	6	-	6	-	-	-	-	2	-	1	1	-	-
Dyer, Securer, Calenderer - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Others - - - - -	6	-	6	-	-	-	-	-	3	3	1	1	-
11. 1. Woolstapler - - - - -	6	-	6	-	-	-	-	-	-	3	3	1	-
Woolen Cloth Manufacture - -	82	2	80	-	-	2	1	3	4	3	18	28	24
Fuller - - - - -	1	-	1	-	-	-	-	-	-	-	1	1	-
Wool, Woollen, Dyer - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-
Cloth Merchant, Dealer - - -	1	-	1	-	-	-	-	1	-	-	-	2	-
Blanket Manufacture - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Carpet, Rug, Manufacture - -	1	-	1	-	-	-	-	-	-	-	-	-	1
3. Flax, Linen Manufacture - -	8	-	8	-	-	-	-	-	1	-	1	4	3
Lace Manufacture - - - - -	12	-	12	-	-	-	-	2	2	4	1	1	2
4. Weaver (not otherwise described)	11	-	11	-	-	-	-	1	-	1	3	2	4
Draper, Linen Draper, Mercer	66	4	62	-	-	4	10	14	6	8	9	7	8
Trimming Maker, Dealer - -	1	-	1	-	-	-	-	-	-	1	-	-	-
Others - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
5. Hairdresser, Wig Maker - -	14	1	13	-	-	1	2	-	-	1	3	4	1
Hatter, Hat Manufacture - -	14	-	14	-	-	-	-	-	1	2	2	4	5
Furrier, Skinner - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Tailor - - - - -	147	-	147	-	-	-	4	19	17	14	25	35	23
Hosier, Haberdasher - - - -	2	-	2	-	-	-	-	2	-	-	-	-	-
Glover (leather) - - - - -	13	1	12	-	-	1	3	1	1	3	3	1	1
Glove Maker (all except leather)	3	-	3	-	-	-	-	-	-	-	1	1	-
Shoemaker, Bootmaker - - -	361	7	354	-	-	7	22	26	26	40	59	62	67
Umbrella, Parasol, Stick, Maker	1	-	1	-	-	-	-	-	-	-	-	1	-
Others providing Dress - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
6. Mat Maker, Seller - - - -	4	-	4	-	-	-	-	-	-	1	-	-	-
Hemp Manufacture - - - - -	4	1	3	-	-	1	-	-	-	-	-	2	-
Rope, Cord, Maker - - - - -	18	2	16	-	-	2	1	-	-	3	5	2	5
Canvas, Sailcloth, Manufacture, Dealer	7	-	7	-	-	-	-	-	-	-	1	3	3
12. 1. Cowkeeper, Milk seller - -	59	3	56	-	1	2	2	6	6	3	6	17	17
Cheesemonger - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Butcher, Meat Salesman - - -	112	2	110	-	-	2	4	10	16	12	12	26	26
Provision Curer, Dealer - - -	5	-	5	-	-	-	-	-	-	2	2	1	-
Poulterer, Game Dealer - - -	6	-	6	-	-	-	-	2	1	1	1	-	-
Fishmonger - - - - -	14	-	14	-	-	-	-	1	2	3	5	3	-
2. Corn, Flour, Seed, Merchant, Dealer	13	-	13	-	-	-	-	4	2	2	-	4	1
Miller - - - - -	75	3	72	-	-	3	2	6	12	11	10	20	11
Baker - - - - -	96	1	95	-	-	1	4	11	10	16	15	18	11
Confectioner, Pastry Cook - -	11	-	11	-	-	-	-	1	1	1	3	1	4
Greengrocer, Fruit, Vegetable, Dealer	13	-	13	-	-	-	-	2	1	-	-	4	6
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
3. Malster - - - - -	25	-	25	-	-	-	-	2	1	2	4	8	8
Brewer - - - - -	64	1	63	-	-	1	3	7	12	9	11	6	3
Wine and Spirit Merchant - -	10	-	10	-	-	-	-	2	1	-	1	1	2
Cellarman - - - - -	8	-	8	-	-	-	-	1	1	-	3	1	2
Ginger Beer, Soda Water, &c., Manu-	2	-	2	-	-	-	-	-	2	-	-	-	-
facture - - - - -	4	-	4	-	-	-	-	2	-	-	-	-	-
Sugar Refiner - - - - -	87	3	84	-	-	3	10	8	4	10	17	17	19
Grocer, Tea Dealer - - - - -	5	-	5	-	-	-	-	-	-	-	1	-	1
Tobacco, Cigar, Snuff, Manufacture,	5	-	5	-	-	-	-	2	-	-	1	-	2
Tobaccoist - - - - -	8	-	8	-	-	-	-	-	1	-	1	-	1
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
13. 1. Soap Boiler - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Tallow Chandler - - - - -	6	-	6	-	-	-	-	1	2	-	1	-	-
Comb-maker - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Others - - - - -	2	-	2	-	-	-	-	1	-	1	-	-	-
2. Fallmonger - - - - -	3	-	3	-	-	-	-	-	-	1	-	1	1
Tanner - - - - -	29	-	29	-	-	-	-	3	3	6	6	3	3
Currier - - - - -	11	-	11	-	-	-	-	1	3	2	-	2	1
Others - - - - -	3	-	3	-	-	-	-	1	-	-	-	-	-
3. Brush, Broom, Maker - - -	12	2	10	-	-	2	1	-	1	2	1	4	1

V.—SOUTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.		AGES OF MALES.													
		TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.	
14.	1. French-polisher - - - - -	3	-	3	-	-	-	1	1	-	-	1	-	-	
	2. Timber, Wood, Merchant, Dealer	15	-	15	-	-	-	1	-	3	1	1	3	6	
	Sawyer - - - - -	65	1	64	-	-	1	1	9	4	9	6	12	22	
	Lath, Fence, Hurdle, Maker	3	-	3	-	-	-	-	1	-	-	1	-	1	
	Wood, Turner, Worker - - - -	3	-	3	-	-	-	-	-	1	2	-	-	-	
	Box, Packing Case, Maker - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	
	Cooper, Hoop maker and Bender	37	-	37	-	-	-	-	3	4	2	9	8	11	
4.	Basket Maker - - - - -	25	-	25	-	-	-	-	-	4	3	2	9	7	
	Hay and Straw Dealer - - - -	7	-	7	-	-	-	2	1	1	1	-	1	1	
	Thatcher - - - - -	37	1	36	-	-	1	1	1	2	5	6	4	17	
5.	Rag Gatherer, Dealer - - - - -	8	-	8	-	-	-	-	-	1	2	3	2	-	
	Paper Manufacture - - - - -	13	1	12	-	-	1	-	2	2	-	2	4	2	
	Stationer (not Law) - - - - -	7	-	7	-	-	-	-	4	1	1	-	-	1	
	Other Workers in Paper - - - -	4	-	4	-	-	-	-	-	-	3	1	-	-	
15.	1. Coal Miner - - - - -	71	8	63	-	-	8	5	3	4	7	14	11	19	
	Copper Miner - - - - -	152	2	150	-	-	2	11	13	15	22	44	25	7	
	Tin Miner - - - - -	245	26	219	-	3	23	18	21	30	51	58	29	12	
	Lead Miner - - - - -	14	-	14	-	-	-	2	3	1	5	1	1	1	
	Iron Miner - - - - -	4	-	4	-	-	-	-	1	2	1	-	-	-	
	Miner (branch undefined) - - -	70	10	60	-	2	4	5	7	4	14	11	13	6	
	Coal Mine Service - - - - -	3	-	3	-	-	-	-	-	-	2	-	1	-	
	Mine Service (Metal not stated)	27	4	23	-	3	1	-	-	2	5	3	8	4	
	Others - - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-	
	2. Coal Merchant, Dealer - - - -	24	-	24	-	-	-	1	1	3	2	6	7	4	
	Coal-heaver, Labourer - - - -	18	-	18	-	-	-	-	1	1	2	4	7	3	
	Coke Burner, Dealer - - - - -	2	-	2	-	-	-	-	1	-	-	-	-	1	
	Chimney Sweeper - - - - -	9	-	9	-	-	-	-	1	2	2	1	3	-	
	Gas Works Service - - - - -	6	-	6	-	-	-	-	2	1	2	-	1	-	
	Other Workers in Coal - - - - -	2	-	2	-	-	-	-	-	1	-	-	-	1	
	3. Stone Quarrier - - - - -	32	-	32	-	-	-	1	3	6	5	11	2	4	
	Stone, Merchant, Cutter, Dresser	17	-	17	-	-	-	2	2	-	4	3	4	2	
	Slate Quarrier - - - - -	13	-	13	-	-	-	1	4	-	1	3	1	3	
	Limestone Quarrier, Lime-Burner	15	1	14	-	-	1	-	1	3	1	4	3	2	
	Clay Labourer - - - - -	28	-	28	-	-	-	2	1	4	1	5	6	6	
	Brick, Maker, Dealer - - - - -	15	1	14	-	-	1	2	-	-	1	5	3	3	
	Railway Labourer, Platelayer, Navvy	48	2	46	-	-	2	3	13	6	6	9	5	3	
	Road Contractor, Inspector, Surveyor	6	-	6	-	-	-	-	-	-	-	2	4	-	
	Road Labourer - - - - -	33	-	33	-	-	-	1	1	3	1	4	10	13	
	Seavenger, Dust Collector - - -	2	-	2	-	-	-	-	-	1	-	-	-	1	
	Others - - - - -	8	-	8	-	-	-	-	-	-	3	1	1	3	
	4. Earthenware Manufacture - - -	6	1	5	-	-	1	1	1	1	-	1	1	-	
	Tobacco pipe Maker - - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-	
	Earthenware and Glass Dealer -	4	-	4	-	-	-	-	-	-	-	2	1	1	
	5. Glass Manufacture - - - - -	2	-	2	-	-	-	-	-	-	2	-	-	-	
	6. Other Dealers in Salt - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	
	7. Waterworks Service - - - - -	4	-	4	-	-	-	-	-	-	1	-	1	2	
	Others - - - - -	2	-	2	-	-	-	-	-	1	-	-	1	-	
	8. Goldsmith, Silversmith, Jeweller	11	-	11	-	-	-	1	1	2	3	-	1	3	
	9. Coppersmith - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	
	Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	
	10. Tin Manufacture - - - - -	27	-	27	-	-	-	-	1	3	2	6	9	6	
	Tinplate Worker, Tinsman - - -	17	-	17	-	-	-	3	3	-	-	4	3	4	
	Tinker - - - - -	3	-	3	-	-	-	-	-	-	-	1	-	2	
	12. Lead Manufacture - - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-	
	13. Brass Manufacture, Brazier	2	-	2	-	-	-	-	-	-	-	-	2	-	
	Locksmith, Bellhanger - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-	
	Gas Fitter - - - - -	6	1	5	-	-	1	-	-	-	1	2	-	-	
	Wire Worker, Drawer - - - - -	3	-	3	-	-	-	-	1	-	-	1	-	1	
	14. Iron Manufacture - - - - -	20	3	17	-	1	2	1	3	3	5	7	5	3	
	White-smith - - - - -	7	1	6	-	-	1	-	-	1	1	1	1	2	
	Blacksmith - - - - -	173	7	166	-	-	7	7	14	15	22	28	34	46	
	Nail Manufacture - - - - -	2	-	2	-	-	-	-	-	-	1	-	-	-	
	Anchor-smith, Chainsmith - - -	2	-	2	-	-	-	-	1	-	-	-	1	-	
	Ironmonger, Hardware Dealer - -	20	2	18	-	-	2	2	1	3	2	3	5	2	
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.															
16.	1. General Labourer, Labourer (branch undefined) - - - - -	859	28	831	-	2	20	37	89	96	91	150	192	196	
	2. Engine Driver, Stoker (branch undefined) - - - - -	11	-	11	-	-	-	-	3	1	2	2	2	1	
	Factory Labourer (branch undefined)	25	3	22	-	2	1	3	4	2	4	4	4	1	
	Shopman, Assistant (branch undefined)	1	-	1	-	-	-	1	-	-	-	-	-	-	
	Vagrant, Gipsy - - - - -	2	-	2	-	-	-	-	-	-	2	-	-	-	
	Others of undefined Occupation - -	461	236	225	-	-	226	70	45	26	16	17	25	26	
17.	1. Gentleman, Independent, Annuitant -	198	2	196	-	-	2	5	16	17	15	33	39	71	
18.	1. Scholars and Children of no stated Occupation - - - - -	1138	1138	-	732	406	-	-	-	-	-	-	-	-	

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—
Total of Males AGED 5 YEARS AND UPWARDS	17457	2421	15036	1171	569	651	795	1627	1879	2341	2623	3064	277
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	27	-	27	-	-	-	1	2	3	2	6	5	5
Government Messengers, Workmen, &c.	24	-	24	-	-	-	2	2	3	3	4	5	5
Other Government Officers	5	-	5	-	-	-	-	-	1	-	2	-	2
2. Magistrate (so returned)	7	-	7	-	-	-	-	-	-	-	-	5	2
Officer of Law Court	9	-	9	-	-	-	-	1	-	3	2	1	2
Police	26	-	26	-	-	-	3	4	13	5	2	1	-
Municipal, Parish, Union, Officer	47	-	47	-	-	-	1	4	8	9	5	7	13
3. East India and Colonial Service	1	-	1	-	-	-	-	-	-	-	-	-	1
2. 1. Army Officer (effective)	13	-	13	-	-	-	-	1	1	1	1	5	5
Army Retired and Half Pay Officer	11	-	11	-	-	-	-	1	1	2	1	4	2
Soldier	34	-	34	-	-	-	6	13	10	3	-	2	-
Militia, Volunteers	12	-	12	-	-	-	-	1	1	7	1	-	2
Army Pensioner	61	-	61	-	-	-	2	8	6	10	15	9	26
2. Navy Officer (effective)	2	-	2	-	-	-	-	-	-	-	-	1	1
Navy Retired and Half Pay Officer	1	-	1	-	-	-	-	-	-	-	-	1	-
Royal Marine	3	-	3	-	-	-	-	-	-	1	-	1	1
Navy Pensioner	11	-	11	-	-	-	-	1	-	1	2	2	5
3. 1. Clergyman	57	-	57	-	-	-	1	4	4	3	9	14	17
Protestant Minister	20	-	20	-	-	-	1	1	-	2	4	1	9
Roman Catholic Priest	2	-	2	-	-	-	-	-	-	1	-	-	-
Missionary, Scripture Reader	1	-	1	-	-	-	-	-	-	-	-	1	-
Church, Chapel Officer	10	-	10	-	-	-	-	-	1	-	3	5	1
Others	1	-	1	-	-	-	1	-	-	-	-	-	-
2. Barrister	1	-	1	-	-	-	-	-	-	-	1	-	-
Solicitor, Attorney	24	-	24	-	-	-	1	6	4	4	6	11	2
Law Clerk	26	1	22	-	-	1	3	4	3	3	4	8	2
3. Physician, Surgeon	39	-	39	-	-	-	-	4	1	6	9	10	9
Medical-Assistant, Student	3	-	3	-	-	-	2	1	-	-	-	-	-
Dentist	2	-	2	-	-	-	-	1	-	-	-	1	-
Chemist, Druggist	30	1	29	-	-	1	2	4	9	3	3	6	3
4. Students and Others	3	-	3	-	-	-	-	-	2	-	1	-	-
5. Painter, Artist	16	-	16	-	-	-	-	1	2	4	4	3	-
Sculptor	1	-	1	-	-	-	-	-	-	-	1	-	-
Engraver	11	-	11	-	-	-	-	2	2	3	-	3	1
Photographer	4	-	4	-	-	-	-	2	-	-	-	-	-
Others engaged in Fine Arts	2	-	2	-	-	-	1	-	-	-	1	-	-
6. Musician, Music Master	23	-	23	-	-	-	5	5	7	2	1	3	-
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
7. Actor	3	-	3	-	-	-	-	-	1	1	1	-	-
Others engaged in Theatres, &c.	3	-	3	-	-	-	1	-	1	1	-	-	-
8. Schoolmaster	43	1	52	-	-	1	4	7	6	14	8	9	4
Teacher, Professor, Lecturer	11	3	8	-	-	3	3	1	-	1	1	2	-
9. Civil Engineer	3	-	3	-	-	-	-	-	-	-	1	-	2
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	261	6	255	-	-	6	3	19	40	52	71	48	27
Beer-seller	50	-	50	-	-	-	1	2	12	13	14	4	4
Lodging-house, Boarding-house Keeper	10	-	10	-	-	-	-	-	1	1	2	2	4
Coffee-house, Eating-house Keeper	5	-	5	-	-	-	-	-	1	1	2	1	-
Institution Service	3	-	3	-	-	-	-	-	1	-	-	-	2
Others	2	-	2	-	-	-	-	-	1	1	-	-	-
2. Domestic Servant (General)	68	5	63	-	-	5	7	8	8	11	11	11	7
Coachman	31	-	31	-	-	-	1	3	6	5	3	2	9
Groom	17	1	16	-	1	-	2	1	1	3	3	3	3
Gardener	17	-	17	-	-	-	1	3	1	-	-	5	6
Inn, Hotel Servant	27	2	25	-	-	2	3	4	6	5	3	2	1
Others	3	-	3	-	-	-	-	1	-	1	-	1	-
III.—COMMERCIAL CLASS.													
6. 1. Merchant	11	-	11	-	-	-	1	-	2	1	3	2	2
Banker	10	-	10	-	-	-	-	-	-	9	1	5	2
Bank Service	12	-	12	-	-	-	1	4	1	1	2	1	2
Insurance, Benefit Society, Service	5	1	4	-	-	1	-	2	-	-	1	1	-
Broker, Agent, Factor	20	1	19	-	-	1	2	2	2	4	5	3	1

NOTE.—The Counties comprised in this Table are Gloucestershire, Herefordshire, Shropshire, Staffordshire, Worcestershire, and Warwickshire.

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	30-	35-	40-	45-	75 and upwds.
6.—cont.													
1. Salesman (not otherwise described) -	1	-	1	-	-	-	-	-	1	-	-	-	-
Auctioneer, Valuer, House Agent -	20	-	20	-	-	-	-	2	2	2	4	5	5
Accountant -	42	-	39	-	-	3	-	6	6	8	10	6	3
Commercial Clerk -	109	8	92	-	1	7	12	20	15	22	4	12	7
Commercial Traveller -	23	-	23	-	-	-	1	6	4	-	-	1	-
Other Mercantile Men -	1	-	1	-	-	-	-	-	-	-	-	-	-
2. Pawnbroker -	14	1	13	-	-	1	-	2	1	4	3	3	-
Shopkeeper (branch undefined), General Dealer -	43	1	42	-	-	1	3	3	5	7	7	7	10
Huckster, Costermonger -	5	-	5	-	-	-	-	1	-	-	-	1	3
Hawker, Pedlar -	71	-	71	-	-	-	3	7	12	7	15	17	10
7. 1. Railway Engine Driver, Stoker -	35	1	34	-	-	1	5	8	4	5	7	2	3
Railway Officer, Clerk, Station-master -	34	2	32	-	-	2	10	2	11	4	5	-	-
Railway Attendant, Servant -	65	4	61	-	-	4	8	22	10	8	9	1	3
2. Toll Collector, Turnpike-gate Keeper -	8	-	8	-	-	-	-	-	-	2	-	5	1
Coach, Omnibus, Cab Owner, Livery Stable Keeper -	16	-	16	-	-	-	-	3	3	4	4	-	2
Coachman (not domestic), Cabman, Flyman -	65	1	64	-	-	1	3	12	18	17	8	5	1
Carman, Carrier, Cartier, Drayman -	189	5	134	-	-	5	5	18	22	32	24	22	11
Others -	8	-	8	-	-	-	-	-	2	3	-	2	1
3. Inland Navigation Service -	25	2	23	-	-	2	-	1	2	5	5	3	7
Bargeman, Waterman -	74	2	72	-	1	1	4	8	8	12	13	17	8
4. Steam Navigation Service -	5	-	5	-	-	-	1	1	2	-	1	-	-
Ship Steward, Cook -	3	-	3	-	-	-	1	1	-	1	-	-	-
Seaman (Merchant Service) -	47	3	44	-	-	3	6	12	10	5	4	5	3
Pilot -	4	-	4	-	-	-	-	-	2	1	-	-	-
Boatman on Seas -	15	2	13	-	-	2	1	1	1	2	2	3	3
Harbour, Dock Service, Labourer -	26	3	23	-	1	2	3	9	13	7	6	10	5
Wharfinger -	5	-	5	-	-	-	-	-	-	1	-	3	1
Others -	1	-	1	-	-	-	-	-	-	-	1	-	-
5. Warehouseman -	25	-	25	-	-	-	1	3	3	5	5	6	2
6. Messenger, Porter, Errand Boy -	58	1	57	-	1	-	2	8	11	11	7	12	6
Telegraph Company Service -	9	4	5	-	-	4	1	2	1	-	-	1	-
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned) -	39	-	39	-	-	-	-	2	1	4	6	14	12
Farmer, Grazier -	801	2	799	-	-	2	8	30	50	80	142	229	269
Farmer's Son, Brother, Grandson, Nephew -	32	14	18	-	1	13	7	8	3	-	-	-	-
Farm Bailiff -	34	1	33	-	-	1	1	2	2	6	7	10	5
Agricultural Labourer -	1701	46	1655	-	7	41	45	105	110	178	275	428	514
Shepherd (out-door) -	6	1	5	-	-	-	-	-	-	-	-	2	2
Farm Servant (in-door) -	1	-	1	-	-	1	-	-	-	-	-	-	-
Land Surveyor, Estate Agent -	11	1	10	-	-	1	1	-	-	2	2	3	2
Land Drainage Service -	5	-	5	-	-	-	-	-	1	3	-	1	-
Agricul. Machine Proprietor, Attendant -	2	-	2	-	-	-	-	1	-	1	-	-	-
Others engaged in Agriculture -	1	-	1	-	-	-	1	-	-	-	-	-	-
2. Woodman -	19	-	19	-	-	-	-	2	2	2	6	4	3
3. Nurseryman, Seedsman, Florist -	7	-	7	-	-	-	-	-	1	1	1	2	2
Gardener -	234	-	234	-	-	-	4	12	14	25	55	60	64
Others engaged in Horticulture -	1	-	1	-	-	-	-	-	-	-	1	-	-
9. 1. Horse Proprietor, Dealer -	6	-	6	-	-	-	-	1	1	2	1	-	-
Horse Breaker -	13	-	13	-	-	-	1	2	3	2	1	3	1
Horsekeeper, Groom, Jockey -	93	2	91	-	-	2	9	20	13	20	15	11	5
Farrier, Veterinary Surgeon -	22	-	22	-	-	-	1	-	3	4	3	5	8
Cattle, Sheep, Pig, Salesman -	29	1	28	-	-	1	1	3	1	6	7	3	7
Drover -	10	-	10	-	-	-	-	2	-	1	2	2	3
Gamekeeper -	23	2	21	-	-	2	-	1	4	2	1	6	7
Vermin Destroyer -	4	-	4	-	-	-	-	-	1	1	-	1	1
Fisherman -	5	-	5	-	-	-	-	-	1	1	-	2	1
Others engaged about Animals -	4	-	4	-	-	-	1	-	-	-	2	1	-
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher -	7	-	7	-	-	-	-	-	4	1	-	-	2
Bookbinder -	4	-	4	-	-	-	-	-	1	1	-	-	-
Printer -	45	6	39	-	1	8	10	8	1	3	16	6	1
Newspaper Agent, News-room Keeper -	9	-	9	-	-	-	-	1	1	-	-	-	1
Others engaged in Publications -	1	-	1	-	-	-	-	-	-	-	-	-	-
2. Musical Instrument Maker, Dealer -	1	-	1	-	-	-	-	-	-	-	1	-	-
Others -	2	-	2	-	-	-	1	1	-	-	-	-	-

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 30.	30 Years and upwards.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and up.	
10.—cont.														
3. Lithographer, Lithographic Printer	8	-	3	-	-	-	-	1	2	-	-	-	-	
Others	1	-	1	-	-	-	-	-	-	1	-	-	-	
4. Wood-carver	1	-	1	-	-	-	-	-	-	-	1	-	-	
Others	1	-	1	-	-	-	-	-	1	-	-	-	-	
5. Toy Maker, Dealer	16	-	16	-	-	-	1	1	2	2	3	4	3	
Others	6	-	6	-	-	-	1	-	-	1	-	2	1	
6. Others engaged in Designs, &c.	6	-	6	-	-	-	-	2	1	-	-	1	2	
7. Watch Maker, Clock Maker	77	2	75	-	-	2	15	15	5	10	11	11	8	
Philosophical Instrument Maker	19	2	17	-	-	2	-	3	2	4	2	4	2	
Optician	7	-	7	-	-	-	-	1	1	-	4	1	-	
Weighing Mach., Scale, Measure, Mkr.	114	2	112	-	-	2	11	23	18	19	16	15	10	
Others	4	-	4	-	-	-	-	2	-	1	1	-	-	
9. Gunsmith, Gun Manufacture	173	9	164	-	-	9	10	33	22	35	26	22	14	
Spinning, Weaving, Machine Maker	2	-	2	-	-	-	-	-	-	1	-	1	-	
Agricultural Implement, Machine Mkr.	17	1	16	-	-	1	2	5	2	2	1	5	1	
Millwright	13	1	12	-	-	-	-	2	-	2	2	4	2	
Tool Maker, Dealer	64	2	62	-	1	1	2	13	6	10	19	1	9	
File Maker, Dealer	12	-	12	-	-	-	-	3	5	1	-	-	-	
Saw Maker, Dealer	3	-	3	-	-	-	-	1	1	-	-	1	-	
Cutler	17	-	17	-	-	-	1	2	2	4	6	2	-	
Needle Manufacture	29	3	26	-	-	3	4	2	5	3	7	2	2	
Pin Manufacture	1	1	-	-	-	1	-	-	-	-	1	1	-	
Others engaged in Tool Making, &c.	3	-	3	-	-	-	-	-	-	1	1	1	-	
11. Coachmaker	58	1	57	-	-	1	2	5	9	16	14	7	2	
Wheelwright	70	-	70	-	-	-	5	4	6	17	5	13	15	
Others engaged about Carriages	10	-	10	-	-	-	-	2	3	4	-	-	1	
12. Saddler, Harness, Whip Maker	96	5	88	-	-	5	5	12	8	18	18	15	12	
13. Ship-builder, Shipwright, Boat-builder	26	-	26	-	-	-	1	2	7	5	2	4	4	
Sail Maker	2	-	2	-	-	-	1	1	-	-	-	-	-	
14. House Proprietor	53	-	53	-	-	-	-	-	2	2	11	23	15	
Architect	10	-	10	-	-	-	-	2	4	2	1	1	-	
Surveyor	6	-	6	-	-	-	-	-	1	-	2	1	2	
Builder	57	-	57	-	-	-	1	2	5	11	11	15	12	
Carpenter, Joiner	332	11	321	-	2	9	11	40	46	36	36	63	67	
Bricklayer	229	6	223	-	-	6	10	17	30	32	34	36	42	
Marble Mason	4	2	2	-	-	-	-	-	-	1	1	-	-	
Mason, Pavlar	150	1	157	-	-	1	4	12	29	22	24	32	16	
Plaster, Tiler	16	2	14	-	-	2	-	4	3	2	3	2	-	
Plasterer	51	2	49	-	1	1	2	8	5	12	7	6	7	
Paperhanger	1	-	1	-	-	-	-	-	1	-	-	-	-	
Plumber, Painter, Glasier	189	6	183	-	-	6	6	24	41	36	31	29	13	
15. Cabinet Maker, Upholsterer	76	3	73	-	-	3	6	8	12	14	11	13	9	
Undertaker	5	-	5	-	-	-	-	-	1	-	-	2	2	
Carver and Gilder	12	-	12	-	-	-	1	1	2	3	1	2	2	
Furniture Broker, Dealer	9	-	9	-	-	-	-	-	1	2	2	3	1	
16. Manufacturing Chemist, Labourer	11	-	11	-	-	-	-	2	-	1	3	5	-	
Dye, Colour Manufacture	1	1	-	-	-	1	-	-	-	-	-	-	-	
Dyer, Scourer, Calenderer	11	-	11	-	-	-	1	1	3	-	2	3	1	
Others	3	-	3	-	-	-	-	-	-	1	1	1	-	
11. 1. Woolstapler	6	-	6	-	-	-	-	-	-	1	1	1	3	
Felt Manufacture	2	-	2	-	-	-	-	-	-	-	-	-	-	
Woollen Cloth Manufacture	59	5	54	-	-	5	1	2	-	4	10	14	21	
Wool, Woollen, Dyer	4	-	4	-	-	-	-	-	-	-	2	-	2	
Worsted Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1	
Cloth Merchant, Dealer	1	-	1	-	-	-	-	1	-	-	-	-	-	
Stuff Manufacture	4	-	4	-	-	-	-	-	-	-	-	2	-	
Carpet, Rug, Manufacture	47	-	47	-	-	-	2	2	2	12	7	10	12	
2. Silk, Satin, Manufacture	26	5	21	-	-	5	2	2	2	1	7	3	4	
Silk Dyer, Printer	9	1	8	-	-	1	1	-	-	1	1	3	-	
Ribbon Manufacture	65	3	62	-	-	3	1	6	10	6	12	13	12	
3. Flax, Linen Manufacture	5	-	5	-	-	-	-	1	-	-	1	1	2	
Lace Manufacture	2	-	2	-	-	-	-	1	-	-	-	-	1	
Tape Manufacture, Dealer	8	-	8	-	-	-	-	-	-	2	2	2	2	
Cotton Manufacture	8	1	7	-	-	1	1	2	-	1	1	2	-	
Cotton, Calico Warehouseman, Dealer	1	-	1	-	-	-	-	-	1	-	-	-	-	
Calico, Cotton, Printer	3	1	2	-	-	1	-	-	-	-	1	1	-	
4. Weaver (not otherwise described)	46	-	46	-	-	-	2	1	1	5	9	13	15	
Blosscher (not otherwise described)	1	-	1	-	-	-	-	-	-	-	1	-	-	
Draper, Linen Draper, Mercer	73	5	68	-	-	5	5	13	6	16	12	7	7	
Fancy Goods Manufacturer, Dealer	1	-	1	-	-	-	-	1	-	-	-	-	-	
Trimming Maker, Dealer	2	1	1	-	-	1	-	-	-	-	-	1	-	
Others	1	-	1	-	-	-	-	-	-	-	-	-	1	

VI.—WEST MIDLAND COUNTIES.—DEATHS OF MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
11.—cont.													
5. Hairdresser, Wig Maker	31	-	31	-	-	-	1	5	8	3	4	5	5
Hatter, Hat Manufacturer	30	1	29	-	-	1	1	2	3	2	4	4	13
Furrier, Skinner	2	1	1	-	-	1	-	-	-	1	-	-	-
Tailor	242	2	240	-	-	2	11	18	28	42	55	48	28
Milliner	2	-	2	-	-	-	-	-	1	-	-	-	1
Stay Maker, Ladies' Outfitter	2	-	2	-	-	-	-	-	-	-	-	-	-
Hosiery Manufacturer	5	1	4	-	1	-	-	-	-	-	-	1	3
Hosiery, Haberdasher	12	1	11	-	-	1	1	1	1	-	1	3	4
Glover (leather)	16	-	16	-	-	-	-	1	2	3	2	4	4
Glove Maker (all except leather)	1	-	1	-	-	-	-	-	-	-	1	-	-
Shoemaker, Bootmaker	495	6	489	-	-	6	23	56	45	67	83	103	109
Pattem, Clog Maker	6	-	6	-	-	-	-	-	-	2	3	-	-
Button Maker	57	-	57	-	-	-	1	3	11	18	16	3	5
Umbrella, Parasol, Stick, Maker	11	-	11	-	-	-	1	2	-	-	1	4	3
Laundry Keeper	1	-	1	-	-	-	-	1	-	-	-	-	-
Others providing Dress	5	1	4	-	-	1	-	3	1	-	-	-	-
6. Mat Maker, Seller	1	-	1	-	-	-	-	-	-	-	-	1	-
Item Manufacturer	1	-	1	-	-	-	-	-	-	-	-	-	-
Jute Manufacturer	1	-	1	-	-	-	-	-	-	-	-	-	-
Rope, Cord, Maker	18	-	18	-	-	-	-	1	3	1	2	5	1
Sacking, Sack, Bag, Maker, Dealer	1	-	1	-	-	-	-	-	-	1	-	-	6
12.													
1. Cowkeeper, Milk-seller	45	-	45	-	-	-	3	1	4	9	11	7	10
Cheese-monger	3	-	3	-	-	-	-	1	-	-	1	1	-
Butcher, Meat Salesman	179	5	174	-	-	5	7	17	23	37	26	39	25
Provision Curer, Dealer	15	-	15	-	-	-	-	1	6	4	4	-	-
Poulterer, Game Dealer	10	-	10	-	-	-	1	1	-	-	-	2	4
Fishmonger	29	-	29	-	-	-	-	3	7	8	6	3	2
2. Corn, Flour, Seed, Merchant, Dealer	15	1	14	-	-	1	1	1	5	-	4	1	2
Miller	74	2	72	-	-	2	2	7	7	10	11	20	15
Baker	97	2	95	-	-	2	7	9	13	21	11	17	17
Confectioner, Pastry Cook	27	1	26	-	-	1	1	4	-	3	6	8	4
Greengrocer, Fruit, Vegetable, Dealer	38	2	36	-	-	2	1	1	12	5	10	7	-
3. Maltster	51	2	49	-	-	-	1	4	2	11	7	11	13
Brewer	117	2	115	-	-	2	5	10	24	29	24	14	8
Wine and Spirit Merchant	25	-	25	-	-	-	-	3	6	3	4	3	6
Cellarman	4	-	4	-	-	-	-	1	1	2	-	-	-
Ginger Beer, Soda Water, &c., Manuf.	2	-	2	-	-	-	-	-	1	-	1	-	-
Sugar Refiner	11	-	11	-	-	-	-	-	2	2	4	2	1
Grocer, Tea Dealer	162	4	158	-	-	4	13	30	16	25	18	30	17
Tobacco, Cigar, Snuff, Manufacture,	9	-	9	-	-	-	1	1	-	2	2	2	1
Tobaccoist	5	-	5	-	-	-	-	-	2	1	-	2	-
Others	-	-	-	-	-	-	-	-	-	-	-	-	-
13.													
1. Soap Boiler	2	-	2	-	-	-	-	1	-	-	-	1	-
Tallow Chandler	6	-	6	-	-	-	-	1	-	1	-	-	-
Comb-maker	9	-	9	-	-	-	-	-	1	1	1	3	3
Others	10	1	9	-	-	1	-	2	3	1	1	2	-
2. Fellmonger	3	-	3	-	-	-	-	1	-	1	-	-	1
Tanner	18	1	17	-	-	1	-	1	3	5	5	3	2
Currier	37	-	37	-	-	2	-	1	9	5	7	10	3
Leather Case, Portmanteau, Bag Mkr.	3	-	3	-	-	-	-	1	-	-	-	1	1
3. Hair, Bristle, Manufacture	2	-	2	-	-	-	-	-	-	1	-	1	-
Brush, Broom, Maker	20	-	20	-	-	-	2	3	1	3	2	4	5
14.													
1. Oil-miller, Refiner	1	-	1	-	-	-	-	1	-	-	-	-	-
Oil and Colourman	4	-	4	-	-	-	-	-	-	1	-	-	-
French-polisher	14	-	14	-	-	-	-	2	5	2	2	3	-
Japanner	22	-	22	-	-	-	1	2	4	1	7	6	1
Floor Cloth Manufacturer	2	-	2	-	-	-	-	-	-	1	1	-	-
Others	2	-	2	-	-	-	-	1	1	-	-	-	-
2. Timber, Wood, Merchant, Dealer	20	-	20	-	-	-	-	2	8	6	5	1	3
Sawyer	82	2	80	-	1	1	1	6	7	14	16	13	23
Lath, Fence, Hurdle, Maker	6	-	6	-	-	-	-	2	-	-	3	1	-
Wood, Turner, Worker	18	-	18	-	-	-	-	4	4	4	1	2	3
Box, Packing Case, Maker	15	1	14	-	-	1	2	1	1	1	1	5	3
Cooper, Hoop-maker and Bender	49	2	47	-	-	2	2	4	5	8	5	11	12
Others	2	-	2	-	-	-	-	-	-	1	-	1	-
3. Cork Cutter, Manufacturer	2	-	2	-	-	-	-	1	-	-	1	-	-
4. Basket Maker	22	-	22	-	-	-	-	2	2	1	3	4	10
Hay and Straw Dealer	13	-	13	-	-	-	-	-	1	4	2	5	1
Thatcher	7	-	7	-	-	-	-	-	-	-	2	1	4
Others	2	-	2	-	-	-	-	-	1	1	-	-	-
5. Rag Gatherer, Dealer	10	-	10	-	-	-	-	2	1	-	5	-	2
Paper Manufacture	4	-	4	-	-	-	1	-	2	-	-	1	1
Stationer (not Law)	9	-	9	-	-	-	-	-	2	2	1	1	-
Other Workers in Paper	4	-	4	-	-	-	-	1	-	2	1	-	-

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
15. 1. Coal Miner - - - - -	774	50	734	-	6	44	75	108	118	117	122	100	75
Iron Miner - - - - -	27	2	25	-	1	1	2	2	4	6	7	2	-
Miner (branch undefined) - - -	26	4	22	-	-	4	2	6	8	9	3	-	-
Coal Mine Service - - - - -	41	1	40	-	-	1	1	3	7	2	15	3	4
Mine Service (Metal not stated) -	12	-	12	-	-	-	-	-	1	4	1	3	4
2. Coal Merchant, Dealer - - - -	39	1	38	-	-	1	1	3	3	6	8	10	8
Coal-heaver, Labourer - - - - -	60	2	58	-	-	2	1	6	5	11	15	12	7
Coke Burner, Dealer - - - - -	5	-	5	-	-	-	-	1	-	1	2	1	-
Chimney Sweeper - - - - -	9	1	8	-	-	1	-	-	1	1	2	4	3
Gas Works Service - - - - -	80	1	79	-	-	1	4	3	9	4	1	1	-
Other Workers in Coal - - - - -	6	-	6	-	-	-	-	-	-	-	-	-	-
3. Stone Quarrier - - - - -	38	-	38	-	-	-	3	2	8	8	4	6	7
Stone, Merchant, Cutter, Dresser -	11	-	11	-	-	-	2	1	1	4	2	7	1
Limestone Quarrier, Lime-Burner -	20	2	18	-	-	2	-	-	2	-	-	1	-
Clay Labourer - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Brick Maker, Dealer - - - - -	93	5	88	-	-	5	6	9	11	15	14	11	27
Railway Labourer, Platelayer, Navy	90	2	88	-	-	2	8	15	22	14	12	7	6
Road Contractor, Inspector, Surveyor	1	-	1	-	-	-	-	-	-	1	-	-	-
Road Labourer - - - - -	68	-	68	-	-	-	3	3	7	3	14	20	15
Seavenger, Dust Collector - - - -	3	-	3	-	-	-	-	-	-	-	1	1	1
Others - - - - -	8	-	8	-	-	-	2	1	1	1	1	1	1
4. Earthenware Manufacture - - -	395	17	378	1	2	14	40	33	84	94	66	23	24
Tobacco-pipe Maker - - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-
Earthenware and Glass Dealer - -	14	-	14	-	-	-	-	-	4	2	2	3	3
Others - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
5. Glass Manufacture - - - - -	77	3	74	-	-	3	1	10	15	13	16	13	7
6. Salt Manufacture - - - - -	6	-	6	-	-	-	-	1	1	-	-	4	-
7. Waterworks Service - - - - -	5	-	5	-	-	-	1	-	-	1	1	1	1
Others - - - - -	4	-	4	-	-	-	-	-	-	1	-	2	1
8. Goldsmith, Silversmith, Jeweller -	78	3	75	-	-	3	11	15	7	10	14	12	1
Plater, Plated Ware Manufacture -	12	-	12	-	-	-	-	3	2	3	2	1	1
Others - - - - -	19	-	19	-	-	-	2	2	2	2	2	3	1
9. Copper Manufacture - - - - -	4	1	3	-	-	1	-	2	-	-	-	1	-
Coppersmith - - - - -	5	-	5	-	-	-	-	-	-	-	2	2	1
10. Tin Manufacture - - - - -	3	1	2	-	-	1	-	1	-	-	-	1	-
Tinplate Worker, Tinman - - - -	36	-	36	-	-	-	2	5	7	4	3	9	6
Tinker - - - - -	2	-	2	-	-	-	-	-	-	-	2	-	-
11. Zinc Manufacture - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
12. Lead Manufacture - - - - -	9	1	8	-	-	1	-	2	1	2	-	3	-
13. Brass Manufacture, Brasier - - -	115	6	109	-	1	5	13	16	21	15	15	15	11
Locksmith, Bellhanger - - - - -	86	6	80	-	-	6	8	6	4	10	15	20	20
Gas Fitter - - - - -	18	2	16	-	-	2	2	3	4	1	3	2	2
Wire Worker, Drawer - - - - -	30	-	30	-	-	-	3	1	4	6	3	7	3
Others - - - - -	38	-	38	-	-	-	3	5	7	9	4	7	3
14. Iron Manufacture - - - - -	539	21	518	-	4	17	60	77	71	100	72	66	73
Whitesmith - - - - -	18	-	18	-	-	-	1	2	2	3	2	6	2
Blacksmith - - - - -	273	9	263	-	-	9	21	23	23	43	43	43	28
Nail Manufacture - - - - -	154	4	150	-	2	2	4	5	12	23	28	46	23
Anchor-smith, Chainsmith - - - -	33	1	32	-	-	1	3	4	3	7	5	7	5
Ironmonger, Hardware Dealer - - -	36	2	34	-	-	2	4	5	3	5	6	1	1
Steel Manufacture, Worker - - - -	1	-	1	-	-	-	-	-	-	1	-	2	1
Others - - - - -	14	-	14	-	-	-	3	2	5	1	-	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	1568	43	1515	-	6	37	45	141	160	245	294	226	292
2. Artisan, Mechanic (branch undefined) -	5	-	5	-	-	-	-	1	1	-	1	1	1
Engine Driver, Stoker (branch undef.)	15	1	12	-	-	1	-	-	-	4	4	2	2
Factory Labourer (branch undefined) -	12	-	12	-	-	-	2	3	2	1	1	2	1
Shopman, Assistant (branch undefined) -	1	1	-	-	-	1	-	-	-	-	-	-	-
Apprentice (branch undefined) - - -	1	1	-	-	-	1	-	-	-	-	-	-	-
Vagrant, Gipsy - - - - -	3	1	2	-	-	1	-	-	1	-	-	-	1
Others of undefined Occupation - - -	470	239	241	-	-	229	22	64	18	26	37	64	14
17. 1. Gentleman, Independent, Annuitant -	162	1	161	-	-	1	2	7	15	14	22	46	13
18. 1. Scholars and Children of no stated Occupation - - - - -	1727	1727	-	1170	537	-	-	-	-	-	-	-	-

VII.—NORTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Total of Males AGED 5 YEARS AND UPWARDS	8909	1253	7746	492	307	454	448	828	857	929	1236	1656	1792
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	12	—	12	—	—	—	—	3	—	1	2	3	3
Government Messengers, Workmen, &c.	11	1	10	—	—	1	1	3	—	1	1	3	1
Other Government Officers	1	—	1	—	—	—	—	—	—	—	—	1	—
2. Magistrate (so returned)	2	—	2	—	—	—	—	—	—	—	1	—	1
Officer of Law Court	7	—	7	—	—	—	1	—	—	2	—	2	2
Police	15	1	14	—	—	1	1	6	3	1	1	—	2
Municipal, Parish, Union, Officer	16	1	15	—	—	1	—	—	2	5	—	4	4
2. 1. Army Officer (effective)	3	—	3	—	—	—	—	—	—	—	1	1	1
Army Retired and Half Pay Officer	1	—	1	—	—	—	—	—	—	—	—	—	1
Soldier	17	—	17	—	—	—	—	7	5	2	—	2	1
Militia, Volunteers	2	—	2	—	—	—	—	—	—	1	1	—	—
Army Pensioner	42	—	42	—	—	—	1	6	6	4	2	7	16
2. Navy Officer (effective)	1	—	1	—	—	—	—	—	—	—	—	—	1
Navy Retired and Half Pay Officer	1	—	1	—	—	—	—	—	—	—	—	—	1
Seaman, R.N.	1	—	1	—	—	—	—	—	1	—	—	—	—
Coastguard, Royal Naval Reserve	1	—	1	—	—	—	—	—	—	1	—	—	—
Navy Pensioner	5	—	5	—	—	—	—	—	1	—	1	2	1
3. 1. Clergyman	25	—	25	—	—	—	—	—	2	4	6	6	7
Protestant Minister	14	—	14	—	—	—	1	2	2	2	1	4	2
Roman Catholic Priest	3	—	3	—	—	—	—	—	—	—	—	—	—
Missionary, Scripture Reader	2	—	2	—	—	—	—	—	1	—	—	—	—
Church, Chapel Officer	11	—	11	—	—	—	1	—	—	—	1	3	6
Others	1	—	1	—	—	—	1	—	—	—	—	—	—
2. Barrister	1	—	1	—	—	—	—	1	—	—	—	—	—
Solicitor, Attorney	19	—	19	—	—	—	—	2	3	3	—	7	4
Law Student	1	1	—	—	—	1	—	—	—	—	—	—	—
Law Clerk	12	1	11	—	—	—	3	2	2	2	—	1	1
3. Physician, Surgeon	24	—	24	—	—	—	1	2	2	7	7	1	4
Dentist	2	—	2	—	—	—	—	—	—	—	—	2	—
Chemist, Druggist	19	1	18	—	—	1	1	2	6	4	3	2	—
Others	1	—	1	—	—	—	—	—	—	1	—	—	—
4. Author, Editor, Journalist	2	—	2	—	—	—	1	—	—	—	1	—	—
Students and Others	2	—	2	—	—	—	—	—	2	—	—	—	—
5. Painter, Artist	4	—	4	—	—	—	1	—	1	1	—	1	—
Sculptor	1	—	1	—	—	—	—	—	—	—	—	1	—
Engraver	1	—	1	—	—	—	—	—	—	—	1	—	—
Photographer	2	—	2	—	—	—	1	—	—	1	—	—	—
6. Musician, Music Master	12	—	12	—	—	—	—	2	4	2	2	1	1
7. Exhibitions, Shows—Service	1	—	1	—	—	—	—	—	—	—	1	—	—
Others engaged in Theatres, &c.	2	—	2	—	—	—	—	1	—	—	1	—	—
8. Schoolmaster	17	—	17	—	—	—	—	2	2	1	2	4	6
Teacher, Professor, Lecturer	2	—	2	—	—	—	—	—	—	1	1	—	—
9. Civil Engineer	1	—	1	—	—	—	—	1	—	—	—	—	—
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	138	—	138	—	—	—	—	13	22	18	37	27	21
Beerseller	27	—	27	—	—	—	—	2	4	5	2	9	5
Lodging-house, Boarding-house Keeper	4	—	4	—	—	—	—	—	—	1	1	1	1
Coffee-house, Eating-house Keeper	1	—	1	—	—	—	—	—	—	—	—	—	1
Institution Service	2	—	2	—	—	—	—	2	—	—	—	—	—
2. Domestic Servant (General)	27	3	24	—	1	2	3	6	3	3	4	3	5
Cookman	7	—	7	—	—	—	—	—	3	1	1	2	—
Groom	10	1	9	—	—	1	2	2	—	—	1	3	1
Gardener	6	—	6	—	—	—	—	—	1	1	1	1	2
Inn, Hotel Servant	16	1	15	—	—	1	1	1	3	4	4	2	—
III.—COMMERCIAL CLASS.													
6. 1. Merchant	7	—	7	—	—	—	—	—	—	2	1	3	1
Banker	2	—	2	—	—	—	—	1	—	—	—	—	1
Bank Service	4	1	3	—	1	—	—	1	—	1	—	—	1
Insurance, Benefit Society, Service	3	—	3	—	—	—	—	—	—	1	—	—	—
Broker, Agent, Factor	4	—	4	—	—	—	—	—	—	1	—	—	—
Auctioneer, Valuer, House Agent	10	—	10	—	—	—	1	—	1	1	4	2	1
Accountant	7	—	7	—	—	—	—	1	—	2	2	—	2
Commercial Clerk	34	3	31	—	3	1	7	7	7	1	7	6	2
Commercial Traveller	15	—	15	—	—	—	2	2	7	1	1	1	1
2. Pawnbroker	3	—	3	—	—	—	—	1	—	—	—	—	2
Shopkeeper (branch undefined), General Dealer	18	—	18	—	—	—	—	—	—	5	9	1	3
Huckster, Costermonger	2	—	2	—	—	—	—	—	—	—	1	1	—
Hawker, Pedlar	77	—	77	—	—	—	1	8	7	4	12	30	15

NOTE.—The Counties comprised in this Table are Leicestershire, Rutlandshire, Lincolnshire, Nottinghamshire, and Derbyshire.

VII.—NORTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwds.	
7. 1. Railway Engine Driver, Stoker - - -	13	-	13	-	-	-	2	5	4	2	-	-	-	
Railway Officer, Clerk, Station-master	15	2	13	-	-	2	8	1	3	3	3	-	-	
Railway Attendant, Servant - - -	49	4	45	-	-	4	11	13	4	6	5	4	2	
2. Toll Collector, Turnpike gate Keeper -	6	-	6	-	-	-	-	-	3	-	1	1	1	
Coach, Omnibus, Cab Owner, Livery	9	-	9	-	-	-	1	1	1	2	2	2	-	
Stable Keeper - - -	17	-	17	-	-	-	-	1	2	2	6	2	-	
Coachman (not domestic), Cabman,	34	1	33	-	-	1	3	1	5	1	7	29	6	
Flyman - - -	2	-	2	-	-	-	-	-	1	-	1	-	-	
Carman, Carrier, Carter, Drayman -	30	-	36	-	-	-	-	1	6	4	3	11	12	
Others - - -	2	-	2	-	-	-	-	-	-	-	-	1	1	
5. Inland Navigation Service - - -	3	-	3	-	-	-	-	2	1	-	-	-	-	
Ship Steward, Cook - - -	2	-	2	-	-	-	1	1	-	-	-	-	-	
Seaman (Merchant Service) - - -	35	3	32	-	-	3	4	6	2	3	4	2	5	
Pilot - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Boatman on Seas - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Harbour, Dock Service, Labourer -	13	-	13	-	-	-	-	-	4	3	-	3	1	
6. Warehouseman - - -	11	-	11	-	-	-	2	2	2	-	1	1	3	
d. Messenger, Porter, Errand Boy -	13	2	11	-	2	-	1	1	5	1	1	1	1	
IV.—AGRICULTURAL CLASS.														
8. 1. Land Proprietor (so returned) - - -	34	-	34	-	-	-	-	-	1	2	6	30	15	
Farmer, Grazier - - -	740	-	740	-	-	-	2	25	39	76	127	139	285	
Farmer's Son, Brother, Grandson,	32	60	22	23	18	20	14	5	2	1	-	-	-	
Nephew - - -	19	-	19	-	-	-	-	-	1	2	4	2	20	
Farm Bailiff - - -	1163	16	1147	-	1	15	32	93	99	104	164	222	373	
Agricultural Labourer - - -	29	-	29	-	-	-	-	-	4	7	4	6	6	
Shepherd (out-door) - - -	24	10	14	-	1	9	8	2	-	-	3	-	1	
Farm Servant (in-door) - - -	5	-	5	-	-	-	-	-	-	-	1	1	3	
Land Surveyor, Estate Agent - - -	2	1	1	-	-	1	-	-	-	-	-	1	-	
Land Drainage Service - - -	6	1	5	-	-	1	-	-	-	1	1	1	2	
Agricultural Machine Proprietor, At-	2	-	2	-	-	-	-	-	-	-	-	-	-	
tendant - - -	13	-	13	-	-	-	-	1	-	-	2	5	5	
Others engaged in Agriculture - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
2. Woodman - - -	13	-	13	-	-	-	-	1	-	-	2	5	5	
3. Nurseryman, Seedsman, Florist	2	-	2	-	-	-	-	1	-	-	1	-	-	
Gardener - - -	80	1	88	-	-	1	-	6	8	8	16	18	22	
V.—INDUSTRIAL CLASS.														
9. 1. Horse Proprietor, Dealer - - -	2	-	2	-	-	-	-	-	-	-	-	2	-	
Horse Breaker - - -	7	-	7	-	-	-	-	-	1	2	-	1	2	
Horsekeeper, Groom, Jockey - - -	52	1	51	-	-	1	7	11	8	3	6	9	2	
Farrier, Veterinary Surgeon - - -	5	-	5	-	-	-	-	-	-	1	-	1	2	
Cattle, Sheep, Pig, Salesman - - -	22	-	22	-	-	-	-	2	3	3	5	6	3	
Drover - - -	10	-	10	-	-	-	-	-	-	2	-	4	1	
Gamekeeper - - -	14	-	14	-	-	-	1	2	4	4	1	1	1	
Vernon Destroyer - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Fisherman - - -	37	7	30	-	1	6	5	5	7	4	1	5	8	
Others engaged about Animals - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	
VI.—INDUSTRIAL CLASS.														
10. 1. Bookseller, Publisher - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	
Bookbinder - - -	2	1	1	-	-	1	-	1	-	-	-	-	-	
Printer - - -	20	2	18	-	-	2	3	5	3	3	2	2	1	
Newspaper Agent, News-room Keeper	2	-	2	-	-	-	-	1	-	-	-	-	-	
Others engaged in Publications - -	1	-	1	-	-	-	-	-	-	-	1	-	-	
2. Musical Instrument Maker, Dealer	1	-	1	-	-	-	-	-	-	-	-	1	-	
Others - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	
3. Lithographer, Lithographic Printer	1	-	1	-	-	-	-	1	-	-	-	-	-	
Others - - -	1	1	-	-	1	-	-	-	-	-	-	-	-	
6. Others engaged in Designs, &c. -	6	-	6	-	-	-	-	-	-	-	2	3	1	
7. Watch Maker, Clock Maker - - -	8	1	7	-	-	1	-	-	-	3	2	1	1	
Weighing Machine, Scale, Measure,	1	-	1	-	-	-	-	-	-	1	-	-	-	
Maker - - -	2	-	2	-	-	-	-	-	-	-	1	1	-	
8. Surgical Instrument Maker - - -	2	-	2	-	-	-	-	-	-	-	1	1	-	
9. Gunsmith, Gun Manufacture - - -	2	-	2	-	-	-	-	-	1	-	-	1	-	
10. Engine and Machine Maker - - -	55	5	50	-	-	5	9	9	9	5	6	10	-	
Spinning, Weaving, Machine Maker -	23	1	27	-	-	1	2	3	3	2	6	7	4	
Agricultural Implement, Machine Mkr.	6	-	6	-	-	-	1	-	-	1	1	2	1	
Millwright - - -	3	-	3	-	-	-	-	-	1	1	1	2	1	
Tool Maker, Dealer - - -	3	-	3	-	-	-	-	-	-	-	-	3	-	
File Maker, Dealer - - -	2	-	2	-	-	-	1	-	-	-	-	-	-	
Cutler - - -	7	-	7	-	-	-	-	1	-	-	3	1	2	
Scissors Maker - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Needle Manufacture - - -	13	-	13	-	-	-	-	-	2	1	4	1	4	
11. Coachmaker - - -	10	1	9	-	-	1	-	2	1	-	2	1	2	
Wheelwright - - -	52	1	51	-	-	1	5	5	3	6	8	12	12	
Others engaged about Carriages - -	1	-	1	-	-	-	-	-	-	-	1	-	-	
12. Saddler, Harness, Whip Maker -	25	1	24	-	-	1	2	2	5	3	3	7	2	
13. Ship-builder, Shipwright, Boat-builder	16	2	14	-	-	2	2	2	2	2	2	3	1	
Sail Maker - - -	2	1	1	-	-	1	-	-	-	-	-	1	-	
Others - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	

VII.—NORTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
10.—cont.													
14. House Proprietor	27	-	27	-	-	-	-	-	-	2	5	11	9
Architect	2	-	2	-	-	-	1	-	1	-	-	-	-
Builder	19	-	19	-	-	-	-	1	1	-	4	5	8
Carpenter, Joiner	170	4	166	-	4	9	21	13	8	50	30	35	35
Bricklayer	117	5	112	-	5	9	11	20	15	19	27	16	16
Marble Mason	-	-	3	-	-	-	-	-	-	1	1	1	1
Mason, Pavior	78	1	77	-	1	4	13	15	15	16	6	8	1
Slatier, Tiler	7	-	7	-	-	1	1	-	2	1	1	1	1
Plasterer	10	-	10	-	-	-	-	-	2	3	3	-	2
Paperhanger	1	1	-	-	1	-	-	-	-	-	-	-	-
Plumber, Painter, Glazier	67	1	66	-	1	5	6	11	12	13	14	5	5
Others	1	-	1	-	-	-	-	1	-	-	-	-	-
15. Cabinet Maker, Upholsterer	26	1	25	-	1	2	3	2	8	3	2	5	5
Carver and Gilder	3	-	3	-	-	-	-	1	-	1	1	-	-
Furniture Broker, Dealer	3	-	3	-	-	-	1	-	-	1	-	1	1
Others	1	1	-	-	1	-	-	-	-	-	-	-	-
16. Manufacturing Chemist, Labourer	4	-	4	-	-	-	1	-	1	1	1	-	-
Dye, Colour Manufacture	2	-	2	-	-	-	1	1	-	-	-	-	-
Dyer, Scourer, Calenderer	25	2	23	-	1	1	3	2	2	5	3	5	3
Others	3	-	3	-	-	-	-	-	2	2	1	-	-
11. 1. Woolstapler	5	-	5	-	-	-	-	1	1	-	1	-	2
Felt Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Woollen Cloth Manufacture	14	-	14	-	-	-	-	-	5	2	3	4	4
Worsted Manufacture	6	-	6	-	-	-	-	-	1	-	8	2	2
Carpet, Rug, Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	-
2. Silk, Satin, Manufacture	17	2	15	-	2	-	3	2	3	3	2	2	2
Silk Dyer, Printer	1	-	1	-	-	-	-	1	-	-	-	-	-
Ribbon Manufacture	2	-	2	-	-	-	-	1	-	1	-	-	-
3. Flax, Linen Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Lace Manufacture	113	6	107	-	5	12	14	14	9	20	19	19	19
Tape Manufacture, Dealer	1	-	1	-	-	-	-	-	-	-	-	-	-
Cotton Manufacture	35	2	33	-	1	3	9	5	8	10	9	9	9
Cotton, Calico Warehouseman, Dealer	1	-	1	-	-	-	-	-	-	-	-	-	-
Calico, Cotton, Printer	18	3	15	-	2	1	-	3	2	3	1	4	2
Calico, Cotton, Dyer	1	-	1	-	-	-	-	-	-	-	1	-	-
4. Weaver (not otherwise described)	6	1	5	-	1	-	-	-	1	1	-	3	3
Blancher (not otherwise described)	4	-	4	-	-	-	-	1	1	-	2	-	-
Draper, Linen Draper, Mercer	50	3	47	-	3	8	9	8	6	6	5	5	5
Fancy Goods Manufacturer, Dealer	1	-	1	-	-	-	-	1	-	-	-	-	-
Trimming Maker, Dealer	2	-	2	-	-	-	-	-	2	-	-	-	-
5. Hairdresser, Wig Maker	13	1	12	-	1	-	1	2	2	3	2	2	2
Hatter, Hat Manufacture	7	-	7	-	-	-	1	1	-	3	1	1	1
Furrier, Skinner	1	-	1	-	-	-	-	-	-	1	-	-	-
Tailor	137	5	132	-	4	6	9	13	21	29	27	27	27
Milliner	1	-	1	-	-	-	-	-	-	-	-	-	-
Stay Maker, Ladies' Outfitter	1	-	1	-	-	-	-	-	-	-	-	-	-
Hosiery Manufacture	522	7	515	-	7	20	20	43	72	70	119	165	165
Hosier, Haberdasher	4	1	3	-	1	-	-	1	-	-	-	2	2
Glover (leather)	1	-	1	-	-	-	-	-	-	-	1	-	-
Glove Maker (all except leather)	7	-	7	-	-	-	-	1	3	1	-	1	1
Shoemaker, Bootmaker	246	5	241	-	5	11	35	24	31	33	58	49	49
Patten, Clog Maker	3	-	3	-	-	-	2	-	-	-	1	-	-
Button Maker	1	-	1	-	-	-	-	-	1	-	-	-	-
Umbrella, Parasol, Stick, Maker	1	-	1	-	-	-	-	-	-	-	-	-	-
Others providing Dress	3	1	2	-	1	-	-	-	-	1	-	-	1
6. Rope, Cord, Maker	20	1	19	-	1	1	-	1	3	3	6	5	1
Seaking, Sack, Bag, Maker, Dealer	1	-	1	-	-	-	-	-	-	-	-	-	-
Others	1	-	1	-	-	-	-	-	-	-	-	-	-
12. 1. Cowkeeper, Milk seller	12	1	11	-	1	-	1	2	-	2	5	1	1
Cheese monger	4	-	4	-	-	-	-	-	-	1	1	2	2
Butcher, Meat Salesman	100	2	98	-	2	9	8	15	14	13	23	16	16
Provision Curer, Dealer	8	-	8	-	-	2	-	2	1	1	2	-	-
Poulterer, Game Dealer	3	-	3	-	-	-	1	-	1	1	-	-	-
Fishmonger	12	-	12	-	-	-	1	3	1	4	3	-	-
2. Corn, Flour, Seed, Merchant, Dealer	12	-	12	-	-	2	1	2	-	4	2	1	1
Miller	56	2	54	-	2	2	11	7	5	9	9	11	11
Baker	48	2	46	-	2	3	5	11	5	6	11	7	7
Confectioner, Pastry Cook	12	1	11	-	-	1	2	2	1	1	3	2	2
Greengrocer, Fruit, Vegetable, Dealer	14	-	14	-	-	1	3	2	1	1	4	3	3
Others	5	-	5	-	-	-	-	-	-	1	1	1	1
3. Maltster	31	-	31	-	-	-	3	5	4	6	5	8	8
Brewer	41	-	41	-	-	1	8	8	7	7	7	2	2
Wine and Spirit Merchant	14	1	13	-	1	-	1	4	4	-	4	-	-
Cellarman	1	-	1	-	-	-	-	-	-	1	-	-	-
Grocer, Tea Dealer	77	2	75	-	2	7	11	6	10	8	21	13	13
Tobacco, Cigar, Snuff, Manuf., Tobaccoist.	2	-	2	-	-	-	1	-	-	-	1	-	-
13. 1. Tallow Chandler	2	-	2	-	-	-	-	-	1	1	-	-	-
Comb-maker	1	-	1	-	-	-	-	-	-	-	-	-	1
Others	2	-	2	-	-	-	-	-	1	1	-	-	-
2. Feltmonger	6	-	6	-	-	-	1	1	3	-	1	1	1
Tanner	3	-	3	-	-	-	-	-	-	1	1	1	1
Currier	21	-	21	-	-	-	4	4	3	3	2	5	5
Others	1	-	1	-	-	-	-	1	-	-	-	-	-
3. Brush, Broom, Maker	6	-	6	-	-	-	-	1	2	2	1	-	-

VII.—NORTH MIDLAND COUNTIES.—DEATHS OF MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	71 and upwds.
14. 1. Oil-miller, Refiner - - - - -	6	-	6	-	-	-	2	2	2	-	-	-	-
Oil and Colourman - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
French-polisher - - - - -	4	-	4	-	-	-	-	-	2	-	-	-	2
Japanner - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
India Rubber, Gutta Percha, Manu- facture, Dealer - - - - -	16	-	16	-	-	-	3	6	3	2	2	-	-
Floor Cloth Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Others - - - - -	2	-	2	-	-	-	-	1	-	-	-	1	-
2. Timber, Wood, Merchant, Dealer - - - - -	12	-	12	-	-	-	2	2	2	2	1	-	2
Sawyer - - - - -	27	-	27	-	-	-	5	2	5	2	4	3	6
Wood, Turner, Worker - - - - -	7	-	7	-	-	-	2	-	1	-	1	-	2
Box, Packing Case, Maker - - - - -	3	-	3	-	-	-	-	-	-	-	1	1	-
Cooper, Hoop Maker and Bender - - - - -	9	-	9	-	-	-	-	1	1	-	3	3	1
Others - - - - -	3	-	3	-	-	-	-	-	-	-	1	-	2
3. Cork Cutter, Manufacturer - - - - -	2	-	2	-	-	-	-	-	-	1	-	-	1
4. Basket Maker - - - - -	18	-	18	-	-	-	-	1	3	1	2	9	2
Hay and Straw Dealer - - - - -	2	-	2	-	-	-	-	-	-	1	-	-	1
Thatcher - - - - -	3	-	3	-	-	-	-	-	-	1	-	-	1
5. Rag Gatherer, Dealer - - - - -	5	-	5	-	-	-	-	-	-	-	2	1	2
Paper Manufacture - - - - -	4	1	3	-	-	1	-	-	-	-	-	1	2
Paper Stainer - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
Other Workers in Paper - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
15. 1. Coal Miner - - - - -	257	29	228	-	9	20	33	51	31	23	29	25	27
Lead Miner - - - - -	27	-	27	-	-	-	3	5	4	4	8	6	7
Iron Miner - - - - -	13	3	10	-	2	1	-	-	1	2	2	5	-
Miner (branch undefined) - - - - -	8	-	8	-	-	-	1	1	3	1	-	1	1
Coal Mine Service - - - - -	11	-	11	-	-	-	-	5	1	2	2	1	-
Mine Service (Metal not stated) - - - - -	2	-	2	-	-	-	-	-	-	1	-	-	1
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
2. Coal Merchant, Dealer - - - - -	40	-	40	-	-	-	1	2	6	2	17	6	6
Coal-heaver, Labourer - - - - -	56	7	49	-	2	5	-	9	10	9	12	5	4
Coke Burner, Dealer - - - - -	8	-	8	-	-	-	-	-	-	2	1	-	-
Chimney Sweeper - - - - -	8	-	8	-	-	-	-	-	1	2	3	-	2
Gas Works Service - - - - -	13	-	13	-	-	-	2	4	1	2	2	1	1
3. Stone Quarrier - - - - -	32	-	32	-	-	-	3	5	4	6	3	9	2
Stone, Merchant, Cutter, Dresser - - - - -	10	-	10	-	-	-	-	-	2	3	2	2	1
Limestone Quarrier, Lime-Burner - - - - -	5	-	5	-	-	-	-	-	-	-	2	1	2
Clay Labourer - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-
Brick Maker, Dealer - - - - -	39	-	39	-	-	-	4	3	7	8	2	7	6
Railway Labourer, Platelayer, Navy - - - - -	70	3	67	-	2	11	9	14	17	11	5	-	1
Road Contractor, Inspector, Surveyor - - - - -	4	-	4	-	-	-	-	-	1	-	2	-	-
Road Labourer - - - - -	19	-	19	-	-	-	-	-	1	-	8	19	1
Others - - - - -	6	-	6	-	-	-	1	2	-	1	-	1	-
4. Earthenware Manufacture - - - - -	13	-	13	-	-	-	2	1	2	-	2	4	2
Tobacco-pipe Maker - - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-
Earthenware and Glass Dealer - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
5. Glass Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
7. Waterworks Service - - - - -	2	-	2	-	-	-	-	1	-	-	1	-	-
Others - - - - -	2	-	2	-	-	-	-	-	-	1	-	-	1
8. Goldsmith, Silversmith, Jeweller - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
10. Tinplate Worker, Tinman - - - - -	13	-	13	-	-	-	3	2	-	2	-	4	3
12. Lead Manufacture - - - - -	2	-	2	-	-	-	-	-	-	-	1	1	-
13. Brass Manufacture, Brasier - - - - -	6	-	6	-	-	-	-	-	4	2	-	-	-
Locksmith, Bellhanger - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
Gas Fitter - - - - -	5	-	5	-	-	-	-	1	3	1	-	-	-
Wire Worker, Drawer - - - - -	2	-	2	-	-	-	-	-	1	-	1	-	-
14. Iron Manufacture - - - - -	61	10	71	-	1	9	7	13	12	6	16	7	5
Whitesmith - - - - -	5	-	5	-	-	-	-	-	1	1	3	-	-
Blacksmith - - - - -	114	3	111	-	-	2	7	17	8	13	19	25	22
Nail Manufacture - - - - -	20	-	20	-	-	-	-	1	4	-	6	3	6
Ironmonger, Hardware Dealer - - - - -	11	-	11	-	-	-	1	3	-	2	-	3	-
Others - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	670	16	654	-	1	15	27	71	69	86	110	140	131
2. Artisan, Mechanic (branch undefined) - - - - -	8	-	8	-	-	-	1	2	1	2	-	2	-
Engine Driver, Stoker (branch undefined) - - - - -	33	3	30	-	-	3	2	5	3	2	5	2	1
Factory Labourer (branch undefined) - - - - -	12	5	7	-	1	4	-	1	-	1	1	2	1
Vagrant, Gipsy - - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-
Others of undefined Occupation - - - - -	463	236	226	-	-	236	51	44	26	10	19	84	69
17. 1. Gentleman, Independent, Annuitant - - - - -	73	-	73	-	-	-	1	2	1	3	3	21	25
18. 1. Scholars and Children of no stated Occupation - - - - -	730	730	-	470	260	-	-	-	-	-	-	-	-

VIII.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up- wds.	
Total of Males AGED 5 YEARS AND UPWARDS	24852	4009	20783	1970	906	1193	1524	2255	3313	3513	3690	3915	2173	
I.—PROFESSIONAL CLASS.														
1. 1. Civil Service	46	—	46	—	—	—	1	9	6	10	8	6	6	
Government Messengers, Workmen, &c.	18	—	18	—	—	—	2	2	—	3	5	5	—	
Other Government Officers	1	—	1	—	—	—	—	—	—	—	1	—	—	
2. Magistrate (so returned)	6	—	6	—	—	—	—	—	—	—	—	5	1	
Officer of Law Court	7	—	7	—	—	—	—	—	—	—	—	—	—	
Police	48	—	48	—	—	—	5	11	16	7	5	4	—	
Prison Officer	10	—	10	—	—	—	—	1	2	1	3	1	2	
Municipal, Parish, Union, Officer	36	—	36	—	—	—	—	3	5	11	12	2	5	
3. East India and Colonial Service	3	—	3	—	—	—	—	—	1	1	—	1	—	
2. 1. Army Officer (effective)	3	—	3	—	—	—	—	—	—	—	1	2	—	
Soldier	85	4	81	—	—	4	9	31	27	9	1	—	—	
Militia, Volunteers	3	—	3	—	—	—	—	—	—	—	—	—	—	
Army Pensioner	84	—	84	—	—	—	2	6	11	15	13	14	23	
2. Navy Officer (effective)	2	—	2	—	—	—	—	—	—	1	—	1	—	
Seaman, R.N.	5	—	5	—	—	—	2	—	—	—	1	—	—	
Royal Marine	1	—	1	—	—	—	—	—	—	1	—	—	—	
Coastguard, Royal Naval Reserve	2	—	2	—	—	—	—	—	—	1	—	—	—	
Navy Pensioner	6	—	6	—	—	—	—	—	1	1	2	1	1	
3. 1. Clergyman	22	—	22	—	—	—	—	4	5	5	—	5	3	
Protestant Minister	18	—	18	—	—	—	—	1	2	1	4	3	7	
Roman Catholic Priest	9	—	9	—	—	—	—	—	1	1	2	4	1	
Missionary, Scripture Reader	3	—	3	—	—	—	—	—	1	1	1	—	—	
Church, Chapel Officer	13	—	13	—	—	—	—	—	—	3	1	3	6	
Others	5	1	4	—	—	1	—	1	—	—	—	1	2	
2. Barrister	2	—	2	—	—	—	—	—	—	1	1	—	—	
Solicitor, Attorney	23	—	23	—	—	—	—	3	5	3	6	4	2	
Law Clerk	30	—	30	—	—	—	2	12	5	3	5	2	1	
Law Stationer	1	—	1	—	—	—	—	1	—	—	—	—	—	
3. Physician, Surgeon	53	—	53	—	—	—	3	10	8	7	12	6	7	
Medical—Assistant, Student	1	—	1	—	—	—	—	1	—	—	—	—	—	
Dentist	1	—	1	—	—	—	—	1	—	—	—	—	—	
Chemist, Druggist	53	2	51	—	—	2	6	10	11	6	9	5	4	
Others	1	—	1	—	—	—	—	—	—	1	—	—	—	
4. Author, Editor, Journalist	4	—	4	—	—	—	—	1	2	—	—	1	—	
Students and Others	6	—	6	—	—	—	1	3	—	—	2	—	—	
5. Painter, Artist	11	—	11	—	—	—	—	1	2	—	4	3	1	
Engraver	25	3	22	—	—	3	—	6	5	5	5	2	1	
Photographer	5	1	4	—	—	1	—	1	2	—	1	—	—	
Others engaged in the Fine Arts	1	—	1	—	—	—	—	—	—	—	—	1	—	
6. Musician, Music Master	60	1	59	—	—	1	3	17	19	11	5	2	2	
7. Actor	4	—	4	—	—	—	—	3	—	—	—	1	—	
Exhibitions, Shows—Service	6	—	6	—	—	—	1	1	1	2	—	—	—	
Others engaged in Theatres, &c.	8	1	7	—	1	—	2	3	2	—	—	—	—	
8. Schoolmaster	58	1	57	—	—	1	4	11	4	10	7	13	8	
Teacher, Professor, Lecturer	11	3	8	—	—	3	2	1	1	2	1	1	—	
9. Civil Engineer	14	—	14	—	—	—	2	2	3	1	2	1	3	
Other Scientific Persons	6	—	6	—	—	—	—	—	3	—	1	1	—	
II.—DOMESTIC CLASS.														
5. 1. Inn Keeper, Hotel Keeper, Publican	279	—	279	—	—	—	4	36	70	60	49	36	24	
Beerseller	120	—	120	—	—	—	—	10	22	34	39	19	6	
Lodging-house, Boarding-house Keeper	13	—	13	—	—	—	—	1	1	1	4	3	—	
Coffee-house, Eating-house Keeper	7	—	7	—	—	—	—	1	1	1	5	1	—	
Institution Service	4	—	4	—	—	—	—	—	2	—	—	1	1	
Others	5	—	5	—	—	—	1	—	1	1	1	1	—	
2. Domestic Servant (General)	18	—	18	—	—	—	1	1	2	6	4	2	2	
Coachman	17	1	16	—	—	1	1	4	1	1	4	5	—	
Groom	4	—	4	—	—	—	—	1	1	—	2	—	—	
Gardener	21	—	21	—	—	—	1	3	2	2	6	6	6	
Inn, Hotel Servant	90	10	80	—	—	10	7	22	17	11	13	7	3	
Cook (not Domestic Servant)	5	—	5	—	—	—	—	—	1	1	1	—	—	
Others	5	—	5	—	—	—	—	—	1	—	2	2	—	
III.—COMMERCIAL CLASS.														
6. 1. Merchant	45	1	44	—	—	1	—	2	9	6	11	11	5	
Banker	2	—	2	—	—	—	—	—	1	1	—	—	—	
Bank Service	14	1	13	—	—	1	1	3	3	2	1	1	2	
Insurance, Benefit Society, Service	28	1	27	—	—	1	3	8	5	10	—	5	1	
Broker, Agent, Factor	76	—	76	—	—	—	5	13	18	12	10	10	2	
Salesman (not otherwise described)	15	1	14	—	—	1	2	4	3	3	1	1	—	
Auctioneer, Valuer, House Agent	27	—	27	—	—	—	1	9	6	4	8	4	2	
Accountant	19	—	19	—	—	—	1	1	4	5	4	2	2	
Commercial Clerk	385	24	361	—	—	24	42	98	59	61	54	31	16	
Commercial Traveller	60	—	60	—	—	—	3	13	15	14	10	4	—	
Other Mercantile Men	1	—	1	—	—	—	—	—	—	—	—	—	—	

NOTE.—The Counties comprised in this Table are Cheshire and Lancashire.

VIII.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

		AGES OF MALES.													
OCCUPATIONS.		TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.	
6.—cont.															
2. Pawnbroker - - - - -	28	-	28	-	-	-	3	6	2	5	7	3	2		
Shopkeeper (branch undefined), General Dealer - - - - -	30	-	30	-	-	-	-	-	2	9	7	3	4		
Hawker, Pedlar - - - - -	147	1	146	-	-	1	7	14	13	25	20	35	15		
7. 1. Railway Engine Driver, Stoker - - -	32	3	29	-	-	2	5	12	4	3	4	-	-		
Railway Officer, Clerk, Station-master - - -	46	4	44	-	-	4	2	14	10	8	6	2	1		
Railway Attendant, Servant - - - - -	149	16	133	-	1	15	15	32	31	30	10	6	1		
2. Toll-Collector, Turnpike-gate Keeper - - -	12	-	12	-	-	-	-	1	1	1	-	5	4		
Coach, Omnibus, Cab Owner, Livery Stable Keeper - - - - -	25	-	25	-	-	-	-	5	6	9	3	1	1		
Coachman (not domestic), Cabman, Flyman - - - - -	121	-	121	-	-	-	13	24	20	22	15	10	7		
Carman, Carrier, Carter, Drayman - - - - -	354	14	330	-	2	12	37	100	80	98	94	61	29		
3. Inland Navigation Service - - - - -	30	-	30	-	-	-	-	3	2	5	3	5	2		
Barge-man, Waterman - - - - -	140	5	135	-	-	5	10	25	14	14	20	26	17		
Others - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-		
4. Shipowner - - - - -	5	-	5	-	-	-	-	-	-	1	3	1	-		
Steam Navigation Service - - - - -	27	-	27	-	-	-	1	10	7	6	1	1	-		
Ship Steward, Cook - - - - -	37	2	34	-	-	2	2	9	11	7	4	-	-		
Seamen (Merchant Service) - - - - -	402	14	388	-	-	14	33	57	96	69	67	36	14		
Pilot - - - - -	7	-	7	-	-	-	-	1	2	-	3	1	-		
Harbour, Dock Service, Labourer - - - - -	127	2	125	-	-	2	12	23	40	32	25	22	2		
Wharfinger - - - - -	4	-	4	-	-	-	-	-	1	1	-	-	2		
Others - - - - -	28	3	25	-	-	3	1	6	9	6	2	1	-		
5. Warehouseman - - - - -	216	12	203	-	-	12	20	36	43	47	32	19	6		
Meter, Weigher - - - - -	2	-	2	-	-	-	-	-	1	-	-	-	-		
6. Messenger, Porter, Errand Boy - - - - -	303	20	283	-	2	18	17	52	48	54	62	40	12		
Cotton Porter - - - - -	70	1	69	-	-	1	3	7	15	16	15	12	3		
Telegraph Company Service - - - - -	3	1	2	-	-	1	-	-	1	1	-	-	-		
IV.—AGRICULTURAL CLASS.															
8. 1. Land Proprietor (so returned) - - - - -	29	-	29	-	-	-	-	-	1	2	3	10	12		
Farmer, Grazier - - - - -	713	1	712	-	-	1	5	26	44	64	100	207	207		
Farmer's Son, Brother, Grandson, Nephew - - - - -	93	60	33	25	14	21	10	17	4	1	1	-	-		
Farm Bailiff - - - - -	10	-	10	-	-	-	-	-	-	2	6	2	-		
Agricultural Labourer - - - - -	677	13	664	1	1	11	17	41	36	86	120	144	126		
Shepherd (out-door) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	2		
Farm Servant (in-door) - - - - -	48	16	32	-	3	12	6	3	4	7	1	11	-		
Land Surveyor, Estate Agent - - - - -	25	-	25	-	-	-	-	4	5	1	4	7	4		
Land Drainage Service - - - - -	4	-	4	-	-	-	-	1	-	3	-	-	-		
Others engaged in Agriculture - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-		
2. Woodman - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1		
3. Nurseryman, Seedsman, Florist - - - - -	4	-	4	-	-	-	1	-	-	1	-	1	-		
Gardener - - - - -	214	-	214	-	-	-	3	21	18	40	35	24	42		
9. 1. Horse Proprietor, Dealer - - - - -	8	-	8	-	-	-	-	2	1	2	-	1	2		
Horse Breaker - - - - -	7	-	7	-	-	-	1	1	2	2	-	1	-		
Horsekeeper, Groom, Jockey - - - - -	33	5	28	-	-	5	5	17	5	11	7	8	-		
Farrier, Veterinary Surgeon - - - - -	18	1	17	-	-	1	1	7	2	1	3	1	2		
Cattle, Sheep, Pig, Salesman - - - - -	30	-	30	-	-	-	-	-	-	6	4	7	3		
Drover - - - - -	9	-	9	-	-	-	-	-	-	-	-	-	-		
Gamekeeper - - - - -	24	-	24	-	-	-	3	2	-	4	2	4	9		
Vermis Destroyer - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-		
Fisherman - - - - -	13	-	13	-	-	-	-	5	2	2	-	-	-		
Others engaged about Animals - - - - -	3	-	3	-	-	-	-	1	1	-	-	-	-		
V.—INDUSTRIAL CLASS.															
10. 1. Bookseller, Publisher - - - - -	10	1	9	-	-	1	-	1	2	1	4	1	-		
Bookbinder - - - - -	15	1	14	-	-	1	-	3	7	3	1	-	-		
Printer - - - - -	78	4	74	-	-	4	18	14	11	13	6	8	4		
Newspaper Agent, News-room Keeper - - - - -	13	1	12	-	-	1	1	-	4	3	1	3	-		
Others engaged in Publications - - - - -	4	-	4	-	-	-	-	-	2	-	-	-	-		
2. Musical Instrument Maker, Dealer - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-		
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1		
3. Lithographer, Lithographic Printer - - - - -	12	2	10	-	-	2	2	4	1	2	1	-	-		
Others - - - - -	3	-	3	-	-	-	-	-	1	-	1	-	1		
4. Wood-carver - - - - -	6	-	6	-	-	-	1	2	1	2	-	-	-		
Others - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-		
5. Toy Maker, Dealer - - - - -	2	-	2	-	-	-	-	-	1	-	-	-	-		
Others - - - - -	2	-	2	-	-	-	-	1	-	-	1	-	-		

VIII.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-
10.—cont.													
6. Pattern Designer - - - -	3	-	3	-	-	-	-	1	-	2	-	-	-
Others - - - - -	7	1	6	-	-	1	1	2	1	-	-	2	-
7. Watch Maker, Clock Maker -	81	3	78	-	-	3	2	11	15	8	16	15	11
Philosophical Instrument Maker, Optician - - - -	2	-	2	-	-	-	-	1	-	-	1	-	-
Weighing Machine, Scale, Measure, Maker - - - -	5	-	5	-	-	-	-	-	2	-	1	2	-
9. Others engaged in Arms - - -	5	-	5	-	-	-	-	2	1	1	-	1	-
10. Engine and Machine Maker -	337	12	325	-	12	43	61	85	53	46	25	12	12
Spinning, Weaving, Machine Maker -	96	1	95	-	-	1	14	12	13	21	15	13	7
Agricultural Implement, Machine Maker - - - -	3	-	3	-	-	-	-	-	1	-	2	-	-
Millwright - - - - -	37	1	36	-	-	1	2	4	8	3	9	8	2
Tool Maker, Dealer - - - -	4	-	4	-	-	-	-	1	-	-	1	2	2
File Maker, Dealer - - - -	23	2	21	-	-	2	3	8	3	1	2	2	2
Saw Maker, Dealer - - - -	3	-	3	-	-	-	-	1	-	-	-	-	-
Cutler - - - - -	10	-	10	-	-	-	-	2	-	2	1	4	-
Pin Manufacture - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
11. Coachmaker - - - - -	41	-	41	-	-	-	5	10	7	7	7	4	1
Wheelwright - - - - -	74	2	72	-	-	2	8	11	12	11	14	9	7
Others engaged about Carriages -	9	-	9	-	-	-	1	-	4	3	-	1	-
12. Saddler, Harness, Whip Maker -	33	2	31	-	-	2	1	7	4	6	5	5	3
13. Ship-builder, Shipwright, Boat-builder -	151	2	149	-	-	2	15	23	26	33	18	21	13
Sail Maker - - - - -	21	1	20	-	-	1	2	1	7	6	2	2	-
Others - - - - -	4	-	4	-	-	-	-	-	1	-	2	1	-
14. House Proprietor - - - -	39	-	39	-	-	-	-	-	1	4	12	10	12
Architect - - - - -	14	-	14	-	-	-	2	3	6	1	1	-	-
Surveyor - - - - -	7	-	7	-	-	-	-	-	1	1	3	2	-
Builder - - - - -	41	-	41	-	-	-	-	5	3	7	11	5	10
Carpenter, Joiner - - - -	467	13	454	-	1	12	31	80	60	87	93	68	35
Bricklayer - - - - -	179	6	173	-	-	6	5	29	30	31	34	36	18
Marble Mason - - - - -	8	-	8	-	-	-	-	-	2	-	3	3	-
Mason, Pavist - - - - -	403	5	398	-	1	4	19	58	81	72	89	83	34
Slatier, Filer - - - - -	50	-	50	-	-	3	9	8	14	8	14	8	9
Plasterer - - - - -	104	3	99	-	-	5	4	18	9	24	29	15	9
Paperhanger - - - - -	16	-	16	-	-	-	2	4	3	5	1	1	-
Plumber, Painter, Glazier - -	336	15	341	-	-	15	31	77	68	71	40	40	14
Others - - - - -	15	1	14	-	-	1	1	1	4	1	4	1	2
15. Cabinet Maker, Upholsterer -	114	4	110	-	-	4	3	14	20	13	23	25	10
Undertaker - - - - -	5	-	5	-	-	-	-	-	2	-	-	1	-
Carver and Gilder - - - -	18	1	17	-	-	1	2	2	6	2	1	3	1
Furniture Broker, Dealer - -	22	-	22	-	-	-	-	-	2	6	5	4	2
Others - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
16. Manufacturing Chemist, Labourer -	78	3	75	-	-	3	12	14	20	9	9	8	3
Dye, Colour Manufacture - -	1	-	1	-	-	-	-	-	-	-	1	-	-
Dyer, Seourer, Calenderer - -	58	-	58	-	-	-	6	8	5	9	12	6	-
Others - - - - -	11	1	10	-	-	1	-	2	2	2	-	-	-
11. 1. Woolstapler - - - - -	9	-	9	-	-	-	-	1	1	3	2	2	-
Felt Manufacture - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
Woolen Cloth Manufacture - -	141	3	138	-	-	3	7	10	15	24	24	33	27
Wool - - - - -	22	2	20	-	1	1	2	2	4	1	5	2	4
Wool, Woollen, Dyer - - -	4	-	4	-	-	-	-	-	1	2	-	-	1
Worsted Manufacture - - -	7	1	6	-	-	1	1	-	-	-	1	4	-
Cloth Merchant, Dealer - -	3	-	3	-	-	-	-	-	1	-	1	1	-
Flannel Manufacture - - -	16	-	16	-	-	-	1	2	-	1	3	6	3
Blanket Manufacture - - -	2	-	2	-	-	-	-	-	1	-	-	-	1
Carpet, Rug, Manufacture - -	2	-	2	-	-	-	-	-	1	1	-	-	-
2. Silk, Satin, Manufacture - -	239	8	231	1	-	7	6	21	51	28	61	61	43
Silk Dyer, Printer - - - -	3	-	3	-	-	-	-	-	-	-	-	2	1
Silk Merchant, Dealer - - -	9	-	9	-	-	-	1	1	-	3	1	2	1
Ribbon Manufacture - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-
Others - - - - -	8	1	7	-	-	1	1	1	4	1	-	-	-
3. Flax, Linen Manufacture - -	14	-	14	-	-	-	1	2	2	2	1	4	2
Thread Manufacture - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
Tape Manufacture, Dealer - -	6	-	6	-	-	-	-	2	-	-	3	-	1
Cotton Manufacture - - - -	2122	183	1939	6	33	144	175	293	239	319	359	327	236
Cotton, Calico Warehouseman, Dealer -	20	-	20	-	-	-	1	3	2	3	4	2	5
Fustian Manufacture - - - -	71	3	68	-	-	3	1	10	9	14	12	19	3
Calico, Cotton, Printer - - -	158	3	155	-	1	2	7	18	10	21	31	39	29
Calico, Cotton, Dyer - - - -	68	3	65	-	-	3	4	8	10	9	16	13	5
Others - - - - -	12	-	12	-	-	-	-	-	2	4	3	-	3
4. Weaver (not otherwise described) -	163	7	158	-	2	5	4	16	16	24	23	35	40
Washer (not otherwise described) -	41	3	38	-	-	3	4	7	5	5	2	7	8
Manchester Warehouseman - -	35	2	31	-	-	2	5	8	10	2	3	5	-
Draper, Linen Draper, Mercer - -	109	7	93	-	-	7	14	22	12	14	13	9	9
Fancy Goods Manufacturer, Dealer -	1	-	1	-	-	-	-	-	1	-	-	-	-
Trimming Maker, Dealer - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Others - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-

VIII.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up- wds.
15. 1. Coal Miner - - - - -	576	70	506	-	17	53	76	80	74	85	90	65	37
Copper Miner - - - - -	7	-	7	-	-	-	2	-	-	3	2	-	-
Lead Miner - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-
Iron Miner - - - - -	31	2	29	-	-	2	1	9	4	7	3	6	1
Miner (branch undefined) - - -	25	-	25	-	1	1	6	6	1	5	2	2	-
Coal Mine Service - - - - -	14	1	13	-	-	1	-	3	-	3	3	2	2
Mine Service (Metal not stated) -	10	3	7	-	2	1	2	5	1	1	-	-	-
Others - - - - -	3	-	3	-	-	-	-	-	-	-	1	-	2
2. Coal Merchant, Dealer - - -	70	-	70	-	-	-	1	5	7	16	17	13	11
Coal-heaver, Labourer - - -	126	7	119	-	1	6	6	21	17	12	34	23	6
Chimney Sweeper - - - - -	18	-	18	-	-	-	-	1	8	5	2	2	-
Gas Works Service - - - - -	45	2	43	-	2	1	6	7	8	8	8	8	5
3. Stone Quarrier - - - - -	114	-	114	-	-	-	7	8	17	20	32	23	7
Stone, Merchant, Cutter, Dresser -	5	-	5	-	-	-	-	1	1	-	2	1	-
Slate Quarrier - - - - -	3	-	3	-	-	-	-	-	1	-	-	-	1
Limestone Quarrier, Lime Burner -	5	-	5	-	-	-	-	-	1	-	-	-	2
Brick Maker, Dealer - - - - -	133	5	128	-	2	3	8	22	19	19	34	27	14
Railway Labourer, Platelayer, Navy	131	4	147	-	1	3	11	22	31	25	37	14	7
Road Contractor, Inspector, Surveyor	2	-	2	-	-	-	-	-	-	1	1	-	-
Road Labourer - - - - -	33	1	32	1	-	-	1	-	1	6	6	10	8
Scavenger, Dust Collector - - -	21	-	21	-	-	-	-	1	2	7	5	4	2
Others - - - - -	12	-	12	-	-	-	-	-	2	2	5	8	-
4. Earthenware Manufacture - - -	13	-	13	-	-	-	1	-	3	1	4	3	1
Tobacco-pipe Maker - - - - -	11	1	10	-	-	1	1	-	2	2	2	1	-
Earthenware and Glass Dealer - -	14	-	14	-	-	-	-	-	4	3	3	3	1
5. Glass Manufacture - - - - -	56	5	51	-	1	4	4	11	11	7	13	4	1
6. Salt Manufacture - - - - -	31	3	28	-	1	2	-	4	6	4	1	10	3
Other Dealers in Salt - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
7. Waterworks Service - - - - -	10	-	10	-	-	-	-	1	2	-	4	1	2
Others - - - - -	2	-	2	-	-	-	-	-	1	-	1	-	-
8. Goldsmith, Silversmith, Jeweller	11	2	9	-	-	2	1	1	-	3	1	2	1
Others - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
9. Copper Manufacture - - - - -	14	4	10	-	-	4	1	2	2	3	1	1	-
Coppersmith - - - - -	2	1	1	-	-	1	-	-	-	-	-	1	-
10. Tin Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Tinplate Worker, Tinman - - -	54	4	50	-	-	4	6	6	7	11	10	10	-
Tinker - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
11. Zinc Manufacture - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
12. Lead Manufacture - - - - -	3	-	3	-	-	-	-	2	-	-	-	1	-
13. Brass Manufacture, Brazier - -	33	5	28	-	-	5	2	11	5	5	5	-	-
Locksmith, Bellhanger - - - -	2	-	2	-	-	-	-	-	-	-	2	-	-
Gas Fitter - - - - -	26	1	25	-	-	1	5	4	6	3	5	2	-
Wire Worker, Drawer - - - - -	26	-	26	-	-	-	5	7	3	4	8	-	-
Others - - - - -	5	-	5	-	-	-	-	1	1	1	1	-	1
14. Iron Manufacture - - - - -	539	23	516	-	2	21	57	129	104	89	80	45	12
Whitesmith - - - - -	22	1	21	-	-	1	2	4	4	2	3	4	2
Blacksmith - - - - -	274	11	263	-	-	11	19	38	35	48	47	36	22
Nail Manufacture - - - - -	31	-	31	-	-	-	1	1	4	7	6	11	1
Anchorsmith, Chainsmith - - -	7	-	7	-	-	-	-	1	-	-	2	4	-
Ironmonger, Hardware Dealer - -	17	1	16	-	-	1	-	4	5	2	5	2	-
Steel Manufacture, Worker - - -	3	-	3	-	-	-	-	1	1	-	-	1	-
Others - - - - -	15	4	11	-	2	2	2	2	3	1	2	1	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	2212	61	2151	-	2	59	147	395	359	401	377	304	168
2. Artisan, Mechanic (branch undefined)	85	2	83	-	-	2	6	19	16	8	13	15	6
Engine Driver, Stoker (branch undef.)	109	3	106	-	-	3	7	29	19	24	15	10	2
Factory Labourer (branch undefined)	79	5	74	-	2	3	7	9	10	11	18	11	8
Shopman, Assistant (branch undefined)	2	-	2	-	-	-	-	2	-	-	-	-	-
Apprentice (branch undefined) - -	1	1	-	-	-	1	-	-	-	-	-	-	-
Vagrant, Gipsy - - - - -	9	-	9	-	-	-	-	-	3	3	3	-	-
Others of undefined Occupation - -	840	467	373	-	-	467	133	70	35	40	21	45	29
17. 1. Gentleman, Independent, Annuitant	219	-	219	-	-	-	4	11	10	15	49	60	70
18. 1. Scholars and Children of no stated Occupation	2744	2744	-	1936	808	-	-	-	-	-	-	-	-

IX.—YORKSHIRE.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65— and upwards.
Total of Males AGED 5 YEARS AND UPWARDS	16033	2300	13473	1141	596	823	973	1796	1855	2009	2233	2629
I.—PROFESSIONAL CLASS.												
1. 1. Civil Service Government Messengers, Workmen, &c.	29 16	— —	20 16	— —	— —	— —	1 —	4 3	7 1	— 1	4 3	6 3
2. Magistrate (so returned)	3	—	3	—	—	—	—	—	—	—	1	2
Office of Law Court	4	—	4	—	—	—	—	—	1	—	2	1
Police	37	1	36	—	1	3	13	9	5	2	3	1
Prison Officer	3	—	3	—	—	—	—	—	—	—	2	1
Municipal, Parish, Union, Officer	21	—	21	—	—	—	—	1	—	6	6	4
Other Local Government Officers	2	—	2	—	—	—	—	—	—	—	1	4
2. 1. Army Officer (effective)	2	—	2	—	—	—	—	—	1	—	1	—
Army Retired and Half Pay Officer	4	—	4	—	—	—	—	—	1	—	—	—
Soldier	43	1	42	—	1	5	12	13	4	4	2	9
Militia, Volunteers	6	—	6	—	—	—	—	2	2	—	—	2
Army Pensioner	34	—	34	—	—	—	—	3	7	9	3	13
2. Seaman, R.N.	4	—	4	—	—	—	2	2	—	—	—	—
Royal Marine	4	—	4	—	—	—	—	1	2	—	—	—
Coastguard, Royal Naval Reserve	3	—	3	—	—	—	—	—	—	1	—	—
Navy Pensioner	3	—	3	—	—	—	—	—	—	—	2	1
3. 1. Clergyman	23	—	23	—	—	—	1	1	2	6	2	11
Protestant Minister	13	—	13	—	—	—	1	1	1	—	2	4
Roman Catholic Priest	1	—	1	—	—	—	—	—	—	—	—	1
Missionary, Scripture Reader	2	—	2	—	—	—	—	1	—	—	1	—
Church, Chapel Officer	7	—	7	—	—	—	—	—	—	4	—	1
Others	9	1	1	—	1	—	1	—	—	—	—	2
2. Barrister	1	—	1	—	—	—	—	—	—	1	—	—
Solicitor, Attorney	24	1	23	—	1	1	2	2	5	6	3	2
Law Clerk	26	3	23	—	1	7	8	3	3	—	—	1
Law Stationer	1	—	1	—	—	—	—	—	—	—	1	—
3. Physician, Surgeon	30	—	30	—	—	—	2	4	4	2	6	4
Medical-Assistant, Student	3	1	7	—	—	1	3	1	2	—	—	—
Dentist	4	—	4	—	—	—	1	1	—	—	1	—
Chemist, Druggist	40	—	40	—	—	—	9	6	6	5	8	1
Others	1	—	1	—	—	—	—	—	—	—	—	1
4. Author, Editor, Journalist	2	—	2	—	—	—	—	1	—	—	—	1
Students and Others	2	—	2	—	—	—	—	1	—	1	—	—
5. Painter, Artist	8	—	8	—	—	—	—	1	2	—	1	2
Sculptor	1	—	1	—	—	—	—	—	—	—	—	—
Engraver	11	—	11	—	—	—	2	1	2	—	2	4
Photographer	2	—	2	—	—	—	—	—	2	—	—	—
6. Musician, Music Master	25	8	33	—	3	4	6	7	7	7	3	3
7. Actor	4	1	3	—	—	1	—	3	—	—	—	—
Exhibitions, Shows, Service	3	—	3	—	—	—	—	1	1	—	1	—
Others engaged in Theatres, &c.	4	—	4	—	—	—	—	2	1	—	1	—
8. Schoolmaster	57	—	57	—	—	—	8	7	3	8	13	11
Teacher, Professor, Lecturer	5	3	2	—	—	8	—	—	—	1	—	1
9. Civil Engineer	4	—	4	—	—	—	—	—	1	—	—	2
Other Scientific Persons	2	—	2	—	—	—	—	—	—	—	—	—
II.—DOMESTIC CLASS.												
5. 1. Inn Keeper, Hotel Keeper, Publican	239	5	234	—	—	5	3	16	42	73	30	35
Beer-seller	37	—	37	—	—	—	—	1	4	13	11	2
Lodging-house, Boarding-house, Kpr.	7	—	7	—	—	—	—	1	—	—	1	3
Coffee-house, Eating-house, Keeper	9	—	9	—	—	—	—	—	—	1	—	1
Institution Service	7	—	7	—	—	—	1	1	2	2	1	—
Others	1	—	1	—	—	—	—	—	—	—	—	1
2. Domestic Servant (General)	36	1	37	—	—	1	2	8	5	1	3	10
Coachman	12	1	11	—	—	—	1	1	4	1	2	1
Groom	2	—	2	—	—	—	—	—	1	—	—	1
Gardener	9	—	9	—	—	—	1	1	—	2	1	3
Inn, Hotel Servant	37	1	36	—	1	—	2	7	8	6	8	9
Others	1	—	1	—	—	—	—	1	—	—	—	—

NOTE.—This Table comprises the West Riding, East Riding (with York), and North Riding.

IX.—YORKSHIRE.—DEATHS OF MALES of different OCCUPATIONS registered in the Year 1871—
continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
III.—COMMERCIAL CLASS.													
6. 1. Merchant - - - - -	9	-	9	-	-	-	-	2	2	2	-	2	1
Banker - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Bank Service - - - - -	9	-	9	-	-	-	1	1	3	-	-	-	4
Insurance, Benefit Society, Service - -	11	-	11	-	-	-	1	2	1	3	2	-	2
Broker, Agent, Factor - - - - -	13	-	13	-	-	-	-	1	3	4	4	1	-
Salesman (not otherwise described) - -	1	-	1	-	-	-	-	-	-	-	1	-	-
Auctioneer, Valuer, House Agent - - -	8	-	8	-	-	-	1	-	4	-	1	1	1
Accountant - - - - -	13	-	13	-	-	-	-	1	2	4	2	2	2
Commercial Clerk - - - - -	99	15	84	-	1	14	19	20	12	11	6	12	4
Commercial Traveller - - - - -	39	-	39	-	-	-	2	13	6	9	5	3	1
2. Pawnbroker - - - - -	7	1	6	-	-	1	-	2	-	1	1	2	-
Shopkeeper (branch undef.), General Dealer - - - - -	23	1	22	-	-	1	1	1	3	2	6	3	6
Huckster, Costermonger - - - - -	4	-	4	-	-	-	-	-	-	2	1	1	-
Hawker, Pedlar - - - - -	69	1	68	-	1	-	-	5	7	14	21	11	10
7. 1. Railway Engine Driver, Stoker - -	42	1	41	-	-	1	11	11	9	6	2	2	-
Railway Officer, Clerk, Station-master -	30	4	26	-	-	4	5	6	4	3	7	1	-
Railway Attendant, Servant - - - - -	98	7	91	-	-	7	23	20	17	11	11	7	2
2. Toll Collector, Turnpike-gate Keeper -	11	-	11	-	-	-	-	-	-	1	2	3	5
Coach, Omnibus, Cab, Owner, Livery Stable Keeper - - - - -	10	-	10	-	-	-	-	-	2	1	-	5	2
Coachman (not domestic), Cabman, Flyman - - - - -	44	-	44	-	-	-	2	10	10	5	8	4	5
Carman, Carrier, Carter, Drayman - -	207	6	201	-	1	5	14	26	37	33	48	24	19
3. Inland Navigation Service - - - -	17	2	15	-	-	2	1	-	3	3	2	3	3
Barge-man, Waterman - - - - -	79	2	77	-	-	2	5	9	10	21	10	12	10
4. Shipowner - - - - -	11	-	11	-	-	-	-	-	1	4	3	2	1
Steam Navigation Service - - - - -	7	-	7	-	-	-	-	2	2	2	1	-	-
Ship Steward, Cook - - - - -	4	1	3	-	-	1	-	-	-	2	-	-	-
Seaman (Merchant Service) - - - - -	173	10	163	-	1	9	22	35	28	25	10	21	16
Pilot - - - - -	3	-	3	-	-	-	-	1	-	-	1	1	-
Harbour, Dock Service, Labourer - -	50	1	49	-	-	1	1	14	9	11	10	2	2
Others - - - - -	8	-	8	-	-	-	-	-	3	-	-	-	-
5. Warehouseman - - - - -	39	2	37	-	-	2	2	6	6	6	8	7	2
6. Messenger, Porter, Errand Boy - -	35	1	34	-	-	1	2	3	3	8	8	10	-
Telegraph Company Service - - - -	7	1	6	-	-	1	8	3	-	-	-	-	-
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned) - -	45	-	45	-	-	-	-	-	-	5	7	12	21
Farmer, Grazier - - - - -	833	1	832	-	-	1	9	33	44	91	130	249	296
Farmer's Son, Brother, Grandson, Nephew - - - - -	48	22	26	-	-	18	16	7	3	-	-	-	-
Farin Bailiff - - - - -	14	-	14	-	4	-	-	-	1	1	2	4	6
Agricultural Labourer - - - - -	1002	29	973	-	5	24	44	78	82	97	146	254	272
Shepherd (out-door) - - - - -	15	1	14	-	-	1	-	2	1	4	3	4	-
Farm Servant (in-door) - - - - -	2	1	1	-	-	-	-	-	-	-	-	1	-
Land Surveyor, Estate Agent - - - -	10	-	10	-	-	-	-	-	-	1	2	6	1
Land Drainage Service - - - - -	3	-	3	-	-	-	-	-	-	1	-	2	-
Agricultural Machine Proprietor, Attendant - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
Others engaged in Agriculture - - - -	4	-	4	-	-	-	1	1	-	-	1	1	-
2. Woodman - - - - -	18	-	18	-	-	-	1	1	1	2	1	7	5
3. Nurseryman, Seedsman, Florist - -	4	-	4	-	-	-	-	-	-	-	1	3	-
Gardener - - - - -	148	4	144	-	1	3	8	6	21	14	31	37	32
9. 1. Horse Proprietor, Dealer - - - -	7	-	7	-	-	-	-	2	1	2	-	2	-
Horse Breaker - - - - -	11	-	11	-	-	-	-	2	2	3	-	2	-
Horsekeeper, Groom, Jockey - - - -	78	4	74	-	1	3	7	14	14	15	11	6	7
Farrier, Veterinary Surgeon - - - -	17	1	16	-	-	1	-	-	5	2	5	4	2
Cattle, Sheep, Pig, Salesman - - - -	21	1	20	-	-	-	1	3	-	3	-	7	4
Drover - - - - -	17	-	17	-	-	-	2	-	2	1	4	4	4
Gamekeeper - - - - -	23	-	23	-	-	-	2	1	2	-	4	8	6
Vermin Destroyer - - - - -	4	-	4	-	-	-	-	-	-	-	1	2	1
Fisherman - - - - -	43	0	39	-	1	5	5	7	7	6	1	5	3
Others engaged about Animals - - - -	3	-	3	-	-	-	1	1	-	-	-	-	1

IX.—YORKSHIRE.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—
continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher - - - -	6	1	5	-	-	1	-	-	-	1	1	3	-
Bookbinder - - - - -	5	-	5	-	-	-	2	-	-	-	-	2	-
Printer - - - - -	45	4	41	-	-	4	8	6	5	11	3	5	3
Newspaper Agent, News-room Keeper	11	1	10	-	-	-	1	-	-	3	1	1	4
Others engaged in Publications -	1	-	1	-	-	-	-	-	1	-	-	-	-
2. Musical Instrument Maker, Dealer -	4	1	3	-	1	-	1	-	-	1	-	1	-
3. Lithographer, Lithographic Printer -	4	1	3	-	-	1	-	-	1	2	-	-	-
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
4. Wood-carver - - - - -	2	-	2	-	-	-	-	1	-	-	-	1	-
5. Toy Maker, Dealer - - - - -	4	1	3	-	1	-	1	-	-	-	1	1	-
7. Watch Maker, Clock Maker - - -	21	3	18	-	-	8	1	6	2	-	3	3	3
Philosophical Instrument Maker;	5	-	5	-	-	-	-	-	1	1	1	1	1
Optician - - - - -	8	2	6	-	-	2	-	-	2	3	-	-	1
Weighing Machine, Scale, Measure, Mkr.	5	1	4	-	-	1	-	-	-	-	2	-	3
8. Surgical Instrument Maker - - -	5	1	4	-	-	1	-	-	-	-	2	-	3
9. Gunsmith, Gun Manufacture - - -	4	1	3	-	-	1	-	1	-	-	1	-	1
10. Engine and Machine Maker - - -	244	11	233	-	-	11	30	67	27	24	23	25	17
Spinning, Weaving, Machine Maker -	46	4	42	-	-	4	5	9	6	12	5	3	3
Agricultural Implement, Machine Mkr.	10	-	10	-	-	-	1	1	2	1	2	1	1
Millwright - - - - -	29	1	28	-	-	1	3	4	2	4	6	3	6
Tool Maker, Dealer - - - - -	41	3	38	-	-	8	4	5	5	9	10	4	1
File Maker, Dealer - - - - -	121	7	114	-	-	7	7	24	19	25	21	12	4
Saw Maker, Dealer - - - - -	21	1	20	-	-	1	1	7	3	3	2	4	1
Cutler - - - - -	173	8	165	-	1	7	13	24	16	49	33	22	8
Scissors Maker - - - - -	23	1	22	-	-	1	2	3	3	3	5	5	2
Pin Manufacture - - - - -	3	-	3	-	-	-	1	1	1	-	-	1	-
Others engaged in Tool-making, &c. -	2	-	2	-	-	-	-	-	-	1	-	1	-
11. Coachmaker - - - - -	24	1	23	-	-	1	4	5	1	5	2	3	3
Wheelwright - - - - -	38	-	38	-	-	-	2	1	3	7	7	10	6
Others engaged about Carriages - -	7	-	7	-	-	-	1	1	1	2	2	-	-
12. Saddler, Harness, Whip Maker - -	33	-	33	-	-	-	2	1	4	3	2	6	10
13. Ship-builder, Shipwright, Boat-builder	55	-	55	-	-	-	3	6	3	10	13	20	10
Sail Maker - - - - -	7	-	7	-	-	-	-	-	-	1	-	2	4
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
14. House Proprietor - - - - -	28	-	28	-	-	-	-	1	3	4	2	7	11
Architect - - - - -	7	-	7	-	-	-	-	1	-	-	2	1	1
Builder - - - - -	25	-	25	-	-	-	1	1	4	6	5	4	4
Carpenter, Joiner - - - - -	307	7	300	-	-	7	21	37	30	47	59	48	60
Bricklayer - - - - -	92	7	85	-	2	5	6	20	11	13	19	11	5
Marble Mason - - - - -	8	-	8	-	-	-	1	1	4	-	1	-	1
Mason, Pavlo - - - - -	404	11	393	-	-	11	18	70	79	68	63	45	39
Slater, Tiler - - - - -	5	-	5	-	-	-	1	1	3	1	1	-	-
Plasterer - - - - -	56	1	55	-	-	1	3	13	7	14	7	6	4
Paperhanger - - - - -	3	-	3	-	-	-	-	-	1	2	-	-	-
Plumber, Painter, Glazier - - - -	151	5	126	-	1	4	10	20	22	27	31	13	6
15. Cabinet Maker, Upholsterer - - -	72	4	68	-	-	4	3	13	16	7	16	11	8
Carver and Gilder - - - - -	8	-	8	-	-	-	1	2	-	2	-	2	1
Furniture Broker, Dealer - - - -	9	-	9	-	-	-	1	-	1	2	3	1	1
16. Manufacturing Chemist, Labourer -	18	-	18	-	-	-	-	3	3	3	1	2	4
Dye, Colour Manufacture - - - -	21	1	20	-	-	1	4	5	1	2	4	4	-
Dyer, Scourer, Calenderer - - - -	56	3	53	-	-	3	8	10	10	7	12	9	2
Others - - - - -	15	-	15	-	-	-	-	2	2	4	4	3	1
11. 1. Woolstapler - - - - -	17	-	17	-	-	-	1	2	5	3	3	1	2
Felt Manufacture - - - - -	8	-	8	-	-	-	-	1	-	1	1	-	-
Woolen Cloth Manufacture - - - -	1006	68	938	1	9	58	45	125	64	119	165	215	179
Wool, Woollen, Dyer - - - - -	22	-	22	-	-	-	-	5	6	1	5	2	1
Worsted Manufacture - - - - -	123	22	111	2	4	16	13	17	9	18	23	15	13
Cloth Merchant, Dealer - - - - -	17	1	16	-	-	-	1	3	1	4	3	2	1
Stuff Manufacture - - - - -	14	3	11	-	-	-	3	1	3	6	4	1	-
Flannel Manufacture - - - - -	4	-	4	-	-	-	-	-	-	2	-	1	1
Blanket Manufacture - - - - -	26	-	26	-	-	-	-	2	4	4	7	7	4
Carpet, Rug, Manufacture - - - -	61	6	55	-	-	6	10	11	7	9	6	8	6
2. Silk, Satin, Manufacture - - - -	27	-	27	-	-	-	1	3	3	6	5	6	2
3. Flax, Linen Manufacture - - - -	147	3	144	-	-	3	10	7	13	23	25	31	26
Lace Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Thread Manufacture - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	2
Cotton Manufacture - - - - -	231	32	199	1	6	25	25	33	20	24	40	23	14
Fustian Manufacture - - - - -	3	-	3	-	-	-	-	-	1	1	1	-	-
Calico, Cotton, Printer - - - - -	4	1	3	-	1	-	-	-	-	1	1	-	1
Calico, Cotton, Dyer - - - - -	4	-	4	-	-	-	1	1	-	-	1	-	1

IX.—YORKSHIRE.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—
continued.

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65— 75 and up- wds.
11.—cont.												
4. Weaver (not otherwise described) -	72	6	66	-	-	6	8	6	6	11	7	9
Bleacher (not otherwise described) -	6	-	6	-	-	-	-	-	2	1	1	1
Draper, Linen Draper, Mercer -	90	11	79	-	1	10	5	17	13	10	12	10
Fancy Goods Manufacturer, Dealer -	48	-	48	-	-	-	-	5	8	4	13	7
5. Hairdresser, Wig Maker -	29	-	29	-	-	-	2	5	5	5	6	4
Hatter, Hat Manufacture -	9	-	9	-	-	-	-	2	-	-	1	3
Furrier, Skinner -	9	-	9	-	-	-	-	3	1	1	1	2
Tailor -	309	13	296	-	3	10	16	31	35	65	59	44
Stay Maker, Ladies' Outfitter -	6	-	6	-	-	-	-	2	1	1	1	1
Hosiery, Haberdasher -	6	-	6	-	-	-	1	1	-	1	1	1
Glover (leather) -	1	-	1	-	-	-	-	-	-	-	-	-
Shoemaker, Bootmaker -	446	12	434	-	-	12	14	33	50	74	94	71
Patten, Clog Maker -	3	-	3	-	-	-	-	1	1	1	1	1
Button Maker -	2	-	2	-	-	-	-	-	1	-	-	-
Umbrella, Parasol, Stick, Maker -	4	-	4	-	-	-	-	-	-	1	1	1
Others providing Dress -	1	-	1	-	-	-	-	-	1	-	-	-
6. Mat Maker, Seller -	1	-	1	-	-	-	1	-	-	-	-	-
Hemp Manufacture -	1	-	1	-	-	-	-	-	-	1	-	-
Rope, Cord, Maker -	21	1	20	-	-	1	1	2	2	7	5	3
Canvas, Sailcloth, Manufacture, Dealer -	5	-	5	-	-	-	-	-	-	1	2	2
Sackling, Sack, Bag, Maker, Dealer -	5	-	5	-	-	-	-	-	2	-	2	1
Others -	1	-	1	-	-	-	-	-	-	-	1	-
12. 1. Cowkeeper -	32	1	31	-	1	-	1	4	3	5	7	4
Cheese-monger -	5	-	5	-	-	-	-	1	-	1	1	2
Butcher, Meat Salesman -	153	4	149	-	-	4	10	16	32	15	22	28
Provision Curer, Dealer -	20	-	20	-	-	-	-	1	1	3	8	4
Poulterer, Game Dealer -	6	-	6	-	-	-	-	-	1	1	1	2
Fishmonger -	25	-	25	-	-	-	-	4	7	7	4	3
2. Corn, Flour, Seed, Merchant, Dealer -	26	1	25	-	-	1	2	5	5	6	5	10
Miller -	57	1	56	-	1	-	1	5	7	8	9	13
Baker -	20	1	19	-	-	1	1	1	3	2	6	3
Confectioner, Pastry Cook -	15	-	15	-	-	-	1	4	3	1	3	3
Greengrocer, Fruit, Vegetable, Dealer -	52	-	52	-	-	-	2	4	11	7	15	10
Others -	4	-	4	-	-	-	1	1	-	-	1	1
3. Maltster -	28	1	27	-	-	1	-	5	2	-	8	9
Brewer -	64	1	63	-	-	1	2	10	18	6	14	8
Wine and Spirit Merchant -	14	-	14	-	-	-	2	-	2	2	3	3
Cellarman -	3	-	3	-	-	-	-	-	3	-	-	-
Ginger Beer, Soda Water, &c., Manu- facture -	6	-	6	-	-	-	-	2	2	1	-	1
Grocer, Tea Dealer -	188	5	183	-	-	5	8	16	21	26	46	30
Tobacco, Cigar, Snuff, Manufacture, Tobacconist -	11	2	9	-	1	1	1	1	1	2	2	1
Others -	10	1	9	-	-	1	-	1	3	1	3	1
13. 1. Soap Boiler -	7	-	7	-	-	-	2	-	1	2	1	1
Tallow Chandler -	4	-	4	-	-	-	-	-	1	-	1	1
Comb-maker -	16	1	15	-	1	-	1	1	2	1	4	4
Others -	7	-	7	-	-	-	1	1	-	1	1	3
2. Fellmonger -	3	-	3	-	-	-	-	1	-	-	2	-
Tanner -	23	-	23	-	-	-	1	1	6	8	6	5
Carrier -	40	4	36	-	-	4	3	9	4	5	9	4
3. Brush, Broom, Maker -	22	1	21	-	-	1	4	3	4	3	4	2
14. 1. Oil-miller, Refiner -	23	4	19	-	-	4	2	2	3	2	4	6
French-polisher -	9	1	8	-	-	1	1	2	2	-	2	1
Floor Cloth Manufacture -	1	-	1	-	-	-	-	-	-	-	-	1
Others -	1	-	1	-	-	-	1	-	-	-	-	-
2. Timber, Wood, Merchant, Dealer -	18	-	18	-	-	-	1	2	4	4	2	3
Sawyer -	84	-	84	-	-	-	-	5	4	6	4	11
Lath, Fence, Hurdle, Maker -	4	-	4	-	-	-	-	-	-	-	-	3
Wood, Turner, Worker -	12	-	12	-	-	-	2	1	1	4	-	1
Box, Packing Case, Maker -	6	2	4	-	-	2	-	1	1	-	1	1
Cooper, Hoop-maker and Bender -	16	-	16	-	-	-	2	1	3	4	1	4
3. Cork Cutter, Manufacturer -	2	-	2	-	-	-	-	-	1	1	-	-
4. Basket Maker -	17	1	16	-	-	1	-	4	1	3	1	4
Hay and Straw Dealer -	5	-	5	-	-	-	-	1	-	1	3	-
5. Rag Gatherer, Dealer -	22	2	20	-	-	2	1	4	5	5	2	1
Paper Manufacture -	15	5	10	-	2	3	1	2	2	1	1	2
Stationer (not Law) -	9	-	9	-	-	-	1	1	1	1	2	1
Other Workers in Paper -	5	-	5	-	-	-	1	-	1	-	-	1

IX.—YORKSHIRE.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—
continued.

OCCUPATIONS		AGES OF MALES.													
		TOTAL.	5 Years and under 20.	20 Years and upwards.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.	
15.	1. Coal Miner - - - - -	456	36	420	-	6	30	47	90	78	57	51	63	24	
	Lead Miner - - - - -	18	1	17	-	-	1	1	1	4	2	6	2	1	
	Iron Miner - - - - -	74	5	69	-	-	5	12	16	15	12	6	6	1	
	Miner (branch undefined) - - -	84	4	80	-	1	5	5	11	8	2	1	2	1	
	Coal Mine Service - - - - -	16	1	15	-	-	1	-	-	3	1	4	7	-	
	Mine Service (Metal not stated) -	1	-	1	-	-	-	-	-	1	-	-	-	-	
	Others - - - - -	8	-	8	-	-	-	1	1	2	2	1	-	1	
2.	Coal Merchant, Dealer - - - -	37	-	37	-	-	-	3	2	1	5	9	9	6	
	Coal-heaver, Labourer - - - -	50	8	42	-	3	5	4	7	4	11	4	6	1	
	Chimney Sweeper - - - - -	5	-	5	-	-	-	-	-	-	2	2	-	-	
	Gas Works Service - - - - -	26	1	25	-	-	1	1	1	7	3	7	6	-	
3.	Stone Quarrier - - - - -	169	9	160	-	-	9	6	26	32	40	26	21	9	
	Stone Merchant, Cutter, Dresser -	31	1	30	-	1	-	4	5	3	9	6	2	1	
	Limestone Quarrier, Lime-Burner -	17	1	16	-	-	1	1	1	3	2	3	4	2	
	Clay Labourer - - - - -	5	1	4	-	-	1	-	-	1	1	-	1	1	
	Brick Maker, Dealer - - - - -	55	4	51	-	1	3	5	5	5	6	14	7	3	
	Railway Labourer, Platelayer, Navy	153	8	152	-	1	2	19	40	28	29	23	2	1	
	Road Contractor, Inspector, Surveyor	8	-	8	-	-	-	-	-	-	2	2	1	-	
	Road Labourer - - - - -	40	1	39	-	1	-	-	1	1	1	11	15	19	
	Scavenger, Dust Collector - - -	5	-	5	-	-	-	-	-	1	1	2	1	1	
	Others - - - - -	5	-	5	-	-	-	-	2	1	1	-	1	-	
4.	Earthenware Manufacture - - -	41	2	39	-	-	2	1	4	9	11	5	9	-	
	Tobacco-pipe Maker - - - - -	11	-	11	-	-	-	-	2	1	2	2	1	1	
	Earthenware and Glass Dealer - -	11	-	11	-	-	-	-	2	4	-	1	4	-	
5.	Glass Manufacture - - - - -	35	-	35	-	-	-	7	12	6	3	3	5	-	
6.	Salt Manufacture - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-	
	Other Dealers in Salt - - - - -	2	-	2	-	-	-	-	-	-	1	-	-	-	
7.	Waterworks Service - - - - -	8	-	8	-	-	-	-	2	2	-	1	2	1	
	Others - - - - -	4	-	4	-	-	-	-	-	1	1	2	-	-	
8.	Goldsmith, Silversmith, Jeweller	42	2	40	-	-	2	3	8	5	5	1	6	12	
	Plater, Plated Ware Manufacture -	4	-	4	-	-	1	-	-	-	3	-	-	-	
9.	Copper Manufacture - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-	
	Coppersmith - - - - -	3	-	3	-	-	-	-	1	-	1	-	1	-	
	Others - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-	
10.	Tin Manufacture - - - - -	2	-	2	-	-	-	-	-	-	-	1	1	-	
	Tinplate Worker, Tinman - - -	21	-	21	-	-	-	5	1	1	6	4	2	1	
	Tinker - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	
12.	Lead Manufacture - - - - -	10	-	10	-	-	-	-	1	2	3	2	2	-	
13.	Brass Manufacture, Brasier - - -	22	5	17	-	-	5	3	4	4	4	1	1	-	
	Locksmith, Bellhanger - - - -	2	-	2	-	-	-	-	1	-	-	-	1	-	
	Gas Fitter - - - - -	7	-	7	-	-	-	1	2	2	1	-	-	-	
	Wire Worker, Drawer - - - - -	26	3	23	-	1	1	5	4	5	3	2	3	1	
	Others - - - - -	2	-	2	-	-	-	-	-	1	-	-	1	-	
14.	Iron Manufacture - - - - -	261	27	234	-	1	26	44	68	77	62	43	32	6	
	Whitesmith - - - - -	35	2	33	-	-	2	7	2	6	7	5	5	1	
	Blacksmith - - - - -	221	2	219	-	1	1	31	37	23	46	30	36	26	
	Nail Manufacture - - - - -	35	2	33	-	-	2	1	3	5	7	6	5	6	
	Anchorsmith, Chainsmith - - -	3	-	3	-	-	-	1	-	-	-	1	1	-	
	Ironmonger, Hardware Dealer - -	61	1	60	-	-	1	5	4	4	10	17	7	3	
	Steel Manufacture, Worker - - -	45	5	40	-	-	5	3	9	12	8	6	2	-	
	Others - - - - -	7	-	7	-	-	-	-	1	1	3	2	-	-	
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.															
16.	1. General Labourer, Labourer (branch undefined) - - - - -	764	33	731	-	6	27	44	79	123	123	127	129	26	
	2. Artisan, Mechanic (branch undefined)	52	4	48	-	-	4	9	12	9	6	4	5	1	
	Engine Driver, Stoker (branch undef.)	9	2	7	-	-	2	1	-	4	1	1	-	-	
	Factory Labourer (branch undefined) -	21	8	13	-	2	6	3	1	1	2	1	3	2	
	Apprentice (branch undefined) - -	1	1	-	-	-	1	-	-	-	-	-	-	-	
	Vagrant, Gipsy - - - - -	3	-	3	-	-	-	-	-	-	2	-	-	-	
	Others of undefined Occupation - -	618	273	345	-	-	273	47	41	53	11	79	72	29	
17.	1. Gentleman, Independent, Annuitant -	34	-	34	-	-	-	3	4	5	5	5	12	-	
18.	1. Scholars and Children of no stated Occupation - - - - -	1653	1653	-	1135	618	-	-	-	-	-	-	-	-	

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Total of Males AGED 5 YEARS AND UPWARDS	10661	2180	8451	1082	491	607	827	1380	1238	1217	1299	1339	1131
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	23	1	22	-	-	1	-	1	1	3	5	7	5
Government Messengers, Workmen, &c.	15	-	15	-	-	-	2	2	1	-	2	4	3
2. Officer of Law Court	1	-	1	-	-	-	-	-	-	-	-	-	1
Police	22	-	22	-	-	-	3	12	4	1	-	1	1
Prison Officer	3	-	3	-	-	-	-	1	1	-	-	1	-
Municipal, Parish, Union, Officer	10	1	9	-	-	1	-	1	5	1	2	-	-
Other Local Government Officers	2	-	2	-	-	-	-	-	-	1	-	1	-
2. 1. Army Officer (effective)	4	-	4	-	-	-	-	-	1	1	1	-	1
Army Retired and Half Pay Officer	4	-	4	-	-	-	-	-	1	1	-	1	1
Soldier	21	1	20	-	-	1	-	8	9	1	1	-	1
Militia, Volunteers	5	-	5	-	-	-	-	1	2	2	-	-	-
Army Pensioner	13	-	13	-	-	-	-	-	1	4	3	2	3
2. Navy Officer (effective)	1	-	1	-	-	-	-	-	-	-	1	-	-
Navy Retired and Half Pay Officer	1	-	1	-	-	-	-	1	-	-	-	-	-
Seaman, R.N.	1	-	1	-	-	-	1	-	-	-	-	-	-
Royal Marine	1	-	1	-	-	-	-	1	-	-	-	-	-
Coastguard, Royal Naval Reserve	3	-	3	-	-	-	-	1	-	1	-	-	1
Navy Pensioner	1	-	1	-	-	-	-	-	-	1	-	-	-
3. 1. Clergyman	20	-	20	-	-	-	-	2	-	3	6	5	4
Protestant Minister	6	-	6	-	-	-	-	2	-	-	2	1	1
Roman Catholic Priest	1	-	1	-	-	-	-	1	-	-	-	-	-
Missionary, Scripture Reader	2	-	2	-	-	-	-	-	-	-	1	-	1
Church, Chapel Officer	2	-	2	-	-	-	-	-	-	-	1	2	2
Others	2	2	-	-	2	-	-	-	-	-	-	-	-
2. Barrister	1	-	1	-	-	-	-	1	-	-	-	-	-
Solicitor, Attorney	18	1	17	-	-	1	2	1	2	1	6	3	2
Law Clerk	9	2	7	-	-	2	2	2	1	2	-	-	-
3. Physician, Surgeon	21	1	20	-	-	1	-	6	4	1	6	2	1
Medical—Assistant, Student	2	-	2	-	-	-	2	-	-	-	-	-	-
Chemist, Druggist	19	2	17	-	-	2	3	7	3	3	-	1	-
4. Author, Editor, Journalist	2	-	2	-	-	-	-	1	-	-	-	1	-
Students and Others	2	-	2	-	-	-	-	-	1	1	-	-	-
5. Painter, Artist	3	-	3	-	-	-	1	-	2	1	-	-	1
Engraver	3	-	3	-	-	-	1	-	-	-	-	2	-
Photographer	1	1	-	-	1	-	-	-	-	-	-	-	-
6. Musician, Music Master	7	-	7	-	-	-	-	3	2	2	-	-	-
7. Actor	2	-	2	-	-	-	-	1	-	1	-	-	-
Others engaged in Theatres, &c.	2	-	2	-	-	-	-	1	-	-	-	1	-
8. Schoolmaster	20	-	20	-	-	-	2	3	4	3	2	6	9
Teacher, Professor, Lecturer	12	4	8	-	1	3	3	1	1	-	-	3	-
9. Civil Engineer	5	-	5	-	-	-	-	1	2	1	1	-	-
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	150	1	149	-	-	1	1	17	39	24	31	21	16
Beer-seller	5	-	5	-	-	-	-	1	2	1	-	1	-
Lodging-house, Boarding-house Keeper	3	-	3	-	-	-	-	-	-	1	1	-	1
Coffee-house, Eating-house Keeper	2	-	2	-	-	-	-	-	2	-	-	-	-
Institution Service	1	-	1	-	-	-	-	-	-	-	-	-	1
2. Domestic Servant (General)	17	1	16	-	-	1	-	4	4	1	3	2	2
Coachman	10	-	10	-	-	-	1	2	1	-	1	2	3
Gardener	8	-	8	-	-	-	1	1	-	-	2	4	-
Ind. Hotel Servant	20	2	18	-	-	2	4	2	6	4	-	1	1
III.—COMMERCIAL CLASS.													
5. 1. Merchant	7	-	7	-	-	-	-	-	1	1	1	2	2
Banker	1	-	1	-	-	-	-	-	1	-	-	-	-
Bank Service	9	-	9	-	-	-	2	1	1	-	4	-	1
Insurance, Benefit Society, Service	5	1	4	-	-	1	1	-	2	-	-	1	-
Broker, Agent, Factor	11	1	10	-	-	1	-	3	1	3	1	1	1
Auctioneer, Valuer, House Agent	6	-	6	-	-	-	-	1	-	1	2	2	-
Accountant	15	-	15	-	-	-	2	5	2	1	4	1	-
Commercial Clerk	36	2	34	-	-	2	12	11	2	4	2	3	3
Commercial Traveller	18	-	18	-	-	-	1	4	2	5	4	2	-
2. Pawnbroker	4	-	4	-	-	-	1	-	-	1	2	-	-
Shopkeeper (Branch undefined), General Dealer	15	1	14	-	-	1	2	2	1	3	5	2	1
Hawker, Pedlar	64	-	64	-	-	-	2	6	6	10	13	17	10

NOTE.—The Counties comprised in this Table are Durham, Northumberland, Cumberland, and Westmorland.

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
10.—cont.													
14. House Proprietor	33	-	33	-	-	-	1	-	3	5	5	12	7
Architect	4	-	4	-	-	-	3	-	-	1	-	-	-
Builder	21	1	20	-	-	1	-	2	2	8	3	2	3
Carpenter, Joiner	244	14	230	-	14	28	33	31	35	35	37	31	-
Bricklayer	43	1	42	-	-	1	2	1	6	1	-	-	-
Marble Mason	4	-	4	-	-	-	-	-	-	-	-	-	-
Mason, Pavior	225	7	218	-	7	12	29	35	38	44	38	22	-
Slater, Tiler	9	-	9	-	-	-	1	1	-	2	2	3	-
Plasterer	15	1	14	-	1	2	3	-	1	2	3	3	-
Paperhanger	2	-	2	-	-	-	1	-	1	-	-	-	-
Plumber, Painter, Glazer	67	6	61	-	6	9	9	12	7	12	7	5	-
15. Cabinet Maker, Upholsterer	33	2	31	-	-	2	5	11	3	4	3	-	-
Carver and Gilder	7	1	6	-	-	1	2	-	1	1	2	-	-
Furniture Broker, Dealer	1	-	1	-	-	-	-	-	-	1	-	-	-
16. Manufacturing Chemist, Labourer	103	4	99	-	4	14	24	19	16	11	13	2	-
Dye, Colour Manufacture	1	-	1	-	-	-	-	-	1	-	-	-	-
Dyer, Scourer, Calenderer	5	-	5	-	-	-	-	-	1	-	2	1	1
Others	1	-	1	-	-	-	-	-	-	1	-	-	-
11. 1. Woolstapler	4	-	4	-	-	-	-	-	-	1	2	1	1
Woollen Cloth Manufacture	23	1	22	-	-	1	1	2	1	4	1	4	7
Worsted Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	-
Stuff Manufacture	4	1	3	-	-	1	-	-	-	1	-	2	2
Carpet, Rug, Manufacture	14	-	14	-	-	-	2	2	-	2	1	7	-
2. Silk, Satin, Manufacture	2	-	2	-	-	-	-	1	-	-	1	-	-
3. Flax, Linen Manufacture	13	-	13	-	-	-	1	1	1	3	-	6	6
Cotton Manufacture	49	1	48	-	1	3	1	2	16	9	13	10	1
Calico, Cotton, Printer	5	-	5	-	-	1	1	-	2	-	-	-	-
Calico, Cotton, Dyer	3	-	3	-	-	-	1	-	-	2	-	-	-
4. Weaver (not otherwise described)	18	3	15	-	3	1	-	1	1	1	2	9	9
Beacher (not otherwise described)	3	-	3	-	-	-	-	1	-	-	1	1	1
Draper, Linen Draper, Mercer	71	13	58	-	13	14	12	12	11	3	3	3	3
Trimming Maker, Dealer	1	-	1	-	-	-	-	-	-	1	-	-	-
5. Hairdresser, Wig Maker	10	1	9	-	-	1	-	-	3	3	2	1	-
Hatter, Hat Manufacture	11	-	11	-	-	-	1	2	2	2	1	2	2
Furrier, Skinner	-	-	4	-	-	-	-	1	-	-	-	1	1
Tailor	170	11	159	-	11	11	30	16	29	23	32	18	-
Stay Maker, Ladies' Outfitter	1	-	1	-	-	-	-	-	-	1	-	-	-
Hosier, Haberdasher	3	-	3	-	-	1	-	1	-	1	-	-	-
Shoemaker, Bootmaker	237	5	232	-	5	9	23	29	35	45	44	44	-
Patten, Clog Maker	4	-	4	-	-	1	2	-	1	-	-	-	-
Umbrella, Parasol, Stick, Maker	1	-	1	-	-	-	-	-	-	-	-	-	-
6. Rope, Cord Maker	17	-	17	-	-	-	-	-	-	4	3	6	4
Canvas, Sailcloth, Manufacture, Dealer	3	-	3	-	-	-	-	-	-	2	1	-	-
12. 1. Cowkeeper, Milk seller	9	-	9	-	-	-	-	1	1	2	2	3	-
Cheese monger	3	-	3	-	-	-	-	-	2	-	1	-	-
Butcher, Meat Salesman	88	1	87	-	1	10	14	17	15	13	6	12	7
Provision Curer, Dealer	21	-	21	-	-	1	1	2	1	7	2	7	-
Poulterer, Game Dealer	3	-	3	-	-	-	-	-	1	1	1	-	-
Fishmonger	8	-	8	-	-	2	-	2	2	-	-	2	-
2. Corn, Flour, Seed, Merchant, Dealer	10	-	10	-	-	-	1	2	2	3	1	1	-
Miller	40	2	38	-	2	2	8	7	6	7	7	6	-
Baker	17	-	17	-	-	-	2	1	8	4	2	-	-
Confectioner, Pastry Cook	13	1	12	-	-	1	3	2	-	4	3	-	-
Greengrocer, Fruit, Vegetable, Dealer	17	-	17	-	-	1	3	3	4	1	4	1	-
Others	1	-	1	-	-	-	-	-	-	1	-	-	-
3. Maltster	5	-	5	-	-	-	-	-	1	3	-	1	-
Brewer	31	-	31	-	-	2	5	5	4	5	8	2	-
Wine and Spirit Merchant	25	1	24	-	1	-	7	7	5	2	1	2	-
Cellarman	4	-	4	-	-	-	1	2	1	-	-	-	-
Ginger Beer, Soda Water, &c., Manufacture	5	-	5	-	-	1	-	-	-	-	2	-	-
Grocer, Tea Dealer	90	1	89	-	1	8	21	14	13	14	12	7	-
Tobacco, Cigar, Snuff, Manufacture, Tobaccoist	5	-	5	-	-	1	2	-	-	1	1	-	-
Others	3	-	3	-	-	-	-	-	-	2	-	-	-
13. 1. Soap Boiler	2	1	1	-	-	1	-	1	-	1	1	-	-
Tallow Chandler	3	-	3	-	-	-	-	-	-	-	-	-	-
Comb-maker	1	-	1	-	-	-	-	-	-	-	-	-	-
Others	2	-	2	-	-	-	1	1	-	-	-	-	-
2. Tanner	9	-	9	-	-	-	-	-	3	2	1	2	1
Currier	11	-	11	-	-	-	3	2	-	-	2	3	1
Leather Case, Portmanteau, Bag Maker	1	-	1	-	-	-	-	-	1	-	-	-	-

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
14. 1. Oil-miller, Refiner - - - - -	2	-	2	-	-	-	2	-	-	-	-	-	-
French-polisher - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
2. Timber, Wood, Merchant, Dealer	11	-	11	-	-	-	1	2	1	1	2	4	-
Sawyer - - - - -	32	-	32	-	-	-	3	3	-	5	8	7	6
Lath, Fence, Hurdle, Maker - - -	2	-	2	-	-	-	-	1	1	-	-	-	1
Wood, Turner, Worker - - - - -	7	-	7	-	-	-	-	1	1	2	-	3	-
Box, Packing Case, Maker - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Cooper, Hoop Maker and Bender - -	33	3	29	-	8	2	5	4	4	4	8	7	4
3. Cork Cutter, Manufacturer - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
4. Basket Maker - - - - -	3	-	3	-	-	-	-	-	-	1	1	-	1
Thatcher - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	1
5. Bag Gatherer, Dealer - - - - -	4	-	4	-	-	-	-	-	-	-	1	-	2
Paper Manufacturer - - - - -	10	1	9	-	1	2	-	2	1	-	-	2	1
Stationer (not Law) - - - - -	3	-	3	-	-	1	1	1	-	-	1	1	-
Paper Stainer - - - - -	2	-	2	-	-	-	-	-	-	-	1	1	-
Other Workers in Paper - - - - -	3	-	3	-	-	-	-	1	-	-	2	-	-
15. 1. Coal Miner - - - - -	1040	116	924	1	28	87	121	176	128	130	140	145	85
Lead Miner - - - - -	94	2	92	-	-	2	6	11	18	22	25	7	3
Iron Miner - - - - -	43	2	46	-	2	7	14	6	11	5	2	1	-
Miner (branch undefined) - - - -	8	-	8	-	-	-	1	3	1	1	1	-	-
Coal Mine Service - - - - -	19	2	17	-	2	4	3	2	2	5	-	1	-
Mine Service (Metal not stated) - -	2	-	2	-	-	-	-	-	-	1	-	-	-
2. Coal Merchant, Dealer - - - - -	7	-	7	-	-	-	-	2	-	-	1	3	1
Coal-heaver, Labourer - - - - -	102	10	92	-	3	7	5	17	10	17	12	20	10
Coke Burner, Dealer - - - - -	48	-	48	-	3	-	8	11	9	5	6	1	-
Chimney Sweeper - - - - -	6	-	6	-	-	-	-	1	-	1	2	1	1
Gas Works Service - - - - -	13	1	12	-	1	3	4	-	-	2	1	1	1
Other Workers in Coal - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
3. Stone Quarrier - - - - -	61	2	59	-	2	4	7	19	12	12	12	10	2
Stone, Merchant, Cutter, Dresser -	1	-	1	-	-	-	-	-	-	-	1	-	-
Limestone Quarrier, Lime-burner -	10	-	10	-	-	1	2	1	2	-	-	4	-
Clay Labourer - - - - -	3	1	2	-	1	-	1	-	-	-	1	-	-
Brick Maker, Dealer - - - - -	60	5	45	-	5	4	10	9	7	8	3	4	4
Railway Labourer, Platelayer, Navy	144	10	134	-	10	14	23	28	24	26	8	2	2
Road Contractor, Inspector, Surveyor	3	-	3	-	-	-	-	-	-	-	-	-	-
Road Labourer - - - - -	34	-	34	-	-	-	8	-	1	8	-	7	2
Scavenger, Dust Collector - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Others - - - - -	5	-	5	-	-	-	1	2	1	-	-	1	-
4. Earthenware Manufacture - - - -	80	1	79	-	1	2	4	4	6	7	4	2	-
Earthenware and Glass Dealer - -	3	-	3	-	-	-	-	1	-	-	2	-	-
5. Glass Manufacture - - - - -	75	1	74	-	1	6	16	8	14	11	14	5	-
6. Salt Manufacture - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
7. Waterworks Service - - - - -	17	3	14	-	1	2	2	2	3	2	2	3	-
Others - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
8. Goldsmith, Silversmith, Jeweller	6	-	6	-	-	-	-	2	-	-	1	3	-
Others - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
9. Copper Manufacture - - - - -	5	-	5	-	-	-	1	-	2	-	-	-	2
Coppersmith - - - - -	8	1	7	-	1	-	2	-	-	-	-	-	-
10. Tinplate Worker, Tinman - - - -	15	-	15	-	-	-	2	4	1	2	1	3	2
12. Lead Manufacture - - - - -	10	-	10	-	-	-	-	2	3	2	2	1	-
13. Brass Manufacture, Brasier - - -	16	1	15	-	1	4	8	1	1	3	3	-	-
Gas Fitter - - - - -	2	-	2	-	-	-	-	1	-	1	-	-	-
Wire Worker, Drawer - - - - -	4	-	4	-	-	-	-	1	2	-	-	1	-
14. Iron Manufacture - - - - -	343	24	309	-	6	26	60	69	64	43	40	27	6
Whitesmith - - - - -	10	-	10	-	-	-	2	1	1	-	1	2	3
Blacksmith - - - - -	208	14	194	-	14	15	33	22	20	20	33	24	6
Nail Manufacture - - - - -	18	-	18	-	-	-	-	2	-	2	4	3	1
Anchorsmith, Chainsmith - - - -	21	1	20	-	1	-	1	2	4	7	8	2	1
Ironmonger, Hardware Dealer - -	10	-	10	-	-	-	2	2	1	4	-	1	-
Steel Manufacture, Worker - - - -	3	2	3	-	-	2	1	1	-	-	-	-	-
Others - - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	733	81	702	-	3	28	77	126	123	97	114	30	76
2. Artisan, Mechanic (branch undefined)	7	-	7	-	-	-	1	2	1	2	1	-	-
Engine Driver, Stoker (branch undef.)	20	5	15	-	-	5	1	9	3	1	-	-	-
Factory Labourer (branch undefined)	1	-	1	-	-	-	-	-	-	-	-	-	-
Vagrant, Gipsy - - - - -	3	-	3	-	-	-	-	1	1	-	-	1	-
Others of undefined Occupation - -	264	180	75	-	-	180	16	19	10	10	8	8	4
17. 1. Gentleman, Independent, Annuitant -	58	-	58	-	-	-	2	3	4	8	12	9	19
18. 1. Scholars and Children of no stated Occupation - - - - -	1630	1530	-	1061	489	-	-	-	-	-	-	-	-

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.	
Total of Males AGED 5 YEARS AND UPWARDS	10028	1686	8342	773	374	539	725	1223	961	1020	1311	1505	1596	
I.—PROFESSIONAL CLASS.														
1. 1. Civil Service	31	-	31	-	-	-	-	3	2	2	5	7	12	
Government Messengers, Workmen, &c.	29	-	29	-	-	-	-	3	6	3	4	5	8	
2. Magistrate (so returned)	3	-	3	-	-	-	-	-	-	-	2	-	1	
Officer of Law Court	6	-	6	-	-	-	1	-	-	1	2	1	1	
Police	16	-	16	-	-	-	1	3	4	6	-	1	1	
Prison Officer	2	-	2	-	-	-	-	1	-	-	1	-	-	
Municipal, Parish, Union, Officer	11	-	11	-	-	-	-	1	1	3	2	1	3	
3. East India and Colonial Service	3	-	3	-	-	-	-	-	-	1	-	-	2	
2. 1. Army Officer (effective)	4	-	4	-	-	-	-	-	1	-	1	1	1	
Soldier	25	1	24	-	-	1	3	9	8	3	1	-	-	
Militia, Volunteers	10	-	10	-	-	-	-	2	3	4	-	1	-	
Army Pensioner	23	-	23	-	-	-	-	1	6	1	2	1	12	
2. Navy Officer (effective)	2	-	2	-	-	-	-	-	-	-	-	1	1	
Seaman, R.N.	1	1	-	-	-	1	-	-	-	-	-	-	-	
Coastguard, Royal Naval Reserve	3	-	3	-	-	-	1	-	1	-	-	-	1	
Navy Pensioner	6	-	6	-	-	-	-	-	-	1	1	-	4	
3. 1. Clergyman	31	-	31	-	-	-	-	1	3	6	6	9	6	
Protestant Minister	29	-	29	-	-	-	-	9	1	3	6	9	1	
Roman Catholic Priest	1	-	1	-	-	-	-	-	-	-	-	1	-	
Missionary, Scripture Reader	1	-	1	-	-	-	-	-	-	1	-	-	-	
Church, Chapel Officer	5	-	5	-	-	-	-	-	-	-	1	2	2	
Others	5	-	5	-	-	-	2	1	-	2	-	-	-	
2. Solicitor, Attorney	14	-	14	-	-	-	-	1	4	-	6	2	1	
Law Clerk	10	1	9	-	-	1	2	2	2	1	1	-	1	
3. Physician, Surgeon	28	-	28	-	-	-	1	5	7	3	3	3	6	
Medical—Assistant, Student	1	-	1	-	-	-	-	1	-	-	-	-	-	
Chemist, Druggist	20	-	20	-	-	-	6	6	3	2	3	-	1	
4. Students and Others	4	-	4	-	-	-	3	1	-	-	-	-	-	
5. Photographer	1	-	1	-	-	-	-	-	-	-	1	-	-	
6. Musician, Music Master	12	1	11	-	-	1	1	3	2	1	2	2	-	
7. Actor	3	-	3	-	-	-	-	1	2	-	-	-	-	
Others engaged in Theatres, &c.	2	-	2	-	-	-	-	-	1	-	-	1	-	
8. Schoolmaster	36	-	36	-	-	-	5	8	3	3	2	13	2	
Teacher, Professor, Lecturer	2	-	2	-	-	-	1	1	-	-	-	-	-	
9. Civil Engineer	5	-	5	-	-	-	-	1	-	2	-	1	1	
II.—DOMESTIC CLASS.														
5. 1. Inn Keeper, Hotel Keeper, Publican	112	-	112	-	-	-	1	16	11	22	29	19	14	
Beerseller	2	-	2	-	-	-	-	-	-	-	1	1	-	
Lodging-house, Boarding-house Kpr.	3	-	3	-	-	-	-	-	-	-	1	1	-	
Institution Service	4	-	4	-	-	-	1	2	-	-	-	1	-	
Others	3	-	3	-	-	-	-	1	-	1	-	-	1	
2. Domestic Servant (General)	18	2	16	-	1	1	5	1	1	-	3	3	5	
Coachman	7	-	7	-	-	-	-	3	1	1	1	-	-	
Groom	3	-	3	-	-	-	2	1	-	-	-	-	-	
Gardener	6	-	6	-	-	-	-	-	1	-	3	1	1	
Inn, Hotel Servant	19	-	19	-	-	-	2	2	3	3	4	3	2	
Others	2	-	2	-	-	-	-	-	1	-	1	-	-	
III.—COMMERCIAL CLASS.														
6. 1. Merchant	11	-	11	-	-	-	-	2	3	3	-	2	1	
Bank Service	6	-	6	-	-	-	-	3	1	1	1	-	-	
Insurance, Benefit Society, Service	2	-	2	-	-	-	-	1	-	-	-	1	-	
Broker, Agent, Factor	6	-	6	-	-	-	-	2	-	1	-	3	-	
Auctioneer, Valuer, House Agent	9	-	9	-	-	-	-	2	2	1	-	4	-	
Accountant	20	1	19	-	-	1	2	6	3	3	2	2	1	
Commercial Clerk	29	6	23	-	-	6	3	8	3	-	2	3	2	
Commercial Traveller	11	-	11	-	-	-	-	4	3	1	2	-	1	
2. Shopkeeper (branch undefined), General Dealer	19	-	19	-	-	-	1	2	1	1	6	6	2	
Huckster, Costermonger	2	-	2	-	-	-	-	-	-	1	1	-	-	
Hawker, Pedlar	24	-	24	-	-	-	-	2	3	1	6	6	6	

NOTE.—This Table comprises Monmouthshire and South and North Wales.

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
7. 1. Railway Engine Driver, Stoker - Railway Officer, Clerk, Station-master Railway Attendant, Servant -	8 13 65	1 1 6	7 12 59	- - -	- 1 5	1 4 15	2 2 25	4 3 25	1 2 10	- 2 5	- 1 4	- - 1	- - 1	
2. Toll Collector, Turnpike-gate Keeper- Coach, Omnibus, Cab Owner, Livery Stable Keeper - Coachman (not domestic), Cabman, Flyman - Carman, Carrier, Carter, Drayman -	4 4 23 40	- - 2 1	4 4 21 39	- - - -	- - 2 1	- - 3 1	1 - 3 1	- 1 3 8	1 - 3 5	- 1 4 6	- - 1 5	2 - 1 9	- - 5 4	
3. Inland Navigation Service - Barge-man, Waterman -	6 17	- 1	6 16	- -	- 1	- -	- -	1 4	1 4	1 3	1 1	1 2	1 2	
4. Shipowner - Steam Navigation Service - Ship Steward, Cook - Seaman (Merchant Service) - Pilot - Boatsman on River - Harbour, Dock Service, Labourer - Wharfinger - Others -	2 14 4 255 19 4 20 5 3	- - 1 14 - - - - - 1	2 14 3 241 19 4 20 5 3	- - - - - - - - -	- - 1 14 - - - 1 -	- 1 1 30 1 - - - -	1 6 1 61 2 - 1 -	- 4 1 44 3 - - -	- 3 - 23 2 - - -	- 1 - 23 2 - - -	- - 1 22 2 - -	1 - 7 19 1 - -	- - 3 22 7 1 -	
5. Warehouseman - Meter, Weigher -	3 4	1 -	2 4	- -	- -	1 -	1 -	- -	- -	- -	- -	1 4	- -	
6. Messenger, Porter, Errand Boy - Telegraph Company Service -	6 1	1 -	5 1	- -	- -	1 -	- -	2 1	- -	1 -	- -	2 -	- -	
IV.—AGRICULTURAL CLASS.														
8. 1. Land Proprietor (so returned) - Farmer, Grazier - Farmer's Son, Brother, Grandson, Nephew - Farm Bailiff - Agricultural Labourer - Shepherd (out-door) - Farm Servant (in-door) - Land Surveyor, Estate Agent - Land Drainage Service -	33 958 56 18 752 14 60 6 1	- 1 - - 122 - 12 - -	33 957 56 18 640 14 48 6 1	- - - - 44 - - - -	- - - - 30 - 1 - -	- 1 - - 45 - 11 - -	- 7 - - 37 - 12 - -	1 42 23 1 47 15 1 -	2 51 2 1 37 2 4 1 -	2 79 8 4 23 2 4 - -	8 155 - 2 92 2 - - -	8 211 - - 100 - 1 -	13 279 - - 206 - 7 -	
2. Woodman -	15	1	14	-	-	1	1	1	2	1	2	1	6	
3. Nurseryman, Seedsman, Florist Gardener -	2 65	- -	2 65	- -	- -	- -	- 1	1 5	- 6	- 6	1 12	- 20	- 14	
9. 1. Horse Proprietor, Dealer - Horse Breaker - Horsekeeper, Groom, Jockey - Farrier, Veterinary Surgeon - Cattle, Sheep, Pig, Salesman - Drover - Gamekeeper - Vermin Destroyer - Fisherman - Others engaged about Animals -	2 3 31 4 10 1 16 2 8 8	- - - - - - - - 1 -	2 3 31 4 10 1 16 2 7 3	- - - - - - - - - -	- - - - - - - - - -	- - 2 - - - - - - 1 -	- - 2 - 2 - - 2 - -	- - 3 - 3 - 2 - -	- - 6 - 3 - 1 - 1	- - 7 - 1 - 3 - 1	2 - 6 - 2 - - - - -	1 - 2 1 2 - - - - 1	1 4 3 - 1 - - - 2	
V.—INDUSTRIAL CLASS.														
10. 1. Bookseller, Publisher - Bookbinder - Printer - Newspaper Agent, News-room Keeper - 2. Toy Maker, Dealer - 3. Watch Maker, Clock Maker Weighing Machine, Scale, Measure, Maker - 4. Gunsmith, Gun Manufacture - 5. Engine and Machine Maker Agricultural Implement, Machine Mkr. Millwright - File Maker, Dealer - Cutler - 6. Coachmaker Wheelwright - Others engaged about Carriages -	3 6 19 1 1 14 1 1 1 53 9 1 1 2 26 2	- - 2 - - 1 - - - 3 1 - - - - -	3 6 17 1 1 18 1 1 1 50 1 6 1 2 25 2	- - - - - - - - - 1 - - - - - -	- - 2 - - 1 - - - 2 - - - -	- - - - - - - - - - - - - - -	1 - 3 - - - 2 - - - 8 - - - - - -	- - 5 - - - 3 - - 12 - - - - - -	- 1 - - 1 - 1 - - 7 1 1 - - 1 -	- - 2 - - - - - 6 - - - - - 4 -	1 2 1 - - 8 - - 7 1 1 - - 1 -	1 1 2 - - 1 - - 6 - - - - 4 -	1 1 3 - - 2 - - 6 - - - - 1 -	

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
10.—cont.													
12. Saddler, Harness, Whip Maker - -	31	2	29	-	-	2	2	4	3	2	7	3	3
13. Ship, builder, Shipwright, Boat-builder	52	1	51	-	-	1	3	7	12	7	7	5	10
Sail Maker - - - - -	5	-	-	-	-	-	-	1	-	-	-	-	1
Others - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
14. House Proprietor - - - - -	7	-	7	-	-	-	-	-	1	-	1	2	3
Architect - - - - -	4	1	3	-	-	1	-	-	1	-	-	1	1
Surveyor - - - - -	3	-	3	-	-	-	-	-	1	1	-	1	-
Builder - - - - -	15	-	15	-	-	-	-	-	2	3	2	4	2
Carpenter, Joiner - - - - -	226	7	219	-	-	7	19	44	24	28	25	30	44
Bricklayer - - - - -	11	2	9	-	-	2	2	1	1	-	1	1	3
Mason, Pavlar - - - - -	188	8	180	-	-	8	8	26	17	28	31	25	45
Slatier, Tiler - - - - -	18	1	17	-	-	1	-	4	-	2	1	2	8
Plasterer - - - - -	26	2	24	-	-	2	4	1	-	5	2	5	7
Plumber, Painter, Glazier - -	44	2	42	-	-	2	5	10	9	7	2	7	2
15. Cabinet Maker, Upholsterer - -	23	-	23	-	-	-	3	4	1	2	5	6	2
Undertaker - - - - -	3	-	3	-	-	-	-	-	-	1	-	1	1
16. Manufacturing Chemist, Labourer -	15	-	15	-	-	-	-	5	3	-	2	2	1
Dyer, Scourer, Calenderer - -	1	-	1	-	-	-	-	-	-	2	1	-	-
11. 1. Woolstapler - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Woollen Cloth Manufacture - -	22	2	20	-	-	2	1	2	-	-	4	5	8
Fuller - - - - -	3	1	2	-	-	1	-	-	-	-	1	1	-
Flannel Manufacture - - - - -	27	2	25	-	-	2	2	4	1	2	4	2	10
2. Silk Merchant, Dealer - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
3. Flax, Linen Manufacture - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Lace Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
Calico, Cotton, Printer - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
4. Weaver (not otherwise described)	21	-	21	-	-	-	-	1	1	2	2	5	10
Draper, Linen Draper, Mercer -	83	10	73	-	-	10	17	25	14	2	6	6	3
5. Hairdresser, Wig Maker - - -	4	-	4	-	-	-	-	2	1	1	1	-	1
Hatter, Hat Manufacture - - -	3	-	3	-	-	-	-	-	-	-	1	-	2
Furrier - - - - -	9	-	9	-	-	-	-	1	-	2	3	2	1
Tailor - - - - -	172	8	164	-	-	8	13	21	25	26	21	19	39
Hosiery Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Hosiery, Haberdasher - - - -	3	-	3	-	-	-	-	1	1	1	-	-	-
Glove Maker (all except leather)	3	-	3	-	-	-	-	-	-	1	1	1	-
Shoemaker, Bootmaker - - - -	190	6	184	-	-	6	12	17	14	22	40	30	49
Patten, Clog Maker - - - - -	4	-	4	-	-	-	1	-	-	-	1	2	-
Umbrella, Parasol, Stick Maker	1	-	1	-	-	-	-	-	-	1	-	-	-
6. Rope, Cord Maker - - - - -	3	-	3	-	-	-	-	-	1	-	1	1	-
12. 1. Cowkeeper, Milkseiler - - -	3	-	3	-	-	-	-	1	-	-	1	1	-
Cheesemonger - - - - -	2	-	2	-	-	-	-	1	-	-	1	-	-
Butcher, Meat Salesman - - -	77	-	77	-	-	-	6	10	11	8	9	15	18
Provision Curer, Dealer - - -	3	-	3	-	-	-	-	-	-	-	1	1	1
Poulterer, Game Dealer - - -	3	-	3	-	-	-	-	-	2	1	-	-	-
Fishmonger - - - - -	5	-	5	-	-	-	-	1	1	1	-	-	2
2. Corn, Flour, Seed, Merchant, Dealer	8	-	8	-	-	-	-	1	-	1	-	4	2
Miller - - - - -	47	1	46	-	-	1	3	5	5	6	5	12	10
Baker - - - - -	13	-	13	-	-	-	2	1	1	3	1	4	1
Confectioner, Pastry Cook - -	2	-	2	-	-	-	-	-	-	2	-	-	-
Greengrocer, Fruit, Vegetable, Dealer	14	1	13	-	-	1	2	3	1	1	2	4	-
5. Malster - - - - -	20	-	20	-	-	-	-	3	2	9	1	4	8
Brewer - - - - -	22	1	21	-	-	1	3	2	7	1	1	5	2
Wine and Spirit Merchant - - -	9	2	7	-	-	2	1	2	2	1	-	1	-
Cellarman - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Grocer, Tea Dealer - - - - -	82	4	78	-	-	4	13	17	6	7	13	13	9
Tobacco, Cigar, Snuff, Manufacture,	-	-	-	-	-	-	-	-	-	-	-	-	-
Tobaccoist - - - - -	2	-	2	-	-	-	1	-	-	-	-	-	1
Others - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
13. 1. Soap Boiler - - - - -	1	1	-	-	-	1	-	-	-	-	1	1	-
Tallow Chandler - - - - -	4	-	4	-	-	-	1	-	-	-	-	-	1
2. Tanner - - - - -	5	-	5	-	-	-	-	-	1	1	3	-	-
Currier - - - - -	7	-	7	-	-	-	-	1	2	1	1	1	1
14. 1. Japanner - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
2. Timber, Wood, Merchant, Dealer	10	-	10	-	-	-	2	1	2	-	2	1	2
Sawyer - - - - -	39	-	39	-	-	-	-	3	3	7	-	9	-
Lath, Fence, Hurdle, Maker - -	2	-	2	-	-	-	-	-	-	-	-	2	-
Wood, Turner, Worker - - - -	3	-	3	-	-	-	-	-	-	-	1	2	-
Box, Packing Case, Maker - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Cooper, Hoop-maker and Bender -	23	-	23	-	-	-	2	1	-	2	4	7	7

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
14.—cont.													
4. Basket Maker - - - - -	7	-	7	-	-	-	1	-	1	-	3	-	1
Hay and Straw Dealer - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Thatcher - - - - -	2	-	2	-	-	-	-	-	-	-	-	1	1
5. Rag Gatherer - - - - -	4	-	4	-	-	-	-	1	-	1	1	-	1
Paper Manufacture - - - - -	3	-	3	-	-	-	-	-	1	1	-	-	1
Stationer (not Law) - - - - -	2	-	2	-	-	-	1	-	-	1	-	-	-
Paper Stainer - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
Other Workers in Paper - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
15. 1. Coal Miner - - - - -	804	98	706	-	30	66	98	185	97	96	125	104	51
Copper Miner - - - - -	25	2	23	-	-	2	1	1	1	4	4	4	6
Lead Miner - - - - -	100	3	97	-	-	3	8	13	10	23	25	13	7
Iron Miner - - - - -	110	2	108	-	-	2	11	13	8	15	25	16	18
Miner (branch undefined) - - -	80	3	77	-	1	2	2	9	8	-	4	2	1
Coal Mine Service - - - - -	21	1	20	-	-	1	1	3	1	4	5	5	1
Mine Service (Metal not stated) -	7	-	7	-	-	-	-	-	1	1	1	1	-
Others - - - - -	2	-	2	-	-	-	-	-	2	-	-	-	-
2. Coal Merchant, Dealer - - - -	14	-	14	-	-	-	-	1	1	3	1	5	3
Coal-heaver, Labourer - - - - -	49	4	45	-	1	3	3	13	4	10	10	4	3
Coke Burner, Dealer - - - - -	13	1	12	-	-	1	1	3	4	3	1	-	-
Chimney Sweeper - - - - -	6	-	6	-	-	-	-	1	4	1	-	-	-
Gas Works Service - - - - -	5	-	5	-	-	-	-	1	1	1	1	-	-
Other Workers in Coal - - - - -	4	-	4	-	-	-	1	-	2	-	-	1	-
3. Stone Quarrier - - - - -	74	-	74	-	-	-	9	13	7	13	15	10	7
Stone, Merchant, Cutter, Dresser -	18	-	18	-	-	-	1	2	6	1	4	3	1
Slate Quarrier - - - - -	151	13	138	-	1	12	27	22	21	20	19	17	12
Limestone Quarrier, Lime-Burner -	16	-	15	-	-	1	-	1	2	3	5	2	3
Clay Labourer - - - - -	17	-	17	-	-	-	-	5	4	1	-	1	5
Brick Maker, Dealer - - - - -	54	3	51	-	-	3	1	10	14	9	8	4	5
Railway Labourer, Platelayer, Navy- Road Labourer - - - - -	33	-	33	-	-	-	-	1	1	8	4	11	13
Others - - - - -	11	-	11	-	-	-	-	2	1	-	4	3	1
4. Earthenware Manufacture - - -	8	-	8	-	-	-	-	1	2	2	2	1	-
Tobacco-pipe Maker - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
Earthenware and Glass Dealer - -	6	-	6	-	-	-	-	-	2	1	-	1	3
5. Glass Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
6. Other Dealers in Salt - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
8. Goldsmith, Silversmith, Jeweller -	6	-	6	-	-	-	2	2	-	1	-	1	-
Others - - - - -	2	-	2	-	-	-	-	2	-	-	-	-	-
9. Copper Manufacture - - - - -	57	3	54	-	3	4	7	10	8	11	12	3	3
Coppersmith - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
10. Tin Manufacture - - - - -	36	8	28	-	3	5	11	8	4	2	1	2	-
Tinplate Worker, Tinman - - - -	30	5	25	-	-	5	4	6	1	4	4	5	1
11. Zinc Manufacture - - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-
12. Lead Manufacture - - - - -	10	-	10	-	-	-	-	2	2	1	4	-	1
13. Brass Manufacture, Brasier - - -	3	-	3	-	-	-	-	-	1	-	1	1	-
Locksmith, Bellhanger - - - - -	2	-	2	-	-	-	-	-	-	-	2	-	-
Gas Fitter - - - - -	3	1	2	-	-	1	-	-	1	-	-	1	-
Wire Worker, Drawer - - - - -	2	-	2	-	-	-	-	1	-	-	1	-	-
14. Iron Manufacture - - - - -	361	26	335	-	4	22	35	71	51	50	57	66	35
Blacksmith - - - - -	123	10	113	-	-	10	16	29	12	34	26	26	20
Nail Manufacture - - - - -	11	1	10	-	-	1	-	1	-	1	2	3	3
Anchor-smith, Chainsmith - - - -	4	-	4	-	-	-	-	-	1	-	-	2	-
Ironmonger, Hardware Dealer - - -	10	-	10	-	-	-	3	4	2	-	1	-	-
Steel Manufacture, Worker - - - -	11	-	11	-	-	-	3	2	2	2	3	-	-
Others - - - - -	1	-	1	-	-	-	3	1	-	-	-	-	-
VII.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	1011	40	971	-	7	33	61	96	106	119	164	212	223
2. Artisan, Mechanic (branch undefined) -	2	-	2	-	-	-	-	2	-	-	-	-	-
Engine Driver, Stoker (branch undef.) -	44	8	36	-	1	7	10	7	5	8	5	5	1
Factory Labourer (branch undefined) -	2	-	2	-	-	-	-	-	2	-	-	-	-
Vagrant, Gipsy - - - - -	6	-	6	-	-	-	2	1	-	1	2	-	-
Others of undesignated Occupation - -	464	184	280	-	2	122	70	79	53	19	19	37	3
17. 1. Gentleman, Independent, Annuitant -	70	1	69	-	-	1	-	4	7	9	12	20	17
18. 1. Scholars and Children of no stated Occupation - - - - -	1019	1019	-	729	290	-	-	-	-	-	-	-	-

ENGLAND.

DEATHS OF MALES

AGED 5 YEARS AND UPWARDS

OF

DIFFERENT OCCUPATIONS

IN

EIGHTY TOWN DISTRICTS

REGISTERED IN THE YEAR

1871.

ENGLAND.—DEATHS OF MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS* in the Year 1871.

CLASSES, ORDERS, AND SUB-ORDERS.			AGES OF MALES.																							
			TOTAL 5 Years and upwards.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95—	100—	
TOTAL OF MALES AGED 5 YEARS AND UPWARDS - - - - }			68,989	10,987	58,002	5,454	2,870	3,113	4,237	3,023	2,413	2,267	2,214	2,267	2,214	2,267	2,214	2,267	2,214	2,267	2,214	2,267	2,214	2,267	2,214	2,267
CLASSES.																										
I. PROFESSIONAL CLASS -			4,896	102	4,794	-	4	96	296	846	794	680	686	686	686	686	686	686	686	686	686	686	686	686	686	686
II. DOMESTIC CLASS - - -			2,414	59	2,355	-	8	56	125	349	471	461	460	461	461	461	461	461	461	461	461	461	461	461	461	461
III. COMMERCIAL CLASS - -			9,413	422	8,990	-	23	399	749	1,768	1,710	1,646	1,582	1,517	1,453	1,389	1,325	1,261	1,197	1,133	1,069	1,005	941	877	813	
IV. AGRICULTURAL CLASS -			3,809	115	3,694	8	11	96	180	364	367	368	368	368	368	368	368	368	368	368	368	368	368	368	368	368
V. INDUSTRIAL CLASS - -			31,075	1,189	29,886	6	99	1,084	2,171	4,475	4,794	5,265	5,229	4,904	4,579	4,254	3,929	3,604	3,279	2,954	2,629	2,304	1,979	1,654	1,329	
VI. INDEFINITE AND NON-PRODUCTIVE CLASS -			17,583	9,050	8,533	5,440	2,330	1,380	786	1,290	1,363	1,316	1,261	1,206	1,151	1,096	1,041	986	931	876	821	766	711	656	601	
ORDERS.																										
I.	1. Persons engaged in the GENERAL or LOCAL GOVERNMENT of the Country - - -	999	11	988	-	-	11	43	156	177	164	163	163	163	163	163	163	163	163	163	163	163	163	163	163	
		1728	47	1681	-	1	46	123	373	305	231	186	139	89	39	-	-	-	-	-	-	-	-	-	-	
		1968	44	1925	-	3	41	181	315	312	295	307	323	339	355	371	387	403	419	435	451	467	483	499	515	
II.	5. Persons engaged in ENTERTAINING, and performing PERSONAL OFFICES for Man -	2414	59	2355	-	3	56	125	349	471	461	460	461	461	461	461	461	461	461	461	461	461	461	461	461	
		2759	115	2644	-	2	113	190	495	460	451	439	427	415	403	391	379	367	355	343	331	319	307	295	283	
		6653	307	6346	-	21	286	539	1273	1250	1189	1082	975	868	761	654	547	440	333	226	119	112	105	98	91	
III.	6. Persons who BUY or SELL, KEEP or LEND Money, Houses, or Goods of VARIOUS KINDS -	2759	115	2644	-	2	113	190	495	460	451	439	427	415	403	391	379	367	355	343	331	319	307	295	283	
		6653	307	6346	-	21	286	539	1273	1250	1189	1082	975	868	761	654	547	440	333	226	119	112	105	98	91	
		10697	390	10507	-	18	373	815	1651	1751	1690	1643	1595	1547	1499	1451	1403	1355	1307	1259	1211	1163	1115	1067	1019	
IV.	8. Persons possessing or working the LAND, and engaged in growing GRAIN, FRUITS, GRASSES, ANIMALS, and other Products -	2987	91	2896	8	9	74	79	205	231	255	280	304	329	353	377	401	425	449	473	497	521	545	569	593	
		822	24	798	-	2	23	51	159	136	150	127	115	103	91	79	67	55	43	31	19	7	-	-	-	
		10697	390	10507	-	18	373	815	1651	1751	1690	1643	1595	1547	1499	1451	1403	1355	1307	1259	1211	1163	1115	1067	1019	
V.	11. Persons working and dealing in the TEXTILE FABRICS and in DRESS -	6717	214	6503	2	9	203	373	803	873	1145	1216	1287	1358	1429	1500	1571	1642	1713	1784	1855	1926	1997	2068	2139	
		4001	113	3888	-	2	111	254	509	609	635	679	723	767	811	855	899	943	987	1031	1075	1119	1163	1207	1251	
		583	17	566	-	1	16	36	67	96	98	109	119	129	139	149	159	169	179	189	199	209	219	229	239	
VI.	12. Persons working and dealing in ANIMAL SUBSTANCES -	1306	42	1264	-	8	84	98	211	313	346	380	414	448	482	516	550	584	618	652	686	720	754	788	822	
		1306	42	1264	-	8	84	98	211	313	346	380	414	448	482	516	550	584	618	652	686	720	754	788	822	
		7481	413	7068	4	61	343	601	1115	1162	1216	1270	1324	1378	1432	1486	1540	1594	1648	1702	1756	1810	1864	1918	1972	
VII.	16. LABOURERS AND OTHERS—Branch of labour undefined - - -	8875	1398	7487	-	18	1375	740	1947	1214	1216	1238	1239	1261	1262	1284	1285	1307	1308	1330	1331	1353	1354	1376	1377	
		1066	5	1061	-	-	5	26	43	68	100	153	212	271	330	389	448	507	566	625	684	743	802	861	920	
		7653	7653	-	5440	2213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUB-ORDERS.																										
I.	1. 1. Officers of National Government - -	547	9	538	-	-	9	21	63	82	93	97	75	-	-	-	-	-	-	-	-	-	-	-	-	
		436	2	434	-	-	2	21	90	93	70	63	45	-	-	-	-	-	-	-	-	-	-	-	-	
		16	-	16	-	-	-	-	-	-	2	1	4	2	-	-	-	-	-	-	-	-	-	-	-	
II.	2. 1. Army - - - - -	1105	22	1083	-	-	22	75	339	309	140	119	136	-	-	-	-	-	-	-	-	-	-	-	-	
		623	25	598	-	1	24	45	114	96	91	67	84	-	-	-	-	-	-	-	-	-	-	-	-	
		2. Navy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The following are the Eighty Town Districts comprised in this Table (Male population in 1871 aged 5 years and upwards, 2,323,353) -

London.	Cambridge.	East Stonehouse.	Wolstanton.	Lincoln.	Ashton-under-Lyne.	South Shields.
Maidstone.	West Ham.	Stoke Dameral.	Stoke-upon-Trent.	Radford.	Bradford.	Gateshead.
Canterbury.	Colchester.	Tyng.	Wolverhampton.	Nottingham.	Hunslet.	Newcastle-upon-Tyne.
Brighton.	St. Edmunds.	Bath.	Worcester.	Derby.	Leeds.	Tyneside.
Portsea Island.	Ipwich.	Bedminster.	Kings Norton.	Stockport.	Eastleas Bierlow.	Carlisle.
Alverstoke.	Yarmouth.	Bristol.	Birmingham.	Macclesfield.	Sheffield.	Merthyr Tydfil.
Southampton.	Norwich.	Clifton.	Aston.	Chester.	Souleaton.	Pembroke.
Reading.	Kings Lynn.	Gloucester.	Foleshill.	Liverpool.	Hull.	Holywell.
Oxford.	Salisbury.	Cheltenham.	Cowley.	West Derby.	Searborough.	
Northampton.	St. Thomas.	Hereford.	Warwick.	Salford.	Durham.	
Bedford.	Exeter.	Shrewsbury.	Leicester.	Manchester.	Sunderland.	
	Plymouth.	Stafford.				

* The following are the Eighty Town Districts comprised in this Table (Male population in 1871 aged 5 years and upwards, 2,923,383). —

London.	Cambridge.	East Stonehouse.	Wolstanton.	Lincoln.	Ashton-under-Lyne.	South Shields.
Medway.	West Ham.	Stoke Damerd.	Stoke-upon-Trent.	Radford.	Bradford.	Gateshead.
Maldstone.	Colchester.	Truro.	Wolverhampton.	Nottingham.	Huddersfield.	Newcastle-upon-Tyne.
Canterbury.	Bury St. Edmunds.	Worcester.	Vudley.	Dartford.	Leeds.	Plymouth.
Brighton.	Bedminster.	Bristol.	Worcester.	Stockport.	Doncaster.	Cardiff.
Portsea Island.	Yarmouth.	Gloucester.	Kings Norton.	Macclesfield.	Sheffield.	Merthyr Tydfil.
Alverstoke.	Norwich.	Cheltenham.	Birmingham.	Chester.	York.	Liverpool.
Southampton.	Kings Lynn.	Hereford.	Aston.	Liverpool.	Sunderland.	Manchester.
Reading.	Salisbury.	Shrewsbury.	Foleshill.	West Derby.		
Oxford.	St. Thomas.	Stafford.	Coventry.	Chorlton.		
Northampton.	Plymouth.		Warwick.	Durham.		
Bedford.			Leicester.	Salford.		

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwds.	
Total of Males AGED 5 YEARS AND UPWARDS	66909	10987	58063	5454	2370	3113	4237	9023	9418	9997	9314	9288	698	
X.—PROFESSIONAL CLASS.														
1.—Persons engaged in the GENERAL or LOCAL GOVERNMENT of the Country.														
1. National Government.														
Civil Service	273	5	268	-	-	5	7	36	40	44	48	44	6	
Government Messengers, Workmen, &c.	261	4	257	-	-	4	14	32	41	47	43	31	20	
Other Government Officers	13	-	13	-	-	-	-	-	1	2	7	-	1	
2. Local Government.														
Magistrate (so returned)	9	-	9	-	-	-	-	-	-	1	-	4	4	
Officer of Law Court	32	1	32	-	-	1	1	3	3	6	6	7	4	
Police	234	1	233	-	-	1	15	69	63	39	24	21	9	
Prison Officer	26	-	26	-	-	-	-	5	6	5	5	4	1	
Municipal, Parish, Union, Officer	130	-	130	-	-	-	2	13	21	26	26	19	8	
Other Local Government Officers	2	-	2	-	-	-	-	-	-	1	1	-	-	
3. East India and Colonial Government.														
East India and Colonial Service	16	-	16	-	-	-	-	-	2	1	4	3	4	
2.—Persons engaged in the DEFENCE of the Country.														
1. Army—(at Home).														
Army Officer (effective)	106	-	106	-	-	-	3	11	11	12	22	25	23	
Army Retired and Half Pay Officer	49	-	49	-	-	-	-	2	3	5	6	9	21	
Soldier	504	22	482	-	-	22	65	506	141	37	9	9	13	
Militia Volunteers	44	-	44	-	-	-	1	5	9	12	6	2	1	
Army Pensioner	366	-	366	-	-	-	6	32	45	66	74	73	100	
Others	4	-	4	-	-	-	-	-	-	1	2	-	1	
2. Navy—(Ashore or in Port).														
Navy Officer (effective)	55	1	54	-	-	1	3	7	5	8	5	10	15	
Navy Retired and Half Pay Officer	23	-	23	-	-	-	-	-	1	1	3	11	7	
Seaman, R.N.	201	23	178	-	1	22	37	68	36	23	9	3	5	
Royal Marine	73	1	72	-	-	1	5	19	21	13	5	6	2	
Coastguard, Royal Naval Reserve	16	-	16	-	-	-	-	1	3	4	2	2	1	
Navy Pensioner	255	-	255	-	-	-	8	24	28	42	48	51	64	
3.—Persons engaged in the LEARNED PRO- FESSIONS, or in LITERATURE, ART, and SCIENCE (with their immediate Sub- ordinates).														
1. Clergymen, Ministers, and Church Officers.														
Clergyman	128	-	128	-	-	-	2	5	15	17	16	41	33	
Protestant Minister	56	-	56	-	-	-	2	4	4	5	10	11	14	
Roman Catholic Priest	10	-	10	-	-	-	-	3	1	-	3	8	-	
Missionary, Scripture Reader	16	-	16	-	-	-	-	4	2	2	5	4	1	
Church, Chapel Officer	53	-	53	-	-	-	1	5	9	12	13	13	11	
Others	11	3	8	-	-	3	1	2	1	1	2	-	1	
2. Lawyers, Law Court Officers, and Law Stationers.														
Barrister	32	-	32	-	-	-	-	3	3	7	9	5	5	
Solicitor, Attorney	162	-	162	-	-	-	5	16	24	22	29	25	29	
Law Student	2	-	2	-	-	-	-	1	-	1	-	-	-	
Law Clerk	199	7	192	-	1	6	24	53	30	26	16	17	9	
Law Stationer	23	1	22	-	-	1	2	5	4	5	2	8	1	
3. Physicians, Surgeons, and Druggists.														
Physician, Surgeon	197	1	196	-	-	1	2	23	28	33	43	39	26	
Medical-Assistant, Student	20	1	19	-	-	1	7	5	2	3	1	1	-	
Dentist	18	1	17	-	-	1	3	4	2	2	1	4	1	
Chemist, Druggist	199	3	196	-	-	3	21	37	37	25	24	27	11	
Others	3	-	3	-	-	-	-	-	-	1	-	1	1	
4. Authors and Literary Persons.														
Author, Editor, Journalist	22	-	22	-	-	-	1	4	6	3	-	3	3	
Students and Others	46	5	41	-	1	4	10	7	5	8	8	4	4	
5. Artists.														
Painter, Artist	82	-	82	-	-	-	5	13	11	15	15	13	9	
Sculptor	7	-	7	-	-	-	1	-	2	1	1	2	-	
Engraver	64	3	61	-	-	3	6	11	14	12	12	16	8	
Photographer	31	3	28	-	-	3	2	7	11	6	2	-	-	
Others engaged in the Fine Arts	2	-	2	-	-	-	-	-	1	-	-	-	-	
6. Musicians, Teachers of Music.														
Musician, Music Master	206	4	202	-	-	4	14	50	62	27	25	28	15	
Others	6	-	6	-	-	-	-	3	2	-	1	-	-	

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65— and upwards.
3.—cont.												
7. Actors, &c.												
Actor - - - - -	31	-	31	-	-	-	-	6	3	9	9	2
Exhibitions, Shows—Service - - - - -	9	1	8	-	-	1	-	1	3	1	1	2
Others engaged in Theatres, &c. - - - - -	51	1	50	-	-	1	5	13	14	19	5	-
8. Teachers.												
Schoolmaster - - - - -	159	4	155	-	-	4	8	22	23	16	27	38
Teacher, Professor, Lecturer - - - - -	56	5	51	-	1	4	5	4	3	8	13	12
9. Scientific Persons.												
Civil Engineer - - - - -	56	1	35	-	-	1	3	8	8	4	4	5
Other Scientific Persons - - - - -	17	-	17	-	-	-	-	2	3	1	4	3
II.—DOMESTIC CLASS.												
5.—Persons engaged in entertaining and performing PERSONAL OFFICES for Men.												
1. In Board and Lodging.												
Inn Keeper, Hotel Keeper, Publican - - - - -	880	4	876	-	-	4	10	90	185	219	184	121
Beer-seller - - - - -	214	2	212	-	-	2	1	23	40	58	53	26
Lodging-house, Boarding-house Keeper - - - - -	74	-	74	-	-	-	-	5	14	15	16	9
Coffee-house, Eating-house Keeper - - - - -	68	2	66	-	-	2	4	5	18	13	10	11
Institution Service - - - - -	45	-	45	-	-	-	-	9	9	8	8	6
Others - - - - -	13	-	13	-	-	-	1	1	3	5	-	2
2. In Attendance (Domestic Servants, &c.)												
Domestic Servant (General) - - - - -	358	17	341	-	2	15	29	50	54	55	52	54
Coachman - - - - -	149	1	148	-	-	1	7	19	30	26	22	21
Groom - - - - -	22	2	20	-	-	2	4	4	3	2	3	1
Gardener - - - - -	56	-	56	-	-	-	3	7	9	4	7	14
Inn, Hotel Servant - - - - -	455	30	425	-	1	29	61	127	94	56	39	34
Cook (not Domestic Servant) - - - - -	53	1	52	-	-	1	4	8	12	11	4	8
Others - - - - -	27	-	27	-	-	-	1	3	5	9	2	5
III.—COMMERCIAL CLASS.												
6.—Persons who BUY or SELL, KEEP, or LEND, Money, Houses, or Goods of various Kinds.												
1. Mercantile Men.												
Merchant - - - - -	189	2	187	-	-	2	1	15	25	23	29	40
Banker - - - - -	17	-	17	-	-	-	-	1	3	2	2	4
Bank Service - - - - -	84	1	83	-	-	1	8	23	10	9	11	10
Insurance, Benefit Society, Service - - - - -	66	4	62	-	-	4	6	13	11	13	6	8
Broker, Agent, Factor - - - - -	169	4	165	-	-	4	4	28	31	41	22	29
Salesman (not otherwise described) - - - - -	25	1	24	-	-	1	2	5	5	5	3	5
Auctioneer, Valuer, House Agent - - - - -	101	-	101	-	-	-	4	9	18	11	24	20
Accountant - - - - -	138	3	135	-	-	3	4	22	16	32	21	24
Commercial Clerk - - - - -	931	79	852	-	2	77	118	219	151	130	92	92
Commercial Traveller - - - - -	234	1	233	-	-	1	13	54	47	53	41	17
Other Mercantile Men - - - - -	42	-	42	-	-	-	1	1	5	11	5	9
2. Other General Dealers.												
Pawnbroker - - - - -	71	5	66	-	-	5	6	14	6	14	13	5
Shoe-keeper (branch undefined), General Dealer - - - - -	223	4	219	-	-	4	7	25	39	34	54	26
Huckster, Costermonger - - - - -	66	4	62	-	-	4	1	11	18	5	10	10
Hawker, Pedlar - - - - -	433	7	426	-	-	7	15	53	75	68	93	73
7.—Persons engaged in the CONVEYANCE of Men, Animals, Goods, and Messages.												
1. Carriers on Railways.												
Railway Engine Driver, Stoker - - - - -	133	6	127	-	-	6	22	44	23	22	11	9
Railway Officer, Clerk, Station-master - - - - -	147	8	139	-	-	8	19	47	34	19	16	3
Railway Attendant, Servant - - - - -	431	28	403	-	3	25	62	121	92	59	43	19
2. Carriers on Roads.												
Toll Collector, Turnpike-gate Keeper - - - - -	34	-	34	-	-	-	1	1	4	6	7	8
Coach, Omnibus, Cab Owner, Livery Stable Keeper - - - - -	116	-	116	-	-	-	2	16	24	32	15	18
Coachman (not domestic), Cabman, Flyman - - - - -	653	3	650	-	-	3	30	98	141	147	111	88
Carman, Carrier, Carter, Drayman - - - - -	1082	41	1041	-	1	40	93	217	192	200	159	115
Others - - - - -	26	-	26	-	-	-	-	-	5	6	5	8
3. Carriers on Canals and Rivers.												
Inland Navigation Service - - - - -	35	2	33	-	-	2	1	5	2	8	4	7
Barge-man, Waterman - - - - -	389	11	378	-	2	9	19	60	58	57	80	68
Others - - - - -	1	-	1	-	-	-	-	-	1	-	-	-

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.	
7.—cont.														
4. Carriers on Seas and Rivers.														
Shipowner	41	-	41	-	-	-	-	-	4	11	10	30	6	6
Steam Navigation Service	109	1	108	-	1	-	11	28	23	17	10	5	4	1
Ship Steward, Cook	33	7	26	-	-	7	10	30	16	17	8	2	1	1
Seaman (Merchant Service)	1235	69	1166	-	3	66	155	274	243	204	128	113	104	104
Pilot	51	1	50	-	-	1	-	2	8	6	10	17	6	3
Boatman on Seas	18	2	16	-	-	2	1	1	1	2	2	6	3	2
Harbour, Dock Service, Labourer	889	10	879	-	-	10	31	80	134	126	105	72	52	3
Wharfinger	16	-	16	-	-	-	-	2	3	3	3	3	1	1
Others	63	4	59	-	-	4	5	12	16	11	10	8	-	-
5. Engaged in Storage.														
Warehouseman	381	24	357	-	-	24	37	73	72	76	46	38	12	12
Meter, Weigher	5	-	5	-	-	-	-	-	1	-	1	3	-	-
6. Messengers and Porters.														
Messenger, Porter, Errand Boy	855	75	780	-	10	65	47	130	148	135	156	179	45	45
Cotton Porter	67	1	66	-	-	1	3	7	12	16	11	13	3	3
Telegraph Company Service	33	14	19	-	1	13	10	5	2	1	1	3	1	1
Others engaged in Messages	9	-	9	-	-	-	-	-	-	2	3	3	-	-
IV.—AGRICULTURAL CLASS.														
8.—Persons possessing or working the LAND, and engaged in growing GRAIN, FRUITS, GRASSES, ANIMALS, and other Products.														
1. In Fields and Pastures.														
Land Proprietor (so returned)	83	-	83	-	-	-	-	3	3	8	14	22	37	37
Farmer, Grazier	733	2	731	-	-	2	6	30	48	72	122	214	239	239
Farmer's Son, Brother, Grandson, Nephew	42	25	17	8	5	12	5	9	3	-	-	6	9	9
Farm Bailiff	28	-	28	-	-	-	-	-	1	4	8	6	1	1
Agricultural Labourer	1248	43	1205	-	4	39	43	109	98	151	214	230	230	230
Shepherd (out door)	20	-	20	-	-	-	-	2	5	1	1	1	1	1
Farm Servant (in-door)	17	8	9	-	-	8	3	1	2	5	1	1	1	1
Land Surveyor, Estate Agent	30	-	30	-	-	-	-	5	4	2	6	4	1	1
Land Drainage Service	3	-	3	-	-	-	-	1	1	-	-	-	-	-
Agricultural Machine Proprietor, Attendant	9	1	8	-	-	1	2	1	1	1	-	3	-	-
Others engaged in Agriculture	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. In Woods.														
Woodman	30	1	29	-	-	1	1	1	4	4	8	9	7	7
3. In Gardens.														
Nurseryman, Seedman, Florist	46	2	46	-	-	2	6	3	4	8	9	9	7	7
Gardener	689	9	680	-	-	9	13	52	60	96	129	168	144	144
Others engaged in Horticulture	3	-	3	-	-	-	-	-	-	1	1	1	-	-
9.—1. Persons engaged about Animals.														
Horse Proprietor, Dealer	32	-	32	-	-	-	-	8	8	7	9	4	1	1
Horse Breaker	18	-	18	-	-	-	2	2	4	2	3	3	2	2
Horsekeeper, Groom, Jockey	402	11	391	-	1	10	30	88	72	83	53	46	14	14
Farrier, Veterinary Surgeon	97	3	96	-	-	3	8	26	15	9	20	13	10	10
Cattle, Sheep, Pig, Salesman	50	1	50	-	-	1	-	3	5	16	11	12	3	3
Drover	54	-	54	-	-	-	2	9	9	9	11	6	6	6
Gamekeeper	24	-	24	-	-	-	2	2	3	1	4	8	4	4
Vermin Destroyer	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Fisherman	117	9	108	-	1	8	12	14	30	19	9	16	16	16
Others engaged about Animals	17	-	17	-	-	-	-	3	5	4	2	3	-	-
V.—INDUSTRIAL CLASS.														
10.—Persons engaged in ART and MECHANIC Productions, in which matters of various kinds are employed in combination.														
1. In Books.														
Bookseller, Publisher	74	4	70	-	-	4	6	9	11	9	10	17	3	3
Bookbinder	111	5	106	-	1	4	9	14	22	20	15	20	4	4
Printer	539	50	489	-	4	46	65	86	77	84	72	47	26	26
Newspaper Agent, News-room Keeper	44	1	43	-	1	-	1	4	8	3	7	9	6	6
Others engaged in Publications	11	-	11	-	-	-	1	1	2	3	1	2	1	1
2. In Musical Instruments.														
Musical Instrument Maker, Dealer	90	4	86	-	-	4	15	14	16	10	10	11	11	11
Others	8	1	7	-	-	1	-	-	1	2	2	-	-	-
3. In Prints and Pictures.														
Lithographer, Lithographic Printer	36	4	32	-	-	4	6	12	6	6	1	1	1	1
Others	45	2	43	-	-	2	-	4	5	10	10	8	6	6
4. Carving and Figures.														
Wood-carver	48	-	48	-	-	-	7	12	5	4	7	10	1	1
Others	30	-	30	-	-	-	1	8	4	5	3	7	-	-
5. In Tackle for Sports and Games.														
Toy Maker, Dealer	39	2	37	-	1	1	4	1	2	8	12	6	4	4
Others	13	1	12	-	1	1	-	3	2	2	1	4	2	2

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.	
11.—cont.														
2. In Silk.														
Silk, Satin, Manufacture - - - -	224	9	215	1	-	8	2	18	26	22	45	27	45	2
Silk Dyer, Printer - - - -	14	-	14	-	-	-	1	-	1	2	3	4	2	-
Silk Merchant, Dealer - - - -	16	-	16	-	-	-	2	-	-	5	3	4	2	-
Ribbon Manufacture - - - -	67	3	64	-	-	3	1	7	10	6	13	15	12	-
Others - - - -	8	1	7	-	-	1	1	1	4	1	-	-	-	-
3. In Cotton and Flax.														
Flax, Linen Manufacture - - - -	41	1	40	-	-	1	7	5	5	6	9	2	6	-
Lace Manufacture - - - -	106	7	99	-	1	6	11	13	11	10	20	20	15	-
Thread Manufacture - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Tape Manufacture, Dealer - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Cotton Manufacture - - - -	634	37	597	1	2	34	45	81	75	106	127	98	68	-
Cotton, Calico Warehouseman, Dealer - - - -	15	-	15	-	-	-	1	4	1	2	3	-	4	-
Fustian Manufacture - - - -	46	1	45	-	-	1	-	7	4	9	9	13	3	-
Calico, Cotton, Printer - - - -	71	-	71	-	-	-	6	10	4	12	11	14	14	-
Calico, Cotton, Dyer - - - -	47	3	44	-	-	3	4	5	6	6	14	7	2	-
Others - - - -	4	-	4	-	-	-	-	-	-	2	-	1	1	-
4. In Mixed Materials.														
Weaver (not otherwise described) - - - -	207	3	204	-	-	3	4	9	14	20	20	26	25	-
Bleacher (not otherwise described) - - - -	19	-	19	-	-	-	3	1	5	4	-	3	1	-
Manchester Warehouseman - - - -	38	2	36	-	-	2	3	7	12	3	5	7	1	-
Draper, Linen Draper, Mercer - - - -	268	20	248	-	-	20	48	82	68	61	27	22	20	-
Fancy Goods Manufacturer, Dealer - - - -	13	1	12	-	-	1	2	1	1	1	5	2	-	-
Trimming Maker, Dealer - - - -	22	1	21	-	-	1	-	5	-	5	7	2	1	-
Others - - - -	3	-	3	-	-	-	-	-	-	-	-	2	1	-
5. In Dress.														
Hairdresser, Wig Maker - - - -	164	5	159	-	-	5	8	23	23	21	26	20	6	-
Hatter, Hat Manufacture - - - -	225	7	218	-	-	7	10	22	24	45	20	45	22	-
Straw Hat Manufacture - - - -	8	-	8	-	-	-	-	1	2	1	2	1	1	-
Furrier, Skinner - - - -	41	3	38	-	-	3	1	8	7	8	8	3	3	-
Tailor - - - -	1311	34	1277	2	23	22	62	129	197	274	267	205	230	-
Milliner - - - -	19	-	19	-	-	-	2	2	5	4	4	1	1	-
Stay Maker, Ladies' Outfitter - - - -	14	1	13	-	-	1	1	3	1	3	1	4	4	-
Hosiery Manufacture - - - -	210	2	208	-	-	2	8	12	15	40	25	40	20	-
Hosier, Haberdasher - - - -	43	2	41	-	-	2	4	9	8	7	3	6	4	-
Glover (leather) - - - -	15	-	15	-	-	-	1	2	2	3	2	4	4	-
Glove Maker (all except leather) - - - -	8	-	8	-	-	-	-	1	2	2	1	2	-	-
Shoemaker, Bootmaker - - - -	2002	41	1961	3	26	104	220	222	226	260	260	202	204	-
Fatten, Clog Maker - - - -	11	-	11	-	-	-	2	3	1	2	2	1	-	-
Button Maker - - - -	29	-	29	-	-	-	1	3	12	12	16	4	1	-
Umbrella, Parasol, Stick Maker - - - -	53	1	52	-	-	1	6	9	8	6	8	11	4	-
Laundry Keeper - - - -	25	1	24	-	-	1	3	3	3	5	5	9	6	-
Others providing Dress - - - -	48	7	41	-	-	7	3	4	9	5	7	7	6	-
6. Hemp and other Fibrous Materials.														
Mat Maker, Seller - - - -	17	-	17	-	-	-	-	2	1	5	5	2	1	-
Hemp Manufacture - - - -	2	-	2	-	-	-	-	-	-	2	-	-	-	-
Jute Manufacture - - - -	4	2	2	-	-	2	-	-	-	-	-	1	1	-
Rope, Cord, Maker - - - -	111	1	110	-	-	1	2	12	14	21	23	22	14	-
Canvas, Sailcloth, Manufacture, Dealer - - - -	6	-	6	-	-	-	-	-	-	1	3	1	-	-
Sacking, Sack, Bag, Maker, Dealer - - - -	12	-	12	-	-	-	-	1	-	-	3	1	2	-
Others - - - -	4	-	4	-	-	-	-	-	-	-	-	3	-	-
12.—Persons working and dealing in FOOD and DRINKS.														
1. In Animal Food.														
Cowkeeper, Milk-seller - - - -	231	4	227	-	-	4	9	25	31	45	49	26	20	-
Cheese-monger - - - -	71	2	69	-	1	1	5	14	7	15	11	8	6	-
Butcher, Meat Salesman - - - -	606	19	587	-	-	19	45	91	122	114	100	100	60	-
Provision Curer, Dealer - - - -	141	1	140	-	-	1	7	12	26	20	22	20	12	-
Poulterer, Game Dealer - - - -	62	1	61	-	-	1	4	6	11	9	11	11	20	-
Fishmonger - - - -	185	4	181	-	-	4	12	21	37	29	32	27	12	-
2. In Vegetable Food.														
Corn, Flour, Seed, Merchant, Dealer - - - -	142	2	140	-	-	2	8	22	22	26	21	22	27	-
Miller - - - -	170	4	166	-	-	4	6	11	30	29	26	22	20	-
Baker - - - -	409	13	396	-	-	13	24	70	78	80	66	72	61	-
Confectioner, Pastry Cook - - - -	122	8	114	-	-	8	7	17	15	22	24	23	7	-
Greengrocer, Fruit, Vegetable, Dealer - - - -	261	15	246	-	-	15	18	29	42	30	42	40	21	-
Others - - - -	12	-	12	-	-	-	-	-	2	2	5	2	1	-
3. In Drinks and Stimulants.														
Maltster - - - -	64	2	62	-	-	2	1	4	5	9	14	16	12	-
Brewer - - - -	343	-	343	-	-	-	17	73	75	43	64	32	20	-
Wine and Spirit Merchant - - - -	148	4	144	-	-	4	7	20	29	16	19	24	20	-
Cellarman - - - -	28	2	26	-	-	2	4	13	16	12	7	2	2	-
Ginger Beer, Soda Water, &c., Manufacture - - - -	27	1	26	-	-	1	1	5	10	3	2	3	1	-
Sugar Refiner - - - -	54	1	53	-	-	1	9	16	10	10	10	6	1	-
Croaker, Tea Dealer - - - -	433	20	413	-	-	20	22	26	62	49	50	24	21	-
Tobacco, Cigar, Snuff, Manufacture, Tobacconist - - - -	120	9	121	-	1	8	19	21	22	16	13	12	5	-
Others - - - -	71	1	70	-	-	1	2	10	15	11	13	11	6	-

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
13.—Persons working and dealing in ANIMAL SUBSTANCES.													
1. In Grease, Gut, Bones, Horn, Ivory, Whalebone,													
Soap Boiler - - - - -	25	1	24	-	-	1	3	4	3	6	5	2	1
Tallow Chandler - - - - -	39	1	38	-	-	1	2	2	5	9	3	11	6
Comb-maker - - - - -	31	1	30	-	1	-	1	2	2	2	7	9	7
Others - - - - -	53	2	51	-	-	2	1	8	13	7	8	11	3
2. In Skins, Feathers, and Quills.													
Fellmonger - - - - -	22	1	21	-	-	1	1	2	4	5	6	1	2
Tanner - - - - -	72	-	72	-	-	-	2	10	13	12	15	14	3
Carrier - - - - -	180	4	176	-	-	4	13	21	34	22	32	30	17
Leather Case, Portmanteau, Bag Maker - - - - -	20	1	20	-	-	1	5	7	1	3	1	3	1
Others - - - - -	10	-	10	-	-	-	-	1	1	3	1	3	1
3. In Hair.													
Hair, Bristle, Manufacture - - - - -	14	1	13	-	-	1	-	1	-	4	2	4	2
Brush, Broom, Maker - - - - -	107	5	102	-	-	5	10	9	14	19	24	16	10
14.—Persons working and dealing in VEGETABLE SUBSTANCES.													
1. In Gums and Resins.													
Oil-miller, Refiner - - - - -	31	4	27	-	-	4	3	4	3	6	3	7	1
Oil and Colourman - - - - -	37	-	37	-	-	-	4	10	6	7	4	5	1
French-polisher - - - - -	86	2	84	-	-	2	8	19	18	14	13	8	4
Japaner - - - - -	36	-	36	-	-	-	2	4	7	4	9	9	1
India Rubber, Gutta Percha, Manufacture, Dealer - - - - -	25	-	25	-	-	-	3	9	6	1	5	1	-
Floor Cloth Manufacture - - - - -	17	-	17	-	-	-	-	1	3	4	5	3	1
Others - - - - -	10	-	10	-	-	-	3	2	2	-	2	-	1
2. In Wood.													
Timber, Wood, Merchant, Dealer - - - - -	111	2	109	-	-	2	8	17	17	23	20	12	12
Sawyer - - - - -	246	5	241	-	3	2	10	27	26	42	51	50	35
Lath, Fence, Hurdle, Maker - - - - -	33	1	32	-	-	1	3	4	8	2	3	5	7
Wood, Turner, Worker - - - - -	79	2	77	-	-	2	5	10	12	16	11	14	9
Box, Packing Case, Maker - - - - -	61	6	55	-	-	6	5	15	10	8	5	8	4
Cooper, Hoop-maker and Bender - - - - -	252	4	248	-	-	4	17	43	40	40	43	44	21
3. In Bark.													
Cork Cutter, Manufacturer - - - - -	31	2	29	-	-	2	1	3	9	4	7	2	3
4. In Cane, Rush, and Straw.													
Basket Maker - - - - -	54	-	54	-	-	-	3	5	6	6	18	11	5
Hay and Straw Dealer - - - - -	27	1	26	-	1	-	1	1	-	8	6	7	3
Thatcher - - - - -	9	-	9	-	-	-	-	1	1	1	2	1	3
Others - - - - -	11	-	11	-	-	-	1	2	2	2	1	2	1
5. In Paper.													
Rag Gatherer, Dealer - - - - -	33	3	30	-	1	2	-	4	5	5	7	2	7
Paper Manufacture - - - - -	65	6	60	-	3	3	4	5	13	14	8	6	9
Stationer (not Law) - - - - -	87	3	84	-	-	3	9	19	11	10	14	12	10
Paper Stainer - - - - -	8	-	8	-	-	-	-	-	1	3	1	3	-
Other Workers in Paper - - - - -	46	1	45	-	-	1	2	6	7	11	8	9	2
15.—Persons working and dealing in MINERALS.													
1. Miners.													
Coal Miner - - - - -	1308	159	1169	1	40	28	131	105	106	197	179	168	103
Copper Miner - - - - -	19	-	19	-	-	-	3	1	2	2	5	3	1
Tin Miner - - - - -	23	6	17	-	-	-	6	4	1	6	1	3	1
Lead Miner - - - - -	34	1	33	-	-	1	3	2	4	6	5	7	3
Iron Miner - - - - -	26	1	25	-	-	1	3	7	6	10	14	9	7
Miner (branch undefined) - - - - -	32	-	32	-	-	-	3	7	8	3	6	3	2
Coal Mine Service - - - - -	43	2	41	-	2	4	6	6	5	17	8	5	5
Mine Service (Metal not stated) - - - - -	15	-	15	-	-	-	-	1	1	5	2	2	5
Others - - - - -	3	-	3	-	-	-	-	1	1	1	-	-	-
2. In Coal.													
Coal Merchant, Dealer - - - - -	148	2	146	-	-	2	5	10	13	25	29	40	24
Coal-heaver, Labourer - - - - -	297	12	285	-	3	9	9	40	35	47	32	49	23
Coke Burner, Dealer - - - - -	36	3	33	-	1	2	6	11	3	6	6	1	-
Chimney Sweeper - - - - -	70	4	66	-	-	4	2	6	12	28	10	6	2
Gas Works Service - - - - -	174	5	169	-	-	5	10	30	31	36	35	16	11
Other Workers in Coal - - - - -	5	-	5	-	-	-	-	2	-	1	2	-	-
3. In Stone, Clay.													
Stone Quarrier - - - - -	155	5	150	-	-	5	7	19	36	24	31	26	13
Stone, Merchant, Cutter, Dresser - - - - -	62	-	62	-	-	-	8	10	8	11	12	9	4
Slate Quarrier - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Limestone Quarrier, Lime-Burner - - - - -	24	2	22	-	-	2	-	3	5	2	3	5	4
Clay Labourer - - - - -	4	-	4	-	-	-	-	-	2	-	-	1	1
Brick, Maker, Dealer - - - - -	266	12	254	1	-	11	14	31	25	29	34	27	34
Railway Labourer, Platelayer, Navvy - - - - -	335	16	319	-	1	13	27	38	68	65	60	27	14
Road Contractor, Inspector, Surveyor - - - - -	7	-	7	-	-	-	-	-	2	4	1	-	-
Road Labourer - - - - -	96	1	95	1	-	-	5	4	7	14	20	23	22
Seamranger, Dust Collector - - - - -	34	1	33	-	-	1	-	2	3	13	17	13	5
Others - - - - -	41	1	40	-	-	1	4	12	4	5	6	6	6

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.	
15.—cont.														
4. In Earthenware.														
Earthenware Manufacture - - - - -	363	19	343	1	3	15	18	31	36	39	65	34	29	
Tobacco-pipe Maker - - - - -	30	1	29	-	-	1	2	7	7	-	5	5	1	
Earthenware and Glass Dealer - - - - -	44	-	44	-	-	-	3	3	11	7	10	9	2	
Others - - - - -	3	-	3	-	-	-	-	1	-	-	1	1	-	
5. In Glass.														
Glass Manufacture - - - - -	218	7	211	-	-	7	14	37	31	38	40	39	13	
Other Workers in Glass - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-	
6. In Salt.														
Salt Manufacture - - - - -	11	-	11	-	-	-	-	-	3	4	-	4	-	
Other Dealers in Salt - - - - -	3	-	3	-	-	-	-	2	1	-	-	-	-	
7. In Water.														
Waterworks Service - - - - -	41	3	38	-	1	2	3	4	7	5	7	7	4	
Others - - - - -	14	-	14	-	-	-	-	-	3	1	3	4	2	
8. In Gold, Silver, and Precious Stones.														
Goldsmith, Silversmith, Jeweller - - - - -	253	10	243	-	-	10	29	44	39	37	32	63	29	
Plater, Plated Ware Manufacture - - - - -	8	-	8	-	-	-	1	-	1	5	1	-	-	
Others - - - - -	45	-	45	-	-	-	4	7	6	4	9	11	4	
9. In Copper.														
Copper Manufacture - - - - -	10	1	9	-	-	1	1	-	3	1	1	2	1	
Coppersmith - - - - -	35	2	33	-	-	2	-	4	-	5	6	14	2	
Others - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-	
10. In Tin and Quicksilver.														
Tin Manufacture - - - - -	5	1	4	-	-	1	-	1	-	-	1	2	-	
Tinplate Worker, Tinman - - - - -	143	1	141	-	-	1	13	18	23	22	16	26	12	
Tinker - - - - -	3	-	3	-	-	-	-	-	-	1	1	1	-	
11. In Zinc.														
Zinc Manufacture - - - - -	15	2	13	-	-	2	-	2	4	4	1	1	1	
12. In Lead and Antimony.														
Lead Manufacture - - - - -	30	1	29	-	-	1	-	5	7	6	5	4	2	
Others - - - - -	8	-	8	-	-	-	-	-	3	2	1	2	-	
13. In Brass and other Mixed Metals.														
Brass Manufacture, Brazier - - - - -	313	13	299	-	1	12	24	34	37	40	30	21	13	
Locksmith, Bellhanger - - - - -	91	6	85	-	-	6	9	7	4	10	14	24	17	
Gas Fitter - - - - -	109	8	101	-	-	8	11	22	18	23	17	9	1	
Wire Worker, Drawer - - - - -	63	1	61	-	-	1	9	7	8	13	11	9	4	
Others - - - - -	45	-	45	-	-	-	3	6	9	10	7	7	2	
14. In Iron and Steel.														
Iron Manufacture - - - - -	1175	67	1108	-	9	58	126	225	211	194	157	113	39	
Whitesmith - - - - -	90	4	85	-	-	4	10	10	16	12	21	15	11	
Blacksmith - - - - -	806	39	767	-	1	36	61	141	103	123	143	129	5	
Nail Manufacture - - - - -	115	3	112	-	1	2	6	4	12	30	21	36	25	
Anchor-smith, Chainsmith - - - - -	51	-	51	-	-	-	5	5	8	14	7	8	-	
Ironmonger, Hardware Dealer - - - - -	139	6	133	-	-	6	13	21	14	24	29	25	9	
Steel Manufacture, Worker - - - - -	46	5	41	-	-	5	3	9	13	6	6	2	-	
Others - - - - -	18	-	18	-	-	-	-	5	5	4	2	2	-	
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.														
16.—LABOURERS AND OTHERS.—Branch of Labour undefined.														
1. General Labourers.														
General Labourer, Labourer (branch undefined) - - - - -	8003	212	5791	-	14	198	444	934	990	1036	1630	290	37	
2. Other Persons of indefinite Occupations.														
Artisan, Mechanic (branch undefined) - - - - -	97	5	92	-	-	5	12	24	18	14	8	12	4	
Engine Driver, Stoker (branch undefined) - - - - -	160	10	140	-	-	10	13	26	29	37	39	13	1	
Factory Labourer (branch undefined) - - - - -	102	13	89	-	4	9	6	13	13	18	13	11	-	
Shopman, Assistant (branch undefined) - - - - -	9	2	7	-	-	2	3	2	-	-	1	1	-	
Apprentice (branch undefined) - - - - -	3	2	1	-	-	2	1	-	-	-	-	-	-	
Vagrant, Gipsy - - - - -	18	1	15	-	-	1	-	2	4	4	2	2	1	
Others of undefined Occupation - - - - -	2495	1148	1347	-	-	1148	259	296	160	127	179	269	18	
17. 1.—Persons of RANK or PROPERTY not returned under any Office or Occupation.														
Gentleman, Independent, Annuitant - - - - -	1036	5	1031	-	-	5	26	43	68	100	198	212	37	
18. 1.—SCHOLARS and CHILDREN not engaged in any directly Productive Occupation.														
Scholars and Children of no stated Occupation - - - - -	7653	7653	-	5440	2212	-	-	-	-	-	-	-	-	

INDEX OF DISTRICTS.

The following Index furnishes a reference to the *Number* of each DISTRICT in the topographical arrangement adopted in the preceding Tables, the numbers running consecutively from 1 to 623.

In addition to other uses, this Index will enable the reader to refer to Tables, showing—

- (1.) The comparative Density of Population, and the Annual Mortality of every *District*, during the Three Decennials beginning with 1841, 1851, and 1861, pp. cxc-ccix.
- (2.) The Mortality of Males and Females at each of Twelve Ages in every *District*, during the ten years 1861-70, pp. ccxvi-ccxli.
- (3.) The mean Male and Female Population living at Sixteen Ages in every *District*, and the Deaths at each of those Ages from Twenty-five Groups of Causes, pp. 1-445.

A

Aberayron, 596.
 Abergavenny, 578 *a*.
 Aberystwith, 597.
 Abingdon, 123.
 Alcester, 405.
 Alderbury, 263.
 Alnwick, 559.
 Alresford, 113.
 Alston, 564.
 Alton, 114.
 Altrincham, 454.
 Alverstoke, 97.
 Amersham, 148.
 Amesbury, 262.
 Amptill, 181.
 Andover, 118.
 Anglesey, 623.
 Ashborne, 447.
 Ashby-de-la-Zouch, 414.
 Ashton-under-Lyne, 474.
 Askrigg, 537.
 Aston, 395.
 Atcham, 359.
 Atherstone, 397.
 Auckland, 542.
 Axbridge, 324.
 Axminster, 279.
 Aylesbury, 151.
 Aylsham, 232.
 Aysgarth, 537.

B

Bakewell, 449.
 Bala, 616.
 Banbury, 163.
 Bangor, 621.
 Barnet, 136.
 Barnsley, 505.
 Barnstaple, 295.
 Barrow-on-Scar, 416.
 Barton-upon-Irwell, 470.
 Basford, 438.

Basingstoke, 116.
 Bath, 326.
 Battle, 77.
 Beaminster, 277.
 Bedale, 535.
 Bedford, 179.
 Bedminster, 328.
 Bedwelty, 578 *b*.
 Belford, 560.
 Bellingham, 557.
 Belper, 446.
 Berkhamstead, 147.
 Bermondsey, 28.
 Berwick, 561.
 Bethnal Green, 21.
 Beverley, 518.
 Bicester, 159.
 Bideford, 297.
 Biggleswade, 180.
 Billericay, 199.
 Billesdon, 410.
 Bingham, 443.
 Birkenhead, 460 *b*.
 Birmingham, 394.
 Bishop Stortford, 139.
 Blaby, 411.
 Blackburn, 480.
 Blandford, 270.
 Blean, 66.
 Blofield, 237.
 Blything, 225.
 Bodmin, 304.
 Bolton, 468.
 Bootle, 572.
 Bosmere, 220.
 Boston, 425.
 Bourn, 442.
 Brackley, 164.
 Bradfield, 126.
 Bradford-on-Avon, 258.
 Bradford (Yorkshire), 499.
 Braintree, 208.
 Bramley, 500 *d*.
 Brompton, 566.
 Brecknock, 600.
 Brentford, 134.
 Bridge, 64.
 Bridgend, 583.

Bridgnorth, 356.
 Bridgwater, 316.
 Bridlington, 524.
 Bridport, 278.
 Brighton, 85.
 Bristol, 329.
 Brixworth, 170.
 Bromley, 49.
 Bromsgrove, 392.
 Bromyard, 350.
 Buckingham, 154.
 Builth, 599.
 Burnley, 478.
 Burton-upon-Trent, 375.
 Bury, 469.
 Bury St. Edmunds, 215.

C

Caistor, 432.
 Calne, 254.
 Camberwell, 33.
 Cambridge, 187.
 Camelford, 300.
 Canterbury, 65.
 Cardiff, 581 *a*.
 Cardigan, 593.
 Carlisle, 568.
 Carmarthen, 589.
 Carnarvon, 620.
 Castle Ward, 554.
 Catherington, 111.
 Caxton, 185.
 Chapel-en-le-Grith, 450.
 Chard, 318.
 Cheadle, 373.
 Chelmsford, 200.
 Chelsea, 2.
 Cheltenham, 344.
 Chepstow, 576.
 Chertsey, 38.
 Chester, 459.
 Chesterfield, 448.
 Chester-le-Street, 548.
 Chesterton, 186.
 Chichester, 92.
 Chippenham, 253.

Chipping Norton, 162.
 Chipping Sodbury, 331.
 Chorley, 481.
 Chorlton, 471.
 Christchurch, 101.
 Church Stretton, 354.
 Cirencester, 340
 Clebury Mortimer, 355.
 Clifton, 330.
 Clitheroe, 479.
 Clun, 353.
 Clutton, 325.
 Cockermouth, 570.
 Colchester, 204.
 Congleton, 457.
 Conway, 622.
 Cookham, 129.
 Corwen, 615.
 Cosford, 213.
 Coventry, 400.
 Cranbrook, 69.
 Crediton, 292.
 Crickhowell, 601.
 Cricklade, 251.
 Croydon, 46.
 Cuckfield, 83.

D

Darlington, 540.
 Dartford, 50.
 Daventry, 169.
 Depwade, 239.
 Derby, 445.
 Devizes, 256.
 Dewsbury, 502.
 Docking, 244.
 Dolgelly, 617.
 Doncaster, 510.
 Dorchester, 275.
 Dorking, 43.
 Dover, 72.
 Downham, 247.
 Driffeld, 523.
 Droitwich, 391.
 Droxford, 110.
 Dudley, 382.
 Dulverton, 313 *b*.
 Dunmow, 209.
 Durham, 545.
 Dursley, 333.

E

Easington, 546.
 Easingwold, 527.
 East Ashford, 63.
 Eastbourne, 78.
 East Grinstead, 82.
 Easthampstead, 130.
 East London, 17.
 East Preston, 90.
 East Retford, 435.
 Eastry, 71.
 East Stonehouse, 288.

East Ward, 573.
 Ecclesall Bierlow, 507.
 Edmonton, 137.
 Elham, 73.
 Ellesmere, 362.
 Ely, 190.
 Epping, 195.
 Epsom, 37.
 Erpingham, 231.
 Eton, 149.
 Evesham, 389.
 Exeter, 282.

F

Falmouth, 308.
 Fareham, 98.
 Faringdon, 122.
 Farnborough, 41.
 Farnham, 40.
 Faversham, 67.
 Festiniog, 618.
 Flegg, 229.
 Foleshill, 399.
 Forden, 608.
 Fordingbridge, 103.
 Forehoe, 235.
 Freebridge Lynn, 245.
 Frome, 321.
 Fylde, 483.

G

Gainsborough, 434.
 Garstang, 484.
 Gateshead, 551.
 Glanford Brigg, 433.
 Glendale, 562.
 Gloucester, 336.
 Godstone, 45.
 Goole, 512.
 Gower, 585 *b*.
 Grantham, 427.
 Gravesend, 51.
 Great Ouseburn, 492 *a*.
 Greenwich, 35.
 Guildford, 39.
 Guiltcross, 240.
 Guisbrough, 532.

H

Hackney, 11.
 Hailsham, 79.
 Halifax, 498.
 Halstead, 207.
 Haltwhistle, 556.
 Hambledon, 42.
 Hampstead, 8.
 Hardingstone, 167.
 Hartismere, 218.
 Hartlepool, 541 *b*.

Hartley Wintney, 115.
 Haslingden, 477.
 Hastings, 76.
 Hatfield, 143.
 Havant, 95.
 Haverfordwest, 592.
 Hay, 602.
 Hayfield, 451.
 Headington, 157.
 Helmsley, 529.
 Helston, 309.
 Hemel Hempstead, 146.
 Hemsworth, 504 *b*.
 Hendon, 135.
 Henley, 155.
 Henstead, 236.
 Hereford, 348.
 Hertford, 142.
 Hexham, 555.
 Highworth, 250.
 Hinckley, 412.
 Hitchin, 141.
 Holbeach, 424.
 Holbeck, 500 *c*.
 Holborn, 14.
 Hollingbourn, 59.
 Holsworthy, 298.
 Holywell, 610.
 Honiton, 280.
 Hoo, 53.
 Horncastle, 429.
 Horsham, 87.
 Houghton-le-Spring, 547.
 Howden, 517.
 Hoxne, 219.
 Huddersfield, 497.
 Hull, 520.
 Hungerford, 121.
 Hunslet, 500 *b*.
 Huntingdon, 176.

I

Ipswich, 222.
 Isle of Wight, 99.
 Islington, 10.

K

Keighley, 494.
 Kendal, 575.
 Kensington, 1.
 Kettering, 172.
 Keynsham, 327.
 Kidderminster, 384.
 Kingsbridge, 285.
 Kingsclere, 119.
 Kings Lynn, 246.
 Kings Norton, 393.
 Kingston, 47.
 Kington, 603 *a*.
 Knareborough, 492 *b*.
 Knighton, 604.

L

Lambeth, 31.
 Lampeter, 595.
 Lancaster, 485.
 Langport, 317.
 Launceston, 301.
 Ledbury, 346.
 Leeds, 501.
 Leek, 372.
 Leicester, 417.
 Leigh, 467.
 Leighton Buzzard, 183.
 Leominster, 351.
 Lewes, 84.
 Lewisham, 36.
 Lexden, 205.
 Leyburn, 536.
 Lichfield, 377.
 Lincoln, 428.
 Linton, 188.
 Liskeard, 303.
 Liverpool, 461.
 Llandilofawr, 588.
 Llandovery, 587.
 Llanelly, 586.
 Llanfyllin, 609.
 Llanrwst, 614.
 Loddon, 238.
 London City, 19.
 Longtown, 567.
 Loughborough, 415.
 Louth, 431.
 Ludlow, 352.
 Luton, 184.
 Lutterworth, 408.
 Lymington, 100.

M

Macclesfield, 453.
 Machynlleth, 606.
 Madeley, 358.
 Maidstone, 58.
 Maldon, 202.
 Malling, 55.
 Malmsbury, 252.
 Malton, 526.
 Manchester, 473.
 Mansfield, 437.
 Market Bosworth, 413.
 Market Drayton, 364.
 Market Harborough, 409.
 Marlborough, 255.
 Martley, 386.
 Marylebone, 7.
 Medway, 54.
 Melksham, 257.
 Melton Mowbray, 418.
 Mere, 267.
 Meriden, 396.
 Merthyr Tydfil, 582.
 Midhurst, 93.
 Mildenhall, 216.
 Mile End Old Town, 24 *b*.
 Milton, 68.
 Mitford, 242.

Monmouth, 577.
 Montgomery, 608.
 Morpeth, 558.
 Mutford, 227.

N

Nantwich, 458.
 Narberth, 590.
 Neath, 584.
 Newark, 442.
 Newbury, 120.
 Newcastle-in-Emlyn, 594.
 Newcastle-under-Lyme, 369.
 Newcastle-upon-Tyne, 552.
 Newent, 335.
 New Forest, 104.
 Newmarket, 189.
 Newport (Monmouth), 580.
 Newport (Salop), 366.
 Newport Pagnell, 153.
 Newton Abbot, 283.
 Newtown, 607.
 Northallerton, 534.
 Northampton, 168.
 North Aylesford, 52.
 Northleach, 341.
 Northwich, 456.
 North Witchford, 191.
 Norwich, 234.
 Nottingham, 440.
 Nuneaton, 398.

O

Oakham, 419.
 Okehampton, 291.
 Oldham, 475.
 Ongar, 196.
 Ormskirk, 464.
 Orsett, 198.
 Oswestry, 361.
 Oundle, 174.
 Oxford, 158.

P

Pancras, 9.
 Pateley Bridge, 490.
 Patrington, 521.
 Pembroke, 591.
 Penkridge, 378.
 Penrith, 565.
 Penzance, 311.
 Pershore, 390.
 Peterborough, 175.
 Petersfield, 112.
 Petworth, 88.
 Pewsey, 261.
 Pickering, 530.
 Plomesgate, 224.
 Plymouth, 287.
 Plympton St. Mary, 286.

Pocklington, 516.
 Pontefract, 504 *a*.
 Pontypool, 579.
 Pontypridd, 581 *b*.
 Poole, 272.
 Poplar, 25.
 Portsea Island, 96.
 Potterspurty, 166.
 Prescot, 463.
 Presteigne, 603 *b*.
 Preston, 482.
 Pwllheli, 619.

R

Radford, 439.
 Reading, 127.
 Redruth, 310.
 Reeth, 538.
 Reigate, 44.
 Rhayader, 605.
 Richmond (Surrey), 48.
 Richmond (Yorkshire), 539.
 Ringwood, 102.
 Ripon, 491.
 Risbridge, 211.
 Rochdale, 476.
 Rochford, 201.
 Romford, 197.
 Romney Marsh, 74.
 Romsey, 107.
 Ross, 347.
 Rothbury, 563.
 Rotherham, 509.
 Royston, 140.
 Rugby, 401.
 Runcorn, 455.
 Ruthin, 612.
 Rye, 75.

S

Saddleworth, 496.
 Saffron Walden, 210.
 St. Albans, 144.
 St. Asaph, 613.
 St. Austell, 306.
 St. Columb, 305.
 St. Faiths, 233.
 St. George Hanover Sq., 3.
 St. George-in-the-East, 23.
 St. Germans, 302.
 St. Giles, 12.
 St. Ives, 177.
 St. James Westminster, 6.
 St. Neots, 178.
 St. Olave, 27.
 St. Saviour, 26.
 St. Thomas, 281.
 Salford, 472.
 Salisbury, 264.
 Samford, 221.
 Scarborough, 525.
 Scilly Islands, 312.
 Sealecoates, 519.
 Sedburgh, 487.

Selby, 513.
 Settle, 488.
 Sevenoaks, 56.
 Shaftesbury, 268.
 Shardlow, 444.
 Sheffield, 508.
 Sheppey, 69.
 Shepton Mallet, 322.
 Sherborne, 276.
 Shiffnal, 357.
 Shipston-on-Stour, 406.
 Shoreditch, 20.
 Shrewsbury, 360.
 Skipton, 489.
 Skirlaugh, 522.
 Sleaford, 426.
 Smallburgh, 230.
 Solihull, 402.
 Southam, 407.
 Southampton, 105.
 South Molton, 294.
 South Shields, 550.
 South Stoneham, 106.
 Southwell, 441.
 Spalding, 423.
 Spilsby, 430.
 Stafford, 367.
 Staines, 132.
 Stamford, 421.
 Stepney, 24 a.
 Steyning, 86.
 Stockbridge, 108.
 Stockport, 452.
 Stockton, 541 a.
 Stoke Damerel, 289.
 Stokesley, 533.
 Stoke-upon-Trent, 371.
 Stone, 368.
 Stourbridge, 383.
 Stow, 217.
 Stow-on-the-Wold, 342.
 Stratford-on-Avon, 404.
 Stratton, 299.
 Stroud, 338.
 Sturminster, 269.
 Sudbury, 212.
 Sunderland, 549.
 Swaffham, 248.
 Swansea, 585 a.

T

Tadcaster, 514.
 Tamworth, 376.
 Taunton, 315.
 Tavistock, 290.
 Teesdale, 543.

Tenbury, 385.
 Tendring, 203.
 Tenterden, 61.
 Tetbury, 339.
 Tewkesbury, 345.
 Thakeham, 89.
 Thame, 156.
 Thanet, 70.
 Thetford, 249.
 Thingoe, 214.
 Thirsk, 528.
 Thornbury, 332.
 Thorne, 511.
 Thrapston, 173.
 Ticehurst, 80.
 Tisbury, 266.
 Tiverton, 293.
 Todmorden, 495.
 Torrington, 296.
 Totnes, 284.
 Towcester, 165.
 Tregaron, 598.
 Truro, 307.
 Tunbridge, 57.
 Tynemouth, 553.

U

Uckfield, 81.
 Ulverston, 486.
 Uppingham, 420.
 Upton-on-Severn, 388.
 Uttoxeter, 374.
 Uxbridge, 133.

W

Wakefield, 503.
 Wallingford, 125.
 Walsall, 380.
 Walsingham, 243.
 Wandsworth, 32.
 Wangford, 226.
 Wantage, 124.
 Ware, 138.
 Wareham, 273.
 Warminster, 260.
 Warrington, 466.
 Warwick, 403.
 Watford, 145.
 Wayland, 241.
 Weardale, 544.
 Wellingborough, 171.
 Wellington (Salop), 365.
 Wellington (Somerset), 314.

Wells, 323.
 Wem, 363 a.
 Weobly, 349.
 West Ashford, 62.
 Westbourne, 94.
 West Bromwich, 381.
 Westbury, 259.
 Westbury-on-Severn, 334.
 West Derby, 462.
 West Ham, 194.
 Westhampnett, 91.
 West London, 18.
 Westminster St. James, 6.
 Westminster St. Margaret, 4.
 West Ward, 574.
 Wetherby, 492 c.
 Weymouth, 274.
 Wharfedale, 493.
 Wheatenhurst, 337.
 Whitby, 531.
 Whitchurch (Hants), 117.
 Whitchurch (Salop), 363 b.
 Whitechapel, 22.
 Whitehaven, 571.
 Whitelessey, 192.
 Wigan, 465.
 Wigton, 569.
 Williton, 313 a.
 Wilton, 265.
 Wimborne, 271.
 Wincanton, 320.
 Winchcomb, 343.
 Winchester, 109.
 Windsor, 131.
 Winslow, 152.
 Wirral, 460.
 Wisbech, 193.
 Witham, 206.
 Witney, 161.
 Woburn, 182.
 Wokingham, 128.
 Wolstanton, 370.
 Wolverhampton, 379.
 Woodbridge, 223.
 Woodstock, 160.
 Worcester, 387.
 Worksop, 436.
 Worthing, 90.
 Wortley, 506.
 Wrexham, 611.
 Wycombe, 150.

Y

Yarmouth, 228.
 Yeovil, 319.
 York, 515.

INDEX OF CERTAIN TOWNS.

Towns of which the Names differ from those of the Districts in which they are respectively situated.

NAME OF TOWN.	SUPERINTENDENT REGISTRAR'S DISTRICT.	Number of District.
Aberavon	Neath	584
Bacup	{ Haslingden	477
Barrow-in-Furness	{ Rochdale	476
Bedworth	{ Ulverston	486
Blackpool	{ Foleshill	399
Bognor	{ Fylde	483
Brandon	{ Chichester	92
Chatham	{ Thetford	249
Church (<i>Lanc.</i>)	Medway	54
Claycross	Blackburn	480
Crewe	Chesterfield	448
Dawlish	Nantwich	458
Dereham	Newton Abbot	283
Devonport	Mitford	242
Droylesden	{ East Stonehouse	288
Fleetwood	{ Stoke Damerel	289
Godmanchester	Ashton-under-Lyne	474
Gosport	Fylde	483
Guiselley	Huntingdon	176
Heckmondwike	Alverstoke	97
Hounslow	Wharfedale	493
Ironbridge	Dewsbury	502
Llanidloes	Brentford	134
Maidenhead	Madeley	358
Malvern, Great	Newtown	607
Melcombe Regis	Cookham	129
Middlesborough	Upton-on-Severn	388
New Brighton	Weymouth	274
Redditch	{ Stockton	541 <i>a</i>
Seaham Harbour	{ Guisbrough	532
Sheerness	Wirral	460
Sidmouth	{ Bromsgrove	392
Slough	{ Alcester	405
Southport	Easington	546
Southwold	Sheppey	69
Stalybridge	Honiton	280
Staveley	Eton	149
Tyldesley	Ormskirk	464
Ventnor	Blything	225
Welshpool	Ashton-under-Lyne	474
Weston-super-Mare	Chesterfield	448
Widnes	Leigh	467
	Isle of Wight	99
	{ Forden	608
	{ Llanfyllin	609
	Axbridge	324
	Prescot	463

ALPHABETICAL INDEX

TO THE

SUPPLEMENT TO THE REGISTRAR GENERAL'S
THIRTY-FIFTH ANNUAL REPORT.

	PAGES
AGE AT DEATH, MEAN, from certain Causes. (Tables.)	xxxvii
of Males and Females who died from certain Diseases. (Table 79.)	clxxxv
AGES; March of an English Generation through Life	xxviii-xxxiii
(See DEATHS, MORTALITY, and POPULATION.)	
at Death by particular Diseases	xxxvi-xxxvii
AGRICULTURAL LABOURERS; Mortality of	lvii-lviii
AIR; Impurities in	lviii
Zymotic and other particles in	lxv
AMERICA and EUROPE; Transfer of their Diseases	lxvii
(See also UNITED STATES.)	
ANCESTORS; Blackstone on the number of	x
AREA, Population, Births, Deaths, &c., in the Districts of England (including London), classified in Groups according to Mortality. (Table 37.)	eli
Population, Births, Deaths, &c., of the Districts of England (including London), at and above each Rate of Mortality. (Table 39.)	clii
Population, Births, Deaths, &c., in an average District of the several Groups of Districts in England. (Table 40.)	clii
Population, Births, Deaths, &c., in the Districts of England (excluding London) classified according to Mortality. (Table 42.)	cliii
Population, Births, Deaths, &c., in Groups of Districts of England, excluding London. (Table 43.)	cliv
Population, Births, Deaths, &c., in the Districts of England, exclusive of London, at and above each Rate of Mortality. (Table 45.)	clv
ARMY; Enthetic Diseases of	lxix
Medical Staff of	lxxxii
ARTISANS DWELLINGS	lxxi
ASIATIC CHOLERA; awakened the Public in 1832 to the importance of Hygiene	lxxx
ATMOSPHERE; Weight of, and Weight of Dead	lxxvi
ATTACKS OF, and Deaths by Fever and Small-pox. (Table 73.)	clxxxii
Ditto, according to Life Table. (Table 74.)	clxxxii
ATTACKS OF DISEASE AND MORTALITY; Law of	xxxv-xxxvi
ATTACKS OF SICKNESS	lxxviii

	PAGES
BACON, ROGER, on the Prolongation of Human Life	v-vi
BAKERS; Mortality of	lvi
BAPTISMS; annual Increase per cent., 1801-1830. (Note.)	clxxvi
BATHS; Public	lxiv
BECKETT on Syphilis	lviii
BIRTH-RATE more under control than Death-rate	xii
raised to compensate for rising Death-rate	xii
BIRTH-RATES; Instances of effects of Industrial Enterprise on (Table.) .	xiv-xv
in the Districts of England (including London) grouped according to Mortality (Table 38.)	cli
in an average District of several Groups of Districts in England. (Table 41.)	cliii
in Groups of Districts of England, exclusive of London. (Table 44.)	cliv
in Groups of Districts of England, exclusive of London. (Table 49.)	clix
BIRTH-RATES AND DEATH-RATES; Relation between	xii
in Seven Groups of Districts. (Table.)	xiii
BIRTH SCHEDULE; its chief Defect	xi
BIRTHS; Increase of, after Plague	xii
Excess of, over Deaths in Seven Groups of Districts. (Table.) .	xiii
in an average District	xxiii
in the Districts of England (including London), grouped according to Mortality). (Table 37.)	cli
in the Districts of England (including London) <i>at</i> and <i>above</i> each Rate of Mortality. (Table 39.)	clii
in an average District of several Groups of Districts of England. (Table 40.)	clii
in the Districts of England (exclusive of London) classified accord- ing to Mortality. (Table 42.)	cliii
in Groups of Districts of England, exclusive of London. (Table 43.)	cliv
in the Districts of England, exclusive of London, at and above each Rate of Mortality. (Table 45.)	clv
Estimated Decennial Number of, in England, since 1771; Numbers of Survivors and of those who died or emigrated at different Ages; and Proportion per 10,000. (Table 68.)	clxxvii
Excess of, over Deaths. (<i>See</i> EXCESS.)	
BISHOP OF WINCHESTER	lviii
BLACKSMITHS; Mortality of	lvi
BLACKSTONE on the number of lineal Ancestors	x
BODY; Dissolution of	lxxiv
its elements	lxxii
BREED; Improvements of	lxxxii
BURIAL ALIVE; groundless fears of	lxxv
in the Sea	lxxv
BURIAL INSURANCE in Liverpool	xxi-xxii
BURIAL SYSTEM; its defects	lxxiv
BUTCHERS; Mortality of in London, and in England exclusive of London. (Table.)	liv

	PAGES
CANCER; Reduction in Mortality (Table 59.), and Effect on Life Table for Males (Table 60.) by exclusion of Deaths from	clxix
CARPENTERS, JOINERS; Mortality of	lvi
CARVER AND GILDER; Mortality of	lvi
CATHOLIC PRIESTS; Mortality of	lv
CAUSE; of what, is a child just born most likely to die	xxxiv
CAUSES OF DEATH; direct and indirect	iv
at different Ages	xxv & xxxiv
of Children at age 0-5	xxviii-xxx
of Children in the Healthy Districts, in England, and in the District of Liverpool (Table.)	xxix
relative number of different	xxxiv
of Persons at different Ages in England, 1861-70. (Table 1.)	lxxxiv-lxxxv
(See also DEATHS.)	
CELSUS on Dietetics	vi
CEMETERIES, WELL REGULATED; not more dangerous than Railways (Mr. Holland says)	lxxiii
CHANGE of Position in Occupations	lxiii
CHEMISTS AND DRUGGISTS; Mortality of	lv
CHILDBIRTH; Mortality in	lxx
provision for instruction of Midwives	lxx
CHILDHOOD; Causes of Death in	xxviii-xxx
relative Mortality of, overstated in increasing populations	xxxvii
CHOLERA; importance of arresting the premonitory diarrhœa	lxv
in 1831-2	lxxx
number of Attacks to Deaths	xxxvi
CHURCHYARDS	lxxiii-lxxv
CITIES; Site and Salubrity of	lxxi
CLEANLINESS of Workpeople	lxiv
CLERGY; Mortality of	lv
COACHMAKERS; Mortality of	lvi
COACHMEN; Mortality of	lv
COFFINS; new kind of	lxxiv
COLD; Law of its effect at different Ages	lxii
COMMERCIAL CLERKS; Mortality of	lv
CONCLUSIONS	lviii-lxxxii
CONDORCET on Human Progress	xix
CONTAGIOUS DISEASES ACTS	lxix
CONTAGIOUS (ENTHETIC) DISEASES; Royal Commission on	lxix
CONTAGIOUS RECURRENT DISEASES less fatal under favourable sanitary conditions	xl
COPPER MANUFACTURE; Mortality of those engaged in	lvii
CORRECTIONS for Changes in Districts, and for Public Institutions	cexiv
COUNTIES; Density and Mortality, 1841-50; 1851-60; and 1861-70 .	clxxxviii-clxxxix

	PAGES
COVENTRY; Example of Mortality reduced by Sanitary Measures	xlix
CREMATION; its ceremonial, its useful Adjuncts	lxxii-lxxiii
DANGERS; future at several Stages of Life	xxxiii-xxxiv
DARWIN; on the application of the Malthusian Doctrine to the Vegetable and Animal Kingdom	xviii
DEAD; disposal of the	lxxii-lxxvii
Weight of, and Weight of Ashes of	lxxvi
DEATH; its relation to other important Phenomena	iv
by particular Diseases, Ages at	xxxvi
by certain Causes, mean Age at	xxxvi
Mean Age at, of Persons from certain Causes. (Tables.)	xxxvii
the inevitable sequence of certain Causes	lviii
Multipliers; to determine Mortality. (Table 36.)	cl
Mean Age at, of Males and Females dying from certain Diseases. (Table 79.)	clxxxv
DEATH-RATE IN ENGLAND, stationary, with large increase of Town Populations	viii
DEATH-RATES AND BIRTH-RATES; Relation between	xii
in Seven Groups of Districts. (Table.)	xiii
Instances of effects of Industrial Enterprise on. (Table.) . . .	xiv-xv
(See also MORTALITY.)	
DEATH-TOLL at several Ages	iii
DEATHS at different Ages; Causes of	xxv
from different Causes; relative number of	xxxiv
in England presumably preventible	ix
Objections to a low Standard of Mortality	ix
of Children in Foreign Countries	xxix
at Ages, 5-10; 10-15; 15-20; 20-25	xxx
at Ages, 25-35; 35-45; and 45-55	xxxi
at Ages, 55-65; 65-75; and 75 and upwards	xxxii-xxxiii
in an average District	xxlii
Relative Number of, from different Causes	xxxiv
from Small-pox to Attacks	xxxv-xxxvi
from Cholera to Attacks	xxxvi
by certain Causes according to Life Table in Healthy Districts, in England, and in Liverpool. (Table.)	xl
by different Diseases, economic effect of	xli-xliii
from Syphilis	lxix
by several Causes of Persons at certain Ages in England, 1861-70. (Table 1.)	lxxxiv-lxxxv
by several Causes of Males at certain Ages to 1,000,000 Males living in England, 1851-60 and 1861-70. (Table 2.)	lxxxvi-lxxxvii
by several Causes of Females at certain Ages to 1,000,000 Females living in England, 1851-60 and 1861-70. (Table 3.)	lxxxvi-lxxxvii
by several Causes of Males and Females at Sixteen Ages to 1,000,000 Deaths from All Causes, 1851-60. (Table 4.)	lxxxviii-lxxxix
by several Causes of Males and Females at Sixteen Ages to 1,000,000 Deaths from All Causes, 1861-70. (Table 5.)	xc-xci
by several Causes of Males and Females at Sixteen Ages to 1,000,000 Deaths from All Causes, 1851-70. (Table 6.)	xcii-xciii

DEATHS—continued.

PAGES

by several Causes, out of 1,000,000 live-born Children, of Persons, of Males and Females, at different Ages, according to English Life Table. (Tables 7, 8, 9.)	xciv-xcix
by several Causes, out of 1,000,000 live-born Children, of Children, of Males and Females, under Five Years of Age, according to English Life Table. (Tables 10, 11.)	c-ci
by several Causes, out of 1,000,000 live-born Children, of Persons, of Males and Females, at and after certain Ages, according to English Life Table. (Tables 12, 13, 14.)	cii-cvii
by several Causes, out of 1,000,000 live-born Children, of Children, of Males and Females, at and after certain Ages, according to English Life Table. (Table 15.)	cviii-cix
by several Causes, out of 1,000,000 live-born Children, of Persons, of Males and Females, at different Ages, according to Healthy Districts Life Table. (Tables 16, 17, 18.)	cxii-cxvii
by several Causes, out of 1,000,000 live-born Children, of Children, of Males and Females, under Five Years of Age, according to Healthy Districts Life Table. (Tables 19, 20.)	cxviii-cxix
by several Causes, of Persons, of Males and Females, at and after certain Ages, according to Healthy Districts Life Table. (Tables 21, 22, 23.)	cxx-cxxv
by several Causes of Persons, of Males and Females, at different Ages, according to Liverpool Life Table. (Tables 26, 27, 28.)	cxxviii-cxxxiii
by several Causes of Children, of Males and Females, under Five Years of Age, according to Liverpool Life Table. (Tables 29, 30.)	cxixiv-cxxxv
by several Causes of Males and Females at different Ages in England, 1848-72. (Tables 33, 34.)	cxixviii-cxlx
in the Districts of England (including London) grouped according to Mortality. (Table 37.)	cli
in the Districts of England (including London) <i>at</i> and <i>above</i> each rate of Mortality. (Table 39.)	clii
in an average District of several Groups of Districts of England. (Table 40.)	clii
in the Districts of England (exclusive of London) classified according to Mortality. (Table 42.)	cliii
in Groups of Districts of England, exclusive of London. (Table 43.)	cliv
in the Districts of England, exclusive of London, <i>at</i> and <i>above</i> each rate of Mortality. (Table 45.)	clv
of Persons, Males and Females, at certain Ages in England and in its Metropolis. (Table 46.)	clvi
in 1871 of Men at different Ages engaged in certain Occupations. (Table 61.)	clxx
in 1860, 1861, and 1871 of Men at different Ages engaged in certain Occupations. (Tables 63, 64.)	clxxii-clxxv
in 1860, 1861, and 1871 of Farmers and Farmers' Sons at different Ages. (Table 65.)	clxxv
in England at different Ages amongst an Enumerated and a Life Table Population. (Table 71.)	clxxx
at different Ages from Fever and Small-pox in England and proportional number of Attacks. (Table 73.)	clxxxii
at different Ages from Fever and Small-pox according to the Life Table and the proportional number of Attacks. (Table 74.)	clxxxii
of Males and Females at different Ages from several Causes, in the 10 Years 1861-70, in the Registration Divisions and Districts of England	1-445
of Males of various Occupations at different Ages, from 5 Years and upwards, registered in England and in each of the Eleven Divisions in the Year 1871	447-504

DEATHS—continued.**PAGES**

of Males of various Occupations at different Ages, from 5 Years and upwards, registered in Eighty Town Districts in the Year 1871	505-514
DENSITY OF POPULATION, in Seven Groups of Districts. (Table.)	xiii
effect on Health	xxiii
and Mortality, relation between	xxiii-xxiv
and its effect on Mortality at various Periods of Life	xxiv
Districts grouped in order of	xxv
in the Registration Divisions of England	xliii-lii
effect of, in Lewisham	xlv
Annual Birth and Death Rates, &c. in the Districts of England (including London), classified in Groups according to Mortality. (Table 38.)	cli
Annual Birth and Death Rates, &c. in an Average District of several Groups of Districts in England. (Table 41.)	cliii
Birth and Death Rates, &c. in Groups of Districts of England, exclusive of London. (Table 44.)	cliv
in the Districts of England, exclusive of London, classified according to Mortality. (Table 47.)	clvii
Rates of Mortality observed, and Calculated from, in Seven Groups of Districts of England, exclusive of London. (Table 48.)	clviii
Birth-rates; Mean Rates of Mortality of Males, Females, and Persons at certain Ages; in Groups of Districts of England, exclusive of London. (Table 49.)	clix
Mortality in the Districts of England, grouped in Divisions according to, and Mortality in the least populous Districts of England. (Table 55.)	clxiii
particulars relating to certain Districts in the 9th, 10th, and 11th Divisions, having nine or more acres to a person	clxiv
and Mortality of the Districts of London in three Decenniads. (Table 56.)	clxv
and Mortality in three Decenniads, of the Districts of England (exclusive of London) with less than one acre to a person. (Table 57.)	clxvi-clxvii
Density of Population and Annual Mortality in the Three Decenniads 1841-50, 1851-60, and 1861-70, in the Registration Divisions, Counties, and Districts of England	clxxxvii-ccix
DEPOPULATION; its Causes and Ill-effects	xvii-xviii
DESCARTES on Medicine	lxxix
DIAGNOSIS; Imperfect, but makes rapid Progress	lxxx
DIPSOMANIA	lx
DISEASE; Attacks of	xxxv-xxxvi
Effect of extinction of any single, on the Duration of Life	xxxviii-xli
DISEASE LIFE TABLES; construction explained	xxvi-xxvii
DISEASES; Origin of some zymotic	xxxix
DISINFECTION	lxv
DISTRICT AVERAGE; Population, Births, and Deaths in	xxiii
of several Groups of Districts; Area, Population, Births, &c. (Table 40.)	clii
Districts; Deaths of Males and Females at different Ages from several Causes in the Ten Years 1861-70, in the Registration Divisions and Districts of England	1-445

(See also DEATHS.)

	PAGES
DISTRICTS ; Mortality in Healthy	viii-ix
Grouped in order of Density	xxv
Changes in ; Note explaining correction for	ccxiv
Index of	515-518
(See also DEATHS and MORTALITY.)	
DIVISION I ; Elevation, Drainage, Mortality, Density	xliii-xlvi
II ; the Healthiest in the Country ; Density and Range of Mortality	xlvi
III ; Geology, Manufactures, Range of Mortality, Density	xlvi
IV ; Geology, Occupation and Education of Inhabitants, Density, and Range of Mortality	xlvi-xlvi
V ; Geology, Range of Mortality, and Density	xlvi
VI ; Geology, Occupation and Education of Inhabitants, Density and Mortality	xlvii-xlix
VII ; Geology, Manufactures, Density, and Mortality	xlix
VIII ; Geology, Density, Education, and Mortality	xlix-l
IX ; Geology, Density, Education, and Mortality	l-li
X ; Geology, Density, and Mortality	li
XI ; Geology, Manufactures, Density, Education, and Mortality	li-lii
DIVISIONS ; Mortality, 1841-70, in Districts having different Densities, grouped in. (Table 55.)	clxiii
Density and Mortality, 1841-50 ; 1851-60, and 1861-70	clxxxviii
Mortality of Males and Females at different Ages, 1861-70	ccxv
Mean Population, 1861-71, of Males and Females at different Ages	4-25
Deaths of Males and Females at different Ages, from several Causes, 1861-70	4-25
Deaths in 1871 of Males at different Ages and in various Occupations	457-504
(See also DEATHS, DENSITY, and MORTALITY.)	
DRAINAGE OF LONDON	xliv
DRINKING ; excessive	lix-lx
DRINKS AND DRUNKENNESS	lix-lx
DRINKS ; Non-alcoholic	lx
DRUGS ; Power over Life	vi
DUSTS ; injury from Inhalation of	lix
DUVILLARD's Estimate of the increased Lifetime by the practice of Vaccination	xxxix
DYING, The ; at various Ages in the Healthy Districts. (Table 24.)	cxv
" " Liverpool District. (Table 25.)	cxvii
" " London. (Table 31.)	cxvii
" " Fifteen Great Towns. (Table 32.)	cxvii
ECONOMY of Cremation and Inhumation	lxxv-lxxvi
EMBALMING	lxxii
EMIGRATION	xii
ENGLISH LIFE TABLE ; Base of. (Table.)	xxvi
Deaths by several Causes of Persons, of Males and Females at different Ages. (Tables 7, 8, 9.)	xciv-xcix
Deaths by several Causes of <i>Children</i> , of Males and Females, under 5 years of Age. (Tables 10, 11.)	c-ci

ENGLISH LIFE TABLE—continued.

PAGES

Deaths by several Causes of <i>Persons</i> , of Males and Females, at and after certain Ages. (Tables 12, 13, 14.)	cii-cvii
Deaths by several Causes of <i>Children</i> , Males, and Females, at and after certain Ages. (Table 15.)	cviii-cix
ENGLISH RACE ; its Prospects of Improvement	lxxxii
ENTHETIC DISEASES ; Syphilis, Gonorrhœa	lxvii-lxx
EUTHANASIA	xxxiii
EXCESS OF BIRTHS OVER DEATHS, &c. in the Districts of England (including London), grouped according to Mortality (Table 37), and Annual Rate of (Table 38)	cli
at and above each Rate. (Table 39.)	clii
in an average District of several Groups of Districts (Table 40.)	clii
and annual rate of. (Table 41.)	cliii
in the Districts of England (exclusive of London), and annual rate of. (Tables 42, 43, 44.)	cliii-cliv
at and above each rate. (Table 45.)	clv
EXCRETA ; Importance of speedy Removal	lxiv
EXERCISE as affecting Health and Life	lxii-lxiii
EXHALATIONS from decaying Animal Matter	lix
EXTENSION OF HUMAN LIFE ; its Possibilities and Difficulties	v-viii
EXTINCTION OF ANY SINGLE DISEASE ; Effect of, on the Duration of Life	xxxviii-xli
FALLACIES in use of Geometrical Progression	xi
FAMILY PHYSICIANS	lxxxi
FARMERS and Agricultural Labourers ; Mortality of	lvii-lviii
and Farmers' Sons ; Numbers living in 1861 and in 1871 ; Deaths in 1860, 1861, and 1871, and Mortality at different Ages. (Table 65.)	clxxv
FEVER AND SMALL-POX ; Proportion of Attacks to Deaths at different Ages in England. (Table 72.)	clxxxii
Deaths at different Ages in England, according to Life Table and Proportional Numbers of Attacks. (Table 74.)	clxxxii
FISHMONGERS ; Mortality of	lv
FOOD ; Varieties and Use of	lx-lxii
FOREIGN COUNTRIES ; Deaths of Children in	xxix
FORMULAS for determining the probability of dying at or after any Age of a particular Disease	cx-cxi
FORMULA for determining Mortality from Density and Proximity of Population	clviii
for Construction of a Life Table by a short Method	clxviii
FOUNDLING HOSPITALS ; Failure of	vii
FRANCE ; Increase of Population	xii
FRIENDLY SOCIETIES ; inadequate Premiums of, in some Societies	lxxviii
FRIENDLY SOCIETIES ACT	lxxviii

	PAGES
GAMEKEEPERS; Mortality of	lvi
GAS SUPPLY IN LONDON	xliv
GENERATION; March of an English, through Life	xxviii-xxxiii
GEOGRAPHICAL DISTRIBUTION OF DISEASES	lxxi
GLASS MANUFACTURERS; Mortality of	lvii
GODWIN; Inquiry concerning Population	xi
GRAVES for 100,000 bodies yearly	lxxv
GROCCERS; Mortality of	lvi
GROUND RENTS; Municipalities as Ground Landlords	lxxi
GUISBROUGH; Marriage, Birth, and Death Rates, 1860-62; 1870-72. (Table)	xv
HADEN, MR. SEYMOUR; on Inhumation	lxxiv-lxxv
HAIRDRESSERS; Mortality of	lvi
HATTERS; Mortality of	lvi
HAVILAND on the Geographical Distribution of Disease	lxxi
HEALTH; Progress of Mankind in	xix-xx
of Men engaged in various Occupations	lii-lviii
Insurance	lxxvii-lxxviii
HEALTHY DISTRICTS; Mortality in	viii-ix
Causes of Death among Children in	xxix
Mortality at different Ages in other Groups compared with that of. (Tables 50, 52, 53, 54.)	clx-clxii
HEALTHY DISTRICTS LIFE TABLE; Deaths by several Causes of Persons, of Males and Females, at different Ages. (Tables 16, 17, 18.)	cxii-cxvii
Deaths by several Causes of <i>Children</i> , Males and Females, under Five Years of Age. (Tables 19, 20.)	cxviii-cxix
Deaths by several Causes of Persons, Males and Females, at and after certain Ages. (Tables 21, 22, 23.)	cxx-cxxv
Outline Life Table. (Table 24.)	cxxvi
HEALTHY LIFE; Means of, afforded by increased Wages	viii
HEAT AND COLD; Effect of	lxii
HEREDITARY DISEASES; to be eliminated	lxxxii
HOLLAND, MR., on Graveyards	lxxiii
HOSPITALS; Note explaining correction for	ccxiv
HOSPITALS, FOUNDLING; failure of	vii
HUMAN PROGRESS; to be sought in Medicine	lxxix
HYGIENE, CIVIL, taught in the University of Paris	lxxix
a Revival of, in England	lxxx
public and private	lxxxii
its required extension	lxxxii
HYGIENIC PROBLEMS	lxxxii
HYGIENIC TOPOGRAPHY	xlili-lii

	PAGES
IMMORTALITY OF MAN. (Note.)	v
INCREASE OF POPULATION. (<i>See also</i> POPULATION.)	ix-xii
INDEX of Districts	515-518
of certain Towns	519
INDUSTRIAL ENTERPRISE ; Effect on Marriage, Birth, and Death	xiv
INHUMATION	lxxiv
INOCULATED SMALL-POX ; Mortality from 1746-63	vi
INSTITUTIONS, PUBLIC, for which the Mortality of Districts is <i>not</i> corrected	cxc-ccix
corrections in the Mortality of Districts containing large Institu-	
tions. <i>See</i> foot-notes	cxc-ccix
for which corrections have been made in the Mortality of London	
Districts. (Table a.)	ccx
INSURANCE of Burial in Liverpool	xxi-xxii
Health and Sickness	lxxvii-lxxviii
INTEMPERANCE ; Effects of	lix-lx
INTER-MARRIAGE of Imperfect Natures ; Evils of	xviii
INTERMENT ; a prime question of Public Health	lxxvii
IRON MANUFACTURE ; Mortality of those engaged in	lvñ
JENNER ; Syphilis among the most fatal Diseases in this Country	lxix
KINGDOM, UNITED ; Population and Births	xxxvii
KING'S PHYSICIANS	lxxxii
LAND FOR BUILDING PURPOSES ; acquirement of, by Municipalities	lxxi
LANDLORDS of North and West London	lxxi
LETHEBY on increase of Population	ix-x
LIFE ; possibilities and difficulties of extending	v
Roger Bacon on the prolongation of	v-vi
annual loss of in England presumably preventible	ix
march of an English generation through	xxviii-xxxiii
dangers at several Stages of	xxxiii-xxxiv
duration of, effect of extinction of any single Disease on	xxxviii
prolongation of by Vaccination, as estimated by Duvillard	xxxix
pecuniary value of	xli
means of preserving	lviii
LIFE TABLE for certain Diseases, and for the class dying of Consumption.	
(Table.)	xxvi-xxvii
(outline) of the Healthy Districts of England. (Table 24.)	cxxvi
(outline) for Liverpool District. (Table 25.)	cxxvii
(outline) for London. (Table 31.)	cxxxvi
(outline) for Fifteen great Towns. (Table 32.)	cxxxvii
formulas for construction by a short Method	clxviii

LIFE TABLE—continued.

PAGES

for Males, constructed by a short Method, compared with the English Life Table. (Table 58.)	clxviii
for Males, showing the effect of Exclusion of Deaths from Zymotic Diseases, from Phthisis, and from Cancer. (Table 60.)	clxix
Population at different Ages, according to. (Table 70.)	clxxix
Population, Deaths at different Ages in England. (Table 71.)	clxxx
(See also ENGLISH; HEALTHY DISTRICTS; LONDON; LIVERPOOL; TOWNS.)	
LIFETIME; mean, under the most favourable conditions	iv
Mean-After; by complete and short Method compared. (Table 58.)	clxviii
LIVERPOOL DISTRICT; Burial Insurance in	xxi-xxii
excessive Mortality in	xxi-xxii
causes of Death among Children in	xxix
Mortality of, at various Ages, compared with that of Healthy and other Town Districts. (Table 50.)	clx
Mortality of, at different Ages, compared with that of various Groups of Districts. (Tables 52, 53, 54.)	clxi-clxii
Number and Proportion of Males and Females living at different Ages. (Table 77.)	clxxxiv
LIVERPOOL DISTRICT LIFE TABLE; outline Life Table. (Table 25.)	cxxvii
Deaths by several Causes of Persons, of Males and Females, at different Ages. (Tables 26, 27, 28.)	cxxviii-cxxxi
Deaths by several Causes of Children, of Males and Females, under five years of Age. (Tables 29, 30.)	cxxxiv-cxxxv
LIVES; value of various classes of, at certain Ages	xli-xlii
LIVING, to various Ages, in Healthy and in Town Districts	cxxvi-vii, cxxxvi-vii
LOCAL DISEASES	lxx
LONDON; Mortality of, in 17th, 18th, and 19th Centuries, and in four Plague Years	viii
mean elevation above Trinity high-water mark	xliii
effect of influx and efflux of Population on the Rates of Mortality	xliv
Gas and Water supply	xliv
Main Drainage of	xliv
Police	xliv
effect of increased Density in Lewisham District	xlv
Mortality among Working Men	xlv
Mortality of Males at certain Ages in Hospitals, 1851-60. (Note.)	xlv
Range of Mortality in certain Districts	xlv
Outline Life Table. (Table 31.)	cxxxvi
Population, Deaths, and Mortality of Persons, Males and Females, at certain Ages, 1861-70. (Table 46.)	clvi
Mortality of, at various Ages, compared with that of Healthy and of other Town Districts. (Table 50.)	clx
Mortality of, at various Ages, compared with that of other Groups of Districts. (Tables 52, 53, 54.)	clxi-clxii
Density and Mortality of the Districts of, in Three Decennials. (Table 56.)	clxv
Mortality of Males and Females at Four Groups of Ages, from several Causes. (Table 75.) From Phthisis and Lung Diseases. (Table 76.)	clxxxiii
Number and Proportion of Males and Females living at different Ages. (Table 77.)	clxxxiv
Institutions of, for which corrections have been made in the Mortality. (Table a.)	ccx

	PAGES
LONDON SEWAGE ; disposal of	vii
LUNATIC ASYLUMS for which corrections have been made in the Mortality of Districts. (Table b.)	ccx-ccxi
for which corrections have <i>not</i> been made in the Mortality of Districts. (Table c.)	ccxii
LUNG DISEASES AND PHTHISIS ; Comparative Mortality from, of Males and Females at Four Groups of Ages, in England and in London. (Table 76.)	clxxxiii
MALTHUS on Increase of Population	ix
on the relation between Population and Subsistence	xvi
Merit of	xvii
MALTHUSIAN DOCTRINE applied by Darwin to the Vegetable and Animal Kingdom	xviii
MALTHUSIAN POLICY ; Effects of	xvii
MANCHESTER DISTRICT ; Mortality of, at various Ages, compared with that of Healthy and of other Town Districts. (Table 50.)	clx
Mortality of, at different Ages, compared with that of various Groups of Districts. (Tables 52, 53, 54.)	clxi-clxii
Number and Proportion of Males and Females living at different Ages. (Table 77.)	clxxxiv
MANUFACTURES ; Effects of Increase or Decline of, on Births, Deaths, and Marriages	xiv-xv
MARRIAGE ACTS, 1753-1837	clxxvi
MARRIAGES IN ENGLAND ; Annual Increase per Cent. in periods of 5 Years, 1756-1870. (Table 66.)	clxxvi
Annual Increase per Cent. in Decennials 1796-1870, and Annual Increase of Population, 1801-71. (Table 67.)	clxxvii
MATHEMATICIANS ; on Disputes of, as to effect of Small-pox	xxxix
MEAN Age at Death by certain Causes	xxxvii
Lifetime under the most favourable conditions	iv
Population and Causes of Death at different Ages in England, 1861-70. (Table 1.)	lxxxiv-lxxxv
Population, 1861-71, at different Ages, in the Registration Divisions and Districts of England	1-445
MEASLES ; first recorded appearance of	xxxix
MEDICAL PROFESSION ; its Importance	lxxxix
its Numbers	lxxxii
MEDICAL STAFF of POPULATION, insufficient	lxxxii
MEDICINE ; influence of on the Health of the Community	lxxxix
State ; instruction and examination in	lxxx
MERCERS AND DRAPERS ; Mortality of	lvi
METROPOLIS. See LONDON.	
MIDWIVES ; Instruction of	lxx
MINERS ; Mortality of	lvii
MINING AND MANUFACTURING DISTRICTS ; want of Sanitary Appliances in	vii-viii
MONUMENTS	lxxv

	PAGES
MORTALITY from inoculated Small-pox, 1746-63	vi
from Small-pox, 1771-80, 1831-5, and 1861-70	vii
in England by Small-pox and Scarlet Fever, 1851-70	vii
affected by preservation of the weakly	viii
probability of Decrease in	viii
in London in 17th, 18th, and 19th centuries	viii
in London in four plague years	viii
means of reducing	viii
in Healthy Districts	viii-ix
standard rate of	ix
in seven groups of Districts. (Table.)	xiii
and Population of Ulverston and four other Districts	xiv-xv
Law of, varies with Conditions of Existence	xxi
of Males and Females at several Periods of Life	xxi
Causes of Variation in	xxii
excessive, in Liverpool	xxi-xxii
and Density, relation between	xxiii-xxv
at various Periods of Life as affected by Density of Population	xxiv
how calculated from Density of Population	xxiv
Causes of, checked by varying Powers of Resistance	xxv
of Persons at different Ages as a Sanitary Test	xxv
of Males and Females at different Ages in England, 1838-54, and 1838-71. (Table.)	xxvi
Stability of Rates over 34 Years	xxvi
at different Ages by different Causes	xxxiv-xxxv
and Attacks of Disease, Law of	xxxv
from Diseases of the Young, how overstated in England	xxxvii
in increasing and in stationary Population	xxxvii
from Contagious Diseases lessened by favourable Sanitary Con- ditions	xl
Range of, in the Registration Divisions of England	xliii-lii
in London, as affected by influx and efflux of Population	xliv
among Artisans of London and other large Towns	xlv
in various Districts of London	xlv
of Males at certain Ages in the London Hospitals, 1851-60 (Note) of Butchers and Publicans in London, and in England exclusive of London. (Table.)	xlv
of Men engaged in various Occupations	liv
in Childbirth	lii-lviii
from Puerperal Fever	lxx
in the Districts of England in Groups. (Table 38.)	lxx
in an Average District of each Group of Districts in England. (Table 41.)	cli
in Groups of Districts in England, exclusive of London. (Table 44.)	clii
of Persons, Males and Females, at certain Ages in England and in its Metropolis, 1861-70. (Table 46.)	cliv
of Males and Females at certain Ages, and Density of Population in several Groups of Districts of England. (Table 47.)	clvi
Observed and Calculated in Seven Groups of Districts of England, exclusive of London. (Table 48.)	clvii
Formula for determining, from Density and Proximity	clviii
of Males and Females at certain Ages in Groups of Districts of England, exclusive of London. (Table 49.)	clviii

MORTALITY—continued.**PAGES**

of Males and Females at different Ages in various Groups of Districts. (Table 50.)	clx
of Males and Females at different Ages in Two Groups of Town Districts. (Table 51.)	clx
a different Ages, Per-centage of Increase in Seven Groups of Districts on the rates of the Healthy Districts. (Table 52.)	clxi
at different Ages in Seven Groups of Districts compared with that in the Healthy Districts. (Table 53.)	clxi
of Males and Females at certain Ages, in Seven Groups of Districts, compared with that in the Healthy Districts. (Table 54.)	clxii
1841-70, in the Districts of England, grouped in Divisions according to Density. (Table 55.)	clxiii
in the least populous Districts of England. (Table 55.)	clxiii
and Density of the Districts of London in Three Decenniads. (Table 56.)	clxv
and Density, in Three Decenniads, of the Districts of England (exclusive of London) with less than One Acre to a Person. (Table 57.)	clxvi-clxvii
of Males and Females at several Ages in England, from All Causes, exclusive of Phthisis, of Zymotic Diseases, and of Cancer. (Table 59.)	clxix
in 1871, of Men at different Ages engaged in certain Occupations. (Table 62.)	clxxi
Average Annual, in the Three Years 1860, 1861, and 1871, of Men at different Ages engaged in certain Occupations. (Table 63.)	clxxii-clxxiv
Average Annual, in 1860, 1861, and 1871, of Men at different Ages engaged in various Groups of Occupations. (Table 64.)	clxxv
Average Annual, in 1860, 1861, and 1871, among Farmers and Farmers' Sons at different Ages. (Table 65.)	clxxv
at quinquennial Ages by English Life Table. (Table 71.)	clxxx
of Males and Females, at Four Groups of Ages, from several Causes in London. (Table 75.)	clxxxiii
of Males and Females, at Four Groups of Ages, from Phthisis and Lung Diseases, in England and in London. (Table 76.)	clxxxiii
of Males and Females at different Ages, in England, 1851-70 and 1848-72. (Table 78.)	clxxxiv
Annual, and Density of Population in the Three Decenniads 1841-50, 1851-60, and 1861-70, in the Registration Divisions, Counties, and Districts of England	clxxxvii-ccix
(See also DENSITY.)	
Average Annual Rate of Males and Females, from all Causes, at different Ages, in the Registration Divisions and Districts of England 1861-70	ccxiii-ccxli
(See also DEATHS.)	
MULTIPLIERS ; to determine Mortality from Population. (Table 35.)	cl
to determine the proportion of Deaths by each Disease. (Table 36.)	cl
NAVY ; Mortality of	clxxv
Occupations ; Ramazzini on the Health of those engaged in	lii
Thackrah on the Effects of, on Health	liii
Various; Health of Men engaged in	lii-lviii
Benefit of Change of Position in	lxiii
Number of Men at different Ages engaged, and deaths in 1871. (Table 61.)	clxx

OCCUPATIONS—continued.

PAGES

Mortality in 1871, of Men at different Ages. (Table 62.) . . .	clxxi
Mortality at certain Ages in the Years 1860, 1861, and 1871. (Table 63.)	clxxii-clxxiv
Groups of, Annual Mortality of Men at different Ages during the Years 1860, 1861, and 1871. (Table 64.)	clxxv
Deaths of Males at different Ages in England, in each of the 11 Divisions and in 80 Town Districts, in 1871	447-514
(See also DEATHS.)	
OFFICERS OF ARMY; Mortality of	clxxv
OPEN SPACES; importance of	lxxii
PAGET, SIR JAMES; Damage done by Syphilis	lxix
PARKES; on Burial	lxxv
PHTHISIS; Life Table of those dying of	xxvii
reduction in Mortality by exclusion of. (Table 59.)	clxix
effect of excluding deaths from, in Life Table for Males. (Table 60.)	clxix
and Lung Diseases; comparative Mortality from, of Males and Females, at Four Groups of Ages, in England and in London. (Table 76.)	clxxxiii
PHYSICIANS AND SURGEONS; Mortality of	lv
PLAGUES; Increase of Births after	xii
PLAYFAIR on the Food of Man in relation to Useful Work	lxi
POLICE IN LONDON	xliv
POPULATION; Early English	vii
Increase and Decrease of	ix
Increase of, in geometrical progression, its effects on Health and Mortality	ix
Malthus on	ix
President of the Health Officers of London, on Increase of . . .	ix-x
Godwin on	xi
natural Increase of, in England and in France	xii
Increase of, by reserve of Reproductive Force	xii
Increase of, in Seven Groups of Districts. (Table.)	xiii
no inevitable Increase of, through Reduction of Mortality . .	xiv
and Mortality of Ulverston and four other Districts	xiv-xv
principle of	xv
Increase of, in the United States	xv-xvi
and Subsistence, Malthus on	xvi-xviii
constituent elements of	xx
constitution of, effect on Mortality	xxxvii
of the Districts of England, in groups. (Table 37.)	cli
Natural and Actual Increase of, in Districts grouped according to Mortality. (Tables 38 and 41.)	cli-cliii
of the Districts of England at and above each rate of Mortality. (Table 39.)	clii
in an Average District of several Groups of Districts of England. (Table 40.)	clii
in the Districts of England (exclusive of London) classified accord- ing to Mortality. (Table 42.)	cliii
in Groups of Districts in England (exclusive of London) (Table 43.) and Rates of Increase of. (Table 44.)	cliv

POPULATION—*continued.*

	PAGES
in the Districts of England, exclusive of London, at and above each Rate of Mortality. (Table 45.)	clv
Deaths, and Mortality of Persons, Males and Females, at certain Ages in England and in its Metropolis, 1861-70. (Table 46.)	clvi
Annual Increase of, in England, 1801-71. (Table 67.)	clxxvii
the, enumerated in 1871, the survivors of Children born in previous decennials. (Table 68.)	clxxvii
of England, at different Ages in 1871, contrasted with what it would have been had the Births remained constant, and had there been no Emigration. (Table 69.)	clxxviii
of England, at different Ages, according to Census and according to Life Table. (Table 70.)	clxxix
of the United States, and Decennial Increase per cent., 1790-1870. (Table 72.)	clxxxi
Proportion of Males and Females living at different Ages in England, London, Manchester, and Liverpool. (Table 77.)	clxxxiv
Mean of Enumerations of 1861 and 1871, of Males and Females at different Ages in the Registration Divisions and Districts of England	1-445
Mean of Enumerations of 1861 and 1871 of Persons at different Ages in England, compared with the Deaths at those Ages from various Causes, 1861-70. (Table 1.)	lxxxiv-lxxxv
Density of. (<i>See</i> DENSITY.)	
POPULATIONS ; Increasing and Decreasing ; Marriage, Birth, and Death-rates in. (Table.)	xv
POTTERS ; Mortality of	lvi-lvii
PRICE, Dr. ; on Effects of Compound Interest	x
PRIVATION AND POOR RELIEF	lxi
PROBABILITY OF DYING at and after any Age of any particular Disease, formulas for determining	cx-cxi
PROFESSIONS ; Rates of Mortality in	lv
PROXIMITY OF PERSONS in certain Districts	xxiii
Relation of, to Mortality	clviii
In Seven Groups of Districts. (Table 48.)	clviii
PUBLICANS ; Mortality of, in London and in England, exclusive of London. (Table.)	liv
PUBLIC BATHS	lxiv
PUBLIC HOUSES	lx
PUBLISHERS AND BOOKSELLERS, Mortality of	lvi
PUERPERAL FEVER ; Infection and Mortality of	lxx
RACE ; Improvement of, in Men as in Animals	lxxxii
RAILWAY SERVICE ; Mortality of those engaged in	lv
RAMAZZINI on the Health of those engaged in various Occupations :	lii
on the Duties of a Court Physician	lxxxi
RATES FOR PUBLIC PURPOSES	lxxi
RECIPROCALs of Years of Life at each Age. (Table 35.)	cl
of Deaths at each Age. (Table 36.)	cl
REDRUTH ; Marriage, Birth, and Death Rate, 1860-2 ; 1870-2. (Table.)	xv

	PAGES
REGISTER OF DEATH; a new kind of Monument	lxxv
ROOKERIES	lxxi
ST. AUSTELL; Marriage, Birth, and Death Rate, 1860-2; 1870-2. (Table.)	xv
SANITARY APPLIANCES; want of, in new Mining and Manufacturing Districts	vii-viii
SCARLET FEVER AND SMALL-POX; Comparative Mortality of, 1851-70	vii
First recorded Appearances of	xxxix
SEWAGE; disposal of, in London	vii
Pollution of Rivers above Intake of Water Supply	lxiv
SEX. (See BIRTHS, DEATHS, POPULATION.)	
SHOEMAKERS; Mortality of	lvi
SICK; in United Kingdom, and in England and Wales	lxxvii-lxxviii
SICKNESS; proportion of, to Deaths	lxxvii
Average, in a Friendly Society	lxxvii-lxxviii
National Returns of	lxxx
SITE of Cities and Dwellings; influence of, on Health	lxxi
SLAUGHTER-HOUSES; need of Public	lix
SMALL-POX, inoculated, Mortality from, 1746-63	vi
Mortality from, 1771-80, 1831-5, and 1861-70	vii
and Scarlet Fever; comparative Mortality of, 1851-70	vii
Number of Attacks to Deaths	xxxv-xxxvi
first recorded appearances of	xxxix
exclusion of, in Glasgow, counterbalanced by increase of other Diseases	xli
and Fever, proportion of Attacks to Deaths, at different Ages, in England. (Table 73.)	clxxxii
and Fever, Deaths at different Ages, in England, according to Life Table, and proportional numbers of Attacks. (Table 74.)	clxxxii
SOLDIERS; Mortality of	clxxv
SOLICITORS; Mortality of	lv
SPRENGEL; surveillance of Houses of Ill-fame	lxviii
STAFF HEALTH OFFICERS	lxxx
STANDARD RATE OF MORTALITY	ix
STATE MEDICINE; Instruction and Examination in	lxxx
STATISTICAL DEPARTMENT	lxxxii
STERILITY; ill effects of the Policy of	xvii
STIMULANTS	lix-lx
increased use of, a result of increased Wages	viii
STOCKTON; Marriage, Birth, and Death Rates, 1860-2, 1870-2. (Table.)	xv
STRUGGLES for Existence	iv & xviii
SUPPRESSION of Phthisis, Cancer, and Miasmatic Diseases, effects of	xxxix-xl
SYPHILIS; Origin of Epidemic	lxvii-lxviii
Deaths from	lxix

	PAGES
TAILORS; Mortality of	lvi
TANNERS AND CURRIERS; Mortality of	lvi
THACKRAH on the Effects of Occupation on Health	liii
THERAPEUTICS; promoted by Sickness Returns	lxxx
THOMPSON, SIR HENRY, on Cremation	lxxii
TOBACCO; Use of	lx
TOBACCONISTS; Mortality of	lvi
TOOL, FILE, SAW MAKERS; Mortality of	lvi
TOPOGRAPHY; Hygienic	xliii-lii
TOWN DISTRICTS; Drainage	vii
Mortality of Males and Females at different Ages in Two Groups of. (Table 51.)	clx
Deaths in Eighty, in 1871 of Males at different Ages and in various Occupations	505-514
TOWNS, want of Sanitary Arrangements in early periods	vii
IN ENGLAND; Increase of, with stationary Death-rate in the whole Population	viii
FIFTEEN GREAT; Outline Life Table. (Table 32.)	cxxxvii
Mortality of, at various Ages. (Table 51.)	clx
SEVENTEEN GREAT; Mortality of, at various Ages. (Table 51.)	clx
Index of certain	519
ULVERSTON DISTRICT; Population and Mortality	xiv
Increase of Marriage, Birth, and Death Rates, 1860-2; 1870-2. (Table.)	xv
UNITED STATES; Increase of Population in	xv-xvi
Increase of Produce in	xvi
Decennial Increase in Population of, 1790-1870. (Table 72.)	clxxxi
UNITS OF LIFE	iii
VACCINATION; Mortality from Small-pox	vii
Its effect on the duration of Life	xxxix
Importance of	lxv-lxvii
Unwise Efforts for the abolition of	lxvi-lxvii
VALUE of various Classes of Lives at certain Ages	xli-xlii
VETERINARY SURGEONS AND FARRIERs; Mortality of	lv
WAGES, INCREASED; affording the Means of Healthy Life among Artisans	viii
WATER; Supply in London	xliii
Hard, purified	lix
Supply from Rivers	lxiv
WEAKLY LIVES affect Mortality	viii
WHEELWRIGHTS; Mortality of	lvi
WHOOPING COUGH; first recorded Appearances of	xxxix

	PAGES
WOOL, SILK, COTTON MANUFACTURES ; Mortality of those engaged in	lvi
WORK AND FOOD	lxii-lxiii
YEARS OF LIFE and Causes of Death of Males at certain Ages in England, 1848-72. (Table 33.)	cxxxviii-cxliii
and Causes of Death of Females at certain Ages in England, 1848-72. (Table 34.)	cxliv-cxlix
of Men in various Occupations, at different Ages, applied to the dying, of those Occupations, in the Years 1860, 1861, 1871. (Tables 63, 64.)	clxxii-clxxv
ZYMOTIC DISEASES ; Destruction of their Germs	lxv
Reduction in Mortality by exclusion of. (Table 59.)	clxix
Life Table for Males, exclusive of Deaths from. (Table 60.) . .	clxix

ERRATA.

The following corrections should be made :—

On page 157, in the District of Tendring, the mean population at All Ages should be 13,687.


On page 244, in the District of Westbury-on-Severn, the mean population at age 75 should be 142.


L O N D O N :

Printed by GEORGE E. EYRE and WILLIAM SCOTTISWOODE,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.









LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on
or before the date last stamped below.

--	--	--

12

